



Appendix B

Modulation Characteristics

According to FCC Part 2.1047& Part 27 Subpart C&L



TABLE OF CONTENTS

APPENDIX B	1
ACCORDING TO FCC PART 2.1047& PART 27 SUBPART C&L TABLE OF CONTENTS	1
TABLE OF CONTENTS	2
1 FOR CDMA 1700	4
1.1 TEST MODE = TM1	4
1.1.1.1 Channel = M	4
1.2 TEST MODE = TM3	5
1.2.1.1 Channel = M	5
2 FOR EVDO 1700	6
2.1 TEST MODE = SUBTYPE 0	6
2.1.1.1 Channel = M	6
2.2 TEST MODE = SUBTYPE 2	7
2.2.1.1 Channel = M	7
3 FOR BAND 4	10
3.1 TEST MODE = TM4	10
3.1.1 Channel Bandwidth = Lowest (5 MHz)	10
3.1.1.1 Channel = M	10
3.1.1.1.1 QPSK/full RBs	10
3.1.2 Channel Bandwidth = Highest (10 MHz)	11
3.1.2.1 Channel = M	11
3.1.2.1.1 QPSK/full RBs	11
3.2 TEST MODE = TM5	12
3.2.1 Channel Bandwidth = Lowest (5 MHz)	12
3.2.1.1 Channel = M	12
3.2.1.1.1 16QAM/full RBs	12
3.2.2 Channel Bandwidth = Highest (10 MHz)	13
3.2.2.1 Channel = M	13
3.2.2.1.1 16QAM/full RBs	13
4 FOR BAND 12	14
4.1 TEST MODE = TM4	14
4.1.1 Channel Bandwidth = Lowest (1.4 MHz)	14
4.1.1.1 Channel = M	14
4.1.1.1.1 QPSK/full RBs	14
4.1.2 Channel Bandwidth = 5 MHz	15
4.1.2.1 Channel = M	15
4.1.2.1.1 QPSK/full RBs	15
4.1.3 Channel Bandwidth = Highest (10 MHz)	16
4.1.3.1 Channel = M	16
4.1.3.1.1 QPSK/full RBs	16
4.2 TEST MODE = TM5	17
4.2.1 Channel Bandwidth = Lowest (1.4 MHz)	17
4.2.1.1 Channel = M	17
4.2.1.1.1 16QAM/full RBs	17
4.2.2 Channel Bandwidth = 5 MHz	18
4.2.2.1 Channel = M	18
4.2.2.1.1 16QAM/full RBs	18
4.2.3 Channel Bandwidth = Highest (10 MHz)	19




4.2.3.1	Channel = M	19
4.2.3.1.1	16QAM/full RBs	19

1 For CDMA 1700


1.1 Test Mode = TM1

1.1.1.1 Channel = M



1.2 Test Mode = TM3


1.2.1.1 Channel = M



2 For EVDO 1700

2.1 Test Mode = Subtype 0

2.1.1.1 Channel = M




2.2 Test Mode = Subtype 2


2.2.1.1 Channel = M

The R-Data packet size determines the modulation format:


R-Data Pkt Size (256 bits)
(BPSK)



R-Data Pkt Size (4096 bits)
(QPSK)



R-Data Pkt Size (12288 bits)
(8PSK)




3 For Band 4

3.1 Test Mode = TM4

3.1.1 Channel Bandwidth = Lowest (5 MHz)

3.1.1.1 Channel = M


3.1.1.1.1 QPSK/full RBs



3.1.2 Channel Bandwidth = Highest (10 MHz)

3.1.2.1 Channel = M

3.1.2.1.1 QPSK/full RBs




3.2 Test Mode = TM5

3.2.1 Channel Bandwidth = Lowest (5 MHz)

3.2.1.1 Channel = M


3.2.1.1.1 16QAM/full RBs



3.2.2 Channel Bandwidth = Highest (10 MHz)

3.2.2.1 Channel = M

3.2.2.1.1 16QAM/full RBs




4 For Band 12

4.1 Test Mode = TM4

4.1.1 Channel Bandwidth = Lowest (1.4 MHz)

4.1.1.1 Channel = M


4.1.1.1.1 QPSK/full RBs



4.1.2 Channel Bandwidth =5 MHz

4.1.2.1 Channel = M


4.1.2.1.1 QPSK/full RBs



4.1.3 Channel Bandwidth = Highest (10 MHz)

4.1.3.1 Channel = M

4.1.3.1.1 QPSK/full RBs




4.2 Test Mode = TM5

4.2.1 Channel Bandwidth = Lowest (1.4 MHz)

4.2.1.1 Channel = M


4.2.1.1.1 16QAM/full RBs



4.2.2 Channel Bandwidth =5 MHz

4.2.2.1 Channel = M


4.2.2.1.1 16QAM/full RBs



4.2.3 Channel Bandwidth = Highest (10 MHz)

4.2.3.1 Channel = M

4.2.3.1.1 16QAM/full RBs



-----END-----