


5.1.1.1.4.2 Test Channel = HCH


5.1.1.1.4.2.1 Test RB = RB1#0



5.1.1.1.4.2.2 Test RB = RB1#49



5.1.1.1.4.2.3 Test RB = RB25#13



5.1.1.1.4.2.4 Test RB = RB50#0



5.1.1.1.5 Test Bandwidth = 15

5.1.1.1.5.1 Test Channel = LCH

5.1.1.1.5.1.1 Test RB = RB1#0



5.1.1.1.5.1.2 Test RB = RB1#74



5.1.1.1.5.1.3 Test RB = RB38#19



5.1.1.1.5.1.4 Test RB = RB75#0



5.1.1.1.5.2 Test Channel = HCH

5.1.1.1.5.2.1 Test RB = RB1#0



5.1.1.1.5.2.2 Test RB = RB1#74



5.1.1.1.5.2.3 Test RB = RB38#19



5.1.1.1.5.2.4 Test RB = RB75#0




5.1.1.2 Test Mode = LTE/TM2

5.1.1.2.1 Test Bandwidth = 1.4

5.1.1.2.1.1 Test Channel = LCH

5.1.1.2.1.1.1 Test RB = RB1#0



5.1.1.2.1.1.2 Test RB = RB1#5



5.1.1.2.1.1.3 Test RB = RB3#2



5.1.1.2.1.1.4 Test RB = RB6#0



5.1.1.2.1.2 Test Channel = HCH

5.1.1.2.1.2.1 Test RB = RB1#0




5.1.1.2.1.2.2 Test RB = RB1#5



5.1.1.2.1.2.3 Test RB = RB3#2




5.1.1.2.1.2.4 Test RB = RB6#0




5.1.1.2.2 Test Bandwidth = 3

5.1.1.2.2.1 Test Channel = LCH

5.1.1.2.2.1.1 Test RB = RB1#0




5.1.1.2.2.1.2 Test RB = RB1#14



5.1.1.2.2.1.3 Test RB = RB8#4




5.1.1.2.2.1.4 Test RB = RB15#0




5.1.1.2.2.2 Test Channel = HCH

5.1.1.2.2.2.1 Test RB = RB1#0



5.1.1.2.2.2 Test RB = RB1#14



5.1.1.2.2.3 Test RB = RB8#4




5.1.1.2.2.4 Test RB = RB15#0



5.1.1.2.3 Test Bandwidth = 5


5.1.1.2.3.1 Test Channel = LCH

5.1.1.2.3.1.1 Test RB = RB1#0





5.1.1.2.3.1.2 Test RB = RB1#24



5.1.1.2.3.1.3 Test RB = RB12#6




5.1.1.2.3.1.4 Test RB = RB25#0




5.1.1.2.3.2 Test Channel = HCH

5.1.1.2.3.2.1 Test RB = RB1#0



5.1.1.2.3.2.2 Test RB = RB1#24





Agilent Spectrum Analyzer - Swept SA

RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 02:31:19 PM Jan 17, 2016

Center Freq 849.000000 MHz Avg Type: Pwr(RMS) Avg|Hold: 8/100

PNO: Far $\leftrightarrow$ Trig: Free Run #Atten: 36 dB

IFGain:Low

TRACE 1 2 3 4 5 6
TYPE M
DET A A A A A A

Ref Offset 7.2 dB
Ref 30.00 dBm

**Mkr1 849.000 MHz
-32.724 dBm**

10 dB/div
Log

-13.00 dBm

Center 849.000 MHz **Span 2.000 MHz**
#Res BW 51 kHz **#VBW 150 kHz*** **#Sweep 1.00 s (1001 pts)**

MSG STATUS

Frequency

Auto Tune

Center Freq
849.000000 MHz

Start Freq
848.000000 MHz

Stop Freq
850.000000 MHz

CF Step
200.000 kHz
Auto Man

Freq Offset
0 Hz


5.1.1.2.3.2.4 Test RB = RB25#0




5.1.1.2.4 Test Bandwidth = 10

5.1.1.2.4.1 Test Channel = LCH


5.1.1.2.4.1.1 Test RB = RB1#0



5.1.1.2.4.1.2 Test RB = RB1#49



5.1.1.2.4.1.3 Test RB = RB25#13




5.1.1.2.4.1.4 Test RB = RB50#0



5.1.1.2.4.2 Test Channel = HCH

5.1.1.2.4.2.1 Test RB = RB1#0





Agilent Spectrum Analyzer - Swept SA

RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 02:33:38 PM Jan 17, 2016

Center Freq 849.000000 MHz PNO: Far $\leftrightarrow$ Trig: Free Run Avg Type: Pwr(RMS) TRACE 1 2 3 4 5 6
 IF Gain: Low #Atten: 36 dB Avg|Hold: 8/100 TYPE M DET A A A A A A


Ref Offset 7.2 dB Mkr1 849.010 MHz
 Ref 30.00 dBm -23.025 dBm

10 dB/div
 Log

Center 849.000 MHz
 #Res BW 100 kHz
 #VBW 300 kHz*
 #Sweep 1.00 s (1001 pts)
 Span 2.000 MHz

MSG STATUS

5.1.1.2.4.2.3 Test RB = RB25#13



5.1.1.2.4.2.4 Test RB = RB50#0



5.1.1.2.5 Test Bandwidth = 15

5.1.1.2.5.1 Test Channel = LCH


5.1.1.2.5.1.1 Test RB = RB1#0



5.1.1.2.5.1.2 Test RB = RB1#74



5.1.1.2.5.1.3 Test RB = RB38#19




5.1.1.2.5.1.4 Test RB = RB75#0



5.1.1.2.5.2 Test Channel = HCH

5.1.1.2.5.2.1 Test RB = RB1#0




5.1.1.2.5.2.2 Test RB = RB1#74



5.1.1.2.5.2.3 Test RB = RB38#19



5.1.1.2.5.2.4 Test RB = RB75#0



6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = BAND26

6.1.1.1 Test Mode = LTE/TM1


6.1.1.1.1 Test Bandwidth = 1.4


6.1.1.1.1.1 Test Channel = LCH

6.1.1.1.1.1.1 Test RB = RB1#0













6.1.1.1.1.2 Test Channel = MCH

6.1.1.1.1.2.1 Test RB = RB1#0












6.1.1.1.1.3 Test Channel = HCH

6.1.1.1.1.3.1 Test RB = RB1#0











6.1.1.1.2 Test Bandwidth = 3


6.1.1.1.2.1 Test Channel = LCH

6.1.1.1.2.1.1 Test RB = RB1#0









6.1.1.1.2.2 Test Channel = MCH

6.1.1.1.2.2.1 Test RB = RB1#0

