

ANNEX I: The EUT Appearances and Test Configuration



a: EUT



b: Back View

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1211-0104SAR01

Page 137 of 144



c-1: Battery 1



c-2: Battery 2

c: Battery

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1211-0104SAR01

Page 138 of 144



d:Earphone

Picture 8: Constituents of EUT

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1211-0104SAR01

Page 139 of 144



Picture 9: Left Hand Touch Cheek Position



Picture 10: Left Hand Tilt 15 Degree Position



Picture 11: Right Hand Touch Cheek Position



Picture 12: Right Hand Tilt 15 Degree Position

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1211-0104SAR01

Page 141 of 144




Picture 13: Back Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Front Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 15: Left Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: Right Edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1211-0104SAR01

Page 143 of 144



Picture 17: Top Edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 18: Bottom Edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RHA1211-0104SAR01

Page 144 of 144



Picture 19: Back Side with earphone, the distance from handset to the bottom of the Phantom is 10mm