










6.2.1.2.2.3 Test Channel = HCH

6.2.1.2.2.3.1 Test RB = RB1#0









6.2.1.2.3 Test Bandwidth = 15

6.2.1.2.3.1 Test Channel = LCH

6.2.1.2.3.1.1 Test RB = RB1#0










6.2.1.2.3.2 Test Channel = MCH

6.2.1.2.3.2.1 Test RB = RB1#0










6.2.1.2.3.3 Test Channel = HCH

6.2.1.2.3.3.1 Test RB = RB1#0











6.2.1.2.4 Test Bandwidth = 20

6.2.1.2.4.1 Test Channel = LCH

6.2.1.2.4.1.1 Test RB = RB1#0









6.2.1.2.4.2 Test Channel = MCH

6.2.1.2.4.2.1 Test RB = RB1#0










6.2.1.2.4.3 Test Channel = HCH

6.2.1.2.4.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note:

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For GSM

7.1.1 Test Band = GSM850


7.1.1.1 Test Mode = GSM/TM1




Copy of FCC PART22 GSM850_L




Copy of FCC PART22 GSM850_H




7.1.1.2 Test Mode = GSM/TM2



Copy of FCC PART22 GSM850_L




Copy of FCC PART22 GSM850_H




7.1.2 Test Band = GSM1900


7.1.2.1 Test Mode = GSM/TM1



Copy of FCC PART24 GSM1900_L




Copy of FCC PART24 GSM1900_H




GPRS1900_DBM-4



7.1.2.2 Test Mode = GSM/TM2



Copy of FCC PART24 GSM1900_L




Copy of FCC PART24 GSM1900_H




7.2 For LTE

7.2.1 Test Band = BAND7



7.2.1.1 Test Bandwidth = 5




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H.





7.2.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L.



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H.



8Appendix_H: Frequency Stability

8.1 For GSM

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
GSM850	GSM/TM1	LCH	TN	VL	18.98	0.02303	PASS
				VN	19.37	0.0235	PASS
				VH	18.21	0.02209	PASS
		MCH	TN	VL	18.34	0.02192	PASS
				VN	17.95	0.02146	PASS
				VH	12.27	0.01467	PASS
		HCH	TN	VL	17.43	0.02053	PASS
				VN	18.08	0.0213	PASS
				VH	12.33	0.01453	PASS
	GSM/TM2	LCH	TN	VL	15.46	0.01876	PASS
				VN	15.72	0.01907	PASS
				VH	16.24	0.0197	PASS
		MCH	TN	VL	13.79	0.01648	PASS
				VN	10.75	0.01285	PASS
				VH	17.37	0.02076	PASS
		HCH	TN	VL	19.31	0.02275	PASS
				VN	12.20	0.01437	PASS
				VH	12.53	0.01476	PASS
GSM1900	GSM/TM1	LCH	TN	VL	50.62	0.02736	PASS
				VN	51.01	0.02757	PASS
				VH	60.76	0.03284	PASS
		MCH	TN	VL	55.98	0.02978	PASS
				VN	61.60	0.03277	PASS
				VH	56.24	0.02991	PASS
		HCH	TN	VL	59.41	0.03111	PASS
				VN	61.54	0.03222	PASS
				VH	54.11	0.02833	PASS
	GSM/TM2	LCH	TN	VL	61.99	0.0335	PASS
				VN	55.53	0.03001	PASS

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		MCH	TN	VH	40.58	0.02193	PASS
				VL	49.20	0.02617	PASS
				VN	58.15	0.03093	PASS
				VH	42.36	0.02253	PASS
		HCH	TN	VL	50.43	0.02641	PASS
				VN	56.98	0.02984	PASS
				VH	59.83	0.03133	PASS

8.1.2Frequency Error vs. Temperature:

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
GSM850	GSM/TM1	LCH	VN	-30	15.95	0.01935	PASS
				-20	15.88	0.01927	PASS
				-10	14.08	0.01708	PASS
				0	19.24	0.02334	PASS
				10	17.95	0.02178	PASS
				20	17.11	0.02076	PASS
				30	17.69	0.02146	PASS
				40	13.04	0.01582	PASS
				50	14.27	0.01731	PASS
		MCH	VN	-30	14.27	0.01706	PASS
				-20	15.95	0.01907	PASS
				-10	16.08	0.01922	PASS
				0	14.79	0.01768	PASS
				10	17.50	0.02092	PASS
				20	13.43	0.01605	PASS
				30	18.02	0.02154	PASS
				40	17.37	0.02076	PASS
				50	16.79	0.02007	PASS
		HCH	VN	-30	14.46	0.01704	PASS
				-20	14.53	0.01712	PASS
				-10	13.56	0.01598	PASS
				0	17.89	0.02108	PASS
				10	14.59	0.01719	PASS
				20	16.14	0.01902	PASS
				30	16.34	0.01925	PASS
				40	21.37	0.02518	PASS
				50	16.59	0.01955	PASS
	GSM/TM2	LCH	VN	-30	15.69	0.01904	PASS

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				-20	31.64	0.03839	PASS
				-10	12.79	0.01552	PASS
				0	11.98	0.01454	PASS
				10	19.60	0.02378	PASS
				20	13.82	0.01677	PASS
				30	16.66	0.02021	PASS
				40	15.14	0.01837	PASS
				50	16.43	0.01993	PASS
		MCH	VN	-30	12.79	0.01529	PASS
				-20	13.46	0.01609	PASS
				-10	11.82	0.01413	PASS
				0	28.93	0.03458	PASS
				10	15.24	0.01822	PASS
				20	16.56	0.01979	PASS
				30	12.91	0.01543	PASS
				40	12.37	0.01479	PASS
				50	19.27	0.02303	PASS
		HCH	VN	-30	15.21	0.01792	PASS
				-20	12.24	0.01442	PASS
				-10	2.20	0.00259	PASS
				0	17.56	0.02069	PASS
				10	13.50	0.0159	PASS
				20	10.88	0.01282	PASS
				30	17.08	0.02012	PASS
				40	17.92	0.02111	PASS
				50	20.99	0.02473	PASS
GSM1900	GSM/TM1	LCH	VN	-30	57.02	0.03082	PASS
				-20	62.25	0.03365	PASS
				-10	55.40	0.02994	PASS
				0	50.75	0.02743	PASS
				10	53.66	0.029	PASS
				20	51.33	0.02774	PASS
				30	51.85	0.02802	PASS
				40	51.79	0.02799	PASS
				50	56.69	0.03064	PASS
		MCH	VN	-30	58.05	0.03088	PASS
				-20	55.60	0.02957	PASS
				-10	57.47	0.03057	PASS
				0	53.01	0.0282	PASS
				10	48.49	0.02579	PASS

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
				20	55.40	0.02947	PASS
				30	56.95	0.03029	PASS
				40	47.91	0.02548	PASS
				50	50.17	0.02669	PASS
		HCH	VN	-30	55.14	0.02887	PASS
				-20	48.43	0.02536	PASS
				-10	47.07	0.02465	PASS
				0	49.66	0.026	PASS
				10	56.31	0.02948	PASS
				20	59.66	0.03124	PASS
				30	51.85	0.02715	PASS
				40	55.47	0.02904	PASS
				50	49.46	0.0259	PASS
	GSM/TM2	LCH	VN	-30	82.39	0.04453	PASS
				-20	57.37	0.03101	PASS
				-10	67.61	0.03654	PASS
				0	38.61	0.02087	PASS
				10	52.85	0.02856	PASS
				20	52.85	0.02856	PASS
				30	50.04	0.02705	PASS
				40	55.92	0.03022	PASS
				50	54.01	0.02919	PASS
		MCH	VN	-30	55.43	0.02948	PASS
				-20	39.13	0.02081	PASS
				-10	50.62	0.02693	PASS
				0	52.43	0.02789	PASS
				10	52.82	0.0281	PASS
				20	58.15	0.03093	PASS
				30	51.24	0.02726	PASS
				40	59.31	0.03155	PASS
				50	58.02	0.03086	PASS
		HCH	VN	-30	56.53	0.0296	PASS
				-20	52.21	0.02734	PASS
				-10	40.42	0.02116	PASS
				0	63.96	0.03349	PASS
				10	57.92	0.03033	PASS
				20	52.88	0.02769	PASS
				30	41.91	0.02194	PASS
				40	61.54	0.03222	PASS
				50	53.08	0.02779	PASS

8.2 For LTE

8.2.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND7	LTE/TM1	5	LCH	TN	VL	-2.10	-0.00084	PASS
					VN	-6.74	-0.00269	PASS
					VH	-1.52	-0.00061	PASS
			MCH	TN	VL	0.20	0.00008	PASS
					VN	-1.62	-0.00064	PASS
					VH	-5.36	-0.00211	PASS
			HCH	TN	VL	4.79	0.00187	PASS
					VN	4.78	0.00186	PASS
					VH	7.81	0.00304	PASS
		10	LCH	TN	VL	2.27	0.00091	PASS
					VN	-4.39	-0.00175	PASS
					VH	4.51	0.0018	PASS
			MCH	TN	VL	-0.62	-0.00024	PASS
					VN	1.13	0.00045	PASS
					VH	-3.75	-0.00148	PASS
			HCH	TN	VL	8.30	0.00324	PASS
					VN	-1.50	-0.00058	PASS
					VH	1.29	0.0005	PASS
		15	LCH	TN	VL	6.11	0.00244	PASS
					VN	6.51	0.0026	PASS
					VH	3.20	0.00128	PASS
			MCH	TN	VL	-3.13	-0.00123	PASS
					VN	2.17	0.00086	PASS
					VH	1.46	0.00058	PASS
			HCH	TN	VL	-3.38	-0.00132	PASS
					VN	-5.12	-0.002	PASS
					VH	-5.78	-0.00226	PASS
		20	LCH	TN	VL	-1.43	-0.00057	PASS
					VN	-0.13	-0.00005	PASS
					VH	-8.94	-0.00356	PASS
			MCH	TN	VL	4.22	0.00166	PASS
					VN	-3.46	-0.00136	PASS
					VH	-1.39	-0.00055	PASS
			HCH	TN	VL	11.01	0.0043	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict			
					VN	7.12	0.00278	PASS			
					VH	7.44	0.00291	PASS			
	LTE/TM2	5	LCH	TN	VL	-5.81	-0.00232	PASS			
					VN	-10.01	-0.004	PASS			
					VH	-9.70	-0.00388	PASS			
					VL	-2.50	-0.00099	PASS			
			MCH	TN	VN	2.10	0.00083	PASS			
					VH	-0.77	-0.0003	PASS			
					VL	11.03	0.0043	PASS			
					VN	2.53	0.00099	PASS			
			HCH	TN	VH	6.94	0.0027	PASS			
					VL	3.22	0.00129	PASS			
					10	LCH	TN	VN	0.54	0.00022	PASS
								VH	-6.51	-0.0026	PASS
		VL	3.78	0.00149				PASS			
		VN	0.13	0.00005				PASS			
		MCH	TN	VH		-1.22	-0.00048	PASS			
				VL		6.52	0.00254	PASS			
				VN		1.89	0.00074	PASS			
				VH		1.67	0.00065	PASS			
		HCH	TN	VL		0.99	0.00039	PASS			
				VN		7.34	0.00293	PASS			
				VH		5.06	0.00202	PASS			
				VL		-1.62	-0.00064	PASS			
		15	MCH	TN	VN	5.78	0.00228	PASS			
					VH	-1.26	-0.0005	PASS			
					VL	-3.95	-0.00154	PASS			
			HCH	TN	VN	-3.39	-0.00132	PASS			
					VH	-4.22	-0.00165	PASS			
					VL	-7.12	-0.00284	PASS			
		20	LCH	TN	VN	-5.41	-0.00216	PASS			
					VH	-8.34	-0.00332	PASS			
					VL	-1.93	-0.00076	PASS			
				MCH	TN	VN	-2.05	-0.00081	PASS		
						VH	2.69	0.00106	PASS		
						VL	5.76	0.00225	PASS		
			HCH	TN	VN	2.93	0.00114	PASS			
					VH	6.55	0.00256	PASS			

8.2.2 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND7	LTE/TM1	5	LCH	VN	-30	-6.59	-0.00263	PASS
					-20	-2.30	-0.00092	PASS
					-10	-6.24	-0.00249	PASS
					0	-3.99	-0.00159	PASS
					10	-8.18	-0.00327	PASS
					20	-3.15	-0.00126	PASS
					30	-3.88	-0.00155	PASS
					40	-6.95	-0.00278	PASS
					50	-1.82	-0.00073	PASS
			MCH	VN	-30	6.07	0.00239	PASS
					-20	-1.46	-0.00058	PASS
					-10	4.25	0.00168	PASS
					0	4.65	0.00183	PASS
					10	5.21	0.00206	PASS
					20	2.49	0.00098	PASS
					30	2.76	0.00109	PASS
					40	4.35	0.00172	PASS
					50	-2.89	-0.00114	PASS
			HCH	VN	-30	7.81	0.00304	PASS
					-20	5.84	0.00227	PASS
					-10	-0.09	-0.00004	PASS
					0	11.70	0.00456	PASS
					10	7.24	0.00282	PASS
					20	2.09	0.00081	PASS
					30	9.80	0.00382	PASS
					40	3.40	0.00132	PASS
					50	2.80	0.00109	PASS
		10	LCH	VN	-30	-2.83	-0.00113	PASS
					-20	-0.06	-0.00002	PASS
					-10	0.70	0.00028	PASS
					0	-1.59	-0.00063	PASS
					10	0.39	0.00016	PASS
					20	0.64	0.00026	PASS
					30	0.57	0.00023	PASS
					40	0.41	0.00016	PASS
					50	-2.85	-0.00114	PASS
			MCH	VN	-30	0.82	0.00032	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	2.82	0.00111	PASS
					-10	-0.94	-0.00037	PASS
					0	-0.90	-0.00036	PASS
					10	5.19	0.00205	PASS
					20	3.78	0.00149	PASS
					30	-4.89	-0.00193	PASS
					40	4.68	0.00185	PASS
					50	-3.18	-0.00125	PASS
			HCH	VN	-30	-7.54	-0.00294	PASS
					-20	6.91	0.00269	PASS
					-10	-3.18	-0.00124	PASS
					0	1.92	0.00075	PASS
					10	5.35	0.00209	PASS
					20	3.43	0.00134	PASS
					30	-0.29	-0.00011	PASS
					40	-0.46	-0.00018	PASS
					50	-5.38	-0.0021	PASS
		15	LCH	VN	-30	4.65	0.00185	PASS
					-20	4.05	0.00162	PASS
					-10	2.55	0.00102	PASS
					0	4.92	0.00196	PASS
					10	7.01	0.0028	PASS
					20	7.68	0.00306	PASS
					30	9.07	0.00362	PASS
					40	6.44	0.00257	PASS
					50	7.50	0.00299	PASS
			MCH	VN	-30	2.46	0.00097	PASS
					-20	5.11	0.00202	PASS
					-10	0.93	0.00037	PASS
					0	-2.43	-0.00096	PASS
					10	-3.05	-0.0012	PASS
					20	-2.50	-0.00099	PASS
					30	-2.52	-0.00099	PASS
					40	-3.26	-0.00129	PASS
					50	-2.29	-0.0009	PASS
			HCH	VN	-30	-3.32	-0.0013	PASS
					-20	-3.76	-0.00147	PASS
					-10	-5.39	-0.0021	PASS
					0	0.93	0.00036	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-5.29	-0.00206	PASS
					20	-6.07	-0.00237	PASS
					30	-3.55	-0.00139	PASS
					40	-4.73	-0.00185	PASS
					50	-7.00	-0.00273	PASS
			LCH	VN	-30	-8.55	-0.00341	PASS
					-20	-3.46	-0.00138	PASS
					-10	-9.03	-0.0036	PASS
					0	-8.88	-0.00354	PASS
					10	-7.12	-0.00284	PASS
					20	-8.03	-0.0032	PASS
					30	-7.38	-0.00294	PASS
					40	-7.31	-0.00291	PASS
					50	-7.60	-0.00303	PASS
			MCH	VN	-30	0.54	0.00021	PASS
					-20	-3.69	-0.00146	PASS
					-10	4.51	0.00178	PASS
					0	-0.51	-0.0002	PASS
					10	1.59	0.00063	PASS
					20	-2.16	-0.00085	PASS
					30	5.41	0.00213	PASS
					40	-3.79	-0.0015	PASS
					50	5.98	0.00236	PASS
			HCH	VN	-30	4.88	0.00191	PASS
					-20	6.39	0.0025	PASS
					-10	5.78	0.00226	PASS
					0	10.96	0.00428	PASS
					10	2.90	0.00113	PASS
					20	5.71	0.00223	PASS
					30	9.78	0.00382	PASS
					40	4.96	0.00194	PASS
					50	3.73	0.00146	PASS
	LTE/TM2	5	LCH	VN	-30	-6.21	-0.00248	PASS
					-20	-7.67	-0.00306	PASS
					-10	-12.10	-0.00484	PASS
					0	-11.66	-0.00466	PASS
					10	-0.89	-0.00036	PASS
					20	-5.56	-0.00222	PASS
					30	-3.28	-0.00131	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-11.00	-0.0044	PASS
					50	-4.38	-0.00175	PASS
			MCH	VN	-30	-3.86	-0.00152	PASS
					-20	3.28	0.00129	PASS
					-10	2.02	0.0008	PASS
					0	-4.23	-0.00167	PASS
					10	5.76	0.00227	PASS
					20	-2.70	-0.00107	PASS
					30	1.89	0.00075	PASS
					40	0.23	0.00009	PASS
					50	-4.68	-0.00185	PASS
			HCH	VN	-30	12.50	0.00487	PASS
					-20	11.64	0.00453	PASS
					-10	11.44	0.00446	PASS
					0	14.03	0.00546	PASS
					10	9.17	0.00357	PASS
					20	2.25	0.00088	PASS
					30	3.08	0.0012	PASS
					40	2.25	0.00088	PASS
					50	4.56	0.00178	PASS
		10	LCH	VN	-30	-0.72	-0.00029	PASS
					-20	-2.32	-0.00093	PASS
					-10	-0.90	-0.00036	PASS
					0	0.73	0.00029	PASS
					10	-0.77	-0.00031	PASS
					20	4.55	0.00182	PASS
					30	1.29	0.00051	PASS
					40	-4.38	-0.00175	PASS
					50	-0.40	-0.00016	PASS
			MCH	VN	-30	7.24	0.00286	PASS
					-20	-3.56	-0.0014	PASS
					-10	4.55	0.00179	PASS
					0	3.83	0.00151	PASS
					10	-4.41	-0.00174	PASS
					20	-4.33	-0.00171	PASS
					30	6.72	0.00265	PASS
					40	5.18	0.00204	PASS
					50	2.39	0.00094	PASS
			HCH	VN	-30	-1.46	-0.00057	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	3.33	0.0013	PASS
					-10	3.05	0.00119	PASS
					0	-4.59	-0.00179	PASS
					10	3.40	0.00133	PASS
					20	-4.22	-0.00165	PASS
					30	5.35	0.00209	PASS
					40	-1.96	-0.00076	PASS
					50	-1.79	-0.0007	PASS
		15	LCH	VN	-30	5.32	0.00212	PASS
					-20	6.21	0.00248	PASS
					-10	4.69	0.00187	PASS
					0	7.91	0.00315	PASS
					10	5.49	0.00219	PASS
					20	8.30	0.00331	PASS
					30	5.55	0.00221	PASS
					40	5.88	0.00234	PASS
					50	7.08	0.00282	PASS
			MCH	VN	-30	1.86	0.00073	PASS
					-20	4.86	0.00192	PASS
					-10	6.45	0.00254	PASS
					0	-0.54	-0.00021	PASS
					10	-1.65	-0.00065	PASS
					20	1.77	0.0007	PASS
					30	-0.70	-0.00028	PASS
					40	-0.96	-0.00038	PASS
					50	6.85	0.0027	PASS
			HCH	VN	-30	-6.95	-0.00271	PASS
					-20	-8.11	-0.00316	PASS
					-10	-0.53	-0.00021	PASS
					0	-2.85	-0.00111	PASS
					10	1.50	0.00059	PASS
					20	-5.52	-0.00215	PASS
					30	-9.21	-0.00359	PASS
					40	-6.62	-0.00258	PASS
					50	-3.23	-0.00126	PASS
		20	LCH	VN	-30	-7.44	-0.00296	PASS
					-20	-5.49	-0.00219	PASS
					-10	-6.18	-0.00246	PASS
					0	-5.89	-0.00235	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-4.61	-0.00184	PASS
					20	-6.82	-0.00272	PASS
					30	-5.14	-0.00205	PASS
					40	-3.99	-0.00159	PASS
					50	-6.29	-0.00251	PASS
			MCH	VN	-30	-4.39	-0.00173	PASS
					-20	4.05	0.0016	PASS
					-10	-4.73	-0.00187	PASS
					0	4.35	0.00172	PASS
					10	-1.34	-0.00053	PASS
					20	-6.82	-0.00269	PASS
					30	4.59	0.00181	PASS
					40	3.22	0.00127	PASS
					50	-0.39	-0.00015	PASS
			HCH	VN	-30	6.38	0.00249	PASS
					-20	5.39	0.00211	PASS
					-10	6.11	0.00239	PASS
					0	5.99	0.00234	PASS
					10	4.96	0.00194	PASS
					20	6.71	0.00262	PASS
					30	8.07	0.00315	PASS
					40	11.29	0.00441	PASS
					50	8.11	0.00317	PASS

END