







6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0










6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0









6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0










6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0










6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0












6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0










6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0









6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.3 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H





8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	1.22	0.00071	PASS
					VN	3.22	0.00188	PASS
					VH	-2.43	-0.00142	PASS
			MCH	TN	VL	-1.69	-0.00098	PASS
					VN	0.37	0.00021	PASS
					VH	0.79	0.00046	PASS
			HCH	TN	VL	-2.47	-0.00141	PASS
					VN	0.57	0.00032	PASS
					VH	-4.21	-0.0024	PASS
		3	LCH	TN	VL	-1.89	-0.0011	PASS
					VN	0.92	0.00054	PASS
					VH	2.73	0.0016	PASS
			MCH	TN	VL	46.18	0.02666	PASS
					VN	41.01	0.02367	PASS
					VH	37.94	0.0219	PASS
			HCH	TN	VL	0.37	0.00021	PASS
					VN	-0.19	-0.00011	PASS
					VH	1.2	0.00068	PASS
		5	LCH	TN	VL	2.16	0.00126	PASS
					VN	-0.39	-0.00023	PASS
					VH	2.05	0.0012	PASS
			MCH	TN	VL	28.6	0.01651	PASS
					VN	27.47	0.01586	PASS
					VH	27.92	0.01612	PASS
			HCH	TN	VL	1.27	0.00072	PASS
					VN	-0.06	-0.00003	PASS
					VH	1.23	0.0007	PASS
		10	LCH	TN	VL	-2.17	-0.00127	PASS
					VN	-0.56	-0.00033	PASS
					VH	-1.67	-0.00097	PASS
			MCH	TN	VL	12.2	0.00704	PASS
					VN	10.39	0.006	PASS
					VH	12.75	0.00736	PASS
			HCH	TN	VL	3.81	0.00218	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	2.06	0.00118	PASS
					VH	2.42	0.00138	PASS
		15	LCH	TN	VL	-0.06	-0.00003	PASS
					VN	0.62	0.00036	PASS
					VH	0.3	0.00017	PASS
			MCH	TN	VL	13.69	0.0079	PASS
					VN	13.55	0.00782	PASS
					VH	12.15	0.00701	PASS
			HCH	TN	VL	-0.17	-0.0001	PASS
					VN	-0.26	-0.00015	PASS
					VH	0.89	0.00051	PASS
		20	LCH	TN	VL	1.69	0.00098	PASS
					VN	2.13	0.00124	PASS
					VH	1.32	0.00077	PASS
			MCH	TN	VL	7.97	0.0046	PASS
					VN	8.44	0.00487	PASS
					VH	6.77	0.00391	PASS
			HCH	TN	VL	-2.53	-0.00145	PASS
					VN	-1.7	-0.00097	PASS
					VH	-4.42	-0.00253	PASS
	LTE/TM2	1.4	LCH	TN	VL	3.55	0.00208	PASS
					VN	7.11	0.00416	PASS
					VH	0.93	0.00054	PASS
			MCH	TN	VL	0.76	0.00044	PASS
					VN	2.22	0.00128	PASS
					VH	0.31	0.00018	PASS
			HCH	TN	VL	-5.54	-0.00316	PASS
					VN	-1.92	-0.00109	PASS
					VH	-6.07	-0.00346	PASS
		3	LCH	TN	VL	-3.08	-0.0018	PASS
					VN	2.95	0.00172	PASS
					VH	3.96	0.00231	PASS
			MCH	TN	VL	0.51	0.00029	PASS
					VN	-0.7	-0.0004	PASS
					VH	9.18	0.0053	PASS
			HCH	TN	VL	1.07	0.00061	PASS
					VN	0.06	0.00003	PASS
					VH	2.16	0.00123	PASS
		5	LCH	TN	VL	-1.95	-0.00114	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-3.66	-0.00214	PASS
					VH	-3.73	-0.00218	PASS
			MCH	TN	VL	-4.95	-0.00286	PASS
					VN	-0.37	-0.00021	PASS
					VH	2.47	0.00143	PASS
			HCH	TN	VL	-8.58	-0.0049	PASS
					VN	-7.3	-0.00417	PASS
					VH	-6.32	-0.00361	PASS
		10	LCH	TN	VL	-4.36	-0.00254	PASS
					VN	-2.99	-0.00174	PASS
					VH	-1.93	-0.00113	PASS
			MCH	TN	VL	-1.6	-0.00092	PASS
					VN	-4.19	-0.00242	PASS
					VH	0.97	0.00056	PASS
			HCH	TN	VL	1.82	0.00104	PASS
					VN	1.43	0.00082	PASS
					VH	2.23	0.00127	PASS
		15	LCH	TN	VL	0.07	0.00004	PASS
					VN	0.16	0.00009	PASS
					VH	1.34	0.00078	PASS
			MCH	TN	VL	9.48	0.00547	PASS
					VN	8.71	0.00503	PASS
					VH	10.29	0.00594	PASS
			HCH	TN	VL	0.7	0.0004	PASS
					VN	-0.14	-0.00008	PASS
					VH	-0.41	-0.00023	PASS
		20	LCH	TN	VL	2.56	0.00149	PASS
					VN	1.85	0.00108	PASS
					VH	2.89	0.00168	PASS
			MCH	TN	VL	1.02	0.00059	PASS
					VN	0.11	0.00006	PASS
					VH	2.05	0.00118	PASS
			HCH	TN	VL	-3.88	-0.00222	PASS
					VN	-3.05	-0.00175	PASS
					VH	-4.29	-0.00246	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	-4.11	-0.0024	PASS
					-20	-3.68	-0.00215	PASS
					-10	5.18	0.00303	PASS
					0	-5.28	-0.00309	PASS
					10	-5.21	-0.00305	PASS
					20	-2.46	-0.00144	PASS
					30	-3.89	-0.00227	PASS
					40	-2.52	-0.00147	PASS
					50	2.8	0.00164	PASS
			MCH	VN	-30	-4.68	-0.0027	PASS
					-20	0.2	0.00012	PASS
					-10	-4.31	-0.00249	PASS
					0	-1.29	-0.00074	PASS
					10	4.11	0.00237	PASS
					20	3.38	0.00195	PASS
					30	7.64	0.00441	PASS
					40	-1.99	-0.00115	PASS
					50	-3.89	-0.00225	PASS
			HCH	VN	-30	-3.02	-0.00172	PASS
					-20	-0.76	-0.00043	PASS
					-10	-2.96	-0.00169	PASS
					0	-2.79	-0.00159	PASS
					10	-2.25	-0.00128	PASS
					20	-3.35	-0.00191	PASS
					30	-3.49	-0.00199	PASS
					40	-2.59	-0.00148	PASS
					50	-2.89	-0.00165	PASS
		3	LCH	VN	-30	-1.57	-0.00092	PASS
					-20	0.79	0.00046	PASS
					-10	0.37	0.00022	PASS
					0	0.27	0.00016	PASS
					10	0.01	0.00001	PASS
					20	-3.4	-0.00199	PASS
					30	-1.93	-0.00113	PASS
					40	-3.63	-0.00212	PASS
					50	2.72	0.00159	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	-30	-42.1	-0.0243	PASS
					-20	-47.48	-0.02741	PASS
					-10	-38.22	-0.02206	PASS
					0	-31.79	-0.01835	PASS
					10	-45.22	-0.0261	PASS
					20	-50.63	-0.02922	PASS
					30	-50.05	-0.02889	PASS
					40	-36.86	-0.02128	PASS
					50	-39.4	-0.02274	PASS
			HCH	VN	-30	0.62	0.00035	PASS
					-20	0	0	PASS
					-10	0.33	0.00019	PASS
					0	1.85	0.00106	PASS
					10	-1.62	-0.00092	PASS
					20	0.49	0.00028	PASS
					30	1.4	0.0008	PASS
					40	0.92	0.00052	PASS
					50	0.93	0.00053	PASS
		5	LCH	VN	-30	-2.19	-0.00128	PASS
					-20	2.05	0.0012	PASS
					-10	0.77	0.00045	PASS
					0	3.06	0.00179	PASS
					10	1.52	0.00089	PASS
					20	0.49	0.00029	PASS
					30	0.31	0.00018	PASS
					40	1.53	0.00089	PASS
					50	1.47	0.00086	PASS
			MCH	VN	-30	-22.23	-0.01283	PASS
					-20	-12.52	-0.00723	PASS
					-10	-18.12	-0.01046	PASS
					0	-21.39	-0.01235	PASS
					10	-20.33	-0.01173	PASS
					20	-24.52	-0.01415	PASS
					30	-26.35	-0.01521	PASS
					40	-21.63	-0.01248	PASS
					50	-17.14	-0.00989	PASS
			HCH	VN	-30	-7.62	-0.00435	PASS
					-20	-6.77	-0.00386	PASS
					-10	-5.76	-0.00329	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	-8.7	-0.00496	PASS
					10	-7.47	-0.00426	PASS
					20	-7.8	-0.00445	PASS
					30	-8.5	-0.00485	PASS
					40	-6.91	-0.00394	PASS
					50	-6.78	-0.00387	PASS
		10	LCH	VN	-30	-2.25	-0.00131	PASS
					-20	-3.3	-0.00192	PASS
					-10	-1.56	-0.00091	PASS
					0	-2.68	-0.00156	PASS
					10	-0.56	-0.00033	PASS
					20	-3.22	-0.00188	PASS
					30	-1.66	-0.00097	PASS
					40	-3.15	-0.00184	PASS
					50	-2.66	-0.00155	PASS
			MCH	VN	-30	-7.24	-0.00418	PASS
					-20	-5.44	-0.00314	PASS
					-10	-7.02	-0.00405	PASS
					0	-3	-0.00173	PASS
					10	-5.92	-0.00342	PASS
					20	-8.64	-0.00499	PASS
					30	-5.58	-0.00322	PASS
					40	-5.58	-0.00322	PASS
					50	-3.02	-0.00174	PASS
			HCH	VN	-30	2.92	0.00167	PASS
					-20	0.49	0.00028	PASS
					-10	2.17	0.00124	PASS
					0	1.27	0.00073	PASS
					10	0.87	0.0005	PASS
					20	1.67	0.00095	PASS
					30	2.02	0.00115	PASS
					40	2.32	0.00133	PASS
					50	1.73	0.00099	PASS
		15	LCH	VN	-30	0.86	0.0005	PASS
					-20	1.32	0.00077	PASS
					-10	1.73	0.00101	PASS
					0	0.62	0.00036	PASS
					10	1.62	0.00094	PASS
					20	0.62	0.00036	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	0.44	0.00026	PASS
					40	-0.23	-0.00013	PASS
					50	-0.09	-0.00005	PASS
			MCH	VN	-30	10.01	0.00578	PASS
					-20	9.27	0.00535	PASS
					-10	10.97	0.00633	PASS
					0	10.74	0.0062	PASS
					10	9.77	0.00564	PASS
					20	10.63	0.00614	PASS
					30	11.19	0.00646	PASS
					40	11.43	0.0066	PASS
					50	12.57	0.00726	PASS
			HCH	VN	-30	0.29	0.00017	PASS
					-20	1.63	0.00093	PASS
					-10	-0.07	-0.00004	PASS
					0	1.67	0.00096	PASS
					10	-0.62	-0.00035	PASS
					20	-1.12	-0.00064	PASS
					30	-0.97	-0.00056	PASS
					40	-0.24	-0.00014	PASS
					50	-0.69	-0.00039	PASS
		20	LCH	VN	-30	3.33	0.00194	PASS
					-20	1	0.00058	PASS
					-10	2.52	0.00147	PASS
					0	3.63	0.00211	PASS
					10	4.05	0.00235	PASS
					20	5.82	0.00338	PASS
					30	4.71	0.00274	PASS
					40	3.76	0.00219	PASS
					50	4.21	0.00245	PASS
			MCH	VN	-30	-9.16	-0.00529	PASS
					-20	-5.59	-0.00323	PASS
					-10	-5.65	-0.00326	PASS
					0	-4.22	-0.00244	PASS
					10	-3.66	-0.00211	PASS
					20	-1.2	-0.00069	PASS
					30	-2.5	-0.00144	PASS
					40	0.39	0.00023	PASS
					50	1.19	0.00069	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	VN	-30	-1.26	-0.00072	PASS
					-20	-1.96	-0.00112	PASS
					-10	-2.76	-0.00158	PASS
					0	-2.76	-0.00158	PASS
					10	-2.82	-0.00162	PASS
					20	-3.02	-0.00173	PASS
					30	-3.56	-0.00204	PASS
					40	-1.77	-0.00101	PASS
					50	-2.16	-0.00124	PASS
	LTE/TM2	1.4	LCH	VN	-30	-2.07	-0.00121	PASS
					-20	0.43	0.00025	PASS
					-10	-4.71	-0.00275	PASS
					0	-5.75	-0.00336	PASS
					10	6.02	0.00352	PASS
					20	0.82	0.00048	PASS
					30	1.89	0.0011	PASS
					40	0.92	0.00054	PASS
					50	5.05	0.00295	PASS
			MCH	VN	-30	-0.14	-0.00008	PASS
					-20	11.84	0.00683	PASS
					-10	-0.96	-0.00055	PASS
					0	2.42	0.0014	PASS
					10	0.33	0.00019	PASS
					20	-0.39	-0.00023	PASS
					30	-0.04	-0.00002	PASS
					40	0.6	0.00035	PASS
					50	1.53	0.00088	PASS
			HCH	VN	-30	-5.72	-0.00326	PASS
					-20	-1.56	-0.00089	PASS
					-10	-5.39	-0.00307	PASS
					0	-3.09	-0.00176	PASS
					10	-5.29	-0.00302	PASS
					20	-4.05	-0.00231	PASS
					30	-0.86	-0.00049	PASS
					40	-3.45	-0.00197	PASS
					50	-3.56	-0.00203	PASS
		3	LCH	VN	-30	3.69	0.00216	PASS
					-20	5.54	0.00324	PASS
					-10	-0.67	-0.00039	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	1.72	0.001	PASS
					10	-1.32	-0.00077	PASS
					20	2.66	0.00155	PASS
					30	5.24	0.00306	PASS
					40	2.96	0.00173	PASS
					50	-2.35	-0.00137	PASS
			MCH	VN	-30	-52.61	-0.03037	PASS
					-20	-55.48	-0.03202	PASS
					-10	-46.08	-0.0266	PASS
					0	-57.65	-0.03328	PASS
					10	-51.93	-0.02997	PASS
					20	-58.31	-0.03366	PASS
					30	-50.88	-0.02937	PASS
					40	-52.46	-0.03028	PASS
					50	-47.38	-0.02735	PASS
			HCH	VN	-30	0.54	0.00031	PASS
					-20	-0.4	-0.00023	PASS
					-10	-1.32	-0.00075	PASS
					0	0.9	0.00051	PASS
					10	-1.39	-0.00079	PASS
					20	-2.22	-0.00127	PASS
					30	-1.13	-0.00064	PASS
					40	-0.46	-0.00026	PASS
					50	-1.63	-0.00093	PASS
		5	LCH	VN	-30	-2.23	-0.0013	PASS
					-20	2.46	0.00144	PASS
					-10	0.9	0.00053	PASS
					0	2.75	0.00161	PASS
					10	2.03	0.00119	PASS
					20	2.09	0.00122	PASS
					30	-2.19	-0.00128	PASS
					40	2.27	0.00133	PASS
					50	0.94	0.00055	PASS
			MCH	VN	-30	-30.6	-0.01766	PASS
					-20	-25.95	-0.01498	PASS
					-10	-27.29	-0.01575	PASS
					0	-26.25	-0.01515	PASS
					10	-27.71	-0.01599	PASS
					20	-28.75	-0.01659	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-27.55	-0.0159	PASS
					40	-31.33	-0.01808	PASS
					50	-30.08	-0.01736	PASS
			HCH	VN	-30	-7.24	-0.00413	PASS
					-20	-7.52	-0.00429	PASS
					-10	-9.71	-0.00554	PASS
					0	-10.16	-0.0058	PASS
					10	-9.24	-0.00527	PASS
					20	-9.47	-0.0054	PASS
					30	-10.51	-0.006	PASS
					40	-6.97	-0.00398	PASS
					50	-9.56	-0.00546	PASS
			LCH	VN	-30	-2.85	-0.00166	PASS
					-20	-3.06	-0.00178	PASS
					-10	-2	-0.00117	PASS
					0	-2.65	-0.00155	PASS
					10	-2.98	-0.00174	PASS
					20	-3.65	-0.00213	PASS
					30	-2.46	-0.00143	PASS
					40	-3.03	-0.00177	PASS
					50	-2.89	-0.00169	PASS
		10	MCH	VN	-30	-12	-0.00693	PASS
					-20	-10.06	-0.00581	PASS
					-10	-10.79	-0.00623	PASS
					0	-12.93	-0.00746	PASS
					10	-11.82	-0.00682	PASS
					20	-12.49	-0.00721	PASS
					30	-10.77	-0.00622	PASS
					40	-11.39	-0.00657	PASS
					50	-9.6	-0.00554	PASS
			HCH	VN	-30	2.05	0.00117	PASS
					-20	2.17	0.00124	PASS
					-10	0.66	0.00038	PASS
					0	1.5	0.00086	PASS
					10	1.83	0.00105	PASS
					20	2.7	0.00154	PASS
					30	1.69	0.00097	PASS
					40	0.57	0.00033	PASS
					50	0.5	0.00029	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		15	LCH	VN	-30	0.34	0.0002	PASS
					-20	0.66	0.00038	PASS
					-10	0.29	0.00017	PASS
					0	1.57	0.00091	PASS
					10	0.73	0.00043	PASS
					20	0.2	0.00012	PASS
					30	0.16	0.00009	PASS
					40	-0.47	-0.00027	PASS
					50	-0.56	-0.00033	PASS
			MCH	VN	-30	6.42	0.00371	PASS
					-20	9.3	0.00537	PASS
					-10	8.81	0.00509	PASS
					0	10.24	0.00591	PASS
					10	8.7	0.00502	PASS
					20	10.79	0.00623	PASS
					30	9.26	0.00534	PASS
					40	9.4	0.00543	PASS
					50	11.64	0.00672	PASS
			HCH	VN	-30	1.06	0.00061	PASS
					-20	-0.21	-0.00012	PASS
					-10	0.56	0.00032	PASS
					0	-0.67	-0.00038	PASS
					10	-0.37	-0.00021	PASS
					20	1.36	0.00078	PASS
					30	0.92	0.00053	PASS
					40	-0.13	-0.00007	PASS
					50	1.37	0.00078	PASS
		20	LCH	VN	-30	4.78	0.00278	PASS
					-20	5.26	0.00306	PASS
					-10	3.93	0.00228	PASS
					0	3.95	0.0023	PASS
					10	2.55	0.00148	PASS
					20	2.88	0.00167	PASS
					30	2.27	0.00132	PASS
					40	1.95	0.00113	PASS
					50	1.36	0.00079	PASS
			MCH	VN	-30	-0.43	-0.00025	PASS
					-20	1.93	0.00111	PASS
					-10	4.15	0.0024	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test volt	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	3.52	0.00203	PASS
					10	4.92	0.00284	PASS
					20	5.19	0.003	PASS
					30	6.38	0.00368	PASS
					40	6.69	0.00386	PASS
					50	7.18	0.00414	PASS
			HCH	VN	-30	-3.29	-0.00189	PASS
					-20	-4.01	-0.0023	PASS
					-10	-2.72	-0.00156	PASS
					0	-3.23	-0.00185	PASS
					10	-2.95	-0.00169	PASS
					20	-3.05	-0.00175	PASS
					30	-3.6	-0.00206	PASS
					40	-3.95	-0.00226	PASS
					50	-3.59	-0.00206	PASS

END