








6.1.1.2.3 Test Bandwidth = 5

6.1.1.2.3.1 Test Channel = LCH

6.1.1.2.3.1.1 Test RB = RB1#0











6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0











6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0











6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0












6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0












6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0












6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0












6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0












6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0












6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0












6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4_Ant1


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	0.96	0.00056	PASS
					VN	1.03	0.0006	PASS
					VH	-6.21	-0.00363	PASS
			MCH	TN	VL	-0.53	-0.00031	PASS
					VN	1.44	0.00083	PASS
					VH	-1.70	-0.00098	PASS
			HCH	TN	VL	-3.20	-0.00182	PASS
					VN	-5.94	-0.00339	PASS
					VH	-2.25	-0.00128	PASS
		3	LCH	TN	VL	-1.20	-0.0007	PASS
					VN	-2.93	-0.00171	PASS
					VH	-1.75	-0.00102	PASS
			MCH	TN	VL	-0.59	-0.00034	PASS
					VN	1.04	0.0006	PASS
					VH	0.24	0.00014	PASS
			HCH	TN	VL	-0.43	-0.00025	PASS
					VN	0.90	0.00051	PASS
					VH	1.56	0.00089	PASS
		5	LCH	TN	VL	2.00	0.00117	PASS
					VN	3.02	0.00176	PASS
					VH	4.69	0.00274	PASS
			MCH	TN	VL	3.09	0.00178	PASS
					VN	0.30	0.00017	PASS
					VH	-0.77	-0.00044	PASS
			HCH	TN	VL	-4.09	-0.00233	PASS
					VN	-3.26	-0.00186	PASS
					VH	-3.15	-0.0018	PASS
		10	LCH	TN	VL	-2.89	-0.00169	PASS
					VN	-2.83	-0.00165	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	TN	VH	-3.26	-0.0019	PASS
					VL	0.76	0.00044	PASS
					VN	1.23	0.00071	PASS
					VH	0.16	0.00009	PASS
			HCH	TN	VL	2.22	0.00127	PASS
					VN	1.83	0.00105	PASS
					VH	1.87	0.00107	PASS
					VH	1.87	0.00107	PASS
			LCH	TN	VL	0.84	0.00049	PASS
					VN	0.83	0.00048	PASS
					VH	0.31	0.00018	PASS
					VH	0.31	0.00018	PASS
		15	MCH	TN	VL	0.27	0.00016	PASS
					VN	-0.03	-0.00002	PASS
					VH	0.03	0.00002	PASS
					VH	0.03	0.00002	PASS
			HCH	TN	VL	0.60	0.00034	PASS
					VN	0.39	0.00022	PASS
					VH	0.01	0.00001	PASS
					VH	0.01	0.00001	PASS
			LCH	TN	VL	1.39	0.00081	PASS
					VN	1.62	0.00094	PASS
					VH	0.49	0.00028	PASS
					VH	0.49	0.00028	PASS
		20	MCH	TN	VL	0.09	0.00005	PASS
					VN	-0.89	-0.00051	PASS
					VH	-0.47	-0.00027	PASS
					VH	-0.47	-0.00027	PASS
			HCH	TN	VL	-2.96	-0.0017	PASS
					VN	-2.49	-0.00143	PASS
					VH	-2.05	-0.00117	PASS
					VH	-2.05	-0.00117	PASS
			LCH	TN	VL	0.67	0.00039	PASS
					VN	-4.11	-0.0024	PASS
					VH	-6.24	-0.00365	PASS
					VH	-6.24	-0.00365	PASS
	LTE/TM2	1.4	MCH	TN	VL	3.38	0.00195	PASS
					VN	1.90	0.0011	PASS
					VH	2.59	0.00149	PASS
					VH	2.59	0.00149	PASS
			HCH	TN	VL	-0.49	-0.00028	PASS
					VN	-2.50	-0.00143	PASS
					VH	-2.05	-0.00117	PASS
					VH	-2.05	-0.00117	PASS
			LCH	TN	VL	-2.52	-0.00147	PASS
					VN	-1.83	-0.00107	PASS
					VH	0.03	0.00002	PASS
					VH	0.03	0.00002	PASS
		3	MCH	TN	VL	3.69	0.00213	PASS
					VN	3.09	0.00178	PASS
					VH	3.09	0.00178	PASS
					VH	3.09	0.00178	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VH	1.82	0.00105	PASS
					VL	-0.33	-0.00019	PASS
					VN	1.47	0.00084	PASS
					VH	1.10	0.00063	PASS
		5	LCH	TN	VL	4.22	0.00246	PASS
					VN	4.76	0.00278	PASS
					VH	3.50	0.00204	PASS
			MCH	TN	VL	0.66	0.00038	PASS
					VN	1.14	0.00066	PASS
					VH	1.33	0.00077	PASS
			HCH	TN	VL	-2.47	-0.00141	PASS
					VN	-2.62	-0.0015	PASS
					VH	-2.82	-0.00161	PASS
		10	LCH	TN	VL	-2.56	-0.00149	PASS
					VN	-2.37	-0.00138	PASS
					VH	-2.90	-0.00169	PASS
			MCH	TN	VL	1.56	0.0009	PASS
					VN	0.26	0.00015	PASS
					VH	0.47	0.00027	PASS
			HCH	TN	VL	0.92	0.00053	PASS
					VN	0.36	0.00021	PASS
					VH	1.20	0.00069	PASS
		15	LCH	TN	VL	0.89	0.00052	PASS
					VN	0.14	0.00008	PASS
					VH	-0.57	-0.00033	PASS
			MCH	TN	VL	-0.17	-0.0001	PASS
					VN	0.62	0.00036	PASS
					VH	0.00	0.00000	PASS
			HCH	TN	VL	0.54	0.00031	PASS
					VN	-0.29	-0.00017	PASS
					VH	0.87	0.0005	PASS
		20	LCH	TN	VL	1.37	0.0008	PASS
					VN	1.32	0.00077	PASS
					VH	1.04	0.0006	PASS
			MCH	TN	VL	-0.59	-0.00034	PASS
					VN	0.62	0.00036	PASS
					VH	0.50	0.00029	PASS
			HCH	TN	VL	-2.76	-0.00158	PASS
					VN	-2.99	-0.00171	PASS



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VH	-3.32	-0.0019	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	-16.75	-0.00979	PASS
					-20	-7.48	-0.00437	PASS
					-10	-11.47	-0.0067	PASS
					0	-11.60	-0.00678	PASS
					10	-10.89	-0.00637	PASS
					20	-8.35	-0.00488	PASS
					30	-3.86	-0.00226	PASS
					40	-1.82	-0.00106	PASS
					50	-20.18	-0.0118	PASS
			MCH	VN	-30	-3.06	-0.00177	PASS
					-20	3.88	0.00224	PASS
					-10	0.23	0.00013	PASS
					0	1.82	0.00105	PASS
					10	6.61	0.00382	PASS
					20	1.44	0.00083	PASS
					30	2.17	0.00125	PASS
					40	1.46	0.00084	PASS
					50	1.00	0.00058	PASS
			HCH	VN	-30	-5.21	-0.00297	PASS
					-20	-1.79	-0.00102	PASS
					-10	-0.23	-0.00013	PASS
					0	-1.90	-0.00108	PASS
					10	-2.19	-0.00125	PASS
					20	-4.22	-0.00241	PASS
					30	-3.53	-0.00201	PASS
					40	-2.16	-0.00123	PASS
					50	-1.22	-0.0007	PASS
		3	LCH	VN	-30	-1.59	-0.00093	PASS
					-20	-1.09	-0.00064	PASS
					-10	-1.37	-0.0008	PASS
					0	-5.16	-0.00301	PASS
					10	-2.29	-0.00134	PASS
					20	-2.12	-0.00124	PASS
					30	-3.08	-0.0018	PASS
					40	-1.00	-0.00058	PASS
					50	-2.73	-0.0016	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	-30	-4.43	-0.00256	PASS
					-20	4.03	0.00233	PASS
					-10	-0.09	-0.00005	PASS
					0	-4.86	-0.00281	PASS
					10	-1.50	-0.00087	PASS
					20	-3.28	-0.00189	PASS
					30	-2.09	-0.00121	PASS
					40	-3.55	-0.00205	PASS
					50	-2.79	-0.00161	PASS
			HCH	VN	-30	-0.19	-0.00011	PASS
					-20	2.25	0.00128	PASS
					-10	-1.07	-0.00061	PASS
					0	-0.23	-0.00013	PASS
					10	0.73	0.00042	PASS
					20	0.19	0.00011	PASS
					30	-1.99	-0.00113	PASS
					40	0.09	0.00005	PASS
					50	0.07	0.00004	PASS
		5	LCH	VN	-30	1.07	0.00062	PASS
					-20	4.59	0.00268	PASS
					-10	4.23	0.00247	PASS
					0	1.95	0.00114	PASS
					10	2.95	0.00172	PASS
					20	1.93	0.00113	PASS
					30	2.88	0.00168	PASS
					40	0.03	0.00002	PASS
					50	1.69	0.00099	PASS
			MCH	VN	-30	-2.65	-0.00153	PASS
					-20	-1.06	-0.00061	PASS
					-10	0.20	0.00012	PASS
					0	0.46	0.00027	PASS
					10	-0.53	-0.00031	PASS
					20	1.53	0.00088	PASS
					30	-1.73	-0.001	PASS
					40	1.06	0.00061	PASS
					50	-0.36	-0.00021	PASS
			HCH	VN	-30	-2.42	-0.00138	PASS
					-20	-2.42	-0.00138	PASS
					-10	-3.46	-0.00197	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	-3.85	-0.0022	PASS
					10	-2.22	-0.00127	PASS
					20	-2.60	-0.00148	PASS
					30	-2.33	-0.00133	PASS
					40	-2.89	-0.00165	PASS
					50	-3.46	-0.00197	PASS
		10	LCH	VN	-30	-1.37	-0.0008	PASS
					-20	-0.86	-0.0005	PASS
					-10	-2.72	-0.00159	PASS
					0	-2.05	-0.0012	PASS
					10	-2.82	-0.00164	PASS
					20	-2.82	-0.00164	PASS
					30	-2.76	-0.00161	PASS
					40	-3.28	-0.00191	PASS
					50	-3.32	-0.00194	PASS
			MCH	VN	-30	0.82	0.00047	PASS
					-20	0.30	0.00017	PASS
					-10	0.79	0.00046	PASS
					0	-0.26	-0.00015	PASS
					10	-0.16	-0.00009	PASS
					20	1.17	0.00068	PASS
					30	1.67	0.00096	PASS
					40	0.43	0.00025	PASS
					50	-0.40	-0.00023	PASS
			HCH	VN	-30	2.69	0.00154	PASS
					-20	1.59	0.00091	PASS
					-10	3.23	0.00185	PASS
					0	1.32	0.00075	PASS
					10	2.09	0.00119	PASS
					20	1.09	0.00062	PASS
					30	1.89	0.00108	PASS
					40	2.12	0.00121	PASS
					50	2.50	0.00143	PASS
		15	LCH	VN	-30	-0.24	-0.00014	PASS
					-20	-1.02	-0.00059	PASS
					-10	0.31	0.00018	PASS
					0	-0.67	-0.00039	PASS
					10	-1.00	-0.00058	PASS
					20	0.47	0.00027	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	1.03	0.0006	PASS
					40	0.14	0.00008	PASS
					50	-0.26	-0.00015	PASS
			MCH	VN	-30	-1.02	-0.00059	PASS
					-20	-0.56	-0.00032	PASS
					-10	-0.06	-0.00003	PASS
					0	0.26	0.00015	PASS
					10	-0.40	-0.00023	PASS
					20	0.97	0.00056	PASS
					30	-1.29	-0.00074	PASS
					40	-0.87	-0.0005	PASS
					50	0.43	0.00025	PASS
			HCH	VN	-30	1.83	0.00105	PASS
					-20	-0.36	-0.00021	PASS
					-10	0.56	0.00032	PASS
					0	-0.24	-0.00014	PASS
					10	0.94	0.00054	PASS
					20	1.50	0.00086	PASS
					30	-0.41	-0.00023	PASS
					40	0.59	0.00034	PASS
					50	-0.17	-0.0001	PASS
		20	LCH	VN	-30	2.52	0.00147	PASS
					-20	1.39	0.00081	PASS
					-10	2.32	0.00135	PASS
					0	2.30	0.00134	PASS
					10	1.04	0.0006	PASS
					20	1.79	0.00104	PASS
					30	2.27	0.00132	PASS
					40	2.92	0.0017	PASS
					50	1.24	0.00072	PASS
			MCH	VN	-30	0.37	0.00021	PASS
					-20	0.99	0.00057	PASS
					-10	-0.54	-0.00031	PASS
					0	0.10	0.00006	PASS
					10	-0.10	-0.00006	PASS
					20	0.82	0.00047	PASS
					30	-0.26	-0.00015	PASS
					40	0.72	0.00042	PASS
					50	0.10	0.00006	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	VN	-30	-2.86	-0.00164	PASS
					-20	-3.36	-0.00193	PASS
					-10	-3.30	-0.00189	PASS
					0	-2.22	-0.00127	PASS
					10	-3.26	-0.00187	PASS
					20	-3.05	-0.00175	PASS
					30	-3.59	-0.00206	PASS
					40	-3.75	-0.00215	PASS
					50	-2.25	-0.00129	PASS
	LTE/TM2	1.4	LCH	VN	-30	19.59	0.01145	PASS
					-20	-0.21	-0.00012	PASS
					-10	-6.92	-0.00405	PASS
					0	-1.97	-0.00115	PASS
					10	-5.62	-0.00329	PASS
					20	-4.09	-0.00239	PASS
					30	-6.85	-0.004	PASS
					40	-2.83	-0.00165	PASS
					50	-6.19	-0.00362	PASS
			MCH	VN	-30	5.11	0.00295	PASS
					-20	1.23	0.00071	PASS
					-10	-0.50	-0.00029	PASS
					0	1.73	0.001	PASS
					10	1.12	0.00065	PASS
					20	0.67	0.00039	PASS
					30	2.22	0.00128	PASS
					40	-2.15	-0.00124	PASS
					50	-3.12	-0.0018	PASS
			HCH	VN	-30	-2.65	-0.00151	PASS
					-20	-1.47	-0.00084	PASS
					-10	-4.41	-0.00251	PASS
					0	-3.49	-0.00199	PASS
					10	-2.39	-0.00136	PASS
					20	-6.34	-0.00361	PASS
					30	-4.71	-0.00268	PASS
					40	-0.27	-0.00015	PASS
					50	-1.92	-0.00109	PASS
		3	LCH	VN	-30	-5.81	-0.00339	PASS
					-20	0.39	0.00023	PASS
					-10	-0.93	-0.00054	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	-2.27	-0.00133	PASS
					10	0.94	0.00055	PASS
					20	-2.82	-0.00165	PASS
					30	-3.71	-0.00217	PASS
					40	-1.44	-0.00084	PASS
					50	1.85	0.00108	PASS
			MCH	VN	-30	0.69	0.0004	PASS
					-20	-0.56	-0.00032	PASS
					-10	1.65	0.00095	PASS
					0	-0.82	-0.00047	PASS
					10	2.09	0.00121	PASS
					20	1.87	0.00108	PASS
					30	0.83	0.00048	PASS
					40	4.01	0.00231	PASS
					50	1.02	0.00059	PASS
			HCH	VN	-30	0.64	0.00036	PASS
					-20	1.00	0.00057	PASS
					-10	-0.01	-0.00001	PASS
					0	0.01	0.00001	PASS
					10	-0.50	-0.00029	PASS
					20	0.97	0.00055	PASS
					30	1.53	0.00087	PASS
					40	-1.30	-0.00074	PASS
					50	1.87	0.00107	PASS
		5	LCH	VN	-30	2.39	0.0014	PASS
					-20	4.89	0.00286	PASS
					-10	4.42	0.00258	PASS
					0	4.33	0.00253	PASS
					10	3.19	0.00186	PASS
					20	3.65	0.00213	PASS
					30	4.03	0.00235	PASS
					40	2.03	0.00119	PASS
					50	4.02	0.00235	PASS
			MCH	VN	-30	1.37	0.00079	PASS
					-20	0.72	0.00042	PASS
					-10	0.59	0.00034	PASS
					0	0.19	0.00011	PASS
					10	-0.33	-0.00019	PASS
					20	-1.92	-0.00111	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-0.20	-0.00012	PASS
					40	0.53	0.00031	PASS
					50	0.26	0.00015	PASS
			HCH	VN	-30	-3.58	-0.00204	PASS
					-20	-1.73	-0.00099	PASS
					-10	-2.70	-0.00154	PASS
					0	-2.16	-0.00123	PASS
					10	-3.53	-0.00201	PASS
					20	-3.10	-0.00177	PASS
					30	-2.10	-0.0012	PASS
					40	-3.43	-0.00196	PASS
					50	-2.00	-0.00114	PASS
			LCH	VN	-30	-1.66	-0.00097	PASS
					-20	-3.38	-0.00197	PASS
					-10	-0.89	-0.00052	PASS
					0	-3.73	-0.00217	PASS
					10	-2.55	-0.00149	PASS
					20	-5.05	-0.00294	PASS
					30	-2.16	-0.00126	PASS
					40	-2.25	-0.00131	PASS
					50	-1.95	-0.00114	PASS
			MCH	VN	-30	-0.19	-0.00011	PASS
					-20	1.83	0.00106	PASS
					-10	1.26	0.00073	PASS
					0	1.69	0.00098	PASS
					10	-0.34	-0.0002	PASS
					20	-0.21	-0.00012	PASS
					30	-0.33	-0.00019	PASS
					40	-1.13	-0.00065	PASS
					50	-0.07	-0.00004	PASS
		10	HCH	VN	-30	2.47	0.00141	PASS
					-20	2.35	0.00134	PASS
					-10	1.76	0.00101	PASS
					0	2.05	0.00117	PASS
					10	3.55	0.00203	PASS
					20	3.73	0.00213	PASS
					30	3.19	0.00182	PASS
					40	4.59	0.00262	PASS
					50	2.42	0.00138	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		15	LCH	VN	-30	0.01	0.00001	PASS
					-20	-0.50	-0.00029	PASS
					-10	-0.07	-0.00004	PASS
					0	-1.04	-0.00061	PASS
					10	0.04	0.00002	PASS
					20	-0.83	-0.00048	PASS
					30	-0.03	-0.00002	PASS
					40	-0.69	-0.0004	PASS
					50	0.64	0.00037	PASS
			MCH	VN	-30	0.57	0.00033	PASS
					-20	-0.36	-0.00021	PASS
					-10	0.34	0.0002	PASS
					0	0.40	0.00023	PASS
					10	-1.16	-0.00067	PASS
					20	0.10	0.00006	PASS
					30	0.90	0.00052	PASS
					40	-0.29	-0.00017	PASS
					50	0.47	0.00027	PASS
			HCH	VN	-30	-0.01	-0.00001	PASS
					-20	0.03	0.00002	PASS
					-10	-0.09	-0.00005	PASS
					0	0.43	0.00025	PASS
					10	0.20	0.00011	PASS
					20	-1.23	-0.0007	PASS
					30	-1.13	-0.00065	PASS
					40	-0.96	-0.00055	PASS
					50	0.44	0.00025	PASS
		20	LCH	VN	-30	1.39	0.00081	PASS
					-20	1.29	0.00075	PASS
					-10	0.17	0.0001	PASS
					0	0.84	0.00049	PASS
					10	1.82	0.00106	PASS
					20	0.54	0.00031	PASS
					30	0.34	0.0002	PASS
					40	1.12	0.00065	PASS
					50	1.52	0.00088	PASS
			MCH	VN	-30	-1.12	-0.00065	PASS
					-20	-0.04	-0.00002	PASS
					-10	-0.41	-0.00024	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	-0.41	-0.00024	PASS
					10	-0.87	-0.0005	PASS
					20	0.03	0.00002	PASS
					30	0.86	0.0005	PASS
					40	-0.47	-0.00027	PASS
					50	0.03	0.00002	PASS
			HCH	VN	-30	-2.45	-0.0014	PASS
					-20	-2.75	-0.00158	PASS
					-10	-2.26	-0.0013	PASS
					0	-2.98	-0.00171	PASS
					10	-3.98	-0.00228	PASS
					20	-2.33	-0.00134	PASS
					30	-2.26	-0.0013	PASS
					40	-3.78	-0.00217	PASS
					50	-2.78	-0.00159	PASS

END