





4.1.2.1.6 Test Channel = 41490-41292




4.1.2.2 Test Mode = LTE/TM2

4.1.2.2.1 Test Channel = 39750-39948







4.1.2.2.2 Test Channel = 40521-40719




4.1.2.2.3 Test Channel = 41292-41490



4.1.2.2.4 Test Channel = 39948-39750




4.1.2.2.5 Test Channel = 40719-40521






4.1.2.2.6 Test Channel = 41490-41292




4.1.2.3 Test Mode = LTE/TM3

4.1.2.3.1 Test Channel = 39750-39948







4.1.2.3.2 Test Channel = 40521-40719




4.1.2.3.3 Test Channel = 41292-41490




4.1.2.3.4 Test Channel = 39948-39750



4.1.2.3.5 Test Channel = 40719-40521



4.1.2.3.6 Test Channel = 41490-41292



Date: 1.AUG.2018 04:41:01



5 Band Edges Compliance


5.1 For LTE_CA_41C

5.1.1 Test Band = Bandwidth=100RB+25RB


5.1.1.1 Test Mode = LTE/TM1

5.1.1.1.1 Test Channel = 39750-39867


5.1.1.1.1.1 RB Configuration =1RB#0-0RB#0



5.1.1.1.1.2 RB Configuration =8RB#0-0RB#0




5.1.1.1.1.3 RB Configuration =100RB#0-25RB#0






5.1.1.1.2 Test Channel = 41440-41557


5.1.1.1.2.1 RB Configuration =1RB#0-0RB#0



5.1.1.1.2.2 RB Configuration =8RB#17-0RB#0



5.1.1.1.2.3 RB Configuration =100RB#0-25RB#0




Date: 31 JUL 2018 08:33:25

5.1.1.2 Test Mode = LTE/TM2


5.1.1.2.1 Test Channel = 39750-39867

5.1.1.2.1.1 RB Configuration =1RB#0-0RB#0




Date: 31 JUL 2018 08:14:28

5.1.1.2.1.2 RB Configuration =8RB#0-0RB#0




5.1.1.2.1.3 RB Configuration =100RB#0-25RB#0




5.1.1.2.2 Test Channel = 41440-41557


5.1.1.2.2.1 RB Configuration =1RB#0-0RB#0



5.1.1.2.2.2 RB Configuration =8RB#17-0RB#0



5.1.1.2.2.3 RB Configuration =100RB#0-25RB#0




Date: 31 JUL 2018 08:34:04

5.1.1.1.3 Test Mode = LTE/TM3


5.1.1.3.1 Test Channel = 39750-39867

5.1.1.3.1.1 RB Configuration =1RB#0-0RB#0




Date: 31 JUL 2018 08:14:46

5.1.1.3.1.2 RB Configuration =8RB#0-0RB#0




5.1.1.3.1.3 RB Configuration =100RB#0-25RB#0




5.1.1.3.2 Test Channel = 41440-41557


5.1.1.3.2.1 RB Configuration =1RB#0-0RB#0



5.1.1.3.2.2 RB Configuration =8RB#17-0RB#0



5.1.1.3.2.3 RB Configuration =100RB#0-25RB#0




Date: 31.JUL.2018 08:34:15

5.1.2 Test Band = Bandwidth=100RB+100RB

5.1.2.1 Test Mode = LTE/TM1


5.1.2.1.1 Test Channel = 39750-39948

5.1.2.1.1.1 RB Configuration =1RB#0-0RB#0




Date: 25.JUL.2018 15:00:15

5.1.2.1.1.2 RB Configuration =18RB#0-0RB#0




5.1.2.1.1.3 RB Configuration =100RB#0-100RB#0




5.1.2.1.2 Test Channel = 41292-41490

5.1.2.1.2.1 RB Configuration =1RB#99-0RB#0




Date: 31 JUL 2018 09:17:15

5.1.2.1.2.2 RB Configuration =18RB#82-0RB#0



Date: 31 JUL 2018 09:17:33


5.1.2.1.2.3 RB Configuration =100RB#0-100RB#0



5.1.2.2 Test Mode = LTE/TM2


5.1.2.2.1 Test Channel = 39750-39948

5.1.2.2.1.1 RB Configuration =1RB#0-0RB#0






5.1.2.2.1.2 RB Configuration =18RB#0-0RB#0




5.1.2.2.1.3 RB Configuration =100RB#0-100RB#0






5.1.2.2.2 Test Channel = 41292-41490


5.1.2.2.2.1 RB Configuration =1RB#99-0RB#0



5.1.2.2.2.2 RB Configuration =18RB#82-0RB#0




5.1.2.2.3 RB Configuration =100RB#0-100RB#0



5.1.2.3 Test Mode = LTE/TM3


5.1.2.3.1 Test Channel = 39750-39948

5.1.2.3.1.1 RB Configuration =1RB#0-0RB#0






5.1.2.3.1.2 RB Configuration =18RB#0-0RB#0



Date: 25 JUL 2018 14:58:57

5.1.2.3.1.3 RB Configuration =100RB#0-100RB#0




Date: 25 JUL 2018 14:53:33




5.1.2.3.2 Test Channel = 41292-41490

5.1.2.3.2.1 RB Configuration =1RB#99-0RB#0




5.1.2.3.2.2 RB Configuration =18RB#82-0RB#0





5.1.2.3.2.3 RB Configuration =100RB#0-100RB#0



Date: 31.JUL.2018 09:16:12



6 Spurious Emission at Antenna Terminal


NOTE1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< \text{RBW}/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / \text{RBW})$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

NOTE2: only the worst case data displayed in this report.

6.1 For LTE_CA_41C

6.1.1 Test Band = Bandwidth=100RB+25RB


6.1.1.1 Test Channel = 39750-39867



Date: 1.AUG.2018 10:37:33




6.1.1.1.2 Test Channel = 40595-40712



Date: 1.AUG.2018 10:38:37


6.1.1.1.3 Test Channel = 41440-41557



Date: 1.AUG.2018 10:39:19


6.1.2 Test Band = Bandwidth=100RB+100RB

6.1.2.1.1 Test Channel = 39750-39948



Date: 1.AUG.2018 10:42:42


6.1.2.1.2 Test Channel = 40521-40719



Date: 1.AUG.2018 10:43:18



6.1.2.1.3 Test Channel = 41292-41490



Date: 1.AUG.2018 10:44:02



7 Field Strength of Spurious Radiation


7.1 For LTE

7.1.1 Test Band = LTE Band CA_41C_Main Antenna

7.1.1.1 Test Mode =LTE/TM1 100RB+100RB

7.1.1.1.1 Test Channel = 39750-39948_H

Full Spectrum






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 72 of 90

7.1.1.1.2 Test Channel = 39750-39948_V


Full Spectrum





7.1.1.1.3 Test Channel = 40521-40719_H

Full Spectrum






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 74 of 90

7.1.1.1.4 Test Channel = 40521-40719_V


Full Spectrum





7.1.1.1.5 Test Channel = 41292-41490_H


Full Spectrum





7.1.1.1.6 Test Channel = 41292-41490_V

Full Spectrum



7.1.2 Test Band = LTE Band CA_41C_Secondary Antenna

7.1.2.1 Test Mode =LTE/TM1 100RB+100RB




SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 77 of 90

7.1.2.1.1 Test Channel = 39750-39948_H


Full Spectrum





7.1.2.1.2 Test Channel = 39750-39948_V


Full Spectrum





7.1.2.1.3 Test Channel = 40521-40719_H

Full Spectrum






SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 80 of 90

7.1.2.1.4 Test Channel = 40521-40719_V


Full Spectrum





7.1.2.1.5 Test Channel = 41292-41490_H


Full Spectrum





7.1.2.1.6 Test Channel = 41292-41490_V

Full Spectrum



NOTE:

- 1) The disturbance above 12.75GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case had been displayed.
- 2) We have tested all combinations and all modulations, but only the worst case data presented in this report.



8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM1 100RB+25RB	39750-39867	TN	VL	-9.47	-0.00371	PASS
				VN	1.56	0.00061	PASS
				VH	-8.67	-0.00339	PASS
		40595-40712	TN	VL	2.57	0.00099	PASS
				VN	5.99	0.00230	PASS
				VH	-6.83	-0.00263	PASS
		41440-41557	TN	VL	-5.49	-0.00208	PASS
				VN	-2.51	-0.00095	PASS
				VH	-7.77	-0.00294	PASS
	LTE/TM2 100RB+25RB	39750-39867	TN	VL	-0.25	-0.00010	PASS
				VN	7.68	0.00300	PASS
				VH	7.43	0.00291	PASS
		40595-40712	TN	VL	-0.14	-0.00006	PASS
				VN	8.61	0.00331	PASS
				VH	-5.64	-0.00217	PASS
		41440-41557	TN	VL	9.66	0.00366	PASS
				VN	-0.87	-0.00033	PASS
				VH	0.98	0.00037	PASS
	LTE/TM3 100RB+25RB	39750-39867	TN	VL	-5.80	-0.00227	PASS
				VN	-6.95	-0.00272	PASS
				VH	-7.15	-0.00280	PASS
		40595-40712	TN	VL	4.60	0.00177	PASS
				VN	-4.04	-0.00155	PASS
				VH	-4.65	-0.00179	PASS
		41440-41557	TN	VL	3.97	0.00150	PASS
				VN	-1.19	-0.00045	PASS
				VH	-9.10	-0.00345	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180700654901

Page: 84 of 90

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM1 100RB+100RB	39750-39948	TN	VL	0.07	0.00003	PASS
				VN	-4.95	-0.00194	PASS
				VH	-0.92	-0.00036	PASS
		40521-40719	TN	VL	-1.42	-0.00055	PASS
				VN	-5.03	-0.00194	PASS
				VH	-6.71	-0.00259	PASS
		41292-41490	TN	VL	6.98	0.00266	PASS
				VN	9.04	0.00344	PASS
				VH	2.91	0.00111	PASS
	LTE/TM2 100RB+100RB	39750-39948	TN	VL	-4.84	-0.00189	PASS
				VN	-1.03	-0.00040	PASS
				VH	-3.87	-0.00151	PASS
		40521-40719	TN	VL	7.66	0.00296	PASS
				VN	-5.06	-0.00196	PASS
				VH	-9.94	-0.00384	PASS
		41292-41490	TN	VL	-5.52	-0.00210	PASS
				VN	9.82	0.00374	PASS
				VH	-4.94	-0.00188	PASS
	LTE/TM3 100RB+100RB	39750-39948	TN	VL	-4.89	-0.00191	PASS
				VN	-8.14	-0.00319	PASS
				VH	4.00	0.00157	PASS
		40521-40719	TN	VL	5.04	0.00194	PASS
				VN	7.77	0.00300	PASS
				VH	2.41	0.00093	PASS
		41292-41490	TN	VL	5.87	0.00223	PASS
				VN	0.34	0.00013	PASS
				VH	5.00	0.00190	PASS

⁴This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM1 100RB+25RB	39750-39867	VN	-30	3.66	0.00143	PASS
				-20	5.68	0.00222	PASS
				-10	-8.10	-0.00317	PASS
				0	5.67	0.00222	PASS
				10	-5.49	-0.00215	PASS
				20	4.05	0.00159	PASS
				30	8.12	0.00318	PASS
				40	3.61	0.00141	PASS
				50	-0.89	-0.00035	PASS
		40595-40712	VN	-30	-3.41	-0.00131	PASS
				-20	6.28	0.00242	PASS
				-10	-7.01	-0.00270	PASS
				0	4.64	0.00179	PASS
				10	-6.67	-0.00257	PASS
				20	-2.97	-0.00114	PASS
				30	5.70	0.00219	PASS
				40	-5.69	-0.00219	PASS
				50	-9.08	-0.00349	PASS
		41440-41557	VN	-30	1.26	0.00048	PASS
				-20	9.46	0.00358	PASS
				-10	4.32	0.00164	PASS
				0	9.91	0.00375	PASS
				10	-5.17	-0.00196	PASS
				20	-1.77	-0.00067	PASS
				30	2.95	0.00112	PASS
				40	-9.15	-0.00346	PASS
				50	-2.43	-0.00092	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 86 of 90

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM2 100RB+25RB	39750-39867	VN	-30	-4.24	-0.00166	PASS
				-20	-9.83	-0.00385	PASS
				-10	-1.14	-0.00045	PASS
				0	0.94	0.00037	PASS
				10	-0.03	-0.00001	PASS
				20	-7.03	-0.00275	PASS
				30	3.04	0.00119	PASS
				40	-0.40	-0.00016	PASS
				50	-7.83	-0.00307	PASS
		40595-40712	VN	-30	-9.70	-0.00373	PASS
				-20	-9.69	-0.00373	PASS
				-10	-0.80	-0.00031	PASS
				0	3.20	0.00123	PASS
				10	3.48	0.00134	PASS
				20	6.95	0.00268	PASS
				30	-3.41	-0.00131	PASS
				40	-5.71	-0.00220	PASS
				50	9.22	0.00355	PASS
		41440-41557	VN	-30	2.36	0.00089	PASS
				-20	-6.27	-0.00237	PASS
				-10	9.52	0.00361	PASS
				0	7.93	0.00300	PASS
				10	0.91	0.00034	PASS
				20	-5.83	-0.00221	PASS
				30	-3.87	-0.00146	PASS
				40	-0.78	-0.00029	PASS
				50	-9.38	-0.00355	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 87 of 90

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM3 100RB+25RB	39750-39867	VN	-30	6.50	0.00255	PASS
				-20	-9.74	-0.00381	PASS
				-10	-1.77	-0.00069	PASS
				0	-2.04	-0.00080	PASS
				10	-3.07	-0.00120	PASS
				20	-9.39	-0.00367	PASS
				30	-8.54	-0.00334	PASS
				40	6.19	0.00242	PASS
				50	1.22	0.00048	PASS
		40595-40712	VN	-30	0.19	0.00007	PASS
				-20	-7.96	-0.00307	PASS
				-10	2.56	0.00098	PASS
				0	-0.59	-0.00023	PASS
				10	-5.09	-0.00196	PASS
				20	-0.10	-0.00004	PASS
				30	-8.24	-0.00317	PASS
				40	9.91	0.00382	PASS
				50	-7.96	-0.00306	PASS
		41440-41557	VN	-30	2.55	0.00097	PASS
				-20	-3.60	-0.00136	PASS
				-10	-9.59	-0.00363	PASS
				0	6.87	0.00260	PASS
				10	3.51	0.00133	PASS
				20	8.11	0.00307	PASS
				30	1.90	0.00072	PASS
				40	-1.20	-0.00045	PASS
				50	1.96	0.00074	PASS

⁴This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 88 of 90

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM1 100RB+100RB	39750-39948	VN	-30	-4.06	-0.00159	PASS
				-20	8.05	0.00315	PASS
				-10	-0.16	-0.00006	PASS
				0	6.92	0.00271	PASS
				10	2.31	0.00090	PASS
				20	8.91	0.00349	PASS
				30	0.89	0.00035	PASS
				40	8.99	0.00352	PASS
				50	-5.24	-0.00205	PASS
		40521-40719	VN	-30	0.71	0.00027	PASS
				-20	-0.55	-0.00021	PASS
				-10	9.36	0.00361	PASS
				0	-2.11	-0.00081	PASS
				10	-9.32	-0.00360	PASS
				20	-5.89	-0.00227	PASS
				30	4.82	0.00186	PASS
				40	-5.68	-0.00219	PASS
				50	2.38	0.00092	PASS
		41292-41490	VN	-30	-9.80	-0.00373	PASS
				-20	-2.42	-0.00092	PASS
				-10	6.77	0.00258	PASS
				0	1.31	0.00050	PASS
				10	2.09	0.00080	PASS
				20	-4.84	-0.00184	PASS
				30	-1.87	-0.00071	PASS
				40	5.07	0.00193	PASS
				50	-5.64	-0.00215	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 89 of 90

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM2 100RB+100RB	39750-39948	VN	-30	-8.68	-0.00340	PASS
				-20	-4.90	-0.00192	PASS
				-10	2.04	0.00080	PASS
				0	3.86	0.00151	PASS
				10	-4.83	-0.00189	PASS
				20	-5.33	-0.00209	PASS
				30	7.27	0.00284	PASS
				40	1.37	0.00054	PASS
				50	-5.51	-0.00216	PASS
		40521-40719	VN	-30	5.49	0.00212	PASS
				-20	-7.75	-0.00299	PASS
				-10	-9.08	-0.00351	PASS
				0	7.19	0.00277	PASS
				10	-0.06	-0.00002	PASS
				20	5.99	0.00231	PASS
				30	-8.17	-0.00315	PASS
				40	7.46	0.00288	PASS
				50	-9.06	-0.00350	PASS
		41292-41490	VN	-30	9.99	0.00381	PASS
				-20	8.71	0.00332	PASS
				-10	-4.69	-0.00179	PASS
				0	1.73	0.00066	PASS
				10	-6.96	-0.00265	PASS
				20	1.80	0.00069	PASS
				30	0.03	0.00001	PASS
				40	5.74	0.00218	PASS
				50	-3.04	-0.00116	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180700654901

Page: 90 of 90

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
CA_41C	LTE/TM3 100RB+100RB	39750-39948	VN	-30	-6.63	-0.00260	PASS
				-20	8.29	0.00325	PASS
				-10	-4.72	-0.00185	PASS
				0	-6.53	-0.00255	PASS
				10	-2.07	-0.00081	PASS
				20	-5.62	-0.00220	PASS
				30	7.08	0.00277	PASS
				40	-6.49	-0.00254	PASS
				50	-3.27	-0.00128	PASS
		40521-40719	VN	-30	-2.26	-0.00087	PASS
				-20	-6.43	-0.00248	PASS
				-10	-0.55	-0.00021	PASS
				0	-4.98	-0.00192	PASS
				10	6.44	0.00249	PASS
				20	6.99	0.00270	PASS
				30	6.86	0.00265	PASS
				40	-4.27	-0.00165	PASS
		41292-41490	VN	50	5.72	0.00221	PASS
				-30	0.31	0.00012	PASS
				-20	7.42	0.00283	PASS
				-10	-1.12	-0.00043	PASS
				0	6.31	0.00240	PASS
				10	-4.24	-0.00162	PASS
				20	3.45	0.00132	PASS
				30	-4.00	-0.00152	PASS
				40	-1.64	-0.00062	PASS
				50	-3.49	-0.00133	PASS

The End