










6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0












6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0












6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0










6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0










6.1.1.2.4.3 Test Channel = HCH

6.1.1.2.4.3.1 Test RB = RB1#0










6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0










6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0









6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0









6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0










6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0










6.1.1.2.6.3 Test Channel = HCH

6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of FCC PART27 LTE Band 4_L




Copy of FCC PART27 LTE Band 4_H




7.1.1.3 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H





8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1 Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	1.03	0.0006	PASS
					VN	2.17	0.00127	PASS
					VH	3.73	0.00218	PASS
			MCH	TN	VL	0.19	0.00011	PASS
					VN	1.27	0.00073	PASS
					VH	0.4	0.00023	PASS
			HCH	TN	VL	-1.34	-0.00076	PASS
					VN	-1.03	-0.00059	PASS
					VH	-0.53	-0.0003	PASS
		3	LCH	TN	VL	-42.21	-0.02466	PASS
					VN	-15.36	-0.00897	PASS
					VH	1.5	0.00088	PASS
			MCH	TN	VL	0.9	0.00052	PASS
					VN	0.14	0.00008	PASS
					VH	0.29	0.00017	PASS
			HCH	TN	VL	-0.77	-0.00044	PASS
					VN	-3.73	-0.00213	PASS
					VH	1.67	0.00095	PASS
		5	LCH	TN	VL	7.07	0.00413	PASS
					VN	-11.07	-0.00646	PASS
					VH	-3.48	-0.00203	PASS
			MCH	TN	VL	0.17	0.0001	PASS
					VN	1.4	0.00081	PASS
					VH	0.56	0.00032	PASS
			HCH	TN	VL	-4.18	-0.00239	PASS
					VN	-1.99	-0.00114	PASS
					VH	-3.52	-0.00201	PASS
		10	LCH	TN	VL	-10.89	-0.00635	PASS
					VN	-13.95	-0.00813	PASS
					VH	-12.09	-0.00705	PASS
			MCH	TN	VL	-28.3	-0.01633	PASS
					VN	-18.58	-0.01072	PASS
					VH	-25.32	-0.01461	PASS
			HCH	TN	VL	1.24	0.00071	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	2.3	0.00131	PASS
					VH	1.37	0.00078	PASS
		15	LCH	TN	VL	1.9	0.00111	PASS
					VN	-0.1	-0.00006	PASS
					VH	0.23	0.00013	PASS
			MCH	TN	VL	1.82	0.00105	PASS
					VN	-3.6	-0.00208	PASS
					VH	-4.46	-0.00257	PASS
			HCH	TN	VL	0.16	0.00009	PASS
					VN	-1.09	-0.00062	PASS
					VH	0.59	0.00034	PASS
		20	LCH	TN	VL	4.22	0.00245	PASS
					VN	2.16	0.00126	PASS
					VH	4.82	0.0028	PASS
			MCH	TN	VL	-15.32	-0.00884	PASS
					VN	-13.12	-0.00757	PASS
					VH	-13.05	-0.00753	PASS
			HCH	TN	VL	0	0	PASS
					VN	-1.27	-0.00073	PASS
					VH	1	0.00057	PASS
	LTE/TM2	1.4	LCH	TN	VL	2.42	0.00141	PASS
					VN	2.22	0.0013	PASS
					VH	2.15	0.00126	PASS
			MCH	TN	VL	0.8	0.00046	PASS
					VN	1.34	0.00077	PASS
					VH	1.13	0.00065	PASS
			HCH	TN	VL	-2.36	-0.00135	PASS
					VN	-2.98	-0.0017	PASS
					VH	-3.3	-0.00188	PASS
		3	LCH	TN	VL	-44.35	-0.02591	PASS
					VN	-1.83	-0.00107	PASS
					VH	-35.51	-0.02075	PASS
			MCH	TN	VL	0.44	0.00025	PASS
					VN	0.8	0.00046	PASS
					VH	-0.06	-0.00003	PASS
			HCH	TN	VL	-2.9	-0.00165	PASS
					VN	-4.96	-0.00283	PASS
					VH	-3.13	-0.00179	PASS
		5	LCH	TN	VL	-2.37	-0.00138	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	-0.44	-0.00026	PASS
					VH	-3	-0.00175	PASS
					VL	0.6	0.00035	PASS
					VN	0.31	0.00018	PASS
					VH	-0.7	-0.0004	PASS
					VL	2.79	0.00159	PASS
			MCH	TN	VN	-7.45	-0.00425	PASS
					VH	-0.97	-0.00055	PASS
					VL	-11.24	-0.00655	PASS
					VN	-12.62	-0.00736	PASS
					VH	-22.07	-0.01287	PASS
					VL	-20.87	-0.01205	PASS
		10	LCH	TN	VN	-21.73	-0.01254	PASS
					VH	-26.56	-0.01533	PASS
					VL	1.62	0.00093	PASS
					VN	-0.13	-0.00007	PASS
					VH	5.32	0.00304	PASS
					VL	1.33	0.00077	PASS
			MCH	TN	VN	-0.29	-0.00017	PASS
					VH	1.14	0.00066	PASS
					VL	-1.2	-0.00069	PASS
					VN	-1.65	-0.00095	PASS
					VH	-3.1	-0.00179	PASS
					VL	6.97	0.00399	PASS
		15	LCH	TN	VN	5.51	0.00315	PASS
					VH	7	0.00401	PASS
					VL	6.85	0.00398	PASS
					VN	6.47	0.00376	PASS
					VH	4.92	0.00286	PASS
					VL	-14.42	-0.00832	PASS
			MCH	TN	VN	-16.26	-0.00939	PASS
					VH	-12.09	-0.00698	PASS
					VL	-0.56	-0.00032	PASS
					VN	1.32	0.00076	PASS
					VH	-3.72	-0.00213	PASS
					VL	-0.56	-0.00032	PASS
					VN	1.32	0.00076	PASS
					VH	-3.72	-0.00213	PASS

8.1.2Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	1.65	0.00096	PASS
					-20	2.15	0.00126	PASS
					-10	1.79	0.00105	PASS
					0	2.66	0.00155	PASS
					10	1.17	0.00068	PASS
					20	1.85	0.00108	PASS
					30	1.53	0.00089	PASS
					40	2.29	0.00134	PASS
					50	1.62	0.00095	PASS
			MCH	VN	-30	0.3	0.00017	PASS
					-20	0.7	0.0004	PASS
					-10	0.94	0.00054	PASS
					0	0.73	0.00042	PASS
					10	0.96	0.00055	PASS
					20	-0.66	-0.00038	PASS
					30	0.24	0.00014	PASS
					40	0.82	0.00047	PASS
					50	0.87	0.0005	PASS
			HCH	VN	-30	-2.66	-0.00152	PASS
					-20	-2.45	-0.0014	PASS
					-10	-2.49	-0.00142	PASS
					0	-2.66	-0.00152	PASS
					10	-2.9	-0.00165	PASS
					20	-2.53	-0.00144	PASS
					30	-3.25	-0.00185	PASS
					40	-3.05	-0.00174	PASS
					50	-2.42	-0.00138	PASS
		3	LCH	VN	-30	-12.73	-0.00744	PASS
					-20	-18.08	-0.01056	PASS
					-10	-19.88	-0.01162	PASS
					0	-12.62	-0.00737	PASS
					10	-17.31	-0.01011	PASS
					20	-10.04	-0.00587	PASS
					30	-17.97	-0.0105	PASS
					40	0.11	0.00006	PASS
					50	-10.13	-0.00592	PASS
			MCH	VN	-30	1.09	0.00063	PASS
					-20	1.14	0.00066	PASS
					-10	0.19	0.00011	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	1.4	0.00081	PASS
					10	1.86	0.00107	PASS
					20	0.17	0.0001	PASS
					30	0.87	0.0005	PASS
					40	1	0.00058	PASS
					50	0.97	0.00056	PASS
			HCH	VN	-30	-0.27	-0.00015	PASS
					-20	5.92	0.00338	PASS
					-10	3.5	0.002	PASS
					0	-1.53	-0.00087	PASS
					10	1.63	0.00093	PASS
					20	1.54	0.00088	PASS
					30	0.8	0.00046	PASS
					40	-3.95	-0.00225	PASS
					50	4.81	0.00274	PASS
		5	LCH	VN	-30	2.8	0.00164	PASS
					-20	-6.58	-0.00384	PASS
					-10	-0.89	-0.00052	PASS
					0	0.14	0.00008	PASS
					10	3.69	0.00215	PASS
					20	2.09	0.00122	PASS
					30	0.76	0.00044	PASS
					40	2.82	0.00165	PASS
					50	6.58	0.00384	PASS
			MCH	VN	-30	1.6	0.00092	PASS
					-20	1.67	0.00096	PASS
					-10	0.33	0.00019	PASS
					0	0.26	0.00015	PASS
					10	-0.07	-0.00004	PASS
					20	0.94	0.00054	PASS
					30	1.33	0.00077	PASS
					40	1.62	0.00094	PASS
					50	1.29	0.00074	PASS
			HCH	VN	-30	-9.4	-0.00536	PASS
					-20	-8.44	-0.00482	PASS
					-10	-7.77	-0.00443	PASS
					0	-3.98	-0.00227	PASS
					10	-6.92	-0.00395	PASS
					20	-7.4	-0.00422	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-8.21	-0.00468	PASS
					40	-7.18	-0.0041	PASS
					50	-9.31	-0.00531	PASS
		10	LCH	VN	-30	-9.66	-0.00563	PASS
					-20	-9.87	-0.00576	PASS
					-10	-12.42	-0.00724	PASS
					0	-13.12	-0.00765	PASS
					10	-10.51	-0.00613	PASS
					20	-15.56	-0.00907	PASS
					30	-10.26	-0.00598	PASS
					40	-15.02	-0.00876	PASS
					50	-15.08	-0.00879	PASS
			MCH	VN	-30	-25.78	-0.01488	PASS
					-20	-22.87	-0.0132	PASS
					-10	-24.43	-0.0141	PASS
					0	-26.26	-0.01516	PASS
					10	-23.53	-0.01358	PASS
					20	-22.02	-0.01271	PASS
					30	-24.58	-0.01419	PASS
					40	-22.52	-0.013	PASS
					50	-22.93	-0.01324	PASS
			HCH	VN	-30	1.89	0.00108	PASS
					-20	2.69	0.00154	PASS
					-10	1.92	0.0011	PASS
					0	4.71	0.00269	PASS
					10	3.45	0.00197	PASS
					20	4.01	0.00229	PASS
					30	0.86	0.00049	PASS
					40	1.83	0.00105	PASS
					50	4.19	0.00239	PASS
		15	LCH	VN	-30	0.89	0.00052	PASS
					-20	3.05	0.00178	PASS
					-10	3.05	0.00178	PASS
					0	2.43	0.00141	PASS
					10	3.23	0.00188	PASS
					20	0.77	0.00045	PASS
					30	3	0.00175	PASS
					40	-0.46	-0.00027	PASS
					50	3.52	0.00205	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	-30	-3.72	-0.00215	PASS
					-20	-4.36	-0.00252	PASS
					-10	-6.97	-0.00402	PASS
					0	-5.95	-0.00343	PASS
					10	-7.02	-0.00405	PASS
					20	-9.26	-0.00534	PASS
					30	-10.23	-0.0059	PASS
					40	-8.83	-0.0051	PASS
					50	-10.19	-0.00588	PASS
			HCH	VN	-30	3.23	0.00185	PASS
					-20	3.91	0.00224	PASS
					-10	2.8	0.0016	PASS
					0	3.38	0.00193	PASS
					10	6.88	0.00394	PASS
					20	-0.13	-0.00007	PASS
					30	1.69	0.00097	PASS
					40	0.24	0.00014	PASS
					50	4.09	0.00234	PASS
		20	LCH	VN	-30	9.81	0.0057	PASS
					-20	8.08	0.0047	PASS
					-10	11.6	0.00674	PASS
					0	10.56	0.00614	PASS
					10	9.4	0.00547	PASS
					20	8.71	0.00506	PASS
					30	8.85	0.00515	PASS
					40	7.7	0.00448	PASS
					50	8.34	0.00485	PASS
			MCH	VN	-30	-11.17	-0.00645	PASS
					-20	-10.76	-0.00621	PASS
					-10	-10.81	-0.00624	PASS
					0	-11.34	-0.00655	PASS
					10	-10.19	-0.00588	PASS
					20	-10.96	-0.00633	PASS
					30	-10.74	-0.0062	PASS
					40	-10.17	-0.00587	PASS
					50	-11.36	-0.00656	PASS
			HCH	VN	-30	-0.03	-0.00002	PASS
					-20	-0.33	-0.00019	PASS
					-10	-0.8	-0.00046	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
	LTE/TM2	1.4			0	-1.63	-0.00093	PASS
					10	0.92	0.00053	PASS
					20	0	0	PASS
					30	-0.63	-0.00036	PASS
					40	-3.28	-0.00188	PASS
					50	-3.46	-0.00198	PASS
			LCH	VN	-30	2.33	0.00136	PASS
					-20	1.7	0.00099	PASS
					-10	1.83	0.00107	PASS
					0	1.27	0.00074	PASS
					10	1.33	0.00078	PASS
					20	1.87	0.00109	PASS
					30	2.53	0.00148	PASS
					40	2.2	0.00129	PASS
					50	2.05	0.0012	PASS
			MCH	VN	-30	0.93	0.00054	PASS
					-20	1.22	0.0007	PASS
					-10	-0.03	-0.00002	PASS
					0	0.19	0.00011	PASS
					10	0.92	0.00053	PASS
					20	1.42	0.00082	PASS
					30	1.34	0.00077	PASS
					40	0.62	0.00036	PASS
					50	-0.19	-0.00011	PASS
			HCH	VN	-30	-2.66	-0.00152	PASS
					-20	-3.22	-0.00184	PASS
					-10	-2.03	-0.00116	PASS
					0	-3.19	-0.00182	PASS
					10	-2.25	-0.00128	PASS
					20	-2.79	-0.00159	PASS
		3	LCH	VN	30	-2.16	-0.00123	PASS
					40	-2.88	-0.00164	PASS
					50	-2.93	-0.00167	PASS
					-30	4.21	0.00246	PASS
					-20	1.69	0.00099	PASS
					-10	-5.49	-0.00321	PASS
					0	3.91	0.00228	PASS
					10	-2.16	-0.00126	PASS
					20	-1.52	-0.00089	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-4.88	-0.00285	PASS
					40	-6.65	-0.00389	PASS
					50	1.09	0.00064	PASS
			MCH	VN	-30	-46.43	-0.0268	PASS
					-20	2.19	0.00126	PASS
					-10	0.19	0.00011	PASS
					0	-0.11	-0.00006	PASS
					10	0.49	0.00028	PASS
					20	1.1	0.00063	PASS
					30	1.09	0.00063	PASS
					40	1.02	0.00059	PASS
					50	-0.03	-0.00002	PASS
			HCH	VN	-30	-3.5	-0.002	PASS
					-20	5.74	0.00327	PASS
					-10	7.05	0.00402	PASS
					0	6.25	0.00356	PASS
					10	1.04	0.00059	PASS
					20	6.87	0.00392	PASS
					30	4.95	0.00282	PASS
					40	5.72	0.00326	PASS
					50	0.06	0.00003	PASS
		5	LCH	VN	-30	-9.87	-0.00576	PASS
					-20	-5.14	-0.003	PASS
					-10	-4.79	-0.0028	PASS
					0	-12.95	-0.00756	PASS
					10	-1.73	-0.00101	PASS
					20	1.04	0.00061	PASS
					30	3.73	0.00218	PASS
					40	-2.06	-0.0012	PASS
					50	4.11	0.0024	PASS
			MCH	VN	-30	1	0.00058	PASS
					-20	-0.62	-0.00036	PASS
					-10	-0.4	-0.00023	PASS
					0	-0.46	-0.00027	PASS
					10	0.6	0.00035	PASS
					20	-1.1	-0.00063	PASS
					30	1.3	0.00075	PASS
					40	-0.24	-0.00014	PASS
					50	-0.4	-0.00023	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	VN	-30	-9.14	-0.00522	PASS
					-20	-5.19	-0.00296	PASS
					-10	-6.75	-0.00385	PASS
					0	-7.18	-0.0041	PASS
					10	-1.02	-0.00058	PASS
					20	-6.78	-0.00387	PASS
					30	-1.76	-0.001	PASS
					40	-3.19	-0.00182	PASS
					50	-6.44	-0.00367	PASS
		10	LCH	VN	-30	-4.65	-0.00271	PASS
					-20	-7.18	-0.00419	PASS
					-10	-6.17	-0.0036	PASS
					0	-10.96	-0.00639	PASS
					10	-8.61	-0.00502	PASS
					20	-8.77	-0.00511	PASS
					30	-8.93	-0.00521	PASS
					40	-8.37	-0.00488	PASS
					50	-7.42	-0.00433	PASS
			MCH	VN	-30	-16.82	-0.00971	PASS
					-20	-9.1	-0.00525	PASS
					-10	-12.87	-0.00743	PASS
					0	-12.55	-0.00724	PASS
					10	-12.56	-0.00725	PASS
					20	-15.05	-0.00869	PASS
					30	-16.59	-0.00958	PASS
					40	-12.42	-0.00717	PASS
					50	-16.97	-0.0098	PASS
			HCH	VN	-30	3.76	0.00215	PASS
					-20	0.64	0.00037	PASS
					-10	0.93	0.00053	PASS
					0	3.85	0.0022	PASS
					10	2.5	0.00143	PASS
					20	3.91	0.00223	PASS
					30	6.98	0.00399	PASS
					40	7.05	0.00403	PASS
					50	2.5	0.00143	PASS
		15	LCH	VN	-30	4.21	0.00245	PASS
					-20	2.1	0.00122	PASS
					-10	2.05	0.00119	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	1	0.00058	PASS
					10	1	0.00058	PASS
					20	0.67	0.00039	PASS
					30	1.37	0.0008	PASS
					40	2.29	0.00133	PASS
					50	2.62	0.00153	PASS
			MCH	VN	-30	-3.46	-0.002	PASS
					-20	-6.29	-0.00363	PASS
					-10	-5.39	-0.00311	PASS
					0	-4.23	-0.00244	PASS
					10	-9.4	-0.00543	PASS
					20	-9.04	-0.00522	PASS
					30	-10.59	-0.00611	PASS
					40	-12.13	-0.007	PASS
					50	-12.76	-0.00737	PASS
			HCH	VN	-30	-1.99	-0.00114	PASS
					-20	2.72	0.00156	PASS
					-10	0.84	0.00048	PASS
					0	1.79	0.00102	PASS
					10	4.49	0.00257	PASS
					20	1.62	0.00093	PASS
					30	-1.65	-0.00094	PASS
					40	1.85	0.00106	PASS
					50	1.06	0.00061	PASS
		20	LCH	VN	-30	7.47	0.00434	PASS
					-20	7.98	0.00464	PASS
					-10	6.69	0.00389	PASS
					0	8.75	0.00509	PASS
					10	5.31	0.00309	PASS
					20	9.66	0.00562	PASS
					30	8.38	0.00487	PASS
					40	8.23	0.00478	PASS
					50	8.96	0.00521	PASS
			MCH	VN	-30	-12.66	-0.00731	PASS
					-20	-12.85	-0.00742	PASS
					-10	-11.32	-0.00653	PASS
					0	-13.8	-0.00797	PASS
					10	-12.52	-0.00723	PASS
					20	-15.92	-0.00919	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					30	-12.49	-0.00721	PASS
					40	-14.28	-0.00824	PASS
					50	-12.55	-0.00724	PASS
			HCH	VN	-30	-1.12	-0.00064	PASS
					-20	-5.94	-0.0034	PASS
					-10	-2.63	-0.00151	PASS
					0	-3.69	-0.00211	PASS
					10	-1.72	-0.00099	PASS
					20	-2.66	-0.00152	PASS
					30	-1.5	-0.00086	PASS
					40	-2.52	-0.00144	PASS
					50	-1.79	-0.00103	PASS

END