

10223-CAB	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.43	67.54	16.86	0.00	150.0	± 9.6 %
		Y	5.41	67.68	16.99		150.0	
		Z	5.31	67.40	16.66		150.0	
10224-CAB	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.16	67.39	16.69	0.00	150.0	± 9.6 %
		Y	5.15	67.58	16.86		150.0	
		Z	5.07	67.29	16.52		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.87	66.79	15.84	0.00	150.0	± 9.6 %
		Y	2.90	67.40	16.19		150.0	
		Z	2.77	66.56	15.46		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	6.75	86.12	24.57	6.02	65.0	± 9.6 %
		Y	5.51	83.70	24.23		65.0	
		Z	7.36	88.18	24.95		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	6.55	84.30	23.23	6.02	65.0	± 9.6 %
		Y	5.57	82.77	23.20		65.0	
		Z	7.03	85.94	23.43		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	4.87	82.78	25.35	6.02	65.0	± 9.6 %
		Y	4.01	79.77	24.60		65.0	
		Z	4.44	81.69	24.80		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	6.43	85.15	24.14	6.02	65.0	± 9.6 %
		Y	5.26	82.75	23.79		65.0	
		Z	6.91	86.96	24.44		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	6.20	83.33	22.81	6.02	65.0	± 9.6 %
		Y	5.27	81.77	22.76		65.0	
		Z	6.55	84.76	22.95		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	4.70	82.07	25.00	6.02	65.0	± 9.6 %
		Y	3.88	79.08	24.24		65.0	
		Z	4.29	80.96	24.43		65.0	
10232-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	6.41	85.13	24.13	6.02	65.0	± 9.6 %
		Y	5.25	82.73	23.78		65.0	
		Z	6.89	86.94	24.43		65.0	
10233-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	6.18	83.31	22.81	6.02	65.0	± 9.6 %
		Y	5.26	81.74	22.75		65.0	
		Z	6.54	84.73	22.94		65.0	
10234-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	4.57	81.42	24.64	6.02	65.0	± 9.6 %
		Y	3.78	78.50	23.89		65.0	
		Z	4.16	80.31	24.06		65.0	
10235-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	6.41	85.15	24.14	6.02	65.0	± 9.6 %
		Y	5.25	82.75	23.79		65.0	
		Z	6.90	86.97	24.44		65.0	
10236-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	6.25	83.46	22.85	6.02	65.0	± 9.6 %
		Y	5.31	81.89	22.79		65.0	
		Z	6.62	84.89	22.99		65.0	
10237-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	4.70	82.10	25.02	6.02	65.0	± 9.6 %
		Y	3.88	79.10	24.25		65.0	
		Z	4.28	80.99	24.45		65.0	
10238-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	6.39	85.10	24.12	6.02	65.0	± 9.6 %
		Y	5.23	82.70	23.77		65.0	
		Z	6.87	86.91	24.42		65.0	

10239-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	6.16	83.27	22.79	6.02	65.0	± 9.6 %
		Y	5.24	81.70	22.74		65.0	
		Z	6.51	84.68	22.93		65.0	
10240-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	4.69	82.06	25.00	6.02	65.0	± 9.6 %
		Y	3.87	79.07	24.24		65.0	
		Z	4.27	80.95	24.43		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	6.22	77.11	23.59	6.98	65.0	± 9.6 %
		Y	5.77	75.93	23.22		65.0	
		Z	6.24	77.90	23.77		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	5.51	74.58	22.40	6.98	65.0	± 9.6 %
		Y	5.24	73.95	22.24		65.0	
		Z	5.87	76.65	23.15		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	4.68	71.62	21.91	6.98	65.0	± 9.6 %
		Y	4.54	71.28	21.85		65.0	
		Z	4.81	72.91	22.39		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	3.78	69.70	15.17	3.98	65.0	± 9.6 %
		Y	3.50	69.28	15.08		65.0	
		Z	3.41	68.43	14.10		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	3.73	69.26	14.92	3.98	65.0	± 9.6 %
		Y	3.44	68.78	14.78		65.0	
		Z	3.37	68.01	13.85		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	3.79	73.29	17.29	3.98	65.0	± 9.6 %
		Y	3.43	72.67	17.14		65.0	
		Z	3.13	70.66	15.73		65.0	
10247-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	3.97	70.72	16.89	3.98	65.0	± 9.6 %
		Y	3.63	70.00	16.62		65.0	
		Z	3.55	69.25	15.83		65.0	
10248-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	3.99	70.33	16.69	3.98	65.0	± 9.6 %
		Y	3.64	69.52	16.37		65.0	
		Z	3.58	68.89	15.65		65.0	
10249-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	4.84	77.09	19.91	3.98	65.0	± 9.6 %
		Y	4.38	76.49	19.88		65.0	
		Z	4.09	74.63	18.58		65.0	
10250-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	4.86	73.47	19.93	3.98	65.0	± 9.6 %
		Y	4.46	72.59	19.71		65.0	
		Z	4.48	72.29	19.16		65.0	
10251-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	4.72	71.74	18.79	3.98	65.0	± 9.6 %
		Y	4.32	70.75	18.45		65.0	
		Z	4.36	70.66	18.04		65.0	
10252-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	5.33	77.58	21.22	3.98	65.0	± 9.6 %
		Y	4.80	76.68	21.10		65.0	
		Z	4.73	75.83	20.29		65.0	
10253-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	4.89	71.14	18.94	3.98	65.0	± 9.6 %
		Y	4.51	70.14	18.59		65.0	
		Z	4.59	70.28	18.34		65.0	
10254-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	5.20	71.99	19.64	3.98	65.0	± 9.6 %
		Y	4.80	71.02	19.32		65.0	
		Z	4.88	71.14	19.04		65.0	

10255-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	5.23	74.92	20.40	3.98	65.0	± 9.6 %
		Y	4.77	73.99	20.22		65.0	
		Z	4.80	73.74	19.73		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	2.84	65.90	12.18	3.98	65.0	± 9.6 %
		Y	2.58	65.31	11.90		65.0	
		Z	2.51	64.65	11.02		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	2.81	65.49	11.88	3.98	65.0	± 9.6 %
		Y	2.56	64.86	11.56		65.0	
		Z	2.50	64.29	10.74		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	2.76	68.49	14.16	3.98	65.0	± 9.6 %
		Y	2.45	67.63	13.77		65.0	
		Z	2.29	66.25	12.61		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	4.33	71.85	18.04	3.98	65.0	± 9.6 %
		Y	3.97	71.09	17.80		65.0	
		Z	3.92	70.49	17.09		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	4.37	71.63	17.94	3.98	65.0	± 9.6 %
		Y	4.01	70.86	17.68		65.0	
		Z	3.97	70.31	17.01		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	4.83	76.58	20.18	3.98	65.0	± 9.6 %
		Y	4.36	75.82	20.08		65.0	
		Z	4.20	74.54	19.05		65.0	
10262-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	4.85	73.42	19.88	3.98	65.0	± 9.6 %
		Y	4.45	72.54	19.66		65.0	
		Z	4.46	72.24	19.12		65.0	
10263-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	4.72	71.71	18.78	3.98	65.0	± 9.6 %
		Y	4.31	70.73	18.44		65.0	
		Z	4.35	70.63	18.03		65.0	
10264-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	5.28	77.41	21.12	3.98	65.0	± 9.6 %
		Y	4.76	76.49	21.00		65.0	
		Z	4.69	75.66	20.19		65.0	
10265-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	4.98	71.60	19.18	3.98	65.0	± 9.6 %
		Y	4.57	70.54	18.83		65.0	
		Z	4.65	70.66	18.57		65.0	
10266-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	5.31	72.51	19.95	3.98	65.0	± 9.6 %
		Y	4.89	71.50	19.64		65.0	
		Z	4.97	71.61	19.36		65.0	
10267-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	5.46	75.51	20.44	3.98	65.0	± 9.6 %
		Y	4.98	74.64	20.31		65.0	
		Z	4.99	74.28	19.77		65.0	
10268-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	5.63	71.70	19.66	3.98	65.0	± 9.6 %
		Y	5.21	70.69	19.32		65.0	
		Z	5.32	70.92	19.15		65.0	
10269-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	5.63	71.35	19.55	3.98	65.0	± 9.6 %
		Y	5.23	70.35	19.21		65.0	
		Z	5.34	70.62	19.06		65.0	
10270-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	5.55	73.38	19.70	3.98	65.0	± 9.6 %
		Y	5.13	72.57	19.54		65.0	
		Z	5.20	72.51	19.19		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.69	67.42	15.91	0.00	150.0	± 9.6 %
		Y	2.75	68.22	16.36		150.0	
		Z	2.60	67.16	15.51		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.83	70.40	17.15	0.00	150.0	± 9.6 %
		Y	2.03	72.78	18.38		150.0	
		Z	1.68	69.22	16.30		150.0	
10277-CAA	PHS (QPSK)	X	1.85	60.43	5.95	9.03	50.0	± 9.6 %
		Y	1.93	60.53	6.11		50.0	
		Z	1.79	60.16	5.62		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	3.26	67.17	12.22	9.03	50.0	± 9.6 %
		Y	3.32	67.01	12.15		50.0	
		Z	2.98	65.72	11.14		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	3.37	67.46	12.42	9.03	50.0	± 9.6 %
		Y	3.42	67.28	12.34		50.0	
		Z	3.07	65.97	11.33		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	2.05	74.04	16.37	0.00	150.0	± 9.6 %
		Y	3.52	81.70	19.05		150.0	
		Z	1.51	70.11	14.15		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.16	70.91	15.09	0.00	150.0	± 9.6 %
		Y	1.98	78.67	18.04		150.0	
		Z	0.88	67.38	12.85		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	3.02	85.41	21.03	0.00	150.0	± 9.6 %
		Y	100.00	134.44	33.38		150.0	
		Z	1.64	76.50	17.15		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	33.02	121.00	31.37	0.00	150.0	± 9.6 %
		Y	100.00	139.57	35.76		150.0	
		Z	8.07	98.75	24.80		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	8.33	82.26	21.81	9.03	50.0	± 9.6 %
		Y	9.39	83.62	22.13		50.0	
		Z	7.86	80.54	20.63		50.0	
10297-AAA	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	2.95	71.17	17.66	0.00	150.0	± 9.6 %
		Y	3.11	72.56	18.44		150.0	
		Z	2.77	70.39	17.13		150.0	
10298-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.85	70.66	15.62	0.00	150.0	± 9.6 %
		Y	2.24	74.04	16.99		150.0	
		Z	1.54	68.34	14.05		150.0	
10299-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	2.20	68.15	13.34	0.00	150.0	± 9.6 %
		Y	2.39	69.78	14.08		150.0	
		Z	2.08	67.29	12.27		150.0	
10300-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	1.64	63.80	10.42	0.00	150.0	± 9.6 %
		Y	1.59	63.91	10.43		150.0	
		Z	1.54	63.22	9.51		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.46	64.63	17.23	4.17	50.0	± 9.6 %
		Y	4.49	65.06	17.44		50.0	
		Z	4.27	64.20	16.83		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	4.98	65.49	18.08	4.96	50.0	± 9.6 %
		Y	4.97	65.69	18.16		50.0	
		Z	4.86	65.39	17.85		50.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	4.71	65.04	17.86	4.96	50.0	± 9.6 %
		Y	4.70	65.25	17.95		50.0	
		Z	4.60	64.94	17.62		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.55	65.03	17.43	4.17	50.0	± 9.6 %
		Y	4.54	65.29	17.55		50.0	
		Z	4.44	64.95	17.19		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	3.99	65.76	18.80	6.02	35.0	± 9.6 %
		Y	4.07	66.47	19.05		35.0	
		Z	3.90	65.70	18.47		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	4.39	65.23	18.61	6.02	35.0	± 9.6 %
		Y	4.43	65.72	18.79		35.0	
		Z	4.30	65.19	18.34		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.27	65.29	18.54	6.02	35.0	± 9.6 %
		Y	4.31	65.81	18.73		35.0	
		Z	4.17	65.22	18.24		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.24	65.45	18.66	6.02	35.0	± 9.6 %
		Y	4.28	65.98	18.86		35.0	
		Z	4.14	65.37	18.37		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	4.43	65.42	18.74	6.02	35.0	± 9.6 %
		Y	4.47	65.88	18.91		35.0	
		Z	4.33	65.33	18.45		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.33	65.26	18.57	6.02	35.0	± 9.6 %
		Y	4.38	65.77	18.77		35.0	
		Z	4.24	65.22	18.31		35.0	
10311-AAA	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.32	70.27	17.19	0.00	150.0	± 9.6 %
		Y	3.49	71.48	17.88		150.0	
		Z	3.14	69.58	16.73		150.0	
10313-AAA	iDEN 1:3	X	2.34	69.26	14.41	6.99	70.0	± 9.6 %
		Y	2.05	68.81	14.60		70.0	
		Z	1.98	67.44	13.44		70.0	
10314-AAA	iDEN 1:6	X	3.56	75.90	19.90	10.00	30.0	± 9.6 %
		Y	4.44	79.56	21.45		30.0	
		Z	3.07	73.30	18.62		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.11	64.48	16.04	0.17	150.0	± 9.6 %
		Y	1.13	65.36	16.82		150.0	
		Z	1.07	63.93	15.43		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.57	66.77	16.49	0.17	150.0	± 9.6 %
		Y	4.56	66.98	16.66		150.0	
		Z	4.48	66.69	16.30		150.0	
10317-AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.57	66.77	16.49	0.17	150.0	± 9.6 %
		Y	4.56	66.98	16.66		150.0	
		Z	4.48	66.69	16.30		150.0	
10400-AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.71	67.24	16.60	0.00	150.0	± 9.6 %
		Y	4.69	67.45	16.77		150.0	
		Z	4.61	67.14	16.41		150.0	
10401-AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.46	67.46	16.79	0.00	150.0	± 9.6 %
		Y	5.44	67.61	16.92		150.0	
		Z	5.32	67.22	16.54		150.0	

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.67	67.60	16.72	0.00	150.0	± 9.6 %
		Y	5.66	67.75	16.85		150.0	
		Z	5.58	67.51	16.55		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	2.05	74.04	16.37	0.00	115.0	± 9.6 %
		Y	3.52	81.70	19.05		115.0	
		Z	1.51	70.11	14.15		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.05	74.04	16.37	0.00	115.0	± 9.6 %
		Y	3.52	81.70	19.05		115.0	
		Z	1.51	70.11	14.15		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	125.83	31.49	0.00	100.0	± 9.6 %
		Y	100.00	130.71	33.64		100.0	
		Z	100.00	116.24	27.04		100.0	
10410-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.91	85.80	20.18	3.23	80.0	± 9.6 %
		Y	12.75	99.43	25.10		80.0	
		Z	4.83	82.66	18.51		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.06	64.06	15.76	0.00	150.0	± 9.6 %
		Y	1.09	65.07	16.59		150.0	
		Z	1.03	63.60	15.19		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.56	66.91	16.55	0.00	150.0	± 9.6 %
		Y	4.55	67.15	16.74		150.0	
		Z	4.47	66.85	16.37		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.56	66.91	16.55	0.00	150.0	± 9.6 %
		Y	4.55	67.15	16.74		150.0	
		Z	4.47	66.85	16.37		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.55	67.10	16.59	0.00	150.0	± 9.6 %
		Y	4.55	67.37	16.79		150.0	
		Z	4.47	67.04	16.41		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.57	67.04	16.58	0.00	150.0	± 9.6 %
		Y	4.57	67.29	16.77		150.0	
		Z	4.49	66.98	16.40		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.68	67.01	16.58	0.00	150.0	± 9.6 %
		Y	4.68	67.25	16.76		150.0	
		Z	4.59	66.95	16.41		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.84	67.31	16.69	0.00	150.0	± 9.6 %
		Y	4.83	67.54	16.86		150.0	
		Z	4.74	67.24	16.51		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.76	67.27	16.67	0.00	150.0	± 9.6 %
		Y	4.75	67.51	16.85		150.0	
		Z	4.67	67.19	16.49		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.38	67.51	16.82	0.00	150.0	± 9.6 %
		Y	5.37	67.69	16.97		150.0	
		Z	5.28	67.41	16.64		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.41	67.63	16.87	0.00	150.0	± 9.6 %
		Y	5.40	67.81	17.03		150.0	
		Z	5.30	67.49	16.68		150.0	

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.40	67.54	16.83	0.00	150.0	± 9.6 %
		Y	5.38	67.69	16.96		150.0	
		Z	5.28	67.37	16.62		150.0	
10430-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.43	72.05	18.90	0.00	150.0	± 9.6 %
		Y	4.75	73.92	19.83		150.0	
		Z	4.35	72.14	18.68		150.0	
10431-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.24	67.60	16.59	0.00	150.0	± 9.6 %
		Y	4.24	67.95	16.81		150.0	
		Z	4.13	67.49	16.35		150.0	
10432-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.54	67.38	16.64	0.00	150.0	± 9.6 %
		Y	4.53	67.66	16.84		150.0	
		Z	4.43	67.29	16.44		150.0	
10433-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.78	67.31	16.69	0.00	150.0	± 9.6 %
		Y	4.77	67.54	16.87		150.0	
		Z	4.68	67.23	16.50		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.62	73.24	18.96	0.00	150.0	± 9.6 %
		Y	5.10	75.63	20.05		150.0	
		Z	4.53	73.27	18.67		150.0	
10435-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.51	84.80	19.80	3.23	80.0	± 9.6 %
		Y	11.08	97.33	24.45		80.0	
		Z	4.49	81.69	18.14		80.0	
10447-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.55	67.81	15.93	0.00	150.0	± 9.6 %
		Y	3.57	68.36	16.20		150.0	
		Z	3.41	67.56	15.53		150.0	
10448-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.08	67.39	16.46	0.00	150.0	± 9.6 %
		Y	4.09	67.76	16.69		150.0	
		Z	3.98	67.28	16.22		150.0	
10449-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.36	67.22	16.55	0.00	150.0	± 9.6 %
		Y	4.35	67.51	16.76		150.0	
		Z	4.26	67.13	16.34		150.0	
10450-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.55	67.09	16.55	0.00	150.0	± 9.6 %
		Y	4.55	67.34	16.75		150.0	
		Z	4.46	67.01	16.37		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.44	68.02	15.52	0.00	150.0	± 9.6 %
		Y	3.47	68.59	15.77		150.0	
		Z	3.27	67.61	15.01		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.27	68.07	16.96	0.00	150.0	± 9.6 %
		Y	6.29	68.25	17.11		150.0	
		Z	6.20	68.03	16.84		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.83	65.55	16.26	0.00	150.0	± 9.6 %
		Y	3.83	65.80	16.46		150.0	
		Z	3.78	65.52	16.08		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.23	67.20	14.77	0.00	150.0	± 9.6 %
		Y	3.21	67.54	14.85		150.0	
		Z	3.03	66.66	14.13		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.36	65.63	15.85	0.00	150.0	± 9.6 %
		Y	4.35	65.95	15.97		150.0	
		Z	4.14	65.17	15.34		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.17	73.22	19.18	0.00	150.0	± 9.6 %
		Y	1.57	79.58	22.21		150.0	
		Z	1.00	70.63	17.58		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.65	77.54	18.53	3.29	80.0	± 9.6 %
		Y	9.41	97.51	25.55		80.0	
		Z	1.84	73.13	16.45		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.74	60.00	7.39	3.23	80.0	± 9.6 %
		Y	0.68	60.00	7.80		80.0	
		Z	0.70	60.00	6.55		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.76	60.00	6.77	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.12		80.0	
		Z	0.74	60.00	5.92		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.97	73.34	16.31	3.23	80.0	± 9.6 %
		Y	6.17	90.31	22.66		80.0	
		Z	1.35	69.16	14.19		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.73	60.00	7.31	3.23	80.0	± 9.6 %
		Y	0.68	60.00	7.72		80.0	
		Z	0.70	60.00	6.47		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.76	60.00	6.72	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.07		80.0	
		Z	0.75	60.00	5.88		80.0	
10467-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.09	74.16	16.66	3.23	80.0	± 9.6 %
		Y	7.46	93.01	23.49		80.0	
		Z	1.42	69.79	14.48		80.0	
10468-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.73	60.00	7.33	3.23	80.0	± 9.6 %
		Y	0.68	60.00	7.74		80.0	
		Z	0.70	60.00	6.49		80.0	
10469-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.76	60.00	6.72	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.07		80.0	
		Z	0.75	60.00	5.87		80.0	
10470-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.08	74.15	16.65	3.23	80.0	± 9.6 %
		Y	7.52	93.14	23.52		80.0	
		Z	1.41	69.77	14.46		80.0	
10471-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.73	60.00	7.31	3.23	80.0	± 9.6 %
		Y	0.68	60.00	7.73		80.0	
		Z	0.70	60.00	6.47		80.0	
10472-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.76	60.00	6.70	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.05		80.0	
		Z	0.75	60.00	5.85		80.0	
10473-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.08	74.11	16.63	3.23	80.0	± 9.6 %
		Y	7.46	93.02	23.48		80.0	
		Z	1.41	69.73	14.44		80.0	
10474-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.73	60.00	7.31	3.23	80.0	± 9.6 %
		Y	0.68	60.00	7.72		80.0	
		Z	0.70	60.00	6.47		80.0	
10475-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.76	60.00	6.70	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.05		80.0	
		Z	0.75	60.00	5.85		80.0	

10477-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	0.73	60.00	7.28	3.23	80.0	± 9.6 %
		Y	0.68	60.00	7.70		80.0	
		Z	0.70	60.00	6.44		80.0	
10478-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	0.76	60.00	6.69	3.23	80.0	± 9.6 %
		Y	0.70	60.00	7.04		80.0	
		Z	0.75	60.00	5.84		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.51	75.70	18.88	3.23	80.0	± 9.6 %
		Y	5.44	83.49	22.01		80.0	
		Z	3.22	74.83	18.15		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.72	68.98	14.29	3.23	80.0	± 9.6 %
		Y	3.68	73.58	16.30		80.0	
		Z	2.25	67.06	12.90		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.26	66.35	12.77	3.23	80.0	± 9.6 %
		Y	2.72	69.29	14.18		80.0	
		Z	1.84	64.45	11.34		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.09	67.92	14.74	2.23	80.0	± 9.6 %
		Y	2.20	69.46	15.46		80.0	
		Z	1.64	65.03	12.95		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.23	65.31	12.71	2.23	80.0	± 9.6 %
		Y	2.37	66.69	13.39		80.0	
		Z	1.85	63.38	11.28		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.19	64.82	12.48	2.23	80.0	± 9.6 %
		Y	2.27	65.91	13.03		80.0	
		Z	1.83	63.00	11.09		80.0	
10485-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.54	70.24	16.86	2.23	80.0	± 9.6 %
		Y	2.66	71.91	17.75		80.0	
		Z	2.11	67.87	15.46		80.0	
10486-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.57	66.92	14.78	2.23	80.0	± 9.6 %
		Y	2.58	67.69	15.18		80.0	
		Z	2.22	65.23	13.58		80.0	
10487-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.58	66.60	14.61	2.23	80.0	± 9.6 %
		Y	2.58	67.26	14.95		80.0	
		Z	2.24	64.98	13.44		80.0	
10488-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.94	70.16	17.68	2.23	80.0	± 9.6 %
		Y	2.93	70.95	18.26		80.0	
		Z	2.59	68.53	16.73		80.0	
10489-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.02	67.40	16.44	2.23	80.0	± 9.6 %
		Y	2.98	67.83	16.78		80.0	
		Z	2.78	66.45	15.74		80.0	
10490-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.11	67.31	16.41	2.23	80.0	± 9.6 %
		Y	3.07	67.68	16.72		80.0	
		Z	2.87	66.41	15.73		80.0	
10491-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.26	69.14	17.41	2.23	80.0	± 9.6 %
		Y	3.20	69.55	17.80		80.0	
		Z	2.96	67.96	16.69		80.0	
10492-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.41	66.95	16.60	2.23	80.0	± 9.6 %
		Y	3.33	67.10	16.82		80.0	
		Z	3.20	66.24	16.06		80.0	