



Appendix for Testreport

Appendix A: DTS (6 dB) Bandwidth

In this document, the "DTS6dBBW" refers to the measured "DTS (6 dB) Bandwidth" value. In this Appendix, the "fc(DTS6dBBW)" refers to the centre of the measured "DTS6dBBW". The introduction of the "fc(DTS6dBBW)" is due to that other measurements use it as the spectrum analyzer setting.


For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	DTS6dBBW[MHz]	Verdict
11B	L	2412	Ant 1	9.59	pass
11B	M	2437	Ant 1	9.61	pass
11B	H	2462	Ant 1	10.03	pass
11G	L	2412	Ant 1	15.17	pass
11G	M	2437	Ant 1	15.13	pass
11G	H	2462	Ant 1	15.17	pass
11N20	L	2412	Ant 1	15.16	pass
11N20	M	2437	Ant 1	15.17	pass
11N20	H	2462	Ant 1	15.16	pass
11N40	L	2422	Ant 1	35.29	pass
11N40	M	2437	Ant 1	35.28	pass
11N40	H	2452	Ant 1	35.29	pass


Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L@Ant 1






2.5 11G_M@Ant 1






2.6 11G_H@Ant 1






2.7 11N20_L@Ant 1






2.8 11N20_M@Ant 1






2.9 11N20_H@Ant 1






2.10 11N40_L@Ant 1






2.11 11N40_M@Ant 1





2.12 11N40_H@Ant 1



Appendix B: Occupied Bandwidth

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.


Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Occupied Bandwidth [MHz]	Verdict
11B	L	2412	Ant 1	12.66	pass
11B	M	2437	Ant 1	12.74	pass
11B	H	2462	Ant 1	12.70	pass
11G	L	2412	Ant 1	16.63	pass
11G	M	2437	Ant 1	16.59	pass
11G	H	2462	Ant 1	16.61	pass
11N20	L	2412	Ant 1	17.68	pass
11N20	M	2437	Ant 1	17.65	pass
11N20	H	2462	Ant 1	17.64	pass
11N40	L	2422	Ant 1	36.15	pass
11N40	M	2437	Ant 1	36.07	pass
11N40	H	2452	Ant 1	36.11	pass




Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L@Ant 1






2.5 11G_M@Ant 1






2.6 11G_H@Ant 1






2.7 11N20_L@Ant 1






2.8 11N20_M@Ant 1






2.9 11N20_H@Ant 1






2.10 11N40_L@Ant 1






2.11 11N40_M@Ant 1





2.12 11N40_H@Ant 1



Appendix C: Duty cycle


Part I - Test Results

Test Mode	TX Freq. [MHz]	Ant	Duty cycle [%]
11B	CH1,CH6,CH11	Ant 1	98
11G	CH1,CH6,CH11	Ant 1	89
11N20SISO	CH1,CH6,CH11	Ant 1	89
11N40SISO	CH3,CH6,CH9	Ant 1	79




Part II - Test Plots

2.1 11B_M@Ant 1




2.2 11G_M@Ant 1






2.3 11N20SISO_M@Ant 1





2.4 11N40SISO_M@Ant 1



Appendix D: Maximum Conducted Average Output Power


Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Power[dBm]	Verdict
11B	L	2412	Ant 1	16.02	pass
11B	M	2437	Ant 1	15.87	pass
11B	H	2462	Ant 1	16.08	pass
11G	L	2412	Ant 1	13.65	pass
11G	M	2437	Ant 1	14.08	pass
11G	H	2462	Ant 1	14.19	pass
11N20	L	2412	Ant 1	13.90	pass
11N20	M	2437	Ant 1	14.20	pass
11N20	H	2462	Ant 1	14.24	pass
11N40	L	2422	Ant 1	13.74	pass
11N40	M	2437	Ant 1	13.92	pass
11N40	H	2452	Ant 1	13.86	pass




Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L@Ant 1






2.5 11G_M@Ant 1






2.6 11G_H@Ant 1






2.7 11N20_L@Ant 1






2.8 11N20_M@Ant 1






2.9 11N20_H@Ant 1






2.10 11N40_L@Ant 1






2.11 11N40_M@Ant 1





2.12 11N40_H@Ant 1




Appendix E: Maximum Power Spectral Density Level

Part I - Test Results


Test Mode	Test Channel	Frequency[MHz]	Ant	PD[MHz]	Verdict
11B	L	2412	Ant 1	-11.66	pass
11B	M	2437	Ant 1	-11.74	pass
11B	H	2462	Ant 1	-11.47	pass
11G	L	2412	Ant 1	-15.07	pass
11G	M	2437	Ant 1	-14.70	pass
11G	H	2462	Ant 1	-14.67	pass
11N20	L	2412	Ant 1	-14.78	pass
11N20	M	2437	Ant 1	-14.80	pass
11N20	H	2462	Ant 1	-14.77	pass
11N40	L	2422	Ant 1	-18.82	pass
11N40	M	2437	Ant 1	-18.74	pass
11N40	H	2452	Ant 1	-18.86	pass

Part II - Test Plots

2.1 11B_L@Ant 1



2.2 11B_M@Ant 1





Agilent Spectrum Analyzer - The duty cycle factor .09 dB added.

Center Freq 2.46200000 GHz

Ref Offset 1.09 dB
Ref 20.00 dBm

10 dB/div
Log

Mkr1 2.462 73 GHz
-11.469 dBm

Start 2.44200 GHz
#Res BW 10 kHz
#VBW 100 kHz*

Stop 2.48200 GHz
Sweep 477 ms (601 pts)

Frequency

Auto Tune

Center Freq
2.46200000 GHz

Start Freq
2.44200000 GHz

Stop Freq
2.48200000 GHz


CF Step
4.000000 MHz
Auto Man

Freq Offset
0 Hz

The image shows a screenshot of an Agilent Spectrum Analyzer. The main display area shows a spectrum plot with a yellow trace. The x-axis represents frequency in GHz, ranging from 2.44200 to 2.48200. The y-axis represents power in dBm, ranging from -70.0 to 10.0. A prominent peak is visible at 2.462 GHz, marked with a green diamond and labeled '1'. The peak power is indicated as -11.469 dBm. The plot shows a noisy signal with a clear peak. The background is black, and the grid is white. The top of the screen displays various settings and status information, including the center frequency, reference level, and sweep parameters. The right side of the screen has a blue sidebar with buttons for 'Frequency', 'Auto Tune', 'Center Freq', 'Start Freq', 'Stop Freq', 'CF Step', and 'Freq Offset'.




2.4 11G_L@Ant 1






2.5 11G_M@Ant 1




2.6 11G_H@Ant 1






2.7 11N20_L@Ant 1






2.8 11N20_M@Ant 1






2.9 11N20_H@Ant 1






2.10 11N40_L@Ant 1






2.11 11N40_M@Ant 1





2.12 11N40_H@Ant 1



Appendix F: Band Edges Compliance

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Carrier Power[dBm]	Max.Spurious Level[dBm]	Verdict
11B	L	2412	Ant 1	9.06	-47.72	pass
11B	H	2462	Ant 1	9.26	-46.41	pass
11G	L	2412	Ant 1	6.08	-40.34	pass
11G	H	2462	Ant 1	6.04	-41.43	pass
11N20	L	2412	Ant 1	6.23	-35.18	pass
11N20	H	2462	Ant 1	5.89	-37.88	pass
11N40	L	2422	Ant 1	0.59	-38.06	pass
11N40	H	2452	Ant 1	0.08	-39.83	pass



Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_H@Ant 1





2.3 11G_L@Ant 1



2.4 11G_H@Ant 1





Agilent Spectrum Analyzer - Swept SA

Center Freq 2.400000000 GHz

Ref Offset 1 dB
Ref 30.00 dBm

Mkr2 2.390 00 GHz
-35.178 dBm

Start 2.38000 GHz
#Res BW 100 kHz

Stop 2.42000 GHz
#Sweep 100 ms (601 pts)

#VBW 300 kHz

Frequency

Auto Tune

Center Freq
2.400000000 GHz

Start Freq
2.380000000 GHz

Stop Freq
2.420000000 GHz

CF Step
4.000000 MHz
Man

Freq Offset
0 Hz

10 dB/div
Log

20.0
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0

2.410 73 GHz
6.231 dBm

2.390 00 GHz
-35.178 dBm

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.410 73 GHz	6.231 dBm			
2	N	1	f	2.390 00 GHz	-35.178 dBm			
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								

MSG

STATUS




2.6 11N20_H@Ant 1






2.7 11N40_L@Ant 1





2.8 11N40_H@Ant 1



Appendix G: Unwanted Emissions into Non-Restricted Frequency

Bands

In this Appendix, the "Pref", which is used as the reference level, refers to the peak power level in any 100 kHz bandwidth within the fundamental emission, the "Puw" refers to the maximum emission power in 100 kHz band segments outside of the authorized frequency band.

Considering that the higher ratio of RBW to the span for the frequency ranges below 30 MHz makes the results determination be complicated, a narrower RBW other than 100 kHz is used for these ranges. The measured value should add a RBW correction factor (RBWCF) where $RBWCF [dB] = 10 \times \lg(100 [kHz]/\text{narrower RBW [kHz]})$. As to this Appendix, the narrower RBW is 1 kHz and RBWCF is 20 dB for the frequency 9 kHz to 150 kHz, and the narrower RBW is 10 kHz and RBWCF is 10 dB for the frequency 150 kHz to 30 MHz.

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain and used as respective results for each chain, due to the relative-limit requirement.

In the result table, the "< Limit" denotes that "The Puw [dBm] is less than Pref[dBm]-30[dBm], see test plots for detailed".

Part I - Test Results


Test Mode	Test Channel	Frequency[MHz]	Ant	Pref[dBm]	Puw[dBm]	Verdict
11B	L	2412	Ant 1	7.22	<limit	pass
11B	M	2437	Ant 1	7.18	<limit	pass
11B	H	2462	Ant 1	7.47	<limit	pass
11G	L	2412	Ant 1	4.06	<limit	pass
11G	M	2437	Ant 1	4.34	<limit	pass
11G	H	2462	Ant 1	4.42	<limit	pass
11N20	L	2412	Ant 1	4.45	<limit	pass
11N20	M	2437	Ant 1	4.59	<limit	pass
11N20	H	2462	Ant 1	4.54	<limit	pass
11N40	L	2422	Ant 1	2.52	<limit	pass
11N40	M	2437	Ant 1	2.84	<limit	pass
11N40	H	2452	Ant 1	2.56	<limit	pass



Part II - Test Plots


2.1 11B_L@Ant 1


Pref:








Puw:


















2.2 11B_M@Ant 1


Pref:




P_uw:















2.3 11B_H@Ant 1


Pref:








Puw:

















2.4 11G_L@Ant 1


Pref:







Puw:



















2.5 11G_M@Ant 1


Pref:




P_uw:














2.6 11G_H@Ant 1

Pref:





Puw:

