



4.3.2.77 11AC20_157 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6981.69	54.00	12.70	74.00	20.00	150	55	Vertical
2	6995.79	44.32	12.75	54.00	9.68	150	55	Vertical
3	11570.0	50.14	-3.87	74.00	23.86	150	306	Vertical
4	11570.0	39.57	-3.87	54.00	14.43	150	220	Vertical
5	17355.0	44.87	-1.07	54.00	9.13	150	47	Vertical
6	17355.0	56.32	-1.07	74.00	17.68	150	105	Vertical
7	17997.2	46.72	-0.37	54.00	7.28	150	249	Vertical

4.3.2.78 11AC20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6974.79	53.51	12.68	74.00	20.49	150	314	Vertical
2	6984.39	44.47	12.71	54.00	9.53	150	342	Vertical
3	11650.0	49.71	-3.16	74.00	24.29	150	259	Vertical
4	11650.0	40.21	-3.16	54.00	13.79	150	289	Vertical
5	17475.0	43.96	0.02	54.00	10.04	150	86	Vertical
6	17475.0	55.26	0.02	74.00	18.74	150	57	Vertical
7	17599.5	46.62	1.62	54.00	7.38	150	86	Vertical




4.3.2.79 11AC20_36 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6961.29	53.69	12.63	74.00	20.31	150	190	Horizontal
2	6986.19	44.59	12.72	54.00	9.41	150	104	Horizontal
3	10360.0	50.27	-5.35	74.00	23.73	150	312	Horizontal
4	10360.0	38.96	-5.35	54.00	15.04	150	283	Horizontal
5	15540.0	39.34	-3.26	54.00	14.66	150	312	Horizontal
6	15540.0	50.01	-3.26	74.00	23.99	150	342	Horizontal
7	17544.5	46.79	0.92	54.00	7.21	150	342	Horizontal


4.3.2.80 11AC20_44 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6959.79	44.32	12.62	54.00	9.68	150	191	Horizontal
2	6984.69	53.85	12.71	74.00	20.15	150	133	Horizontal
3	10440.0	50.70	-4.92	74.00	23.30	150	105	Horizontal
4	10440.0	39.11	-4.92	54.00	14.89	150	251	Horizontal
5	15660.0	39.30	-3.54	54.00	14.70	150	76	Horizontal
6	15660.0	50.96	-3.54	74.00	23.04	150	221	Horizontal
7	17815.1	46.86	-0.82	54.00	7.14	150	342	Horizontal


4.3.2.81 11AC20_48 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.09	54.14	12.50	74.00	19.86	150	162	Horizontal
2	6998.49	43.94	12.76	54.00	10.06	150	18	Horizontal
3	10480.0	50.39	-4.49	74.00	23.61	150	342	Horizontal
4	10480.0	39.85	-4.49	54.00	14.15	150	137	Horizontal
5	15720.0	40.94	-2.65	54.00	13.06	150	108	Horizontal
6	15720.0	52.37	-2.65	74.00	21.63	150	166	Horizontal
7	17990.0	46.83	-0.43	54.00	7.17	150	254	Horizontal

4.3.2.82 11AC20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6903.99	53.59	12.41	74.00	20.41	150	306	Horizontal
2	6979.29	44.09	12.69	54.00	9.91	150	248	Horizontal
3	10520.0	50.89	-4.37	74.00	23.11	150	220	Horizontal
4	10520.0	39.74	-4.37	54.00	14.26	150	220	Horizontal
5	15780.0	40.55	-2.36	54.00	13.45	150	342	Horizontal
6	15780.0	51.99	-2.36	74.00	22.01	150	312	Horizontal
7	17831.6	47.02	-0.88	54.00	6.98	150	19	Horizontal


4.3.2.83 11AC20_60 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.99	53.36	12.34	74.00	20.64	150	333	Horizontal
2	6947.49	44.17	12.58	54.00	9.83	150	219	Horizontal
3	10600.0	50.64	-4.75	74.00	23.36	150	80	Horizontal
4	10600.0	39.88	-4.75	54.00	14.12	150	283	Horizontal
5	15900.0	39.02	-3.75	54.00	14.98	150	80	Horizontal
6	15900.0	49.73	-3.75	74.00	24.27	150	138	Horizontal
7	17539.0	46.91	0.85	54.00	7.09	150	109	Horizontal

4.3.2.84 11AC20_64 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6923.19	44.42	12.49	54.00	9.58	150	134	Horizontal
2	6981.99	53.35	12.70	74.00	20.65	150	76	Horizontal
3	10640.0	50.99	-4.69	74.00	23.01	150	52	Horizontal
4	10640.0	40.24	-4.69	54.00	13.76	150	284	Horizontal
5	15960.0	39.30	-3.70	54.00	14.70	150	255	Horizontal
6	15960.0	50.77	-3.70	74.00	23.23	150	284	Horizontal
7	17544.0	46.84	0.91	54.00	7.16	150	52	Horizontal

4.3.2.85 11AC20_100 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6877.59	44.25	12.31	54.00	9.75	150	76	Horizontal
2	6957.69	54.40	12.61	74.00	19.60	150	219	Horizontal
3	11000.0	50.57	-4.28	74.00	23.43	150	80	Horizontal
4	11000.0	39.66	-4.28	54.00	14.34	150	80	Horizontal
5	16500.0	41.17	-3.62	54.00	12.83	150	22	Horizontal
6	16500.0	52.85	-3.62	74.00	21.15	150	225	Horizontal
7	17951.0	46.92	-0.72	54.00	7.08	150	138	Horizontal

4.3.2.86 11AC20_116 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.09	44.12	12.50	54.00	9.88	150	104	Horizontal
2	6990.69	53.89	12.74	74.00	20.11	150	47	Horizontal
3	11160.0	52.53	-3.43	74.00	21.47	150	104	Horizontal
4	11160.0	41.10	-3.43	54.00	12.90	150	132	Horizontal
5	16740.0	40.49	-3.33	54.00	13.51	150	280	Horizontal
6	16740.0	51.25	-3.33	74.00	22.75	150	104	Horizontal
7	17597.9	46.58	1.60	54.00	7.42	150	16	Horizontal


4.3.2.87 11AC20_140 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6946.29	44.37	12.57	54.00	9.63	150	104	Horizontal
2	6982.59	53.08	12.71	74.00	20.92	150	47	Horizontal
3	11400.0	50.31	-4.42	74.00	23.69	150	1	Horizontal
4	11400.0	39.49	-4.42	54.00	14.51	150	197	Horizontal
5	17100.0	43.41	-3.09	54.00	10.59	150	312	Horizontal
6	17100.0	54.67	-3.09	74.00	19.33	150	110	Horizontal
7	17541.8	47.16	0.89	54.00	6.84	150	226	Horizontal

4.3.2.88 11AC20_149 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6896.49	43.87	12.39	54.00	10.13	150	248	Horizontal
2	6946.29	53.23	12.57	74.00	20.77	150	75	Horizontal
3	11490.0	48.74	-5.65	74.00	25.26	150	108	Horizontal
4	11490.0	38.32	-5.65	54.00	15.68	150	21	Horizontal
5	17235.0	45.02	-1.47	54.00	8.98	150	0	Horizontal
6	17235.0	55.57	-1.47	74.00	18.43	150	21	Horizontal
7	17992.8	46.84	-0.40	54.00	7.16	150	284	Horizontal

4.3.2.89 11AC20_157 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6968.19	53.50	12.65	74.00	20.50	150	276	Horizontal
2	6984.39	44.62	12.71	54.00	9.38	150	18	Horizontal
3	11570.0	51.32	-3.87	74.00	22.68	150	256	Horizontal
4	11570.0	39.90	-3.87	54.00	14.10	150	83	Horizontal
5	17355.0	44.67	-1.07	54.00	9.33	150	342	Horizontal
6	17355.0	55.13	-1.07	74.00	18.87	150	198	Horizontal
7	17545.6	46.89	0.93	54.00	7.11	150	112	Horizontal

4.3.2.90 11AC20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6947.79	53.43	12.58	74.00	20.57	150	46	Horizontal
2	6979.59	44.06	12.69	54.00	9.94	150	132	Horizontal
3	11650.0	51.90	-3.16	74.00	22.10	150	313	Horizontal
4	11650.0	40.04	-3.16	54.00	13.96	150	110	Horizontal
5	17475.0	44.45	0.02	54.00	9.55	150	167	Horizontal
6	17475.0	56.56	0.02	74.00	17.44	150	167	Horizontal
7	17598.4	46.84	1.61	54.00	7.16	150	225	Horizontal


4.3.2.91 11AC40_38 ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6953.19	53.56	12.60	74.00	20.44	150	285	Vertical
2	6973.59	43.96	12.67	54.00	10.04	150	314	Vertical
3	10380.0	38.82	-5.36	54.00	15.18	150	220	Vertical
4	10380.0	49.43	-5.36	74.00	24.57	150	249	Vertical
5	15570.0	38.59	-4.02	54.00	15.41	150	47	Vertical
6	15570.0	49.44	-4.02	74.00	24.56	150	18	Vertical
7	17999.4	46.67	-0.35	54.00	7.33	150	249	Vertical

4.3.2.92 11AC40_46 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6973.59	44.43	12.67	54.00	9.57	150	197	Vertical
2	6999.40	54.86	12.77	74.00	19.14	150	313	Vertical
3	10460.0	39.54	-4.70	54.00	14.46	150	133	Vertical
4	10460.0	50.86	-4.70	74.00	23.14	150	334	Vertical
5	15690.0	40.33	-2.93	54.00	13.67	150	358	Vertical
6	15690.0	51.43	-2.93	74.00	22.57	150	104	Vertical
7	17997.7	46.68	-0.37	54.00	7.32	150	190	Vertical

4.3.2.93 11AC40_54 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6887.49	44.32	12.35	54.00	9.68	150	342	Vertical
2	6897.99	53.45	12.39	74.00	20.55	150	142	Vertical
3	10540.0	39.96	-4.46	54.00	14.04	150	282	Vertical
4	10540.0	50.87	-4.46	74.00	23.13	150	136	Vertical
5	15810.0	51.32	-2.42	74.00	22.68	150	311	Vertical
6	15810.0	39.98	-2.42	54.00	14.02	150	51	Vertical
7	17533.5	46.91	0.78	54.00	7.09	150	108	Vertical


4.3.2.94 11AC40_62 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.09	43.96	12.53	54.00	10.04	150	255	Vertical
2	6961.59	53.78	12.63	74.00	20.22	150	54	Vertical
3	10620.0	40.33	-4.72	54.00	13.67	150	221	Vertical
4	10620.0	51.07	-4.72	74.00	22.93	150	359	Vertical
5	15930.0	40.77	-3.73	54.00	13.23	150	250	Vertical
6	15930.0	51.02	-3.73	74.00	22.98	150	18	Vertical
7	17614.9	47.15	1.24	54.00	6.85	150	279	Vertical


4.3.2.95 11AC40_102 ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6892.59	54.55	12.37	74.00	19.45	150	112	Vertical
2	6987.39	44.08	12.72	54.00	9.92	150	342	Vertical
3	11020.0	50.33	-4.09	74.00	23.67	150	251	Vertical
4	11020.0	39.14	-4.09	54.00	14.86	150	279	Vertical
5	16530.0	41.22	-3.84	54.00	12.78	150	163	Vertical
6	16530.0	52.53	-3.84	74.00	21.47	150	337	Vertical
7	17601.2	46.90	1.60	54.00	7.10	150	134	Vertical

4.3.2.96 11AC40_110 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.89	54.12	12.64	74.00	19.88	150	227	Vertical
2	6965.19	44.24	12.64	54.00	9.76	150	83	Vertical
3	11100.0	40.35	-3.36	54.00	13.65	150	161	Vertical
4	11100.0	51.58	-3.36	74.00	22.42	150	305	Vertical
5	16650.0	40.80	-4.20	54.00	13.20	150	248	Vertical
6	16650.0	52.55	-4.20	74.00	21.45	150	334	Vertical
7	17822.8	46.86	-0.85	54.00	7.14	150	47	Vertical


4.3.2.97 11AC40_134 ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.09	53.13	12.40	74.00	20.87	150	199	Vertical
2	6961.59	44.29	12.63	54.00	9.71	150	228	Vertical
3	11340.0	39.99	-4.59	54.00	14.01	150	76	Vertical
4	11340.0	50.89	-4.59	74.00	23.11	150	337	Vertical
5	17010.0	41.22	-3.20	54.00	12.78	150	47	Vertical
6	17010.0	53.30	-3.20	74.00	20.70	150	337	Vertical
7	17599.0	47.11	1.62	54.00	6.89	150	221	Vertical

4.3.2.98 11AC40_151 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6966.99	44.08	12.65	54.00	9.92	150	342	Vertical
2	6986.79	53.36	12.72	74.00	20.64	150	342	Vertical
3	11510.0	38.54	-5.50	54.00	15.46	150	104	Vertical
4	11510.0	49.84	-5.50	74.00	24.16	150	278	Vertical
5	17265.0	44.60	-1.33	54.00	9.40	150	336	Vertical
6	17265.0	56.04	-1.33	74.00	17.96	150	249	Vertical
7	17544.5	46.73	0.92	54.00	7.27	150	336	Vertical


4.3.2.99 11AC40_159 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6965.19	54.77	12.64	74.00	19.23	150	313	Vertical
2	6976.29	43.91	12.68	54.00	10.09	150	1	Vertical
3	11590.0	39.69	-3.32	54.00	14.31	150	219	Vertical
4	11590.0	50.81	-3.32	74.00	23.19	150	334	Vertical
5	17385.0	44.30	-1.02	54.00	9.70	150	18	Vertical
6	17385.0	55.53	-1.02	74.00	18.47	150	219	Vertical
7	17628.1	47.08	0.90	54.00	6.92	150	133	Vertical


4.3.2.100 11AC40_38 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6968.79	44.50	12.65	54.00	9.50	150	18	Horizontal
2	6992.49	53.84	12.74	74.00	20.16	150	161	Horizontal
3	10380.0	38.30	-5.36	54.00	15.70	150	342	Horizontal
4	10380.0	50.97	-5.36	74.00	23.03	150	164	Horizontal
5	15570.0	49.27	-4.02	74.00	24.73	150	0	Horizontal
6	15570.0	38.90	-4.02	54.00	15.10	150	20	Horizontal
7	17605.6	46.65	1.48	54.00	7.35	150	193	Horizontal




4.3.2.101 11AC40_46 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6842.49	53.80	12.18	74.00	20.20	150	46	Horizontal
2	6995.79	44.34	12.75	54.00	9.66	150	18	Horizontal
3	10460.0	39.71	-4.70	54.00	14.29	150	1	Horizontal
4	10460.0	50.80	-4.70	74.00	23.20	150	52	Horizontal
5	15690.0	40.68	-2.93	54.00	13.32	150	253	Horizontal
6	15690.0	52.20	-2.93	74.00	21.80	150	1	Horizontal
7	17814.0	47.00	-0.82	54.00	7.00	150	168	Horizontal


4.3.2.102 11AC40_54 ANT 1_Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6887.79	53.50	12.35	74.00	20.50	150	304	Horizontal
2	6909.99	44.04	12.44	54.00	9.96	150	190	Horizontal
3	10540.0	39.96	-4.46	54.00	14.04	150	282	Vertical
4	10540.0	51.36	-4.46	74.00	22.64	150	284	Horizontal
5	15810.0	39.98	-2.42	54.00	14.02	150	51	Vertical
6	15810.0	51.62	-2.42	74.00	22.38	150	255	Horizontal
7	17533.5	46.91	0.78	54.00	7.09	150	108	Vertical

4.3.2.103 11AC40_62 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6933.69	53.28	12.52	74.00	20.72	150	359	Horizontal
2	6998.19	44.21	12.76	54.00	9.79	150	18	Horizontal
3	10620.0	39.72	-4.72	54.00	14.28	150	198	Horizontal
4	10620.0	50.95	-4.72	74.00	23.05	150	111	Horizontal
5	15930.0	51.90	-3.73	74.00	22.10	150	342	Horizontal
6	15930.0	39.64	-3.73	54.00	14.36	150	82	Horizontal
7	17550.0	46.89	0.99	54.00	7.11	150	1	Horizontal

4.3.2.104 11AC40_102 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6915.39	43.79	12.46	54.00	10.21	150	18	Horizontal
2	6973.59	53.52	12.67	74.00	20.48	150	276	Horizontal
3	11020.0	39.49	-4.09	54.00	14.51	150	194	Horizontal
4	11020.0	50.61	-4.09	74.00	23.39	150	313	Horizontal
5	16530.0	53.01	-3.84	74.00	20.99	150	222	Horizontal
6	16530.0	41.02	-3.84	54.00	12.98	150	107	Horizontal
7	17997.7	46.73	-0.37	54.00	7.27	150	313	Horizontal

4.3.2.105 11AC40_110 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.29	53.15	12.65	74.00	20.85	150	246	Horizontal
2	6980.19	44.23	12.70	54.00	9.77	150	161	Horizontal
3	11100.0	40.10	-3.36	54.00	13.90	150	23	Horizontal
4	11100.0	51.48	-3.36	74.00	22.52	150	1	Horizontal
5	16650.0	40.92	-4.20	54.00	13.08	150	196	Horizontal
6	16650.0	52.33	-4.20	74.00	21.67	150	225	Horizontal
7	17990.6	46.91	-0.42	54.00	7.09	150	1	Horizontal

4.3.2.106 11AC40_134 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6969.69	44.62	12.66	54.00	9.38	150	18	Horizontal
2	6989.19	53.42	12.73	74.00	20.58	150	218	Horizontal
3	11340.0	40.15	-4.59	54.00	13.85	150	252	Horizontal
4	11340.0	52.46	-4.59	74.00	21.54	150	166	Horizontal
5	17010.0	40.81	-3.20	54.00	13.19	150	342	Horizontal
6	17010.0	51.98	-3.20	74.00	22.02	150	0	Horizontal
7	17540.7	46.76	0.87	54.00	7.24	150	312	Horizontal


4.3.2.107 11AC40_151 ANT 1_Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.09	53.39	12.59	74.00	20.61	150	219	Horizontal
2	6978.09	44.57	12.69	54.00	9.43	150	162	Horizontal
3	11510.0	38.41	-5.50	54.00	15.59	150	139	Horizontal
4	11510.0	48.97	-5.50	74.00	25.03	150	80	Horizontal
5	17265.0	44.31	-1.33	54.00	9.69	150	283	Horizontal
6	17265.0	55.54	-1.33	74.00	18.46	150	80	Horizontal
7	17826.7	46.80	-0.86	54.00	7.20	150	139	Horizontal

4.3.2.108 11AC40_159 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6916.89	53.26	12.46	74.00	20.74	150	76	Horizontal
2	6996.39	44.34	12.76	54.00	9.66	150	358	Horizontal
3	11590.0	39.41	-3.32	54.00	14.59	150	52	Horizontal
4	11590.0	51.31	-3.32	74.00	22.69	150	52	Horizontal
5	17385.0	54.81	-1.02	74.00	19.19	150	226	Horizontal
6	17385.0	44.87	-1.02	54.00	9.13	150	283	Horizontal
7	17527.5	46.82	0.70	54.00	7.18	150	81	Horizontal

4.3.2.109 11AC80_42 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6914.19	53.19	12.45	74.00	20.81	150	26	Vertical
2	6991.29	44.27	12.74	54.00	9.73	150	170	Vertical
3	10420.0	39.20	-5.14	54.00	14.80	150	104	Vertical
4	10420.0	50.81	-5.14	74.00	23.19	150	162	Vertical
5	15630.0	50.85	-4.14	74.00	23.15	150	305	Vertical
6	15630.0	38.64	-4.14	54.00	15.36	150	75	Vertical
7	17547.3	46.64	0.96	54.00	7.36	150	248	Vertical




4.3.2.110 11AC80_58 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6884.19	53.48	12.34	74.00	20.52	150	342	Vertical
2	6995.49	44.37	12.75	54.00	9.63	150	342	Vertical
3	10580.0	40.21	-4.65	54.00	13.79	150	105	Vertical
4	10580.0	51.22	-4.65	74.00	22.78	150	250	Vertical
5	15870.0	50.14	-3.31	74.00	23.86	150	191	Vertical
6	15870.0	39.21	-3.31	54.00	14.79	150	47	Vertical
7	17599.0	46.83	1.62	54.00	7.17	150	18	Vertical

4.3.2.111 11AC80_106 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.69	53.34	12.58	74.00	20.66	150	55	Vertical
2	6985.59	44.53	12.72	54.00	9.47	150	2	Vertical
3	11060.0	40.09	-3.73	54.00	13.91	150	75	Vertical
4	11060.0	51.61	-3.73	74.00	22.39	150	336	Vertical
5	16590.0	51.62	-4.27	74.00	22.38	150	249	Vertical
6	16590.0	40.34	-4.27	54.00	13.66	150	220	Vertical
7	17817.9	46.89	-0.83	54.00	7.11	150	307	Vertical




4.3.2.112 11AC80_122 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.09	53.95	12.60	74.00	20.05	150	170	Vertical
2	6964.59	43.87	12.64	54.00	10.13	150	113	Vertical
3	11220.0	41.01	-3.73	54.00	12.99	150	306	Vertical
4	11220.0	52.25	-3.73	74.00	21.75	150	162	Vertical
5	16830.0	42.83	-2.15	54.00	11.17	150	306	Vertical
6	16830.0	53.48	-2.15	74.00	20.52	150	133	Vertical
7	17547.8	46.92	0.96	54.00	7.08	150	335	Vertical

4.3.2.113 11AC80_155 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.49	53.32	12.51	74.00	20.68	150	255	Vertical
2	6965.79	43.97	12.64	54.00	10.03	150	170	Vertical
3	11550.0	39.59	-4.41	54.00	14.41	150	220	Vertical
4	11550.0	50.34	-4.41	74.00	23.66	150	249	Vertical
5	17325.0	44.94	-1.12	54.00	9.06	150	220	Vertical
6	17325.0	56.03	-1.12	74.00	17.97	150	359	Vertical
7	17539.6	46.75	0.86	54.00	7.25	150	278	Vertical

4.3.2.114 11AC80_42 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.89	53.62	12.52	74.00	20.38	150	333	Horizontal
2	6966.69	44.49	12.65	54.00	9.51	150	18	Horizontal
3	10420.0	38.97	-5.14	54.00	15.03	150	195	Horizontal
4	10420.0	50.03	-5.14	74.00	23.97	150	195	Horizontal
5	15630.0	50.32	-4.14	74.00	23.68	150	1	Horizontal
6	15630.0	38.89	-4.14	54.00	15.11	150	166	Horizontal
7	17619.3	46.75	1.13	54.00	7.25	150	310	Horizontal

4.3.2.115 11AC80_58 ANT 1_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.09	54.07	12.42	74.00	19.93	150	218	Horizontal
2	6951.99	44.47	12.59	54.00	9.53	150	161	Horizontal
3	10580.0	40.32	-4.65	54.00	13.68	150	166	Horizontal
4	10580.0	52.34	-4.65	74.00	21.66	150	79	Horizontal
5	15870.0	50.05	-3.31	74.00	23.95	150	224	Horizontal
6	15870.0	39.25	-3.31	54.00	14.75	150	224	Horizontal
7	17524.7	46.61	0.67	54.00	7.39	150	0	Horizontal




4.3.2.116 11AC80_106 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.69	44.29	12.58	54.00	9.71	150	162	Horizontal
2	6964.29	53.75	12.64	74.00	20.25	150	248	Horizontal
3	11060.0	40.14	-3.73	54.00	13.86	150	139	Horizontal
4	11060.0	52.90	-3.73	74.00	21.10	150	139	Horizontal
5	16590.0	40.35	-4.27	54.00	13.65	150	52	Horizontal
6	16590.0	51.46	-4.27	74.00	22.54	150	283	Horizontal
7	17836.6	46.87	-0.89	54.00	7.13	150	225	Horizontal

4.3.2.117 11AC80_122 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.69	44.25	12.50	54.00	9.75	150	75	Horizontal
2	6933.09	53.32	12.52	74.00	20.68	150	334	Horizontal
3	11220.0	40.83	-3.73	54.00	13.17	150	0	Horizontal
4	11220.0	52.31	-3.73	74.00	21.69	150	342	Horizontal
5	16830.0	54.94	-2.15	74.00	19.06	150	311	Horizontal
6	16830.0	42.28	-2.15	54.00	11.72	150	311	Horizontal
7	17555.5	46.60	1.06	54.00	7.40	150	225	Horizontal

4.3.2.118 11AC80_155 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6726.68	53.47	11.75	74.00	20.53	150	161	Horizontal
2	6983.49	44.32	12.71	54.00	9.68	150	132	Horizontal
3	11550.0	39.19	-4.41	54.00	14.81	150	282	Horizontal
4	11550.0	50.34	-4.41	74.00	23.66	150	138	Horizontal
5	17325.0	56.46	-1.12	74.00	17.54	150	224	Horizontal
6	17325.0	44.78	-1.12	54.00	9.22	150	195	Horizontal
7	17528.0	46.87	0.71	54.00	7.13	150	253	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 2307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.4 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			




Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT20); MCSAC0 of rate is the worst case of 802.11ac(HT40); MCSAC0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



4.4.1 Test plots


4.4.1.1 11A20_36 ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5139.06	34.63	7.54	54.00	19.37	150	207	Vertical
2	5143.47	48.22	7.54	74.00	25.78	150	210	Vertical
3	5147.47	48.05	7.55	74.00	25.95	150	176	Vertical
4	5149.37	34.72	7.55	54.00	19.28	150	184	Vertical
5	5180.00	92.32	7.61	68.30	-24.02	150	191	Vertical
6	5180.00	81.40	7.61	0.00	-81.40	150	199	Vertical

4.4.1.2 11A20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5136.81	35.65	7.53	54.00	18.35	150	226	Horizontal
2	5147.72	36.57	7.55	54.00	17.43	150	226	Horizontal
3	5148.67	53.67	7.55	74.00	20.33	150	226	Horizontal
4	5149.52	54.82	7.55	74.00	19.18	150	234	Horizontal
5	5180.00	91.69	7.61	0.00	-91.69	150	230	Horizontal
6	5180.00	101.31	7.61	68.30	-33.01	150	226	Horizontal


4.4.1.3 11A20_48 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	92.52	7.68	68.30	-24.22	150	196	Vertical
2	5240.00	83.04	7.68	0.00	-83.04	150	196	Vertical
3	5353.35	48.27	7.85	74.00	25.73	150	201	Vertical
4	5354.61	34.48	7.85	54.00	19.52	150	96	Vertical
5	5364.79	34.58	7.87	54.00	19.42	150	196	Vertical
6	5367.22	48.50	7.87	74.00	25.50	150	325	Vertical


4.4.1.4 11A20_48 ANT 1 _ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	92.67	7.68	0.00	-92.67	150	226	Horizontal
2	5240.00	103.76	7.68	68.30	-35.46	150	231	Horizontal
3	5359.93	35.20	7.86	54.00	18.80	150	231	Horizontal
4	5360.56	48.81	7.86	74.00	25.19	150	236	Horizontal
5	5386.67	49.93	7.91	74.00	24.07	150	226	Horizontal
6	5387.39	36.62	7.91	54.00	17.38	150	226	Horizontal

4.4.1.5 11A20_52 ANT 1_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5124.22	34.40	7.51	54.00	19.60	150	311	Vertical
2	5125.57	48.49	7.51	74.00	25.51	150	268	Vertical
3	5138.89	34.53	7.54	54.00	19.47	150	249	Vertical
4	5140.07	48.15	7.54	74.00	25.85	150	39	Vertical
5	5260.00	93.62	7.70	68.30	-25.32	150	196	Vertical
6	5260.00	83.64	7.70	0.00	-83.64	150	192	Vertical


4.4.1.6 11A20_52 ANT 1 _ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.44	48.85	7.50	74.00	25.15	150	230	Horizontal
2	5120.80	34.77	7.51	54.00	19.23	150	226	Horizontal
3	5143.67	34.85	7.54	54.00	19.15	150	226	Horizontal
4	5147.81	48.63	7.55	74.00	25.37	150	88	Horizontal
5	5260.00	92.91	7.70	0.00	-92.91	150	226	Horizontal
6	5260.00	102.71	7.70	68.30	-34.41	150	230	Horizontal

4.4.1.7 11A20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	93.12	7.78	68.30	-24.82	150	201	Vertical
2	5320.00	83.32	7.78	0.00	-83.32	150	196	Vertical
3	5352.52	48.88	7.85	74.00	25.12	150	196	Vertical
4	5355.32	34.74	7.85	54.00	19.26	150	196	Vertical
5	5362.18	34.68	7.86	54.00	19.32	150	283	Vertical
6	5365.83	48.46	7.87	74.00	25.54	150	344	Vertical




4.4.1.8 11A20_64 ANT 1 _ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	94.11	7.78	0.00	-94.11	150	223	Horizontal
2	5320.00	105.71	7.78	68.30	-37.41	150	223	Horizontal
3	5350.17	59.51	7.84	74.00	14.49	150	223	Horizontal
4	5350.82	38.61	7.84	54.00	15.39	150	223	Horizontal
5	5351.67	58.67	7.84	74.00	15.33	150	228	Horizontal
6	5356.07	37.49	7.85	54.00	16.51	150	218	Horizontal

4.4.1.9 11A20_100 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5444.24	38.39	8.01	54.00	15.61	150	292	Vertical
2	5448.80	51.95	8.02	74.00	22.05	150	279	Vertical
3	5454.26	38.45	8.03	54.00	15.55	150	162	Vertical
4	5466.57	52.47	8.05	68.30	15.83	150	197	Vertical
5	5500.00	83.58	8.10	0.00	-83.58	150	197	Vertical
6	5500.00	94.51	8.10	68.30	-26.21	150	192	Vertical

4.4.1.10 11A20_100 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5439.85	39.07	8.00	54.00	14.93	150	223	Horizontal
2	5453.24	52.17	8.03	74.00	21.83	150	304	Horizontal
3	5457.86	39.12	8.03	54.00	14.88	150	223	Horizontal
4	5462.19	52.90	8.04	68.30	15.40	150	169	Horizontal
5	5500.00	92.71	8.10	0.00	-92.71	150	219	Horizontal
6	5500.00	103.04	8.10	68.30	-34.74	150	196	Horizontal



4.4.1.11 11A20_140 ANT 1 _Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	95.96	8.51	68.30	-27.66	150	193	Vertical
2	5726.08	49.74	8.57	68.30	18.56	150	280	Vertical
3	5749.30	49.61	8.62	68.30	18.69	150	182	Vertical




4.4.1.12 11A20_140 ANT 1 _ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	104.70	8.51	68.30	-36.40	150	222	Horizontal
2	5726.15	54.64	8.57	68.30	13.66	150	226	Horizontal
3	5732.78	52.07	8.59	68.30	16.23	150	219	Horizontal

4.4.1.13 11A20_149 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.58	49.24	8.42	68.30	19.06	150	344	Vertical
2	5676.76	49.29	8.47	88.11	38.82	150	211	Vertical
3	5716.75	49.40	8.55	109.99	60.59	150	88	Vertical
4	5745.00	95.77	8.61	0.00	-95.77	150	193	Vertical

4.4.1.14 11A20_149 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.12	49.48	8.43	68.30	18.82	150	222	Horizontal
2	5671.37	49.77	8.46	84.12	34.35	150	162	Horizontal
3	5713.18	54.23	8.54	108.99	54.76	150	208	Horizontal
4	5745.00	104.07	8.61	0.00	-104.07	150	226	Horizontal



4.4.1.15 11A20_165 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	94.99	8.82	0.00	-94.99	150	185	Vertical
2	5868.15	49.87	8.94	107.22	57.35	150	11	Vertical
3	5902.19	49.40	9.05	85.17	35.77	150	46	Vertical
4	5930.65	49.46	9.13	68.30	18.84	150	32	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.4.1.16 11A20_165 ANT 1 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	103.84	8.82	0.00	-103.84	150	220	Horizontal
2	5864.28	51.36	8.93	108.30	56.94	150	202	Horizontal
3	5902.81	49.75	9.05	84.71	34.96	150	160	Horizontal
4	5932.43	49.16	9.14	68.30	19.14	150	231	Horizontal



4.4.1.17 11N20_36 ANT 1_Veritical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5123.76	34.61	7.51	54.00	19.39	150	286	Vertical
2	5130.71	48.43	7.52	74.00	25.57	150	0	Vertical
3	5136.91	34.53	7.53	54.00	19.47	150	85	Vertical
4	5146.77	48.16	7.55	74.00	25.84	150	346	Vertical
5	5180.00	79.98	7.61	0.00	-79.98	150	211	Vertical
6	5180.00	89.96	7.61	68.30	-21.66	150	214	Vertical




4.4.1.18 11N20_36 ANT 1 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5145.42	52.23	7.55	74.00	21.77	150	240	Horizontal
2	5146.52	36.62	7.55	54.00	17.38	150	240	Horizontal
3	5148.62	54.90	7.55	74.00	19.10	150	240	Horizontal
4	5148.67	36.99	7.55	54.00	17.01	150	236	Horizontal
5	5180.00	100.12	7.61	68.30	-31.82	150	244	Horizontal
6	5180.00	90.69	7.61	0.00	-90.69	150	240	Horizontal


4.4.1.19 11N20_48 ANT 1_Veritical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	92.60	7.68	68.30	-24.30	150	207	Vertical
2	5240.00	81.98	7.68	0.00	-81.98	150	207	Vertical
3	5355.33	47.81	7.85	74.00	26.19	150	148	Vertical
4	5360.74	34.58	7.86	54.00	19.42	150	88	Vertical
5	5365.42	34.71	7.87	54.00	19.29	150	202	Vertical
6	5369.83	49.14	7.88	74.00	24.86	150	97	Vertical


4.4.1.20 11N20_48 ANT 1 _ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	101.62	7.68	68.30	-33.32	150	244	Horizontal
2	5240.00	91.80	7.68	0.00	-91.80	150	244	Horizontal
3	5357.13	35.36	7.85	54.00	18.64	150	239	Horizontal
4	5359.74	48.62	7.86	74.00	25.38	150	292	Horizontal
5	5369.20	49.06	7.88	74.00	24.94	150	89	Horizontal
6	5391.62	36.86	7.92	54.00	17.14	150	239	Horizontal

4.4.1.21 11N20_52 ANT 1_Veritical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.62	49.04	7.49	74.00	24.96	150	210	Vertical
2	5116.65	34.57	7.50	54.00	19.43	150	162	Vertical
3	5136.82	34.55	7.53	54.00	19.45	150	325	Vertical
4	5145.74	47.92	7.55	74.00	26.08	150	22	Vertical
5	5260.00	82.07	7.70	0.00	-82.07	150	200	Vertical
6	5260.00	92.13	7.70	68.30	-23.83	150	200	Vertical

4.4.1.22 11N20_52 ANT 1 _ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.80	48.87	7.51	74.00	25.13	150	242	Horizontal
2	5121.79	34.89	7.51	54.00	19.11	150	232	Horizontal
3	5145.29	34.88	7.55	54.00	19.12	150	237	Horizontal
4	5147.18	48.36	7.55	74.00	25.64	150	208	Horizontal
5	5260.00	92.05	7.70	0.00	-92.05	150	232	Horizontal
6	5260.00	102.58	7.70	68.30	-34.28	150	237	Horizontal

4.4.1.23 11N20_64 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	91.54	7.78	68.30	-23.24	150	191	Vertical
2	5350.47	34.95	7.84	54.00	19.05	150	206	Vertical
3	5353.67	48.42	7.85	74.00	25.58	150	330	Vertical
4	5362.53	34.73	7.87	54.00	19.27	150	196	Vertical
5	5364.68	50.00	7.87	74.00	24.00	150	106	Vertical


4.4.1.24 11N20_64 ANT 1 _ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	101.60	7.78	68.30	-33.30	150	236	Horizontal
2	5320.00	91.58	7.78	0.00	-91.58	150	231	Horizontal
3	5351.57	37.77	7.84	54.00	16.23	150	226	Horizontal
4	5352.82	56.87	7.85	74.00	17.13	150	236	Horizontal
5	5356.27	54.64	7.85	74.00	19.36	150	217	Horizontal
6	5357.47	37.09	7.85	54.00	16.91	150	231	Horizontal


4.4.1.25 11N20_100 ANT 1 _Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5450.60	38.40	8.02	54.00	15.60	150	346	Vertical
2	5451.20	52.17	8.02	74.00	21.83	150	95	Vertical
3	5452.46	38.56	8.02	54.00	15.44	150	11	Vertical
4	5464.47	51.76	8.04	68.30	16.54	150	260	Vertical
5	5500.00	82.39	8.10	0.00	-82.39	150	202	Vertical
6	5500.00	92.92	8.10	68.30	-24.62	150	202	Vertical


4.4.1.26 11N20_100 ANT 1 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5440.16	39.05	8.00	54.00	14.95	150	230	Horizontal
2	5453.84	51.94	8.03	74.00	22.06	150	215	Horizontal
3	5455.04	38.82	8.03	54.00	15.18	150	200	Horizontal
4	5465.49	53.91	8.04	68.30	14.39	150	234	Horizontal
5	5500.00	91.14	8.10	0.00	-91.14	150	230	Horizontal
6	5500.00	101.80	8.10	68.30	-33.50	150	226	Horizontal



4.4.1.27 11N20_140 ANT 1 _Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	93.61	8.51	68.30	-25.31	150	192	Vertical
2	5725.95	50.10	8.57	68.30	18.20	150	202	Vertical
3	5745.72	50.56	8.62	68.30	17.74	150	97	Vertical



4.4.1.28 11N20_140 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	103.16	8.51	68.30	-34.86	150	227	Horizontal
2	5725.43	55.06	8.57	68.30	13.24	150	234	Horizontal
3	5747.74	50.71	8.62	68.30	17.59	150	227	Horizontal




4.4.1.29 11N20_149 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.21	49.57	8.43	68.30	18.73	150	234	Vertical
2	5668.64	49.70	8.46	82.10	32.40	150	309	Vertical
3	5709.12	49.95	8.53	107.85	57.90	150	96	Vertical
4	5745.00	95.12	8.61	0.00	-95.12	150	195	Vertical



4.4.1.30 11N20_149 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.98	49.42	8.43	68.30	18.88	150	92	Horizontal
2	5678.23	49.38	8.48	89.20	39.82	150	200	Horizontal
3	5715.63	56.12	8.55	109.68	53.56	150	229	Horizontal
4	5745.00	102.67	8.61	0.00	-102.67	150	222	Horizontal





4.4.1.31 11N20_165 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	97.02	8.82	0.00	-97.02	150	199	Vertical
2	5870.64	49.94	8.95	106.52	56.58	150	203	Vertical
3	5892.58	49.02	9.02	92.29	43.27	150	306	Vertical
4	5932.67	50.44	9.14	68.30	17.86	150	107	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.4.1.32 11N20_165 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	104.27	8.82	0.00	-104.27	150	230	Horizontal
2	5869.39	50.36	8.95	106.87	56.51	150	191	Horizontal
3	5895.37	49.68	9.03	90.22	40.54	150	293	Horizontal
4	5931.58	49.72	9.13	68.30	18.58	150	33	Horizontal




4.4.1.33 11N40_38 ANT 1 _Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5125.69	34.40	7.51	54.00	19.60	150	159	Vertical
2	5145.38	50.38	7.55	74.00	23.62	150	188	Vertical
3	5148.98	36.66	7.55	54.00	17.34	150	197	Vertical
4	5149.90	49.43	7.55	74.00	24.57	150	197	Vertical
5	5190.00	87.12	7.62	68.30	-18.82	150	192	Vertical
6	5190.00	73.92	7.62	0.00	-73.92	150	197	Vertical

4.4.1.34 11N40_38 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.11	35.45	7.50	54.00	18.55	150	239	Horizontal
2	5148.44	59.62	7.55	74.00	14.38	150	239	Horizontal
3	5149.90	60.68	7.55	74.00	13.32	150	234	Horizontal
4	5149.94	43.97	7.55	54.00	10.03	150	234	Horizontal
5	5190.00	84.33	7.62	0.00	-84.33	150	229	Horizontal
6	5190.00	95.97	7.62	68.30	-27.67	150	234	Horizontal



4.4.1.35 11N40_46 ANT 1 _Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	87.43	7.67	68.30	-19.13	150	185	Vertical
2	5230.00	75.19	7.67	0.00	-75.19	150	195	Vertical
3	5355.07	34.66	7.85	54.00	19.34	150	108	Vertical
4	5359.57	48.40	7.86	74.00	25.60	150	302	Vertical
5	5376.48	34.68	7.89	54.00	19.32	150	60	Vertical
6	5384.99	48.28	7.91	74.00	25.72	150	31	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.4.1.36 11N40_46 ANT 1 _ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	97.73	7.67	68.30	-29.43	150	234	Horizontal
2	5230.00	85.42	7.67	0.00	-85.42	150	224	Horizontal
3	5358.67	48.67	7.86	74.00	25.33	150	144	Horizontal
4	5366.18	49.29	7.87	74.00	24.71	150	224	Horizontal
5	5367.68	35.80	7.88	54.00	18.20	150	220	Horizontal
6	5371.08	35.91	7.88	54.00	18.09	150	230	Horizontal

4.4.1.37 11N40_54 ANT 1_Veritical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5119.20	34.47	7.50	54.00	19.53	150	344	Vertical
2	5123.41	48.42	7.51	74.00	25.58	150	231	Vertical
3	5141.42	48.20	7.54	74.00	25.80	150	150	Vertical
4	5143.62	34.55	7.54	54.00	19.45	150	250	Vertical
5	5270.00	87.75	7.71	68.30	-19.45	150	202	Vertical
6	5270.00	75.47	7.71	0.00	-75.47	150	197	Vertical


4.4.1.38 11N40_54 ANT 1 _ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5124.41	34.94	7.51	54.00	19.06	150	222	Horizontal
2	5129.61	49.48	7.52	74.00	24.52	150	232	Horizontal
3	5138.61	35.02	7.54	54.00	18.98	150	237	Horizontal
4	5141.22	48.89	7.54	74.00	25.11	150	40	Horizontal
5	5270.00	98.15	7.71	68.30	-29.85	150	232	Horizontal
6	5270.00	85.11	7.71	0.00	-85.11	150	227	Horizontal


4.4.1.39 11N40_62 ANT 1_Veritical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	88.30	7.76	68.30	-20.00	150	197	Vertical
2	5310.00	76.00	7.76	0.00	-76.00	150	202	Vertical
3	5350.77	56.13	7.84	74.00	17.87	150	192	Vertical
4	5351.97	36.05	7.84	54.00	17.95	150	197	Vertical
5	5355.21	54.56	7.85	74.00	19.44	150	178	Vertical
6	5369.20	34.63	7.88	54.00	19.37	150	264	Vertical


4.4.1.40 11N40_62 ANT 1 _ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	98.76	7.76	68.30	-30.46	150	225	Horizontal
2	5310.00	86.31	7.76	0.00	-86.31	150	230	Horizontal
3	5350.83	65.07	7.84	74.00	8.93	150	225	Horizontal
4	5351.07	42.80	7.84	54.00	11.20	150	225	Horizontal
5	5358.93	62.62	7.86	74.00	11.38	150	230	Horizontal
6	5367.94	36.23	7.88	54.00	17.77	150	225	Horizontal


4.4.1.41 11N40_102 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5429.55	38.51	7.99	54.00	15.49	150	43	Vertical
2	5445.59	52.97	8.01	74.00	21.03	150	124	Vertical
3	5454.69	38.58	8.03	54.00	15.42	150	191	Vertical
4	5469.12	54.47	8.05	68.30	13.83	150	191	Vertical
5	5510.00	76.28	8.13	0.00	-76.28	150	191	Vertical
6	5510.00	87.54	8.13	68.30	-19.24	150	191	Vertical



4.4.1.42 11N40_102 ANT 1 _ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5440.20	39.40	8.00	54.00	14.60	150	224	Horizontal
2	5454.83	53.89	8.03	74.00	20.11	150	220	Horizontal
3	5458.12	39.50	8.03	54.00	14.50	150	229	Horizontal
4	5469.47	61.97	8.05	68.30	6.33	150	224	Horizontal
5	5510.00	97.58	8.13	68.30	-29.28	150	229	Horizontal
6	5510.00	84.34	8.13	0.00	-84.34	150	229	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.4.1.43 11N40_134 ANT 1 _Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	90.55	8.46	68.30	-22.25	150	185	Vertical
2	5728.10	49.53	8.57	68.30	18.77	150	327	Vertical
3	5748.06	49.74	8.62	68.30	18.56	150	185	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (M-10) FCC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.4.1.44 11N40_134 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	97.32	8.46	68.30	-29.02	150	208	Horizontal
2	5727.82	51.91	8.57	68.30	16.39	150	222	Horizontal
3	5733.56	51.00	8.59	68.30	17.30	150	212	Horizontal





4.4.1.45 11N40_151 ANT 1 _Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.28	49.21	8.42	68.30	19.09	150	16	Vertical
2	5715.83	57.02	8.55	109.73	52.71	150	185	Vertical
3	5723.35	64.25	8.56	118.55	54.30	150	196	Vertical
4	5755.00	90.90	8.64	0.00	-90.90	150	203	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.4.1.46 11N40_151 ANT 1 _ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5649.92	49.65	8.43	68.30	18.65	150	215	Horizontal
2	5690.47	50.67	8.49	98.25	47.58	150	222	Horizontal
3	5722.96	72.84	8.56	117.66	44.82	150	222	Horizontal
4	5755.00	97.88	8.64	0.00	-97.88	150	222	Horizontal



4.4.1.47 11N40_159 ANT 1 _Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	90.59	8.73	0.00	-90.59	150	185	Vertical
2	5855.45	49.82	8.91	110.77	60.95	150	185	Vertical
3	5896.27	50.18	9.03	89.56	39.38	150	182	Vertical
4	5932.19	49.67	9.14	68.30	18.63	150	4	Vertical

