


|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | USB Copy(EUT with PC) +Earphone+idle       |
| Note:         | Earphone:United Electronics Co.Ltd Jiangxi |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   | *   | 58.1300      | 51.16                    | -14.55                  | 36.61                      | 40.00           | -3.39        | QP       |         |
| 2   |     | 142.5200     | 42.30                    | -14.34                  | 27.96                      | 43.50           | -15.54       | QP       |         |
| 3   |     | 291.9000     | 43.95                    | -13.65                  | 30.30                      | 46.00           | -15.70       | QP       |         |
| 4   |     | 399.5700     | 45.31                    | -11.10                  | 34.21                      | 46.00           | -11.79       | QP       |         |
| 5   |     | 572.2300     | 37.57                    | -7.74                   | 29.83                      | 46.00           | -16.17       | QP       |         |
| 6   |     | 884.5700     | 38.45                    | -3.15                   | 35.30                      | 46.00           | -10.70       | QP       |         |

|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | USB Copy(EUT with PC) +Earphone+idle       |
| Note:         | Earphone:United Electronics Co.Ltd Jiangxi |

## Horizontal




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   | !   | 59.1000      | 50.40                    | -14.64                  | 35.76                      | 40.00           | -4.24        | QP       |         |
| 2   |     | 152.2200     | 41.44                    | -14.03                  | 27.41                      | 43.50           | -16.09       | QP       |         |
| 3   | *   | 297.7200     | 56.17                    | -13.54                  | 42.63                      | 46.00           | -3.37        | QP       |         |
| 4   |     | 399.5700     | 50.44                    | -11.10                  | 39.34                      | 46.00           | -6.66        | QP       |         |
| 5   |     | 800.1800     | 38.79                    | -4.74                   | 34.05                      | 46.00           | -11.95       | QP       |         |
| 6   |     | 884.5700     | 39.10                    | -3.15                   | 35.95                      | 46.00           | -10.05       | QP       |         |

## **ATTACHMENT C - RADIATED EMISSION (ABOVE 1000MHZ)**

|               |                                             |
|---------------|---------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS      |
| Note:         | Adapter:BYD; Earphone: GOERTEK INC; Desktop |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 1360.000     | 41.25                    | -4.48                   | 36.77                      | 74.00           | -37.23       | peak     |         |
| 2   |     | 1360.000     | 24.95                    | -4.48                   | 20.47                      | 54.00           | -33.53       | AVG      |         |
| 3   |     | 1745.000     | 44.40                    | -2.99                   | 41.41                      | 74.00           | -32.59       | peak     |         |
| 4   |     | 1745.000     | 29.59                    | -2.99                   | 26.60                      | 54.00           | -27.40       | AVG      |         |
| 5   |     | 2910.000     | 41.90                    | 1.52                    | 43.42                      | 74.00           | -30.58       | peak     |         |
| 6   |     | 2910.000     | 26.63                    | 1.52                    | 28.15                      | 54.00           | -25.85       | AVG      |         |
| 7   |     | 3280.000     | 41.36                    | 2.49                    | 43.85                      | 74.00           | -30.15       | peak     |         |
| 8   |     | 3280.000     | 25.84                    | 2.49                    | 28.33                      | 54.00           | -25.67       | AVG      |         |
| 9   |     | 4885.000     | 40.95                    | 7.47                    | 48.42                      | 74.00           | -25.58       | peak     |         |
| 10  |     | 4885.000     | 23.65                    | 7.47                    | 31.12                      | 54.00           | -22.88       | AVG      |         |
| 11  |     | 5970.000     | 40.12                    | 9.72                    | 49.84                      | 74.00           | -24.16       | peak     |         |
| 12  | *   | 5970.000     | 24.85                    | 9.72                    | 34.57                      | 54.00           | -19.43       | AVG      |         |

|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS     |
| Note:         | Adapter:BYD; Earphone: GOERTEK INC; Deskop |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2445.000     | 44.00                    | -0.14                   | 43.86                      | 74.00           | -30.14       | peak     |         |
| 2   |     | 2445.000     | 27.68                    | -0.14                   | 27.54                      | 54.00           | -26.46       | AVG      |         |
| 3   |     | 3125.000     | 41.62                    | 2.13                    | 43.75                      | 74.00           | -30.25       | peak     |         |
| 4   |     | 3125.000     | 26.22                    | 2.13                    | 28.35                      | 54.00           | -25.65       | AVG      |         |
| 5   |     | 3565.000     | 39.78                    | 3.47                    | 43.25                      | 74.00           | -30.75       | peak     |         |
| 6   |     | 3565.000     | 25.00                    | 3.47                    | 28.47                      | 54.00           | -25.53       | AVG      |         |
| 7   |     | 5035.000     | 39.82                    | 7.74                    | 47.56                      | 74.00           | -26.44       | peak     |         |
| 8   |     | 5035.000     | 24.48                    | 7.74                    | 32.22                      | 54.00           | -21.78       | AVG      |         |
| 9   |     | 5700.000     | 39.24                    | 9.39                    | 48.63                      | 74.00           | -25.37       | peak     |         |
| 10  |     | 5700.000     | 24.45                    | 9.39                    | 33.84                      | 54.00           | -20.16       | AVG      |         |
| 11  |     | 5995.000     | 41.30                    | 9.74                    | 51.04                      | 74.00           | -22.96       | peak     |         |
| 12  | *   | 5995.000     | 25.88                    | 9.74                    | 35.62                      | 54.00           | -18.38       | AVG      |         |

|               |                                                             |
|---------------|-------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                      |
| Note:         | Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2415.000     | 42.76                    | -0.25                   | 42.51                      | 74.00           | -31.49       | peak     |         |
| 2   |     | 2415.000     | 26.66                    | -0.25                   | 26.41                      | 54.00           | -27.59       | AVG      |         |
| 3   |     | 2980.000     | 42.10                    | 1.78                    | 43.88                      | 74.00           | -30.12       | peak     |         |
| 4   |     | 2980.000     | 26.58                    | 1.78                    | 28.36                      | 54.00           | -25.64       | AVG      |         |
| 5   |     | 3495.000     | 40.82                    | 2.99                    | 43.81                      | 74.00           | -30.19       | peak     |         |
| 6   |     | 3495.000     | 25.43                    | 2.99                    | 28.42                      | 54.00           | -25.58       | AVG      |         |
| 7   |     | 4830.000     | 43.88                    | 7.40                    | 51.28                      | 74.00           | -22.72       | peak     |         |
| 8   |     | 4830.000     | 23.02                    | 7.40                    | 30.42                      | 54.00           | -23.58       | AVG      |         |
| 9   |     | 5490.000     | 39.37                    | 9.11                    | 48.48                      | 74.00           | -25.52       | peak     |         |
| 10  |     | 5490.000     | 24.34                    | 9.11                    | 33.45                      | 54.00           | -20.55       | AVG      |         |
| 11  |     | 6000.000     | 39.89                    | 9.75                    | 49.64                      | 74.00           | -24.36       | peak     |         |
| 12  | *   | 6000.000     | 25.67                    | 9.75                    | 35.42                      | 54.00           | -18.58       | AVG      |         |

|               |                                                             |
|---------------|-------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                      |
| Note:         | Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 1735.000     | 43.43                    | -3.04                   | 40.39                      | 74.00           | -33.61       | peak     |         |
| 2   |     | 1735.000     | 28.38                    | -3.04                   | 25.34                      | 54.00           | -28.66       | AVG      |         |
| 3   |     | 3185.000     | 41.74                    | 2.27                    | 44.01                      | 74.00           | -29.99       | peak     |         |
| 4   |     | 3185.000     | 27.14                    | 2.27                    | 29.41                      | 54.00           | -24.59       | AVG      |         |
| 5   |     | 3555.000     | 40.29                    | 3.40                    | 43.69                      | 74.00           | -30.31       | peak     |         |
| 6   |     | 3555.000     | 25.02                    | 3.40                    | 28.42                      | 54.00           | -25.58       | AVG      |         |
| 7   |     | 4855.000     | 42.60                    | 7.44                    | 50.04                      | 74.00           | -23.96       | peak     |         |
| 8   |     | 4855.000     | 26.89                    | 7.44                    | 34.33                      | 54.00           | -19.67       | AVG      |         |
| 9   |     | 5540.000     | 39.77                    | 9.19                    | 48.96                      | 74.00           | -25.04       | peak     |         |
| 10  |     | 5540.000     | 24.91                    | 9.19                    | 34.10                      | 54.00           | -19.90       | AVG      |         |
| 11  |     | 5980.000     | 39.62                    | 9.72                    | 49.34                      | 74.00           | -24.66       | peak     |         |
| 12  | *   | 5980.000     | 24.95                    | 9.72                    | 34.67                      | 54.00           | -19.33       | AVG      |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                     |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2440.000     | 45.05                    | -0.16                   | 44.89                      | 74.00           | -29.11       | peak     |         |
| 2   |     | 2440.000     | 29.69                    | -0.16                   | 29.53                      | 54.00           | -24.47       | AVG      |         |
| 3   |     | 3145.000     | 41.45                    | 2.18                    | 43.63                      | 74.00           | -30.37       | peak     |         |
| 4   |     | 3145.000     | 26.28                    | 2.18                    | 28.46                      | 54.00           | -25.54       | AVG      |         |
| 5   |     | 3595.000     | 40.46                    | 3.69                    | 44.15                      | 74.00           | -29.85       | peak     |         |
| 6   |     | 3595.000     | 26.43                    | 3.69                    | 30.12                      | 54.00           | -23.88       | AVG      |         |
| 7   |     | 5010.000     | 39.32                    | 7.67                    | 46.99                      | 74.00           | -27.01       | peak     |         |
| 8   |     | 5010.000     | 24.02                    | 7.67                    | 31.69                      | 54.00           | -22.31       | AVG      |         |
| 9   |     | 5695.000     | 39.69                    | 9.37                    | 49.06                      | 74.00           | -24.94       | peak     |         |
| 10  | *   | 5695.000     | 25.05                    | 9.37                    | 34.42                      | 54.00           | -19.58       | AVG      |         |
| 11  |     | 5985.000     | 39.45                    | 9.73                    | 49.18                      | 74.00           | -24.82       | peak     |         |
| 12  |     | 5985.000     | 24.66                    | 9.73                    | 34.39                      | 54.00           | -19.61       | AVG      |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                     |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2415.000     | 46.17                    | -0.25                   | 45.92                      | 74.00           | -28.08       | peak     |         |
| 2   |     | 2415.000     | 30.67                    | -0.25                   | 30.42                      | 54.00           | -23.58       | AVG      |         |
| 3   |     | 2985.000     | 41.76                    | 1.79                    | 43.55                      | 74.00           | -30.45       | peak     |         |
| 4   |     | 2985.000     | 26.63                    | 1.79                    | 28.42                      | 54.00           | -25.58       | AVG      |         |
| 5   |     | 3185.000     | 41.79                    | 2.27                    | 44.06                      | 74.00           | -29.94       | peak     |         |
| 6   |     | 3185.000     | 27.14                    | 2.27                    | 29.41                      | 54.00           | -24.59       | AVG      |         |
| 7   |     | 4830.000     | 40.37                    | 7.40                    | 47.77                      | 74.00           | -26.23       | peak     |         |
| 8   |     | 4830.000     | 24.75                    | 7.40                    | 32.15                      | 54.00           | -21.85       | AVG      |         |
| 9   |     | 5670.000     | 39.12                    | 9.35                    | 48.47                      | 74.00           | -25.53       | peak     |         |
| 10  |     | 5670.000     | 24.50                    | 9.35                    | 33.85                      | 54.00           | -20.15       | AVG      |         |
| 11  |     | 5980.000     | 39.95                    | 9.72                    | 49.67                      | 74.00           | -24.33       | peak     |         |
| 12  | *   | 5980.000     | 24.80                    | 9.72                    | 34.52                      | 54.00           | -19.48       | AVG      |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter + Earphone +Camera on+BT+idle                      |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 1955.000     | 42.88                    | -2.08                   | 40.80                      | 74.00           | -33.20       | peak     |         |
| 2   |     | 1955.000     | 27.20                    | -2.08                   | 25.12                      | 54.00           | -28.88       | AVG      |         |
| 3   |     | 2415.000     | 44.62                    | -0.25                   | 44.37                      | 74.00           | -29.63       | peak     |         |
| 4   |     | 2415.000     | 29.40                    | -0.25                   | 29.15                      | 54.00           | -24.85       | AVG      |         |
| 5   |     | 3165.000     | 41.18                    | 2.22                    | 43.40                      | 74.00           | -30.60       | peak     |         |
| 6   |     | 3165.000     | 26.01                    | 2.22                    | 28.23                      | 54.00           | -25.77       | AVG      |         |
| 7   |     | 5065.000     | 38.93                    | 7.84                    | 46.77                      | 74.00           | -27.23       | peak     |         |
| 8   |     | 5065.000     | 23.58                    | 7.84                    | 31.42                      | 54.00           | -22.58       | AVG      |         |
| 9   |     | 5635.000     | 39.60                    | 9.30                    | 48.90                      | 74.00           | -25.10       | peak     |         |
| 10  |     | 5635.000     | 24.37                    | 9.30                    | 33.67                      | 54.00           | -20.33       | AVG      |         |
| 11  |     | 5975.000     | 39.74                    | 9.71                    | 49.45                      | 74.00           | -24.55       | peak     |         |
| 12  | *   | 5975.000     | 24.51                    | 9.71                    | 34.22                      | 54.00           | -19.78       | AVG      |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter + Earphone +Camera on+BT+idle                      |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2435.000     | 44.36                    | -0.17                   | 44.19                      | 74.00           | -29.81       | peak     |         |
| 2   |     | 2435.000     | 28.62                    | -0.17                   | 28.45                      | 54.00           | -25.55       | AVG      |         |
| 3   |     | 2815.000     | 45.34                    | 1.19                    | 46.53                      | 74.00           | -27.47       | peak     |         |
| 4   |     | 2815.000     | 30.45                    | 1.19                    | 31.64                      | 54.00           | -22.36       | AVG      |         |
| 5   |     | 3125.000     | 41.38                    | 2.13                    | 43.51                      | 74.00           | -30.49       | peak     |         |
| 6   |     | 3125.000     | 26.42                    | 2.13                    | 28.55                      | 54.00           | -25.45       | AVG      |         |
| 7   |     | 4825.000     | 43.54                    | 7.39                    | 50.93                      | 74.00           | -23.07       | peak     |         |
| 8   |     | 4825.000     | 26.06                    | 7.39                    | 33.45                      | 54.00           | -20.55       | AVG      |         |
| 9   |     | 4905.000     | 42.92                    | 7.50                    | 50.42                      | 74.00           | -23.58       | peak     |         |
| 10  | *   | 4905.000     | 28.17                    | 7.50                    | 35.67                      | 54.00           | -18.33       | AVG      |         |
| 11  |     | 5985.000     | 39.28                    | 9.73                    | 49.01                      | 74.00           | -24.99       | peak     |         |
| 12  |     | 5985.000     | 24.42                    | 9.73                    | 34.15                      | 54.00           | -19.85       | AVG      |         |

|               |                 |
|---------------|-----------------|
| Test Voltage: | AC 120V/60Hz    |
| Test Mode:    | Adapter+Traffic |
| Note:         | Adapter:HK; V   |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2415.000     | 43.25                    | -0.25                   | 43.00                      | 74.00           | -31.00       | peak     |         |
| 2   |     | 2415.000     | 28.60                    | -0.25                   | 28.35                      | 54.00           | -25.65       | AVG      |         |
| 3   |     | 3210.000     | 41.21                    | 2.33                    | 43.54                      | 74.00           | -30.46       | peak     |         |
| 4   |     | 3210.000     | 25.82                    | 2.33                    | 28.15                      | 54.00           | -25.85       | AVG      |         |
| 5   |     | 3490.000     | 40.91                    | 2.98                    | 43.89                      | 74.00           | -30.11       | peak     |         |
| 6   |     | 3490.000     | 25.36                    | 2.98                    | 28.34                      | 54.00           | -25.66       | AVG      |         |
| 7   |     | 4740.000     | 38.18                    | 7.26                    | 45.44                      | 74.00           | -28.56       | peak     |         |
| 8   |     | 4740.000     | 23.39                    | 7.26                    | 30.65                      | 54.00           | -23.35       | AVG      |         |
| 9   |     | 5165.000     | 38.95                    | 8.14                    | 47.09                      | 74.00           | -26.91       | peak     |         |
| 10  |     | 5165.000     | 24.01                    | 8.14                    | 32.15                      | 54.00           | -21.85       | AVG      |         |
| 11  |     | 6000.000     | 39.91                    | 9.75                    | 49.66                      | 74.00           | -24.34       | peak     |         |
| 12  | *   | 6000.000     | 24.78                    | 9.75                    | 34.53                      | 54.00           | -19.47       | AVG      |         |

|               |                 |
|---------------|-----------------|
| Test Voltage: | AC 120V/60Hz    |
| Test Mode:    | Adapter+Traffic |
| Note:         | Adapter:HK; V   |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2440.000     | 44.04                    | -0.16                   | 43.88                      | 74.00           | -30.12       | peak     |         |
| 2   |     | 2440.000     | 27.51                    | -0.16                   | 27.35                      | 54.00           | -26.65       | AVG      |         |
| 3   |     | 2965.000     | 42.23                    | 1.71                    | 43.94                      | 74.00           | -30.06       | peak     |         |
| 4   |     | 2965.000     | 27.41                    | 1.71                    | 29.12                      | 54.00           | -24.88       | AVG      |         |
| 5   |     | 3560.000     | 40.90                    | 3.43                    | 44.33                      | 74.00           | -29.67       | peak     |         |
| 6   |     | 3560.000     | 26.72                    | 3.43                    | 30.15                      | 54.00           | -23.85       | AVG      |         |
| 7   |     | 4115.000     | 36.40                    | 6.69                    | 43.09                      | 74.00           | -30.91       | peak     |         |
| 8   |     | 4115.000     | 21.64                    | 6.69                    | 28.33                      | 54.00           | -25.67       | AVG      |         |
| 9   |     | 5435.000     | 38.66                    | 8.94                    | 47.60                      | 74.00           | -26.40       | peak     |         |
| 10  |     | 5435.000     | 23.80                    | 8.94                    | 32.74                      | 54.00           | -21.26       | AVG      |         |
| 11  |     | 5920.000     | 39.72                    | 9.66                    | 49.38                      | 74.00           | -24.62       | peak     |         |
| 12  | *   | 5920.000     | 24.92                    | 9.66                    | 34.58                      | 54.00           | -19.42       | AVG      |         |

|               |                               |
|---------------|-------------------------------|
| Test Voltage: | AC 120V/60Hz                  |
| Test Mode:    | Playing+idle+WiFi+GPS+Speaker |
| Note:         | V                             |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 1950.000     | 45.55                    | -2.10                   | 43.45                      | 74.00           | -30.55       | peak     |         |
| 2   |     | 1950.000     | 30.47                    | -2.10                   | 28.37                      | 54.00           | -25.63       | AVG      |         |
| 3   |     | 2430.000     | 45.81                    | -0.20                   | 45.61                      | 74.00           | -28.39       | peak     |         |
| 4   |     | 2430.000     | 30.74                    | -0.20                   | 30.54                      | 54.00           | -23.46       | AVG      |         |
| 5   |     | 3135.000     | 41.31                    | 2.15                    | 43.46                      | 74.00           | -30.54       | peak     |         |
| 6   |     | 3135.000     | 26.47                    | 2.15                    | 28.62                      | 54.00           | -25.38       | AVG      |         |
| 7   |     | 3560.000     | 40.01                    | 3.43                    | 43.44                      | 74.00           | -30.56       | peak     |         |
| 8   |     | 3560.000     | 24.69                    | 3.43                    | 28.12                      | 54.00           | -25.88       | AVG      |         |
| 9   |     | 5600.000     | 39.41                    | 9.26                    | 48.67                      | 74.00           | -25.33       | peak     |         |
| 10  |     | 5600.000     | 24.49                    | 9.26                    | 33.75                      | 54.00           | -20.25       | AVG      |         |
| 11  |     | 5990.000     | 39.23                    | 9.74                    | 48.97                      | 74.00           | -25.03       | peak     |         |
| 12  | *   | 5990.000     | 24.87                    | 9.74                    | 34.61                      | 54.00           | -19.39       | AVG      |         |

|               |                               |
|---------------|-------------------------------|
| Test Voltage: | AC 120V/60Hz                  |
| Test Mode:    | Playing+idle+WiFi+GPS+Speaker |
| Note:         | V                             |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 2430.000     | 42.81                    | -0.20                   | 42.61                      | 74.00           | -31.39       | peak     |         |
| 2   |     | 2430.000     | 27.72                    | -0.20                   | 27.52                      | 54.00           | -26.48       | AVG      |         |
| 3   |     | 3060.000     | 41.98                    | 1.98                    | 43.96                      | 74.00           | -30.04       | peak     |         |
| 4   |     | 3060.000     | 26.71                    | 1.98                    | 28.69                      | 54.00           | -25.31       | AVG      |         |
| 5   |     | 3520.000     | 40.49                    | 3.14                    | 43.63                      | 74.00           | -30.37       | peak     |         |
| 6   |     | 3520.000     | 25.27                    | 3.14                    | 28.41                      | 54.00           | -25.59       | AVG      |         |
| 7   |     | 5340.000     | 39.32                    | 8.66                    | 47.98                      | 74.00           | -26.02       | peak     |         |
| 8   |     | 5340.000     | 24.28                    | 8.66                    | 32.94                      | 54.00           | -21.06       | AVG      |         |
| 9   |     | 5570.000     | 38.89                    | 9.23                    | 48.12                      | 74.00           | -25.88       | peak     |         |
| 10  |     | 5570.000     | 24.24                    | 9.23                    | 33.47                      | 54.00           | -20.53       | AVG      |         |
| 11  |     | 5985.000     | 39.19                    | 9.73                    | 48.92                      | 74.00           | -25.08       | peak     |         |
| 12  | *   | 5985.000     | 24.31                    | 9.73                    | 34.04                      | 54.00           | -19.96       | AVG      |         |

|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | USB Copy(EUT with PC) +Earphone+idle       |
| Note:         | Earphone:United Electronics Co.Ltd Jiangxi |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 1500.000     | 50.06                    | -4.06                   | 46.00                      | 74.00           | -28.00       | peak     |         |
| 2   |     | 1500.000     | 37.31                    | -4.06                   | 33.25                      | 54.00           | -20.75       | AVG      |         |
| 3   |     | 2000.000     | 44.96                    | -1.88                   | 43.08                      | 74.00           | -30.92       | peak     |         |
| 4   |     | 2000.000     | 30.29                    | -1.88                   | 28.41                      | 54.00           | -25.59       | AVG      |         |
| 5   |     | 2270.000     | 44.40                    | -0.82                   | 43.58                      | 74.00           | -30.42       | peak     |         |
| 6   |     | 2270.000     | 28.44                    | -0.82                   | 27.62                      | 54.00           | -26.38       | AVG      |         |
| 7   |     | 2470.000     | 42.32                    | -0.03                   | 42.29                      | 74.00           | -31.71       | peak     |         |
| 8   |     | 2470.000     | 27.38                    | -0.03                   | 27.35                      | 54.00           | -26.65       | AVG      |         |
| 9   |     | 3200.000     | 41.74                    | 2.31                    | 44.05                      | 74.00           | -29.95       | peak     |         |
| 10  |     | 3200.000     | 27.81                    | 2.31                    | 30.12                      | 54.00           | -23.88       | AVG      |         |
| 11  |     | 5975.000     | 39.78                    | 9.71                    | 49.49                      | 74.00           | -24.51       | peak     |         |
| 12  | *   | 5975.000     | 24.71                    | 9.71                    | 34.42                      | 54.00           | -19.58       | AVG      |         |

|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | USB Copy(EUT with PC) +Earphone+idle       |
| Note:         | Earphone:United Electronics Co.Ltd Jiangxi |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 1195.000     | 45.11                    | -4.96                   | 40.15                      | 74.00           | -33.85       | peak     |         |
| 2   |     | 1195.000     | 30.30                    | -4.96                   | 25.34                      | 54.00           | -28.66       | AVG      |         |
| 3   |     | 1495.000     | 46.91                    | -4.08                   | 42.83                      | 74.00           | -31.17       | peak     |         |
| 4   |     | 1495.000     | 31.23                    | -4.08                   | 27.15                      | 54.00           | -26.85       | AVG      |         |
| 5   |     | 2420.000     | 51.96                    | -0.23                   | 51.73                      | 74.00           | -22.27       | peak     |         |
| 6   |     | 2420.000     | 30.64                    | -0.23                   | 30.41                      | 54.00           | -23.59       | AVG      |         |
| 7   |     | 3090.000     | 41.44                    | 2.05                    | 43.49                      | 74.00           | -30.51       | peak     |         |
| 8   |     | 3090.000     | 26.08                    | 2.05                    | 28.13                      | 54.00           | -25.87       | AVG      |         |
| 9   | *   | 4895.000     | 47.36                    | 7.48                    | 54.84                      | 74.00           | -19.16       | peak     |         |
| 10  |     | 4895.000     | 24.04                    | 7.48                    | 31.52                      | 54.00           | -22.48       | AVG      |         |
| 11  |     | 5970.000     | 39.67                    | 9.72                    | 49.39                      | 74.00           | -24.61       | peak     |         |
| 12  |     | 5970.000     | 24.60                    | 9.72                    | 34.32                      | 54.00           | -19.68       | AVG      |         |

|               |                                             |
|---------------|---------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS      |
| Note:         | Adapter:BYD; Earphone: GOERTEK INC; Desktop |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7482.000     | 29.25                    | 15.91                   | 45.16                      | 74.00           | -28.84       | peak     |         |
| 2   |     | 7482.000     | 14.43                    | 15.91                   | 30.34                      | 54.00           | -23.66       | AVG      |         |
| 3   |     | 9529.500     | 31.14                    | 15.22                   | 46.36                      | 74.00           | -27.64       | peak     |         |
| 4   |     | 9529.500     | 16.02                    | 15.22                   | 31.24                      | 54.00           | -22.76       | AVG      |         |
| 5   |     | 10186.00     | 31.95                    | 15.29                   | 47.24                      | 74.00           | -26.76       | peak     |         |
| 6   |     | 10186.00     | 17.38                    | 15.29                   | 32.67                      | 54.00           | -21.33       | AVG      |         |
| 7   |     | 11746.00     | 27.06                    | 21.70                   | 48.76                      | 74.00           | -25.24       | peak     |         |
| 8   |     | 11746.00     | 11.77                    | 21.70                   | 33.47                      | 54.00           | -20.53       | AVG      |         |
| 9   |     | 11973.50     | 26.71                    | 23.15                   | 49.86                      | 74.00           | -24.14       | peak     |         |
| 10  |     | 11973.50     | 11.52                    | 23.15                   | 34.67                      | 54.00           | -19.33       | AVG      |         |
| 11  |     | 12422.00     | 31.86                    | 18.56                   | 50.42                      | 74.00           | -23.58       | peak     |         |
| 12  | *   | 12422.00     | 16.54                    | 18.56                   | 35.10                      | 54.00           | -18.90       | AVG      |         |

|               |                                             |
|---------------|---------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS      |
| Note:         | Adapter:BYD; Earphone: GOERTEK INC; Desktop |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7547.000     | 28.10                    | 15.99                   | 44.09                      | 74.00           | -29.91       | peak     |         |
| 2   |     | 7547.000     | 13.57                    | 15.99                   | 29.56                      | 54.00           | -24.44       | AVG      |         |
| 3   |     | 9536.000     | 30.40                    | 15.24                   | 45.64                      | 74.00           | -28.36       | peak     |         |
| 4   |     | 9536.000     | 15.18                    | 15.24                   | 30.42                      | 54.00           | -23.58       | AVG      |         |
| 5   |     | 10173.00     | 31.48                    | 15.35                   | 46.83                      | 74.00           | -27.17       | peak     |         |
| 6   |     | 10173.00     | 16.29                    | 15.35                   | 31.64                      | 54.00           | -22.36       | AVG      |         |
| 7   |     | 10530.50     | 32.26                    | 14.38                   | 46.64                      | 74.00           | -27.36       | peak     |         |
| 8   |     | 10530.50     | 17.35                    | 14.38                   | 31.73                      | 54.00           | -22.27       | AVG      |         |
| 9   |     | 12032.00     | 26.80                    | 22.96                   | 49.76                      | 74.00           | -24.24       | peak     |         |
| 10  |     | 12032.00     | 11.20                    | 22.96                   | 34.16                      | 54.00           | -19.84       | AVG      |         |
| 11  |     | 12480.50     | 32.48                    | 17.89                   | 50.37                      | 74.00           | -23.63       | peak     |         |
| 12  | *   | 12480.50     | 17.72                    | 17.89                   | 35.61                      | 54.00           | -18.39       | AVG      |         |

|               |                                                             |
|---------------|-------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                      |
| Note:         | Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7800.500     | 28.79                    | 16.05                   | 44.84                      | 74.00           | -29.16       | peak     |         |
| 2   |     | 7800.500     | 13.99                    | 16.05                   | 30.04                      | 54.00           | -23.96       | AVG      |         |
| 3   |     | 9568.500     | 31.59                    | 15.30                   | 46.89                      | 74.00           | -27.11       | peak     |         |
| 4   |     | 9568.500     | 16.31                    | 15.30                   | 31.61                      | 54.00           | -22.39       | AVG      |         |
| 5   |     | 9718.000     | 31.61                    | 15.56                   | 47.17                      | 74.00           | -26.83       | peak     |         |
| 6   |     | 9718.000     | 17.08                    | 15.56                   | 32.64                      | 54.00           | -21.36       | AVG      |         |
| 7   |     | 9984.500     | 30.96                    | 16.03                   | 46.99                      | 74.00           | -27.01       | peak     |         |
| 8   |     | 9984.500     | 14.91                    | 16.03                   | 30.94                      | 54.00           | -23.06       | AVG      |         |
| 9   |     | 11765.50     | 28.19                    | 21.83                   | 50.02                      | 74.00           | -23.98       | peak     |         |
| 10  | *   | 11765.50     | 13.43                    | 21.83                   | 35.26                      | 54.00           | -18.74       | AVG      |         |
| 11  |     | 12461.00     | 32.71                    | 18.12                   | 50.83                      | 74.00           | -23.17       | peak     |         |
| 12  |     | 12461.00     | 16.52                    | 18.12                   | 34.64                      | 54.00           | -19.36       | AVG      |         |

|               |                                                             |
|---------------|-------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                                |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                      |
| Note:         | Adapter:BYD; Earphone: United Electronics Co.Ltd Jiangxi; H |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7664.000     | 28.18                    | 16.01                   | 44.19                      | 74.00           | -29.81       | peak     |         |
| 2   |     | 7664.000     | 14.61                    | 16.01                   | 30.62                      | 74.00           | -43.38       | peak     |         |
| 3   |     | 8073.500     | 28.27                    | 15.99                   | 44.26                      | 74.00           | -29.74       | peak     |         |
| 4   |     | 8073.500     | 13.48                    | 15.99                   | 29.47                      | 74.00           | -44.53       | peak     |         |
| 5   |     | 10010.50     | 31.17                    | 16.02                   | 47.19                      | 74.00           | -26.81       | peak     |         |
| 6   |     | 10010.50     | 16.62                    | 16.02                   | 32.64                      | 74.00           | -41.36       | peak     |         |
| 7   |     | 11583.50     | 27.79                    | 20.67                   | 48.46                      | 74.00           | -25.54       | peak     |         |
| 8   |     | 11583.50     | 13.00                    | 20.67                   | 33.67                      | 74.00           | -40.33       | peak     |         |
| 9   |     | 12045.00     | 27.07                    | 22.81                   | 49.88                      | 74.00           | -24.12       | peak     |         |
| 10  |     | 12045.00     | 11.86                    | 22.81                   | 34.67                      | 74.00           | -39.33       | peak     |         |
| 11  | *   | 12474.00     | 32.25                    | 17.97                   | 50.22                      | 74.00           | -23.78       | peak     |         |
| 12  |     | 12474.00     | 17.19                    | 17.97                   | 35.16                      | 74.00           | -38.84       | peak     |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                     |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7241.500     | 34.83                    | 14.89                   | 49.72                      | 74.00           | -24.28       | peak     |         |
| 2   |     | 7241.500     | 19.32                    | 14.89                   | 34.21                      | 54.00           | -19.79       | AVG      |         |
| 3   |     | 7774.500     | 28.58                    | 16.04                   | 44.62                      | 74.00           | -29.38       | peak     |         |
| 4   |     | 7774.500     | 14.58                    | 16.04                   | 30.62                      | 54.00           | -23.38       | AVG      |         |
| 5   |     | 10056.00     | 30.99                    | 15.83                   | 46.82                      | 74.00           | -27.18       | peak     |         |
| 6   |     | 10056.00     | 15.95                    | 15.83                   | 31.78                      | 54.00           | -22.22       | AVG      |         |
| 7   |     | 10868.50     | 29.03                    | 18.71                   | 47.74                      | 74.00           | -26.26       | peak     |         |
| 8   |     | 10868.50     | 13.45                    | 18.71                   | 32.16                      | 54.00           | -21.84       | AVG      |         |
| 9   |     | 12259.50     | 30.24                    | 20.40                   | 50.64                      | 74.00           | -23.36       | peak     |         |
| 10  | *   | 12259.50     | 15.22                    | 20.40                   | 35.62                      | 54.00           | -18.38       | AVG      |         |
| 11  |     | 12474.00     | 32.77                    | 17.97                   | 50.74                      | 74.00           | -23.26       | peak     |         |
| 12  |     | 12474.00     | 16.81                    | 17.97                   | 34.78                      | 54.00           | -19.22       | AVG      |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter+Earphone+Playing+idle+WiFi+GPS                     |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |

## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7599.000     | 28.14                    | 16.00                   | 44.14                      | 74.00           | -29.86       | peak     |         |
| 2   |     | 7599.000     | 13.47                    | 16.00                   | 29.47                      | 54.00           | -24.53       | AVG      |         |
| 3   |     | 8060.500     | 28.96                    | 16.01                   | 44.97                      | 74.00           | -29.03       | peak     |         |
| 4   |     | 8060.500     | 14.14                    | 16.01                   | 30.15                      | 54.00           | -23.85       | AVG      |         |
| 5   |     | 9562.000     | 31.10                    | 15.28                   | 46.38                      | 74.00           | -27.62       | peak     |         |
| 6   |     | 9562.000     | 15.26                    | 15.28                   | 30.54                      | 54.00           | -23.46       | AVG      |         |
| 7   |     | 10075.500    | 31.19                    | 15.74                   | 46.93                      | 74.00           | -27.07       | peak     |         |
| 8   |     | 10075.500    | 15.69                    | 15.74                   | 31.43                      | 54.00           | -22.57       | AVG      |         |
| 9   |     | 11525.000    | 28.98                    | 20.30                   | 49.28                      | 74.00           | -24.72       | peak     |         |
| 10  |     | 11525.000    | 14.36                    | 20.30                   | 34.66                      | 54.00           | -19.34       | AVG      |         |
| 11  |     | 12103.500    | 28.00                    | 22.16                   | 50.16                      | 74.00           | -23.84       | peak     |         |
| 12  | *   | 12103.500    | 13.11                    | 22.16                   | 35.27                      | 54.00           | -18.73       | AVG      |         |