


|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter + Earphone +Camera on+BT+idle                      |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7527.500     | 28.79                    | 15.99                   | 44.78                      | 74.00           | -29.22       | peak     |         |
| 2   |     | 7527.500     | 13.44                    | 15.99                   | 29.43                      | 54.00           | -24.57       | AVG      |         |
| 3   |     | 8073.500     | 29.28                    | 15.99                   | 45.27                      | 74.00           | -28.73       | peak     |         |
| 4   |     | 8073.500     | 14.18                    | 15.99                   | 30.17                      | 54.00           | -23.83       | AVG      |         |
| 5   |     | 10023.50     | 31.31                    | 15.97                   | 47.28                      | 74.00           | -26.72       | peak     |         |
| 6   |     | 10023.50     | 16.51                    | 15.97                   | 32.48                      | 54.00           | -21.52       | AVG      |         |
| 7   |     | 11609.50     | 27.88                    | 20.83                   | 48.71                      | 74.00           | -25.29       | peak     |         |
| 8   |     | 11609.50     | 12.81                    | 20.83                   | 33.64                      | 54.00           | -20.36       | AVG      |         |
| 9   |     | 12149.00     | 28.88                    | 21.64                   | 50.52                      | 74.00           | -23.48       | peak     |         |
| 10  |     | 12149.00     | 13.49                    | 21.64                   | 35.13                      | 54.00           | -18.87       | AVG      |         |
| 11  |     | 12396.00     | 31.63                    | 18.85                   | 50.48                      | 74.00           | -23.52       | peak     |         |
| 12  | *   | 12396.00     | 17.39                    | 18.85                   | 36.24                      | 54.00           | -17.76       | AVG      |         |

|               |                                                            |
|---------------|------------------------------------------------------------|
| Test Voltage: | AC 120V/60Hz                                               |
| Test Mode:    | Adapter + Earphone +Camera on+BT+idle                      |
| Note:         | Adapter:HK; Earphone: United Electronics Co.Ltd Jiangxi; V |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7586.000     | 28.84                    | 16.01                   | 44.85                      | 74.00           | -29.15       | peak     |         |
| 2   |     | 7586.000     | 14.53                    | 16.01                   | 30.54                      | 54.00           | -23.46       | AVG      |         |
| 3   |     | 9406.000     | 30.23                    | 15.36                   | 45.59                      | 74.00           | -28.41       | peak     |         |
| 4   |     | 9406.000     | 14.80                    | 15.36                   | 30.16                      | 54.00           | -23.84       | AVG      |         |
| 5   |     | 10069.00     | 31.83                    | 15.78                   | 47.61                      | 74.00           | -26.39       | peak     |         |
| 6   |     | 10069.00     | 16.70                    | 15.78                   | 32.48                      | 54.00           | -21.52       | AVG      |         |
| 7   |     | 11629.00     | 28.26                    | 20.95                   | 49.21                      | 74.00           | -24.79       | peak     |         |
| 8   |     | 11629.00     | 13.31                    | 20.95                   | 34.26                      | 54.00           | -19.74       | AVG      |         |
| 9   |     | 12006.00     | 26.39                    | 23.25                   | 49.64                      | 74.00           | -24.36       | peak     |         |
| 10  |     | 12006.00     | 11.47                    | 23.25                   | 34.72                      | 54.00           | -19.28       | AVG      |         |
| 11  |     | 12448.00     | 32.55                    | 18.27                   | 50.82                      | 74.00           | -23.18       | peak     |         |
| 12  | *   | 12448.00     | 17.22                    | 18.27                   | 35.49                      | 54.00           | -18.51       | AVG      |         |

|               |                 |
|---------------|-----------------|
| Test Voltage: | AC 120V/60Hz    |
| Test Mode:    | Adapter+Traffic |
| Note:         | Adapter:HK; V   |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7644.500     | 29.22                    | 16.01                   | 45.23                      | 74.00           | -28.77       | peak     |         |
| 2   |     | 7644.500     | 14.13                    | 16.01                   | 30.14                      | 54.00           | -23.86       | AVG      |         |
| 3   |     | 7995.500     | 29.49                    | 16.09                   | 45.58                      | 74.00           | -28.42       | peak     |         |
| 4   |     | 7995.500     | 14.23                    | 16.09                   | 30.32                      | 54.00           | -23.68       | AVG      |         |
| 5   |     | 9776.500     | 31.51                    | 15.67                   | 47.18                      | 74.00           | -26.82       | peak     |         |
| 6   |     | 9776.500     | 17.00                    | 15.67                   | 32.67                      | 54.00           | -21.33       | AVG      |         |
| 7   |     | 10017.00     | 31.25                    | 15.99                   | 47.24                      | 74.00           | -26.76       | peak     |         |
| 8   |     | 10017.00     | 16.43                    | 15.99                   | 32.42                      | 54.00           | -21.58       | AVG      |         |
| 9   |     | 12038.50     | 26.53                    | 22.89                   | 49.42                      | 74.00           | -24.58       | peak     |         |
| 10  |     | 12038.50     | 11.46                    | 22.89                   | 34.35                      | 54.00           | -19.65       | AVG      |         |
| 11  |     | 12422.00     | 32.13                    | 18.56                   | 50.69                      | 74.00           | -23.31       | peak     |         |
| 12  | *   | 12422.00     | 16.86                    | 18.56                   | 35.42                      | 54.00           | -18.58       | AVG      |         |

|               |                 |
|---------------|-----------------|
| Test Voltage: | AC 120V/60Hz    |
| Test Mode:    | Adapter+Traffic |
| Note:         | Adapter:HK; V   |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7267.500     | 34.12                    | 15.01                   | 49.13                      | 74.00           | -24.87       | peak     |         |
| 2   |     | 7267.500     | 18.20                    | 15.01                   | 33.21                      | 54.00           | -20.79       | AVG      |         |
| 3   |     | 8119.000     | 28.79                    | 15.92                   | 44.71                      | 74.00           | -29.29       | peak     |         |
| 4   |     | 8119.000     | 14.14                    | 15.92                   | 30.06                      | 54.00           | -23.94       | AVG      |         |
| 5   |     | 10322.50     | 32.27                    | 14.73                   | 47.00                      | 74.00           | -27.00       | peak     |         |
| 6   |     | 10322.50     | 17.15                    | 14.73                   | 31.88                      | 54.00           | -22.12       | AVG      |         |
| 7   |     | 11564.00     | 28.12                    | 20.54                   | 48.66                      | 74.00           | -25.34       | peak     |         |
| 8   |     | 11564.00     | 11.91                    | 20.54                   | 32.45                      | 54.00           | -21.55       | AVG      |         |
| 9   |     | 12084.00     | 27.70                    | 22.37                   | 50.07                      | 74.00           | -23.93       | peak     |         |
| 10  |     | 12084.00     | 12.77                    | 22.37                   | 35.14                      | 54.00           | -18.86       | AVG      |         |
| 11  |     | 12467.50     | 32.32                    | 18.04                   | 50.36                      | 74.00           | -23.64       | peak     |         |
| 12  | *   | 12467.50     | 17.23                    | 18.04                   | 35.27                      | 54.00           | -18.73       | AVG      |         |

|               |                               |
|---------------|-------------------------------|
| Test Voltage: | AC 120V/60Hz                  |
| Test Mode:    | Playing+idle+WiFi+GPS+Speaker |
| Note:         | V                             |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7605.500     | 30.66                    | 16.01                   | 46.67                      | 74.00           | -27.33       | peak     |         |
| 2   |     | 7605.500     | 15.56                    | 16.01                   | 31.57                      | 54.00           | -22.43       | AVG      |         |
| 3   |     | 8938.000     | 29.61                    | 16.06                   | 45.67                      | 74.00           | -28.33       | peak     |         |
| 4   |     | 8938.000     | 14.17                    | 16.06                   | 30.23                      | 54.00           | -23.77       | AVG      |         |
| 5   |     | 10069.00     | 31.12                    | 15.78                   | 46.90                      | 74.00           | -27.10       | peak     |         |
| 6   |     | 10069.00     | 14.70                    | 15.78                   | 30.48                      | 54.00           | -23.52       | AVG      |         |
| 7   |     | 11531.50     | 29.04                    | 20.35                   | 49.39                      | 74.00           | -24.61       | peak     |         |
| 8   |     | 11531.50     | 13.91                    | 20.35                   | 34.26                      | 54.00           | -19.74       | AVG      |         |
| 9   |     | 12006.00     | 26.89                    | 23.25                   | 50.14                      | 74.00           | -23.86       | peak     |         |
| 10  | *   | 12006.00     | 12.53                    | 23.25                   | 35.78                      | 54.00           | -18.22       | AVG      |         |
| 11  |     | 12493.50     | 32.84                    | 17.75                   | 50.59                      | 74.00           | -23.41       | peak     |         |
| 12  |     | 12493.50     | 17.41                    | 17.75                   | 35.16                      | 54.00           | -18.84       | AVG      |         |

|               |                               |
|---------------|-------------------------------|
| Test Voltage: | AC 120V/60Hz                  |
| Test Mode:    | Playing+idle+WiFi+GPS+Speaker |
| Note:         | V                             |


## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 8067.000     | 28.83                    | 16.00                   | 44.83                      | 74.00           | -29.17       | peak     |         |
| 2   |     | 8067.000     | 13.42                    | 16.00                   | 29.42                      | 54.00           | -24.58       | AVG      |         |
| 3   |     | 9601.000     | 31.50                    | 15.35                   | 46.85                      | 74.00           | -27.15       | peak     |         |
| 4   |     | 9601.000     | 15.90                    | 15.35                   | 31.25                      | 54.00           | -22.75       | AVG      |         |
| 5   |     | 10049.50     | 31.04                    | 15.86                   | 46.90                      | 74.00           | -27.10       | peak     |         |
| 6   |     | 10049.50     | 14.89                    | 15.86                   | 30.75                      | 54.00           | -23.25       | AVG      |         |
| 7   |     | 11570.50     | 28.43                    | 20.59                   | 49.02                      | 74.00           | -24.98       | peak     |         |
| 8   |     | 11570.50     | 12.89                    | 20.59                   | 33.48                      | 54.00           | -20.52       | AVG      |         |
| 9   |     | 11934.50     | 27.07                    | 22.91                   | 49.98                      | 74.00           | -24.02       | peak     |         |
| 10  |     | 11934.50     | 11.94                    | 22.91                   | 34.85                      | 54.00           | -19.15       | AVG      |         |
| 11  |     | 12493.50     | 33.01                    | 17.75                   | 50.76                      | 74.00           | -23.24       | peak     |         |
| 12  | *   | 12493.50     | 17.86                    | 17.75                   | 35.61                      | 54.00           | -18.39       | AVG      |         |

|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | USB Copy(EUT with PC) +Earphone+idle       |
| Note:         | Earphone:United Electronics Co.Ltd Jiangxi |


## Vertical



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7469.000     | 28.98                    | 15.85                   | 44.83                      | 74.00           | -29.17       | peak     |         |
| 2   |     | 7469.000     | 13.57                    | 15.85                   | 29.42                      | 54.00           | -24.58       | AVG      |         |
| 3   |     | 9900.000     | 31.60                    | 15.88                   | 47.48                      | 74.00           | -26.52       | peak     |         |
| 4   |     | 9900.000     | 16.54                    | 15.88                   | 32.42                      | 54.00           | -21.58       | AVG      |         |
| 5   |     | 10140.50     | 32.13                    | 15.48                   | 47.61                      | 74.00           | -26.39       | peak     |         |
| 6   |     | 10140.50     | 17.17                    | 15.48                   | 32.65                      | 54.00           | -21.35       | AVG      |         |
| 7   |     | 11473.00     | 29.27                    | 20.15                   | 49.42                      | 74.00           | -24.58       | peak     |         |
| 8   |     | 11473.00     | 14.02                    | 20.15                   | 34.17                      | 54.00           | -19.83       | AVG      |         |
| 9   |     | 11967.00     | 26.72                    | 23.11                   | 49.83                      | 74.00           | -24.17       | peak     |         |
| 10  |     | 11967.00     | 11.18                    | 23.11                   | 34.29                      | 54.00           | -19.71       | AVG      |         |
| 11  |     | 12409.00     | 31.95                    | 18.71                   | 50.66                      | 74.00           | -23.34       | peak     |         |
| 12  | *   | 12409.00     | 16.93                    | 18.71                   | 35.64                      | 54.00           | -18.36       | AVG      |         |

|               |                                            |
|---------------|--------------------------------------------|
| Test Voltage: | AC 120V/60Hz                               |
| Test Mode:    | USB Copy(EUT with PC) +Earphone+idle       |
| Note:         | Earphone:United Electronics Co.Ltd Jiangxi |

## Horizontal



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 7417.000     | 29.43                    | 15.64                   | 45.07                      | 74.00           | -28.93       | peak     |         |
| 2   |     | 7417.000     | 14.54                    | 15.64                   | 30.18                      | 54.00           | -23.82       | AVG      |         |
| 3   |     | 7943.500     | 29.28                    | 16.07                   | 45.35                      | 74.00           | -28.65       | peak     |         |
| 4   |     | 7943.500     | 14.16                    | 16.07                   | 30.23                      | 54.00           | -23.77       | AVG      |         |
| 5   |     | 10179.50     | 31.60                    | 15.31                   | 46.91                      | 74.00           | -27.09       | peak     |         |
| 6   |     | 10179.50     | 16.16                    | 15.31                   | 31.47                      | 54.00           | -22.53       | AVG      |         |
| 7   |     | 11544.50     | 28.97                    | 20.42                   | 49.39                      | 74.00           | -24.61       | peak     |         |
| 8   |     | 11544.50     | 14.03                    | 20.42                   | 34.45                      | 54.00           | -19.55       | AVG      |         |
| 9   |     | 11999.50     | 26.20                    | 23.32                   | 49.52                      | 74.00           | -24.48       | peak     |         |
| 10  | *   | 11999.50     | 11.91                    | 23.32                   | 35.23                      | 54.00           | -18.77       | AVG      |         |
| 11  |     | 12422.00     | 32.18                    | 18.56                   | 50.74                      | 74.00           | -23.26       | peak     |         |
| 12  |     | 12422.00     | 16.38                    | 18.56                   | 34.94                      | 54.00           | -19.06       | AVG      |         |