




6.1.1.2.3 Test Bandwidth = 5

6.1.1.2.3.1 Test Channel = LCH

6.1.1.2.3.1.1 Test RB = RB1#0












6.1.1.2.3.2 Test Channel = MCH

6.1.1.2.3.2.1 Test RB = RB1#0












6.1.1.2.3.3 Test Channel = HCH

6.1.1.2.3.3.1 Test RB = RB1#0










6.1.1.2.4 Test Bandwidth = 10

6.1.1.2.4.1 Test Channel = LCH

6.1.1.2.4.1.1 Test RB = RB1#0












6.1.1.2.4.2 Test Channel = MCH

6.1.1.2.4.2.1 Test RB = RB1#0












6.1.1.2.4.3.1 Test RB = RB1#0









6.1.1.2.5 Test Bandwidth = 15

6.1.1.2.5.1 Test Channel = LCH

6.1.1.2.5.1.1 Test RB = RB1#0










6.1.1.2.5.2 Test Channel = MCH

6.1.1.2.5.2.1 Test RB = RB1#0










6.1.1.2.5.3 Test Channel = HCH

6.1.1.2.5.3.1 Test RB = RB1#0









6.1.1.2.6 Test Bandwidth = 20

6.1.1.2.6.1 Test Channel = LCH

6.1.1.2.6.1.1 Test RB = RB1#0












6.1.1.2.6.2 Test Channel = MCH

6.1.1.2.6.2.1 Test RB = RB1#0












6.1.1.2.6.3.1 Test RB = RB1#0







7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND4


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L




Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H




7.1.1.2 Test Bandwidth = 20



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_L



Copy of RSE-TX-DIRECTOR ABOVE 1.5G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	TN	VL	-3.66	-0.00214	PASS
					VN	-8.45	-0.00494	PASS
					VH	3.98	0.00233	PASS
			MCH	TN	VL	1.30	0.00075	PASS
					VN	1.87	0.00108	PASS
					VH	2.13	0.00123	PASS
			HCH	TN	VL	-3.40	-0.00194	PASS
					VN	-1.50	-0.00086	PASS
					VH	0.14	0.00008	PASS
		3	LCH	TN	VL	2.95	0.00172	PASS
					VN	2.69	0.00157	PASS
					VH	3.68	0.00215	PASS
			MCH	TN	VL	-6.82	-0.00394	PASS
					VN	-1.20	-0.00069	PASS
					VH	-4.13	-0.00238	PASS
			HCH	TN	VL	1.49	0.00085	PASS
					VN	2.07	0.00118	PASS
					VH	0.19	0.00011	PASS
		5	LCH	TN	VL	8.41	0.00491	PASS
					VN	11.62	0.00679	PASS
					VH	2.32	0.00135	PASS
			MCH	TN	VL	7.68	0.00443	PASS
					VN	0.59	0.00034	PASS
					VH	-7.31	-0.00422	PASS
			HCH	TN	VL	-1.16	-0.00066	PASS
					VN	-2.10	-0.0012	PASS
					VH	-3.26	-0.00186	PASS
		10	LCH	TN	VL	-5.01	-0.00292	PASS
					VN	2.30	0.00134	PASS
					VH	-2.86	-0.00167	PASS
			MCH	TN	VL	7.15	0.00413	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			HCH	TN	VN	-13.38	-0.00772	PASS
					VH	-3.00	-0.00173	PASS
					VL	7.60	0.00434	PASS
					VN	3.72	0.00213	PASS
					VH	4.39	0.00251	PASS
					VL	-2.02	-0.00118	PASS
		15	LCH	TN	VN	-3.43	-0.002	PASS
					VH	-2.03	-0.00118	PASS
					VL	-0.36	-0.00021	PASS
			MCH	TN	VN	2.36	0.00136	PASS
					VH	4.79	0.00276	PASS
					VL	9.51	0.00544	PASS
			HCH	TN	VN	9.74	0.00557	PASS
					VH	7.21	0.00413	PASS
					VL	1.59	0.00092	PASS
		20	LCH	TN	VN	0.53	0.00031	PASS
					VH	2.16	0.00126	PASS
					VL	1.37	0.00079	PASS
			MCH	TN	VN	-0.40	-0.00023	PASS
					VH	-1.29	-0.00074	PASS
					VL	-0.17	-0.0001	PASS
			HCH	TN	VN	-7.77	-0.00445	PASS
					VH	-5.06	-0.0029	PASS
					VL	-9.01	-0.00527	PASS
	LTE/TM2	1.4	LCH	TN	VN	11.49	0.00672	PASS
					VH	-12.20	-0.00713	PASS
					VL	3.55	0.00205	PASS
			MCH	TN	VN	1.29	0.00074	PASS
					VH	1.82	0.00105	PASS
					VL	0.06	0.00003	PASS
			HCH	TN	VN	-1.86	-0.00106	PASS
					VH	-2.26	-0.00129	PASS
					VL	3.12	0.00182	PASS
		3	LCH	TN	VN	2.96	0.00173	PASS
					VH	-0.41	-0.00024	PASS
					VL	-0.16	-0.00009	PASS
			MCH	TN	VN	6.52	0.00376	PASS
					VH	-0.39	-0.00023	PASS
					VL	0.26	0.00015	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	1.46	0.00083	PASS
					VH	0.94	0.00054	PASS
		5	LCH	TN	VL	5.16	0.00301	PASS
					VN	7.70	0.0045	PASS
					VH	6.90	0.00403	PASS
					VL	0.34	0.0002	PASS
			MCH	TN	VN	1.63	0.00094	PASS
					VH	5.06	0.00292	PASS
					VL	-0.69	-0.00039	PASS
					VN	-1.29	-0.00074	PASS
					VH	-1.90	-0.00108	PASS
			HCH	TN	VL	-1.07	-0.00062	PASS
					VN	-0.96	-0.00056	PASS
					VH	-1.52	-0.00089	PASS
		10	LCH	TN	VL	1.34	0.00077	PASS
					VN	3.12	0.0018	PASS
					VH	3.19	0.00184	PASS
			MCH	TN	VL	1.86	0.00106	PASS
					VN	2.93	0.00167	PASS
					VH	2.89	0.00165	PASS
			HCH	TN	VL	-2.82	-0.00164	PASS
					VN	-2.25	-0.00131	PASS
					VH	-2.59	-0.00151	PASS
		15	LCH	TN	VL	-1.33	-0.00077	PASS
					VN	-0.21	-0.00012	PASS
					VH	-0.33	-0.00019	PASS
			MCH	TN	VL	8.73	0.005	PASS
					VN	7.65	0.00438	PASS
					VH	2.12	0.00121	PASS
			HCH	TN	VL	2.27	0.00132	PASS
					VN	2.50	0.00145	PASS
					VH	1.95	0.00113	PASS
		20	LCH	TN	VL	-0.56	-0.00032	PASS
					VN	-0.13	-0.00008	PASS
					VH	0.03	0.00002	PASS
			MCH	TN	VL	1.24	0.00071	PASS
					VN	2.16	0.00124	PASS
					VH	1.30	0.00074	PASS
			HCH	TN	VL	2.27	0.00132	PASS
					VN	2.50	0.00145	PASS
					VH	1.95	0.00113	PASS
					VL	-0.56	-0.00032	PASS

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND4	LTE/TM1	1.4	LCH	VN	-30	-6.35	-0.00371	PASS
					-20	-4.22	-0.00247	PASS
					-10	-6.44	-0.00376	PASS
					0	-1.09	-0.00064	PASS
					10	-2.05	-0.0012	PASS
					20	-2.17	-0.00127	PASS
					30	0.23	0.00013	PASS
					40	1.76	0.00103	PASS
					50	4.61	0.00269	PASS
			MCH	VN	-30	2.25	0.0013	PASS
					-20	1.07	0.00062	PASS
					-10	1.97	0.00114	PASS
					0	0.37	0.00021	PASS
					10	5.78	0.00334	PASS
					20	7.20	0.00416	PASS
					30	0.14	0.00008	PASS
					40	2.49	0.00144	PASS
					50	1.72	0.00099	PASS
			HCH	VN	-30	-1.23	-0.0007	PASS
					-20	-2.75	-0.00157	PASS
					-10	-1.04	-0.00059	PASS
					0	-1.63	-0.00093	PASS
					10	-2.49	-0.00142	PASS
					20	-0.44	-0.00025	PASS
					30	-2.46	-0.0014	PASS
					40	-2.05	-0.00117	PASS
					50	-0.33	-0.00019	PASS
		3	LCH	VN	-30	2.46	0.00144	PASS
					-20	3.09	0.00181	PASS
					-10	1.37	0.0008	PASS
					0	0.06	0.00004	PASS
					10	2.85	0.00167	PASS
					20	6.11	0.00357	PASS
					30	3.59	0.0021	PASS
					40	3.93	0.0023	PASS
					50	-2.82	-0.00165	PASS
			MCH	VN	-30	1.77	0.00102	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	0.49	0.00028	PASS
					-10	3.68	0.00212	PASS
					0	0.17	0.0001	PASS
					10	3.60	0.00208	PASS
					20	6.35	0.00367	PASS
					30	-5.68	-0.00328	PASS
					40	4.91	0.00283	PASS
					50	-1.76	-0.00102	PASS
			HCH	VN	-30	-0.06	-0.00003	PASS
					-20	1.43	0.00082	PASS
					-10	0.44	0.00025	PASS
					0	0.82	0.00047	PASS
					10	1.24	0.00071	PASS
					20	0.80	0.00046	PASS
					30	1.07	0.00061	PASS
					40	1.10	0.00063	PASS
					50	3.02	0.00172	PASS
		5	LCH	VN	-30	-0.27	-0.00016	PASS
					-20	-1.67	-0.00098	PASS
					-10	-0.04	-0.00002	PASS
					0	0.59	0.00034	PASS
					10	-0.21	-0.00012	PASS
					20	-2.66	-0.00155	PASS
					30	1.23	0.00072	PASS
					40	-2.25	-0.00131	PASS
					50	1.79	0.00105	PASS
			MCH	VN	-30	-3.66	-0.00211	PASS
					-20	0.97	0.00056	PASS
					-10	5.85	0.00338	PASS
					0	-3.12	-0.0018	PASS
					10	4.22	0.00244	PASS
					20	-0.11	-0.00006	PASS
					30	1.42	0.00082	PASS
					40	-1.56	-0.0009	PASS
					50	0.96	0.00055	PASS
			HCH	VN	-30	-1.17	-0.00067	PASS
					-20	-2.35	-0.00134	PASS
					-10	-1.46	-0.00083	PASS
					0	-1.87	-0.00107	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-1.07	-0.00061	PASS
					20	-2.59	-0.00148	PASS
					30	-2.07	-0.00118	PASS
					40	-1.03	-0.00059	PASS
					50	-3.39	-0.00193	PASS
		10	LCH	VN	-30	-2.22	-0.00129	PASS
					-20	-0.72	-0.00042	PASS
					-10	-1.67	-0.00097	PASS
					0	-2.29	-0.00134	PASS
					10	-0.82	-0.00048	PASS
			MCH	VN	20	-2.72	-0.00159	PASS
					30	-0.72	-0.00042	PASS
					40	-0.34	-0.0002	PASS
					50	-0.06	-0.00003	PASS
					-30	-1.73	-0.001	PASS
			HCH	VN	-20	-0.31	-0.00018	PASS
					-10	1.93	0.00111	PASS
					0	-0.56	-0.00032	PASS
					10	-1.43	-0.00083	PASS
					20	1.09	0.00063	PASS
					30	0.49	0.00028	PASS
					40	-0.09	-0.00005	PASS
					50	0.41	0.00024	PASS
			LCH	VN	-30	3.81	0.00218	PASS
					-20	2.66	0.00152	PASS
					-10	3.45	0.00197	PASS
					0	2.83	0.00162	PASS
					10	4.61	0.00263	PASS
		15			20	2.70	0.00154	PASS
					30	1.93	0.0011	PASS
					40	2.90	0.00166	PASS
					50	3.95	0.00226	PASS
					-30	-0.36	-0.00021	PASS
					-20	-0.56	-0.00033	PASS
					-10	-1.39	-0.00081	PASS
					0	-1.44	-0.00084	PASS
					10	-1.54	-0.0009	PASS
					20	-0.89	-0.00052	PASS
					30	-0.31	-0.00018	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-0.20	-0.00012	PASS
					50	-0.60	-0.00035	PASS
			MCH	VN	-30	2.59	0.00149	PASS
					-20	-2.02	-0.00117	PASS
					-10	4.98	0.00287	PASS
					0	-2.68	-0.00155	PASS
					10	-1.63	-0.00094	PASS
					20	5.32	0.00307	PASS
					30	-3.48	-0.00201	PASS
					40	-3.82	-0.0022	PASS
					50	1.13	0.00065	PASS
			HCH	VN	-30	2.09	0.0012	PASS
					-20	3.49	0.002	PASS
					-10	3.93	0.00225	PASS
					0	0.09	0.00005	PASS
					10	0.62	0.00035	PASS
					20	2.56	0.00146	PASS
					30	0.83	0.00047	PASS
					40	3.30	0.00189	PASS
					50	1.37	0.00078	PASS
		20	LCH	VN	-30	2.42	0.00141	PASS
					-20	3.03	0.00176	PASS
					-10	2.05	0.00119	PASS
					0	2.90	0.00169	PASS
					10	1.57	0.00091	PASS
					20	2.63	0.00153	PASS
					30	2.70	0.00157	PASS
					40	1.73	0.00101	PASS
					50	1.99	0.00116	PASS
			MCH	VN	-30	0.86	0.0005	PASS
					-20	0.27	0.00016	PASS
					-10	-2.03	-0.00117	PASS
					0	-0.63	-0.00036	PASS
					10	0.77	0.00044	PASS
					20	-0.27	-0.00016	PASS
					30	-0.27	-0.00016	PASS
					40	-0.79	-0.00046	PASS
					50	0.17	0.0001	PASS
			HCH	VN	-30	-17.29	-0.00991	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-6.95	-0.00398	PASS
					-10	-3.26	-0.00187	PASS
					0	1.46	0.00084	PASS
					10	2.19	0.00126	PASS
					20	0.31	0.00018	PASS
					30	6.08	0.00348	PASS
					40	1.69	0.00097	PASS
					50	0.63	0.00036	PASS
	LTE/TM2	1.4	LCH	VN	-30	-0.89	-0.00052	PASS
					-20	1.50	0.00088	PASS
					-10	-12.17	-0.00711	PASS
					0	-4.48	-0.00262	PASS
					10	-3.16	-0.00185	PASS
					20	-4.46	-0.00261	PASS
					30	-5.32	-0.00311	PASS
					40	-12.36	-0.00723	PASS
					50	3.28	0.00192	PASS
			MCH	VN	-30	8.01	0.00462	PASS
					-20	0.09	0.00005	PASS
					-10	-4.53	-0.00261	PASS
					0	15.15	0.00874	PASS
					10	-1.34	-0.00077	PASS
					20	0.74	0.00043	PASS
					30	-4.38	-0.00253	PASS
					40	-2.43	-0.0014	PASS
					50	-9.84	-0.00568	PASS
			HCH	VN	-30	-1.14	-0.00065	PASS
					-20	-2.25	-0.00128	PASS
					-10	0.04	0.00002	PASS
					0	-1.56	-0.00089	PASS
					10	-0.86	-0.00049	PASS
					20	-0.82	-0.00047	PASS
					30	-3.98	-0.00227	PASS
					40	-0.49	-0.00028	PASS
					50	0.47	0.00027	PASS
		3	LCH	VN	-30	-0.72	-0.00042	PASS
					-20	3.62	0.00212	PASS
					-10	4.13	0.00241	PASS
					0	1.76	0.00103	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	4.65	0.00272	PASS
					20	0.23	0.00013	PASS
					30	4.38	0.00256	PASS
					40	2.47	0.00144	PASS
					50	5.01	0.00293	PASS
			MCH	VN	-30	-0.53	-0.00031	PASS
					-20	4.11	0.00237	PASS
					-10	4.48	0.00259	PASS
					0	3.23	0.00186	PASS
					10	9.27	0.00535	PASS
					20	5.31	0.00306	PASS
					30	2.29	0.00132	PASS
					40	3.09	0.00178	PASS
					50	4.32	0.00249	PASS
			HCH	VN	-30	0.14	0.00008	PASS
					-20	1.93	0.0011	PASS
					-10	2.40	0.00137	PASS
					0	2.22	0.00127	PASS
					10	2.98	0.0017	PASS
					20	2.00	0.00114	PASS
					30	2.72	0.00155	PASS
					40	1.89	0.00108	PASS
					50	1.87	0.00107	PASS
		5	LCH	VN	-30	0.93	0.00054	PASS
					-20	4.01	0.00234	PASS
					-10	6.29	0.00367	PASS
					0	0.70	0.00041	PASS
					10	4.23	0.00247	PASS
					20	3.50	0.00204	PASS
					30	5.21	0.00304	PASS
					40	3.33	0.00194	PASS
					50	3.18	0.00186	PASS
			MCH	VN	-30	-2.47	-0.00143	PASS
					-20	-1.37	-0.00079	PASS
					-10	-0.47	-0.00027	PASS
					0	3.68	0.00212	PASS
					10	-1.59	-0.00092	PASS
					20	-3.16	-0.00182	PASS
					30	-1.13	-0.00065	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					40	-0.34	-0.0002	PASS
					50	4.84	0.00279	PASS
			HCH	VN	-30	-2.30	-0.00131	PASS
					-20	-1.17	-0.00067	PASS
					-10	-1.49	-0.00085	PASS
					0	-0.44	-0.00025	PASS
					10	-2.02	-0.00115	PASS
					20	-0.39	-0.00022	PASS
					30	-2.02	-0.00115	PASS
					40	-0.49	-0.00028	PASS
					50	-1.90	-0.00108	PASS
		10	LCH	VN	-30	-2.36	-0.00138	PASS
					-20	-6.52	-0.0038	PASS
					-10	-1.56	-0.00091	PASS
					0	-1.87	-0.00109	PASS
					10	-1.60	-0.00093	PASS
					20	-1.76	-0.00103	PASS
					30	-1.72	-0.001	PASS
					40	-1.56	-0.00091	PASS
					50	-1.10	-0.00064	PASS
			MCH	VN	-30	0.96	0.00055	PASS
					-20	0.40	0.00023	PASS
					-10	3.92	0.00226	PASS
					0	0.37	0.00021	PASS
					10	1.40	0.00081	PASS
					20	-0.66	-0.00038	PASS
					30	0.92	0.00053	PASS
					40	0.16	0.00009	PASS
					50	2.63	0.00152	PASS
			HCH	VN	-30	4.79	0.00274	PASS
					-20	3.66	0.00209	PASS
					-10	5.09	0.00291	PASS
					0	4.35	0.00249	PASS
					10	3.28	0.00187	PASS
					20	2.33	0.00133	PASS
					30	4.06	0.00232	PASS
					40	3.75	0.00214	PASS
					50	3.46	0.00198	PASS
		15	LCH	VN	-30	-0.16	-0.00009	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-0.73	-0.00043	PASS
					-10	-0.69	-0.0004	PASS
					0	0.07	0.00004	PASS
					10	-2.17	-0.00126	PASS
					20	-3.02	-0.00176	PASS
					30	-1.97	-0.00115	PASS
					40	-2.90	-0.00169	PASS
					50	-1.53	-0.00089	PASS
			MCH	VN	-30	-1.59	-0.00092	PASS
					-20	1.40	0.00081	PASS
					-10	-0.92	-0.00053	PASS
					0	0.07	0.00004	PASS
					10	1.26	0.00073	PASS
					20	4.21	0.00243	PASS
					30	-5.24	-0.00302	PASS
					40	-2.50	-0.00144	PASS
					50	0.49	0.00028	PASS
			HCH	VN	-30	4.52	0.00259	PASS
					-20	4.05	0.00232	PASS
					-10	5.46	0.00312	PASS
					0	-0.82	-0.00047	PASS
					10	4.43	0.00254	PASS
					20	10.97	0.00628	PASS
					30	7.38	0.00422	PASS
					40	15.82	0.00905	PASS
					50	6.68	0.00382	PASS
		20	LCH	VN	-30	1.50	0.00087	PASS
					-20	2.26	0.00131	PASS
					-10	2.13	0.00124	PASS
					0	2.02	0.00117	PASS
					10	0.59	0.00034	PASS
					20	1.79	0.00104	PASS
					30	0.77	0.00045	PASS
					40	2.78	0.00162	PASS
					50	1.44	0.00084	PASS
			MCH	VN	-30	-7.52	-0.00434	PASS
					-20	0.14	0.00008	PASS
					-10	0.27	0.00016	PASS
					0	-0.46	-0.00027	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					10	-2.40	-0.00139	PASS
					20	-0.30	-0.00017	PASS
					30	-1.67	-0.00096	PASS
					40	-1.80	-0.00104	PASS
					50	-5.46	-0.00315	PASS
			HCH	VN	-30	-3.00	-0.00172	PASS
					-20	6.88	0.00394	PASS
					-10	-4.33	-0.00248	PASS
					0	-6.44	-0.00369	PASS
					10	-1.20	-0.00069	PASS
					20	-11.54	-0.00661	PASS
					30	-3.96	-0.00227	PASS
					40	-2.10	-0.0012	PASS
					50	-13.45	-0.00771	PASS

END