Appendix A: 20dB Emission Bandwidth (EBW)

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

EUT Conf.	EBW [MHz]	Verdict
TM1_DH5_Ch0	0.957	Pass
TM1_DH5_Ch39	0.959	Pass
TM1_DH5_Ch78	0.959	Pass
TM2_2DH5_Ch0	1.276	Pass
TM2_2DH5_Ch39	1.279	Pass
TM2_2DH5_Ch78	1.282	Pass
TM3_3DH5_Ch0	1.279	Pass
TM3_3DH5_Ch39	1.280	Pass
TM3_3DH5_Ch78	1.276	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

2.1 TM1_DH5_Ch0



Copyright © Huawei Technologies Co., Ltd.

2.2 TM1_DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.3 TM1_DH5_Ch78



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2.4 TM2_2DH5_Ch0



Copyright © Huawei Technologies Co., Ltd.

2.5 TM2_2DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.6 TM2_2DH5_Ch78



Copyright © Huawei Technologies Co., Ltd.

2.7 TM3_3DH5_Ch0



Copyright © Huawei Technologies Co., Ltd.

2.8 TM3_3DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.9 TM3_3DH5_Ch78



Copyright © Huawei Technologies Co., Ltd.

Appendix B: Carrier Frequency Separation

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

EUT Conf.	Carrier Frequency Separation [MHz]	Verdict
TM1_DH5_Hop	1.10	Pass
TM2_2DH5_Hop	1.20	Pass
TM3_3DH5_Hop	1.15	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

2.1 TM1_DH5_Hop



Copyright © Huawei Technologies Co., Ltd.

2.2 TM2_2DH5_Hop



Copyright © Huawei Technologies Co., Ltd.

2.3 TM3_3DH5_Hop



Copyright © Huawei Technologies Co., Ltd.

Appendix C: Number of Hopping Channel

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

EUT Conf.	Number of Hopping Channel	Verdict
TM1_DH5_Hop	79	Pass
TM2_2DH5_Hop	79	Pass
TM3_3DH5_Hop	79	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

2.1 TM1_DH5_Hop



Copyright © Huawei Technologies Co., Ltd.

2.2 TM2_2DH5_Hop



Copyright © Huawei Technologies Co., Ltd.

2.3 TM3_3DH5_Hop



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

Appendix D: Time of Occupancy (Dwell Time)

Copyright © Huawei Technologies Co., Ltd.

1 Result Table

The Dwell Time = Burst Width * Total Hops. The detailed calculations are showed as follows:

- The duration for dwell time calculation: 0.4 [s] * hopping number = 0.4 [s] * 79 [ch] = 31.6 [s*ch];
- The burst width [ms/hop/ch], which is directly measured, refers to the duration on one channel hop.
- The hops per second for all channels: The selected EUT Conf uses a slot type of 5-Tx&1-Rx and a hopping rate of 1600 [ch*hop/s] for all channels. So the final hopping rate for all channels is 1600 / 6 = 266.67 [ch*hop/s];
- The hops per second on one channel: 266.67 [ch*hop/s] / 79 [ch] =3.38 [hop/s];
- The total hops for all channels within the dwell time calculation duration: 3.38 [hop/s] * 31.6 [s*ch] = 106.67 [hop*ch];
- The dwell time for all channels hopping: 106.67 [hop*ch] * Burst Width [ms/hop/ch].

EUT Conf.	Burst Width [ms/hop/ch]	Total Hops [hop*ch]	Dwell Time [s]	Verdict
TM1_DH5_Ch39	2.9	106.67	0.309	Pass
TM2_2DH5_Ch39	2.9	106.67	0.309	Pass
TM3_3DH5_Ch39	2.9	106.67	0.309	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

NOTE: The test plots are only for Burst Width measurements.

2.1 TM1_DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.2 TM2_2DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.3 TM3_3DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

Appendix E: Maximum Peak Conducted Output Power

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

EUT Conf.	Max. Peak Power [dBm]	Verdict
TM1_DH5_Ch0	3.81	Pass
TM1_DH5_Ch39	3.8	Pass
TM1_DH5_Ch78	4.83	Pass
TM2_2DH5_Ch0	4.67	Pass
TM2_2DH5_Ch39	4.6	Pass
TM2_2DH5_Ch78	5.71	Pass
TM3_3DH5_Ch0	4.74	Pass
TM3_3DH5_Ch39	4.69	Pass
TM3_3DH5_Ch78	5.73	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

2.1 TM1_DH5_Ch0



Copyright © Huawei Technologies Co., Ltd.

2.2 TM1_DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.3 TM1_DH5_Ch78



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2.4 TM2_2DH5_Ch0



Copyright © Huawei Technologies Co., Ltd.

2.5 TM2_2DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.6 TM2_2DH5_Ch78



Copyright © Huawei Technologies Co., Ltd.

2.7 TM3_3DH5_Ch0



Copyright © Huawei Technologies Co., Ltd.

2.8 TM3_3DH5_Ch39



Copyright © Huawei Technologies Co., Ltd.

2.9 TM3_3DH5_Ch78



Copyright © Huawei Technologies Co., Ltd.

Appendix F: Band edge spurious emission

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

EUT Conf.	Channel No.	Carrier Frequency [MHz]	Max. Spurious Level [dBm]	Frequency Hopping	Carrier Power [dBm]	Limit [dBm]	Result
TM1_DH5_Ch0	0	2402	-50.84	Off	3.88	-16.12	Pass
	-	-	-53.74	On	3.37	-16.63	Pass
TM1_DH5_Ch78	78	2480	-54.33	Off	4.76	-15.24	Pass
	-	-	-54.21	On	4.72	-15.28	Pass
TM2_2DH5_Ch0	0	2402	-53.11	Off	2.77	-17.23	Pass
	-	-	-55.11	On	1.84	-18.16	Pass
TM2_2DH5_Ch78	78	2480	-53.62	Off	3.88	-16.12	Pass
	-	-	-54.52	On	0.89	-19.11	Pass
TM3_3DH5_Ch0	0	2402	-52.8	Off	2.46	-17.54	Pass
	-	-	-54.88	On	1.10	-18.9	Pass
TM3_3DH5_Ch78	78	2480	-54.5	Off	3.58	-16.42	Pass
	-	-	-54.77	On	1.31	-18.69	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

2.1 TM1_DH5_Ch0

No hopping



Copyright © Huawei Technologies Co., Ltd.

With hopping



Copyright © Huawei Technologies Co., Ltd.

2.2 TM1_DH5_Ch78

No hopping



Copyright © Huawei Technologies Co., Ltd.

With hopping



Copyright © Huawei Technologies Co., Ltd.

2.3 TM2_2DH5_Ch0

No hopping



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

With hopping



Copyright © Huawei Technologies Co., Ltd.

2.4 TM2_2DH5_Ch78

No hopping



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

With hopping



Copyright © Huawei Technologies Co., Ltd.

2.5 TM3_3DH5_Ch0

No hopping



Copyright © Huawei Technologies Co., Ltd.

With hopping



Copyright © Huawei Technologies Co., Ltd.

2.6 TM3_3DH5_Ch78

No hopping



Copyright © Huawei Technologies Co., Ltd.

With hopping



Copyright © Huawei Technologies Co., Ltd.

Appendix G: Conducted RF Spurious Emission

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

In this Appendix, the “Pref” refers to the peak power level in any 100 kHz bandwidth within the fundamental emission which is used as the reference level, the “Puw” referrers to the maximum emission power in 100 kHz band segments outside of the authorized frequency band.

Considering that the higher ratio of RBW to the span for the frequency ranges below 30 MHz makes the results determination be complicated, a narrower RBW other than 100 kHz is used for these ranges. The measured value should add a RBW correction factor (RBWCF) where RBWCF [dB] = 10 x lg(100 [kHz]/narrower RBW [kHz]). As to this Appendix, the narrower RBW is 1 kHz and RBWCF is 20 dB for the frequency 9 kHz to 150 kHz, and the narrower RBW is 10 kHz and RBWCF is 10 dB for the frequency 150 kHz to 30 MHz.

In the result table, the “< Limit” denotes that “The Puw [dBm] is less than Pref [dBm] - 20 [dB], see test plots for detailed”.

EUT Conf.	Pref [dBm/100 kHz]	Puw [dBm/100 kHz]	Verdict
TM1_DH5_Ch0	3.79	< Limit	Pass
TM1_DH5_Ch39	3.66	< Limit	Pass
TM1_DH5_Ch78	4.83	< Limit	Pass
TM2_2DH5_Ch0	2.72	< Limit	Pass
TM2_2DH5_Ch39	2.71	< Limit	Pass
TM2_2DH5_Ch78	3.79	< Limit	Pass
TM3_3DH5_Ch0	2.41	< Limit	Pass
TM3_3DH5_Ch39	2.46	< Limit	Pass
TM3_3DH5_Ch78	3.49	< Limit	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Test Plot

2.1 TM1_DH5_Ch0

2.1.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.1.2 Puw


Agilent
R T
Freq/Channel
Mkr1 12.57 kHz
Ref 20 dBm
#Atten 30 dB
-66.00 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-36.2
dBm
LgAv
DC Coupled
M1 S2
S3 FC
£(f):
f<50k
Swp
Center Freq
79.5000000 kHz
Start Freq
9.00000000 kHz
Stop Freq
150.000000 kHz
CF Step
14.1000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 79.50 kHz
Span 141 kHz
#Res BW 1 kHz
#VBW 10 kHz
Sweep 130.2 ms (1000 pts)
Copyright 2000-2008 Agilent Technologies


Agilent
R T
Freq/Channel
Mkr1 210 kHz
Ref 20 dBm
#Atten 30 dB
-64.45 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-26.2
dBm
LgAv
DC Coupled
M1 S2
S3 FC
£(f):
FTun
Swp
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 2.974 7 GHz
Ref 20 dBm
#Atten 30 dB
-47.03 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-16.2
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
Center 14.500 0 GHz
Span 24 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 2.294 s (8192 pts)
Center Freq
14.5000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
26.5000000 GHz
CF Step
2.40000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2008 Agilent Technologies

2.2 TM1_DH5_Ch39

2.2.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.2.2 Puw



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 225 kHz
Ref 20 dBm
#Atten 30 dB
-64.45 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-26.3
dBm
LgAv
DC Coupled
M1 S2
S3 FC
£(f):
FTun
Swp
1
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 6.104 0 GHz
Ref 20 dBm
#Atten 30 dB
-47.03 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-16.3
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
Center 14.500 0 GHz
Span 24 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 2.294 s (8192 pts)
Center Freq
14.5000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
26.5000000 GHz
CF Step
2.40000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2008 Agilent Technologies

2.3 TM1_DH5_Ch78

2.3.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.3.2 Puw



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 583 kHz
Ref 20 dBm
#Atten 30 dB
-64.38 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-25.2
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
DC Coupled
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 2.382 316 GHz
Ref 20 dBm
#Atten 30 dB
-53.94 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-15.2
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
Center Freq
2.35000000 GHz
Start Freq
2.30000000 GHz
Stop Freq
2.40000000 GHz
CF Step
10.0000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 2.350 000 GHz
Span 100 MHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 9.665 ms (5000 pts)
Copyright 2000-2008 Agilent Technologies



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.

2.4 TM2_2DH5_Ch0

2.4.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.4.2 Puw



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 404 kHz
Ref 20 dBm
#Atten 30 dB
-64.05 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-27.3
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
DC Coupled
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies


Agilent
R T
Freq/Channel
Mkr1 2.098 80 GHz
Ref 20 dBm
#Atten 30 dB
-54.75 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-17.3
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
Center Freq
1.16500000 GHz
Start Freq
30.0000000 MHz
Stop Freq
2.30000000 GHz
CF Step
227.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 1.165 00 GHz
Span 2.27 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 217.3 ms (8192 pts)
Copyright 2000-2008 Agilent Technologies



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 2.974 7 GHz
Ref 20 dBm
#Atten 30 dB
-46.16 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-17.3
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
Center 14.500 0 GHz
Span 24 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 2.294 s (8192 pts)
Center Freq
14.5000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
26.5000000 GHz
CF Step
2.40000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2008 Agilent Technologies

2.5 TM2_2DH5_Ch39

2.5.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.5.2 Puw



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 1.778 MHz
Ref 20 dBm
#Atten 30 dB
-64.14 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-27.3
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
DC Coupled
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies


Agilent
R T
Freq/Channel
Mkr1 1.154 05 GHz
Ref 20 dBm
#Atten 30 dB
-55.06 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-17.3
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
Center Freq
1.16500000 GHz
Start Freq
30.0000000 MHz
Stop Freq
2.30000000 GHz
CF Step
227.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 1.165 00 GHz
Span 2.27 GHz
#Res BW 100 kHz
#VBW 300 kHz
Sweep 217.3 ms (8192 pts)
Copyright 2000-2008 Agilent Technologies



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.

2.6 TM2_2DH5_Ch78

2.6.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.6.2 Puw



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.

2.7 TM3_3DH5_Ch0

2.7.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.7.2 Puw



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 449 kHz
Ref 20 dBm
#Atten 30 dB
-64.32 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-27.6
dBm
LgAv
M1 S2
S3 FC
£(f):
FTun
Swp
DC Coupled
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.

2.8 TM3_3DH5_Ch39

2.8.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.8.2 Puw



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.

2.9 TM3_3DH5_Ch78

2.9.1 Pref



Copyright © Huawei Technologies Co., Ltd.

2.9.2 Puw



Copyright © Huawei Technologies Co., Ltd.


Agilent
R T
Freq/Channel
Mkr1 1.165 MHz
Ref 20 dBm
#Atten 30 dB
-64.60 dBm
#Peak
Log
10
dB/
Offst
7
dB
Dl
-26.5
dBm
LgAv
M1 S2
S3 FS
£(f):
FTun
Swp
DC Coupled
Center Freq
15.0750000 MHz
Start Freq
150.000000 kHz
Stop Freq
30.0000000 MHz
CF Step
2.98500000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 15.075 MHz
Span 29.85 MHz
#Res BW 10 kHz
#VBW 30 kHz
Sweep 285.3 ms (2000 pts)
Copyright 2000-2008 Agilent Technologies



Copyright © Huawei Technologies Co., Ltd.



Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.



Copyright © Huawei Technologies Co., Ltd.

Appendix H: Radiated Emissions in the Restricted Bands

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

The whole testing range is from “30 MHz to 26.5 GHz (10th harmonics)” is divided into 4 parts according to the test site settings, which are:

- (Part 1): Test range of “30 MHz to 1 GHz”,
- (Part 2): Test range of “18 GHz to 26.5 GHz”.
- (Part 3): Test range of “2.3 GHz to 2.5 GHz”, and
- (Part 4): Test range of “1 GHz to 18 GHz”.

In this Appendix, only the test results and plots under the worst case can be reported. In the result table, the “< Limit” denotes that “Not found obvious spikes or see marked spikes on plots and listed emissions records”.

Test Range	EUT Conf.	Emissions	Verdict
30 MHz to 1 GHz	TM1_DH5_Ch0 (Worst Conf.)	< Limit	Pass
18 GHz to 26.5 GHz	TM1_DH5_Ch0 (Worst Conf.)	< Limit	Pass
2.3 GHz to 2.5 GHz	TM1_DH5_Ch0 (Worst Conf.)	< Limit	Pass
	TM1_DH5_Ch78 (Worst Conf.)	< Limit	Pass
1 GHz to 18 GHz	TM1_DH5_Ch0 (Worse Conf.)	< Limit	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Result Plot

2.1 Part 1: Testing Range of “30 MHz to 1 GHz”

Note 1: The test results and plot for testing range of “30 MHz to 1 GHz” showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.

Note 2: The emissions in this range are mainly from the Platform Device (Notepad PC and its ancillary components).



Frequency MHz	Level dBµV/m	Transd dB	Limit dBµV/m	Margin dB	Height cm	Azimuth deg	Plarization
34.120000	30.00	14.3	40.0	10.0	100.0	43.00	VERTICAL
57.756000	22.40	13.7	40.0	17.6	191.0	87.00	VERTICAL
157.624000	22.30	10.1	43.5	21.2	200.0	0.00	HORIZONTAL
345.592000	26.70	16.5	46.0	19.3	100.0	228.00	HORIZONTAL
670.076000	29.60	22.0	46.0	16.4	200.0	73.00	VERTICAL
878.052000	32.60	24.7	46.0	13.4	158.0	215.00	VERTICAL

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2.2 Part 2: Testing Range of “18 GHz to 26.5 GHz”

Note: No peak found in pre- test.



Copyright © Huawei Technologies Co., Ltd.

2.3 Part 3: Testing Range of "2.3GHz to 2.5GHz"

Note 1: The testing range of "2.3 GHz to 2.5 GHz" is for checking radiated emissions located in restricted bands near the EUT operating bands.

Note 2: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dBμV/m) and Average Limit (54 dBμV/m).

Note 3: The peak spike exceeds the limit line is EUT's operating frequency.

Test Mode:

Channel 00



Note: The peak exceeds the limit line is carrier frequency.

MEASUREMENT RESULT: PK Detector

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Height cm	Azimuth deg	Polarization
2390.000000	58.10	34.7	74.0	15.9	158.0	168.00	HORIZONTAL

MEASUREMENT RESULT: AVDetector

Frequency MHz	Level dBμV/m	Transd dB	Limit dBμV/m	Margin dB	Height cm	Azimuth deg	Polarization
2390.000000	45.70	34.7	54.0	8.3	100.0	239.00	HORIZONTAL

Channel 78

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.



Note: The peak exceeds the limit line is carrier frequency.

MEASUREMENT RESULT: PK Detector

Frequency MHz	Level dBµV/m	Transd dB	Limit dBµV/m	Margin dB	Height cm	Azimuth deg	Polarization
2483.500000	60.60	35.0	74.0	13.4	102.0	165.00	HORIZONTAL

MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dBµV/m	Transd dB	Limit dBµV/m	Margin dB	Height cm	Azimuth deg	Polarization
2483.500000	46.70	35.0	54.0	7.3	113.0	222.00	HORIZONTAL

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2.4 Part 4: Testing Range of “1 GHz to 18 GHz”

Note 1: The test results and plot for testing range of “1 GHz to 18 GHz” showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.

Note 2: The testing range of “1 GHz to 18 GHz” is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.

Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dBµV/m) and Average Limit (54 dBµV/m).



Copyright © Huawei Technologies Co., Ltd.

Appendix I: AC Power Line Conducted Emissions

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

1 Result Table

In this Appendix, only the test results and plots under the worst case can be reported.

EUT Conf.	Maximum Emissions	Verdict
TM1_DH5_Ch39	Not found obvious spikes or see marked spikes on plots and listed emissions records.	Pass

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.

2 Result Plot

2.1 TM1_DH5_Ch39

Channel 40



MEASUREMENT RESULT: QP Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Line	PE
0.236151	44.6	9.7	62.2	17.6	N	FLO
0.523556	44.9	9.7	56	11.1	N	FLO
1.233232	44.2	9.7	56	11.8	L	FLO
2.324423	42.7	9.7	56	13.3	N	FLO
6.780341	43	9.9	60	17	N	FLO
16.97801	32.9	10.1	60	27.1	N	FLO

MEASUREMENT RESULT: AV Detector

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Line	PE
0.238063	38.8	9.7	52.2	13.4	N	FLO
0.521802	38.3	9.7	46	7.7	N	FLO
1.565498	34.9	9.7	46	11.1	N	FLO
5.654992	26.7	9.8	50	23.3	N	FLO
11.59637	24	10	50	26	L	FLO
16.96124	19.2	10.1	50	30.8	N	FLO

END

Huawei Proprietary and Confidential
Copyright © Huawei Technologies Co., Ltd.