


ANNEX I: The EUT Appearances and Test Configuration



a: EUT



b: Battery




c: Back View

Picture 8: Constituents of EUT

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1108-1463SAR01R1


Page 195 of 200



Picture 9: Left Hand Touch Cheek Position



Picture 10: Left Hand Tilt 15 Degree Position



Picture 11: Right Hand Touch Cheek Position




Picture 12: Right Hand Tilt 15 Degree Position


TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1108-1463SAR01R1

Page 197 of 200



Picture 13: Back Side, the distance from handset to the bottom of the Phantom is 10mm



Picture 14: Front Side, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1108-1463SAR01R1

Page 198 of 200



Picture 15: left edge, the distance from handset to the bottom of the Phantom is 10mm



Picture 16: right edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1108-1463SAR01R1

Page 199 of 200



Picture 17: Top edge, the distance from handset to the bottom of the Phantom is 10mm




Picture 18: bottom edge, the distance from handset to the bottom of the Phantom is 10mm

TA Technology (Shanghai) Co., Ltd.
Test Report

Report No.: RZA1108-1463SAR01R1

Page 200 of 200



Picture 19: Back Side with earphone, the distance from handset to the bottom of the Phantom is 10mm