


4.9.1.19 11N20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	90.94	7.68	68.30	-22.64	150	221	Vertical
2	5240.00	80.86	7.68	0.00	-80.86	150	221	Vertical
3	5359.74	34.95	7.86	54.00	19.05	150	109	Vertical
4	5363.17	49.53	7.87	74.00	24.47	150	295	Vertical
5	5383.97	48.70	7.91	74.00	25.30	150	248	Vertical
6	5394.32	35.17	7.93	54.00	18.83	150	221	Vertical



4.9.1.20 11N20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	98.72	7.68	68.30	-30.42	150	223	Horizontal
2	5240.00	89.07	7.68	0.00	-89.07	150	228	Horizontal
3	5354.16	48.55	7.85	74.00	25.45	150	223	Horizontal
4	5358.21	35.14	7.86	54.00	18.86	150	223	Horizontal
5	5392.43	38.03	7.92	54.00	15.97	150	228	Horizontal
6	5395.40	50.34	7.93	74.00	23.66	150	223	Horizontal




4.9.1.21 11N20_52 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.19	34.78	7.48	54.00	19.22	150	339	Vertical
2	5110.62	49.61	7.49	74.00	24.39	150	273	Vertical
3	5130.16	48.43	7.52	74.00	25.57	150	89	Vertical
4	5141.87	34.74	7.54	54.00	19.26	150	142	Vertical
5	5260.00	91.74	7.70	68.30	-23.44	150	216	Vertical
6	5260.00	81.48	7.70	0.00	-81.48	150	226	Vertical



4.9.1.22 11N20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5106.39	49.17	7.48	74.00	24.83	150	190	Horizontal
2	5108.10	35.86	7.48	54.00	18.14	150	227	Horizontal
3	5143.49	34.95	7.54	54.00	19.05	150	232	Horizontal
4	5146.46	49.13	7.55	74.00	24.87	150	142	Horizontal
5	5260.00	99.67	7.70	68.30	-31.37	150	223	Horizontal
6	5260.00	89.35	7.70	0.00	-89.35	150	227	Horizontal



4.9.1.23 11N20 64 ANT 1 Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	86.82	7.78	68.30	-18.52	150	227	Vertical
2	5320.00	76.65	7.78	0.00	-76.65	150	227	Vertical
3	5351.62	48.86	7.84	74.00	25.14	150	16	Vertical
4	5352.72	35.11	7.85	54.00	18.89	150	222	Vertical
5	5383.69	48.62	7.91	74.00	25.38	150	124	Vertical
6	5385.89	35.11	7.91	54.00	18.89	150	110	Vertical




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Calibration Laboratory

Unless otherwise agreed in writing this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is deemed to have accepted the terms and conditions of the document and to have agreed to be bound by the terms and conditions of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or omission of any part of the document is strictly prohibited and may constitute a criminal offence. If the holder has otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,
 or email: CN.Doecheck@sgs.com.
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.9.1.24 11N20_64 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	94.60	7.78	68.30	-26.30	150	232	Horizontal
2	5320.00	84.57	7.78	0.00	-84.57	150	232	Horizontal
3	5350.02	50.02	7.84	74.00	23.98	150	36	Horizontal
4	5352.37	36.31	7.84	54.00	17.69	150	236	Horizontal
5	5385.59	49.81	7.91	74.00	24.19	150	255	Horizontal
6	5390.09	35.93	7.92	54.00	18.07	150	232	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.25 11N20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5412.54	38.45	7.96	54.00	15.55	150	132	Vertical
2	5454.08	52.95	8.03	74.00	21.05	150	339	Vertical
3	5454.74	38.70	8.03	54.00	15.30	150	301	Vertical
4	5465.19	52.60	8.04	68.30	15.70	150	117	Vertical
5	5500.00	85.33	8.10	68.30	-17.03	150	305	Vertical
6	5500.00	74.42	8.10	0.00	-74.42	150	298	Vertical



4.9.1.26 11N20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5410.26	38.39	7.96	54.00	15.61	150	14	Horizontal
2	5443.46	38.62	8.01	54.00	15.38	150	249	Horizontal
3	5454.08	52.79	8.03	74.00	21.21	150	126	Horizontal
4	5467.29	52.63	8.05	68.30	15.67	150	171	Horizontal
5	5500.00	83.83	8.10	68.30	-15.53	150	163	Horizontal
6	5500.00	73.13	8.10	0.00	-73.13	150	167	Horizontal



4.9.1.27 11N20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	88.14	8.51	68.30	-19.84	150	296	Vertical
2	5729.59	50.64	8.58	68.30	17.66	150	299	Vertical
3	5758.99	50.07	8.65	68.30	18.23	150	26	Vertical
4	5779.67	49.79	8.69	68.30	18.51	150	278	Vertical



4.9.1.28 11N20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	88.36	8.51	68.30	-20.06	150	120	Horizontal
2	5730.96	50.01	8.58	68.30	18.29	150	74	Horizontal
3	5760.94	49.63	8.65	68.30	18.67	150	61	Horizontal
4	5778.37	50.02	8.69	68.30	18.28	150	302	Horizontal



4.9.1.29 11N20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5646.65	49.74	8.42	68.30	18.56	150	149	Vertical
2	5680.62	49.44	8.48	90.96	41.52	150	274	Vertical
3	5720.26	49.90	8.56	111.49	61.59	150	184	Vertical
4	5745.00	86.97	8.61	0.00	-86.97	150	282	Vertical



4.9.1.30 11N20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5641.89	49.59	8.42	68.30	18.71	150	40	Horizontal
2	5694.41	49.83	8.50	101.17	51.34	150	319	Horizontal
3	5713.88	50.20	8.54	109.19	58.99	150	208	Horizontal
4	5745.00	86.70	8.61	0.00	-86.70	150	110	Horizontal



4.9.1.31 11N20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	88.47	8.82	0.00	-88.47	150	278	Vertical
2	5872.88	50.52	8.96	105.89	55.37	150	127	Vertical
3	5900.80	49.99	9.04	86.21	36.22	150	341	Vertical
4	5936.47	50.01	9.15	68.30	18.29	150	49	Vertical



4.9.1.32 11N20_165 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	87.91	8.82	0.00	-87.91	150	113	Horizontal
2	5862.65	49.92	8.93	108.76	58.84	150	271	Horizontal
3	5882.96	50.57	8.99	99.40	48.83	150	127	Horizontal
4	5938.40	49.76	9.16	68.30	18.54	150	186	Horizontal



4.9.1.33 11N40_38 ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5106.30	48.55	7.48	74.00	25.45	150	271	Vertical
2	5110.74	34.82	7.49	54.00	19.18	150	248	Vertical
3	5131.75	49.21	7.52	74.00	24.79	150	256	Vertical
4	5142.62	34.74	7.54	54.00	19.26	150	232	Vertical
5	5190.00	67.61	7.62	0.00	-67.61	150	228	Vertical
6	5190.00	79.71	7.62	68.30	-11.41	150	151	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.34 11N40_38 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5100.54	49.36	7.47	74.00	24.64	150	44	Horizontal
2	5110.56	35.22	7.49	54.00	18.78	150	234	Horizontal
3	5142.14	35.47	7.54	54.00	18.53	150	237	Horizontal
4	5148.26	51.35	7.55	74.00	22.65	150	234	Horizontal
5	5190.00	89.94	7.62	68.30	-21.64	150	237	Horizontal
6	5190.00	76.97	7.62	0.00	-76.97	150	234	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.35 11N40_46 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	86.10	7.67	68.30	-17.80	150	228	Vertical
2	5230.00	73.52	7.67	0.00	-73.52	150	228	Vertical
3	5366.38	48.78	7.87	74.00	25.22	150	236	Vertical
4	5374.98	35.78	7.89	54.00	18.22	150	228	Vertical
5	5389.69	34.93	7.92	54.00	19.07	150	360	Vertical
6	5395.09	48.87	7.93	74.00	25.13	150	174	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.36 11N40_46 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	93.25	7.67	68.30	-24.95	150	222	Horizontal
2	5230.00	81.92	7.67	0.00	-81.92	150	232	Horizontal
3	5372.98	39.34	7.89	54.00	14.66	150	222	Horizontal
4	5373.08	51.25	7.89	74.00	22.75	150	78	Horizontal
5	5394.49	49.50	7.93	74.00	24.50	150	83	Horizontal
6	5397.69	35.56	7.94	54.00	18.44	150	222	Horizontal



4.9.1.37 11N40_54 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5115.40	48.39	7.50	74.00	25.61	150	221	Vertical
2	5118.30	34.73	7.50	54.00	19.27	150	173	Vertical
3	5137.91	34.63	7.53	54.00	19.37	150	16	Vertical
4	5149.52	49.67	7.55	74.00	24.33	150	246	Vertical
5	5270.00	85.62	7.71	68.30	-17.32	150	231	Vertical
6	5270.00	73.29	7.71	0.00	-73.29	150	236	Vertical



4.9.1.38 11N40_54 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5105.60	34.81	7.48	54.00	19.19	150	212	Horizontal
2	5108.90	48.84	7.49	74.00	25.16	150	12	Horizontal
3	5126.71	49.64	7.52	74.00	24.36	150	203	Horizontal
4	5127.01	37.61	7.52	54.00	16.39	150	231	Horizontal
5	5270.00	93.43	7.71	68.30	-25.13	150	231	Horizontal
6	5270.00	80.79	7.71	0.00	-80.79	150	236	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.39 11N40_62 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	79.43	7.76	68.30	-11.13	150	228	Vertical
2	5310.00	67.42	7.76	0.00	-67.42	150	233	Vertical
3	5364.52	48.62	7.87	74.00	25.38	150	177	Vertical
4	5364.76	34.83	7.87	54.00	19.17	150	187	Vertical
5	5389.67	34.84	7.92	54.00	19.16	150	68	Vertical
6	5393.39	49.45	7.93	74.00	24.55	150	182	Vertical



4.9.1.40 11N40_62 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	87.48	7.76	68.30	-19.18	150	232	Horizontal
2	5310.00	74.36	7.76	0.00	-74.36	150	237	Horizontal
3	5359.35	35.39	7.86	54.00	18.61	150	232	Horizontal
4	5374.84	49.22	7.89	74.00	24.78	150	232	Horizontal
5	5391.59	35.10	7.92	54.00	18.90	150	228	Horizontal
6	5394.83	48.55	7.93	74.00	25.45	150	92	Horizontal



4.9.1.41 11N40_102 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5419.96	38.54	7.97	54.00	15.46	150	356	Vertical
2	5428.57	52.32	7.99	74.00	21.68	150	78	Vertical
3	5450.56	38.58	8.02	54.00	15.42	150	83	Vertical
4	5468.49	51.86	8.05	68.30	16.44	150	285	Vertical
5	5510.00	81.64	8.13	68.30	-13.34	150	285	Vertical
6	5510.00	70.36	8.13	0.00	-70.36	150	285	Vertical



4.9.1.42 11N40_102 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5423.74	52.58	7.98	74.00	21.42	150	243	Horizontal
2	5431.65	39.14	7.99	54.00	14.86	150	233	Horizontal
3	5458.61	38.90	8.03	54.00	15.10	150	228	Horizontal
4	5464.08	52.46	8.04	68.30	15.84	150	243	Horizontal
5	5510.00	76.49	8.13	0.00	-76.49	150	233	Horizontal
6	5510.00	88.40	8.13	68.30	-20.10	150	74	Horizontal



4.9.1.43 11N40_134 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	80.80	8.46	68.30	-12.50	150	310	Vertical
2	5709.26	49.52	8.53	68.30	18.78	150	22	Vertical
3	5745.33	49.91	8.61	68.30	18.39	150	246	Vertical
4	5772.99	49.64	8.68	68.30	18.66	150	167	Vertical



4.9.1.44 11N40_134 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	80.40	8.46	68.30	-12.10	150	178	Horizontal
2	5718.85	49.86	8.55	68.30	18.44	150	153	Horizontal
3	5752.26	49.97	8.63	68.30	18.33	150	325	Horizontal
4	5771.38	49.52	8.67	68.30	18.78	150	300	Horizontal



4.9.1.45 11N40_151 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.10	49.24	8.42	68.30	19.06	150	58	Vertical
2	5710.01	60.52	8.53	108.10	47.58	150	276	Vertical
3	5719.32	66.92	8.55	110.71	43.79	150	297	Vertical
4	5755.00	87.81	8.64	0.00	-87.81	150	322	Vertical



4.9.1.46 11N40_151 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.87	49.47	8.42	68.30	18.83	150	63	Horizontal
2	5708.62	58.48	8.53	107.71	49.23	150	127	Horizontal
3	5719.78	66.56	8.56	110.84	44.28	150	131	Horizontal
4	5755.00	86.96	8.64	0.00	-86.96	150	134	Horizontal



4.9.1.47 11N40_159 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	87.49	8.73	0.00	-87.49	150	284	Vertical
2	5874.46	50.56	8.96	105.45	54.89	150	280	Vertical
3	5890.77	50.35	9.01	93.63	43.28	150	351	Vertical
4	5941.69	50.64	9.17	68.30	17.66	150	265	Vertical



4.9.1.48 11N40_159 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	86.55	8.73	0.00	-86.55	150	128	Horizontal
2	5858.05	50.51	8.91	110.04	59.53	150	131	Horizontal
3	5896.97	49.83	9.03	89.04	39.21	150	135	Horizontal
4	5939.49	51.00	9.16	68.30	17.30	150	142	Horizontal




4.9.1.49 11AC20_36 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5105.90	48.70	7.48	74.00	25.30	150	14	Vertical
2	5107.50	34.70	7.48	54.00	19.30	150	32	Vertical
3	5134.26	49.23	7.53	74.00	24.77	150	204	Vertical
4	5137.76	34.78	7.53	54.00	19.22	150	337	Vertical
5	5180.00	85.94	7.61	68.30	-17.64	150	239	Vertical
6	5180.00	75.37	7.61	0.00	-75.37	150	231	Vertical



4.9.1.50 11AC20_36 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.55	35.05	7.49	54.00	18.95	150	202	Horizontal
2	5117.15	48.59	7.50	74.00	25.41	150	48	Horizontal
3	5146.42	35.93	7.55	54.00	18.07	150	229	Horizontal
4	5149.82	52.81	7.55	74.00	21.19	150	202	Horizontal
5	5180.00	94.62	7.61	68.30	-26.32	150	225	Horizontal
6	5180.00	84.39	7.61	0.00	-84.39	150	229	Horizontal



4.9.1.51 11AC20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	92.14	7.68	68.30	-23.84	150	230	Vertical
2	5240.00	81.07	7.68	0.00	-81.07	150	225	Vertical
3	5359.65	49.46	7.86	74.00	24.54	150	184	Vertical
4	5362.00	34.95	7.86	54.00	19.05	150	25	Vertical
5	5390.09	48.96	7.92	74.00	25.04	150	338	Vertical
6	5392.07	35.32	7.92	54.00	18.68	150	225	Vertical



4.9.1.52 11AC20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	99.12	7.68	68.30	-30.82	150	231	Horizontal
2	5240.00	88.72	7.68	0.00	-88.72	150	226	Horizontal
3	5353.17	49.25	7.85	74.00	24.75	150	344	Horizontal
4	5355.33	35.45	7.85	54.00	18.55	150	226	Horizontal
5	5392.16	37.67	7.92	54.00	16.33	150	231	Horizontal
6	5392.79	50.28	7.93	74.00	23.72	150	226	Horizontal



4.9.1.53 11AC20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.50	48.73	7.49	74.00	25.27	150	208	Vertical
2	5113.59	34.74	7.49	54.00	19.26	150	273	Vertical
3	5143.49	48.31	7.54	74.00	25.69	150	72	Vertical
4	5143.94	34.85	7.54	54.00	19.15	150	198	Vertical
5	5260.00	92.08	7.70	68.30	-23.78	150	236	Vertical
6	5260.00	80.92	7.70	0.00	-80.92	150	226	Vertical



4.9.1.54 11AC20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5107.74	35.94	7.48	54.00	18.06	150	227	Horizontal
2	5110.53	48.32	7.49	74.00	25.68	150	260	Horizontal
3	5148.80	48.66	7.55	74.00	25.34	150	344	Horizontal
4	5149.07	35.03	7.55	54.00	18.97	150	227	Horizontal
5	5260.00	99.62	7.70	68.30	-31.32	150	73	Horizontal
6	5260.00	89.53	7.70	0.00	-89.53	150	227	Horizontal



4.9.1.55 11AC20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	86.38	7.78	68.30	-18.08	150	227	Vertical
2	5320.00	76.56	7.78	0.00	-76.56	150	222	Vertical
3	5355.72	35.08	7.85	54.00	18.92	150	169	Vertical
4	5356.77	49.15	7.85	74.00	24.85	150	160	Vertical
5	5388.74	35.02	7.92	54.00	18.98	150	39	Vertical
6	5398.84	49.66	7.94	74.00	24.34	150	332	Vertical



4.9.1.56 11AC20_64 ANT 1_ Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	94.11	7.78	68.30	-25.81	150	225	Horizontal
2	5320.00	84.06	7.78	0.00	-84.06	150	230	Horizontal
3	5351.32	50.71	7.84	74.00	23.29	150	235	Horizontal
4	5354.77	36.33	7.85	54.00	17.67	150	225	Horizontal
5	5385.39	35.74	7.91	54.00	18.26	150	230	Horizontal
6	5395.19	49.38	7.93	74.00	24.62	150	201	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.9.1.57 11AC20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5407.26	52.86	7.95	74.00	21.14	150	304	Vertical
2	5408.52	38.30	7.95	54.00	15.70	150	346	Vertical
3	5449.94	38.72	8.02	54.00	15.28	150	296	Vertical
4	5462.91	52.33	8.04	68.30	15.97	150	56	Vertical
5	5500.00	86.72	8.10	68.30	-18.42	150	292	Vertical
6	5500.00	76.60	8.10	0.00	-76.60	150	296	Vertical



4.9.1.58 11AC20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5413.68	38.49	7.96	54.00	15.51	150	238	Horizontal
2	5424.43	52.70	7.98	74.00	21.30	150	175	Horizontal
3	5451.44	39.10	8.02	54.00	14.90	150	238	Horizontal
4	5466.51	52.72	8.05	68.30	15.58	150	227	Horizontal
5	5500.00	94.60	8.10	68.30	-26.30	150	84	Horizontal
6	5500.00	84.47	8.10	0.00	-84.47	150	235	Horizontal



4.9.1.59 11AC20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	88.88	8.51	68.30	-20.58	150	323	Vertical
2	5727.25	49.58	8.57	68.30	18.72	150	280	Vertical
3	5742.99	50.31	8.61	68.30	17.99	150	72	Vertical
4	5763.67	50.31	8.66	68.30	17.99	150	206	Vertical



4.9.1.60 11AC20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	88.37	8.51	68.30	-20.07	150	127	Horizontal
2	5726.08	51.05	8.57	68.30	17.25	150	134	Horizontal
3	5741.50	51.54	8.61	68.30	16.76	150	120	Horizontal
4	5772.78	50.81	8.68	68.30	17.49	150	330	Horizontal



4.9.1.61 11AC20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.99	49.99	8.42	68.30	18.31	150	98	Vertical
2	5677.46	49.89	8.47	88.63	38.74	150	136	Vertical
3	5717.94	49.89	8.55	110.33	60.44	150	280	Vertical
4	5745.00	87.99	8.61	0.00	-87.99	150	301	Vertical



4.9.1.62 11AC20_149 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5642.66	49.51	8.42	68.30	18.79	150	284	Horizontal
2	5671.16	49.95	8.46	83.96	34.01	150	159	Horizontal
3	5697.84	49.72	8.51	103.71	53.99	150	262	Horizontal
4	5745.00	88.06	8.61	0.00	-88.06	150	123	Horizontal



4.9.1.63 11AC20_165 ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	87.47	8.82	0.00	-87.47	150	314	Vertical
2	5866.53	49.98	8.94	107.67	57.69	150	96	Vertical
3	5887.23	50.74	9.00	96.25	45.51	150	272	Vertical
4	5943.06	50.46	9.17	68.30	17.84	150	195	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.64 11AC20_165 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	87.85	8.82	0.00	-87.85	150	127	Horizontal
2	5867.61	49.98	8.94	107.37	57.39	150	9	Horizontal
3	5902.50	50.11	9.05	84.94	34.83	150	9	Horizontal
4	5937.16	50.02	9.15	68.30	18.28	150	246	Horizontal



4.9.1.65 11AC40_38 ANT 1_ Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5115.06	34.64	7.50	54.00	19.36	150	55	Vertical
2	5125.57	49.24	7.51	74.00	24.76	150	290	Vertical
3	5145.92	34.87	7.55	54.00	19.13	150	184	Vertical
4	5148.20	49.36	7.55	74.00	24.64	150	21	Vertical
5	5190.00	81.97	7.62	68.30	-13.67	150	241	Vertical
6	5190.00	69.32	7.62	0.00	-69.32	150	238	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.66 11AC40_38 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5108.52	50.15	7.48	74.00	23.85	150	34	Horizontal
2	5110.14	35.35	7.49	54.00	18.65	150	235	Horizontal
3	5142.80	35.56	7.54	54.00	18.44	150	235	Horizontal
4	5147.60	55.35	7.55	74.00	18.65	150	232	Horizontal
5	5190.00	88.12	7.62	68.30	-19.82	150	209	Horizontal
6	5190.00	76.82	7.62	0.00	-76.82	150	232	Horizontal



4.9.1.67 11AC40_46 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	87.30	7.67	68.30	-19.00	150	235	Vertical
2	5230.00	74.11	7.67	0.00	-74.11	150	240	Vertical
3	5373.98	36.00	7.89	54.00	18.00	150	226	Vertical
4	5373.98	49.36	7.89	74.00	24.64	150	316	Vertical
5	5391.59	49.19	7.92	74.00	24.81	150	96	Vertical
6	5396.79	34.98	7.93	54.00	19.02	150	153	Vertical



4.9.1.68 11AC40_46 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5230.00	93.77	7.67	68.30	-25.47	150	236	Horizontal
2	5230.00	82.25	7.67	0.00	-82.25	150	236	Horizontal
3	5352.27	48.73	7.84	74.00	25.27	150	177	Horizontal
4	5373.18	40.29	7.89	54.00	13.71	150	236	Horizontal
5	5375.98	52.21	7.89	74.00	21.79	150	231	Horizontal
6	5396.19	35.47	7.93	54.00	18.53	150	236	Horizontal



4.9.1.69 11AC40_54 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.70	48.95	7.49	74.00	25.05	150	321	Vertical
2	5112.50	34.69	7.49	54.00	19.31	150	68	Vertical
3	5143.42	34.62	7.54	54.00	19.38	150	39	Vertical
4	5147.62	48.93	7.55	74.00	25.07	150	260	Vertical
5	5270.00	73.96	7.71	0.00	-73.96	150	232	Vertical
6	5270.00	86.52	7.71	68.30	-18.22	150	236	Vertical



4.9.1.70 11AC40_54 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5104.20	49.03	7.48	74.00	24.97	150	297	Horizontal
2	5125.31	49.62	7.51	74.00	24.38	150	230	Horizontal
3	5126.81	37.95	7.52	54.00	16.05	150	235	Horizontal
4	5143.62	34.92	7.54	54.00	19.08	150	235	Horizontal
5	5270.00	95.39	7.71	68.30	-27.09	150	230	Horizontal
6	5270.00	82.19	7.71	0.00	-82.19	150	235	Horizontal



4.9.1.71 11AC40_62 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	80.12	7.76	68.30	-11.82	150	231	Vertical
2	5310.00	67.34	7.76	0.00	-67.34	150	236	Vertical
3	5354.67	35.12	7.85	54.00	18.88	150	164	Vertical
4	5375.68	49.02	7.89	74.00	24.98	150	48	Vertical
5	5382.29	34.93	7.90	54.00	19.07	150	241	Vertical
6	5397.65	48.71	7.94	74.00	25.29	150	188	Vertical



4.9.1.72 11AC40_62 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5310.00	87.62	7.76	68.30	-19.32	150	236	Horizontal
2	5310.00	76.34	7.76	0.00	-76.34	150	231	Horizontal
3	5355.51	48.89	7.85	74.00	25.11	150	269	Horizontal
4	5358.63	35.24	7.86	54.00	18.76	150	231	Horizontal
5	5391.17	48.79	7.92	74.00	25.21	150	160	Horizontal
6	5395.61	35.21	7.93	54.00	18.79	150	208	Horizontal



4.9.1.73 11AC40_102 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5430.60	38.41	7.99	54.00	15.59	150	233	Vertical
2	5451.40	52.37	8.02	74.00	21.63	150	357	Vertical
3	5457.14	38.73	8.03	54.00	15.27	150	175	Vertical
4	5466.32	52.52	8.05	68.30	15.78	150	311	Vertical
5	5510.00	68.93	8.13	0.00	-68.93	150	291	Vertical
6	5510.00	81.97	8.13	68.30	-13.67	150	291	Vertical



4.9.1.74 11AC40_102 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5421.57	38.56	7.97	54.00	15.44	150	222	Horizontal
2	5451.26	38.70	8.02	54.00	15.30	150	236	Horizontal
3	5452.31	53.04	8.02	74.00	20.96	150	86	Horizontal
4	5467.79	56.13	8.05	68.30	12.17	150	218	Horizontal
5	5510.00	91.29	8.13	68.30	-22.99	150	227	Horizontal
6	5510.00	77.68	8.13	0.00	-77.68	150	232	Horizontal



4.9.1.75 11AC40_134 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	82.96	8.46	68.30	-14.66	150	274	Vertical
2	5732.79	49.80	8.59	68.30	18.50	150	200	Vertical
3	5749.32	49.86	8.62	68.30	18.44	150	56	Vertical
4	5774.60	49.96	8.68	68.30	18.34	150	256	Vertical



4.9.1.76 11AC40_134 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.00	89.54	8.46	68.30	-21.24	150	68	Horizontal
2	5732.65	50.46	8.59	68.30	17.84	150	40	Horizontal
3	5746.87	50.01	8.62	68.30	18.29	150	249	Horizontal
4	5770.75	50.31	8.67	68.30	17.99	150	316	Horizontal



4.9.1.77 11AC40_151 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.58	48.91	8.42	68.30	19.39	150	97	Vertical
2	5690.40	49.66	8.49	98.20	48.54	150	276	Vertical
3	5720.25	60.50	8.56	111.48	50.98	150	276	Vertical
4	5755.00	83.43	8.64	0.00	-83.43	150	272	Vertical



4.9.1.78 11AC40_151 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5647.44	48.91	8.43	68.30	19.39	150	42	Horizontal
2	5680.47	53.83	8.48	90.85	37.02	150	67	Horizontal
3	5719.86	68.00	8.56	110.86	42.86	150	67	Horizontal
4	5755.00	92.50	8.64	0.00	-92.50	150	229	Horizontal



4.9.1.79 11AC40_159 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	84.88	8.73	0.00	-84.88	150	270	Vertical
2	5851.45	50.10	8.89	118.99	68.89	150	274	Vertical
3	5885.07	49.92	9.00	97.85	47.93	150	16	Vertical
4	5938.59	50.61	9.16	68.30	17.69	150	203	Vertical



4.9.1.80 11AC40_159 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5795.00	90.79	8.73	0.00	-90.79	150	72	Horizontal
2	5851.45	54.09	8.89	118.99	64.90	150	72	Horizontal
3	5900.87	50.65	9.04	86.15	35.50	150	65	Horizontal
4	5936.99	50.79	9.15	68.30	17.51	150	125	Horizontal



4.9.1.81 11AC80_42 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5120.03	34.61	7.50	54.00	19.39	150	16	Vertical
2	5120.55	48.51	7.50	74.00	25.49	150	20	Vertical
3	5210.00	59.40	7.65	54.00	-5.40	150	231	Vertical
4	5210.00	71.40	7.65	68.30	-3.10	150	231	Vertical
5	5354.92	48.59	7.85	74.00	25.41	150	194	Vertical
6	5356.09	34.93	7.85	54.00	19.07	150	123	Vertical



4.9.1.82 11AC80_42 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.48	34.80	7.49	54.00	19.20	150	87	Horizontal
2	5114.82	49.48	7.50	74.00	24.52	150	8	Horizontal
3	5210.00	67.19	7.65	54.00	-13.19	150	237	Horizontal
4	5210.00	81.89	7.65	68.30	-13.59	150	232	Horizontal
5	5351.54	48.90	7.84	74.00	25.10	150	345	Horizontal
6	5358.82	34.94	7.86	54.00	19.06	150	223	Horizontal



4.9.1.83 11AC80_58 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.91	34.78	7.52	54.00	19.22	150	152	Vertical
2	5129.71	48.98	7.52	74.00	25.02	150	138	Vertical
3	5290.00	62.77	7.73	54.00	-8.77	150	233	Vertical
4	5290.00	76.11	7.73	68.30	-7.81	150	238	Vertical
5	5370.28	34.93	7.88	54.00	19.07	150	284	Vertical
6	5378.08	49.08	7.90	74.00	24.92	150	242	Vertical



4.9.1.84 11AC80_58 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.15	49.14	7.50	74.00	24.86	150	288	Horizontal
2	5130.01	35.00	7.52	54.00	19.00	150	344	Horizontal
3	5290.00	70.32	7.73	54.00	-16.32	150	209	Horizontal
4	5290.00	83.93	7.73	68.30	-15.63	150	228	Horizontal
5	5378.68	35.33	7.90	54.00	18.67	150	228	Horizontal
6	5382.29	50.32	7.90	74.00	23.68	150	176	Horizontal



4.9.1.85 11AC80_106 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5423.79	34.69	7.98	54.00	19.31	150	194	Vertical
2	5426.14	49.07	7.98	74.00	24.93	150	309	Vertical
3	5459.49	34.98	8.04	54.00	19.02	150	270	Vertical
4	5468.37	48.63	8.05	68.30	19.67	150	251	Vertical
5	5530.00	74.22	8.18	68.30	-5.92	150	294	Vertical
6	5530.00	61.22	8.18	0.00	-61.22	150	290	Vertical



4.9.1.86 11AC80_106 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5412.73	34.95	7.96	54.00	19.05	150	10	Horizontal
2	5428.99	48.70	7.99	74.00	25.30	150	251	Horizontal
3	5446.58	35.21	8.01	54.00	18.79	150	245	Horizontal
4	5467.36	48.85	8.05	68.30	19.45	150	208	Horizontal
5	5530.00	81.75	8.18	68.30	-13.45	150	232	Horizontal
6	5530.00	68.80	8.18	0.00	-68.80	150	232	Horizontal



4.9.1.87 11AC80_122 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5452.96	34.89	8.02	54.00	19.11	150	295	Vertical
2	5458.56	49.24	8.03	74.00	24.76	150	352	Vertical
3	5464.97	48.27	8.04	68.30	20.03	150	286	Vertical
4	5610.00	78.70	8.37	68.30	-10.40	150	218	Vertical
5	5610.00	64.51	8.37	0.00	-64.51	150	223	Vertical
6	5747.67	49.88	8.62	68.30	18.42	150	175	Vertical



4.9.1.88 11AC80_122 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5454.72	48.90	8.03	74.00	25.10	150	61	Horizontal
2	5455.84	35.26	8.03	54.00	18.74	150	227	Horizontal
3	5464.49	48.78	8.04	68.30	19.52	150	61	Horizontal
4	5610.00	82.96	8.37	68.30	-14.66	150	231	Horizontal
5	5610.00	73.01	8.37	0.00	-73.01	150	227	Horizontal
6	5746.07	50.26	8.62	68.30	18.04	150	198	Horizontal



4.9.1.89 11AC80_155 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.69	49.15	8.43	68.30	19.15	150	197	Vertical
2	5684.39	49.96	8.49	93.76	43.80	150	214	Vertical
3	5717.81	51.13	8.55	110.29	59.16	150	162	Vertical
4	5775.00	80.48	8.68	122.30	41.82	150	271	Vertical
5	5882.29	50.75	8.99	99.90	49.15	150	165	Vertical
6	5934.93	50.02	9.14	68.30	18.28	150	36	Vertical



4.9.1.90 11AC80_155 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.03	49.93	8.42	68.30	18.37	150	334	Horizontal
2	5697.82	55.29	8.51	103.69	48.40	150	229	Horizontal
3	5715.52	56.67	8.55	109.65	52.98	150	229	Horizontal
4	5775.00	87.26	8.68	122.30	35.04	150	225	Horizontal
5	5854.36	53.31	8.90	112.34	59.03	150	59	Horizontal
6	5932.64	50.73	9.14	68.30	17.57	150	0	Horizontal



4.9.1.91 11AC160_50 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.60	48.92	7.50	74.00	25.08	150	164	Vertical
2	5135.86	34.93	7.53	54.00	19.07	150	187	Vertical
3	5250.00	39.66	7.69	54.00	14.34	150	225	Vertical
4	5250.00	63.54	7.69	68.30	4.76	150	232	Vertical
5	5372.98	48.66	7.89	74.00	25.34	150	263	Vertical
6	5382.14	34.78	7.90	54.00	19.22	150	47	Vertical



4.9.1.92 11AC160_50 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5132.86	34.87	7.53	54.00	19.13	150	346	Horizontal
2	5142.02	48.92	7.54	74.00	25.08	150	224	Horizontal
3	5250.00	45.57	7.69	54.00	8.43	150	228	Horizontal
4	5250.00	72.35	7.69	68.30	-4.05	150	228	Horizontal
5	5366.68	49.11	7.87	74.00	24.89	150	236	Horizontal
6	5377.33	35.02	7.89	54.00	18.98	150	312	Horizontal



4.9.1.93 11AC160_114 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5414.04	49.67	7.96	74.00	24.33	150	21	Vertical
2	5456.00	34.92	8.03	54.00	19.08	150	292	Vertical
3	5464.11	48.42	8.04	68.30	19.88	150	102	Vertical
4	5570.00	65.04	8.28	68.30	3.26	150	282	Vertical
5	5570.00	40.98	8.28	0.00	-40.98	150	282	Vertical
6	5751.35	49.68	8.63	68.30	18.62	150	121	Vertical



4.9.1.94 11AC160_114 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5445.74	49.40	8.01	74.00	24.60	150	311	Horizontal
2	5450.60	35.03	8.02	54.00	18.97	150	245	Horizontal
3	5467.17	48.18	8.05	68.30	20.12	150	112	Horizontal
4	5570.00	72.50	8.28	68.30	-4.20	150	230	Horizontal
5	5570.00	45.99	8.28	0.00	-45.99	150	211	Horizontal
6	5745.41	49.46	8.61	68.30	18.84	150	211	Horizontal



4.9.1.95 11A20_36_CDD_ ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5125.06	34.71	7.51	54.00	19.29	150	163	Vertical
2	5129.16	48.56	7.52	74.00	25.44	150	346	Vertical
3	5144.77	34.93	7.55	54.00	19.07	150	14	Vertical
4	5148.47	48.44	7.55	74.00	25.56	150	77	Vertical
5	5180.00	88.52	7.61	68.30	-20.22	150	224	Vertical
6	5180.00	78.59	7.61	0.00	-78.59	150	234	Vertical



4.9.1.96 11A20_36_CDD_ ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5126.31	35.28	7.51	54.00	18.72	150	234	Horizontal
2	5130.91	48.33	7.52	74.00	25.67	150	234	Horizontal
3	5146.92	36.06	7.55	54.00	17.94	150	204	Horizontal
4	5147.07	49.94	7.55	74.00	24.06	150	234	Horizontal
5	5180.00	94.58	7.61	68.30	-26.28	150	230	Horizontal
6	5180.00	84.74	7.61	0.00	-84.74	150	234	Horizontal



4.9.1.97 11A20_48_CDD_ ANT 1_Vertical



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	94.03	7.68	68.30	-25.73	150	222	Vertical
2	5240.00	84.56	7.68	0.00	-84.56	150	217	Vertical
3	5355.42	48.88	7.85	74.00	25.12	150	180	Vertical
4	5362.09	34.94	7.86	54.00	19.06	150	16	Vertical
5	5386.13	48.78	7.91	74.00	25.22	150	39	Vertical
6	5392.52	35.75	7.93	54.00	18.25	150	156	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.98 11A20_48_CDD_ANT 1_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.00	99.71	7.68	68.30	-31.41	150	225	Horizontal
2	5240.00	88.46	7.68	0.00	-88.46	150	230	Horizontal
3	5354.43	48.73	7.85	74.00	25.27	150	140	Horizontal
4	5355.78	35.28	7.85	54.00	18.72	150	206	Horizontal
5	5392.25	49.96	7.92	74.00	24.04	150	206	Horizontal
6	5392.88	38.33	7.93	54.00	15.67	150	206	Horizontal



4.9.1.99 11A20_52_CDD_ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5116.92	34.66	7.50	54.00	19.34	150	282	Vertical
2	5119.35	48.12	7.50	74.00	25.88	150	128	Vertical
3	5147.81	34.76	7.55	54.00	19.24	150	114	Vertical
4	5148.89	47.92	7.55	74.00	26.08	150	174	Vertical
5	5260.00	95.17	7.70	68.30	-26.87	150	282	Vertical
6	5260.00	85.22	7.70	0.00	-85.22	150	286	Vertical



4.9.1.100 11A20_52_CDD_ ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5107.65	36.15	7.48	54.00	17.85	150	211	Horizontal
2	5111.43	49.30	7.49	74.00	24.70	150	1	Horizontal
3	5139.88	49.02	7.54	74.00	24.98	150	216	Horizontal
4	5142.86	35.01	7.54	54.00	18.99	150	230	Horizontal
5	5260.00	98.14	7.70	68.30	-29.84	150	206	Horizontal
6	5260.00	88.30	7.70	0.00	-88.30	150	230	Horizontal



4.9.1.101 11A20_64_CDD_ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	89.60	7.78	68.30	-21.30	150	287	Vertical
2	5320.00	79.97	7.78	0.00	-79.97	150	287	Vertical
3	5356.57	49.26	7.85	74.00	24.74	150	212	Vertical
4	5356.97	35.25	7.85	54.00	18.75	150	226	Vertical
5	5379.33	49.01	7.90	74.00	24.99	150	217	Vertical
6	5383.59	35.07	7.91	54.00	18.93	150	67	Vertical



4.9.1.102 11A20_64_CDD_ ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.00	96.18	7.78	68.30	-27.88	150	227	Horizontal
2	5320.00	83.44	7.78	0.00	-83.44	150	232	Horizontal
3	5353.77	49.23	7.85	74.00	24.77	150	222	Horizontal
4	5354.12	36.56	7.85	54.00	17.44	150	232	Horizontal
5	5382.99	49.86	7.91	74.00	24.14	150	203	Horizontal
6	5390.14	35.69	7.92	54.00	18.31	150	232	Horizontal



4.9.1.103 11A20_100_CDD_ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5423.11	38.56	7.98	54.00	15.44	150	137	Vertical
2	5431.33	52.79	7.99	74.00	21.21	150	219	Vertical
3	5457.92	38.55	8.03	54.00	15.45	150	32	Vertical
4	5465.91	51.91	8.05	68.30	16.39	150	312	Vertical
5	5500.00	89.26	8.10	68.30	-20.96	150	293	Vertical
6	5500.00	79.99	8.10	0.00	-79.99	150	293	Vertical



4.9.1.104 11A20_100_CDD_ANT 1_Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5432.95	52.68	7.99	74.00	21.32	150	256	Horizontal
2	5435.05	38.88	8.00	54.00	15.12	150	228	Horizontal
3	5457.56	38.94	8.03	54.00	15.06	150	228	Horizontal
4	5467.59	52.16	8.05	68.30	16.14	150	252	Horizontal
5	5500.00	84.72	8.10	0.00	-84.72	150	228	Horizontal
6	5500.00	95.24	8.10	68.30	-26.94	150	228	Horizontal



4.9.1.105 11A20_140_CDD_ ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	92.14	8.51	68.30	-23.84	150	222	Vertical
2	5725.69	50.87	8.57	68.30	17.43	150	222	Vertical
3	5759.31	50.32	8.65	68.30	17.98	150	208	Vertical
4	5771.87	50.15	8.68	68.30	18.15	150	156	Vertical



4.9.1.106 11A20_140_CDD_ ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.00	94.12	8.51	68.30	-25.82	150	102	Horizontal
2	5726.60	52.78	8.57	68.30	15.52	150	73	Horizontal
3	5753.14	50.01	8.63	68.30	18.29	150	76	Horizontal
4	5771.02	50.20	8.67	68.30	18.10	150	270	Horizontal



4.9.1.107 11A20_149_CDD_ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.41	49.27	8.42	68.30	19.03	150	68	Vertical
2	5663.53	48.93	8.45	78.31	29.38	150	324	Vertical
3	5718.36	53.51	8.55	110.44	56.93	150	278	Vertical
4	5745.00	89.72	8.61	0.00	-89.72	150	219	Vertical



4.9.1.108 11A20_149_CDD_ANT 1_Horizontal



Suspected List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.81	49.06	8.42	68.30	19.24	150	273	Horizontal
2	5678.02	49.56	8.47	89.04	39.48	150	68	Horizontal
3	5718.29	55.66	8.55	110.42	54.76	150	55	Horizontal
4	5745.00	94.09	8.61	0.00	-94.09	150	55	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.9.1.109 11A20_165_CDD_ ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	90.00	8.82	0.00	-90.00	150	320	Vertical
2	5864.20	49.51	8.93	108.32	58.81	150	57	Vertical
3	5900.49	51.24	9.04	86.44	35.20	150	257	Vertical
4	5935.38	50.82	9.15	68.30	17.48	150	43	Vertical



4.9.1.110 11A20_165_CDD_ ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.00	93.66	8.82	0.00	-93.66	150	86	Horizontal
2	5861.80	50.25	8.93	109.00	58.75	150	302	Horizontal
3	5900.10	50.03	9.04	86.72	36.69	150	20	Horizontal
4	5935.85	50.39	9.15	68.30	17.91	150	212	Horizontal



4.9.1.111 11N20_36_MIMO_ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5127.91	49.22	7.52	74.00	24.78	150	125	Vertical
2	5129.36	34.70	7.52	54.00	19.30	150	346	Vertical
3	5148.12	35.09	7.55	54.00	18.91	150	308	Vertical
4	5149.22	49.19	7.55	74.00	24.81	150	144	Vertical
5	5180.00	76.27	7.61	0.00	-76.27	150	304	Vertical
6	5180.00	88.11	7.61	68.30	-19.81	150	304	Vertical

