



Appendix for Testreport

Appendix A: DTS (6 dB) Bandwidth

In this document, the "DTS6dBBW" refers to the measured "DTS (6 dB) Bandwidth" value. In this Appendix, the "fc(DTS6dBBW)" refers to the centre of the measured "DTS6dBBW". The introduction of the "fc(DTS6dBBW)" is due to that other measurements use it as the spectrum analyzer setting.


For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	DTS6dBBW[MHz]	Verdict
11B	L	2412	Ant 1	8.58	pass
11B	M	2437	Ant 1	8.55	pass
11B	H	2462	Ant 1	8.13	pass
11G	L	2412	Ant 1	16.40	pass
11G	M	2437	Ant 1	16.40	pass
11G	H	2462	Ant 1	16.41	pass
11N20	L	2412	Ant 1	17.35	pass
11N20	M	2437	Ant 1	17.63	pass
11N20	H	2462	Ant 1	17.63	pass
11N40	L	2422	Ant 1	35.16	pass
11N40	M	2437	Ant 1	35.75	pass
11N40	H	2452	Ant 1	35.40	pass


Part II - Test Plots

1.1 11B_L@Ant 1





1.2 11B_M@Ant 1






1.3 11B_H@Ant 1






1.4 11G_L@Ant 1






1.5 11G_M@Ant 1






1.6 11G_H@Ant 1






1.7 11N20_L@Ant 1






1.8 11N20_M@Ant 1






1.9 11N20_H@Ant 1






1.10 11N40_L@Ant 1






1.11 11N40_M@Ant 1





1.12 11N40_H@Ant 1



Appendix B: Occupied Bandwidth


For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain, and used as respective results for each chain.

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Occupied Bandwidth [MHz]	Verdict
11B	L	2412	Ant 1	10.75	pass
11B	M	2437	Ant 1	10.60	pass
11B	H	2462	Ant 1	10.68	pass
11G	L	2412	Ant 1	16.55	pass
11G	M	2437	Ant 1	16.57	pass
11G	H	2462	Ant 1	16.57	pass
11N20	L	2412	Ant 1	17.62	pass
11N20	M	2437	Ant 1	17.66	pass
11N20	H	2462	Ant 1	17.63	pass
11N40	L	2422	Ant 1	35.81	pass
11N40	M	2437	Ant 1	36.00	pass
11N40	H	2452	Ant 1	35.98	pass


Part II - Test Plots

2.1 11B_L@Ant 1






2.2 11B_M@Ant 1






2.3 11B_H@Ant 1






2.4 11G_L@Ant 1






2.5 11G_M@Ant 1






2.6 11G_H@Ant 1






2.7 11N20_L@Ant 1






2.8 11N20_M@Ant 1






2.9 11N20_H@Ant 1






2.10 11N40_L@Ant 1






2.11 11N40_M@Ant 1





2.12 11N40_H@Ant 1



Appendix C: Duty Cycle


Part I - Test Results

Test Mode	TX Freq. [MHz]	Duty cycle [%]
11B	Ant 1: CH1,CH6,CH11	99.3
11G	Ant 1: CH1,CH6,CH11	97.4
11N_20M_SISO	Ant 1: CH1,CH6,CH11	97.9
11N_40M_SISO	Ant 1: CH3,CH6,CH9	96.3




Part II - Test Plots

3.1 11B







3.2 11G



3.3 11N20



3.4 11N40



Appendix D: Maximum Conducted Average Output Power


Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Power[dBm]	Verdict
11B	L	2412	Ant 1	16.91	pass
11B	M	2437	Ant 1	17.46	pass
11B	H	2462	Ant 1	17.13	pass
11G	L	2412	Ant 1	16.07	pass
11G	M	2437	Ant 1	16.39	pass
11G	H	2462	Ant 1	16.31	pass
11N20	L	2412	Ant 1	14.74	pass
11N20	M	2437	Ant 1	15.22	pass
11N20	H	2462	Ant 1	15.07	pass
11N40	L	2422	Ant 1	13.08	pass
11N40	M	2437	Ant 1	14.67	pass
11N40	H	2452	Ant 1	14.09	pass




Part II - Test Plots

4.1 11B_L@Ant 1






4.2 11B_M@Ant 1






4.3 11B_H@Ant 1






4.4 11G_L@Ant 1




4.5 11G_M@Ant 1







4.6 11G_H@Ant 1



4.7 11N20_L@Ant 1




4.8 11N20_M@Ant 1






4.9 11N20_H@Ant 1




4.10 11N40_L@Ant 1






4.11 11N40_M@Ant 1



4.12 11N40_H@Ant 1



Appendix E: Maximum Power Spectral Density Level

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	PD[MHz]	Verdict
11B	L	2412	Ant 1	-9.65	pass
11B	M	2437	Ant 1	-9.30	pass
11B	H	2462	Ant 1	-9.55	pass
11G	L	2412	Ant 1	-13.35	pass
11G	M	2437	Ant 1	-13.72	pass
11G	H	2462	Ant 1	-13.61	pass
11N20	L	2412	Ant 1	-14.80	pass
11N20	M	2437	Ant 1	-15.19	pass
11N20	H	2462	Ant 1	-15.13	pass
11N40	L	2422	Ant 1	-19.86	pass
11N40	M	2437	Ant 1	-18.77	pass
11N40	H	2452	Ant 1	-19.22	pass

Part II - Test Plots

5.1 11B_L@Ant 1





5.2 11B_M@Ant 1






5.3 11B_H@Ant 1






5.4 11G_L@Ant 1






5.5 11G_M@Ant 1






5.6 11G_H@Ant 1






5.7 11N20_L@Ant 1






5.8 11N20_M@Ant 1






5.9 11N20_H@Ant 1






5.10 11N40_L@Ant 1






5.11 11N40_M@Ant 1





5.12 11N40_H@Ant 1



Appendix F: Band Edges Compliance

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Carrier Power[dBm]	Max.Spurious Level[dBm]	Verdict
11B	L	2412	Ant 1	8.47	-51.87	pass
11B	H	2462	Ant 1	8.58	-47.48	pass
11G	L	2412	Ant 1	5.15	-43.56	pass
11G	H	2462	Ant 1	4.82	-39.35	pass
11N20	L	2412	Ant 1	3.77	-43.80	pass
11N20	H	2462	Ant 1	3.62	-40.71	pass
11N40	L	2422	Ant 1	-1.05	-44.13	pass
11N40	H	2452	Ant 1	0.09	-37.64	pass



Part II - Test Plots


6.1 11B_L@Ant 1




6.2 11B_H@Ant 1



6.3 11G_L@Ant 1





Agilent Spectrum Analyzer - Swept SA

RL RF 50 Ω AC SENSE:INT ALIGN AUTO 04:40:06 PM Dec 16, 2016

Center Freq 2.473500000 GHz Avg Type: Log-Pwr Avg/Hold: 100/100

PNO: Wide IFGain:Low Trig: Free Run Atten: 40 dB

TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P P

Ref Offset 0.6 dB
Ref 30.00 dBm

**Mkr2 2.483 50 GHz
-39.355 dBm**

10 dB/div
Log

20.0
10.0
0.0
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0

-25.18 dBm

Start 2.45350 GHz **Stop 2.49350 GHz**
#Res BW 100 kHz **#VBW 300 kHz** **#Sweep 100.0 ms (601 pts)**

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.469 50 GHz	4.825 dBm			
2	N	1	f	2.483 50 GHz	-39.355 dBm			
3								
4								
5								
6								
7								
8								
9								
10								
11								

MSG STATUS

Frequency

Auto Tune

Center Freq
2.473500000 GHz

Start Freq
2.453500000 GHz


Stop Freq
2.493500000 GHz

CF Step
4.000000 MHz
Auto Man

Freq Offset
0 Hz

6.5 11N20_L@Ant 1





Agilent Spectrum Analyzer - Swept SA

RL RF 50 Ω AC SENSE:INT ALIGN AUTO 05:38:23 PM Dec 16, 2016

Center Freq 2.473500000 GHz Avg Type: Log-Pwr
PNO: Wide Trg: Free Run
IFGain:Low Atten: 40 dB

TRACE 1 2 3 4 5 6
TYPE M W W W W W W W W W
DET P P P P P P

Ref Offset 0.6 dB
Ref 30.00 dBm

Mkr2 2.483 50 GHz
-40.713 dBm

10 dB/div
Log


Start 2.45350 GHz Stop 2.49350 GHz
#Res BW 100 kHz #VBW 300 kHz #Sweep 100.0 ms (601 pts)

MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.469 50 GHz	3.620 dBm			
2	N	1	f	2.483 50 GHz	-40.713 dBm			
3								
4								
5								
6								
7								
8								
9								
10								
11								

MSG STATUS

Frequency
Auto Tune
Center Freq
2.473500000 GHz
Start Freq
2.453500000 GHz
Stop Freq
2.493500000 GHz
CF Step
4.000000 MHz
Auto Man
Freq Offset
0 Hz

6.7 11N40_L@Ant 1





6.8 11N40_H@Ant 1



Appendix G: Unwanted Emissions into Non-Restricted Frequency

Bands

In this Appendix, the "Pref", which is used as the reference level, refers to the peak power level in any 100 kHz bandwidth within the fundamental emission, the "Puw" refers to the maximum emission power in 100 kHz band segments outside of the authorized frequency band.

Considering that the higher ratio of RBW to the span for the frequency ranges below 30 MHz makes the results determination be complicated, a narrower RBW other than 100 kHz is used for these ranges. The measured value should add a RBW correction factor (RBWCF) where $RBWCF [dB] = 10 \times \lg(100 [kHz]/\text{narrower RBW} [kHz])$. As to this Appendix, the narrower RBW is 1 kHz and RBWCF is 20 dB for the frequency 9 kHz to 150 kHz, and the narrower RBW is 10 kHz and RBWCF is 10 dB for the frequency 150 kHz to 30 MHz.

For measurements on smart antenna systems (devices with multiple transmit chains), the test is performed at each chain and used as respective results for each chain, due to the relative-limit requirement.

In the result table, the "< Limit" denotes that "The Puw [dBm] is less than Pref[dBm]-30[dBm], see test plots for detailed".

Part I - Test Results

Test Mode	Test Channel	Frequency[MHz]	Ant	Pref[dBm]	Puw[dBm]	Verdict
11B	L	2412	Ant 1	8.77	<limit	pass
11B	M	2437	Ant 1	9.06	<limit	pass
11B	H	2462	Ant 1	8.80	<limit	pass
11G	L	2412	Ant 1	5.27	<limit	pass
11G	M	2437	Ant 1	4.97	<limit	pass
11G	H	2462	Ant 1	5.02	<limit	pass
11N20	L	2412	Ant 1	3.97	<limit	pass
11N20	M	2437	Ant 1	3.64	<limit	pass
11N20	H	2462	Ant 1	3.72	<limit	pass
11N40	L	2422	Ant 1	-0.35	<limit	pass
11N40	M	2437	Ant 1	0.72	<limit	pass
11N40	H	2452	Ant 1	0.26	<limit	pass

Part II - Test Plots


7.1 11B L@Ant 1


Pref:









Puw:

















7.2 11B_M@Ant 1


Pref:









Puw:
















7.3 11B_H@Ant 1


Pref:








Puw:


















7.4 11G_L@Ant 1


Pref:







Puw:















7.5 11G_M@Ant 1


Pref:








Puw:

















7.6 11G_H@Ant 1


Pref:









Puw:

















7.7 11N20_L@Ant 1


Pref:








Puw:
















7.8 11N20_M@Ant 1

Pref:





Puw:

