

7.3 Occupied Bandwidth

\$2.1049

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03 – Section 4.2

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 7-1. Test Instrument & Measurement Setup

Test Notes


None.

FCC ID: QLJ4GRFN-041		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 65 of 191

Band 41 – Antenna 1




Plot 7-97. Occupied Bandwidth Plot (Band 41 - 5.0MHz QPSK)




Plot 7-98. Occupied Bandwidth Plot (Band 41 - 5.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 66 of 191




Plot 7-99. Occupied Bandwidth Plot (Band 41 - 5.0MHz 64-QAM)




Plot 7-100. Occupied Bandwidth Plot (Band 41 - 5.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 67 of 191




Plot 7-101. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK)




Plot 7-102. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 68 of 191




Plot 7-103. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM)




Plot 7-104. Occupied Bandwidth Plot (Band 41 - 10.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 69 of 191




Plot 7-105. Occupied Bandwidth Plot (Band 41 - 15.0MHz QPSK)




Plot 7-106. Occupied Bandwidth Plot (Band 41 - 15.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 70 of 191




Plot 7-107. Occupied Bandwidth Plot (Band 41 - 15.0MHz 64-QAM)




Plot 7-108. Occupied Bandwidth Plot (Band 41 - 15.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 71 of 191




Plot 7-109. Occupied Bandwidth Plot (Band 41 - 20.0MHz QPSK)




Plot 7-110. Occupied Bandwidth Plot (Band 41 - 20.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 72 of 191




Plot 7-111. Occupied Bandwidth Plot (Band 41 - 20.0MHz 64-QAM)




Plot 7-112. Occupied Bandwidth Plot (Band 41 - 20.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 73 of 191

Band 41 – Antenna 2




Plot 7-113. Occupied Bandwidth Plot (Band 41 - 5.0MHz QPSK)




Plot 7-114. Occupied Bandwidth Plot (Band 41 - 5.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 74 of 191




Plot 7-115. Occupied Bandwidth Plot (Band 41 - 5.0MHz 64-QAM)




Plot 7-116. Occupied Bandwidth Plot (Band 41 - 5.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 75 of 191




Plot 7-117. Occupied Bandwidth Plot (Band 41 - 10.0MHz QPSK)




Plot 7-118. Occupied Bandwidth Plot (Band 41 - 10.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 76 of 191




Plot 7-119. Occupied Bandwidth Plot (Band 41 - 10.0MHz 64-QAM)




Plot 7-120. Occupied Bandwidth Plot (Band 41 - 10.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 77 of 191




Plot 7-121. Occupied Bandwidth Plot (Band 41 - 15.0MHz QPSK)




Plot 7-122. Occupied Bandwidth Plot (Band 41 - 15.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 78 of 191




Plot 7-123. Occupied Bandwidth Plot (Band 41 - 15.0MHz 64-QAM)




Plot 7-124. Occupied Bandwidth Plot (Band 41 - 15.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION)		 Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 79 of 191




Plot 7-125. Occupied Bandwidth Plot (Band 41 - 20.0MHz QPSK)




Plot 7-126. Occupied Bandwidth Plot (Band 41 - 20.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 80 of 191



Plot 7-127. Occupied Bandwidth Plot (Band 41 - 20.0MHz 64-QAM)



Plot 7-128. Occupied Bandwidth Plot (Band 41 - 20.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 81 of 191

7.4 Out-of-Band Emissions in the Spurious Domain

\$2.1051 \$27.53(m)

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03 – Section 6.0

ANSI C63.26-2015 Section 6.4.4.1

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least 10 * the fundamental frequency (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes


Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 82 of 191


The plots shown in this section address compliance of each individual antenna to the Part 27.53(m) spurious emission limits. Per ANSI C63.26-2015 Section 6.4.4.1, spurious emission compliance for MIMO operation is addressed by the "Measure and add $[10 \log N]$ dB" technique where $N = 2$ and the resulting spurious emission level addition is 3dB.

FCC ID: QLJ4GRFN-041		MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head			Page 83 of 191

Band 41 – Antenna 1



Plot 7-129. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Low Channel)




Plot 7-130. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Low Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 84 of 191




Plot 7-131. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Low Channel)



Plot 7-132. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Mid Channel)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 85 of 191




Plot 7-133. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Mid Channel)




Plot 7-134. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Mid Channel)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 86 of 191



Plot 7-135. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – High Channel)



Plot 7-136. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – High Channel)


FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 87 of 191




Plot 7-137. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – High Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 88 of 191

Band 41 – Antenna 2



Plot 7-138. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Low Channel)




Plot 7-139. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Low Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 89 of 191




Plot 7-140. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Low Channel)



Plot 7-141. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Mid Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 90 of 191




Plot 7-142. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Mid Channel)




Plot 7-143. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – Mid Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 91 of 191



Plot 7-144. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – High Channel)



Plot 7-145. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – High Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 92 of 191



Plot 7-146. Conducted Spurious Plot (Band 41 - 5.0MHz QPSK – High Channel)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 93 of 191

7.5 Out-of-Band Emissions at the Band Edge

\$2.1051 \$27.53(m)

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03 – Section 6.0

ANSI C63.26-2015 Section 6.4.4.1

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq$ 1% of the emission bandwidth
4. VBW $\geq$ 3 x RBW
5. Detector = RMS
6. Number of sweep points $\geq$ 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

FCC ID: QLJ4GRFN-041		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 94 of 191


Test Notes

Per 27.53(m)(6) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.


The plots shown in this section address compliance of each individual antenna to the Part 27.53(m) spurious emission limits at the band edge. Per ANSI C63.26-2015 Section 6.4.4.1, spurious emission compliance for MIMO operation is addressed by the "Measure and sum spectral maxima across the outputs" technique. Final MIMO measurement results are shown at the end of this section.

FCC ID: QLJ4GRFN-041		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 95 of 191

Band 41 – Antenna 1



Plot 7-147. Lower Band Edge Plot (Band 41 - 5.0MHz QPSK)




Plot 7-148. Lower Extended Band Edge Plot (Band 41 - 5.0MHz QPSK)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 96 of 191




Plot 7-149. Upper Band Edge Plot (Band 41 - 5.0MHz QPSK)




Plot 7-150. Upper Extended Band Edge Plot (Band 41 - 5.0MHz QPSK)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 97 of 191



Plot 7-151. Lower Band Edge Plot (Band 41 - 5.0MHz 16-QAM)




Plot 7-152. Lower Extended Band Edge Plot (Band 41 - 5.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 98 of 191




Plot 7-153. Upper Band Edge Plot (Band 41 - 5.0MHz 16-QAM)




Plot 7-154. Upper Extended Band Edge Plot (Band 41 - 5.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 99 of 191




Plot 7-155. Lower Band Edge Plot (Band 41 - 5.0MHz 64-QAM)




Plot 7-156. Lower Extended Band Edge Plot (Band 41 - 5.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 100 of 191




Plot 7-157. Upper Band Edge Plot (Band 41 - 5.0MHz 64-QAM)




Plot 7-158. Upper Extended Band Edge Plot (Band 41 - 5.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 101 of 191




Plot 7-159. Lower Band Edge Plot (Band 41 - 5.0MHz 256-QAM)




Plot 7-160. Lower Extended Band Edge Plot (Band 41 - 5.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 102 of 191




Plot 7-161. Upper Band Edge Plot (Band 41 - 5.0MHz 256-QAM)




Plot 7-162. Upper Extended Band Edge Plot (Band 41 - 5.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 103 of 191




Plot 7-163. Lower Band Edge Plot (Band 41 - 10.0MHz QPSK)




Plot 7-164. Lower Extended Band Edge Plot (Band 41 - 10.0MHz QPSK)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 104 of 191




Plot 7-165. Upper Band Edge Plot (Band 41 - 10.0MHz QPSK)




Plot 7-166. Upper Extended Band Edge Plot (Band 41 - 10.0MHz QPSK)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 105 of 191




Plot 7-167. Lower Band Edge Plot (Band 41 - 10.0MHz 16-QAM)




Plot 7-168. Lower Extended Band Edge Plot (Band 41 - 10.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 106 of 191




Plot 7-169. Upper Band Edge Plot (Band 41 - 10.0MHz 16-QAM)




Plot 7-170. Upper Extended Band Edge Plot (Band 41 - 10.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 107 of 191



Plot 7-171. Lower Band Edge Plot (Band 41 - 10.0MHz 64-QAM)




Plot 7-172. Lower Extended Band Edge Plot (Band 41 - 10.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 108 of 191




Plot 7-173. Upper Band Edge Plot (Band 41 - 10.0MHz 64-QAM)




Plot 7-174. Upper Extended Band Edge Plot (Band 41 - 10.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 109 of 191



Plot 7-175. Lower Band Edge Plot (Band 41 - 10.0MHz 256-QAM)




Plot 7-176. Lower Extended Band Edge Plot (Band 41 - 10.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 110 of 191




Plot 7-177. Upper Band Edge Plot (Band 41 - 10.0MHz 256-QAM)




Plot 7-178. Upper Extended Band Edge Plot (Band 41 - 10.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 111 of 191




Plot 7-179. Lower Band Edge Plot (Band 41 - 15.0MHz QPSK)




Plot 7-180. Lower Extended Band Edge Plot (Band 41 - 15.0MHz QPSK)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 112 of 191




Plot 7-181. Upper Band Edge Plot (Band 41 - 15.0MHz QPSK)




Plot 7-182. Upper Extended Band Edge Plot (Band 41 - 15.0MHz QPSK)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION) 		Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head	Page 113 of 191




Plot 7-183. Lower Band Edge Plot (Band 41 - 15.0MHz 16-QAM)




Plot 7-184. Lower Extended Band Edge Plot (Band 41 - 15.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 114 of 191




Plot 7-185. Upper Band Edge Plot (Band 41 - 15.0MHz 16-QAM)




Plot 7-186. Upper Extended Band Edge Plot (Band 41 - 15.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 115 of 191




Plot 7-187. Lower Band Edge Plot (Band 41 - 15.0MHz 64-QAM)




Plot 7-188. Lower Extended Band Edge Plot (Band 41 - 15.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 116 of 191




Plot 7-189. Upper Band Edge Plot (Band 41 - 15.0MHz 64-QAM)




Plot 7-190. Upper Extended Band Edge Plot (Band 41 - 15.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 117 of 191




Plot 7-191. Lower Band Edge Plot (Band 41 - 15.0MHz 256-QAM)




Plot 7-192. Lower Extended Band Edge Plot (Band 41 - 15.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 118 of 191




Plot 7-193. Upper Band Edge Plot (Band 41 - 15.0MHz 256-QAM)




Plot 7-194. Upper Extended Band Edge Plot (Band 41 - 15.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 119 of 191




Plot 7-195. Lower Band Edge Plot (Band 41 - 20.0MHz QPSK)




Plot 7-196. Lower Extended Band Edge Plot (Band 41 - 20.0MHz QPSK)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 120 of 191




Plot 7-197. Upper Band Edge Plot (Band 41 - 20.0MHz QPSK)




Plot 7-198. Upper Extended Band Edge Plot (Band 41 - 20.0MHz QPSK)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 121 of 191




Plot 7-199. Lower Band Edge Plot (Band 41 - 20.0MHz 16-QAM)




Plot 7-200. Lower Extended Band Edge Plot (Band 41 - 20.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 122 of 191




Plot 7-201. Upper Band Edge Plot (Band 41 - 20.0MHz 16-QAM)




Plot 7-202. Upper Extended Band Edge Plot (Band 41 - 20.0MHz 16-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 123 of 191




Plot 7-203. Lower Band Edge Plot (Band 41 - 20.0MHz 64-QAM)




Plot 7-204. Lower Extended Band Edge Plot (Band 41 - 20.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	PCTEST ENGINEERING LABORATORY, INC.	MEASUREMENT REPORT (CERTIFICATION)	Tecore networks	Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 124 of 191




Plot 7-205. Upper Band Edge Plot (Band 41 - 20.0MHz 64-QAM)




Plot 7-206. Upper Extended Band Edge Plot (Band 41 - 20.0MHz 64-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 125 of 191




Plot 7-207. Lower Band Edge Plot (Band 41 - 20.0MHz 256-QAM)




Plot 7-208. Lower Extended Band Edge Plot (Band 41 - 20.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	 MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 126 of 191



Plot 7-209. Upper Band Edge Plot (Band 41 - 20.0MHz 256-QAM)



Plot 7-210. Upper Extended Band Edge Plot (Band 41 - 20.0MHz 256-QAM)

FCC ID: QLJ4GRFN-041	MEASUREMENT REPORT (CERTIFICATION)			Approved by: Quality Manager
Test Report S/N: 1M1801290011-01.QLJ	Test Dates: 2/5-2/22/2018	EUT Type: Remote Radio Head		Page 127 of 191