



# RF TEST REPORT

**Applicant**      MobiWire SAS

**FCC ID**          QPN-H6821

**Product**        4G Smart Phone

**Brand**            MobiWire; MobiWire; Altice

**Model**            MobiWire H6821; MBW Vodafone  
Smart V22; Altice S64

**Report No.**      R2206A0570-R3

**Issue Date**      August 17, 2022

TA Technology (Shanghai) Co., Ltd. tested the above equipment in accordance with the requirements in **FCC CFR47 Part 2 (2021)/ FCC CFR47 Part 27C (2021)**. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Prepared by: Xu Ying

Approved by: Xu Kai

## TA Technology (Shanghai) Co., Ltd.

Building 3, No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China

TEL: +86-021-50791141/2/3

FAX: +86-021-50791141/2/3-8000



## TABLE OF CONTENT

|                                    |                                                        |           |
|------------------------------------|--------------------------------------------------------|-----------|
| <b>1</b>                           | <b>Test Laboratory</b>                                 | <b>4</b>  |
| 1.1                                | Notes of the Test Report                               | 4         |
| <b>1.2.</b>                        | <b>Test facility</b>                                   | <b>4</b>  |
| 1.3                                | Testing Location                                       | 4         |
| <b>2</b>                           | <b>General Description of Equipment under Test</b>     | <b>5</b>  |
| 2.1                                | Applicant and Manufacturer Information                 | 5         |
| 2.2                                | General information                                    | 5         |
| <b>3</b>                           | <b>Applied Standards</b>                               | <b>7</b>  |
| <b>4</b>                           | <b>Test Configuration</b>                              | <b>8</b>  |
| <b>5</b>                           | <b>Test Case</b>                                       | <b>9</b>  |
| 5.1                                | RF Power Output and Effective Isotropic Radiated Power | 9         |
| 5.2                                | Occupied Bandwidth                                     | 11        |
| 5.3                                | Band Edge Compliance                                   | 12        |
| 5.4                                | Peak-to-Average Power Ratio (PAPR)                     | 14        |
| 5.5                                | Frequency Stability                                    | 15        |
| 5.6                                | Spurious Emissions at Antenna Terminals                | 16        |
| 5.7                                | Radiates Spurious Emission                             | 18        |
| <b>6</b>                           | <b>Test Results</b>                                    | <b>21</b> |
| 6.1                                | RF Power Output and Effective Isotropic Radiated Power | 21        |
| 6.2                                | Occupied Bandwidth                                     | 32        |
| 6.3                                | Band Edge Compliance                                   | 44        |
| 6.4                                | Peak-to-Average Power Ratio (PAPR)                     | 58        |
| 6.5                                | Frequency Stability                                    | 60        |
| 6.6                                | Spurious Emissions at Antenna Terminals                | 65        |
| 6.7                                | Radiates Spurious Emission                             | 70        |
| <b>7</b>                           | <b>Main Test Instruments</b>                           | <b>75</b> |
| <b>ANNEX A: The EUT Appearance</b> |                                                        | <b>76</b> |
| <b>ANNEX B: Test Setup Photos</b>  |                                                        | <b>77</b> |



## Summary of Measurement Results

| Number | Test Case                                              | Clause in FCC rules                    | Verdict |
|--------|--------------------------------------------------------|----------------------------------------|---------|
| 1      | RF Power Output and Effective Isotropic Radiated Power | 2.1046<br>/27.50(d)(4)<br>/27.50(h)(2) | PASS    |
| 2      | Occupied Bandwidth                                     | 2.1049                                 | PASS    |
| 3      | Band Edge Compliance                                   | 27.53(h)<br>/27.53(m)                  | PASS    |
| 4      | Peak-to-Average Power Ratio                            | 27.50(d)/KDB971168 D01(5.7)            | PASS    |
| 5      | Frequency Stability                                    | 2.1055 / 27.54                         | PASS    |
| 6      | Spurious Emissions at Antenna Terminals                | 2.1051<br>/27.53(h)<br>/27.53(m)       | PASS    |
| 7      | Radiates Spurious Emission                             | 2.1053<br>/27.53(h)<br>/27.53(m)       | PASS    |

Date of Testing: June 27, 2022 ~ July 15, 2022

Date of Sample Received: March 24, 2022

Note: PASS: The EUT complies with the essential requirements in the standard.

FAIL: The EUT does not comply with the essential requirements in the standard.

All indications of Pass/Fail in this report are opinions expressed by TA Technology (Shanghai) Co., Ltd. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only.



# 1 Test Laboratory

## 1.1 Notes of the Test Report

This report shall not be reproduced in full or partial, without the written approval of **TA technology (shanghai) co., Ltd.** The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein .Measurement Uncertainties were not taken into account and are published for informational purposes only. This report is written to support regulatory compliance of the applicable standards stated above.

## 1.2. Test facility

### **FCC (Designation number: CN1179, Test Firm Registration Number: 446626)**

TA Technology (Shanghai) Co., Ltd. has been listed on the US Federal Communications Commission list of test facilities recognized to perform measurements.

### **A2LA (Certificate Number: 3857.01)**

TA Technology (Shanghai) Co., Ltd. has been listed by American Association for Laboratory Accreditation to perform measurement.

## 1.3 Testing Location

|            |                                                                                |
|------------|--------------------------------------------------------------------------------|
| Company:   | TA Technology (Shanghai) Co., Ltd.                                             |
| Address:   | Building 3, No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China |
| City:      | Shanghai                                                                       |
| Post code: | 201201                                                                         |
| Country:   | P. R. China                                                                    |
| Contact:   | Xu Kai                                                                         |
| Telephone: | +86-021-50791141/2/3                                                           |
| Fax:       | +86-021-50791141/2/3-8000                                                      |
| Website:   | <a href="http://www.ta-shanghai.com">http://www.ta-shanghai.com</a>            |
| E-mail:    | <a href="mailto:xukai@ta-shanghai.com">xukai@ta-shanghai.com</a>               |

## 2 General Description of Equipment under Test

### 2.1 Applicant and Manufacturer Information

|                      |                                                                 |
|----------------------|-----------------------------------------------------------------|
| Applicant            | MobiWire SAS                                                    |
| Applicant address    | 107 Boulevard de la Mission Marchand, 92400 Courbevoie, France. |
| Manufacturer         | MobiWire SAS                                                    |
| Manufacturer address | 107 Boulevard de la Mission Marchand, 92400 Courbevoie, France. |

### 2.2 General information

| EUT Description              |                                                                              |                   |             |
|------------------------------|------------------------------------------------------------------------------|-------------------|-------------|
| Model                        | MobiWire H6821; MBW Vodafone Smart V22; Altice S64                           |                   |             |
| IMEI                         | 353539550000384                                                              |                   |             |
| Hardware Version             | V00                                                                          |                   |             |
| Software Version             | MobiWire_H6821M_V01                                                          |                   |             |
| Power Supply                 | Battery / AC adapter                                                         |                   |             |
| Antenna Type                 | Internal Antenna                                                             |                   |             |
| Antenna Gain                 | Band                                                                         | Antenna Gain(dBi) |             |
|                              | LTE Band 4                                                                   | -1.0              |             |
|                              | LTE Band 7                                                                   | -1.5              |             |
| Test Mode(s)                 | LTE Band 4/7;                                                                |                   |             |
| Test Modulation              | (LTE)QPSK, 16QAM;                                                            |                   |             |
| LTE Release                  | 11                                                                           |                   |             |
| Maximum E.R.P./E.I.R.P.      | LTE Band 4:                                                                  | 23.17dBm          |             |
|                              | LTE Band 7:                                                                  | 22.39dBm          |             |
| Rated Power Supply Voltage   | 3.85V                                                                        |                   |             |
| Operating Voltage            | 3.6V ~ 4.40V                                                                 |                   |             |
| Operating Temperature        | Lowest: -10°C      Highest: +55°C                                            |                   |             |
| Testing Temperature          | Lowest: -30°C      Highest: +50°C                                            |                   |             |
| Operating Frequency Range(s) | Mode                                                                         | Tx (MHz)          | Rx (MHz)    |
|                              | LTE Band 4                                                                   | 1710 ~ 1755       | 2110 ~ 2155 |
|                              | LTE Band 7                                                                   | 2500 ~ 2570       | 2620 ~ 2690 |
| EUT Accessory                |                                                                              |                   |             |
| Adapter                      | Manufacturer: Dongguan Aohai Technology Co., Ltd.<br>Model: A18A-050100U-US2 |                   |             |
| Battery                      | Manufacturer: NINGBO VEKEN BATTERY CO., LTD<br>Model: 178249203              |                   |             |



|                                                                                                                |                                                                                   |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Earphone                                                                                                       | Manufacturer: JIU JIANG JUWEI ELECTRONICS CO.,LTD<br>Model: JWEP0957-M01R         |
| USB Cable                                                                                                      | Manufacturer: SHENZHEN FKY-QY HARDWARE<br>ELECTRONIC CO.,LTD<br>Model: AM/MICRO5P |
| Note: 1. The EUT is sent from the applicant to TA and the information of the EUT is declared by the applicant. |                                                                                   |

| Item                                                                                                                                                                                                                                                                   | Configure 1 | Configure 2       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------|
| Components on PCB changes                                                                                                                                                                                                                                              | /           | add second memory |
| Others                                                                                                                                                                                                                                                                 | The same    | The same          |
| Note: Customer declaration, two models are the same, except for the memory, There are more than one Configure, each one should be applied throughout the compliance test respectively, and however, only the worst case (Configure 1) will be recorded in this report. |             |                   |

Three models: MobiWire H6821; MBW Vodafone Smart V22; Altice S64

The difference:

MBW Vodafone Smart V22, Altice S64:

1. Battery silkscreen logo is different.
2. Different chargers are used. MBW Vodafone Smart V22 use AU charger, Altice S64 use US charger.

MobiWire H6821 is same as MBW Vodafone Smart V22.

And only the data for MobiWire H6821 is recorded in this report.



### 3 Applied Standards

According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

**Test standards:**

**FCC CFR47 Part 27C (2021)**

**FCC CFR47 Part 2 (2021)**

**Reference standard:**

**ANSI C63.26-2015**

**KDB 971168 D01 Power Meas License Digital Systems v03r01**

## 4 Test Configuration

There is more than one SIM card slot, each one should be applied throughout the compliance test respectively, and however, only the worst case (SIM 1) will be recorded in this report

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes. EUT stand-up position (Z axis), lie-down position (X, Y axis). Receiver antenna polarization (horizontal and vertical), the worst emission was found in position (Z axis, horizontal polarization) and the worst case was recorded.

All mode and data rates and positions and RB size and modulations were investigated.

Subsequently, only the worst case emissions are reported.

The following testing in LTE is set based on the maximum RF Output Power.

The following testing in different Bandwidth is set to detail in the following table:

Test modes are chosen to be reported as the worst case configuration below for LTE Band 4/7:

| Test items                                             | Modes                                                                                                                                 | Bandwidth (MHz) |   |   |    |    |    | Modulation |       | RB |     |      | Test Channel |   |   |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------|---|---|----|----|----|------------|-------|----|-----|------|--------------|---|---|
|                                                        |                                                                                                                                       | 1.4             | 3 | 5 | 10 | 15 | 20 | QPSK       | 16QAM | 1  | 50% | 100% | L            | M | H |
| RF Power Output and Effective Isotropic Radiated Power | LTE 4                                                                                                                                 | O               | O | O | O  | O  | O  | O          | O     | O  | O   | O    | O            | O | O |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | O  | O  | O  | O          | O     | O  | O   | O    | O            | O | O |
| Occupied Bandwidth                                     | LTE 4                                                                                                                                 | O               | O | O | O  | O  | O  | O          | O     | -  | -   | O    | O            | O | O |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | O  | O  | O  | O          | O     | -  | -   | O    | O            | O | O |
| Band Edge Compliance                                   | LTE 4                                                                                                                                 | O               | O | O | O  | O  | O  | O          | O     | O  | -   | O    | O            | - | O |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | O  | O  | O  | O          | O     | O  | -   | O    | O            | - | O |
| Peak-to-Average Power Ratio                            | LTE 4                                                                                                                                 | O               | O | O | O  | O  | O  | O          | O     | -  | -   | O    | O            | O | O |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | O  | O  | O  | O          | O     | -  | -   | O    | O            | O | O |
| Frequency Stability                                    | LTE 4                                                                                                                                 | O               | O | O | O  | O  | O  | O          | O     | O  | -   | -    | -            | O | - |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | O  | O  | O  | O          | O     | O  | -   | -    | -            | O | - |
| Spurious Emissions at Antenna Terminals                | LTE 4                                                                                                                                 | O               | O | O | O  | O  | O  | O          | -     | O  | -   | -    | O            | O | O |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | O  | O  | O  | O          | -     | O  | -   | -    | O            | O | O |
| Radiates Spurious Emission                             | LTE 4                                                                                                                                 | O               | - | O | -  | -  | O  | O          | -     | O  | -   | -    | -            | O | - |
|                                                        | LTE 7                                                                                                                                 | -               | - | O | -  | -  | O  | O          | -     | O  | -   | -    | -            | O | - |
| Note                                                   | 1. The mark "O" means that this configuration is chosen for testing.<br>2. The mark "-" means that this configuration is not testing. |                 |   |   |    |    |    |            |       |    |     |      |              |   |   |



## 5 Test Case

### 5.1 RF Power Output and Effective Isotropic Radiated Power

#### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

#### Methods of Measurement

During the process of the testing, The EUT was connected to the Base Station Simulator with a known loss. The EUT is controlled by the Base Station Simulator test set to ensure max power transmission with proper modulation.


ERP can then be calculated as follows:

$$\text{EIRP (dBm)} = \text{Output Power (dBm)} - \text{Losses (dB)} + \text{Antenna Gain (dBi)}$$

where:dBd refers to gain relative to an ideal dipole.

$$\text{EIRP (dBm)} = \text{ERP (dBm)} + 2.15 \text{ (dB.)}$$

#### Test Setup



#### Limits

No specific RF power output requirements in part 2.1046.

Rule Part 27.50(d) (4) specifies that “Fixed, mobile and portable (hand-held) stations operating in the 1710–1755 MHz band are limited to 1 watt EIRP”

Rule Part 27.50(h) (2) specifies that “Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.”

|                        |                |
|------------------------|----------------|
| Part 27.50(d)(4)Limit  | ≤ 1 W (30 dBm) |
| Part 27.50(h)(2) Limit | ≤ 2 W (33 dBm) |



## Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U=0.4$  dB for RF power output,  $k = 2$ ,  $U= 1.19$  dB for ERP/EIRP.

## Test Results

Refer to the section 6.1 of this report for test data.

## 5.2 Occupied Bandwidth

### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |


### Method of Measurement

The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The occupied bandwidth is measured using spectrum analyzer.

RBW is set to  $\geq 1\%EBW$ , VBW is set to 3x RBW.

99% power and -26dBc occupied bandwidths are recorded. Spectrum analyzer plots are included on the following pages.

### Test Setup



### Limits

No specific occupied bandwidth requirements in part 2.1049.

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U=624\text{Hz}$ .

### Test Results

Refer to the section 6.2 of this report for test data.

### 5.3 Band Edge Compliance

#### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

#### Method of Measurement


The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The band edge of the lowest and highest channels were measured.

The testing follows KDB 971168 D01 v03r01 Section 6.0

The EUT was connected to spectrum analyzer and system simulator via a power divider.

The band edges of low and high channels for the highest RF powers were measured.

#### Test Setup



#### Limits

Rule Part 27.53(h) specifies that “ for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10} (P)$  dB”

Rule Part 27.53(m) (4)/ specifies that “for BRS and EBS stations. For mobile digital stations, the attenuation factor shall be not less than  $40 + 10 \log (P)$  dB on all frequencies between the channel edge and 5 megahertz from the channel edge,  $43 + 10 \log (P)$  dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and  $55 + 10 \log (P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(4) of this section. In addition, the attenuation factor shall not be less that  $43 + 10 \log (P)$  dB on all frequencies between 2490.5 MHz and 2496 MHz and  $55 + 10 \log (P)$  dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Example:

The limit line is derived from  $43 + 10 \log (P)$  dB below the transmitter power P(Watts)



$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)} = -13\text{dBm}.$$

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 1.96$ ,  $U=0.684\text{dB}$ .

### Test Results

Refer to the section 6.3 of this report for test data.

## 5.4 Peak-to-Average Power Ratio (PAPR)

### Ambient condition


| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

### Methods of Measurement

Measure the total peak power and record as PPk. And measure the total average power and record as PAvg. Both the peak and average power levels must be expressed in the same logarithmic units (e.g., dBm). Determine the PAPR from:

$$\text{PAPR (dB)} = \text{PPk (dBm)} - \text{PAvg (dBm)}.$$

### Test Setup



### Limits

Rule Part 27.50(d)(5) Equipment employed must be authorized in accordance with the provisions of 24.51. Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (d)(6) of this section. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = 2$ ,  $U = 0.4$  dB.

### Test Results

Refer to the section 6.4 of this report for test data.

## 5.5 Frequency Stability

### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

### Method of Measurement

#### Frequency Stability (Temperature Variation)

The temperature inside the climate chamber is varied from -30°C to +50°C in 10°C step size.

(1) With all power removed, the temperature was decreased to -10°C and permitted to stabilize for three hours.

(2) Measure the carrier frequency with the test equipment in a “call mode”. These measurements should be made within 1 minute of powering up the mobile station, to prevent significant self warming.

(3) Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, un-powered, before making measurements.


#### Frequency Stability (Voltage Variation)

The frequency stability shall be measured with variation of primary supply voltage as follows:

**Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

This transceiver is specified to operate with an input voltage of between 3.60 V and 4.40 V, with a nominal voltage of 3.85V.

### Test setup



### Limits

The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

### Measurement Uncertainty

The assessed measurement uncertainty to ensure 99.75% confidence level for the normal distribution is with the coverage factor  $k = 3$ ,  $U = 0.01\text{ppm}$ .

### Test Results

Refer to the section 6.5 of this report for test data.

## 5.6 Spurious Emissions at Antenna Terminals

### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |

### Method of Measurement

The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The measurement is carried out using a spectrum analyzer. The spectrum analyzer scans from 9kHz to the 10th harmonic of the carrier. The peak detector is used.

RBW is set to 100kHz, VBW is set to 300kHz for 30MHz~1GHz

RBW is set to 1MHz, VBW is set to 3MHz for above 1GHz, Sweep is set to ATUO.

RBW is set to 1 kHz (0.009MHz~ 0.15 MHz),

RBW is set to 10 kHz (0.15 MHz~ 30 MHz)


RBW is set to 100 kHz (30MHz~1000 MHz)

RBW is set to 1000 kHz (above 1000MHz)

Of those disturbances below (limit – 20 dB), the mark is not required for the EUT.

The modulation mode and RB allocation refer to section 5.1, using the maximum output power configuration.

### Test setup



### Limits

Rule Part 27.53(h) specifies that “for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10}(P)$  dB..”

Rule Part 27.53(m)  $55 + 10 \log(P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(4) of this section.

|                             |         |
|-----------------------------|---------|
| Part 27.53(a)/(h)/(g) Limit | -13 dBm |
| Part 27.53(m) Limit         | -25 dBm |





### Measurement Uncertainty

The assessed measurement uncertainty to ensure 99.75% confidence level for the normal distribution is with the coverage factor  $k = 1.96$ .

| Frequency    | Uncertainty |
|--------------|-------------|
| 9kHz-1GHz    | 0.684 dB    |
| 1GHz-26.5GHz | 1.407 dB    |

### Test Results

Refer to the section 6.6 of this report for test data.

## 5.7 Radiates Spurious Emission

### Ambient condition

| Temperature | Relative humidity | Pressure |
|-------------|-------------------|----------|
| 23°C ~25°C  | 45%~50%           | 101.5kPa |


### Method of Measurement

1. The testing follows FCC KDB 971168 D01 v03r01 Section 5.8 and ANSI C63.26-2015.
2. Below 1GHz: The EUT is placed on a turntable 0.8 meters above the ground in the chamber, 3 meter away from the antenna. The maximal emission value is acquired by adjusting the antenna height, polarisation and turntable azimuth. Normally, the height range of antenna is 1 m to 4 m, the azimuth range of turntable is 0° to 360°, and the receive antenna has two polarizations Vertical (V) and Horizontal (H). Above 1GHz: (Note: the FCC's permission to use 1.5m as an alternative per TCBC Conf call of Dec. 2, 2014.) The EUT is placed on a turntable 1.5 meters above the ground in the chamber, 3 meter away from the antenna. The maximal emission value is acquired by adjusting the antenna height, polarisation and turntable azimuth. Normally, the height range of antenna is 1 m to 4 m, the azimuth range of turntable is 0° to 360°, and the receive antenna has two polarizations Vertical (V) and Horizontal (H).
3. A loop antenna, A log-periodic antenna or horn antenna shall be substituted in place of the EUT. The log-periodic antenna will be driven by a signal generator and the level will be adjusted till the same power value on the spectrum analyzer or receiver. The level of the spurious emissions can be calculated through the level of the signal generator, cable loss, the gain of the substitution antenna and the reading of the spectrum analyzer or receiver.
4. The EUT is then put into continuously transmitting mode at its maximum power level during the test. Set Test Receiver or Spectrum RBW=100kHz, VBW=300kHz for 30MHz to 1GHz and RBW=1MHz, VBW=3MHz for above 1GHz, and the maximum value of the receiver should be recorded as (Pr).
5. The EUT shall be replaced by a substitution antenna. In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (PMea) is applied to the input of the substitution antenna, and adjust the level of the signal generator output until the value of the receiver reach the previously recorded (Pr). The power of signal source (PMea) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.
6. A amplifier should be connected to the Signal Source output port. And the cable should be connect between the Amplifier and the Substitution Antenna. The cable loss (Pcl) ,the Substitution Antenna Gain (Ga) and the Amplifier Gain (PAg) should be recorded after test.
7. The measurement results are obtained as described below:  
$$\text{Power(EIRP)} = \text{PMea} - \text{PAg} - \text{Pcl} + \text{Ga}$$
  
The measurement results are amend as described below:  
$$\text{Power(EIRP)} = \text{PMea} - \text{Pcl} + \text{Ga}$$
8. This value is EIRP since the measurement is calibrated using an antenna of known gain (2.15 dB) and known input power. ERP can be calculated from EIRP by subtracting the gain of the dipole,  $\text{ERP} = \text{EIRP} - 2.15\text{dB}$ .


The modulation mode and RB allocation refer to section 5.1, using the maximum output power configuration.

### Test setup


9KHz~ 30MHz



30MHz~ 1GHz



Above 1GHz



Note: Area side:2.4mX3.6m

## Limits

Rule Part 27.53(h) specifies that “for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least  $43 + 10 \log_{10} (P)$  dB.”

Rule Part 27.53(m)  $55 + 10 \log (P)$  dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(4) of this section.

|                             |         |
|-----------------------------|---------|
| Part 27.53(a)/(h)/(g) Limit | -13 dBm |
| Part 27.53(m) Limit         | -25 dBm |

## Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor  $k = \pm 1.96$ ,  $U = \pm 3.55$  dB.

## Test Results

Refer to the section 6.7 of this report for test data.



## 6 Test Results

### 6.1 RF Power Output and Effective Isotropic Radiated Power

| LTE Band 4      |            |         |             |            |             |           |         |
|-----------------|------------|---------|-------------|------------|-------------|-----------|---------|
| Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Power (dBm) | EIRP(dBm) | Verdict |
| 1.4             | 19957      | 1       | #0          | QPSK       | 23.85       | 22.85     | PASS    |
| 1.4             | 19957      | 1       | #Mid        | QPSK       | 24.09       | 23.09     | PASS    |
| 1.4             | 19957      | 1       | #Max        | QPSK       | 23.89       | 22.89     | PASS    |
| 1.4             | 19957      | 3       | #0          | QPSK       | 23.91       | 22.91     | PASS    |
| 1.4             | 19957      | 3       | #Mid        | QPSK       | 23.90       | 22.90     | PASS    |
| 1.4             | 19957      | 3       | #Max        | QPSK       | 23.92       | 22.92     | PASS    |
| 1.4             | 19957      | 6       | #0          | QPSK       | 22.88       | 21.88     | PASS    |
| 1.4             | 19957      | 1       | #0          | 16QAM      | 22.64       | 21.64     | PASS    |
| 1.4             | 19957      | 1       | #Mid        | 16QAM      | 22.91       | 21.91     | PASS    |
| 1.4             | 19957      | 1       | #Max        | 16QAM      | 22.64       | 21.64     | PASS    |
| 1.4             | 19957      | 3       | #0          | 16QAM      | 22.98       | 21.98     | PASS    |
| 1.4             | 19957      | 3       | #Mid        | 16QAM      | 22.95       | 21.95     | PASS    |
| 1.4             | 19957      | 3       | #Max        | 16QAM      | 22.98       | 21.98     | PASS    |
| 1.4             | 19957      | 6       | #0          | 16QAM      | 21.85       | 20.85     | PASS    |
| 1.4             | 20175      | 1       | #0          | QPSK       | 23.82       | 22.82     | PASS    |
| 1.4             | 20175      | 1       | #Mid        | QPSK       | 24.09       | 23.09     | PASS    |
| 1.4             | 20175      | 1       | #Max        | QPSK       | 23.84       | 22.84     | PASS    |
| 1.4             | 20175      | 3       | #0          | QPSK       | 23.89       | 22.89     | PASS    |
| 1.4             | 20175      | 3       | #Mid        | QPSK       | 23.92       | 22.92     | PASS    |
| 1.4             | 20175      | 3       | #Max        | QPSK       | 23.90       | 22.90     | PASS    |
| 1.4             | 20175      | 6       | #0          | QPSK       | 22.85       | 21.85     | PASS    |
| 1.4             | 20175      | 1       | #0          | 16QAM      | 22.84       | 21.84     | PASS    |
| 1.4             | 20175      | 1       | #Mid        | 16QAM      | 23.11       | 22.11     | PASS    |
| 1.4             | 20175      | 1       | #Max        | 16QAM      | 22.83       | 21.83     | PASS    |
| 1.4             | 20175      | 3       | #0          | 16QAM      | 22.82       | 21.82     | PASS    |
| 1.4             | 20175      | 3       | #Mid        | 16QAM      | 22.80       | 21.80     | PASS    |
| 1.4             | 20175      | 3       | #Max        | 16QAM      | 22.86       | 21.86     | PASS    |
| 1.4             | 20175      | 6       | #0          | 16QAM      | 21.79       | 20.79     | PASS    |
| 1.4             | 20393      | 1       | #0          | QPSK       | 23.72       | 22.72     | PASS    |
| 1.4             | 20393      | 1       | #Mid        | QPSK       | 23.96       | 22.96     | PASS    |
| 1.4             | 20393      | 1       | #Max        | QPSK       | 23.78       | 22.78     | PASS    |
| 1.4             | 20393      | 3       | #0          | QPSK       | 23.87       | 22.87     | PASS    |
| 1.4             | 20393      | 3       | #Mid        | QPSK       | 23.86       | 22.86     | PASS    |
| 1.4             | 20393      | 3       | #Max        | QPSK       | 23.83       | 22.83     | PASS    |



|     |       |    |      |       |       |       |      |
|-----|-------|----|------|-------|-------|-------|------|
| 1.4 | 20393 | 6  | #0   | QPSK  | 22.78 | 21.78 | PASS |
| 1.4 | 20393 | 1  | #0   | 16QAM | 22.47 | 21.47 | PASS |
| 1.4 | 20393 | 1  | #Mid | 16QAM | 22.65 | 21.65 | PASS |
| 1.4 | 20393 | 1  | #Max | 16QAM | 22.44 | 21.44 | PASS |
| 1.4 | 20393 | 3  | #0   | 16QAM | 22.74 | 21.74 | PASS |
| 1.4 | 20393 | 3  | #Mid | 16QAM | 22.73 | 21.73 | PASS |
| 1.4 | 20393 | 3  | #Max | 16QAM | 22.72 | 21.72 | PASS |
| 1.4 | 20393 | 6  | #0   | 16QAM | 21.77 | 20.77 | PASS |
| 3   | 19965 | 1  | #0   | QPSK  | 23.92 | 22.92 | PASS |
| 3   | 19965 | 1  | #Mid | QPSK  | 23.90 | 22.90 | PASS |
| 3   | 19965 | 1  | #Max | QPSK  | 23.91 | 22.91 | PASS |
| 3   | 19965 | 8  | #0   | QPSK  | 22.89 | 21.89 | PASS |
| 3   | 19965 | 8  | #Mid | QPSK  | 22.86 | 21.86 | PASS |
| 3   | 19965 | 8  | #Max | QPSK  | 22.89 | 21.89 | PASS |
| 3   | 19965 | 15 | #0   | QPSK  | 22.88 | 21.88 | PASS |
| 3   | 19965 | 1  | #0   | 16QAM | 23.14 | 22.14 | PASS |
| 3   | 19965 | 1  | #Mid | 16QAM | 23.09 | 22.09 | PASS |
| 3   | 19965 | 1  | #Max | 16QAM | 23.11 | 22.11 | PASS |
| 3   | 19965 | 8  | #0   | 16QAM | 21.91 | 20.91 | PASS |
| 3   | 19965 | 8  | #Mid | 16QAM | 21.89 | 20.89 | PASS |
| 3   | 19965 | 8  | #Max | 16QAM | 21.92 | 20.92 | PASS |
| 3   | 19965 | 15 | #0   | 16QAM | 21.84 | 20.84 | PASS |
| 3   | 20175 | 1  | #0   | QPSK  | 23.97 | 22.97 | PASS |
| 3   | 20175 | 1  | #Mid | QPSK  | 23.94 | 22.94 | PASS |
| 3   | 20175 | 1  | #Max | QPSK  | 23.91 | 22.91 | PASS |
| 3   | 20175 | 8  | #0   | QPSK  | 22.88 | 21.88 | PASS |
| 3   | 20175 | 8  | #Mid | QPSK  | 22.89 | 21.89 | PASS |
| 3   | 20175 | 8  | #Max | QPSK  | 22.93 | 21.93 | PASS |
| 3   | 20175 | 15 | #0   | QPSK  | 22.88 | 21.88 | PASS |
| 3   | 20175 | 1  | #0   | 16QAM | 22.94 | 21.94 | PASS |
| 3   | 20175 | 1  | #Mid | 16QAM | 22.89 | 21.89 | PASS |
| 3   | 20175 | 1  | #Max | 16QAM | 22.86 | 21.86 | PASS |
| 3   | 20175 | 8  | #0   | 16QAM | 21.91 | 20.91 | PASS |
| 3   | 20175 | 8  | #Mid | 16QAM | 21.91 | 20.91 | PASS |
| 3   | 20175 | 8  | #Max | 16QAM | 21.92 | 20.92 | PASS |
| 3   | 20175 | 15 | #0   | 16QAM | 21.81 | 20.81 | PASS |
| 3   | 20385 | 1  | #0   | QPSK  | 23.82 | 22.82 | PASS |
| 3   | 20385 | 1  | #Mid | QPSK  | 23.89 | 22.89 | PASS |
| 3   | 20385 | 1  | #Max | QPSK  | 23.92 | 22.92 | PASS |
| 3   | 20385 | 8  | #0   | QPSK  | 22.85 | 21.85 | PASS |
| 3   | 20385 | 8  | #Mid | QPSK  | 22.85 | 21.85 | PASS |
| 3   | 20385 | 8  | #Max | QPSK  | 22.89 | 21.89 | PASS |
| 3   | 20385 | 15 | #0   | QPSK  | 22.80 | 21.80 | PASS |



|   |       |    |      |       |       |       |      |
|---|-------|----|------|-------|-------|-------|------|
| 3 | 20385 | 1  | #0   | 16QAM | 22.50 | 21.50 | PASS |
| 3 | 20385 | 1  | #Mid | 16QAM | 22.56 | 21.56 | PASS |
| 3 | 20385 | 1  | #Max | 16QAM | 22.51 | 21.51 | PASS |
| 3 | 20385 | 8  | #0   | 16QAM | 21.85 | 20.85 | PASS |
| 3 | 20385 | 8  | #Mid | 16QAM | 21.85 | 20.85 | PASS |
| 3 | 20385 | 8  | #Max | 16QAM | 21.85 | 20.85 | PASS |
| 3 | 20385 | 15 | #0   | 16QAM | 21.84 | 20.84 | PASS |
| 5 | 19975 | 1  | #0   | QPSK  | 23.76 | 22.76 | PASS |
| 5 | 19975 | 1  | #Mid | QPSK  | 23.87 | 22.87 | PASS |
| 5 | 19975 | 1  | #Max | QPSK  | 23.78 | 22.78 | PASS |
| 5 | 19975 | 12 | #0   | QPSK  | 22.91 | 21.91 | PASS |
| 5 | 19975 | 12 | #Mid | QPSK  | 22.84 | 21.84 | PASS |
| 5 | 19975 | 12 | #Max | QPSK  | 22.86 | 21.86 | PASS |
| 5 | 19975 | 25 | #0   | QPSK  | 22.88 | 21.88 | PASS |
| 5 | 19975 | 1  | #0   | 16QAM | 23.13 | 22.13 | PASS |
| 5 | 19975 | 1  | #Mid | 16QAM | 23.28 | 22.28 | PASS |
| 5 | 19975 | 1  | #Max | 16QAM | 23.18 | 22.18 | PASS |
| 5 | 19975 | 12 | #0   | 16QAM | 21.82 | 20.82 | PASS |
| 5 | 19975 | 12 | #Mid | 16QAM | 21.88 | 20.88 | PASS |
| 5 | 19975 | 12 | #Max | 16QAM | 21.78 | 20.78 | PASS |
| 5 | 19975 | 25 | #0   | 16QAM | 21.91 | 20.91 | PASS |
| 5 | 20175 | 1  | #0   | QPSK  | 23.86 | 22.86 | PASS |
| 5 | 20175 | 1  | #Mid | QPSK  | 24.00 | 23.00 | PASS |
| 5 | 20175 | 1  | #Max | QPSK  | 23.82 | 22.82 | PASS |
| 5 | 20175 | 12 | #0   | QPSK  | 22.88 | 21.88 | PASS |
| 5 | 20175 | 12 | #Mid | QPSK  | 22.87 | 21.87 | PASS |
| 5 | 20175 | 12 | #Max | QPSK  | 22.89 | 21.89 | PASS |
| 5 | 20175 | 25 | #0   | QPSK  | 22.91 | 21.91 | PASS |
| 5 | 20175 | 1  | #0   | 16QAM | 22.90 | 21.90 | PASS |
| 5 | 20175 | 1  | #Mid | 16QAM | 23.01 | 22.01 | PASS |
| 5 | 20175 | 1  | #Max | 16QAM | 22.81 | 21.81 | PASS |
| 5 | 20175 | 12 | #0   | 16QAM | 21.84 | 20.84 | PASS |
| 5 | 20175 | 12 | #Mid | 16QAM | 21.84 | 20.84 | PASS |
| 5 | 20175 | 12 | #Max | 16QAM | 21.85 | 20.85 | PASS |
| 5 | 20175 | 25 | #0   | 16QAM | 21.91 | 20.91 | PASS |
| 5 | 20375 | 1  | #0   | QPSK  | 23.65 | 22.65 | PASS |
| 5 | 20375 | 1  | #Mid | QPSK  | 23.80 | 22.80 | PASS |
| 5 | 20375 | 1  | #Max | QPSK  | 23.67 | 22.67 | PASS |
| 5 | 20375 | 12 | #0   | QPSK  | 22.84 | 21.84 | PASS |
| 5 | 20375 | 12 | #Mid | QPSK  | 22.88 | 21.88 | PASS |
| 5 | 20375 | 12 | #Max | QPSK  | 22.85 | 21.85 | PASS |
| 5 | 20375 | 25 | #0   | QPSK  | 22.84 | 21.84 | PASS |
| 5 | 20375 | 1  | #0   | 16QAM | 22.83 | 21.83 | PASS |



|    |       |    |      |       |       |       |      |
|----|-------|----|------|-------|-------|-------|------|
| 5  | 20375 | 1  | #Mid | 16QAM | 22.98 | 21.98 | PASS |
| 5  | 20375 | 1  | #Max | 16QAM | 22.85 | 21.85 | PASS |
| 5  | 20375 | 12 | #0   | 16QAM | 21.89 | 20.89 | PASS |
| 5  | 20375 | 12 | #Mid | 16QAM | 21.88 | 20.88 | PASS |
| 5  | 20375 | 12 | #Max | 16QAM | 21.86 | 20.86 | PASS |
| 5  | 20375 | 25 | #0   | 16QAM | 21.86 | 20.86 | PASS |
| 10 | 20000 | 1  | #0   | QPSK  | 23.92 | 22.92 | PASS |
| 10 | 20000 | 1  | #Mid | QPSK  | 24.05 | 23.05 | PASS |
| 10 | 20000 | 1  | #Max | QPSK  | 23.96 | 22.96 | PASS |
| 10 | 20000 | 25 | #0   | QPSK  | 22.90 | 21.90 | PASS |
| 10 | 20000 | 25 | #Mid | QPSK  | 22.89 | 21.89 | PASS |
| 10 | 20000 | 25 | #Max | QPSK  | 22.89 | 21.89 | PASS |
| 10 | 20000 | 50 | #0   | QPSK  | 22.87 | 21.87 | PASS |
| 10 | 20000 | 1  | #0   | 16QAM | 23.05 | 22.05 | PASS |
| 10 | 20000 | 1  | #Mid | 16QAM | 23.41 | 22.41 | PASS |
| 10 | 20000 | 1  | #Max | 16QAM | 23.19 | 22.19 | PASS |
| 10 | 20000 | 25 | #0   | 16QAM | 21.92 | 20.92 | PASS |
| 10 | 20000 | 25 | #Mid | 16QAM | 21.95 | 20.95 | PASS |
| 10 | 20000 | 25 | #Max | 16QAM | 21.96 | 20.96 | PASS |
| 10 | 20000 | 50 | #0   | 16QAM | 21.86 | 20.86 | PASS |
| 10 | 20175 | 1  | #0   | QPSK  | 23.94 | 22.94 | PASS |
| 10 | 20175 | 1  | #Mid | QPSK  | 24.17 | 23.17 | PASS |
| 10 | 20175 | 1  | #Max | QPSK  | 23.91 | 22.91 | PASS |
| 10 | 20175 | 25 | #0   | QPSK  | 22.86 | 21.86 | PASS |
| 10 | 20175 | 25 | #Mid | QPSK  | 22.88 | 21.88 | PASS |
| 10 | 20175 | 25 | #Max | QPSK  | 22.89 | 21.89 | PASS |
| 10 | 20175 | 50 | #0   | QPSK  | 22.87 | 21.87 | PASS |
| 10 | 20175 | 1  | #0   | 16QAM | 22.84 | 21.84 | PASS |
| 10 | 20175 | 1  | #Mid | 16QAM | 23.02 | 22.02 | PASS |
| 10 | 20175 | 1  | #Max | 16QAM | 22.83 | 21.83 | PASS |
| 10 | 20175 | 25 | #0   | 16QAM | 21.88 | 20.88 | PASS |
| 10 | 20175 | 25 | #Mid | 16QAM | 21.88 | 20.88 | PASS |
| 10 | 20175 | 25 | #Max | 16QAM | 21.91 | 20.91 | PASS |
| 10 | 20175 | 50 | #0   | 16QAM | 21.87 | 20.87 | PASS |
| 10 | 20350 | 1  | #0   | QPSK  | 23.83 | 22.83 | PASS |
| 10 | 20350 | 1  | #Mid | QPSK  | 23.95 | 22.95 | PASS |
| 10 | 20350 | 1  | #Max | QPSK  | 23.83 | 22.83 | PASS |
| 10 | 20350 | 25 | #0   | QPSK  | 22.94 | 21.94 | PASS |
| 10 | 20350 | 25 | #Mid | QPSK  | 22.88 | 21.88 | PASS |
| 10 | 20350 | 25 | #Max | QPSK  | 22.77 | 21.77 | PASS |
| 10 | 20350 | 50 | #0   | QPSK  | 22.82 | 21.82 | PASS |
| 10 | 20350 | 1  | #0   | 16QAM | 22.50 | 21.50 | PASS |
| 10 | 20350 | 1  | #Mid | 16QAM | 22.65 | 21.65 | PASS |





|    |       |    |      |       |       |       |      |
|----|-------|----|------|-------|-------|-------|------|
| 10 | 20350 | 1  | #Max | 16QAM | 22.53 | 21.53 | PASS |
| 10 | 20350 | 25 | #0   | 16QAM | 21.92 | 20.92 | PASS |
| 10 | 20350 | 25 | #Mid | 16QAM | 21.92 | 20.92 | PASS |
| 10 | 20350 | 25 | #Max | 16QAM | 21.78 | 20.78 | PASS |
| 10 | 20350 | 50 | #0   | 16QAM | 21.87 | 20.87 | PASS |
| 15 | 20025 | 1  | #0   | QPSK  | 23.82 | 22.82 | PASS |
| 15 | 20025 | 1  | #Mid | QPSK  | 24.00 | 23.00 | PASS |
| 15 | 20025 | 1  | #Max | QPSK  | 23.87 | 22.87 | PASS |
| 15 | 20025 | 36 | #0   | QPSK  | 22.89 | 21.89 | PASS |
| 15 | 20025 | 36 | #Mid | QPSK  | 22.93 | 21.93 | PASS |
| 15 | 20025 | 36 | #Max | QPSK  | 22.97 | 21.97 | PASS |
| 15 | 20025 | 75 | #0   | QPSK  | 22.92 | 21.92 | PASS |
| 15 | 20025 | 1  | #0   | 16QAM | 22.97 | 21.97 | PASS |
| 15 | 20025 | 1  | #Mid | 16QAM | 23.22 | 22.22 | PASS |
| 15 | 20025 | 1  | #Max | 16QAM | 23.07 | 22.07 | PASS |
| 15 | 20025 | 36 | #0   | 16QAM | 21.89 | 20.89 | PASS |
| 15 | 20025 | 36 | #Mid | 16QAM | 21.92 | 20.92 | PASS |
| 15 | 20025 | 36 | #Max | 16QAM | 21.93 | 20.93 | PASS |
| 15 | 20025 | 75 | #0   | 16QAM | 21.95 | 20.95 | PASS |
| 15 | 20175 | 1  | #0   | QPSK  | 23.83 | 22.83 | PASS |
| 15 | 20175 | 1  | #Mid | QPSK  | 23.92 | 22.92 | PASS |
| 15 | 20175 | 1  | #Max | QPSK  | 23.79 | 22.79 | PASS |
| 15 | 20175 | 36 | #0   | QPSK  | 22.86 | 21.86 | PASS |
| 15 | 20175 | 36 | #Mid | QPSK  | 22.87 | 21.87 | PASS |
| 15 | 20175 | 36 | #Max | QPSK  | 22.90 | 21.90 | PASS |
| 15 | 20175 | 75 | #0   | QPSK  | 22.89 | 21.89 | PASS |
| 15 | 20175 | 1  | #0   | 16QAM | 22.77 | 21.77 | PASS |
| 15 | 20175 | 1  | #Mid | 16QAM | 22.86 | 21.86 | PASS |
| 15 | 20175 | 1  | #Max | 16QAM | 22.71 | 21.71 | PASS |
| 15 | 20175 | 36 | #0   | 16QAM | 21.85 | 20.85 | PASS |
| 15 | 20175 | 36 | #Mid | 16QAM | 21.85 | 20.85 | PASS |
| 15 | 20175 | 36 | #Max | 16QAM | 21.86 | 20.86 | PASS |
| 15 | 20175 | 75 | #0   | 16QAM | 21.88 | 20.88 | PASS |
| 15 | 20325 | 1  | #0   | QPSK  | 23.84 | 22.84 | PASS |
| 15 | 20325 | 1  | #Mid | QPSK  | 23.96 | 22.96 | PASS |
| 15 | 20325 | 1  | #Max | QPSK  | 23.83 | 22.83 | PASS |
| 15 | 20325 | 36 | #0   | QPSK  | 22.90 | 21.90 | PASS |
| 15 | 20325 | 36 | #Mid | QPSK  | 22.91 | 21.91 | PASS |
| 15 | 20325 | 36 | #Max | QPSK  | 22.78 | 21.78 | PASS |
| 15 | 20325 | 75 | #0   | QPSK  | 22.86 | 21.86 | PASS |
| 15 | 20325 | 1  | #0   | 16QAM | 22.59 | 21.59 | PASS |
| 15 | 20325 | 1  | #Mid | 16QAM | 22.68 | 21.68 | PASS |
| 15 | 20325 | 1  | #Max | 16QAM | 22.55 | 21.55 | PASS |



|    |       |     |      |       |       |       |      |
|----|-------|-----|------|-------|-------|-------|------|
| 15 | 20325 | 36  | #0   | 16QAM | 21.89 | 20.89 | PASS |
| 15 | 20325 | 36  | #Mid | 16QAM | 21.90 | 20.90 | PASS |
| 15 | 20325 | 36  | #Max | 16QAM | 21.72 | 20.72 | PASS |
| 15 | 20325 | 75  | #0   | 16QAM | 21.83 | 20.83 | PASS |
| 20 | 20050 | 1   | #0   | QPSK  | 23.63 | 22.63 | PASS |
| 20 | 20050 | 1   | #Mid | QPSK  | 24.12 | 23.12 | PASS |
| 20 | 20050 | 1   | #Max | QPSK  | 23.73 | 22.73 | PASS |
| 20 | 20050 | 50  | #0   | QPSK  | 22.89 | 21.89 | PASS |
| 20 | 20050 | 50  | #Mid | QPSK  | 22.88 | 21.88 | PASS |
| 20 | 20050 | 50  | #Max | QPSK  | 22.99 | 21.99 | PASS |
| 20 | 20050 | 100 | #0   | QPSK  | 22.97 | 21.97 | PASS |
| 20 | 20050 | 1   | #0   | 16QAM | 22.62 | 21.62 | PASS |
| 20 | 20050 | 1   | #Mid | 16QAM | 23.16 | 22.16 | PASS |
| 20 | 20050 | 1   | #Max | 16QAM | 22.74 | 21.74 | PASS |
| 20 | 20050 | 50  | #0   | 16QAM | 21.98 | 20.98 | PASS |
| 20 | 20050 | 50  | #Mid | 16QAM | 21.95 | 20.95 | PASS |
| 20 | 20050 | 50  | #Max | 16QAM | 22.02 | 21.02 | PASS |
| 20 | 20050 | 100 | #0   | 16QAM | 21.98 | 20.98 | PASS |
| 20 | 20175 | 1   | #0   | QPSK  | 23.73 | 22.73 | PASS |
| 20 | 20175 | 1   | #Mid | QPSK  | 24.10 | 23.10 | PASS |
| 20 | 20175 | 1   | #Max | QPSK  | 23.69 | 22.69 | PASS |
| 20 | 20175 | 50  | #0   | QPSK  | 22.83 | 21.83 | PASS |
| 20 | 20175 | 50  | #Mid | QPSK  | 22.83 | 21.83 | PASS |
| 20 | 20175 | 50  | #Max | QPSK  | 22.82 | 21.82 | PASS |
| 20 | 20175 | 100 | #0   | QPSK  | 22.90 | 21.90 | PASS |
| 20 | 20175 | 1   | #0   | 16QAM | 22.36 | 21.36 | PASS |
| 20 | 20175 | 1   | #Mid | 16QAM | 22.72 | 21.72 | PASS |
| 20 | 20175 | 1   | #Max | 16QAM | 22.34 | 21.34 | PASS |
| 20 | 20175 | 50  | #0   | 16QAM | 21.83 | 20.83 | PASS |
| 20 | 20175 | 50  | #Mid | 16QAM | 21.86 | 20.86 | PASS |
| 20 | 20175 | 50  | #Max | 16QAM | 21.85 | 20.85 | PASS |
| 20 | 20175 | 100 | #0   | 16QAM | 21.92 | 20.92 | PASS |
| 20 | 20300 | 1   | #0   | QPSK  | 23.53 | 22.53 | PASS |
| 20 | 20300 | 1   | #Mid | QPSK  | 23.95 | 22.95 | PASS |
| 20 | 20300 | 1   | #Max | QPSK  | 23.56 | 22.56 | PASS |
| 20 | 20300 | 50  | #0   | QPSK  | 22.95 | 21.95 | PASS |
| 20 | 20300 | 50  | #Mid | QPSK  | 22.96 | 21.96 | PASS |
| 20 | 20300 | 50  | #Max | QPSK  | 22.69 | 21.69 | PASS |
| 20 | 20300 | 100 | #0   | QPSK  | 22.86 | 21.86 | PASS |
| 20 | 20300 | 1   | #0   | 16QAM | 22.08 | 21.08 | PASS |
| 20 | 20300 | 1   | #Mid | 16QAM | 22.52 | 21.52 | PASS |
| 20 | 20300 | 1   | #Max | 16QAM | 22.10 | 21.10 | PASS |
| 20 | 20300 | 50  | #0   | 16QAM | 21.99 | 20.99 | PASS |



|    |       |     |      |       |       |       |      |
|----|-------|-----|------|-------|-------|-------|------|
| 20 | 20300 | 50  | #Mid | 16QAM | 22.03 | 21.03 | PASS |
| 20 | 20300 | 50  | #Max | 16QAM | 21.79 | 20.79 | PASS |
| 20 | 20300 | 100 | #0   | 16QAM | 21.87 | 20.87 | PASS |

| LTE Band 7      |            |         |             |            |             |           |         |
|-----------------|------------|---------|-------------|------------|-------------|-----------|---------|
| Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Power (dBm) | EIRP(dBm) | Verdict |
| 5               | 20775      | 1       | #0          | QPSK       | 22.55       | 21.05     | PASS    |
| 5               | 20775      | 1       | #Mid        | QPSK       | 22.64       | 21.14     | PASS    |
| 5               | 20775      | 1       | #Max        | QPSK       | 22.57       | 21.07     | PASS    |
| 5               | 20775      | 12      | #0          | QPSK       | 21.70       | 20.20     | PASS    |
| 5               | 20775      | 12      | #Mid        | QPSK       | 21.69       | 20.19     | PASS    |
| 5               | 20775      | 12      | #Max        | QPSK       | 21.72       | 20.22     | PASS    |
| 5               | 20775      | 25      | #0          | QPSK       | 21.74       | 20.24     | PASS    |
| 5               | 20775      | 1       | #0          | 16QAM      | 21.68       | 20.18     | PASS    |
| 5               | 20775      | 1       | #Mid        | 16QAM      | 21.81       | 20.31     | PASS    |
| 5               | 20775      | 1       | #Max        | 16QAM      | 21.74       | 20.24     | PASS    |
| 5               | 20775      | 12      | #0          | 16QAM      | 20.78       | 19.28     | PASS    |
| 5               | 20775      | 12      | #Mid        | 16QAM      | 20.79       | 19.29     | PASS    |
| 5               | 20775      | 12      | #Max        | 16QAM      | 20.77       | 19.27     | PASS    |
| 5               | 20775      | 25      | #0          | 16QAM      | 20.80       | 19.30     | PASS    |
| 5               | 21100      | 1       | #0          | QPSK       | 22.43       | 20.93     | PASS    |
| 5               | 21100      | 1       | #Mid        | QPSK       | 22.51       | 21.01     | PASS    |
| 5               | 21100      | 1       | #Max        | QPSK       | 22.43       | 20.93     | PASS    |
| 5               | 21100      | 12      | #0          | QPSK       | 21.55       | 20.05     | PASS    |
| 5               | 21100      | 12      | #Mid        | QPSK       | 21.54       | 20.04     | PASS    |
| 5               | 21100      | 12      | #Max        | QPSK       | 21.55       | 20.05     | PASS    |
| 5               | 21100      | 25      | #0          | QPSK       | 21.59       | 20.09     | PASS    |
| 5               | 21100      | 1       | #0          | 16QAM      | 21.81       | 20.31     | PASS    |
| 5               | 21100      | 1       | #Mid        | 16QAM      | 21.89       | 20.39     | PASS    |
| 5               | 21100      | 1       | #Max        | 16QAM      | 21.88       | 20.38     | PASS    |
| 5               | 21100      | 12      | #0          | 16QAM      | 20.55       | 19.05     | PASS    |
| 5               | 21100      | 12      | #Mid        | 16QAM      | 20.55       | 19.05     | PASS    |
| 5               | 21100      | 12      | #Max        | 16QAM      | 20.60       | 19.10     | PASS    |
| 5               | 21100      | 25      | #0          | 16QAM      | 20.64       | 19.14     | PASS    |
| 5               | 21425      | 1       | #0          | QPSK       | 22.56       | 21.06     | PASS    |
| 5               | 21425      | 1       | #Mid        | QPSK       | 22.63       | 21.13     | PASS    |
| 5               | 21425      | 1       | #Max        | QPSK       | 22.56       | 21.06     | PASS    |
| 5               | 21425      | 12      | #0          | QPSK       | 21.69       | 20.19     | PASS    |
| 5               | 21425      | 12      | #Mid        | QPSK       | 21.72       | 20.22     | PASS    |
| 5               | 21425      | 12      | #Max        | QPSK       | 21.64       | 20.14     | PASS    |
| 5               | 21425      | 25      | #0          | QPSK       | 21.64       | 20.14     | PASS    |
| 5               | 21425      | 1       | #0          | 16QAM      | 21.62       | 20.12     | PASS    |



|    |       |    |      |       |       |       |      |
|----|-------|----|------|-------|-------|-------|------|
| 5  | 21425 | 1  | #Mid | 16QAM | 21.71 | 20.21 | PASS |
| 5  | 21425 | 1  | #Max | 16QAM | 21.61 | 20.11 | PASS |
| 5  | 21425 | 12 | #0   | 16QAM | 20.62 | 19.12 | PASS |
| 5  | 21425 | 12 | #Mid | 16QAM | 20.61 | 19.11 | PASS |
| 5  | 21425 | 12 | #Max | 16QAM | 20.59 | 19.09 | PASS |
| 5  | 21425 | 25 | #0   | 16QAM | 20.67 | 19.17 | PASS |
| 10 | 20800 | 1  | #0   | QPSK  | 22.76 | 21.26 | PASS |
| 10 | 20800 | 1  | #Mid | QPSK  | 22.98 | 21.48 | PASS |
| 10 | 20800 | 1  | #Max | QPSK  | 22.78 | 21.28 | PASS |
| 10 | 20800 | 25 | #0   | QPSK  | 21.79 | 20.29 | PASS |
| 10 | 20800 | 25 | #Mid | QPSK  | 21.76 | 20.26 | PASS |
| 10 | 20800 | 25 | #Max | QPSK  | 21.81 | 20.31 | PASS |
| 10 | 20800 | 50 | #0   | QPSK  | 21.81 | 20.31 | PASS |
| 10 | 20800 | 1  | #0   | 16QAM | 21.71 | 20.21 | PASS |
| 10 | 20800 | 1  | #Mid | 16QAM | 21.84 | 20.34 | PASS |
| 10 | 20800 | 1  | #Max | 16QAM | 21.72 | 20.22 | PASS |
| 10 | 20800 | 25 | #0   | 16QAM | 20.82 | 19.32 | PASS |
| 10 | 20800 | 25 | #Mid | 16QAM | 20.83 | 19.33 | PASS |
| 10 | 20800 | 25 | #Max | 16QAM | 20.83 | 19.33 | PASS |
| 10 | 20800 | 50 | #0   | 16QAM | 20.90 | 19.40 | PASS |
| 10 | 21100 | 1  | #0   | QPSK  | 22.53 | 21.03 | PASS |
| 10 | 21100 | 1  | #Mid | QPSK  | 22.63 | 21.13 | PASS |
| 10 | 21100 | 1  | #Max | QPSK  | 22.60 | 21.10 | PASS |
| 10 | 21100 | 25 | #0   | QPSK  | 21.64 | 20.14 | PASS |
| 10 | 21100 | 25 | #Mid | QPSK  | 21.64 | 20.14 | PASS |
| 10 | 21100 | 25 | #Max | QPSK  | 21.62 | 20.12 | PASS |
| 10 | 21100 | 50 | #0   | QPSK  | 21.67 | 20.17 | PASS |
| 10 | 21100 | 1  | #0   | 16QAM | 21.22 | 19.72 | PASS |
| 10 | 21100 | 1  | #Mid | 16QAM | 21.46 | 19.96 | PASS |
| 10 | 21100 | 1  | #Max | 16QAM | 21.29 | 19.79 | PASS |
| 10 | 21100 | 25 | #0   | 16QAM | 20.69 | 19.19 | PASS |
| 10 | 21100 | 25 | #Mid | 16QAM | 20.71 | 19.21 | PASS |
| 10 | 21100 | 25 | #Max | 16QAM | 20.68 | 19.18 | PASS |
| 10 | 21100 | 50 | #0   | 16QAM | 20.74 | 19.24 | PASS |
| 10 | 21400 | 1  | #0   | QPSK  | 23.41 | 21.91 | PASS |
| 10 | 21400 | 1  | #Mid | QPSK  | 23.57 | 22.07 | PASS |
| 10 | 21400 | 1  | #Max | QPSK  | 23.60 | 22.10 | PASS |
| 10 | 21400 | 25 | #0   | QPSK  | 22.55 | 21.05 | PASS |
| 10 | 21400 | 25 | #Mid | QPSK  | 22.55 | 21.05 | PASS |
| 10 | 21400 | 25 | #Max | QPSK  | 22.74 | 21.24 | PASS |
| 10 | 21400 | 50 | #0   | QPSK  | 22.66 | 21.16 | PASS |
| 10 | 21400 | 1  | #0   | 16QAM | 22.73 | 21.23 | PASS |
| 10 | 21400 | 1  | #Mid | 16QAM | 22.95 | 21.45 | PASS |



|    |       |    |      |       |       |       |      |
|----|-------|----|------|-------|-------|-------|------|
| 10 | 21400 | 1  | #Max | 16QAM | 22.82 | 21.32 | PASS |
| 10 | 21400 | 25 | #0   | 16QAM | 21.60 | 20.10 | PASS |
| 10 | 21400 | 25 | #Mid | 16QAM | 21.63 | 20.13 | PASS |
| 10 | 21400 | 25 | #Max | 16QAM | 21.92 | 20.42 | PASS |
| 10 | 21400 | 50 | #0   | 16QAM | 21.74 | 20.24 | PASS |
| 15 | 20825 | 1  | #0   | QPSK  | 23.89 | 22.39 | PASS |
| 15 | 20825 | 1  | #Mid | QPSK  | 23.79 | 22.29 | PASS |
| 15 | 20825 | 1  | #Max | QPSK  | 23.01 | 21.51 | PASS |
| 15 | 20825 | 36 | #0   | QPSK  | 23.09 | 21.59 | PASS |
| 15 | 20825 | 36 | #Mid | QPSK  | 23.05 | 21.55 | PASS |
| 15 | 20825 | 36 | #Max | QPSK  | 22.46 | 20.96 | PASS |
| 15 | 20825 | 75 | #0   | QPSK  | 22.80 | 21.30 | PASS |
| 15 | 20825 | 1  | #0   | 16QAM | 23.00 | 21.50 | PASS |
| 15 | 20825 | 1  | #Mid | 16QAM | 23.02 | 21.52 | PASS |
| 15 | 20825 | 1  | #Max | 16QAM | 22.26 | 20.76 | PASS |
| 15 | 20825 | 36 | #0   | 16QAM | 22.04 | 20.54 | PASS |
| 15 | 20825 | 36 | #Mid | 16QAM | 22.04 | 20.54 | PASS |
| 15 | 20825 | 36 | #Max | 16QAM | 21.48 | 19.98 | PASS |
| 15 | 20825 | 75 | #0   | 16QAM | 21.82 | 20.32 | PASS |
| 15 | 21100 | 1  | #0   | QPSK  | 21.60 | 20.10 | PASS |
| 15 | 21100 | 1  | #Mid | QPSK  | 21.63 | 20.13 | PASS |
| 15 | 21100 | 1  | #Max | QPSK  | 21.79 | 20.29 | PASS |
| 15 | 21100 | 36 | #0   | QPSK  | 20.74 | 19.24 | PASS |
| 15 | 21100 | 36 | #Mid | QPSK  | 20.75 | 19.25 | PASS |
| 15 | 21100 | 36 | #Max | QPSK  | 21.59 | 20.09 | PASS |
| 15 | 21100 | 75 | #0   | QPSK  | 21.63 | 20.13 | PASS |
| 15 | 21100 | 1  | #0   | 16QAM | 21.44 | 19.94 | PASS |
| 15 | 21100 | 1  | #Mid | 16QAM | 21.56 | 20.06 | PASS |
| 15 | 21100 | 1  | #Max | 16QAM | 21.53 | 20.03 | PASS |
| 15 | 21100 | 36 | #0   | 16QAM | 20.63 | 19.13 | PASS |
| 15 | 21100 | 36 | #Mid | 16QAM | 20.66 | 19.16 | PASS |
| 15 | 21100 | 36 | #Max | 16QAM | 20.60 | 19.10 | PASS |
| 15 | 21100 | 75 | #0   | 16QAM | 20.67 | 19.17 | PASS |
| 15 | 21375 | 1  | #0   | QPSK  | 22.59 | 21.09 | PASS |
| 15 | 21375 | 1  | #Mid | QPSK  | 22.74 | 21.24 | PASS |
| 15 | 21375 | 1  | #Max | QPSK  | 22.65 | 21.15 | PASS |
| 15 | 21375 | 36 | #0   | QPSK  | 21.67 | 20.17 | PASS |
| 15 | 21375 | 36 | #Mid | QPSK  | 21.67 | 20.17 | PASS |
| 15 | 21375 | 36 | #Max | QPSK  | 21.64 | 20.14 | PASS |
| 15 | 21375 | 75 | #0   | QPSK  | 21.66 | 20.16 | PASS |
| 15 | 21375 | 1  | #0   | 16QAM | 21.42 | 19.92 | PASS |
| 15 | 21375 | 1  | #Mid | 16QAM | 21.54 | 20.04 | PASS |
| 15 | 21375 | 1  | #Max | 16QAM | 21.47 | 19.97 | PASS |



|    |       |     |      |       |       |       |      |
|----|-------|-----|------|-------|-------|-------|------|
| 15 | 21375 | 36  | #0   | 16QAM | 20.63 | 19.13 | PASS |
| 15 | 21375 | 36  | #Mid | 16QAM | 20.59 | 19.09 | PASS |
| 15 | 21375 | 36  | #Max | 16QAM | 20.57 | 19.07 | PASS |
| 15 | 21375 | 75  | #0   | 16QAM | 20.68 | 19.18 | PASS |
| 20 | 20850 | 1   | #0   | QPSK  | 22.49 | 20.99 | PASS |
| 20 | 20850 | 1   | #Mid | QPSK  | 22.88 | 21.38 | PASS |
| 20 | 20850 | 1   | #Max | QPSK  | 22.46 | 20.96 | PASS |
| 20 | 20850 | 50  | #0   | QPSK  | 21.65 | 20.15 | PASS |
| 20 | 20850 | 50  | #Mid | QPSK  | 21.68 | 20.18 | PASS |
| 20 | 20850 | 50  | #Max | QPSK  | 21.75 | 20.25 | PASS |
| 20 | 20850 | 100 | #0   | QPSK  | 21.70 | 20.20 | PASS |
| 20 | 20850 | 1   | #0   | 16QAM | 21.18 | 19.68 | PASS |
| 20 | 20850 | 1   | #Mid | 16QAM | 21.59 | 20.09 | PASS |
| 20 | 20850 | 1   | #Max | 16QAM | 21.17 | 19.67 | PASS |
| 20 | 20850 | 50  | #0   | 16QAM | 20.69 | 19.19 | PASS |
| 20 | 20850 | 50  | #Mid | 16QAM | 20.74 | 19.24 | PASS |
| 20 | 20850 | 50  | #Max | 16QAM | 20.74 | 19.24 | PASS |
| 20 | 20850 | 100 | #0   | 16QAM | 20.77 | 19.27 | PASS |
| 20 | 21100 | 1   | #0   | QPSK  | 22.25 | 20.75 | PASS |
| 20 | 21100 | 1   | #Mid | QPSK  | 22.66 | 21.16 | PASS |
| 20 | 21100 | 1   | #Max | QPSK  | 22.32 | 20.82 | PASS |
| 20 | 21100 | 50  | #0   | QPSK  | 21.54 | 20.04 | PASS |
| 20 | 21100 | 50  | #Mid | QPSK  | 21.57 | 20.07 | PASS |
| 20 | 21100 | 50  | #Max | QPSK  | 21.62 | 20.12 | PASS |
| 20 | 21100 | 100 | #0   | QPSK  | 21.55 | 20.05 | PASS |
| 20 | 21100 | 1   | #0   | 16QAM | 20.86 | 19.36 | PASS |
| 20 | 21100 | 1   | #Mid | 16QAM | 21.33 | 19.83 | PASS |
| 20 | 21100 | 1   | #Max | 16QAM | 20.99 | 19.49 | PASS |
| 20 | 21100 | 50  | #0   | 16QAM | 20.68 | 19.18 | PASS |
| 20 | 21100 | 50  | #Mid | 16QAM | 20.69 | 19.19 | PASS |
| 20 | 21100 | 50  | #Max | 16QAM | 20.70 | 19.20 | PASS |
| 20 | 21100 | 100 | #0   | 16QAM | 20.68 | 19.18 | PASS |
| 20 | 21350 | 1   | #0   | QPSK  | 22.36 | 20.86 | PASS |
| 20 | 21350 | 1   | #Mid | QPSK  | 22.74 | 21.24 | PASS |
| 20 | 21350 | 1   | #Max | QPSK  | 22.46 | 20.96 | PASS |
| 20 | 21350 | 50  | #0   | QPSK  | 21.59 | 20.09 | PASS |
| 20 | 21350 | 50  | #Mid | QPSK  | 21.58 | 20.08 | PASS |
| 20 | 21350 | 50  | #Max | QPSK  | 21.61 | 20.11 | PASS |
| 20 | 21350 | 100 | #0   | QPSK  | 21.58 | 20.08 | PASS |
| 20 | 21350 | 1   | #0   | 16QAM | 21.50 | 20.00 | PASS |
| 20 | 21350 | 1   | #Mid | 16QAM | 21.84 | 20.34 | PASS |
| 20 | 21350 | 1   | #Max | 16QAM | 21.53 | 20.03 | PASS |
| 20 | 21350 | 50  | #0   | 16QAM | 20.64 | 19.14 | PASS |



|    |       |     |      |       |       |       |      |
|----|-------|-----|------|-------|-------|-------|------|
| 20 | 21350 | 50  | #Mid | 16QAM | 20.64 | 19.14 | PASS |
| 20 | 21350 | 50  | #Max | 16QAM | 20.62 | 19.12 | PASS |
| 20 | 21350 | 100 | #0   | 16QAM | 20.70 | 19.20 | PASS |

## 6.2 Occupied Bandwidth

| LTE Band 4 |            |                 |         |                 |                          |                       |
|------------|------------|-----------------|---------|-----------------|--------------------------|-----------------------|
| RB         | Modulation | Bandwidth (MHz) | Channel | Frequency (MHz) | 99% Power Bandwidth(MHz) | -26dBc Bandwidth(MHz) |
| 100%       | QPSK       | 1.4             | 19957   | 1710.7          | 1.097                    | 1.279                 |
|            |            |                 | 20175   | 1732.5          | 1.088                    | 1.270                 |
|            |            |                 | 20393   | 1754.3          | 1.096                    | 1.286                 |
|            |            | 3               | 19965   | 1711.5          | 2.683                    | 2.898                 |
|            |            |                 | 20175   | 1732.5          | 2.687                    | 2.891                 |
|            |            |                 | 20385   | 1753.5          | 2.697                    | 2.912                 |
|            |            | 5               | 19975   | 1712.5          | 4.506                    | 4.857                 |
|            |            |                 | 20175   | 1732.5          | 4.518                    | 4.911                 |
|            |            |                 | 20375   | 1752.5          | 4.509                    | 4.914                 |
|            |            | 10              | 20000   | 1715            | 8.947                    | 9.637                 |
|            |            |                 | 20175   | 1732.5          | 8.978                    | 9.613                 |
|            |            |                 | 20350   | 1750            | 8.981                    | 9.676                 |
|            |            | 15              | 20025   | 1717.5          | 13.498                   | 14.459                |
|            |            |                 | 20175   | 1732.5          | 13.440                   | 14.422                |
|            |            |                 | 20325   | 1747.5          | 13.474                   | 14.446                |
|            |            | 20              | 20050   | 1720            | 17.962                   | 19.408                |
|            |            |                 | 20175   | 1732.5          | 17.924                   | 19.259                |
|            |            |                 | 20300   | 1745            | 17.961                   | 19.300                |
|            | 16QAM      | 1.4             | 19957   | 1710.7          | 1.090                    | 1.280                 |
|            |            |                 | 20175   | 1732.5          | 1.098                    | 1.325                 |
|            |            |                 | 20393   | 1754.3          | 1.089                    | 1.260                 |
|            |            | 3               | 19965   | 1711.5          | 2.681                    | 2.921                 |
|            |            |                 | 20175   | 1732.5          | 2.699                    | 2.904                 |
|            |            |                 | 20385   | 1753.5          | 2.683                    | 2.915                 |
|            |            | 5               | 19975   | 1712.5          | 4.512                    | 4.935                 |
|            |            |                 | 20175   | 1732.5          | 4.498                    | 4.891                 |
|            |            |                 | 20375   | 1752.5          | 4.521                    | 4.903                 |
|            |            | 10              | 20000   | 1715            | 8.984                    | 9.759                 |
|            |            |                 | 20175   | 1732.5          | 8.966                    | 9.629                 |
|            |            |                 | 20350   | 1750            | 8.972                    | 9.706                 |
|            |            | 15              | 20025   | 1717.5          | 13.462                   | 14.479                |
|            |            |                 | 20175   | 1732.5          | 13.390                   | 14.351                |
|            |            |                 | 20325   | 1747.5          | 13.479                   | 14.498                |







|  |  |    |       |        |        |        |
|--|--|----|-------|--------|--------|--------|
|  |  | 20 | 20050 | 1720   | 17.951 | 19.472 |
|  |  |    | 20175 | 1732.5 | 17.970 | 19.302 |
|  |  |    | 20300 | 1745   | 17.932 | 19.286 |

| LTE Band 7 |            |                 |         |                 |                          |                       |
|------------|------------|-----------------|---------|-----------------|--------------------------|-----------------------|
| RB         | Modulation | Bandwidth (MHz) | Channel | Frequency (MHz) | 99% Power Bandwidth(MHz) | -26dBc Bandwidth(MHz) |
| 100%       | QPSK       | 5               | 20775   | 2502.5          | 4.507                    | 4.883                 |
|            |            |                 | 21100   | 2535            | 4.507                    | 4.887                 |
|            |            |                 | 21425   | 2567.5          | 4.520                    | 4.938                 |
|            |            | 10              | 20800   | 2505            | 9.012                    | 9.743                 |
|            |            |                 | 21100   | 2535            | 8.968                    | 9.679                 |
|            |            |                 | 21400   | 2565            | 9.013                    | 9.659                 |
|            |            | 15              | 20825   | 2507.5          | 13.467                   | 14.521                |
|            |            |                 | 21100   | 2535            | 13.493                   | 14.451                |
|            |            |                 | 21375   | 2562.5          | 13.508                   | 14.432                |
|            |            | 20              | 20850   | 2510            | 17.971                   | 19.379                |
|            |            |                 | 21100   | 2535            | 17.932                   | 19.268                |
|            |            |                 | 21350   | 2560            | 18.010                   | 19.329                |
|            | 16QAM      | 5               | 20775   | 2502.5          | 4.514                    | 4.925                 |
|            |            |                 | 21100   | 2535            | 4.510                    | 4.909                 |
|            |            |                 | 21425   | 2567.5          | 4.518                    | 4.866                 |
|            |            | 10              | 20800   | 2505            | 9.012                    | 9.738                 |
|            |            |                 | 21100   | 2535            | 8.974                    | 9.666                 |
|            |            |                 | 21400   | 2565            | 8.988                    | 9.769                 |
|            |            | 15              | 20825   | 2507.5          | 13.489                   | 14.602                |
|            |            |                 | 21100   | 2535            | 13.481                   | 14.538                |
|            |            |                 | 21375   | 2562.5          | 13.430                   | 14.521                |
|            |            | 20              | 20850   | 2510            | 17.990                   | 19.265                |
|            |            |                 | 21100   | 2535            | 17.930                   | 19.257                |
|            |            |                 | 21350   | 2560            | 17.946                   | 19.378                |


## LTE Band 4 QPSK 1.4MHz CH-Low




## LTE Band 4 QPSK 3MHz CH-Low




## LTE Band 4 QPSK 1.4MHz CH-Middle




## LTE Band 4 QPSK 3MHz CH-Middle



## LTE Band 4 QPSK 1.4MHz CH-High




## LTE Band 4 QPSK 3MHz CH-High







## LTE Band 4 QPSK 5MHz CH-Low




## LTE Band 4 QPSK 10MHz CH-Low




## LTE Band 4 QPSK 5MHz CH-Middle




## LTE Band 4 QPSK 10MHz CH-Middle



## LTE Band 4 QPSK 5MHz CH-High




## LTE Band 4 QPSK 10MHz CH-High







## LTE Band 4 QPSK 15MHz CH-Low




## LTE Band 4 QPSK 20MHz CH-Low




## LTE Band 4 QPSK 15MHz CH-Middle




## LTE Band 4 QPSK 20MHz CH-Middle



## LTE Band 4 QPSK 15MHz CH-High




## LTE Band 4 QPSK 20MHz CH-High









## LTE Band 4 16QAM 1.4MHz CH-Low




## LTE Band 4 16QAM 3MHz CH-Low




## LTE Band 4 16QAM 1.4MHz CH-Middle




## LTE Band 4 16QAM 3MHz CH-Middle



## LTE Band 4 16QAM 1.4MHz CH-High




## LTE Band 4 16QAM 3MHz CH-High







## LTE Band 4 16QAM 5MHz CH-Low




## LTE Band 4 16QAM 10MHz CH-Low




## LTE Band 4 16QAM 5MHz CH-Middle




## LTE Band 4 16QAM 10MHz CH-Middle



## LTE Band 4 16QAM 5MHz CH-High




## LTE Band 4 16QAM 10MHz CH-High







## LTE Band 4 16QAM 15MHz CH-Low




## LTE Band 4 16QAM 20MHz CH-Low




## LTE Band 4 16QAM 15MHz CH-Middle




## LTE Band 4 16QAM 20MHz CH-Middle



## LTE Band 4 16QAM 15MHz CH-High




## LTE Band 4 16QAM 20MHz CH-High









## LTE Band 7 QPSK 5MHz CH-Low




## LTE Band 7 QPSK 10MHz CH-Low




## LTE Band 7 QPSK 5MHz CH-Middle




## LTE Band 7 QPSK 10MHz CH-Middle



## LTE Band 7 QPSK 5MHz CH-High




## LTE Band 7 QPSK 10MHz CH-High









## LTE Band 7 QPSK 15MHz CH-Low




## LTE Band 7 QPSK 20MHz CH-Low




## LTE Band 7 QPSK 15MHz CH-Middle




## LTE Band 7 QPSK 20MHz CH-Middle



## LTE Band 7 QPSK 15MHz CH-High




## LTE Band 7 QPSK 20MHz CH-High







## LTE Band 7 16QAM 5MHz CH-Low




## LTE Band 7 16QAM 10MHz CH-Low




## LTE Band 7 16QAM 5MHz CH-Middle




## LTE Band 7 16QAM 10MHz CH-Middle



## LTE Band 7 16QAM 5MHz CH-High




## LTE Band 7 16QAM 10MHz CH-High







## LTE Band 7 16QAM 15MHz CH-Low




## LTE Band 7 16QAM 20MHz CH-Low




## LTE Band 7 16QAM 15MHz CH-Middle




## LTE Band 7 16QAM 20MHz CH-Middle



## LTE Band 7 16QAM 15MHz CH-High



## LTE Band 7 16QAM 20MHz CH-High









### 6.3 Band Edge Compliance

All the test traces in the plots shows the test results clearly.


LTE Band 4 QPSK 1.4MHz CH-Low, 1 RB



LTE Band 4 QPSK 1.4MHz CH-High, 1 RB




LTE Band 4 QPSK 1.4MHz CH-Low, 100%RB




LTE Band 4 QPSK 1.4MHz CH-High, 100%RB



LTE Band 4 QPSK 3MHz CH-Low, 1 RB




LTE Band 4 QPSK 3MHz CH-High, 1 RB






## LTE Band 4 QPSK 3MHz CH-Low, 100%RB




## LTE Band 4 QPSK 3MHz CH-High, 100%RB




## LTE Band 4 QPSK 5MHz CH-Low, 1 RB



## LTE Band 4 QPSK 5MHz CH-High, 1 RB



## LTE Band 4 QPSK 5MHz CH-Low, 100%RB



## LTE Band 4 QPSK 5MHz CH-High, 100%RB




## LTE Band 4 QPSK 10MHz CH-Low, 1 RB




## LTE Band 4 QPSK 10MHz CH-High, 1 RB




## LTE Band 4 QPSK 10MHz CH-Low, 100%RB




## LTE Band 4 QPSK 10MHz CH-High, 100%RB



## LTE Band 4 QPSK 15MHz CH-Low, 1 RB




## LTE Band 4 QPSK 15MHz CH-High, 1 RB







## LTE Band 4 QPSK 15MHz CH-Low, 100%RB




## LTE Band 4 QPSK 15MHz CH-High, 100%RB




## LTE Band 4 QPSK 20MHz CH-Low, 1 RB




## LTE Band 4 QPSK 20MHz CH-High, 1 RB



## LTE Band 4 QPSK 20MHz CH-Low, 100%RB




## LTE Band 4 QPSK 20MHz CH-High, 100%RB









## LTE Band 4 16QAM 1.4MHz CH-Low, 1 RB



## LTE Band 4 16QAM 1.4MHz CH-High, 1 RB




## LTE Band 4 16QAM 1.4MHz CH-Low, 100%RB




## LTE Band 4 16QAM 1.4MHz CH-High, 100%RB



## LTE Band 4 16QAM 3MHz CH-Low, 1 RB




## LTE Band 4 16QAM 3MHz CH-High, 1 RB







## LTE Band 4 16QAM 3MHz CH-Low, 100%RB




## LTE Band 4 16QAM 3MHz CH-High, 100%RB




## LTE Band 4 16QAM 5MHz CH-Low, 1 RB



## LTE Band 4 16QAM 5MHz CH-High, 1 RB



## LTE Band 4 16QAM 5MHz CH-Low, 100%RB




## LTE Band 4 16QAM 5MHz CH-High, 100%RB




## LTE Band 4 16QAM 10MHz CH-Low, 1 RB



## LTE Band 4 16QAM 10MHz CH-High, 1 RB




## LTE Band 4 16QAM 10MHz CH-Low, 100%RB



## LTE Band 4 16QAM 10MHz CH-High, 100%RB



## LTE Band 4 16QAM 15MHz CH-Low, 1 RB




## LTE Band 4 16QAM 15MHz CH-High, 1 RB







## LTE Band 4 16QAM 15MHz CH-Low, 100%RB




## LTE Band 4 16QAM 15MHz CH-High, 100%RB




## LTE Band 4 16QAM 20MHz CH-Low, 1 RB



## LTE Band 4 16QAM 20MHz CH-High, 1 RB



## LTE Band 4 16QAM 20MHz CH-Low, 100%RB




## LTE Band 4 16QAM 20MHz CH-High, 100%RB









## LTE Band 7 QPSK 5MHz CH-Low, 1 RB




## LTE Band 7 QPSK 5MHz CH-High, 1 RB




## LTE Band 7 QPSK 5MHz CH-Low, 100%RB




## LTE Band 7 QPSK 5MHz CH-High, 100%RB




## LTE Band 7 QPSK 10MHz CH-Low, 1 RB




## LTE Band 7 QPSK 10MHz CH-High, 1 RB




LTE Band 7 QPSK 10MHz CH-Low, 100%RB




LTE Band 7 QPSK 10MHz CH-High, 100%RB




LTE Band 7 QPSK 15MHz CH-Low, 1 RB




LTE Band 7 QPSK 15MHz CH-High, 1 RB



LTE Band 7 QPSK 15MHz CH-Low, 100%RB




LTE Band 7 QPSK 15MHz CH-High, 100%RB







LTE Band 7 QPSK 20MHz CH-Low, 1 RB




LTE Band 7 QPSK 20MHz CH-High, 1 RB




LTE Band 7 QPSK 20MHz CH-Low, 100%RB




LTE Band 7 QPSK 20MHz CH-High, 100%RB




LTE Band 7 16QAM 5MHz CH-Low, 1 RB




LTE Band 7 16QAM 5MHz CH-High, 1 RB




LTE Band 7 16QAM 5MHz CH-Low, 100%RB




LTE Band 7 16QAM 5MHz CH-High, 100%RB




LTE Band 7 16QAM 10MHz CH-Low, 1 RB




LTE Band 7 16QAM 10MHz CH-High, 1 RB




LTE Band 7 16QAM 10MHz CH-Low, 100%RB




LTE Band 7 16QAM 10MHz CH-High, 100%RB




LTE Band 7 16QAM 15MHz CH-Low, 1 RB




LTE Band 7 16QAM 15MHz CH-High, 1 RB




LTE Band 7 16QAM 15MHz CH-Low, 100%RB




LTE Band 7 16QAM 15MHz CH-High, 100%RB




LTE Band 7 16QAM 20MHz CH-Low, 1 RB




LTE Band 7 16QAM 20MHz CH-High, 1 RB



LTE Band 7 16QAM 20MHz CH-Low, 100%RB



LTE Band 7 16QAM 20MHz CH-High, 100%RB



## 6.4 Peak-to-Average Power Ratio (PAPR)

| LTE Band 4 |                 |         |                 |            |           |           |            |            |
|------------|-----------------|---------|-----------------|------------|-----------|-----------|------------|------------|
| Modulation | Bandwidth (MHz) | Channel | Frequency (MHz) | Peak (dBm) | Avg (dBm) | PAPR (dB) | Limit (dB) | Conclusion |
| QPSK       | 1.4             | 19957   | 1710.7          | 27.73      | 22.17     | 5.56      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.65      | 22.16     | 5.49      | ≤13        | PASS       |
|            |                 | 20393   | 1754.3          | 27.66      | 22.17     | 5.49      | ≤13        | PASS       |
|            | 3               | 19965   | 1711.5          | 27.83      | 22.19     | 5.64      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.77      | 22.15     | 5.62      | ≤13        | PASS       |
|            |                 | 20385   | 1753.5          | 27.65      | 22.17     | 5.48      | ≤13        | PASS       |
|            | 5               | 19975   | 1712.5          | 27.91      | 22.20     | 5.71      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.84      | 22.17     | 5.67      | ≤13        | PASS       |
|            |                 | 20375   | 1752.5          | 27.84      | 22.20     | 5.64      | ≤13        | PASS       |
|            | 10              | 20000   | 1715            | 27.86      | 22.16     | 5.70      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.79      | 22.17     | 5.62      | ≤13        | PASS       |
|            |                 | 20350   | 1750            | 27.87      | 22.21     | 5.66      | ≤13        | PASS       |
|            | 15              | 20025   | 1717.5          | 28.31      | 22.24     | 6.07      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 28.17      | 22.18     | 5.99      | ≤13        | PASS       |
|            |                 | 20325   | 1747.5          | 28.13      | 22.15     | 5.98      | ≤13        | PASS       |
|            | 20              | 20050   | 1720            | 28.07      | 22.25     | 5.82      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.84      | 22.15     | 5.69      | ≤13        | PASS       |
|            |                 | 20300   | 1745            | 27.84      | 22.14     | 5.70      | ≤13        | PASS       |
| 16QAM      | 1.4             | 19957   | 1710.7          | 27.55      | 21.15     | 6.40      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.47      | 21.16     | 6.31      | ≤13        | PASS       |
|            |                 | 20393   | 1754.3          | 27.58      | 21.18     | 6.40      | ≤13        | PASS       |
|            | 3               | 19965   | 1711.5          | 27.63      | 21.22     | 6.41      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.59      | 21.18     | 6.41      | ≤13        | PASS       |
|            |                 | 20385   | 1753.5          | 27.57      | 21.18     | 6.39      | ≤13        | PASS       |
|            | 5               | 19975   | 1712.5          | 27.60      | 21.20     | 6.40      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.60      | 21.20     | 6.40      | ≤13        | PASS       |
|            |                 | 20375   | 1752.5          | 27.63      | 21.21     | 6.42      | ≤13        | PASS       |
|            | 10              | 20000   | 1715            | 27.61      | 21.19     | 6.42      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.60      | 21.19     | 6.41      | ≤13        | PASS       |
|            |                 | 20350   | 1750            | 27.64      | 21.20     | 6.44      | ≤13        | PASS       |
|            | 15              | 20025   | 1717.5          | 27.76      | 21.21     | 6.55      | ≤13        | PASS       |
|            |                 | 20175   | 1732.5          | 27.68      | 21.17     | 6.51      | ≤13        | PASS       |
|            |                 | 20325   | 1747.5          | 27.70      | 21.17     | 6.53      | ≤13        | PASS       |



|  |    |       |        |       |       |      |     |      |
|--|----|-------|--------|-------|-------|------|-----|------|
|  | 20 | 20050 | 1720   | 27.79 | 21.27 | 6.52 | ≤13 | PASS |
|  |    | 20175 | 1732.5 | 27.61 | 21.15 | 6.46 | ≤13 | PASS |
|  |    | 20300 | 1745   | 27.60 | 21.17 | 6.43 | ≤13 | PASS |

| LTE Band 7 |                 |         |                 |            |           |           |            |            |
|------------|-----------------|---------|-----------------|------------|-----------|-----------|------------|------------|
| Modulation | Bandwidth (MHz) | Channel | Frequency (MHz) | Peak (dBm) | Avg (dBm) | PAPR (dB) | Limit (dB) | Conclusion |
| QPSK       | 5               | 20775   | 2502.5          | 27.25      | 21.49     | 5.76      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 27.03      | 21.32     | 5.71      | ≤13        | PASS       |
|            |                 | 21425   | 2567.5          | 27.06      | 21.38     | 5.68      | ≤13        | PASS       |
|            | 10              | 20800   | 2505            | 27.38      | 21.56     | 5.82      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 27.12      | 21.43     | 5.69      | ≤13        | PASS       |
|            |                 | 21400   | 2565            | 27.07      | 21.42     | 5.65      | ≤13        | PASS       |
|            | 15              | 20825   | 2507.5          | 27.65      | 21.51     | 6.14      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 27.42      | 21.40     | 6.02      | ≤13        | PASS       |
|            |                 | 21375   | 2562.5          | 27.35      | 21.40     | 5.95      | ≤13        | PASS       |
|            | 20              | 20850   | 2510            | 27.30      | 21.50     | 5.80      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 27.12      | 21.37     | 5.75      | ≤13        | PASS       |
|            |                 | 21350   | 2560            | 27.03      | 21.34     | 5.69      | ≤13        | PASS       |
| 16QAM      | 5               | 20775   | 2502.5          | 27.06      | 20.56     | 6.50      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 26.84      | 20.40     | 6.44      | ≤13        | PASS       |
|            |                 | 21425   | 2567.5          | 26.85      | 20.41     | 6.44      | ≤13        | PASS       |
|            | 10              | 20800   | 2505            | 27.29      | 20.65     | 6.64      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 26.95      | 20.46     | 6.49      | ≤13        | PASS       |
|            |                 | 21400   | 2565            | 26.87      | 20.44     | 6.43      | ≤13        | PASS       |
|            | 15              | 20825   | 2507.5          | 27.26      | 20.55     | 6.71      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 27.01      | 20.44     | 6.57      | ≤13        | PASS       |
|            |                 | 21375   | 2562.5          | 26.92      | 20.41     | 6.51      | ≤13        | PASS       |
|            | 20              | 20850   | 2510            | 27.17      | 20.57     | 6.60      | ≤13        | PASS       |
|            |                 | 21100   | 2535            | 26.92      | 20.41     | 6.51      | ≤13        | PASS       |
|            |                 | 21350   | 2560            | 26.85      | 20.39     | 6.46      | ≤13        | PASS       |



## 6.5 Frequency Stability

| LTE Band 4     |         |                    |                    |                                 |                                 |         |
|----------------|---------|--------------------|--------------------|---------------------------------|---------------------------------|---------|
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 1.4MHz  |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 14.72              | 7.95               | 0.00850                         | 0.00459                         | PASS    |
| Extreme (50℃)  |         | 17.01              | 3.00               | 0.00982                         | 0.00173                         | PASS    |
| Extreme (40℃)  |         | 1.77               | 12.35              | 0.00102                         | 0.00713                         | PASS    |
| Extreme (30℃)  |         | 2.44               | 12.17              | 0.00141                         | 0.00702                         | PASS    |
| Extreme (20℃)  |         | 11.78              | 17.69              | 0.00680                         | 0.01021                         | PASS    |
| Extreme (10℃)  |         | 13.10              | 13.84              | 0.00756                         | 0.00799                         | PASS    |
| Extreme (0℃)   |         | 2.84               | 16.64              | 0.00164                         | 0.00961                         | PASS    |
| Extreme (-10℃) |         | 15.16              | 6.46               | 0.00875                         | 0.00373                         | PASS    |
| Extreme (-20℃) |         | 8.33               | 8.39               | 0.00481                         | 0.00484                         | PASS    |
| Extreme (-30℃) |         | 13.56              | 12.69              | 0.00783                         | 0.00733                         | PASS    |
| 25℃            | LV      | 2.54               | 11.83              | 0.00147                         | 0.00683                         | PASS    |
|                | HV      | 2.05               | 2.53               | 0.00118                         | 0.00146                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 3MHz    |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 8.89               | 14.55              | 0.00513                         | 0.00840                         | PASS    |
| Extreme (50℃)  |         | 12.18              | 2.46               | 0.00703                         | 0.00142                         | PASS    |
| Extreme (40℃)  |         | 5.48               | 6.64               | 0.00317                         | 0.00383                         | PASS    |
| Extreme (30℃)  |         | 13.94              | 12.49              | 0.00805                         | 0.00721                         | PASS    |
| Extreme (20℃)  |         | 9.21               | 2.91               | 0.00532                         | 0.00168                         | PASS    |
| Extreme (10℃)  |         | 8.92               | 11.20              | 0.00515                         | 0.00646                         | PASS    |
| Extreme (0℃)   |         | 12.49              | 12.02              | 0.00721                         | 0.00694                         | PASS    |
| Extreme (-10℃) |         | 7.05               | 13.23              | 0.00407                         | 0.00764                         | PASS    |
| Extreme (-20℃) |         | 5.20               | 17.54              | 0.00300                         | 0.01013                         | PASS    |
| Extreme (-30℃) |         | 15.64              | 4.99               | 0.00903                         | 0.00288                         | PASS    |
| 25℃            | LV      | 14.36              | 11.07              | 0.00829                         | 0.00639                         | PASS    |
|                | HV      | 8.66               | 1.52               | 0.00500                         | 0.00088                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 5MHz    |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |



|                |         |                    |                    |                                 |                                 |         |
|----------------|---------|--------------------|--------------------|---------------------------------|---------------------------------|---------|
| Normal (25℃)   | Normal  | 13.52              | 10.54              | 0.00781                         | 0.00608                         | PASS    |
| Extreme (50℃)  |         | 12.80              | 15.62              | 0.00739                         | 0.00902                         | PASS    |
| Extreme (40℃)  |         | 3.97               | 15.23              | 0.00229                         | 0.00879                         | PASS    |
| Extreme (30℃)  |         | 13.72              | 12.61              | 0.00792                         | 0.00728                         | PASS    |
| Extreme (20℃)  |         | 8.52               | 6.77               | 0.00492                         | 0.00391                         | PASS    |
| Extreme (10℃)  |         | 6.19               | 2.85               | 0.00357                         | 0.00165                         | PASS    |
| Extreme (0℃)   |         | 6.24               | 8.19               | 0.00360                         | 0.00473                         | PASS    |
| Extreme (-10℃) |         | 11.09              | 6.72               | 0.00640                         | 0.00388                         | PASS    |
| Extreme (-20℃) |         | 11.24              | 17.67              | 0.00649                         | 0.01020                         | PASS    |
| Extreme (-30℃) |         | 11.96              | 17.55              | 0.00691                         | 0.01013                         | PASS    |
| 25℃            | LV      | 17.05              | 3.70               | 0.00984                         | 0.00213                         | PASS    |
|                | HV      | 13.94              | 17.23              | 0.00805                         | 0.00994                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 10MHz   |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 3.87               | 2.28               | 0.00223                         | 0.00131                         | PASS    |
| Extreme (50℃)  |         | 17.89              | 17.19              | 0.01033                         | 0.00992                         | PASS    |
| Extreme (40℃)  |         | 2.16               | 13.26              | 0.00125                         | 0.00766                         | PASS    |
| Extreme (30℃)  |         | 9.04               | 6.24               | 0.00522                         | 0.00360                         | PASS    |
| Extreme (20℃)  |         | 11.72              | 3.99               | 0.00677                         | 0.00230                         | PASS    |
| Extreme (10℃)  |         | 6.53               | 2.19               | 0.00377                         | 0.00127                         | PASS    |
| Extreme (0℃)   |         | 13.85              | 11.63              | 0.00800                         | 0.00671                         | PASS    |
| Extreme (-10℃) |         | 5.00               | 13.45              | 0.00288                         | 0.00777                         | PASS    |
| Extreme (-20℃) |         | 11.65              | 1.55               | 0.00672                         | 0.00089                         | PASS    |
| Extreme (-30℃) |         | 1.06               | 17.76              | 0.00061                         | 0.01025                         | PASS    |
| 25℃            | LV      | 10.61              | 4.93               | 0.00612                         | 0.00284                         | PASS    |
|                | HV      | 6.08               | 16.62              | 0.00351                         | 0.00959                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 15MHz   |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 11.59              | 1.69               | 0.00669                         | 0.00097                         | PASS    |
| Extreme (50℃)  |         | 10.51              | 10.48              | 0.00607                         | 0.00605                         | PASS    |
| Extreme (40℃)  |         | 10.60              | 8.21               | 0.00612                         | 0.00474                         | PASS    |
| Extreme (30℃)  |         | 15.53              | 12.14              | 0.00897                         | 0.00701                         | PASS    |
| Extreme (20℃)  |         | 2.31               | 8.29               | 0.00133                         | 0.00479                         | PASS    |
| Extreme (10℃)  |         | 8.09               | 4.36               | 0.00467                         | 0.00252                         | PASS    |
| Extreme (0℃)   |         | 10.56              | 5.64               | 0.00609                         | 0.00325                         | PASS    |
| Extreme (-10℃) |         | 16.85              | 2.49               | 0.00973                         | 0.00144                         | PASS    |
| Extreme (-20℃) |         | 10.14              | 14.89              | 0.00585                         | 0.00860                         | PASS    |



|                |         |                    |                    |                                 |                                 |         |
|----------------|---------|--------------------|--------------------|---------------------------------|---------------------------------|---------|
| Extreme (-30℃) |         | 14.32              | 17.16              | 0.00827                         | 0.00991                         | PASS    |
| 25℃            | LV      | 18.00              | 15.10              | 0.01039                         | 0.00871                         | PASS    |
|                | HV      | 13.43              | 12.41              | 0.00775                         | 0.00716                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 20MHz   |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 15.47              | 7.06               | 0.00893                         | 0.00407                         | PASS    |
| Extreme (50℃)  |         | 6.21               | 14.80              | 0.00358                         | 0.00855                         | PASS    |
| Extreme (40℃)  |         | 7.90               | 17.45              | 0.00456                         | 0.01007                         | PASS    |
| Extreme (30℃)  |         | 13.02              | 15.14              | 0.00752                         | 0.00874                         | PASS    |
| Extreme (20℃)  |         | 6.19               | 10.76              | 0.00357                         | 0.00621                         | PASS    |
| Extreme (10℃)  |         | 9.89               | 14.18              | 0.00571                         | 0.00818                         | PASS    |
| Extreme (0℃)   |         | 5.44               | 10.07              | 0.00314                         | 0.00581                         | PASS    |
| Extreme (-10℃) |         | 11.88              | 14.41              | 0.00686                         | 0.00832                         | PASS    |
| Extreme (-20℃) |         | 8.78               | 17.53              | 0.00507                         | 0.01012                         | PASS    |
| Extreme (-30℃) |         | 5.34               | 2.55               | 0.00308                         | 0.00147                         | PASS    |
| 25℃            | LV      | 9.78               | 14.97              | 0.00565                         | 0.00864                         | PASS    |
|                | HV      | 14.49              | 11.73              | 0.00837                         | 0.00677                         | PASS    |

| LTE Band 7     |         |                    |                    |                                 |                                 |         |
|----------------|---------|--------------------|--------------------|---------------------------------|---------------------------------|---------|
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 5MHz    |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 12.75              | 1.27               | 0.00503                         | 0.00050                         | PASS    |
| Extreme (50℃)  |         | 15.36              | 5.51               | 0.00606                         | 0.00217                         | PASS    |
| Extreme (40℃)  |         | 3.55               | 5.42               | 0.00140                         | 0.00214                         | PASS    |
| Extreme (30℃)  |         | 14.15              | 3.61               | 0.00558                         | 0.00143                         | PASS    |
| Extreme (20℃)  |         | 3.01               | 11.55              | 0.00119                         | 0.00456                         | PASS    |
| Extreme (10℃)  |         | 12.70              | 8.49               | 0.00501                         | 0.00335                         | PASS    |
| Extreme (0℃)   |         | 12.11              | 10.81              | 0.00478                         | 0.00427                         | PASS    |
| Extreme (-10℃) |         | 13.68              | 16.57              | 0.00540                         | 0.00654                         | PASS    |
| Extreme (-20℃) |         | 4.31               | 8.28               | 0.00170                         | 0.00326                         | PASS    |
| Extreme (-30℃) |         | 13.75              | 8.27               | 0.00543                         | 0.00326                         | PASS    |
| 25℃            | LV      | 1.27               | 4.05               | 0.00050                         | 0.00160                         | PASS    |
|                | HV      | 10.92              | 14.43              | 0.00431                         | 0.00569                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 10MHz   |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |



|                |         |                    |                    |                                 |                                 |         |
|----------------|---------|--------------------|--------------------|---------------------------------|---------------------------------|---------|
| Normal (25℃)   | Normal  | 12.31              | 6.92               | 0.00486                         | 0.00273                         | PASS    |
| Extreme (50℃)  |         | 4.93               | 6.38               | 0.00194                         | 0.00252                         | PASS    |
| Extreme (40℃)  |         | 14.53              | 12.17              | 0.00573                         | 0.00480                         | PASS    |
| Extreme (30℃)  |         | 16.28              | 3.12               | 0.00642                         | 0.00123                         | PASS    |
| Extreme (20℃)  |         | 10.15              | 15.32              | 0.00400                         | 0.00604                         | PASS    |
| Extreme (10℃)  |         | 9.04               | 6.27               | 0.00357                         | 0.00247                         | PASS    |
| Extreme (0℃)   |         | 5.34               | 15.30              | 0.00211                         | 0.00603                         | PASS    |
| Extreme (-10℃) |         | 15.48              | 10.88              | 0.00611                         | 0.00429                         | PASS    |
| Extreme (-20℃) |         | 2.75               | 5.68               | 0.00108                         | 0.00224                         | PASS    |
| Extreme (-30℃) |         | 8.47               | 3.80               | 0.00334                         | 0.00150                         | PASS    |
| 25℃            | LV      | 1.95               | 14.35              | 0.00077                         | 0.00566                         | PASS    |
|                | HV      | 4.33               | 4.20               | 0.00171                         | 0.00165                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 15MHz   |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 5.30               | 4.32               | 0.00209                         | 0.00170                         | PASS    |
| Extreme (50℃)  |         | 6.47               | 13.05              | 0.00255                         | 0.00515                         | PASS    |
| Extreme (40℃)  |         | 8.07               | 15.36              | 0.00318                         | 0.00606                         | PASS    |
| Extreme (30℃)  |         | 17.93              | 10.62              | 0.00707                         | 0.00419                         | PASS    |
| Extreme (20℃)  |         | 2.19               | 5.07               | 0.00086                         | 0.00200                         | PASS    |
| Extreme (10℃)  |         | 9.61               | 14.36              | 0.00379                         | 0.00567                         | PASS    |
| Extreme (0℃)   |         | 7.78               | 14.00              | 0.00307                         | 0.00552                         | PASS    |
| Extreme (-10℃) |         | 8.65               | 13.09              | 0.00341                         | 0.00516                         | PASS    |
| Extreme (-20℃) |         | 7.21               | 2.25               | 0.00284                         | 0.00089                         | PASS    |
| Extreme (-30℃) |         | 5.09               | 3.14               | 0.00201                         | 0.00124                         | PASS    |
| 25℃            | LV      | 7.39               | 4.75               | 0.00292                         | 0.00187                         | PASS    |
|                | HV      | 16.62              | 15.14              | 0.00656                         | 0.00597                         | PASS    |
| Condition      |         | Freq.Error<br>(Hz) | Freq.Error<br>(Hz) | Frequency<br>Stability<br>(ppm) | Frequency<br>Stability<br>(ppm) | Verdict |
| BANDWIDTH      | 20MHz   |                    |                    |                                 |                                 |         |
| Temperature    | Voltage | 16QAM              | QPSK               | 16QAM                           | QPSK                            |         |
| Normal (25℃)   | Normal  | 16.27              | 8.37               | 0.00642                         | 0.00330                         | PASS    |
| Extreme (50℃)  |         | 3.74               | 15.22              | 0.00147                         | 0.00600                         | PASS    |
| Extreme (40℃)  |         | 3.88               | 4.47               | 0.00153                         | 0.00176                         | PASS    |
| Extreme (30℃)  |         | 14.22              | 3.07               | 0.00561                         | 0.00121                         | PASS    |
| Extreme (20℃)  |         | 8.02               | 15.02              | 0.00316                         | 0.00593                         | PASS    |
| Extreme (10℃)  |         | 1.89               | 12.33              | 0.00075                         | 0.00486                         | PASS    |
| Extreme (0℃)   |         | 2.59               | 8.49               | 0.00102                         | 0.00335                         | PASS    |
| Extreme (-10℃) |         | 15.50              | 3.59               | 0.00612                         | 0.00142                         | PASS    |
| Extreme (-20℃) |         | 3.37               | 11.46              | 0.00133                         | 0.00452                         | PASS    |




|                |    |      |       |         |         |      |
|----------------|----|------|-------|---------|---------|------|
| Extreme (-30℃) |    | 7.72 | 5.41  | 0.00304 | 0.00213 | PASS |
| 25℃            | LV | 2.73 | 17.13 | 0.00108 | 0.00676 | PASS |
|                | HV | 1.23 | 2.59  | 0.00049 | 0.00102 | PASS |

## 6.6 Spurious Emissions at Antenna Terminals


Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the emissions more than 20 dB below the limit are not reported.

The signal beyond the limit is carrier.


LTE Band 4 1.4MHz CH-Low 9kHz~20GHz




LTE Band 4 3MHz CH- Low 9kHz~20GHz




LTE Band 4 1.4MHz CH- Middle 9kHz~20GHz




LTE Band 4 3MHz CH- Middle 9kHz~20GHz



LTE Band 4 1.4MHz CH- High 9kHz~20GHz




LTE Band 4 3MHz CH-High 9kHz~20GHz







LTE Band 4 5MHz CH- Low 9kHz~20GHz




LTE Band 4 10MHz CH-Low 9kHz~20GHz




LTE Band 4 5MHz CH- Middle 9kHz~20GHz




LTE Band 4 10MHz CH- Middle 9kHz~20GHz




LTE Band 4 5MHz CH-High 9kHz~20GHz




LTE Band 4 10MHz CH- High 9kHz~20GHz




## LTE Band 4 15MHz CH- Low 9kHz~20GHz




## LTE Band 4 20MHz CH-Low 9kHz~20GHz




## LTE Band 4 15MHz CH- Middle 9kHz~20GHz




## LTE Band 4 20MHz CH- Middle 9kHz~20GHz




## LTE Band 4 15MHz CH-High 9kHz~20GHz




## LTE Band 4 20MHz CH- High 9kHz~20GHz




LTE Band 7 5MHz CH- Low 9kHz~26.5GHz




LTE Band 7 10MHz CH-Low 9kHz~26.5GHz




LTE Band 7 5MHz CH- Middle 9kHz~26.5GHz




LTE Band 7 10MHz CH- Middle 9kHz~26.5GHz




LTE Band 7 5MHz CH-High 9kHz~26.5GHz




LTE Band 7 10MHz CH- High 9kHz~26.5GHz




LTE Band 7 15MHz CH- Low 9kHz~26.5GHz




LTE Band 7 26.5MHz CH-Low 9kHz~26.5GHz




LTE Band 7 15MHz CH- Middle 9kHz~26.5GHz




LTE Band 7 26.5MHz CH- Middle 9kHz~26.5GHz



LTE Band 7 15MHz CH-High 9kHz~26.5GHz



LTE Band 7 26.5MHz CH- High 9kHz~26.5GHz





## 6.7 Radiates Spurious Emission

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the emissions below the noise floor will not be recorded in the report.

LTE Band 4 QPSK 1.4MHz CH-Middle, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3464.25         | -64.42   | 2.70            | 12.70      | Horizontal           | -54.42           | -13.00      | 41.42       | 0             |
| 3                                                                                                                                                             | 5197.50         | -48.25   | 3.20            | 12.50      | Horizontal           | -38.95           | -13.00      | 25.95       | 135           |
| 4                                                                                                                                                             | 6930.00         | -64.32   | 4.20            | 11.80      | Horizontal           | -56.72           | -13.00      | 43.72       | 0             |
| 5                                                                                                                                                             | 8662.50         | -59.12   | 4.40            | 12.50      | Horizontal           | -51.02           | -13.00      | 38.02       | 225           |
| 6                                                                                                                                                             | 10395.00        | -54.83   | 4.70            | 11.30      | Horizontal           | -48.23           | -13.00      | 35.23       | 0             |
| 7                                                                                                                                                             | 12127.50        | -54.27   | 5.20            | 13.80      | Horizontal           | -45.67           | -13.00      | 32.67       | 45            |
| 8                                                                                                                                                             | 13860.00        | -53.03   | 5.70            | 11.30      | Horizontal           | -47.43           | -13.00      | 34.43       | 225           |
| 9                                                                                                                                                             | 15592.50        | -56.96   | 6.10            | 16.80      | Horizontal           | -46.26           | -13.00      | 33.26       | 45            |
| 10                                                                                                                                                            | 17325.00        | -53.96   | 6.10            | 14.20      | Horizontal           | -45.86           | -13.00      | 32.86       | 225           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |



## LTE Band 4 QPSK 5MHz CH-Middle, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3460.50         | -64.34   | 2.70            | 12.70      | Horizontal           | -54.34           | -13.00      | 41.34       | 0             |
| 3                                                                                                                                                             | 5191.50         | -47.11   | 3.20            | 12.50      | Horizontal           | -37.81           | -13.00      | 24.81       | 45            |
| 4                                                                                                                                                             | 6930.00         | -63.01   | 4.20            | 11.80      | Horizontal           | -55.41           | -13.00      | 42.41       | 135           |
| 5                                                                                                                                                             | 8662.50         | -59.32   | 4.40            | 12.50      | Horizontal           | -51.22           | -13.00      | 38.22       | 0             |
| 6                                                                                                                                                             | 10395.00        | -55.15   | 4.70            | 11.30      | Horizontal           | -48.55           | -13.00      | 35.55       | 45            |
| 7                                                                                                                                                             | 12127.50        | -49.09   | 5.20            | 13.80      | Horizontal           | -40.49           | -13.00      | 27.49       | 90            |
| 8                                                                                                                                                             | 13860.00        | -53.12   | 5.70            | 11.30      | Horizontal           | -47.52           | -13.00      | 34.52       | 135           |
| 9                                                                                                                                                             | 15592.50        | -56.38   | 6.10            | 16.80      | Horizontal           | -45.68           | -13.00      | 32.68       | 90            |
| 10                                                                                                                                                            | 17325.00        | -52.97   | 6.10            | 14.20      | Horizontal           | -44.87           | -13.00      | 31.87       | 135           |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |

## LTE Band 4 QPSK 20MHz CH-Middle, RB 1

| Harmonic                                                                                                                                                      | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2                                                                                                                                                             | 3447.75         | -63.51   | 2.70            | 12.70      | Horizontal           | -53.51           | -13.00      | 40.51       | 0             |
| 3                                                                                                                                                             | 5170.88         | -50.18   | 3.20            | 12.50      | Horizontal           | -40.88           | -13.00      | 27.88       | 135           |
| 4                                                                                                                                                             | 6930.00         | -62.18   | 4.20            | 11.80      | Horizontal           | -54.58           | -13.00      | 41.58       | 90            |
| 5                                                                                                                                                             | 8662.50         | -58.69   | 4.40            | 12.50      | Horizontal           | -50.59           | -13.00      | 37.59       | 45            |
| 6                                                                                                                                                             | 10395.00        | -54.16   | 4.70            | 11.30      | Horizontal           | -47.56           | -13.00      | 34.56       | 45            |
| 7                                                                                                                                                             | 12127.50        | -54.67   | 5.20            | 13.80      | Horizontal           | -46.07           | -13.00      | 33.07       | 135           |
| 8                                                                                                                                                             | 13860.00        | -53.30   | 5.70            | 11.30      | Horizontal           | -47.70           | -13.00      | 34.70       | 0             |
| 9                                                                                                                                                             | 15592.50        | -55.37   | 6.10            | 16.80      | Horizontal           | -44.67           | -13.00      | 31.67       | 90            |
| 10                                                                                                                                                            | 17325.00        | -53.47   | 6.10            | 14.20      | Horizontal           | -45.37           | -13.00      | 32.37       | 90            |
| Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.<br>2. The worst emission was found in the antenna is Horizontal position. |                 |          |                 |            |                      |                  |             |             |               |





## LTE Band 7 QPSK 5MHz CH-Middle, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2        | 5065.80         | -62.01   | 3.40            | 12.50      | Horizontal           | -52.91           | -25.00      | 27.91       | 225           |
| 3        | 7598.60         | -53.60   | 4.40            | 12.20      | Horizontal           | -45.80           | -25.00      | 20.80       | 45            |
| 4        | 10130.63        | -45.53   | 4.70            | 11.30      | Horizontal           | -38.93           | -25.00      | 13.93       | 0             |
| 5        | 12675.00        | -53.15   | 5.40            | 13.20      | Horizontal           | -45.35           | -25.00      | 20.35       | 90            |
| 6        | 15210.00        | -50.96   | 6.10            | 13.10      | Horizontal           | -43.96           | -25.00      | 18.96       | 135           |
| 7        | 17745.00        | -53.40   | 6.10            | 14.20      | Horizontal           | -45.30           | -25.00      | 20.30       | 0             |
| 8        | 20280.00        | --       | --              | --         | --                   | --               | --          | --          | --            |
| 9        | 22815.00        | --       | --              | --         | --                   | --               | --          | --          | --            |
| 10       | 25350.00        | --       | --              | --         | --                   | --               | --          | --          | --            |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

## LTE Band 7 QPSK 20MHz CH-Middle, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | EIRP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|------------------|-------------|-------------|---------------|
| 2        | 5052.20         | -59.07   | 3.40            | 12.50      | Horizontal           | -49.97           | -25.00      | 24.97       | 270           |
| 3        | 7578.30         | -55.85   | 4.40            | 12.20      | Horizontal           | -48.05           | -25.00      | 23.05       | 90            |
| 4        | 10104.40        | -52.63   | 4.70            | 11.30      | Horizontal           | -46.03           | -25.00      | 21.03       | 135           |
| 5        | 12630.50        | -53.41   | 5.40            | 13.20      | Horizontal           | -45.61           | -25.00      | 20.61       | 45            |
| 6        | 15156.60        | -49.56   | 6.10            | 13.10      | Horizontal           | -42.56           | -25.00      | 17.56       | 270           |
| 7        | 17745.00        | -55.14   | 6.10            | 14.20      | Horizontal           | -47.04           | -25.00      | 22.04       | 90            |
| 8        | 20208.80        | --       | --              | --         | --                   | --               | --          | --          | --            |
| 9        | 22734.90        | --       | --              | --         | --                   | --               | --          | --          | --            |
| 10       | 25261.00        | --       | --              | --         | --                   | --               | --          | --          | --            |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

## LTE Band 12 QPSK 1.4MHz CH-Middle, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|-----------------|-------------|-------------|---------------|
| 2        | 1415.00         | -57.75   | 1.70            | 8.70       | Horizontal           | -51.15          | -13         | 38.15       | 270           |
| 3        | 2122.50         | -56.64   | 2.10            | 11.10      | Horizontal           | -50.25          | -13         | 37.25       | 270           |
| 4        | 2830.00         | -51.65   | 2.30            | 13.10      | Horizontal           | -46.85          | -13         | 33.85       | 0             |
| 5        | 3537.50         | -54.15   | 2.60            | 12.70      | Horizontal           | -50.35          | -13         | 37.35       | 270           |
| 6        | 4245.00         | -50.46   | 3.30            | 12.50      | Horizontal           | -46.16          | -13         | 33.16       | 180           |
| 7        | 4952.50         | -53.26   | 3.40            | 12.50      | Horizontal           | -47.56          | -13         | 34.56       | 135           |
| 8        | 5660.00         | -52.56   | 3.30            | 12.50      | Horizontal           | -47.26          | -13         | 34.26       | 45            |
| 9        | 6367.50         | -51.18   | 3.80            | 11.50      | Horizontal           | -46.28          | -13         | 33.28       | 315           |
| 10       | 7075.00         | -50.22   | 4.20            | 11.80      | Horizontal           | -45.02          | -13         | 32.02       | 270           |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

## LTE Band 12 QPSK 5MHz CH-Middle, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|-----------------|-------------|-------------|---------------|
| 2        | 1415.00         | -56.75   | 1.70            | 8.70       | Horizontal           | -50.15          | -13         | 37.15       | 45            |
| 3        | 2122.50         | -56.88   | 2.10            | 11.10      | Horizontal           | -50.49          | -13         | 37.49       | 45            |
| 4        | 2830.00         | -51.48   | 2.30            | 13.10      | Horizontal           | -46.68          | -13         | 33.68       | 90            |
| 5        | 3537.50         | -54.65   | 2.60            | 12.70      | Horizontal           | -50.85          | -13         | 37.85       | 225           |
| 6        | 4245.00         | -50.51   | 3.30            | 12.50      | Horizontal           | -46.21          | -13         | 33.21       | 90            |
| 7        | 4952.50         | -52.78   | 3.40            | 12.50      | Horizontal           | -47.08          | -13         | 34.08       | 270           |
| 8        | 5660.00         | -53.15   | 3.30            | 12.50      | Horizontal           | -47.85          | -13         | 34.85       | 315           |
| 9        | 6367.50         | -50.95   | 3.80            | 11.50      | Horizontal           | -46.05          | -13         | 33.05       | 270           |
| 10       | 7075.00         | -52.15   | 4.20            | 11.80      | Horizontal           | -46.95          | -13         | 33.95       | 45            |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.



## LTE Band 12 QPSK 10MHz CH-Middle, RB 1

| Harmonic | Frequency (MHz) | SG (dBm) | Cable Loss (dB) | Gain (dBi) | Antenna Polarization | ERP Level (dBm) | Limit (dBm) | Margin (dB) | Azimuth (deg) |
|----------|-----------------|----------|-----------------|------------|----------------------|-----------------|-------------|-------------|---------------|
| 2        | 1415.00         | -58.24   | 1.70            | 8.70       | Horizontal           | -51.64          | -13         | 38.64       | 135           |
| 3        | 2122.50         | -57.34   | 2.10            | 11.10      | Horizontal           | -50.95          | -13         | 37.95       | 45            |
| 4        | 2830.00         | -51.65   | 2.30            | 13.10      | Horizontal           | -46.85          | -13         | 33.85       | 90            |
| 5        | 3537.50         | -54.02   | 2.60            | 12.70      | Horizontal           | -50.22          | -13         | 37.22       | 225           |
| 6        | 4245.00         | -50.98   | 3.30            | 12.50      | Horizontal           | -46.68          | -13         | 33.68       | 270           |
| 7        | 4952.50         | -53.02   | 3.40            | 12.50      | Horizontal           | -47.32          | -13         | 34.32       | 180           |
| 8        | 5660.00         | -53.25   | 3.30            | 12.50      | Horizontal           | -47.95          | -13         | 34.95       | 135           |
| 9        | 6367.50         | -51.55   | 3.80            | 11.50      | Horizontal           | -46.65          | -13         | 33.65       | 270           |
| 10       | 7075.00         | -51.88   | 4.20            | 11.80      | Horizontal           | -46.68          | -13         | 33.68       | 225           |

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.



## 7 Main Test Instruments

| Name                                 | Manufacturer | Type       | Serial Number | Calibration Date | Expiration Date |
|--------------------------------------|--------------|------------|---------------|------------------|-----------------|
| Climate Chamber                      | ESPEC        | SU-242     | 93000506      | 2021-12-12       | 2022-12-11      |
| Wideband radio communication tester  | R&S          | CMW500     | 113645        | 2022-05-14       | 2023-05-13      |
| Spectrum Analyzer                    | Keysight     | N9020A     | MY50510203    | 2021-12-12       | 2022-12-11      |
| Universal Radio Communication Tester | Agilent      | E5515C     | GB44400275    | 2021-12-12       | 2022-12-11      |
| Spectrum Analyzer                    | R&S          | FSV30      | 104028        | 2021-12-12       | 2022-12-11      |
| TRILOG Broadband Antenna             | Schwarzbeck  | VULB 9163  | 01111         | 2019--9-12       | 2022-09-11      |
| Horn Antenna                         | Schwarzbeck  | BBHA 9120D | 1594          | 2020-12-17       | 2023-12-16      |
| Software                             | R&S          | EMC32      | 10.35.10      | /                | /               |

\*\*\*\*\*END OF REPORT \*\*\*\*\*



## ANNEX A: The EUT Appearance

The EUT Appearance are submitted separately.



## ANNEX B: Test Setup Photos

The Test Setup Photos are submitted separately.