



802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX



802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1216G	44.29	54.00	-9.71	9.64	3	Vertical	250	2.87	-	34.65	33.16	6.47	29.99
AV	5.202G	92.26	Inf	-Inf	9.52	3	Vertical	250	2.87	-	82.74	33.00	6.53	30.01
PK	5.148G	56.16	74.00	-17.84	9.59	3	Vertical	250	2.87	-	46.57	33.10	6.49	30.00
PK	5.2016G	100.59	Inf	-Inf	9.52	3	Vertical	250	2.87	-	91.07	33.00	6.53	30.01

802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1248G	44.57	54.00	-9.43	9.63	3	Horizontal	313	1.14	-	34.94	33.15	6.47	29.99
AV	5.202G	95.29	Inf	-Inf	9.52	3	Horizontal	313	1.14	-	85.77	33.00	6.53	30.01
PK	5.134G	56.60	74.00	-17.40	9.62	3	Horizontal	313	1.14	-	46.98	33.13	6.48	29.99
PK	5.2016G	103.57	Inf	-Inf	9.52	3	Horizontal	313	1.14	-	94.05	33.00	6.53	30.01


802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX



802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1254G	44.23	54.00	-9.77	9.63	3	Vertical	250	3.00	-	34.60	33.15	6.47	29.99
AV	5.2442G	93.08	Inf	-Inf	9.47	3	Vertical	250	3.00	-	83.61	32.91	6.58	30.02
AV	5.363G	44.33	54.00	-9.67	9.60	3	Vertical	250	3.00	-	34.73	32.93	6.72	30.05
PK	5.1044G	56.41	74.00	-17.59	9.66	3	Vertical	250	3.00	-	46.75	33.19	6.46	29.99
PK	5.2418G	101.05	Inf	-Inf	9.48	3	Vertical	250	3.00	-	91.57	32.92	6.58	30.02
PK	5.3612G	56.83	74.00	-17.17	9.59	3	Vertical	250	3.00	-	47.24	32.92	6.72	30.05

802.11a_Nss1,(6Mbps)_1TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1224G	44.55	54.00	-9.45	9.64	3	Horizontal	313	1.05	-	34.91	33.16	6.47	29.99
AV	5.2424G	95.73	Inf	-Inf	9.48	3	Horizontal	313	1.05	-	86.25	32.92	6.58	30.02
AV	5.3582G	44.68	54.00	-9.32	9.58	3	Horizontal	313	1.05	-	35.10	32.92	6.71	30.05
PK	5.1188G	56.84	74.00	-17.16	9.64	3	Horizontal	313	1.05	-	47.20	33.16	6.47	29.99
PK	5.243G	103.48	Inf	-Inf	9.47	3	Horizontal	313	1.05	-	94.01	32.91	6.58	30.02
PK	5.3612G	55.56	74.00	-18.44	9.59	3	Horizontal	313	1.05	-	45.97	32.92	6.72	30.05


802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX



802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1382G	44.14	54.00	-9.86	9.60	3	Vertical	360	1.50	-	34.54	33.12	6.48	30.00
AV	5.2618G	89.32	Inf	-Inf	9.52	3	Vertical	360	1.50	-	79.80	32.95	6.60	30.03
AV	5.3884G	44.08	54.00	-9.92	9.67	3	Vertical	360	1.50	-	34.41	32.98	6.75	30.06
PK	5.11G	56.40	74.00	-17.60	9.65	3	Vertical	360	1.50	-	46.75	33.18	6.46	29.99
PK	5.263G	97.29	Inf	-Inf	9.52	3	Vertical	360	1.50	-	87.77	32.95	6.60	30.03
PK	5.3716G	55.94	74.00	-18.06	9.61	3	Vertical	360	1.50	-	46.33	32.94	6.73	30.06

802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.137G	44.84	54.00	-9.16	9.61	3	Horizontal	304	1.00	-	35.23	33.13	6.48	30.00
AV	5.2624G	98.29	Inf	-Inf	9.52	3	Horizontal	304	1.00	-	88.77	32.95	6.60	30.03
AV	5.3806G	45.43	54.00	-8.57	9.64	3	Horizontal	304	1.00	-	35.79	32.96	6.74	30.06
PK	5.1406G	56.60	74.00	-17.40	9.61	3	Horizontal	304	1.00	-	46.99	33.12	6.49	30.00
PK	5.2618G	106.45	Inf	-Inf	9.52	3	Horizontal	304	1.00	-	96.93	32.95	6.60	30.03
PK	5.3542G	56.34	74.00	-17.66	9.57	3	Horizontal	304	1.00	-	46.77	32.91	6.71	30.05


802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX



802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	89.99	Inf	-Inf	9.70	3	Vertical	360	1.26	-	80.29	33.09	6.65	30.04
AV	5.3792G	44.07	54.00	-9.93	9.64	3	Vertical	360	1.26	-	34.43	32.96	6.74	30.06
PK	5.3016G	98.35	Inf	-Inf	9.70	3	Vertical	360	1.26	-	88.65	33.09	6.65	30.04
PK	5.3844G	56.38	74.00	-17.62	9.65	3	Vertical	360	1.26	-	46.73	32.97	6.74	30.06

802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2972G	96.79	Inf	-Inf	9.69	3	Horizontal	300	1.02	-	87.10	33.09	6.64	30.04
AV	5.3808G	44.89	54.00	-9.11	9.64	3	Horizontal	300	1.02	-	35.25	32.96	6.74	30.06
PK	5.3016G	105.15	Inf	-Inf	9.70	3	Horizontal	300	1.02	-	95.45	33.09	6.65	30.04
PK	5.3892G	56.70	74.00	-17.30	9.67	3	Horizontal	300	1.02	-	47.03	32.98	6.75	30.06

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX



802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	89.74	Inf	-Inf	9.66	3	Vertical	360	1.13	-	80.08	33.03	6.67	30.04
AV	5.361G	43.95	54.00	-10.05	9.59	3	Vertical	360	1.13	-	34.36	32.92	6.72	30.05
PK	5.3216G	98.02	Inf	-Inf	9.64	3	Vertical	360	1.13	-	88.38	33.01	6.67	30.04
PK	5.3554G	56.06	74.00	-17.94	9.57	3	Vertical	360	1.13	-	46.49	32.91	6.71	30.05

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.322G	96.93	Inf	-Inf	9.64	3	Horizontal	304	1.06	-	87.29	33.01	6.67	30.04
AV	5.35G	45.51	54.00	-8.49	9.55	3	Horizontal	304	1.06	-	35.96	32.90	6.70	30.05
PK	5.3216G	105.29	Inf	-Inf	9.64	3	Horizontal	304	1.06	-	95.65	33.01	6.67	30.04
PK	5.3502G	58.42	74.00	-15.58	9.55	3	Horizontal	304	1.06	-	48.87	32.90	6.70	30.05

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6272G	42.98	54.00	-11.02	17.79	3	Vertical	201	1.09	-	25.19	39.07	9.60	30.88
PK	10.6552G	54.96	74.00	-19.04	17.77	3	Vertical	201	1.09	-	37.19	39.04	9.61	30.88

802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.62104G	42.91	54.00	-11.09	17.80	3	Horizontal	119	2.34	-	25.11	39.08	9.60	30.88
PK	10.65744G	55.16	74.00	-18.84	17.77	3	Horizontal	119	2.34	-	37.39	39.04	9.61	30.88

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	44.23	54.00	-9.77	9.82	3	Vertical	317	2.57	-	34.41	33.11	6.79	30.08
AV	5.5022G	89.63	Inf	-Inf	9.91	3	Vertical	317	2.57	-	79.72	33.19	6.81	30.09
PK	5.4646G	56.34	68.20	-11.86	9.84	3	Vertical	317	2.57	-	46.50	33.13	6.79	30.08
PK	5.5016G	98.04	Inf	-Inf	9.91	3	Vertical	317	2.57	-	88.13	33.19	6.81	30.09

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	44.60	54.00	-9.40	9.82	3	Horizontal	289	1.02	-	34.78	33.11	6.79	30.08
AV	5.5022G	96.11	Inf	-Inf	9.91	3	Horizontal	289	1.02	-	86.20	33.19	6.81	30.09
PK	5.4674G	57.14	68.20	-11.06	9.84	3	Horizontal	289	1.02	-	47.30	33.13	6.79	30.08
PK	5.5016G	104.54	Inf	-Inf	9.91	3	Horizontal	289	1.02	-	94.63	33.19	6.81	30.09

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.98456G	43.44	54.00	-10.56	17.64	3	Vertical	189	2.40	-	25.80	38.78	9.73	30.87
PK	11.01472G	55.58	74.00	-18.42	17.68	3	Vertical	189	2.40	-	37.90	38.81	9.74	30.87

802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.98808G	43.44	54.00	-10.56	17.65	3	Horizontal	297	1.19	-	25.79	38.79	9.73	30.87
PK	10.98672G	55.70	74.00	-18.30	17.65	3	Horizontal	297	1.19	-	38.05	38.79	9.73	30.87

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4564G	44.37	54.00	-9.63	9.82	3	Vertical	252	2.94	-	34.55	33.11	6.79	30.08
AV	5.5776G	92.23	Inf	-Inf	9.87	3	Vertical	252	2.94	-	82.36	33.11	6.85	30.09
PK	5.4666G	55.38	68.20	-12.82	9.84	3	Vertical	252	2.94	-	45.54	33.13	6.79	30.08
PK	5.5818G	100.65	Inf	-Inf	9.89	3	Vertical	252	2.94	-	90.76	33.13	6.85	30.09
PK	5.7276G	56.46	68.20	-11.74	10.42	3	Vertical	252	2.94	-	46.04	33.62	6.90	30.10

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4564G	44.96	54.00	-9.04	9.82	3	Horizontal	305	1.05	-	35.14	33.11	6.79	30.08
AV	5.5776G	96.28	Inf	-Inf	9.87	3	Horizontal	305	1.05	-	86.41	33.11	6.85	30.09
PK	5.4618G	56.64	68.20	-11.56	9.83	3	Horizontal	305	1.05	-	46.81	33.12	6.79	30.08
PK	5.5818G	104.47	Inf	-Inf	9.89	3	Horizontal	305	1.05	-	94.58	33.13	6.85	30.09
PK	5.7288G	56.15	68.20	-12.05	10.44	3	Horizontal	305	1.05	-	45.71	33.63	6.91	30.10

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.17368G	43.93	54.00	-10.07	17.97	3	Vertical	136	1.30	-	25.96	39.05	9.80	30.88
PK	11.14544G	55.91	74.00	-18.09	17.90	3	Vertical	136	1.30	-	38.01	38.99	9.79	30.88

802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1788G	43.97	54.00	-10.03	17.98	3	Horizontal	221	1.47	-	25.99	39.06	9.80	30.88
PK	11.1788G	55.45	74.00	-18.55	17.98	3	Horizontal	221	1.47	-	37.47	39.06	9.80	30.88

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	93.09	Inf	-Inf	10.19	3	Vertical	253	3.00	-	82.90	33.40	6.89	30.10
PK	5.7016G	101.20	Inf	-Inf	10.21	3	Vertical	253	3.00	-	90.99	33.41	6.90	30.10
PK	5.7604G	57.63	68.20	-10.57	10.64	3	Vertical	253	3.00	-	46.99	33.82	6.92	30.10

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	98.41	Inf	-Inf	10.19	3	Horizontal	303	1.02	-	88.22	33.40	6.89	30.10
PK	5.7016G	106.41	Inf	-Inf	10.21	3	Horizontal	303	1.02	-	96.20	33.41	6.90	30.10
PK	5.7256G	62.01	68.20	-6.19	10.40	3	Horizontal	303	1.02	-	51.61	33.60	6.90	30.10

802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39976G	43.57	54.00	-10.43	17.98	3	Vertical	162	1.83	-	25.59	39.00	9.88	30.90
PK	11.38272G	55.77	74.00	-18.23	18.00	3	Vertical	162	1.83	-	37.77	39.03	9.87	30.90

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3844G	43.64	54.00	-10.36	18.00	3	Horizontal	252	1.36	-	25.64	39.03	9.87	30.90
PK	11.3816G	56.36	74.00	-17.64	18.01	3	Horizontal	252	1.36	-	38.35	39.04	9.87	30.90