


802.11n HT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61814G	42.77	54.00	-11.23	17.80	3	Vertical	350	1.62	-	24.97	39.08	9.60	30.88
PK	10.61991G	56.34	74.00	-17.66	17.80	3	Vertical	350	1.62	-	38.54	39.08	9.60	30.88

802.11n HT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61825G	42.77	54.00	-11.23	17.80	3	Horizontal	344	1.77	-	24.97	39.08	9.60	30.88
PK	10.61941G	54.86	74.00	-19.14	17.80	3	Horizontal	344	1.77	-	37.06	39.08	9.60	30.88

802.11n HT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.35	54.00	-9.65	9.83	3	Vertical	204	1.06	-	34.52	33.12	6.79	30.08
AV	5.5156G	88.34	Inf	-Inf	9.87	3	Vertical	204	1.06	-	78.47	33.14	6.82	30.09
PK	5.47G	58.98	68.20	-9.22	9.85	3	Vertical	204	1.06	-	49.13	33.14	6.79	30.08
PK	5.5168G	97.70	Inf	-Inf	9.86	3	Vertical	204	1.06	-	87.84	33.13	6.82	30.09

802.11n HT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.99	54.00	-8.01	9.83	3	Horizontal	159	1.28	-	36.16	33.12	6.79	30.08
AV	5.5132G	93.40	Inf	-Inf	9.88	3	Horizontal	159	1.28	-	83.52	33.15	6.82	30.09
PK	5.4692G	64.98	68.20	-3.22	9.85	3	Horizontal	159	1.28	-	55.13	33.14	6.79	30.08
PK	5.5168G	102.26	Inf	-Inf	9.86	3	Horizontal	159	1.28	-	92.40	33.13	6.82	30.09

802.11n HT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02209G	43.32	54.00	-10.68	17.69	3	Vertical	307	1.35	-	25.63	38.82	9.74	30.87
PK	11.02121G	55.87	74.00	-18.13	17.69	3	Vertical	307	1.35	-	38.18	38.82	9.74	30.87

802.11n HT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02053G	43.31	54.00	-10.69	17.69	3	Horizontal	335	2.11	-	25.62	38.82	9.74	30.87
PK	11.02185G	55.26	74.00	-18.74	17.69	3	Horizontal	335	2.11	-	37.57	38.82	9.74	30.87

802.11n HT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	44.42	54.00	-9.58	9.82	3	Vertical	202	1.09	-	34.60	33.11	6.79	30.08
AV	5.5532G	87.56	Inf	-Inf	9.76	3	Vertical	202	1.09	-	77.80	33.01	6.84	30.09
PK	5.4616G	55.71	68.20	-12.49	9.83	3	Vertical	202	1.09	-	45.88	33.12	6.79	30.08
PK	5.5568G	96.74	Inf	-Inf	9.78	3	Vertical	202	1.09	-	86.96	33.03	6.84	30.09

802.11n HT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	45.34	54.00	-8.66	9.82	3	Horizontal	104	1.03	-	35.52	33.11	6.79	30.08
AV	5.5516G	94.61	Inf	-Inf	9.76	3	Horizontal	104	1.03	-	84.85	33.01	6.84	30.09
PK	5.4676G	57.95	68.20	-10.25	9.85	3	Horizontal	104	1.03	-	48.10	33.14	6.79	30.08
PK	5.5428G	103.55	Inf	-Inf	9.77	3	Horizontal	104	1.03	-	93.78	33.03	6.83	30.09

802.11n HT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1025G	43.30	54.00	-10.70	17.80	3	Vertical	57	2.67	-	25.50	38.91	9.77	30.88
PK	11.10026G	56.64	74.00	-17.36	17.79	3	Vertical	57	2.67	-	38.85	38.90	9.77	30.88

802.11n HT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10196G	43.28	54.00	-10.72	17.79	3	Horizontal	139	2.47	-	25.49	38.90	9.77	30.88
PK	11.09902G	55.62	74.00	-18.38	17.79	3	Horizontal	139	2.47	-	37.83	38.90	9.77	30.88

802.11n HT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	85.82	Inf	-Inf	10.14	3	Vertical	227	1.01	-	75.68	33.35	6.89	30.10
PK	5.6766G	95.28	Inf	-Inf	10.14	3	Vertical	227	1.01	-	85.14	33.35	6.89	30.10
PK	5.7696G	57.97	68.20	-10.23	10.66	3	Vertical	227	1.01	-	47.31	33.84	6.92	30.10

802.11n HT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	94.26	Inf	-Inf	10.13	3	Horizontal	106	1.02	-	84.13	33.34	6.89	30.10
PK	5.676G	103.19	Inf	-Inf	10.14	3	Horizontal	106	1.02	-	93.05	33.35	6.89	30.10
PK	5.7318G	60.09	68.20	-8.11	10.46	3	Horizontal	106	1.02	-	49.63	33.65	6.91	30.10

802.11n HT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33813G	43.41	54.00	-10.59	18.08	3	Vertical	117	1.28	-	25.33	39.12	9.86	30.90
PK	11.33764G	55.70	74.00	-18.30	18.07	3	Vertical	117	1.28	-	37.63	39.12	9.85	30.90

802.11n HT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33833G	43.41	54.00	-10.59	18.08	3	Horizontal	147	1.46	-	25.33	39.12	9.86	30.90
PK	11.33897G	55.98	74.00	-18.02	18.08	3	Horizontal	147	1.46	-	37.90	39.12	9.86	30.90

802.11n HT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	89.27	Inf	-Inf	10.58	3	Vertical	199	1.04	-	78.69	33.77	6.91	30.10
PK	5.6206G	56.18	68.20	-12.02	10.02	3	Vertical	199	1.04	-	46.16	33.24	6.87	30.09
PK	5.7478G	98.32	Inf	-Inf	10.59	3	Vertical	199	1.04	-	87.73	33.78	6.91	30.10
PK	6.055G	58.22	68.20	-9.98	11.35	3	Vertical	199	1.04	-	46.87	34.38	7.13	30.16

802.11n HT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	94.75	Inf	-Inf	10.60	3	Horizontal	104	1.04	-	84.15	33.79	6.91	30.10
PK	5.491G	55.81	68.20	-12.39	9.90	3	Horizontal	104	1.04	-	45.91	33.18	6.81	30.09
PK	5.7478G	102.64	Inf	-Inf	10.59	3	Horizontal	104	1.04	-	92.05	33.78	6.91	30.10
PK	5.9458G	57.63	68.20	-10.57	11.32	3	Horizontal	104	1.04	-	46.31	34.37	7.06	30.11

802.11n HT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51244G	43.04	54.00	-10.96	18.00	3	Vertical	337	2.07	-	25.04	38.99	9.92	30.91
PK	11.50948G	55.24	74.00	-18.76	18.00	3	Vertical	337	2.07	-	37.24	38.99	9.92	30.91

802.11n HT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50883G	43.02	54.00	-10.98	18.00	3	Horizontal	52	2.55	-	25.02	38.99	9.92	30.91
PK	11.50886G	55.17	74.00	-18.83	18.00	3	Horizontal	52	2.55	-	37.17	38.99	9.92	30.91

802.11n HT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7914G	87.93	Inf	-Inf	10.71	3	Vertical	208	1.02	-	77.22	33.88	6.93	30.10
PK	5.6318G	55.56	68.20	-12.64	10.03	3	Vertical	208	1.02	-	45.53	33.26	6.87	30.10
PK	5.7914G	95.96	Inf	-Inf	10.71	3	Vertical	208	1.02	-	85.25	33.88	6.93	30.10
PK	5.9594G	57.40	68.20	-10.80	11.32	3	Vertical	208	1.02	-	46.08	34.36	7.07	30.11

802.11n HT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7914G	93.41	Inf	-Inf	10.71	3	Horizontal	104	1.00	-	82.70	33.88	6.93	30.10
PK	5.5598G	56.73	68.20	-11.47	9.79	3	Horizontal	104	1.00	-	46.94	33.04	6.84	30.09
PK	5.7878G	101.18	Inf	-Inf	10.71	3	Horizontal	104	1.00	-	90.47	33.88	6.93	30.10
PK	6.0494G	57.33	68.20	-10.87	11.38	3	Horizontal	104	1.00	-	45.95	34.40	7.13	30.15

802.11n HT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59217G	43.17	54.00	-10.83	17.95	3	Vertical	220	2.51	-	25.22	38.91	9.95	30.91
PK	11.58839G	55.42	74.00	-18.58	17.94	3	Vertical	220	2.51	-	37.48	38.91	9.94	30.91

802.11n HT40_Nss1,(MCS0)_1TX

5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.59242G	43.28	54.00	-10.72	17.95	3	Horizontal	330	2.12	-	25.33	38.91	9.95	30.91
PK	11.59169G	55.14	74.00	-18.86	17.95	3	Horizontal	330	2.12	-	37.19	38.91	9.95	30.91