


HP SMK 428 MHz REMOTE 20 dB BW  
REF -40.0 dBm ATTEN 10 dB

PEAK  
LOG  
5  
dB/  
OFFST  
6.0  
dB

VA SB  
SC FC  
CORR




CENTER 428.000 MHz  
#RES BW 100 kHz

#VBW 300 kHz

SPAN 0 Hz  
#SWP 90 msec

Agilent



Print Setup

Printer Type  
 Custom

Define  
 Custom


Orientation  
 Portrait

Prints/Page  
 1 2

Eject Page

More  
 1 of 2

Agilent



Freq/Channel

Center Freq  
 428.000000 MHz

Start Freq  
 426.500000 MHz

Stop Freq  
 429.500000 MHz


CF Step  
 300.000000 kHz  
 Auto Man

Freq Offset  
 0.00000000 Hz

Signal Track  
 On Off

Scale Type  
 Log Lin

Agilent



Print Setup

Printer Type  
 Custom

Define  
 Custom


Orientation  
 Portrait

Prints/Page  
 1 2

Eject Page

More  
 1 of 2

Agilent



Freq/Channel

Center Freq  
 428.000000 MHz

Start Freq  
 426.500000 MHz

Stop Freq  
 429.500000 MHz

CF Step  
 300.000000 kHz  
 Auto Man

Freq Offset  
 0.00000000 Hz

Signal Track  
 On Off

Scale Type  
 Log Lin