

INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs


(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs


(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)



INTERTEK TESTING SERVICES

Equipment Photographs

(External)






43 mm

HD17

NO. **XXX-US-XXX0001A**

CONFORMS TO UL STD. 859 & 1727
DOUBLE INSULATION - WHEN SERVICING,
USE ONLY IDENTICAL REPLACEMENT PARTS.

120 V~ 60 Hz 1 700 W

NOM   

FCC ID QVHHD1718001
IFT : DYDYHD23-44749
RFC: DTM170718JB9

 **US**

XXX
XX/XX-XXXXXX

FOR PATENT INFORMATION SEE:
www.dyson.com/patents

IMPORTADOR: DYSON TECHNOLOGY MÉXICO, S.A.
DE C.V. BOSQUE DE CIRUELOS 180, PP 101,
COL. BOSQUES DE LAS LOMAS, MIGUEL HIDALGO,
C.P. 11700 CIUDAD DE MÉXICO, MÉXICO
HECHO EN MALASIA POR DYSON TECHNOLOGY LIMITED

Intertek
4007303

31 mm

Rating plate dimension: 43 x 31 mm