


The waveform of the conducted power line

The waveform for the model BMS-15

EUT: Compact Fluorescent Lamp
Manufacturer: Chengguang
Operating Condition: ON
Test Site: CE
Operator: KK
Test Specification: "L" 120V, 60Hz
Comment: MN:BMS-15
SN:



2003-3-27 16:36 03_27ITS01L15

MEASUREMENT RESULT: "03_27ITS01L15_fin QP"


2003-3-27 16:05

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Line	PE
0.465000	35.60	10.1	48	12.4	L1	GND
0.850000	36.90	10.2	48	11.1	L1	GND
1.195000	33.00	10.3	48	15.0	L1	GND
1.850000	25.80	10.3	48	22.2	L1	GND
3.140000	21.50	10.5	48	26.5	L1	GND
4.185000	16.40	10.5	48	31.6	L1	GND

2003-3-27 16:36 03_27ITS01L15

CESR

EUT: Compact Fluorescent Lamp
Manufacturer: Chengguang
Operating Condition: Lighting On
Test Site: CE
Operator: KK
Test Specification: "N" 120V, 60Hz
Comment: MN:BMS-15
SN:



2003-3-27 16:37 03_27ITS01N15

FCC ID QWJSSEDESSER15

MEASUREMENT RESULT: "03_27ITS01N15_fin QP"

2003-3-27 16:09

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Line	PE
0.625000	37.70	10.1	48	10.3	N	GND
0.910000	37.90	10.2	48	10.1	N	GND
2.175000	26.40	10.4	48	21.6	N	GND
3.480000	21.90	10.5	48	26.1	N	GND
3.675000	19.10	10.5	48	28.9	N	GND
16.180000	13.50	11.0	48	34.5	N	GND

2003-3-27 16:37 03_27ITS01N15