



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5955MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.197449G	8.24	6.173725G	-20.31	-11.81	-8.50	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.958849G	6.08	5.978325G	-21.18	-14.14	-7.04	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.409799G	5.73	6.34345G	-40.83	-34.27	-6.56	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.9979G	3.01	6.1059G	-41.10	-36.83	-4.27	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.08459G	4.91	6.2718G	-36.59	-35.08	-1.51	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.85555G	8.35	6.87825G	-21.13	-11.75	-9.38	1
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.538049G	5.10	6.51565G	-22.60	-14.94	-7.66	1
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.681351G	5.61	6.74405G	-37.21	-33.50	-3.71	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.6115G	6.54	6.5293G	-18.85	-13.61	-5.24	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.69079G	4.57	6.8158G	-23.33	-15.56	-7.77	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958924G	7.04	5.9779G	-23.94	-13.01	-10.93	1
5955MHz	Pass	5.961248G	7.23	5.977175G	-24.28	-12.86	-11.42	2
6195MHz	Pass	6.197449G	8.24	6.173725G	-20.31	-11.81	-8.50	1
6195MHz	Pass	6.1944G	8.45	6.173275G	-21.28	-11.58	-9.70	2
6415MHz	Pass	6.410026G	7.88	6.437275G	-23.36	-12.13	-11.23	1
6415MHz	Pass	6.421173G	8.46	6.43785G	-22.32	-11.59	-10.73	2
6535MHz	Pass	6.531451G	5.36	6.5154G	-25.59	-14.80	-10.79	1
6535MHz	Pass	6.53455G	5.47	6.555125G	-24.16	-14.57	-9.59	2
6695MHz	Pass	6.696525G	-0.28	6.726925G	-51.65	-40.28	-11.37	1
6695MHz	Pass	6.69685G	0.47	6.661875G	-51.01	-39.53	-11.48	2
6855MHz	Pass	6.85555G	8.35	6.87825G	-21.13	-11.75	-9.38	1
6855MHz	Pass	6.851901G	7.45	6.879075G	-23.50	-12.81	-10.69	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958849G	6.08	5.978325G	-21.18	-14.14	-7.04	1
5955MHz	Pass	5.960399G	6.17	5.97575G	-21.58	-13.84	-7.74	2
6195MHz	Pass	6.198899G	6.27	6.21385G	-20.73	-13.23	-7.50	1
6195MHz	Pass	6.192076G	6.65	6.2146G	-21.93	-14.03	-7.90	2
6415MHz	Pass	6.417524G	5.94	6.397025G	-21.50	-14.29	-7.21	1
6415MHz	Pass	6.419074G	6.34	6.434975G	-21.24	-13.81	-7.43	2
6535MHz	Pass	6.538049G	5.10	6.51565G	-22.60	-14.94	-7.66	1
6535MHz	Pass	6.532251G	5.09	6.5138G	-22.87	-14.96	-7.91	2
6695MHz	Pass	6.698599G	0.35	6.726475G	-50.53	-39.42	-11.11	1
6695MHz	Pass	6.693675G	0.92	6.726125G	-49.14	-38.63	-10.51	2
6855MHz	Pass	6.852276G	7.65	6.88085G	-20.17	-12.44	-7.73	1
6855MHz	Pass	6.860149G	7.18	6.881125G	-21.12	-12.83	-8.29	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969649G	5.26	6.0321G	-41.33	-34.74	-6.59	1
5965MHz	Pass	5.968449G	5.53	6.04745G	-44.34	-34.47	-9.87	2
6205MHz	Pass	6.208749G	5.40	6.2661G	-41.87	-34.60	-7.27	1
6205MHz	Pass	6.212198G	5.63	6.1436G	-41.36	-34.37	-6.99	2
6405MHz	Pass	6.409799G	5.73	6.34345G	-40.83	-34.27	-6.56	1
6405MHz	Pass	6.400751G	5.50	6.34295G	-41.95	-34.50	-7.45	2
6565MHz	Pass	6.567899G	10.01	6.6236G	-18.06	-10.08	-7.98	1
6565MHz	Pass	6.571548G	9.41	6.5121G	-18.74	-10.65	-8.09	2
6685MHz	Pass	6.682401G	5.37	6.61815G	-39.62	-34.55	-5.07	1
6685MHz	Pass	6.681351G	5.61	6.74405G	-37.21	-33.50	-3.71	2
6845MHz	Pass	6.848399G	10.48	6.8982G	-15.66	-9.59	-6.07	1
6845MHz	Pass	6.840351G	9.79	6.89345G	-14.85	-10.26	-4.59	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.996G	2.81	6.1282G	-43.68	-37.19	-6.49	1
5985MHz	Pass	5.9979G	3.01	6.1059G	-41.10	-36.83	-4.27	2
6225MHz	Pass	6.2344G	2.87	6.3486G	-42.89	-37.13	-5.76	1
6225MHz	Pass	6.2347G	2.69	6.3462G	-42.58	-37.24	-5.34	2
6385MHz	Pass	6.3761G	3.07	6.2338G	-44.14	-36.93	-7.21	1
6385MHz	Pass	6.3999G	2.68	6.2646G	-42.21	-37.11	-5.10	2
6625MHz	Pass	6.60301G	6.86	6.7217G	-18.86	-13.18	-5.68	1
6625MHz	Pass	6.6115G	6.54	6.5293G	-18.85	-13.61	-5.24	2
6705MHz	Pass	6.6918G	6.65	6.8116G	-21.19	-13.39	-7.80	1
6705MHz	Pass	6.6908G	6.62	6.6058G	-19.66	-13.43	-6.23	2
6785MHz	Pass	6.7821G	7.14	6.8944G	-19.24	-12.95	-6.29	1
6785MHz	Pass	6.7728G	7.24	6.8866G	-19.29	-12.82	-6.47	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04719G	4.33	6.2768G	-37.25	-35.25	-2.00	1
6025MHz	Pass	6.08459G	4.91	6.2718G	-36.59	-35.08	-1.51	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.20839G	6.69	6.0302G	-20.65	-13.44	-7.21	1
6185MHz	Pass	6.193G	6.37	6.0304G	-22.33	-13.68	-8.65	2
6345MHz	Pass	6.36839G	5.96	6.1912G	-21.72	-14.08	-7.64	1
6345MHz	Pass	6.40898G	6.03	6.697G	-39.80	-33.97	-5.83	2
6665MHz	Pass	6.69079G	4.57	6.8158G	-23.33	-15.56	-7.77	1
6665MHz	Pass	6.60881G	4.45	6.5094G	-25.54	-15.78	-9.76	2


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

21/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197449G	8.24	6.173725G	-20.31	-11.81	-8.50	1
6.1944G	8.45	6.173275G	-21.28	-11.58	-9.70	2


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

31/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958849G	6.08	5.978325G	-21.18	-14.14	-7.04	1
5.960399G	6.17	5.97575G	-21.58	-13.84	-7.74	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

31/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409799G	5.73	6.34345G	-40.83	-34.27	-6.56	1
6.400751G	5.50	6.34295G	-41.95	-34.50	-7.45	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

31/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.996G	2.81	6.1282G	-43.68	-37.19	-6.49	1
5.9979G	3.01	6.1059G	-41.10	-36.83	-4.27	2

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

31/01/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

21/01/2026



6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

21/01/2026

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538049G	5.10	6.51565G	-22.60	-14.94	-7.66	1
6.532251G	5.09	6.5138G	-22.87	-14.96	-7.91	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

31/01/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.682401G	5.37	6.61815G	-39.62	-34.55	-5.07	1
6.681351G	5.61	6.74405G	-37.21	-33.50	-3.71	2

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

31/01/2026




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

21/01/2026





RSE TX above 1GHz_Non-Beamforming_ Internal Antenna_2T1S

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.9223G	67.83	68.20	-0.37	3	Horizontal	51	1.84
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.925G	68.08	68.20	-0.12	3	Horizontal	50	1.84
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.9236G	67.73	68.20	-0.47	3	Horizontal	46	1.93
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.923G	67.80	68.20	-0.40	3	Horizontal	49	1.64
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.924G	67.28	68.20	-0.92	3	Horizontal	53	2.01
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38856G	53.85	54.00	-0.15	3	Horizontal	19	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.38898G	53.76	54.00	-0.24	3	Horizontal	19	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.36928G	53.92	54.00	-0.08	3	Horizontal	19	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.25128G	53.79	54.00	-0.21	3	Horizontal	356	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.34392G	51.75	54.00	-2.25	3	Horizontal	18	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9223G	66.17	68.20	-2.03	3	Vertical	347	3.00
5955MHz	Pass	AV	5.9562G	110.86	Inf	-Inf	3	Vertical	347	3.00
5955MHz	Pass	PK	5.922G	84.40	88.20	-3.80	3	Vertical	347	3.00
5955MHz	Pass	PK	5.9562G	119.81	Inf	-Inf	3	Vertical	347	3.00
5955MHz	Pass	AV	5.9223G	67.83	68.20	-0.37	3	Horizontal	51	1.84
5955MHz	Pass	AV	5.9565G	112.84	Inf	-Inf	3	Horizontal	51	1.84
5955MHz	Pass	PK	5.9226G	86.21	88.20	-1.99	3	Horizontal	51	1.84
5955MHz	Pass	PK	5.9562G	121.71	Inf	-Inf	3	Horizontal	51	1.84
5955MHz	Pass	AV	11.91138G	49.33	54.00	-4.67	3	Vertical	357	1.50
5955MHz	Pass	PK	11.90646G	60.86	74.00	-13.14	3	Vertical	357	1.50
5955MHz	Pass	AV	11.9091G	49.64	54.00	-4.36	3	Horizontal	317	1.50
5955MHz	Pass	PK	11.91504G	61.12	74.00	-12.88	3	Horizontal	317	1.50
6195MHz	Pass	AV	12.39102G	50.05	54.00	-3.95	3	Vertical	356	1.50
6195MHz	Pass	PK	12.3912G	61.39	74.00	-12.61	3	Vertical	356	1.50
6195MHz	Pass	AV	12.38868G	50.34	54.00	-3.66	3	Horizontal	350	1.50
6195MHz	Pass	PK	12.3888G	61.93	74.00	-12.07	3	Horizontal	350	1.50
6415MHz	Pass	AV	12.83G	51.98	68.20	-16.22	3	Vertical	26	1.71
6415MHz	Pass	PK	12.83066G	63.64	88.20	-24.56	3	Vertical	26	1.71
6415MHz	Pass	AV	12.83126G	51.96	68.20	-16.24	3	Horizontal	52	1.50
6415MHz	Pass	PK	12.82676G	64.26	88.20	-23.94	3	Horizontal	52	1.50
6535MHz	Pass	AV	13.07216G	52.43	68.20	-15.77	3	Vertical	12	1.50
6535MHz	Pass	PK	13.08212G	64.18	88.20	-24.02	3	Vertical	12	1.50
6535MHz	Pass	AV	13.073G	53.34	68.20	-14.86	3	Horizontal	356	1.50
6535MHz	Pass	PK	13.06838G	65.32	88.20	-22.88	3	Horizontal	356	1.50
6695MHz	Pass	AV	13.39048G	52.79	54.00	-1.21	3	Vertical	25	2.67
6695MHz	Pass	PK	13.38532G	64.05	74.00	-9.95	3	Vertical	25	2.67
6695MHz	Pass	AV	13.38856G	53.85	54.00	-0.15	3	Horizontal	19	1.50
6695MHz	Pass	PK	13.393G	66.63	74.00	-7.37	3	Horizontal	19	1.50
6855MHz	Pass	AV	13.70904G	57.44	68.20	-10.76	3	Vertical	22	1.20
6855MHz	Pass	PK	13.70964G	69.03	88.20	-19.17	3	Vertical	22	1.20
6855MHz	Pass	AV	13.7088G	59.10	68.20	-9.10	3	Horizontal	44	1.50
6855MHz	Pass	PK	13.70886G	70.55	88.20	-17.65	3	Horizontal	44	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	66.05	68.20	-2.15	3	Vertical	346	3.00
5955MHz	Pass	AV	5.9607G	108.61	Inf	-Inf	3	Vertical	346	3.00
5955MHz	Pass	PK	5.9232G	82.52	88.20	-5.68	3	Vertical	346	3.00
5955MHz	Pass	PK	5.9529G	119.53	Inf	-Inf	3	Vertical	346	3.00
5955MHz	Pass	AV	5.925G	68.08	68.20	-0.12	3	Horizontal	50	1.84
5955MHz	Pass	AV	5.9556G	110.94	Inf	-Inf	3	Horizontal	50	1.84
5955MHz	Pass	PK	5.9208G	84.09	88.20	-4.11	3	Horizontal	50	1.84
5955MHz	Pass	PK	5.9583G	122.16	Inf	-Inf	3	Horizontal	50	1.84
5955MHz	Pass	AV	11.90808G	49.11	54.00	-4.89	3	Vertical	359	1.74
5955MHz	Pass	PK	11.9064G	61.29	74.00	-12.71	3	Vertical	359	1.74
5955MHz	Pass	AV	11.90952G	48.71	54.00	-5.29	3	Horizontal	314	1.63
5955MHz	Pass	PK	11.90976G	61.15	74.00	-12.85	3	Horizontal	314	1.63
6195MHz	Pass	AV	12.39318G	48.79	54.00	-5.21	3	Vertical	354	1.50
6195MHz	Pass	PK	12.38628G	60.72	74.00	-13.28	3	Vertical	354	1.50
6195MHz	Pass	AV	12.38664G	49.51	54.00	-4.49	3	Horizontal	352	1.33
6195MHz	Pass	PK	12.384G	60.93	74.00	-13.07	3	Horizontal	352	1.33
6415MHz	Pass	AV	12.82988G	51.38	68.20	-16.82	3	Vertical	27	1.73
6415MHz	Pass	PK	12.83174G	63.10	88.20	-25.10	3	Vertical	27	1.73
6415MHz	Pass	AV	12.83294G	51.10	68.20	-17.10	3	Horizontal	54	1.50
6415MHz	Pass	PK	12.8312G	63.24	88.20	-24.96	3	Horizontal	54	1.50
6535MHz	Pass	AV	13.07342G	52.34	68.20	-15.86	3	Vertical	14	1.50
6535MHz	Pass	PK	13.06796G	65.19	88.20	-23.01	3	Vertical	14	1.50
6535MHz	Pass	AV	13.07138G	52.49	68.20	-15.71	3	Horizontal	356	1.64
6535MHz	Pass	PK	13.07162G	64.30	88.20	-23.90	3	Horizontal	356	1.64
6695MHz	Pass	AV	13.39006G	52.71	54.00	-1.29	3	Vertical	13	1.41
6695MHz	Pass	PK	13.3873G	64.39	74.00	-9.61	3	Vertical	13	1.41
6695MHz	Pass	AV	13.38898G	53.76	54.00	-0.24	3	Horizontal	19	1.50



RSE TX above 1GHz_Non-Beamforming_ Internal Antenna_2T1S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	PK	13.39168G	66.05	74.00	-7.95	3	Horizontal	19	1.50
6855MHz	Pass	AV	13.70922G	54.79	68.20	-13.41	3	Vertical	36	1.50
6855MHz	Pass	PK	13.71882G	66.64	88.20	-21.56	3	Vertical	36	1.50
6855MHz	Pass	AV	13.70892G	57.91	68.20	-10.29	3	Horizontal	48	1.50
6855MHz	Pass	PK	13.70646G	70.33	88.20	-17.87	3	Horizontal	48	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9233G	65.37	68.20	-2.83	3	Vertical	347	2.95
5965MHz	Pass	AV	5.9683G	103.41	Inf	-Inf	3	Vertical	347	2.95
5965MHz	Pass	PK	5.9233G	80.35	88.20	-7.85	3	Vertical	347	2.95
5965MHz	Pass	PK	5.9809G	114.37	Inf	-Inf	3	Vertical	347	2.95
5965MHz	Pass	AV	5.9236G	67.73	68.20	-0.47	3	Horizontal	46	1.93
5965MHz	Pass	AV	5.9707G	105.99	Inf	-Inf	3	Horizontal	46	1.93
5965MHz	Pass	PK	5.9233G	82.69	88.20	-5.51	3	Horizontal	46	1.93
5965MHz	Pass	PK	5.9809G	116.86	Inf	-Inf	3	Horizontal	46	1.93
5965MHz	Pass	AV	11.92352G	47.77	54.00	-6.23	3	Vertical	360	1.83
5965MHz	Pass	PK	11.91548G	58.76	74.00	-15.24	3	Vertical	360	1.83
5965MHz	Pass	AV	11.94212G	47.27	54.00	-6.73	3	Horizontal	318	1.64
5965MHz	Pass	PK	11.93984G	58.80	74.00	-15.20	3	Horizontal	318	1.64
6205MHz	Pass	AV	12.41012G	46.97	54.00	-7.03	3	Vertical	359	1.50
6205MHz	Pass	PK	12.42668G	58.41	74.00	-15.59	3	Vertical	359	1.50
6205MHz	Pass	AV	12.40976G	47.12	54.00	-6.88	3	Horizontal	19	1.50
6205MHz	Pass	PK	12.419G	58.79	74.00	-15.21	3	Horizontal	19	1.50
6405MHz	Pass	AV	12.80976G	49.35	68.20	-18.85	3	Vertical	25	1.62
6405MHz	Pass	PK	12.80952G	61.37	88.20	-26.83	3	Vertical	25	1.62
6405MHz	Pass	AV	12.81096G	49.24	68.20	-18.96	3	Horizontal	51	1.14
6405MHz	Pass	PK	12.8034G	61.58	88.20	-26.62	3	Horizontal	51	1.14
6565MHz	Pass	AV	13.13084G	57.84	68.20	-10.36	3	Vertical	13	1.50
6565MHz	Pass	PK	13.13348G	69.91	88.20	-18.29	3	Vertical	13	1.50
6565MHz	Pass	AV	13.1312G	59.84	68.20	-8.36	3	Horizontal	354	1.59
6565MHz	Pass	PK	13.13336G	71.01	88.20	-17.19	3	Horizontal	354	1.59
6685MHz	Pass	AV	13.37036G	53.41	54.00	-0.59	3	Vertical	12	1.50
6685MHz	Pass	PK	13.37312G	65.85	74.00	-8.15	3	Vertical	12	1.50
6685MHz	Pass	AV	13.36928G	53.92	54.00	-0.08	3	Horizontal	19	1.50
6685MHz	Pass	PK	13.37372G	66.58	74.00	-7.42	3	Horizontal	19	1.50
6845MHz	Pass	AV	13.68964G	54.52	68.20	-13.68	3	Vertical	22	1.19
6845MHz	Pass	PK	13.69192G	66.37	88.20	-21.83	3	Vertical	22	1.19
6845MHz	Pass	AV	13.68412G	55.64	68.20	-12.56	3	Horizontal	35	1.42
6845MHz	Pass	PK	13.6888G	67.71	88.20	-20.49	3	Horizontal	35	1.42
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	66.05	68.20	-2.15	3	Vertical	348	2.98
5985MHz	Pass	AV	5.978G	100.93	Inf	-Inf	3	Vertical	348	2.98
5985MHz	Pass	PK	5.9205G	81.59	88.20	-6.61	3	Vertical	348	2.98
5985MHz	Pass	PK	5.9985G	112.57	Inf	-Inf	3	Vertical	348	2.98
5985MHz	Pass	AV	5.923G	67.80	68.20	-0.40	3	Horizontal	49	1.64
5985MHz	Pass	AV	5.998G	102.73	Inf	-Inf	3	Horizontal	49	1.64
5985MHz	Pass	PK	5.9205G	83.53	88.20	-4.67	3	Horizontal	49	1.64
5985MHz	Pass	PK	5.9985G	113.52	Inf	-Inf	3	Horizontal	49	1.64
5985MHz	Pass	AV	11.97552G	47.59	54.00	-6.41	3	Vertical	359	1.87
5985MHz	Pass	PK	12.02016G	58.35	74.00	-15.65	3	Vertical	359	1.87
5985MHz	Pass	AV	12.0096G	47.46	54.00	-6.54	3	Horizontal	315	1.50
5985MHz	Pass	PK	11.96448G	57.94	74.00	-16.06	3	Horizontal	315	1.50
6225MHz	Pass	AV	12.39048G	46.63	54.00	-7.37	3	Vertical	358	1.00
6225MHz	Pass	PK	12.44496G	59.32	74.00	-14.68	3	Vertical	358	1.00
6225MHz	Pass	AV	12.49992G	46.89	54.00	-7.11	3	Horizontal	351	1.50
6225MHz	Pass	PK	12.46416G	58.75	74.00	-15.25	3	Horizontal	351	1.50
6385MHz	Pass	AV	12.78224G	48.39	68.20	-19.81	3	Vertical	27	1.50
6385MHz	Pass	PK	12.78272G	60.55	88.20	-27.65	3	Vertical	27	1.50
6385MHz	Pass	AV	12.76784G	48.52	68.20	-19.68	3	Horizontal	38	1.50
6385MHz	Pass	PK	12.77816G	61.52	88.20	-26.68	3	Horizontal	38	1.50
6625MHz	Pass	AV	13.26072G	53.50	54.00	-0.50	3	Vertical	9	1.50
6625MHz	Pass	PK	13.26664G	67.00	74.00	-7.00	3	Vertical	9	1.50
6625MHz	Pass	AV	13.25128G	53.79	54.00	-0.21	3	Horizontal	356	1.50




RSE TX above 1GHz_Non-Beamforming_ Internal Antenna_2T1S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6625MHz	Pass	PK	13.26264G	67.36	74.00	-6.64	3	Horizontal	356	1.50
6705MHz	Pass	AV	13.41264G	53.67	68.20	-14.53	3	Vertical	12	2.63
6705MHz	Pass	PK	13.42656G	65.11	88.20	-23.09	3	Vertical	12	2.63
6705MHz	Pass	AV	13.41144G	54.77	68.20	-13.43	3	Horizontal	18	1.50
6705MHz	Pass	PK	13.42248G	66.43	88.20	-21.77	3	Horizontal	18	1.50
6785MHz	Pass	AV	13.57264G	53.55	68.20	-14.65	3	Vertical	6	1.95
6785MHz	Pass	PK	13.57288G	65.56	88.20	-22.64	3	Vertical	6	1.95
6785MHz	Pass	AV	13.5844G	54.22	68.20	-13.98	3	Horizontal	32	1.50
6785MHz	Pass	PK	13.58488G	66.08	88.20	-22.12	3	Horizontal	32	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.911G	64.02	68.20	-4.18	3	Vertical	323	2.97
6025MHz	Pass	AV	6.101G	97.96	Inf	-Inf	3	Vertical	323	2.97
6025MHz	Pass	PK	5.917G	78.71	88.20	-9.49	3	Vertical	323	2.97
6025MHz	Pass	PK	6.083G	107.97	Inf	-Inf	3	Vertical	323	2.97
6025MHz	Pass	AV	5.924G	67.28	68.20	-0.92	3	Horizontal	53	2.01
6025MHz	Pass	AV	6.088G	101.43	Inf	-Inf	3	Horizontal	53	2.01
6025MHz	Pass	PK	5.917G	81.52	88.20	-6.68	3	Horizontal	53	2.01
6025MHz	Pass	PK	6.071G	111.90	Inf	-Inf	3	Horizontal	53	2.01
6025MHz	Pass	AV	12.06104G	46.99	54.00	-7.01	3	Vertical	9	2.47
6025MHz	Pass	PK	11.96456G	58.07	74.00	-15.93	3	Vertical	9	2.47
6025MHz	Pass	AV	12.06872G	46.81	54.00	-7.19	3	Horizontal	350	1.50
6025MHz	Pass	PK	12.06728G	57.97	74.00	-16.03	3	Horizontal	350	1.50
6185MHz	Pass	AV	12.37144G	46.91	54.00	-7.09	3	Vertical	305	1.57
6185MHz	Pass	PK	12.46792G	58.82	74.00	-15.18	3	Vertical	305	1.57
6185MHz	Pass	AV	12.37912G	46.99	54.00	-7.01	3	Horizontal	353	1.50
6185MHz	Pass	PK	12.3148G	58.52	74.00	-15.48	3	Horizontal	353	1.50
6345MHz	Pass	AV	12.72216G	47.83	68.20	-20.37	3	Vertical	25	2.15
6345MHz	Pass	PK	12.7308G	58.73	88.20	-29.47	3	Vertical	25	2.15
6345MHz	Pass	AV	12.70152G	47.83	68.20	-20.37	3	Horizontal	332	1.66
6345MHz	Pass	PK	12.6612G	58.11	74.00	-14.89	3	Horizontal	332	1.66
6665MHz	Pass	AV	13.34584G	51.28	54.00	-2.72	3	Vertical	11	1.50
6665MHz	Pass	PK	13.3468G	64.34	74.00	-9.66	3	Vertical	11	1.50
6665MHz	Pass	AV	13.34392G	51.75	54.00	-2.25	3	Horizontal	18	1.50
6665MHz	Pass	PK	13.3492G	64.00	74.00	-10.00	3	Horizontal	18	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	66.05	68.20	-2.15	7.39	3	Vertical	346	3.00	58.66	34.30	8.35	35.26
AV	5.9607G	108.61	Inf	-Inf	7.38	3	Vertical	346	3.00	101.23	34.30	8.35	35.27
PK	5.9232G	82.52	88.20	-5.68	7.39	3	Vertical	346	3.00	75.13	34.30	8.35	35.26
PK	5.9529G	119.53	Inf	-Inf	7.38	3	Vertical	346	3.00	112.15	34.30	8.35	35.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	68.08	68.20	-0.12	7.39	3	Horizontal	50	1.84	60.69	34.30	8.35	35.26
AV	5.9556G	110.94	Inf	-Inf	7.38	3	Horizontal	50	1.84	103.56	34.30	8.35	35.27
PK	5.9208G	84.09	88.20	-4.11	7.39	3	Horizontal	50	1.84	76.70	34.30	8.35	35.26
PK	5.9583G	122.16	Inf	-Inf	7.38	3	Horizontal	50	1.84	114.78	34.30	8.35	35.27


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9233G	65.37	68.20	-2.83	7.39	3	Vertical	347	2.95	57.98	34.30	8.35	35.26
AV	5.9683G	103.41	Inf	-Inf	7.39	3	Vertical	347	2.95	96.02	34.30	8.36	35.27
PK	5.9233G	80.35	88.20	-7.85	7.39	3	Vertical	347	2.95	72.96	34.30	8.35	35.26
PK	5.9809G	114.37	Inf	-Inf	7.38	3	Vertical	347	2.95	106.99	34.30	8.36	35.28

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9236G	67.73	68.20	-0.47	7.39	3	Horizontal	46	1.93	60.34	34.30	8.35	35.26
AV	5.9707G	105.99	Inf	-Inf	7.39	3	Horizontal	46	1.93	98.60	34.30	8.36	35.27
PK	5.9233G	82.69	88.20	-5.51	7.39	3	Horizontal	46	1.93	75.30	34.30	8.35	35.26
PK	5.9809G	116.86	Inf	-Inf	7.38	3	Horizontal	46	1.93	109.48	34.30	8.36	35.28


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	5.956425G	6.06	5.975325G	-20.72	-14.11	-6.61	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.968749G	6.17	6.0373G	-41.19	-33.83	-7.36	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.9938G	2.71	6.108G	-40.96	-37.29	-3.67	1
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.08958G	4.27	6.3692G	-40.00	-35.73	-4.27	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.697674G	2.20	6.7263G	-44.66	-37.27	-7.39	1
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	6.838902G	10.01	6.89565G	-17.18	-10.00	-7.18	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	6.617G	6.49	6.5205G	-19.35	-13.54	-5.81	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.68859G	5.14	6.8286G	-23.91	-15.06	-8.85	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962548G	6.09	5.9796G	-23.65	-13.95	-9.70	1
5955MHz	Pass	5.956425G	6.06	5.975325G	-20.72	-14.11	-6.61	2
6195MHz	Pass	6.191226G	7.71	6.2197G	-21.05	-12.37	-8.68	1
6195MHz	Pass	6.1942G	7.84	6.218675G	-19.75	-12.20	-7.55	2
6415MHz	Pass	6.4132G	7.43	6.44045G	-22.63	-12.60	-10.03	1
6415MHz	Pass	6.420124G	8.26	6.43925G	-18.64	-11.77	-6.87	2
6535MHz	Pass	6.533675G	5.05	6.555375G	-23.26	-14.96	-8.30	1
6535MHz	Pass	6.531976G	5.27	6.5139G	-22.54	-15.08	-7.46	2
6695MHz	Pass	6.697674G	2.20	6.7263G	-44.66	-37.27	-7.39	1
6695MHz	Pass	6.69385G	2.65	6.727075G	-45.29	-37.34	-7.95	2
6855MHz	Pass	6.852751G	7.78	6.88085G	-20.29	-12.25	-8.04	1
6855MHz	Pass	6.85325G	7.47	6.88265G	-22.35	-12.64	-9.71	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.959451G	5.69	5.9952G	-23.34	-14.75	-8.59	1
5965MHz	Pass	5.968749G	6.17	6.0373G	-41.19	-33.83	-7.36	2
6205MHz	Pass	6.209199G	10.00	6.2562G	-18.98	-10.05	-8.93	1
6205MHz	Pass	6.201501G	10.42	6.2551G	-19.52	-9.62	-9.90	2
6405MHz	Pass	6.401501G	10.04	6.4575G	-18.66	-10.00	-8.66	1
6405MHz	Pass	6.400701G	10.69	6.4567G	-19.70	-9.38	-10.32	2
6565MHz	Pass	6.5662G	9.97	6.6245G	-18.50	-10.17	-8.33	1
6565MHz	Pass	6.569799G	9.60	6.51145G	-18.28	-10.58	-7.70	2
6685MHz	Pass	6.678802G	7.57	6.72515G	-20.24	-12.50	-7.74	1
6685MHz	Pass	6.680501G	7.60	6.72525G	-21.74	-12.60	-9.14	2
6845MHz	Pass	6.841751G	10.36	6.9064G	-18.10	-9.64	-8.46	1
6845MHz	Pass	6.838902G	10.01	6.89565G	-17.18	-10.00	-7.18	2
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9938G	2.71	6.108G	-40.96	-37.29	-3.67	1
5985MHz	Pass	5.9936G	3.22	6.1074G	-40.76	-36.78	-3.98	2
6225MHz	Pass	6.2235G	6.97	6.3266G	-22.25	-13.07	-9.18	1
6225MHz	Pass	6.237G	7.26	6.3131G	-18.55	-12.76	-5.79	2
6385MHz	Pass	6.3963G	7.68	6.4921G	-19.21	-12.36	-6.85	1
6385MHz	Pass	6.3717G	7.42	6.4725G	-16.69	-12.63	-4.06	2
6625MHz	Pass	6.6162G	6.61	6.7338G	-19.76	-13.47	-6.29	1
6625MHz	Pass	6.617G	6.49	6.5205G	-19.35	-13.54	-5.81	2
6705MHz	Pass	6.6948G	6.60	6.811G	-21.19	-13.45	-7.74	1
6705MHz	Pass	6.701G	6.75	6.8096G	-20.93	-13.29	-7.64	2
6785MHz	Pass	6.7701G	7.13	6.8979G	-18.83	-12.98	-5.85	1
6785MHz	Pass	6.7971G	7.13	6.8884G	-19.40	-13.10	-6.30	2
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.07999G	3.70	6.3778G	-40.78	-36.30	-4.48	1
6025MHz	Pass	6.08958G	4.27	6.3692G	-40.00	-35.73	-4.27	2
6185MHz	Pass	6.20859G	6.67	6.3432G	-21.45	-13.34	-8.11	1
6185MHz	Pass	6.21039G	6.35	6.0288G	-23.02	-13.67	-9.35	2
6345MHz	Pass	6.37119G	6.28	6.1856G	-21.76	-13.72	-8.04	1
6345MHz	Pass	6.37159G	6.50	6.5032G	-22.58	-13.52	-9.06	2
6665MHz	Pass	6.68859G	5.14	6.8286G	-23.91	-15.06	-8.85	1
6665MHz	Pass	6.60142G	5.07	6.5062G	-24.60	-14.97	-9.63	2

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

31/01/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962548G	6.09	5.9796G	-23.65	-13.95	-9.70	1
5.956425G	6.06	5.975325G	-20.72	-14.11	-6.61	2

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

31/01/2026

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959451G	5.69	5.9952G	-23.34	-14.75	-8.59	1
5.968749G	6.17	6.0373G	-41.19	-33.83	-7.36	2

5.925-6.425GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

31/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9938G	2.71	6.108G	-40.96	-37.29	-3.67	1
5.9936G	3.22	6.1074G	-40.76	-36.78	-3.98	2

5.925-6.425GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

31/01/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07999G	3.70	6.3778G	-40.78	-36.30	-4.48	1
6.08958G	4.27	6.3692G	-40.00	-35.73	-4.27	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

31/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697674G	2.20	6.7263G	-44.66	-37.27	-7.39	1
6.69385G	2.65	6.727075G	-45.29	-37.34	-7.95	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

21/01/2026

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.841751G	10.36	6.9064G	-18.10	-9.64	-8.46	1
6.838902G	10.01	6.89565G	-17.18	-10.00	-7.18	2

6.525-6.875GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6162G	6.61	6.7338G	-19.76	-13.47	-6.29	1
6.617G	6.49	6.5205G	-19.35	-13.54	-5.81	2

6.525-6.875GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

21/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68859G	5.14	6.8286G	-23.91	-15.06	-8.85	1
6.60142G	5.07	6.5062G	-24.60	-14.97	-9.63	2



RSE TX above 1GHz_Non-Beamforming_ Internal Antenna_2T2S

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.925G	67.83	68.20	-0.37	3	Horizontal	42	1.85
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.9248G	68.08	68.20	-0.12	3	Horizontal	51	1.94
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.924G	67.70	68.20	-0.50	3	Horizontal	50	1.88
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.921G	68.14	68.20	-0.06	3	Horizontal	48	1.94
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	13.38886G	53.90	54.00	-0.10	3	Horizontal	16	1.50
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	13.3688G	53.92	54.00	-0.08	3	Horizontal	20	1.50
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	13.2608G	53.44	54.00	-0.56	3	Vertical	14	1.50
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	13.34872G	52.17	54.00	-1.83	3	Horizontal	20	1.49

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	65.41	68.20	-2.79	3	Vertical	350	3.00
5955MHz	Pass	AV	5.9532G	106.95	Inf	-Inf	3	Vertical	350	3.00
5955MHz	Pass	PK	5.9223G	78.81	88.20	-9.39	3	Vertical	350	3.00
5955MHz	Pass	PK	5.9565G	117.42	Inf	-Inf	3	Vertical	350	3.00
5955MHz	Pass	AV	5.925G	67.83	68.20	-0.37	3	Horizontal	42	1.85
5955MHz	Pass	AV	5.9568G	109.40	Inf	-Inf	3	Horizontal	42	1.85
5955MHz	Pass	PK	5.9238G	80.43	88.20	-7.77	3	Horizontal	42	1.85
5955MHz	Pass	PK	5.9544G	120.68	Inf	-Inf	3	Horizontal	42	1.85
5955MHz	Pass	AV	11.91078G	48.91	54.00	-5.09	3	Vertical	358	1.50
5955MHz	Pass	PK	11.90634G	60.27	74.00	-13.73	3	Vertical	358	1.50
5955MHz	Pass	AV	11.90934G	48.91	54.00	-5.09	3	Horizontal	318	2.40
5955MHz	Pass	PK	11.89992G	60.33	74.00	-13.67	3	Horizontal	318	2.40
6195MHz	Pass	AV	12.39108G	48.99	54.00	-5.01	3	Vertical	355	1.50
6195MHz	Pass	PK	12.39126G	61.45	74.00	-12.55	3	Vertical	355	1.50
6195MHz	Pass	AV	12.38994G	48.94	54.00	-5.06	3	Horizontal	352	1.50
6195MHz	Pass	PK	12.39288G	61.04	74.00	-12.96	3	Horizontal	352	1.50
6415MHz	Pass	AV	12.8285G	50.96	68.20	-17.24	3	Vertical	26	1.57
6415MHz	Pass	PK	12.83108G	63.28	88.20	-24.92	3	Vertical	26	1.57
6415MHz	Pass	AV	12.82668G	50.46	68.20	-17.74	3	Horizontal	30	1.50
6415MHz	Pass	PK	12.83096G	62.70	88.20	-25.50	3	Horizontal	30	1.50
6535MHz	Pass	AV	13.07156G	51.22	68.20	-16.98	3	Vertical	12	1.50
6535MHz	Pass	PK	13.07678G	63.11	88.20	-25.09	3	Vertical	12	1.50
6535MHz	Pass	AV	13.07288G	51.18	68.20	-17.02	3	Horizontal	356	1.50
6535MHz	Pass	PK	13.07054G	63.32	88.20	-24.88	3	Horizontal	356	1.50
6695MHz	Pass	AV	13.39078G	51.65	54.00	-2.35	3	Vertical	16	1.50
6695MHz	Pass	PK	13.3828G	63.30	74.00	-10.70	3	Vertical	16	1.50
6695MHz	Pass	AV	13.38886G	53.90	54.00	-0.10	3	Horizontal	16	1.50
6695MHz	Pass	PK	13.3822G	66.51	74.00	-7.49	3	Horizontal	16	1.50
6855MHz	Pass	AV	13.70862G	54.19	68.20	-14.01	3	Vertical	1	1.50
6855MHz	Pass	PK	13.70298G	66.25	88.20	-21.95	3	Vertical	1	1.50
6855MHz	Pass	AV	13.70868G	54.69	68.20	-13.51	3	Horizontal	348	1.50
6855MHz	Pass	PK	13.72074G	66.71	88.20	-21.49	3	Horizontal	348	1.50
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	65.37	68.20	-2.83	3	Vertical	346	2.94
5965MHz	Pass	AV	5.9794G	102.02	Inf	-Inf	3	Vertical	346	2.94
5965MHz	Pass	PK	5.9212G	81.13	88.20	-7.07	3	Vertical	346	2.94
5965MHz	Pass	PK	5.9746G	112.35	Inf	-Inf	3	Vertical	346	2.94
5965MHz	Pass	AV	5.9248G	68.08	68.20	-0.12	3	Horizontal	51	1.94
5965MHz	Pass	AV	5.9659G	104.63	Inf	-Inf	3	Horizontal	51	1.94
5965MHz	Pass	PK	5.9212G	83.35	88.20	-4.85	3	Horizontal	51	1.94
5965MHz	Pass	PK	5.9695G	115.36	Inf	-Inf	3	Horizontal	51	1.94
5965MHz	Pass	AV	11.93096G	47.89	54.00	-6.11	3	Vertical	359	1.77
5965MHz	Pass	PK	11.92736G	58.91	74.00	-15.09	3	Vertical	359	1.77
5965MHz	Pass	AV	11.93528G	47.35	54.00	-6.65	3	Horizontal	318	1.50
5965MHz	Pass	PK	11.9558G	58.77	74.00	-15.23	3	Horizontal	318	1.50
6205MHz	Pass	AV	12.41468G	47.78	54.00	-6.22	3	Vertical	354	1.50
6205MHz	Pass	PK	12.40844G	59.38	74.00	-14.62	3	Vertical	354	1.50
6205MHz	Pass	AV	12.40844G	47.72	54.00	-6.28	3	Horizontal	353	1.50
6205MHz	Pass	PK	12.41192G	59.49	74.00	-14.51	3	Horizontal	353	1.50
6405MHz	Pass	AV	12.80856G	49.94	68.20	-18.26	3	Vertical	27	1.79
6405MHz	Pass	PK	12.79464G	61.40	88.20	-26.80	3	Vertical	27	1.79
6405MHz	Pass	AV	12.81396G	49.07	68.20	-19.13	3	Horizontal	40	1.50
6405MHz	Pass	PK	12.79536G	61.38	88.20	-26.82	3	Horizontal	40	1.50
6565MHz	Pass	AV	13.13108G	55.62	68.20	-12.58	3	Vertical	11	1.50
6565MHz	Pass	PK	13.13072G	68.05	88.20	-20.15	3	Vertical	11	1.50
6565MHz	Pass	AV	13.13144G	56.12	68.20	-12.08	3	Horizontal	357	1.50
6565MHz	Pass	PK	13.13732G	67.99	88.20	-20.21	3	Horizontal	357	1.50
6685MHz	Pass	AV	13.36976G	53.11	54.00	-0.89	3	Vertical	14	1.50
6685MHz	Pass	PK	13.36064G	66.31	74.00	-7.69	3	Vertical	14	1.50
6685MHz	Pass	AV	13.3688G	53.92	54.00	-0.08	3	Horizontal	20	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36868G	67.15	74.00	-6.85	3	Horizontal	20	1.50
6845MHz	Pass	AV	13.6906G	54.04	68.20	-14.16	3	Vertical	4	2.35
6845MHz	Pass	PK	13.69G	67.86	88.20	-20.34	3	Vertical	4	2.35
6845MHz	Pass	AV	13.68856G	54.45	68.20	-13.75	3	Horizontal	34	1.50
6845MHz	Pass	PK	13.69864G	67.29	88.20	-20.91	3	Horizontal	34	1.50
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	65.62	68.20	-2.58	3	Vertical	348	2.96
5985MHz	Pass	AV	5.971G	100.05	Inf	-Inf	3	Vertical	348	2.96
5985MHz	Pass	PK	5.924G	76.96	88.20	-11.24	3	Vertical	348	2.96
5985MHz	Pass	PK	5.9885G	109.90	Inf	-Inf	3	Vertical	348	2.96
5985MHz	Pass	AV	5.924G	67.70	68.20	-0.50	3	Horizontal	50	1.88
5985MHz	Pass	AV	5.971G	102.49	Inf	-Inf	3	Horizontal	50	1.88
5985MHz	Pass	PK	5.924G	77.93	88.20	-10.27	3	Horizontal	50	1.88
5985MHz	Pass	PK	5.9885G	112.27	Inf	-Inf	3	Horizontal	50	1.88
5985MHz	Pass	AV	12.01632G	47.90	54.00	-6.10	3	Vertical	359	1.50
5985MHz	Pass	PK	12.02256G	59.10	74.00	-14.90	3	Vertical	359	1.50
5985MHz	Pass	AV	11.96928G	47.77	54.00	-6.23	3	Horizontal	119	1.50
5985MHz	Pass	PK	12.00048G	58.74	74.00	-15.26	3	Horizontal	119	1.50
6225MHz	Pass	AV	12.41136G	46.95	54.00	-7.05	3	Vertical	354	1.60
6225MHz	Pass	PK	12.39696G	59.10	74.00	-14.90	3	Vertical	354	1.60
6225MHz	Pass	AV	12.42384G	46.95	54.00	-7.05	3	Horizontal	347	1.50
6225MHz	Pass	PK	12.46992G	58.92	74.00	-15.08	3	Horizontal	347	1.50
6385MHz	Pass	AV	12.75608G	48.71	68.20	-19.49	3	Vertical	28	1.78
6385MHz	Pass	PK	12.73784G	61.19	88.20	-27.01	3	Vertical	28	1.78
6385MHz	Pass	AV	12.73736G	48.56	68.20	-19.64	3	Horizontal	53	1.55
6385MHz	Pass	PK	12.78704G	61.05	88.20	-27.15	3	Horizontal	53	1.55
6625MHz	Pass	AV	13.2608G	53.44	54.00	-0.56	3	Vertical	14	1.50
6625MHz	Pass	PK	13.2664G	66.94	74.00	-7.06	3	Vertical	14	1.50
6625MHz	Pass	AV	13.2635G	53.43	54.00	-0.57	3	Horizontal	356	1.50
6625MHz	Pass	PK	13.2671G	68.53	74.00	-5.47	3	Horizontal	356	1.50
6705MHz	Pass	AV	13.42008G	53.17	68.20	-15.03	3	Vertical	11	1.50
6705MHz	Pass	PK	13.37136G	65.40	74.00	-8.60	3	Vertical	11	1.50
6705MHz	Pass	AV	13.4184G	54.45	68.20	-13.75	3	Horizontal	16	1.41
6705MHz	Pass	PK	13.42872G	67.25	88.20	-20.95	3	Horizontal	16	1.41
6785MHz	Pass	AV	13.58032G	53.40	68.20	-14.80	3	Vertical	1	1.00
6785MHz	Pass	PK	13.52992G	65.43	88.20	-22.77	3	Vertical	1	1.00
6785MHz	Pass	AV	13.57888G	53.69	68.20	-14.51	3	Horizontal	34	1.50
6785MHz	Pass	PK	13.58968G	65.45	88.20	-22.75	3	Horizontal	34	1.50
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	64.58	68.20	-3.62	3	Vertical	322	2.91
6025MHz	Pass	AV	6.036G	96.14	Inf	-Inf	3	Vertical	322	2.91
6025MHz	Pass	PK	5.906G	76.22	88.20	-11.98	3	Vertical	322	2.91
6025MHz	Pass	PK	6.081G	104.65	Inf	-Inf	3	Vertical	322	2.91
6025MHz	Pass	AV	5.921G	68.14	68.20	-0.06	3	Horizontal	48	1.94
6025MHz	Pass	AV	6.036G	100.49	Inf	-Inf	3	Horizontal	48	1.94
6025MHz	Pass	PK	5.907G	79.73	88.20	-8.47	3	Horizontal	48	1.94
6025MHz	Pass	PK	6.078G	108.95	Inf	-Inf	3	Horizontal	48	1.94
6025MHz	Pass	AV	12.07064G	47.01	54.00	-6.99	3	Vertical	3	1.60
6025MHz	Pass	PK	12.06056G	58.69	74.00	-15.31	3	Vertical	3	1.60
6025MHz	Pass	AV	12.08024G	46.54	54.00	-7.46	3	Horizontal	229	1.50
6025MHz	Pass	PK	12.0524G	58.05	74.00	-15.95	3	Horizontal	229	1.50
6185MHz	Pass	AV	12.30904G	46.85	54.00	-7.15	3	Vertical	124	1.50
6185MHz	Pass	PK	12.35224G	58.98	74.00	-15.02	3	Vertical	124	1.50
6185MHz	Pass	AV	12.26584G	46.86	54.00	-7.14	3	Horizontal	43	1.50
6185MHz	Pass	PK	12.322G	58.01	74.00	-15.99	3	Horizontal	43	1.50
6345MHz	Pass	AV	12.71112G	48.08	68.20	-20.12	3	Vertical	27	1.89
6345MHz	Pass	PK	12.69336G	60.71	74.00	-13.29	3	Vertical	27	1.89
6345MHz	Pass	AV	12.71112G	47.98	68.20	-20.22	3	Horizontal	31	1.62
6345MHz	Pass	PK	12.79992G	59.73	88.20	-28.47	3	Horizontal	31	1.62
6665MHz	Pass	AV	13.35112G	51.42	54.00	-2.58	3	Vertical	19	2.64
6665MHz	Pass	PK	13.3516G	63.11	74.00	-10.89	3	Vertical	19	2.64
6665MHz	Pass	AV	13.34872G	52.17	54.00	-1.83	3	Horizontal	20	1.49




***RSE TX above 1GHz_Non-Beamforming_
Internal Antenna_2T2S***

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3588G	64.09	74.00	-9.91	3	Horizontal	20	1.49


5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	65.37	68.20	-2.83	7.39	3	Vertical	346	2.94	57.98	34.30	8.35	35.26
AV	5.9794G	102.02	Inf	-Inf	7.38	3	Vertical	346	2.94	94.64	34.30	8.36	35.28
PK	5.9212G	81.13	88.20	-7.07	7.39	3	Vertical	346	2.94	73.74	34.30	8.35	35.26
PK	5.9746G	112.35	Inf	-Inf	7.39	3	Vertical	346	2.94	104.96	34.30	8.36	35.27

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	68.08	68.20	-0.12	7.39	3	Horizontal	51	1.94	60.69	34.30	8.35	35.26
AV	5.9699G	104.63	Inf	-Inf	7.38	3	Horizontal	51	1.94	97.25	34.30	8.35	35.27
PK	5.9212G	83.35	88.20	-4.85	7.39	3	Horizontal	51	1.94	75.96	34.30	8.35	35.26
PK	5.9695G	115.36	Inf	-Inf	7.39	3	Horizontal	51	1.94	107.97	34.30	8.36	35.27


5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	5.959699G	7.55	5.97855G	-21.22	-12.51	-8.71	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	5.958799G	7.67	5.98195G	-20.48	-12.43	-8.05	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	5.970949G	9.77	6.01795G	-16.54	-10.30	-6.24	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	5.9919G	7.37	6.0798G	-17.11	-12.71	-4.40	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.08379G	8.20	6.183G	-16.02	-11.83	-4.19	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	6.857649G	7.30	6.87635G	-20.76	-12.84	-7.92	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.863523G	7.00	6.8775G	-18.40	-13.23	-5.17	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.556902G	9.54	6.6162G	-17.23	-10.49	-6.74	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.6105G	6.55	6.5213G	-19.28	-13.46	-5.82	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.64121G	5.02	6.5032G	-23.11	-15.12	-7.99	2

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.959699G	7.55	5.97855G	-21.22	-12.51	-8.71	2
6195MHz	Pass	6.197474G	8.21	6.172425G	-24.05	-12.05	-12.00	2
6415MHz	Pass	6.412176G	8.04	6.393425G	-22.03	-12.01	-10.02	2
6535MHz	Pass	6.53675G	5.78	6.55505G	-24.25	-14.26	-9.99	2
6695MHz	Pass	6.691951G	0.57	6.663175G	-53.65	-39.41	-14.24	2
6855MHz	Pass	6.857649G	7.30	6.87635G	-20.76	-12.84	-7.92	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958799G	7.67	5.98195G	-20.48	-12.43	-8.05	2
6195MHz	Pass	6.198774G	7.63	6.170175G	-22.44	-12.55	-9.89	2
6415MHz	Pass	6.418349G	7.75	6.4389G	-20.54	-12.43	-8.11	2
6535MHz	Pass	6.5339G	5.14	6.515075G	-21.59	-15.17	-6.42	2
6695MHz	Pass	6.692126G	0.52	6.664325G	-52.21	-38.06	-14.15	2
6855MHz	Pass	6.863523G	7.00	6.8775G	-18.40	-13.23	-5.17	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.970949G	9.77	6.01795G	-16.54	-10.30	-6.24	2
6205MHz	Pass	6.211648G	10.03	6.1568G	-18.43	-10.05	-8.38	2
6405MHz	Pass	6.408999G	10.21	6.45305G	-17.67	-9.79	-7.88	2
6565MHz	Pass	6.556902G	9.54	6.6162G	-17.23	-10.49	-6.74	2
6685MHz	Pass	6.678652G	6.11	6.6504G	-24.80	-14.07	-10.73	2
6845MHz	Pass	6.850199G	10.07	6.8965G	-18.02	-10.09	-7.93	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9919G	7.37	6.0798G	-17.11	-12.71	-4.40	2
6225MHz	Pass	6.2384G	7.22	6.129G	-20.68	-12.79	-7.89	2
6385MHz	Pass	6.396G	7.33	6.4815G	-20.15	-12.74	-7.41	2
6625MHz	Pass	6.6105G	6.55	6.5213G	-19.28	-13.46	-5.82	2
6705MHz	Pass	6.6969G	6.37	6.5999G	-19.67	-13.64	-6.03	2
6785MHz	Pass	6.7758G	7.09	6.887G	-19.21	-12.99	-6.22	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08379G	8.20	6.183G	-16.02	-11.83	-4.19	2
6185MHz	Pass	6.21259G	7.07	6.0296G	-20.00	-12.99	-7.01	2
6345MHz	Pass	6.37519G	6.94	6.4988G	-20.34	-13.08	-7.26	2
6665MHz	Pass	6.64121G	5.02	6.5032G	-23.11	-15.12	-7.99	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

5955MHz_TX

21/01/2026




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

5955MHz_TX

21/01/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

5965MHz_TX

21/01/2026




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

5985MHz_TX

21/01/2026




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6025MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08379G	8.20	6.183G	-16.02	-11.83	-4.19	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6855MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.857649G	7.30	6.87635G	-20.76	-12.84	-7.92	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6855MHz_TX

21/01/2026




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6565MHz_TX

21/01/2026




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

6625MHz_TX

31/01/2026




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6665MHz_TX

21/01/2026



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	PK	249.22M	41.37	46.00	-4.63	3	Horizontal	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	PK	111.48M	33.08	43.50	-10.42	3	Vertical	360	1.00	-
6985MHz	Pass	PK	249.22M	31.89	46.00	-14.11	3	Vertical	360	1.00	-
6985MHz	Pass	PK	350.1M	36.14	46.00	-9.86	3	Vertical	360	1.00	-
6985MHz	Pass	PK	449.04M	35.11	46.00	-10.89	3	Vertical	360	1.00	-
6985MHz	Pass	PK	610.06M	30.45	46.00	-15.55	3	Vertical	360	1.00	-
6985MHz	Pass	QP	37.76M	34.66	40.00	-5.34	3	Vertical	5	1.00	-
6985MHz	Pass	PK	111.48M	34.48	43.50	-9.02	3	Horizontal	0	1.00	-
6985MHz	Pass	PK	214.3M	33.06	43.50	-10.44	3	Horizontal	0	1.00	-
6985MHz	Pass	PK	249.22M	41.37	46.00	-4.63	3	Horizontal	0	1.00	-
6985MHz	Pass	PK	350.1M	38.34	46.00	-7.66	3	Horizontal	0	1.00	-
6985MHz	Pass	PK	449.04M	33.93	46.00	-12.07	3	Horizontal	0	1.00	-
6985MHz	Pass	PK	540.22M	30.54	46.00	-15.46	3	Horizontal	0	1.00	-

802.11ax HEW160_Nss2,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	111.48M	33.08	43.50	-10.42	-9.16	3	Vertical	360	1.00	-	42.24	17.14	1.49	27.79
PK	249.22M	31.89	46.00	-14.11	-7.43	3	Vertical	360	1.00	-	39.32	17.47	2.26	27.16
PK	350.1M	36.14	46.00	-9.86	-5.20	3	Vertical	360	1.00	-	41.34	19.59	2.71	27.50
PK	449.04M	35.11	46.00	-10.89	-3.29	3	Vertical	360	1.00	-	38.40	21.89	3.08	28.26
PK	610.06M	30.45	46.00	-15.55	-0.79	3	Vertical	360	1.00	-	31.24	24.06	3.61	28.46
QP	37.76M	34.66	40.00	-5.34	-6.67	3	Vertical	5	1.00	-	41.33	19.02	1.03	26.72

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	111.48M	34.48	43.50	-9.02	-9.16	3	Horizontal	0	1.00	-	43.64	17.14	1.49	27.79
PK	214.3M	33.06	43.50	-10.44	-11.10	3	Horizontal	0	1.00	-	44.16	14.14	2.10	27.34
PK	249.22M	41.37	46.00	-4.63	-7.43	3	Horizontal	0	1.00	-	48.80	17.47	2.26	27.16
PK	350.1M	38.34	46.00	-7.66	-5.20	3	Horizontal	0	1.00	-	43.54	19.59	2.71	27.50
PK	449.04M	33.93	46.00	-12.07	-3.29	3	Horizontal	0	1.00	-	37.22	21.89	3.08	28.26
PK	540.22M	30.54	46.00	-15.46	-1.94	3	Horizontal	0	1.00	-	32.48	23.25	3.39	28.58



RSE TX above 1GHz_Non-Beamforming_ Dipole Antenna_1T1S

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.925G	67.54	68.20	-0.66	3	Vertical	342	1.50
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.925G	67.11	68.20	-1.09	3	Vertical	19	1.62
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.9248G	67.80	68.20	-0.40	3	Vertical	339	1.50
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.924G	67.89	68.20	-0.31	3	Vertical	341	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.911G	67.61	68.20	-0.59	3	Vertical	345	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.38848G	53.85	54.00	-0.15	3	Vertical	5	2.24
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.38976G	53.62	54.00	-0.38	3	Vertical	3	2.17
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.37128G	53.81	54.00	-0.19	3	Vertical	5	2.17
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.26136G	53.64	54.00	-0.36	3	Vertical	17	2.09
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.33876G	51.62	54.00	-2.38	3	Vertical	5	2.68

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	67.54	68.20	-0.66	3	Vertical	342	1.50
5955MHz	Pass	AV	5.9574G	107.62	Inf	-Inf	3	Vertical	342	1.50
5955MHz	Pass	PK	5.925G	87.14	88.20	-1.06	3	Vertical	342	1.50
5955MHz	Pass	PK	5.9598G	116.63	Inf	-Inf	3	Vertical	342	1.50
5955MHz	Pass	AV	5.925G	55.40	68.20	-12.80	3	Horizontal	228	1.50
5955MHz	Pass	AV	5.9574G	93.84	Inf	-Inf	3	Horizontal	228	1.50
5955MHz	Pass	PK	5.925G	72.81	88.20	-15.39	3	Horizontal	228	1.50
5955MHz	Pass	PK	5.9574G	102.90	Inf	-Inf	3	Horizontal	228	1.50
5955MHz	Pass	AV	11.91152G	47.90	54.00	-6.10	3	Vertical	245	1.19
5955MHz	Pass	PK	11.90152G	59.49	74.00	-14.51	3	Vertical	245	1.19
5955MHz	Pass	AV	11.90856G	48.57	54.00	-5.43	3	Horizontal	172	2.18
5955MHz	Pass	PK	11.90744G	60.75	74.00	-13.25	3	Horizontal	172	2.18
6195MHz	Pass	AV	12.39128G	50.90	54.00	-3.10	3	Vertical	70	2.05
6195MHz	Pass	PK	12.3876G	63.16	74.00	-10.84	3	Vertical	70	2.05
6195MHz	Pass	AV	12.38052G	46.94	54.00	-7.06	3	Horizontal	169	2.86
6195MHz	Pass	PK	12.38296G	58.51	74.00	-15.49	3	Horizontal	169	2.86
6415MHz	Pass	AV	12.82952G	51.30	68.20	-16.90	3	Vertical	6	2.20
6415MHz	Pass	PK	12.827G	65.01	88.20	-23.19	3	Vertical	6	2.20
6415MHz	Pass	AV	12.82636G	48.10	68.20	-20.10	3	Horizontal	170	1.50
6415MHz	Pass	PK	12.83636G	60.29	88.20	-27.91	3	Horizontal	170	1.50
6535MHz	Pass	AV	13.07256G	49.95	68.20	-18.25	3	Vertical	355	2.18
6535MHz	Pass	PK	13.06076G	62.44	88.20	-25.76	3	Vertical	355	2.18
6535MHz	Pass	AV	13.07316G	48.73	68.20	-19.47	3	Horizontal	170	2.20
6535MHz	Pass	PK	13.06384G	60.84	88.20	-27.36	3	Horizontal	170	2.20
6695MHz	Pass	AV	13.38848G	53.85	54.00	-0.15	3	Vertical	5	2.24
6695MHz	Pass	PK	13.38748G	66.24	74.00	-7.76	3	Vertical	5	2.24
6695MHz	Pass	AV	13.38532G	49.92	54.00	-4.08	3	Horizontal	23.9	2.20
6695MHz	Pass	PK	13.38964G	61.93	74.00	-12.07	3	Horizontal	23.9	2.20
6855MHz	Pass	AV	13.71052G	57.48	68.20	-10.72	3	Vertical	4	2.30
6855MHz	Pass	PK	13.71108G	69.20	88.20	-19.00	3	Vertical	4	2.30
6855MHz	Pass	AV	13.7108G	52.02	68.20	-16.18	3	Horizontal	174	2.42
6855MHz	Pass	PK	13.70412G	63.87	88.20	-24.33	3	Horizontal	174	2.42
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	67.11	68.20	-1.09	3	Vertical	19	1.62
5955MHz	Pass	AV	5.9598G	106.61	Inf	-Inf	3	Vertical	19	1.62
5955MHz	Pass	PK	5.9232G	82.91	88.20	-5.29	3	Vertical	19	1.62
5955MHz	Pass	PK	5.952G	118.40	Inf	-Inf	3	Vertical	19	1.62
5955MHz	Pass	AV	5.925G	54.13	68.20	-14.07	3	Horizontal	232	1.50
5955MHz	Pass	AV	5.9532G	90.84	Inf	-Inf	3	Horizontal	232	1.50
5955MHz	Pass	PK	5.925G	68.34	88.20	-19.86	3	Horizontal	232	1.50
5955MHz	Pass	PK	5.952G	103.21	Inf	-Inf	3	Horizontal	232	1.50
5955MHz	Pass	AV	11.90872G	48.40	54.00	-5.60	3	Vertical	1	2.44
5955MHz	Pass	PK	11.91164G	60.58	74.00	-13.42	3	Vertical	1	2.44
5955MHz	Pass	AV	11.90852G	47.86	54.00	-6.14	3	Horizontal	172	2.18
5955MHz	Pass	PK	11.91132G	59.84	74.00	-14.16	3	Horizontal	172	2.18
6195MHz	Pass	AV	12.39272G	49.06	54.00	-4.94	3	Vertical	118	2.31
6195MHz	Pass	PK	12.39124G	60.91	74.00	-13.09	3	Vertical	118	2.31
6195MHz	Pass	AV	12.38528G	47.26	54.00	-6.74	3	Horizontal	170	2.68
6195MHz	Pass	PK	12.38372G	59.23	74.00	-14.77	3	Horizontal	170	2.68
6415MHz	Pass	AV	12.8272G	50.58	68.20	-17.62	3	Vertical	10	2.82
6415MHz	Pass	PK	12.8298G	62.45	88.20	-25.75	3	Vertical	10	2.82
6415MHz	Pass	AV	12.83312G	49.03	68.20	-19.17	3	Horizontal	29	2.07
6415MHz	Pass	PK	12.83172G	61.21	88.20	-26.99	3	Horizontal	29	2.07
6535MHz	Pass	AV	13.06864G	51.26	68.20	-16.94	3	Vertical	6	2.78
6535MHz	Pass	PK	13.07716G	63.55	88.20	-24.65	3	Vertical	6	2.78
6535MHz	Pass	AV	13.07012G	48.66	68.20	-19.54	3	Horizontal	160	2.00
6535MHz	Pass	PK	13.07444G	60.75	88.20	-27.45	3	Horizontal	160	2.00
6695MHz	Pass	AV	13.38976G	53.62	54.00	-0.38	3	Vertical	3	2.17
6695MHz	Pass	PK	13.39644G	66.23	74.00	-7.77	3	Vertical	3	2.17
6695MHz	Pass	AV	13.3894G	50.06	54.00	-3.94	3	Horizontal	32.9	2.88

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	PK	13.39128G	61.78	74.00	-12.22	3	Horizontal	32.9	2.88
6855MHz	Pass	AV	13.70984G	56.47	68.20	-11.73	3	Vertical	5	2.17
6855MHz	Pass	PK	13.71888G	68.03	88.20	-20.17	3	Vertical	5	2.17
6855MHz	Pass	AV	13.70892G	51.91	68.20	-16.29	3	Horizontal	176	2.35
6855MHz	Pass	PK	13.70868G	63.69	88.20	-24.51	3	Horizontal	176	2.35
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	67.80	68.20	-0.40	3	Vertical	339	1.50
5965MHz	Pass	AV	5.971G	101.32	Inf	-Inf	3	Vertical	339	1.50
5965MHz	Pass	PK	5.923G	81.42	88.20	-6.78	3	Vertical	339	1.50
5965MHz	Pass	PK	5.9722G	113.35	Inf	-Inf	3	Vertical	339	1.50
5965MHz	Pass	AV	5.9248G	55.66	68.20	-12.54	3	Horizontal	228	1.29
5965MHz	Pass	AV	5.971G	86.73	Inf	-Inf	3	Horizontal	228	1.29
5965MHz	Pass	PK	5.9242G	68.28	88.20	-19.92	3	Horizontal	228	1.29
5965MHz	Pass	PK	5.9806G	98.01	Inf	-Inf	3	Horizontal	228	1.29
5965MHz	Pass	AV	11.9292G	47.32	54.00	-6.68	3	Vertical	37	2.86
5965MHz	Pass	PK	11.9288G	58.90	74.00	-15.10	3	Vertical	37	2.86
5965MHz	Pass	AV	11.92408G	47.14	54.00	-6.86	3	Horizontal	74	1.00
5965MHz	Pass	PK	11.929G	58.98	74.00	-15.02	3	Horizontal	74	1.00
6205MHz	Pass	AV	12.4194G	46.92	54.00	-7.08	3	Vertical	134	2.46
6205MHz	Pass	PK	12.41996G	58.70	74.00	-15.30	3	Vertical	134	2.46
6205MHz	Pass	AV	12.41848G	46.86	54.00	-7.14	3	Horizontal	172	1.50
6205MHz	Pass	PK	12.40276G	58.58	74.00	-15.42	3	Horizontal	172	1.50
6405MHz	Pass	AV	12.8044G	49.44	68.20	-18.76	3	Vertical	8	2.22
6405MHz	Pass	PK	12.8038G	62.20	88.20	-26.00	3	Vertical	8	2.22
6405MHz	Pass	AV	12.80044G	48.25	68.20	-19.95	3	Horizontal	162	2.52
6405MHz	Pass	PK	12.81656G	61.92	88.20	-26.28	3	Horizontal	162	2.52
6565MHz	Pass	AV	13.13136G	51.78	68.20	-16.42	3	Vertical	350	2.10
6565MHz	Pass	PK	13.13388G	64.61	88.20	-23.59	3	Vertical	350	2.10
6565MHz	Pass	AV	13.1298G	49.12	68.20	-19.08	3	Horizontal	155	1.50
6565MHz	Pass	PK	13.13852G	61.48	88.20	-26.72	3	Horizontal	155	1.50
6685MHz	Pass	AV	13.37128G	53.81	54.00	-0.19	3	Vertical	5	2.17
6685MHz	Pass	PK	13.37344G	66.63	74.00	-7.37	3	Vertical	5	2.17
6685MHz	Pass	AV	13.36952G	49.91	54.00	-4.09	3	Horizontal	300	1.92
6685MHz	Pass	PK	13.37264G	62.11	74.00	-11.89	3	Horizontal	300	1.92
6845MHz	Pass	AV	13.68412G	54.91	68.20	-13.29	3	Vertical	1	2.34
6845MHz	Pass	PK	13.68888G	66.88	88.20	-21.32	3	Vertical	1	2.34
6845MHz	Pass	AV	13.6876G	50.01	68.20	-18.19	3	Horizontal	193	1.50
6845MHz	Pass	PK	13.68156G	61.84	88.20	-26.36	3	Horizontal	193	1.50
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	67.89	68.20	-0.31	3	Vertical	341	1.50
5985MHz	Pass	AV	5.995G	98.98	Inf	-Inf	3	Vertical	341	1.50
5985MHz	Pass	PK	5.921G	81.86	88.20	-6.34	3	Vertical	341	1.50
5985MHz	Pass	PK	6.012G	109.87	Inf	-Inf	3	Vertical	341	1.50
5985MHz	Pass	AV	5.925G	54.72	68.20	-13.48	3	Horizontal	226	1.50
5985MHz	Pass	AV	5.999G	84.26	Inf	-Inf	3	Horizontal	226	1.50
5985MHz	Pass	PK	5.92G	67.07	88.20	-21.13	3	Horizontal	226	1.50
5985MHz	Pass	PK	5.998G	95.35	Inf	-Inf	3	Horizontal	226	1.50
5985MHz	Pass	AV	11.97024G	47.42	54.00	-6.58	3	Vertical	36	1.19
5985MHz	Pass	PK	11.96556G	58.64	74.00	-15.36	3	Vertical	36	1.19
5985MHz	Pass	AV	11.97232G	47.15	54.00	-6.85	3	Horizontal	113	1.50
5985MHz	Pass	PK	11.97524G	58.17	74.00	-15.83	3	Horizontal	113	1.50
6225MHz	Pass	AV	12.44556G	46.92	54.00	-7.08	3	Vertical	140	1.50
6225MHz	Pass	PK	12.4464G	60.74	74.00	-13.26	3	Vertical	140	1.50
6225MHz	Pass	AV	12.44532G	46.86	54.00	-7.14	3	Horizontal	116	1.50
6225MHz	Pass	PK	12.45616G	59.95	74.00	-14.05	3	Horizontal	116	1.50
6385MHz	Pass	AV	12.76288G	47.73	68.20	-20.47	3	Vertical	260	1.49
6385MHz	Pass	PK	12.762G	59.81	88.20	-28.39	3	Vertical	260	1.49
6385MHz	Pass	AV	12.7712G	47.82	68.20	-20.38	3	Horizontal	15	2.29
6385MHz	Pass	PK	12.76496G	59.80	88.20	-28.40	3	Horizontal	15	2.29
6625MHz	Pass	AV	13.26136G	53.64	54.00	-0.36	3	Vertical	17	2.09
6625MHz	Pass	PK	13.26248G	66.99	74.00	-7.01	3	Vertical	17	2.09
6625MHz	Pass	AV	13.2788G	50.11	54.00	-3.89	3	Horizontal	163	2.51




**RSE TX above 1GHz_Non-Beamforming_
Dipole Antenna_1T1S**

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6625MHz	Pass	PK	13.22456G	63.21	88.20	-24.99	3	Horizontal	163	2.51
6705MHz	Pass	AV	13.4112G	55.29	68.20	-12.91	3	Vertical	5	2.68
6705MHz	Pass	PK	13.40624G	68.26	88.20	-19.94	3	Vertical	5	2.68
6705MHz	Pass	AV	13.4158G	50.82	68.20	-17.38	3	Horizontal	183	2.86
6705MHz	Pass	PK	13.41772G	62.68	88.20	-25.52	3	Horizontal	183	2.86
6785MHz	Pass	AV	13.57104G	53.61	68.20	-14.59	3	Vertical	3	2.86
6785MHz	Pass	PK	13.57276G	66.13	88.20	-22.07	3	Vertical	3	2.86
6785MHz	Pass	AV	13.56004G	50.69	68.20	-17.51	3	Horizontal	190	1.50
6785MHz	Pass	PK	13.56276G	63.36	88.20	-24.84	3	Horizontal	190	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.911G	67.61	68.20	-0.59	3	Vertical	345	1.50
6025MHz	Pass	AV	6.047G	95.99	Inf	-Inf	3	Vertical	345	1.50
6025MHz	Pass	PK	5.907G	78.92	88.20	-9.28	3	Vertical	345	1.50
6025MHz	Pass	PK	6.064G	106.79	Inf	-Inf	3	Vertical	345	1.50
6025MHz	Pass	AV	5.911G	57.07	68.20	-11.13	3	Horizontal	227	1.16
6025MHz	Pass	AV	6.098G	83.14	Inf	-Inf	3	Horizontal	227	1.16
6025MHz	Pass	PK	5.921G	67.66	88.20	-20.54	3	Horizontal	227	1.16
6025MHz	Pass	PK	6.094G	93.16	Inf	-Inf	3	Horizontal	227	1.16
6025MHz	Pass	AV	12.12808G	48.33	54.00	-5.67	3	Vertical	180	2.29
6025MHz	Pass	PK	12.07624G	58.41	74.00	-15.59	3	Vertical	180	2.29
6025MHz	Pass	AV	12.07656G	48.43	54.00	-5.57	3	Horizontal	6	1.50
6025MHz	Pass	PK	12.12072G	58.19	74.00	-15.81	3	Horizontal	6	1.50
6185MHz	Pass	AV	12.29G	46.92	54.00	-7.08	3	Vertical	264	2.10
6185MHz	Pass	PK	12.29736G	58.74	74.00	-15.26	3	Vertical	264	2.10
6185MHz	Pass	AV	12.362G	46.87	54.00	-7.13	3	Horizontal	87	1.50
6185MHz	Pass	PK	12.34888G	58.34	74.00	-15.66	3	Horizontal	87	1.50
6345MHz	Pass	AV	12.74632G	47.82	68.20	-20.38	3	Vertical	42	1.50
6345MHz	Pass	PK	12.75496G	59.63	88.20	-28.57	3	Vertical	42	1.50
6345MHz	Pass	AV	12.76872G	47.64	68.20	-20.56	3	Horizontal	304	1.50
6345MHz	Pass	PK	12.72136G	59.78	88.20	-28.42	3	Horizontal	304	1.50
6665MHz	Pass	AV	13.33876G	51.62	54.00	-2.38	3	Vertical	5	2.68
6665MHz	Pass	PK	13.32716G	63.16	74.00	-10.84	3	Vertical	5	2.68
6665MHz	Pass	AV	13.32856G	49.84	54.00	-4.16	3	Horizontal	160	2.01
6665MHz	Pass	PK	13.33552G	61.56	74.00	-12.44	3	Horizontal	160	2.01


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

5955MHz_TX



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	67.11	68.20	-1.09	7.39	3	Vertical	19	1.62	59.72	34.30	8.35	35.26
AV	5.9598G	106.61	Inf	-Inf	7.38	3	Vertical	19	1.62	99.23	34.30	8.35	35.27
PK	5.9232G	82.91	88.20	-5.29	7.39	3	Vertical	19	1.62	75.52	34.30	8.35	35.26
PK	5.952G	118.40	Inf	-Inf	7.38	3	Vertical	19	1.62	111.02	34.30	8.35	35.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	54.13	68.20	-14.07	7.39	3	Horizontal	232	1.50	46.74	34.30	8.35	35.26
AV	5.9532G	90.84	Inf	-Inf	7.38	3	Horizontal	232	1.50	83.46	34.30	8.35	35.27
PK	5.925G	68.34	88.20	-19.86	7.39	3	Horizontal	232	1.50	60.95	34.30	8.35	35.26
PK	5.952G	103.21	Inf	-Inf	7.38	3	Horizontal	232	1.50	95.83	34.30	8.35	35.27


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5955MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	67.80	68.20	-0.40	7.39	3	Vertical	339	1.50	60.41	34.30	8.35	35.26
AV	5.971G	101.32	Inf	-Inf	7.39	3	Vertical	339	1.50	93.93	34.30	8.36	35.27
PK	5.923G	81.42	88.20	-6.78	7.39	3	Vertical	339	1.50	74.03	34.30	8.35	35.26
PK	5.9722G	113.35	Inf	-Inf	7.39	3	Vertical	339	1.50	105.96	34.30	8.36	35.27

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	55.66	68.20	-12.54	7.39	3	Horizontal	228	1.29	48.27	34.30	8.35	35.26
AV	5.971G	86.73	Inf	-Inf	7.39	3	Horizontal	228	1.29	79.34	34.30	8.36	35.27
PK	5.9242G	68.28	88.20	-19.92	7.39	3	Horizontal	228	1.29	60.89	34.30	8.35	35.26
PK	5.9806G	98.01	Inf	-Inf	7.38	3	Horizontal	228	1.29	90.63	34.30	8.36	35.28


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	67.89	68.20	-0.31	7.39	3	Vertical	341	1.50	60.50	34.30	8.35	35.26
AV	5.995G	98.98	Inf	-Inf	7.38	3	Vertical	341	1.50	91.60	34.30	8.36	35.28
PK	5.921G	81.86	88.20	-6.34	7.39	3	Vertical	341	1.50	74.47	34.30	8.35	35.26
PK	6.012G	109.87	Inf	-Inf	7.41	3	Vertical	341	1.50	102.46	34.32	8.37	35.28

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	54.72	68.20	-13.48	7.39	3	Horizontal	226	1.50	47.33	34.30	8.35	35.26
AV	5.999G	84.26	Inf	-Inf	7.38	3	Horizontal	226	1.50	76.88	34.30	8.36	35.28
PK	5.92G	67.07	88.20	-21.13	7.39	3	Horizontal	226	1.50	59.68	34.30	8.35	35.26
PK	5.998G	95.35	Inf	-Inf	7.38	3	Horizontal	226	1.50	87.97	34.30	8.36	35.28


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.19375G	8.02	6.173625G	-20.74	-12.10	-8.64	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	5.95625G	7.70	5.982425G	-18.18	-12.33	-5.85	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	5.96325G	10.07	6.02055G	-16.27	-10.03	-6.24	2
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	5.9971G	7.44	6.0783G	-16.30	-12.62	-3.68	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.08658G	7.53	6.1772G	-14.88	-12.47	-2.41	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	6.85575G	7.81	6.8765G	-19.92	-12.21	-7.71	2
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	6.85375G	7.46	6.880025G	-19.82	-12.56	-7.26	2
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	6.572698G	10.16	6.61495G	-15.18	-9.90	-5.28	1
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	6.7987G	7.32	6.8867G	-17.15	-12.70	-4.45	2
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	6.63841G	3.55	6.304G	-42.42	-36.45	-5.97	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.952351G	6.57	5.974625G	-23.74	-13.45	-10.29	1
5955MHz	Pass	5.956475G	6.88	5.97765G	-23.80	-13.39	-10.41	2
6195MHz	Pass	6.197174G	7.74	6.17245G	-22.46	-12.06	-10.40	1
6195MHz	Pass	6.19375G	8.02	6.173625G	-20.74	-12.10	-8.64	2
6415MHz	Pass	6.419849G	8.17	6.436775G	-21.80	-11.53	-10.27	1
6415MHz	Pass	6.418599G	8.07	6.4374G	-23.07	-12.06	-11.01	2
6535MHz	Pass	6.536475G	6.72	6.5553G	-24.10	-13.33	-10.77	1
6535MHz	Pass	6.539999G	5.71	6.514425G	-24.61	-14.35	-10.26	2
6695MHz	Pass	6.693475G	-0.58	6.734575G	-52.01	-40.58	-11.43	1
6695MHz	Pass	6.69675G	-0.40	6.6632G	-51.20	-40.40	-10.80	2
6855MHz	Pass	6.852876G	7.86	6.878475G	-22.04	-12.15	-9.89	1
6855MHz	Pass	6.85575G	7.81	6.8765G	-19.92	-12.21	-7.71	2
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.962623G	6.74	5.97665G	-19.82	-13.33	-6.49	1
5955MHz	Pass	5.95625G	7.70	5.982425G	-18.18	-12.33	-5.85	2
6195MHz	Pass	6.188702G	7.48	6.170375G	-19.64	-12.56	-7.08	1
6195MHz	Pass	6.193775G	8.04	6.2195G	-20.90	-12.13	-8.77	2
6415MHz	Pass	6.412301G	7.76	6.39085G	-19.84	-12.29	-7.55	1
6415MHz	Pass	6.414275G	7.71	6.439125G	-19.89	-12.47	-7.42	2
6535MHz	Pass	6.5331G	5.83	6.55535G	-22.36	-14.31	-8.05	1
6535MHz	Pass	6.539449G	5.05	6.5138G	-23.74	-14.97	-8.77	2
6695MHz	Pass	6.696G	0.19	6.728875G	-51.07	-39.81	-11.26	1
6695MHz	Pass	6.691251G	0.22	6.7284G	-51.07	-39.78	-11.29	2
6855MHz	Pass	6.85335G	7.68	6.8814G	-19.98	-12.33	-7.65	1
6855MHz	Pass	6.85375G	7.46	6.880025G	-19.82	-12.56	-7.26	2
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.969149G	10.10	6.01525G	-18.90	-9.96	-8.94	1
5965MHz	Pass	5.96325G	10.07	6.02055G	-16.27	-10.03	-6.24	2
6205MHz	Pass	6.210649G	9.78	6.1538G	-18.50	-10.38	-8.12	1
6205MHz	Pass	6.201051G	10.37	6.15475G	-19.25	-9.76	-9.49	2
6405MHz	Pass	6.412498G	10.15	6.35755G	-16.59	-10.05	-6.54	1
6405MHz	Pass	6.4034G	10.42	6.4545G	-17.59	-9.63	-7.96	2
6565MHz	Pass	6.572698G	10.16	6.61495G	-15.18	-9.90	-5.28	1
6565MHz	Pass	6.569399G	9.68	6.5124G	-16.23	-10.33	-5.90	2
6685MHz	Pass	6.680351G	3.75	6.62405G	-43.17	-36.25	-6.92	1
6685MHz	Pass	6.688099G	4.22	6.62335G	-41.79	-35.78	-6.01	2
6845MHz	Pass	6.852348G	10.12	6.7832G	-18.16	-9.89	-8.27	1
6845MHz	Pass	6.848649G	10.03	6.8966G	-17.64	-10.07	-7.57	2
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9834G	7.15	6.0715G	-18.59	-13.00	-5.59	1
5985MHz	Pass	5.9971G	7.44	6.0783G	-16.30	-12.62	-3.68	2
6225MHz	Pass	6.2136G	6.80	6.1295G	-18.90	-13.22	-5.68	1
6225MHz	Pass	6.2338G	7.69	6.3216G	-18.80	-12.33	-6.47	2
6385MHz	Pass	6.3744G	6.97	6.2888G	-19.77	-13.12	-6.65	1
6385MHz	Pass	6.3964G	7.84	6.4826G	-19.45	-12.22	-7.23	2
6625MHz	Pass	6.6127G	6.59	6.7247G	-20.89	-13.46	-7.43	1
6625MHz	Pass	6.6108G	6.58	6.5193G	-18.99	-13.47	-5.52	2
6705MHz	Pass	6.6936G	6.27	6.5994G	-21.94	-13.74	-8.20	1
6705MHz	Pass	6.6938G	6.88	6.587G	-19.84	-13.25	-6.59	2
6785MHz	Pass	6.7731G	6.50	6.6787G	-19.81	-13.60	-6.21	1
6785MHz	Pass	6.7987G	7.32	6.8867G	-17.15	-12.70	-4.45	2
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08658G	7.53	6.1772G	-14.88	-12.47	-2.41	1
6025MHz	Pass	6.05419G	8.08	6.1794G	-15.42	-11.95	-3.47	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6185MHz	Pass	6.21079G	5.58	6.584G	-34.74	-28.94	-5.80	1
6185MHz	Pass	6.24299G	6.59	6.5844G	-34.29	-28.27	-6.02	2
6345MHz	Pass	6.32201G	5.84	6.1994G	-22.32	-14.30	-8.02	1
6345MHz	Pass	6.40898G	6.87	6.5022G	-22.02	-13.13	-8.89	2
6665MHz	Pass	6.63841G	3.55	6.304G	-42.42	-36.45	-5.97	1
6665MHz	Pass	6.60781G	4.30	6.5168G	-24.54	-16.11	-8.43	2


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

21/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197174G	7.74	6.17245G	-22.46	-12.06	-10.40	1
6.19375G	8.02	6.173625G	-20.74	-12.10	-8.64	2


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

20/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962623G	6.74	5.97665G	-19.82	-13.33	-6.49	1
5.95625G	7.70	5.982425G	-18.18	-12.33	-5.85	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

20/01/2026




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

20/01/2026




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

20/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.08658G	7.53	6.1772G	-14.88	-12.47	-2.41	1
6.05419G	8.08	6.1794G	-15.42	-11.95	-3.47	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852876G	7.86	6.878475G	-22.04	-12.15	-9.89	1
6.85575G	7.81	6.8765G	-19.92	-12.21	-7.71	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

20/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85335G	7.68	6.8814G	-19.98	-12.33	-7.65	1
6.85375G	7.46	6.880025G	-19.82	-12.56	-7.26	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

20/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.572698G	10.16	6.61495G	-15.18	-9.90	-5.28	1
6.569399G	9.68	6.5124G	-16.23	-10.33	-5.90	2

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

20/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7731G	6.50	6.6787G	-19.81	-13.60	-6.21	1
6.7987G	7.32	6.8867G	-17.15	-12.70	-4.45	2

6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

20/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63841G	3.55	6.304G	-42.42	-36.45	-5.97	1
6.60781G	4.30	6.5168G	-24.54	-16.11	-8.43	2



RSE TX above 1GHz_Non-Beamforming_ Dipole Antenna_2T1S

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.925G	86.97	88.20	-1.23	3	Vertical	38	1.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.9238G	68.01	68.20	-0.19	3	Vertical	39	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.9236G	67.34	68.20	-0.86	3	Vertical	39	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.34	68.20	-0.86	3	Vertical	23	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.912G	67.41	68.20	-0.79	3	Vertical	26	1.98
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38968G	53.76	54.00	-0.24	3	Vertical	17	2.10
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.38984G	53.73	54.00	-0.27	3	Vertical	17	2.12
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.36976G	53.93	54.00	-0.07	3	Vertical	1	2.20
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.2571G	53.78	54.00	-0.22	3	Vertical	8	2.07
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	13.3394G	51.62	54.00	-2.38	3	Vertical	0	2.31

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	66.72	68.20	-1.48	3	Vertical	38	1.50
5955MHz	Pass	AV	5.9562G	111.40	Inf	-Inf	3	Vertical	38	1.50
5955MHz	Pass	PK	5.925G	86.97	88.20	-1.23	3	Vertical	38	1.50
5955MHz	Pass	PK	5.961G	120.03	Inf	-Inf	3	Vertical	38	1.50
5955MHz	Pass	AV	5.9226G	53.49	68.20	-14.71	3	Horizontal	137	1.50
5955MHz	Pass	AV	5.952G	96.43	Inf	-Inf	3	Horizontal	137	1.50
5955MHz	Pass	PK	5.9226G	70.19	88.20	-18.01	3	Horizontal	137	1.50
5955MHz	Pass	PK	5.952G	104.86	Inf	-Inf	3	Horizontal	137	1.50
5955MHz	Pass	AV	11.9092G	51.82	54.00	-2.18	3	Vertical	27	1.94
5955MHz	Pass	PK	11.90996G	62.43	74.00	-11.57	3	Vertical	27	1.94
5955MHz	Pass	AV	11.91148G	49.14	54.00	-4.86	3	Horizontal	18	2.19
5955MHz	Pass	PK	11.9122G	60.89	74.00	-13.11	3	Horizontal	18	2.19
6195MHz	Pass	AV	12.392G	50.62	54.00	-3.38	3	Vertical	225	1.50
6195MHz	Pass	PK	12.39056G	61.51	74.00	-12.49	3	Vertical	225	1.50
6195MHz	Pass	AV	12.39128G	50.49	54.00	-3.51	3	Horizontal	154	2.23
6195MHz	Pass	PK	12.39424G	61.50	74.00	-12.50	3	Horizontal	154	2.23
6415MHz	Pass	AV	12.8298G	50.05	68.20	-18.15	3	Vertical	172	3.00
6415MHz	Pass	PK	12.82276G	62.12	88.20	-26.08	3	Vertical	172	3.00
6415MHz	Pass	AV	12.83308G	48.77	68.20	-19.43	3	Horizontal	170	1.80
6415MHz	Pass	PK	12.83692G	60.78	88.20	-27.42	3	Horizontal	170	1.80
6535MHz	Pass	AV	13.07036G	52.70	68.20	-15.50	3	Vertical	9	2.19
6535MHz	Pass	PK	13.07628G	65.06	88.20	-23.14	3	Vertical	9	2.19
6535MHz	Pass	AV	13.07392G	49.13	68.20	-19.07	3	Horizontal	27	2.69
6535MHz	Pass	PK	13.06388G	60.94	88.20	-27.26	3	Horizontal	27	2.69
6695MHz	Pass	AV	13.38968G	53.76	54.00	-0.24	3	Vertical	17	2.10
6695MHz	Pass	PK	13.38948G	65.74	74.00	-8.26	3	Vertical	17	2.10
6695MHz	Pass	AV	13.39156G	50.89	54.00	-3.11	3	Horizontal	36	3.00
6695MHz	Pass	PK	13.3916G	62.92	74.00	-11.08	3	Horizontal	36	3.00
6855MHz	Pass	AV	13.70896G	58.59	68.20	-9.61	3	Vertical	8	2.23
6855MHz	Pass	PK	13.70916G	70.16	88.20	-18.04	3	Vertical	8	2.23
6855MHz	Pass	AV	13.71216G	54.90	68.20	-13.30	3	Horizontal	153	3.00
6855MHz	Pass	PK	13.71268G	66.41	88.20	-21.79	3	Horizontal	153	3.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	68.01	68.20	-0.19	3	Vertical	39	1.50
5955MHz	Pass	AV	5.958G	110.14	Inf	-Inf	3	Vertical	39	1.50
5955MHz	Pass	PK	5.9208G	85.48	88.20	-2.72	3	Vertical	39	1.50
5955MHz	Pass	PK	5.9562G	121.15	Inf	-Inf	3	Vertical	39	1.50
5955MHz	Pass	AV	5.9238G	56.39	68.20	-11.81	3	Horizontal	106	3.00
5955MHz	Pass	AV	5.9586G	97.14	Inf	-Inf	3	Horizontal	106	3.00
5955MHz	Pass	PK	5.9238G	70.90	88.20	-17.30	3	Horizontal	106	3.00
5955MHz	Pass	PK	5.9562G	108.31	Inf	-Inf	3	Horizontal	106	3.00
5955MHz	Pass	AV	11.90928G	49.61	54.00	-4.39	3	Vertical	29	1.95
5955MHz	Pass	PK	11.90912G	61.59	74.00	-12.41	3	Vertical	29	1.95
5955MHz	Pass	AV	11.90836G	48.23	54.00	-5.77	3	Horizontal	18	2.13
5955MHz	Pass	PK	11.90824G	60.69	74.00	-13.31	3	Horizontal	18	2.13
6195MHz	Pass	AV	12.39176G	48.34	54.00	-5.66	3	Vertical	179	2.11
6195MHz	Pass	PK	12.3892G	60.22	74.00	-13.78	3	Vertical	179	2.11
6195MHz	Pass	AV	12.3898G	49.51	54.00	-4.49	3	Horizontal	170	1.01
6195MHz	Pass	PK	12.38692G	61.71	74.00	-12.29	3	Horizontal	170	1.01
6415MHz	Pass	AV	12.83012G	50.95	68.20	-17.25	3	Vertical	14	2.86
6415MHz	Pass	PK	12.82992G	63.61	88.20	-24.59	3	Vertical	14	2.86
6415MHz	Pass	AV	12.83008G	48.69	68.20	-19.51	3	Horizontal	1	3.00
6415MHz	Pass	PK	12.82032G	61.02	88.20	-27.18	3	Horizontal	1	3.00
6535MHz	Pass	AV	13.07012G	52.34	68.20	-15.86	3	Vertical	8	2.26
6535MHz	Pass	PK	13.07292G	64.70	88.20	-23.50	3	Vertical	8	2.26
6535MHz	Pass	AV	13.07512G	48.28	68.20	-19.92	3	Horizontal	355	1.50
6535MHz	Pass	PK	13.06932G	60.45	88.20	-27.75	3	Horizontal	355	1.50
6695MHz	Pass	AV	13.38984G	53.73	54.00	-0.27	3	Vertical	17	2.12
6695MHz	Pass	PK	13.39016G	66.20	74.00	-7.80	3	Vertical	17	2.12
6695MHz	Pass	AV	13.38608G	51.70	54.00	-2.30	3	Horizontal	54	2.05



RSE TX above 1GHz_Non-Beamforming_ Dipole Antenna_2T1S

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	PK	13.38628G	63.56	74.00	-10.44	3	Horizontal	54	2.05
6855MHz	Pass	AV	13.70964G	60.01	68.20	-8.19	3	Vertical	4	2.19
6855MHz	Pass	PK	13.71484G	71.38	88.20	-16.82	3	Vertical	4	2.19
6855MHz	Pass	AV	13.70864G	54.04	68.20	-14.16	3	Horizontal	153	3.00
6855MHz	Pass	PK	13.71568G	65.70	88.20	-22.50	3	Horizontal	153	3.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	67.34	68.20	-0.86	3	Vertical	39	1.50
5965MHz	Pass	AV	5.9608G	104.98	Inf	-Inf	3	Vertical	39	1.50
5965MHz	Pass	PK	5.923G	82.37	88.20	-5.83	3	Vertical	39	1.50
5965MHz	Pass	PK	5.9758G	115.44	Inf	-Inf	3	Vertical	39	1.50
5965MHz	Pass	AV	5.9236G	56.28	68.20	-11.92	3	Horizontal	102	2.97
5965MHz	Pass	AV	5.9782G	92.25	Inf	-Inf	3	Horizontal	102	2.97
5965MHz	Pass	PK	5.9236G	70.24	88.20	-17.96	3	Horizontal	102	2.97
5965MHz	Pass	PK	5.9806G	103.41	Inf	-Inf	3	Horizontal	102	2.97
5965MHz	Pass	AV	11.93468G	49.00	54.00	-5.00	3	Vertical	29	1.50
5965MHz	Pass	PK	11.92708G	59.95	74.00	-14.05	3	Vertical	29	1.50
5965MHz	Pass	AV	11.93108G	47.36	54.00	-6.64	3	Horizontal	201	1.12
5965MHz	Pass	PK	11.92612G	58.86	74.00	-15.14	3	Horizontal	201	1.12
6205MHz	Pass	AV	12.4164G	48.34	54.00	-5.66	3	Vertical	161	1.50
6205MHz	Pass	PK	12.41452G	60.43	74.00	-13.57	3	Vertical	161	1.50
6205MHz	Pass	AV	12.4066G	49.05	54.00	-4.95	3	Horizontal	167	1.19
6205MHz	Pass	PK	12.40608G	61.54	74.00	-12.46	3	Horizontal	167	1.19
6405MHz	Pass	AV	12.80956G	48.71	68.20	-19.49	3	Vertical	173	2.87
6405MHz	Pass	PK	12.809G	61.24	88.20	-26.96	3	Vertical	173	2.87
6405MHz	Pass	AV	12.81152G	48.70	68.20	-19.50	3	Horizontal	162	2.29
6405MHz	Pass	PK	12.8118G	60.92	88.20	-27.28	3	Horizontal	162	2.29
6565MHz	Pass	AV	13.12988G	55.42	68.20	-12.78	3	Vertical	9	2.34
6565MHz	Pass	PK	13.12704G	68.42	88.20	-19.78	3	Vertical	9	2.34
6565MHz	Pass	AV	13.13552G	50.39	68.20	-17.81	3	Horizontal	160	2.33
6565MHz	Pass	PK	13.1332G	62.21	88.20	-25.99	3	Horizontal	160	2.33
6685MHz	Pass	AV	13.36976G	53.93	54.00	-0.07	3	Vertical	1	2.20
6685MHz	Pass	PK	13.36984G	65.89	74.00	-8.11	3	Vertical	1	2.20
6685MHz	Pass	AV	13.3756G	50.54	54.00	-3.46	3	Horizontal	263	1.00
6685MHz	Pass	PK	13.37848G	62.18	74.00	-11.82	3	Horizontal	263	1.00
6845MHz	Pass	AV	13.68712G	56.69	68.20	-11.51	3	Vertical	1	2.30
6845MHz	Pass	PK	13.6844G	68.59	88.20	-19.61	3	Vertical	1	2.30
6845MHz	Pass	AV	13.69044G	51.36	68.20	-16.84	3	Horizontal	163	2.37
6845MHz	Pass	PK	13.69288G	63.55	88.20	-24.65	3	Horizontal	163	2.37
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	67.34	68.20	-0.86	3	Vertical	23	1.50
5985MHz	Pass	AV	5.998G	102.01	Inf	-Inf	3	Vertical	23	1.50
5985MHz	Pass	PK	5.92G	82.87	88.20	-5.33	3	Vertical	23	1.50
5985MHz	Pass	PK	5.975G	112.06	Inf	-Inf	3	Vertical	23	1.50
5985MHz	Pass	AV	5.921G	54.86	68.20	-13.34	3	Horizontal	213	1.64
5985MHz	Pass	AV	5.994G	87.86	Inf	-Inf	3	Horizontal	213	1.64
5985MHz	Pass	PK	5.924G	66.86	88.20	-21.34	3	Horizontal	213	1.64
5985MHz	Pass	PK	6.012G	98.11	Inf	-Inf	3	Horizontal	213	1.64
5985MHz	Pass	AV	11.96956G	48.61	54.00	-5.39	3	Vertical	240	1.95
5985MHz	Pass	PK	11.9752G	59.85	74.00	-14.15	3	Vertical	240	1.95
5985MHz	Pass	AV	11.96868G	47.33	54.00	-6.67	3	Horizontal	119	2.67
5985MHz	Pass	PK	11.97324G	58.34	74.00	-15.66	3	Horizontal	119	2.67
6225MHz	Pass	AV	12.45652G	48.79	54.00	-5.21	3	Vertical	157	1.50
6225MHz	Pass	PK	12.4514G	61.01	74.00	-12.99	3	Vertical	157	1.50
6225MHz	Pass	AV	12.446G	47.65	54.00	-6.35	3	Horizontal	169	2.58
6225MHz	Pass	PK	12.44572G	60.02	74.00	-13.98	3	Horizontal	169	2.58
6385MHz	Pass	AV	12.77472G	49.08	68.20	-19.12	3	Vertical	14	2.97
6385MHz	Pass	PK	12.76252G	61.05	88.20	-27.15	3	Vertical	14	2.97
6385MHz	Pass	AV	12.76452G	48.12	68.20	-20.08	3	Horizontal	230	1.20
6385MHz	Pass	PK	12.76308G	60.85	88.20	-27.35	3	Horizontal	230	1.20
6625MHz	Pass	AV	13.2571G	53.78	54.00	-0.22	3	Vertical	8	2.07
6625MHz	Pass	PK	13.2686G	66.11	74.00	-7.89	3	Vertical	8	2.07
6625MHz	Pass	AV	13.26984G	50.29	54.00	-3.71	3	Horizontal	161	2.38




RSE TX above 1GHz_Non-Beamforming_ Dipole Antenna_2T1S

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6625MHz	Pass	PK	13.26736G	63.14	74.00	-10.86	3	Horizontal	161	2.38
6705MHz	Pass	AV	13.40752G	52.71	68.20	-15.49	3	Vertical	354	1.50
6705MHz	Pass	PK	13.41248G	64.62	88.20	-23.58	3	Vertical	354	1.50
6705MHz	Pass	AV	13.4108G	52.24	68.20	-15.96	3	Horizontal	32	3.00
6705MHz	Pass	PK	13.41316G	64.31	88.20	-23.89	3	Horizontal	32	3.00
6785MHz	Pass	AV	13.56728G	54.78	68.20	-13.42	3	Vertical	4	3.00
6785MHz	Pass	PK	13.5702G	66.79	88.20	-21.41	3	Vertical	4	3.00
6785MHz	Pass	AV	13.57384G	51.16	68.20	-17.04	3	Horizontal	151	2.87
6785MHz	Pass	PK	13.5612G	63.15	88.20	-25.05	3	Horizontal	151	2.87
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.912G	67.41	68.20	-0.79	3	Vertical	26	1.98
6025MHz	Pass	AV	6.098G	100.62	Inf	-Inf	3	Vertical	26	1.98
6025MHz	Pass	PK	5.912G	79.56	88.20	-8.64	3	Vertical	26	1.98
6025MHz	Pass	PK	6.081G	110.21	Inf	-Inf	3	Vertical	26	1.98
6025MHz	Pass	AV	5.908G	53.82	68.20	-14.38	3	Horizontal	218	1.67
6025MHz	Pass	AV	6.099G	85.86	Inf	-Inf	3	Horizontal	218	1.67
6025MHz	Pass	PK	5.908G	65.08	88.20	-23.12	3	Horizontal	218	1.67
6025MHz	Pass	PK	6.089G	95.72	Inf	-Inf	3	Horizontal	218	1.67
6025MHz	Pass	AV	12.06344G	49.15	54.00	-4.85	3	Vertical	44	2.27
6025MHz	Pass	PK	12.12712G	58.57	74.00	-15.43	3	Vertical	44	2.27
6025MHz	Pass	AV	12.1092G	48.43	54.00	-5.57	3	Horizontal	73	1.50
6025MHz	Pass	PK	12.10664G	58.76	74.00	-15.24	3	Horizontal	73	1.50
6185MHz	Pass	AV	12.30376G	46.96	54.00	-7.04	3	Vertical	121	1.83
6185MHz	Pass	PK	12.37736G	59.12	74.00	-14.88	3	Vertical	121	1.83
6185MHz	Pass	AV	12.31048G	47.14	54.00	-6.86	3	Horizontal	151	1.00
6185MHz	Pass	PK	12.35656G	58.72	74.00	-15.28	3	Horizontal	151	1.00
6345MHz	Pass	AV	12.746G	48.07	68.20	-20.13	3	Vertical	39	1.80
6345MHz	Pass	PK	12.73864G	59.90	88.20	-28.30	3	Vertical	39	1.80
6345MHz	Pass	AV	12.72488G	47.80	68.20	-20.40	3	Horizontal	100	1.50
6345MHz	Pass	PK	12.73128G	59.68	88.20	-28.52	3	Horizontal	100	1.50
6665MHz	Pass	AV	13.3394G	51.62	54.00	-2.38	3	Vertical	0	2.31
6665MHz	Pass	PK	13.33444G	64.65	74.00	-9.35	3	Vertical	0	2.31
6665MHz	Pass	AV	13.33968G	49.95	54.00	-4.05	3	Horizontal	9	2.71
6665MHz	Pass	PK	13.32904G	62.02	74.00	-11.98	3	Horizontal	9	2.71


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	68.01	68.20	-0.19	7.39	3	Vertical	39	1.50	60.62	34.30	8.35	35.26
AV	5.958G	110.14	Inf	-Inf	7.38	3	Vertical	39	1.50	102.76	34.30	8.35	35.27
PK	5.9208G	85.48	88.20	-2.72	7.39	3	Vertical	39	1.50	78.09	34.30	8.35	35.26
PK	5.9562G	121.15	Inf	-Inf	7.38	3	Vertical	39	1.50	113.77	34.30	8.35	35.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	56.39	68.20	-11.81	7.39	3	Horizontal	106	3.00	49.00	34.30	8.35	35.26
AV	5.9586G	97.14	Inf	-Inf	7.38	3	Horizontal	106	3.00	89.76	34.30	8.35	35.27
PK	5.9238G	70.90	88.20	-17.30	7.39	3	Horizontal	106	3.00	63.51	34.30	8.35	35.26
PK	5.9562G	108.31	Inf	-Inf	7.38	3	Horizontal	106	3.00	100.93	34.30	8.35	35.27


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9236G	67.34	68.20	-0.86	7.39	3	Vertical	39	1.50	59.95	34.30	8.35	35.26
AV	5.9608G	104.98	Inf	-Inf	7.38	3	Vertical	39	1.50	97.60	34.30	8.35	35.27
PK	5.923G	82.37	88.20	-5.83	7.39	3	Vertical	39	1.50	74.98	34.30	8.35	35.26
PK	5.9758G	115.44	Inf	-Inf	7.39	3	Vertical	39	1.50	108.05	34.30	8.36	35.27

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9236G	56.28	68.20	-11.92	7.39	3	Horizontal	102	2.97	48.89	34.30	8.35	35.26
AV	5.9782G	92.25	Inf	-Inf	7.38	3	Horizontal	102	2.97	84.87	34.30	8.36	35.28
PK	5.9236G	70.24	88.20	-17.96	7.39	3	Horizontal	102	2.97	62.85	34.30	8.35	35.26
PK	5.9806G	103.41	Inf	-Inf	7.38	3	Horizontal	102	2.97	96.03	34.30	8.36	35.28


5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.411326G	7.84	6.4379G	-18.03	-12.16	-5.87	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	5.971098G	10.18	6.0215G	-16.86	-9.87	-6.99	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.9974G	7.28	6.0822G	-17.08	-12.78	-4.30	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.04899G	7.35	6.1918G	-16.62	-13.00	-3.62	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.851251G	7.50	6.881725G	-21.06	-12.63	-8.43	1
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	6.560051G	9.95	6.51255G	-15.65	-10.06	-5.59	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	6.6975G	6.88	6.5937G	-18.76	-13.16	-5.60	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.64161G	3.76	6.2676G	-42.24	-35.83	-6.41	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.952851G	7.12	5.976875G	-19.55	-12.93	-6.62	1
5955MHz	Pass	5.956325G	7.68	5.9825G	-18.28	-12.12	-6.16	2
6195MHz	Pass	6.201623G	7.68	6.1697G	-20.88	-12.12	-8.76	1
6195MHz	Pass	6.200074G	7.76	6.218775G	-19.69	-12.32	-7.37	2
6415MHz	Pass	6.418074G	8.03	6.3899G	-20.22	-11.97	-8.25	1
6415MHz	Pass	6.411326G	7.84	6.4379G	-18.03	-12.16	-5.87	2
6535MHz	Pass	6.538399G	5.80	6.555975G	-22.92	-14.24	-8.68	1
6535MHz	Pass	6.536225G	5.20	6.512175G	-25.44	-14.90	-10.54	2
6695MHz	Pass	6.696G	1.42	6.662775G	-48.86	-38.58	-10.28	1
6695MHz	Pass	6.690701G	1.06	6.7271G	-49.21	-38.94	-10.27	2
6855MHz	Pass	6.851251G	7.50	6.881725G	-21.06	-12.63	-8.43	1
6855MHz	Pass	6.857049G	7.42	6.880875G	-21.77	-12.38	-9.39	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.967849G	10.13	6.0138G	-17.78	-9.88	-7.90	1
5965MHz	Pass	5.971098G	10.18	6.0215G	-16.86	-9.87	-6.99	2
6205MHz	Pass	6.210549G	9.68	6.15515G	-18.16	-10.32	-7.84	1
6205MHz	Pass	6.20315G	10.36	6.15635G	-17.68	-9.74	-7.94	2
6405MHz	Pass	6.409699G	10.06	6.45605G	-18.70	-10.00	-8.70	1
6405MHz	Pass	6.401601G	10.44	6.45585G	-18.96	-9.59	-9.37	2
6565MHz	Pass	6.572998G	10.31	6.61875G	-17.41	-9.72	-7.69	1
6565MHz	Pass	6.560051G	9.95	6.51255G	-15.65	-10.06	-5.59	2
6685MHz	Pass	6.681951G	6.42	6.71715G	-22.81	-14.57	-8.24	1
6685MHz	Pass	6.679801G	6.94	6.64925G	-22.85	-13.83	-9.02	2
6845MHz	Pass	6.841751G	10.22	6.9082G	-19.15	-9.82	-9.33	1
6845MHz	Pass	6.847599G	9.90	6.89545G	-16.50	-10.25	-6.25	2
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9768G	6.98	6.0699G	-18.12	-13.10	-5.02	1
5985MHz	Pass	5.9974G	7.28	6.0822G	-17.08	-12.78	-4.30	2
6225MHz	Pass	6.2377G	7.07	6.129G	-18.75	-13.03	-5.72	1
6225MHz	Pass	6.2314G	7.37	6.3246G	-20.82	-12.67	-8.15	2
6385MHz	Pass	6.3743G	7.06	6.2798G	-23.67	-12.98	-10.69	1
6385MHz	Pass	6.372G	7.63	6.4787G	-18.46	-12.38	-6.08	2
6625MHz	Pass	6.6161G	6.69	6.7362G	-23.31	-13.33	-9.98	1
6625MHz	Pass	6.6143G	7.08	6.5009G	-19.11	-13.06	-6.05	2
6705MHz	Pass	6.6902G	6.40	6.6G	-21.63	-13.66	-7.97	1
6705MHz	Pass	6.6975G	6.88	6.5937G	-18.76	-13.16	-5.60	2
6785MHz	Pass	6.7976G	6.58	6.6787G	-19.06	-13.46	-5.60	1
6785MHz	Pass	6.794G	7.41	6.8964G	-19.43	-12.76	-6.67	2
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04899G	7.35	6.1918G	-16.62	-13.00	-3.62	1
6025MHz	Pass	6.09838G	7.76	6.1828G	-16.56	-12.26	-4.30	2
6185MHz	Pass	6.2022G	5.52	6.0264G	-24.10	-14.51	-9.59	1
6185MHz	Pass	6.20939G	6.49	6.026G	-22.73	-13.56	-9.17	2
6345MHz	Pass	6.31941G	6.04	6.1862G	-21.60	-13.97	-7.63	1
6345MHz	Pass	6.37579G	7.12	6.503G	-19.18	-12.90	-6.28	2
6665MHz	Pass	6.64161G	3.76	6.2676G	-42.24	-35.83	-6.41	1
6665MHz	Pass	6.63861G	4.58	6.5062G	-25.19	-15.43	-9.76	2


5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

21/01/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418074G	8.03	6.3899G	-20.22	-11.97	-8.25	1
6.411326G	7.84	6.4379G	-18.03	-12.16	-5.87	2


5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

21/01/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967849G	10.13	6.0138G	-17.78	-9.88	-7.90	1
5.971098G	10.18	6.0215G	-16.86	-9.87	-6.99	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

21/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9768G	6.98	6.0699G	-18.12	-13.10	-5.02	1
5.9974G	7.28	6.0822G	-17.08	-12.78	-4.30	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

21/01/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04899G	7.35	6.1918G	-16.62	-13.00	-3.62	1
6.09838G	7.76	6.1828G	-16.56	-12.26	-4.30	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.851251G	7.50	6.881725G	-21.06	-12.63	-8.43	1
6.857049G	7.42	6.880875G	-21.77	-12.38	-9.39	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.572998G	10.31	6.61875G	-17.41	-9.72	-7.69	1
6.560051G	9.95	6.51255G	-15.65	-10.06	-5.59	2

6.525-6.875GHz_802.11ax_HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

21/01/2026




6.525-6.875GHz_802.11ax_HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

21/01/2026





RSE TX above 1GHz_Non-Beamforming_ Dipole Antenna_2T2S

Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.925G	67.54	68.20	-0.66	3	Vertical	42	2.09
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.9242G	67.76	68.20	-0.44	3	Vertical	44	2.03
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.924G	67.31	68.20	-0.89	3	Vertical	19	1.50
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.921G	67.34	68.20	-0.86	3	Vertical	51	1.97
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	13.39064G	53.66	54.00	-0.34	3	Vertical	4	2.22
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	13.37512G	53.90	54.00	-0.10	3	Vertical	359	2.12
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	13.26408G	53.94	54.00	-0.06	3	Vertical	4	2.17
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	13.33896G	51.66	54.00	-2.34	3	Vertical	2	2.66

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	67.54	68.20	-0.66	3	Vertical	42	2.09
5955MHz	Pass	AV	5.9562G	108.99	Inf	-Inf	3	Vertical	42	2.09
5955MHz	Pass	PK	5.925G	80.71	88.20	-7.49	3	Vertical	42	2.09
5955MHz	Pass	PK	5.9514G	118.90	Inf	-Inf	3	Vertical	42	2.09
5955MHz	Pass	AV	5.925G	55.27	68.20	-12.93	3	Horizontal	212	1.77
5955MHz	Pass	AV	5.9568G	94.88	Inf	-Inf	3	Horizontal	212	1.77
5955MHz	Pass	PK	5.925G	67.07	88.20	-21.13	3	Horizontal	212	1.77
5955MHz	Pass	PK	5.9598G	105.14	Inf	-Inf	3	Horizontal	212	1.77
5955MHz	Pass	AV	11.909G	50.58	54.00	-3.42	3	Vertical	27	1.95
5955MHz	Pass	PK	11.90856G	62.03	74.00	-11.97	3	Vertical	27	1.95
5955MHz	Pass	AV	11.91132G	48.40	54.00	-5.60	3	Horizontal	20	2.30
5955MHz	Pass	PK	11.91236G	59.91	74.00	-14.09	3	Horizontal	20	2.30
6195MHz	Pass	AV	12.38886G	49.40	54.00	-4.60	3	Vertical	160	1.50
6195MHz	Pass	PK	12.395G	61.12	74.00	-12.88	3	Vertical	160	1.50
6195MHz	Pass	AV	12.39092G	50.12	54.00	-3.88	3	Horizontal	153	2.32
6195MHz	Pass	PK	12.39184G	62.68	74.00	-11.32	3	Horizontal	153	2.32
6415MHz	Pass	AV	12.82988G	51.07	68.20	-17.13	3	Vertical	8	2.19
6415MHz	Pass	PK	12.837G	63.06	88.20	-25.14	3	Vertical	8	2.19
6415MHz	Pass	AV	12.827G	48.60	68.20	-19.60	3	Horizontal	167	1.95
6415MHz	Pass	PK	12.837G	60.66	88.20	-27.54	3	Horizontal	167	1.95
6535MHz	Pass	AV	13.06808G	51.51	68.20	-16.69	3	Vertical	7	2.27
6535MHz	Pass	PK	13.07128G	63.98	88.20	-24.22	3	Vertical	7	2.27
6535MHz	Pass	AV	13.07712G	48.28	68.20	-19.92	3	Horizontal	359	1.50
6535MHz	Pass	PK	13.06832G	60.37	88.20	-27.83	3	Horizontal	359	1.50
6695MHz	Pass	AV	13.39064G	53.66	54.00	-0.34	3	Vertical	4	2.22
6695MHz	Pass	PK	13.39184G	65.70	74.00	-8.30	3	Vertical	4	2.22
6695MHz	Pass	AV	13.38864G	50.63	54.00	-3.37	3	Horizontal	125	2.92
6695MHz	Pass	PK	13.39024G	62.76	74.00	-11.24	3	Horizontal	125	2.92
6855MHz	Pass	AV	13.70884G	57.90	68.20	-10.30	3	Vertical	1	3.00
6855MHz	Pass	PK	13.7084G	70.50	88.20	-17.70	3	Vertical	1	3.00
6855MHz	Pass	AV	13.7078G	51.71	68.20	-16.49	3	Horizontal	149	1.01
6855MHz	Pass	PK	13.71132G	64.02	88.20	-24.18	3	Horizontal	149	1.01
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	67.76	68.20	-0.44	3	Vertical	44	2.03
5965MHz	Pass	AV	5.9638G	103.57	Inf	-Inf	3	Vertical	44	2.03
5965MHz	Pass	PK	5.923G	83.21	88.20	-4.99	3	Vertical	44	2.03
5965MHz	Pass	PK	5.9626G	113.69	Inf	-Inf	3	Vertical	44	2.03
5965MHz	Pass	AV	5.923G	54.57	68.20	-13.63	3	Horizontal	213	1.76
5965MHz	Pass	AV	5.959G	89.40	Inf	-Inf	3	Horizontal	213	1.76
5965MHz	Pass	PK	5.923G	69.93	88.20	-18.27	3	Horizontal	213	1.76
5965MHz	Pass	PK	5.9818G	100.43	Inf	-Inf	3	Horizontal	213	1.76
5965MHz	Pass	AV	11.92852G	48.73	54.00	-5.27	3	Vertical	31	2.62
5965MHz	Pass	PK	11.9286G	60.35	74.00	-13.65	3	Vertical	31	2.62
5965MHz	Pass	AV	11.93128G	47.97	54.00	-6.03	3	Horizontal	19	2.24
5965MHz	Pass	PK	11.92404G	59.36	74.00	-14.64	3	Horizontal	19	2.24
6205MHz	Pass	AV	12.41096G	49.04	54.00	-4.96	3	Vertical	159	1.50
6205MHz	Pass	PK	12.40936G	60.87	74.00	-13.13	3	Vertical	159	1.50
6205MHz	Pass	AV	12.41092G	51.05	54.00	-2.95	3	Horizontal	172	2.94
6205MHz	Pass	PK	12.4114G	62.55	74.00	-11.45	3	Horizontal	172	2.94
6405MHz	Pass	AV	12.807G	49.52	68.20	-18.68	3	Vertical	16	3.00
6405MHz	Pass	PK	12.8G	61.83	88.20	-26.37	3	Vertical	16	3.00
6405MHz	Pass	AV	12.81564G	48.03	68.20	-20.17	3	Horizontal	1	2.59
6405MHz	Pass	PK	12.81904G	60.45	88.20	-27.75	3	Horizontal	1	2.59
6565MHz	Pass	AV	13.13484G	54.40	68.20	-13.80	3	Vertical	9	3.00
6565MHz	Pass	PK	13.13008G	67.32	88.20	-20.88	3	Vertical	9	3.00
6565MHz	Pass	AV	13.1286G	50.36	68.20	-17.84	3	Horizontal	157	2.29
6565MHz	Pass	PK	13.13104G	62.25	88.20	-25.95	3	Horizontal	157	2.29
6685MHz	Pass	AV	13.37512G	53.90	54.00	-0.10	3	Vertical	359	2.12
6685MHz	Pass	PK	13.37048G	66.75	74.00	-7.25	3	Vertical	359	2.12
6685MHz	Pass	AV	13.3688G	50.69	54.00	-3.31	3	Horizontal	27	3.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36592G	62.91	74.00	-11.09	3	Horizontal	27	3.00
6845MHz	Pass	AV	13.68888G	55.41	68.20	-12.79	3	Vertical	1	2.32
6845MHz	Pass	PK	13.68904G	69.02	88.20	-19.18	3	Vertical	1	2.32
6845MHz	Pass	AV	13.69092G	51.22	68.20	-16.98	3	Horizontal	177	3.00
6845MHz	Pass	PK	13.68444G	63.55	88.20	-24.65	3	Horizontal	177	3.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	67.31	68.20	-0.89	3	Vertical	19	1.50
5985MHz	Pass	AV	6G	100.81	Inf	-Inf	3	Vertical	19	1.50
5985MHz	Pass	PK	5.922G	79.63	88.20	-8.57	3	Vertical	19	1.50
5985MHz	Pass	PK	5.992G	110.13	Inf	-Inf	3	Vertical	19	1.50
5985MHz	Pass	AV	5.924G	54.57	68.20	-13.63	3	Horizontal	214	1.77
5985MHz	Pass	AV	5.974G	86.96	Inf	-Inf	3	Horizontal	214	1.77
5985MHz	Pass	PK	5.923G	66.83	88.20	-21.37	3	Horizontal	214	1.77
5985MHz	Pass	PK	5.972G	97.67	Inf	-Inf	3	Horizontal	214	1.77
5985MHz	Pass	AV	11.97864G	48.59	54.00	-5.41	3	Vertical	217	3.00
5985MHz	Pass	PK	11.9734G	59.47	74.00	-14.53	3	Vertical	217	3.00
5985MHz	Pass	AV	11.97124G	47.82	54.00	-6.18	3	Horizontal	185	2.83
5985MHz	Pass	PK	11.97208G	58.29	74.00	-15.71	3	Horizontal	185	2.83
6225MHz	Pass	AV	12.45872G	48.34	54.00	-5.66	3	Vertical	159	1.22
6225MHz	Pass	PK	12.45112G	61.45	74.00	-12.55	3	Vertical	159	1.22
6225MHz	Pass	AV	12.4528G	47.52	54.00	-6.48	3	Horizontal	170	3.00
6225MHz	Pass	PK	12.4482G	60.49	74.00	-13.51	3	Horizontal	170	3.00
6385MHz	Pass	AV	12.77632G	48.46	68.20	-19.74	3	Vertical	1	3.00
6385MHz	Pass	PK	12.7684G	60.35	88.20	-27.85	3	Vertical	1	3.00
6385MHz	Pass	AV	12.77832G	47.93	68.20	-20.27	3	Horizontal	4	2.87
6385MHz	Pass	PK	12.76148G	60.05	88.20	-28.15	3	Horizontal	4	2.87
6625MHz	Pass	AV	13.26408G	53.94	54.00	-0.06	3	Vertical	4	2.17
6625MHz	Pass	PK	13.26872G	67.09	74.00	-6.91	3	Vertical	4	2.17
6625MHz	Pass	AV	13.28888G	49.67	54.00	-4.33	3	Horizontal	175	1.17
6625MHz	Pass	PK	13.25444G	61.70	74.00	-12.30	3	Horizontal	175	1.17
6705MHz	Pass	AV	13.41876G	55.56	68.20	-12.64	3	Vertical	13	2.05
6705MHz	Pass	PK	13.41888G	67.15	88.20	-21.05	3	Vertical	13	2.05
6705MHz	Pass	AV	13.41892G	50.92	68.20	-17.28	3	Horizontal	184	2.93
6705MHz	Pass	PK	13.41468G	63.82	88.20	-24.38	3	Horizontal	184	2.93
6785MHz	Pass	AV	13.57868G	54.16	68.20	-14.04	3	Vertical	1	2.91
6785MHz	Pass	PK	13.579G	66.27	88.20	-21.93	3	Vertical	1	2.91
6785MHz	Pass	AV	13.56604G	50.33	68.20	-17.87	3	Horizontal	177	2.37
6785MHz	Pass	PK	13.56784G	63.20	88.20	-25.00	3	Horizontal	177	2.37
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	67.34	68.20	-0.86	3	Vertical	51	1.97
6025MHz	Pass	AV	6.1G	99.35	Inf	-Inf	3	Vertical	51	1.97
6025MHz	Pass	PK	5.921G	79.06	88.20	-9.14	3	Vertical	51	1.97
6025MHz	Pass	PK	6.082G	107.80	Inf	-Inf	3	Vertical	51	1.97
6025MHz	Pass	AV	5.923G	55.27	68.20	-12.93	3	Horizontal	215	1.71
6025MHz	Pass	AV	6.099G	84.72	Inf	-Inf	3	Horizontal	215	1.71
6025MHz	Pass	PK	5.923G	65.66	88.20	-22.54	3	Horizontal	215	1.71
6025MHz	Pass	PK	6.089G	92.35	Inf	-Inf	3	Horizontal	215	1.71
6025MHz	Pass	AV	12.09096G	49.12	54.00	-4.88	3	Vertical	114	1.60
6025MHz	Pass	PK	12.122G	58.30	74.00	-15.70	3	Vertical	114	1.60
6025MHz	Pass	AV	12.07624G	49.19	54.00	-4.81	3	Horizontal	2	1.50
6025MHz	Pass	PK	12.08136G	58.10	74.00	-15.90	3	Horizontal	2	1.50
6185MHz	Pass	AV	12.37864G	47.42	54.00	-6.58	3	Vertical	90	2.61
6185MHz	Pass	PK	12.41544G	58.99	74.00	-15.01	3	Vertical	90	2.61
6185MHz	Pass	AV	12.29736G	47.01	54.00	-6.99	3	Horizontal	78	2.60
6185MHz	Pass	PK	12.3556G	58.33	74.00	-15.67	3	Horizontal	78	2.60
6345MHz	Pass	AV	12.70856G	48.02	68.20	-20.18	3	Vertical	292	1.91
6345MHz	Pass	PK	12.69064G	59.79	74.00	-14.21	3	Vertical	292	1.91
6345MHz	Pass	AV	12.75304G	47.66	68.20	-20.54	3	Horizontal	127	1.50
6345MHz	Pass	PK	12.65992G	59.84	74.00	-14.16	3	Horizontal	127	1.50
6665MHz	Pass	AV	13.33896G	51.66	54.00	-2.34	3	Vertical	2	2.66
6665MHz	Pass	PK	13.33952G	63.35	74.00	-10.65	3	Vertical	2	2.66
6665MHz	Pass	AV	13.33844G	49.77	54.00	-4.23	3	Horizontal	119	1.50




***RSE TX above 1GHz_Non-Beamforming_
Dipole Antenna_2T2S***

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3334G	61.55	74.00	-12.45	3	Horizontal	119	1.50


5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.874G	53.53	54.00	-0.47	Horizontal
Mode 2	Pass	AV	1.23745G	37.34	54.00	-16.66	Horizontal
Mode 3	Pass	AV	4.87404G	52.20	54.00	-1.80	Horizontal
Mode 4	Pass	PK	1.41528G	55.76	74.00	-18.24	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.2385G	33.82	54.00	-20.18	3	Vertical	16	2.96
Mode 1	Pass	AV	4.87395G	53.30	54.00	-0.70	3	Vertical	357	2.38
Mode 1	Pass	AV	7.31028G	46.85	54.00	-7.15	3	Vertical	0	1.27
Mode 1	Pass	PK	1.23702G	54.80	74.00	-19.20	3	Vertical	16	2.96
Mode 1	Pass	PK	4.87125G	57.56	74.00	-16.44	3	Vertical	357	2.38
Mode 1	Pass	PK	7.30874G	58.76	74.00	-15.24	3	Vertical	0	1.27
Mode 1	Pass	AV	1.23178G	34.80	54.00	-19.20	3	Horizontal	355	2.07
Mode 1	Pass	AV	4.874G	53.53	54.00	-0.47	3	Horizontal	334	1.80
Mode 1	Pass	AV	7.30974G	46.60	54.00	-7.40	3	Horizontal	44	2.91
Mode 1	Pass	PK	1.23624G	54.91	74.00	-19.09	3	Horizontal	355	2.07
Mode 1	Pass	PK	4.87408G	56.38	74.00	-17.62	3	Horizontal	334	1.80
Mode 1	Pass	PK	7.30968G	59.31	74.00	-14.69	3	Horizontal	44	2.91
Mode 2	Pass	AV	1.23815G	34.54	54.00	-19.46	3	Vertical	325	1.55
Mode 2	Pass	AV	1.41304G	35.51	54.00	-18.49	3	Vertical	47	1.50
Mode 2	Pass	AV	10.47815G	41.61	68.20	-26.59	3	Vertical	314	2.57
Mode 2	Pass	PK	1.24109G	54.73	88.20	-33.47	3	Vertical	325	1.55
Mode 2	Pass	PK	1.41316G	56.55	74.00	-17.45	3	Vertical	47	1.50
Mode 2	Pass	PK	10.47935G	51.48	88.20	-36.72	3	Vertical	314	2.57
Mode 2	Pass	AV	1.23745G	37.34	54.00	-16.66	3	Horizontal	0	1.57
Mode 2	Pass	AV	1.41603G	34.57	54.00	-19.43	3	Horizontal	162	1.50
Mode 2	Pass	AV	10.47839G	41.27	68.20	-26.93	3	Horizontal	90	2.83
Mode 2	Pass	PK	1.2376G	57.13	74.00	-16.87	3	Horizontal	0	1.57
Mode 2	Pass	PK	1.4146G	55.44	74.00	-18.56	3	Horizontal	162	1.50
Mode 2	Pass	PK	10.47837G	51.10	88.20	-37.10	3	Horizontal	90	2.83
Mode 3	Pass	AV	1.41252G	35.95	54.00	-18.05	3	Vertical	25	1.10
Mode 3	Pass	AV	4.87402G	47.06	54.00	-6.94	3	Vertical	28	1.65
Mode 3	Pass	AV	7.31022G	47.07	54.00	-6.93	3	Vertical	338	1.67
Mode 3	Pass	PK	1.41556G	55.51	74.00	-18.49	3	Vertical	25	1.10
Mode 3	Pass	PK	4.87392G	54.73	74.00	-19.27	3	Vertical	28	1.65
Mode 3	Pass	PK	7.3124G	53.43	74.00	-20.57	3	Vertical	338	1.67
Mode 3	Pass	AV	1.23872G	35.20	54.00	-18.80	3	Horizontal	360	2.26
Mode 3	Pass	AV	4.87404G	52.20	54.00	-1.80	3	Horizontal	47	3.00
Mode 3	Pass	AV	7.31233G	41.20	54.00	-12.80	3	Horizontal	285	1.50
Mode 3	Pass	PK	1.23318G	55.02	74.00	-18.98	3	Horizontal	360	2.26
Mode 3	Pass	PK	4.87089G	62.24	74.00	-11.76	3	Horizontal	47	3.00
Mode 3	Pass	PK	7.30968G	54.12	74.00	-19.88	3	Horizontal	285	1.50
Mode 4	Pass	AV	1.23344G	25.71	54.00	-28.29	3	Vertical	91	2.22
Mode 4	Pass	AV	1.41566G	35.07	54.00	-18.93	3	Vertical	51	1.54
Mode 4	Pass	AV	10.478G	43.34	68.20	-24.86	3	Vertical	252	2.49
Mode 4	Pass	PK	1.24037G	47.09	88.20	-41.11	3	Vertical	91	2.22
Mode 4	Pass	PK	1.42011G	55.74	74.00	-18.26	3	Vertical	51	1.54
Mode 4	Pass	PK	10.48398G	55.24	88.20	-32.96	3	Vertical	252	2.49
Mode 4	Pass	AV	1.24199G	28.10	68.20	-40.10	3	Horizontal	206	1.40
Mode 4	Pass	AV	1.41399G	35.13	54.00	-18.87	3	Horizontal	170	2.46
Mode 4	Pass	AV	10.48223G	40.66	68.20	-27.54	3	Horizontal	168	3.00
Mode 4	Pass	PK	1.23226G	47.14	74.00	-26.86	3	Horizontal	206	1.40
Mode 4	Pass	PK	1.41528G	55.76	74.00	-18.24	3	Horizontal	170	2.46
Mode 4	Pass	PK	10.48307G	53.27	88.20	-34.93	3	Horizontal	168	3.00


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.23815G	34.54	54.00	-19.46	-8.52	3	Vertical	325	1.55	43.06	25.42	2.56	36.50
AV	1.41304G	35.51	54.00	-18.49	-8.58	3	Vertical	47	1.50	44.09	25.33	2.76	36.67
AV	10.47815G	41.61	68.20	-26.59	9.58	3	Vertical	314	2.57	32.03	38.70	8.42	37.54
PK	1.24109G	54.73	88.20	-33.47	-8.54	3	Vertical	325	1.55	63.27	25.40	2.57	36.51
PK	1.41316G	56.55	74.00	-17.45	-8.58	3	Vertical	47	1.50	65.13	25.33	2.76	36.67
PK	10.47935G	51.48	88.20	-36.72	9.58	3	Vertical	314	2.57	41.90	38.70	8.42	37.54

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.23745G	37.34	54.00	-16.66	-8.51	3	Horizontal	0	1.57	45.85	25.43	2.56	36.50
AV	1.41603G	34.57	54.00	-19.43	-8.54	3	Horizontal	162	1.50	43.11	25.36	2.77	36.67
AV	10.47839G	41.27	68.20	-26.93	9.58	3	Horizontal	90	2.83	31.69	38.70	8.42	37.54
PK	1.2376G	57.13	74.00	-16.87	-8.52	3	Horizontal	0	1.57	65.65	25.42	2.56	36.50
PK	1.4146G	55.44	74.00	-18.56	-8.55	3	Horizontal	162	1.50	63.99	25.35	2.77	36.67
PK	10.47837G	51.10	88.20	-37.10	9.58	3	Horizontal	90	2.83	41.52	38.70	8.42	37.54


Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.23344G	25.71	54.00	-28.29	-8.47	3	Vertical	91	2.22	34.18	25.47	2.56	36.50			
AV	1.41566G	35.07	54.00	-18.93	-8.54	3	Vertical	51	1.54	43.61	25.36	2.77	36.67			
AV	10.478G	43.34	68.20	-24.86	9.58	3	Vertical	252	2.49	33.76	38.70	8.42	37.54			
PK	1.24037G	47.09	88.20	-41.11	-8.54	3	Vertical	91	2.22	55.63	25.40	2.57	36.51			
PK	1.42011G	55.74	74.00	-18.26	-8.50	3	Vertical	51	1.54	64.24	25.40	2.77	36.67			
PK	10.48398G	55.24	88.20	-32.96	9.58	3	Vertical	252	2.49	45.66	38.70	8.42	37.54			

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.24199G	28.10	68.20	-40.10	-8.54	3	Horizontal	206	1.40	36.64	25.40	2.57	36.51			
AV	1.41399G	35.13	54.00	-18.87	-8.56	3	Horizontal	170	2.46	43.69	25.34	2.77	36.67			
AV	10.48223G	40.66	68.20	-27.54	9.58	3	Horizontal	168	3.00	31.08	38.70	8.42	37.54			
PK	1.23226G	47.14	74.00	-26.86	-8.46	3	Horizontal	206	1.40	55.60	25.48	2.56	36.50			
PK	1.41528G	55.76	74.00	-18.24	-8.55	3	Horizontal	170	2.46	64.31	25.35	2.77	36.67			
PK	10.48307G	53.27	88.20	-34.93	9.58	3	Horizontal	168	3.00	43.69	38.70	8.42	37.54			


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.92397G	47.98	54.00	-6.02	Horizontal
Mode 2	Pass	AV	15.53604G	44.48	54.00	-9.52	Vertical
Mode 3	Pass	AV	4.92392G	47.17	54.00	-6.83	Horizontal
Mode 4	Pass	AV	15.53588G	44.02	54.00	-9.98	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.72392G	26.10	68.20	-42.10	3	Vertical	295	1.49
Mode 1	Pass	AV	4.92384G	41.41	54.00	-12.59	3	Vertical	246	1.00
Mode 1	Pass	AV	15.53108G	46.61	54.00	-7.39	3	Vertical	270	2.01
Mode 1	Pass	PK	1.72521G	36.59	68.20	-31.61	3	Vertical	295	1.49
Mode 1	Pass	PK	4.92407G	46.56	74.00	-27.44	3	Vertical	246	1.00
Mode 1	Pass	PK	15.53957G	60.25	74.00	-13.75	3	Vertical	270	2.01
Mode 1	Pass	AV	1.71765G	23.24	68.20	-44.96	3	Horizontal	336	1.50
Mode 1	Pass	AV	4.92397G	47.98	54.00	-6.02	3	Horizontal	124	1.21
Mode 1	Pass	AV	15.53402G	41.57	54.00	-12.43	3	Horizontal	343	1.54
Mode 1	Pass	PK	1.72656G	36.21	68.20	-31.99	3	Horizontal	336	1.50
Mode 1	Pass	PK	4.92393G	53.13	74.00	-20.87	3	Horizontal	124	1.21
Mode 1	Pass	PK	15.53117G	53.75	74.00	-20.25	3	Horizontal	343	1.54
Mode 2	Pass	AV	1.71729G	21.77	68.20	-46.43	3	Vertical	338	2.71
Mode 2	Pass	AV	6.72576G	32.26	68.20	-35.94	3	Vertical	185	2.87
Mode 2	Pass	AV	15.53604G	44.48	54.00	-9.52	3	Vertical	15	2.83
Mode 2	Pass	PK	1.71904G	34.48	74.00	-39.52	3	Vertical	338	2.71
Mode 2	Pass	PK	6.7298G	44.87	88.20	-43.33	3	Vertical	185	2.87
Mode 2	Pass	PK	15.5367G	60.02	74.00	-13.98	3	Vertical	15	2.83
Mode 2	Pass	AV	1.7156G	21.77	68.20	-46.43	3	Horizontal	46	2.53
Mode 2	Pass	AV	6.72075G	35.15	68.20	-33.05	3	Horizontal	6	2.96
Mode 2	Pass	AV	15.53123G	42.68	54.00	-11.32	3	Horizontal	74	1.00
Mode 2	Pass	PK	1.71599G	35.12	88.20	-53.08	3	Horizontal	46	2.53
Mode 2	Pass	PK	6.72951G	48.22	88.20	-39.98	3	Horizontal	6	2.96
Mode 2	Pass	PK	15.53615G	55.36	74.00	-18.64	3	Horizontal	74	1.00
Mode 3	Pass	AV	1.71843G	23.23	68.20	-44.97	3	Vertical	317	1.50
Mode 3	Pass	AV	4.92404G	41.66	54.00	-12.34	3	Vertical	153	2.90
Mode 3	Pass	AV	15.53744G	45.35	54.00	-8.65	3	Vertical	355	2.96
Mode 3	Pass	PK	1.72137G	37.37	74.00	-36.63	3	Vertical	317	1.50
Mode 3	Pass	PK	4.92712G	45.46	74.00	-28.54	3	Vertical	153	2.90
Mode 3	Pass	PK	15.53138G	60.51	74.00	-13.49	3	Vertical	355	2.96
Mode 3	Pass	AV	1.71812G	23.26	68.20	-44.94	3	Horizontal	31	1.50
Mode 3	Pass	AV	4.92392G	47.17	54.00	-6.83	3	Horizontal	114	1.00
Mode 3	Pass	AV	15.53514G	41.66	54.00	-12.34	3	Horizontal	87	1.30
Mode 3	Pass	PK	1.71824G	37.19	68.20	-31.01	3	Horizontal	31	1.50
Mode 3	Pass	PK	4.92398G	49.39	74.00	-24.61	3	Horizontal	114	1.00
Mode 3	Pass	PK	15.53772G	54.89	74.00	-19.11	3	Horizontal	87	1.30
Mode 4	Pass	AV	1.71667G	21.78	68.20	-46.42	3	Vertical	355	2.33
Mode 4	Pass	AV	6.72059G	32.26	68.20	-35.94	3	Vertical	192	2.85
Mode 4	Pass	AV	15.53588G	44.02	54.00	-9.98	3	Vertical	27	2.34
Mode 4	Pass	PK	1.71997G	34.88	74.00	-39.12	3	Vertical	355	2.33
Mode 4	Pass	PK	6.729G	45.94	88.20	-42.26	3	Vertical	192	2.85
Mode 4	Pass	PK	15.53151G	57.84	74.00	-16.16	3	Vertical	27	2.34
Mode 4	Pass	AV	1.71511G	21.74	68.20	-46.46	3	Horizontal	236	1.79
Mode 4	Pass	AV	6.72545G	35.26	68.20	-32.94	3	Horizontal	356	2.13
Mode 4	Pass	AV	15.53439G	41.64	54.00	-12.36	3	Horizontal	22	2.56
Mode 4	Pass	PK	1.71371G	34.50	88.20	-53.70	3	Horizontal	236	1.79
Mode 4	Pass	PK	6.72953G	47.10	88.20	-41.10	3	Horizontal	356	2.13
Mode 4	Pass	PK	15.53563G	56.55	74.00	-17.45	3	Horizontal	22	2.56


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4

