


802.11a_Nss1,(6Mbps)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.859G	48.82	68.20	-19.38	10.11	3	Vertical	34	1.50	43	38.71	34.10	10.22	34.21
AV	6.4708G	98.26	Inf	-Inf	11.45	3	Vertical	34	1.50	43	86.81	35.02	10.69	34.26
AV	7.1442G	52.40	68.20	-15.80	13.28	3	Vertical	34	1.50	43	39.12	36.55	11.25	34.52
PK	5.859G	60.14	88.20	-28.06	10.11	3	Vertical	34	1.50	43	50.03	34.10	10.22	34.21
PK	6.4708G	107.25	Inf	-Inf	11.45	3	Vertical	34	1.50	43	95.80	35.02	10.69	34.26
PK	7.1288G	63.91	88.20	-24.29	13.15	3	Vertical	34	1.50	43	50.76	36.43	11.24	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	48.90	68.20	-19.30	10.11	3	Horizontal	198	2.56	43	38.79	34.10	10.22	34.21
AV	6.4722G	84.32	Inf	-Inf	11.46	3	Horizontal	198	2.56	43	72.86	35.03	10.69	34.26
AV	7.168G	52.38	68.20	-15.82	13.32	3	Horizontal	198	2.56	43	39.06	36.56	11.27	34.51
PK	5.9234G	60.50	88.20	-27.70	10.24	3	Horizontal	198	2.56	43	50.26	34.19	10.27	34.22
PK	6.468G	92.98	Inf	-Inf	11.43	3	Horizontal	198	2.56	43	81.55	35.01	10.68	34.26
PK	7.1554G	64.18	88.20	-24.02	13.34	3	Horizontal	198	2.56	43	50.84	36.59	11.26	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.959G	46.66	68.20	-21.54	20.40	3	Vertical	139	1.49	-	26.26	39.72	13.90	33.22
PK	12.9437G	59.39	88.20	-28.81	20.33	3	Vertical	139	1.49	-	39.06	39.69	13.89	33.25

802.11a_Nss1,(6Mbps)_1TX(Port2)


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95801G	46.56	68.20	-21.64	20.40	3	Horizontal	315	2.49	-	26.16	39.72	13.90	33.22
PK	12.9638G	60.02	88.20	-28.18	20.42	3	Horizontal	315	2.49	-	39.60	39.73	13.90	33.21

802.11a_Nss1,(6Mbps)_1TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9032G	50.51	68.20	-17.69	10.16	3	Vertical	41	1.78	-	40.35	34.11	10.26	34.21
AV	6.5164G	100.52	Inf	-Inf	11.68	3	Vertical	41	1.78	-	88.84	35.23	10.72	34.27
AV	7.1506G	54.33	68.20	-13.87	13.35	3	Vertical	41	1.78	-	40.98	36.60	11.26	34.51
PK	5.9228G	61.77	88.20	-26.43	10.24	3	Vertical	41	1.78	-	51.53	34.19	10.27	34.22
PK	6.5206G	110.51	Inf	-Inf	11.69	3	Vertical	41	1.78	-	98.82	35.24	10.72	34.27
PK	7.1408G	65.74	88.20	-22.46	13.26	3	Vertical	41	1.78	-	52.48	36.53	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8836G	48.80	68.20	-19.40	10.13	3	Horizontal	196	2.56	29	38.67	34.10	10.24	34.21
AV	6.5192G	83.75	Inf	-Inf	11.69	3	Horizontal	196	2.56	29	72.06	35.24	10.72	34.27
AV	7.1702G	52.45	68.20	-15.75	13.32	3	Horizontal	196	2.56	29	39.13	36.56	11.27	34.51
PK	5.9004G	59.65	88.20	-28.55	10.15	3	Horizontal	196	2.56	29	49.50	34.10	10.26	34.21
PK	6.522G	92.74	Inf	-Inf	11.69	3	Horizontal	196	2.56	29	81.05	35.24	10.72	34.27
PK	7.1408G	63.71	88.20	-24.49	13.26	3	Horizontal	196	2.56	29	50.45	36.53	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.01893G	47.12	68.20	-21.08	20.61	3	Vertical	320	1.70	-	26.51	39.78	13.94	33.11
PK	13.02415G	59.71	88.20	-28.49	20.62	3	Vertical	320	1.70	-	39.09	39.78	13.94	33.10

802.11a_Nss1,(6Mbps)_1TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.02268G	47.00	68.20	-21.20	20.62	3	Horizontal	218	2.93	-	26.38	39.78	13.94	33.10
PK	13.03309G	60.08	88.20	-28.12	20.63	3	Horizontal	218	2.93	-	39.45	39.77	13.95	33.09

802.11a_Nss1,(6Mbps)_1TX(Port2)


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8896G	49.08	68.20	-19.12	10.14	3	Vertical	34	1.86	43	38.94	34.10	10.25	34.21
AV	6.5308G	98.30	Inf	-Inf	11.71	3	Vertical	34	1.86	43	86.59	35.26	10.73	34.28
AV	7.1664G	52.44	68.20	-15.76	13.33	3	Vertical	34	1.86	43	39.11	36.57	11.27	34.51
PK	5.9148G	60.65	88.20	-27.55	10.22	3	Vertical	34	1.86	43	50.43	34.16	10.27	34.21
PK	6.528G	107.37	Inf	-Inf	11.70	3	Vertical	34	1.86	43	95.67	35.26	10.72	34.28
PK	7.214G	64.02	88.20	-24.18	13.35	3	Vertical	34	1.86	43	50.67	36.56	11.30	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9204G	48.81	68.20	-19.39	10.23	3	Horizontal	28	1.12	43	38.58	34.18	10.27	34.22
AV	6.5322G	81.60	Inf	-Inf	11.71	3	Horizontal	28	1.12	43	69.89	35.26	10.73	34.28
AV	7.1902G	52.39	68.20	-15.81	13.30	3	Horizontal	28	1.12	43	39.09	36.52	11.29	34.51
PK	5.8658G	60.29	88.20	-27.91	10.12	3	Horizontal	28	1.12	43	50.17	34.10	10.23	34.21
PK	6.5322G	90.30	Inf	-Inf	11.71	3	Horizontal	28	1.12	43	78.59	35.26	10.73	34.28
PK	7.1804G	64.31	88.20	-23.89	13.31	3	Horizontal	28	1.12	43	51.00	36.54	11.28	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.06886G	47.21	68.20	-20.99	20.67	3	Vertical	352	2.71	-	26.54	39.73	13.97	33.03
PK	13.06961G	60.19	88.20	-28.01	20.67	3	Vertical	352	2.71	-	39.52	39.73	13.97	33.03

802.11a_Nss1,(6Mbps)_1TX(Port2)


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.07543G	46.94	68.20	-21.26	20.67	3	Horizontal	18	1.31	-	26.27	39.72	13.97	33.02
PK	13.07018G	59.54	88.20	-28.66	20.68	3	Horizontal	18	1.31	-	38.86	39.73	13.97	33.02

802.11a_Nss1,(6Mbps)_1TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	99.97	Inf	-Inf	12.38	3	Vertical	43	1.82	-	87.59	35.89	10.86	34.37
AV	7.142G	54.47	68.20	-13.73	13.27	3	Vertical	43	1.82	-	41.20	36.54	11.25	34.52
PK	6.698G	110.20	Inf	-Inf	12.38	3	Vertical	43	1.82	-	97.82	35.89	10.86	34.37
PK	7.144G	66.24	88.20	-21.96	13.28	3	Vertical	43	1.82	-	52.96	36.55	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	83.33	Inf	-Inf	12.38	3	Horizontal	252	1.21	-	70.95	35.89	10.86	34.37
AV	7.153G	54.33	68.20	-13.87	13.34	3	Horizontal	252	1.21	-	40.99	36.59	11.26	34.51
PK	6.697G	93.52	Inf	-Inf	12.38	3	Horizontal	252	1.21	-	81.14	35.89	10.86	34.37
PK	7.168G	65.69	88.20	-22.51	13.32	3	Horizontal	252	1.21	-	52.37	36.56	11.27	34.51

802.11a_Nss1,(6Mbps)_1TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.40221G	47.69	68.20	-20.51	21.79	3	Vertical	198	1.18	-	25.90	40.10	14.17	32.48
PK	13.38259G	60.25	74.00	-13.75	21.70	3	Vertical	198	1.18	-	38.55	40.05	14.16	32.51

802.11a_Nss1,(6Mbps)_1TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.40353G	47.65	68.20	-20.55	21.79	3	Horizontal	65	2.39	-	25.86	40.10	14.17	32.48
PK	13.39852G	60.45	74.00	-13.55	21.78	3	Horizontal	65	2.39	-	38.67	40.10	14.17	32.49

802.11a_Nss1,(6Mbps)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8564G	98.13	Inf	-Inf	12.26	3	Vertical	56	1.86	44	85.87	35.70	11.01	34.45
AV	7.1777G	52.54	68.20	-15.66	13.31	3	Vertical	56	1.86	44	39.23	36.54	11.28	34.51
PK	6.8578G	107.20	Inf	-Inf	12.26	3	Vertical	56	1.86	44	94.94	35.70	11.01	34.45
PK	7.142G	64.27	88.20	-23.93	13.27	3	Vertical	56	1.86	44	51.00	36.54	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8592G	82.40	Inf	-Inf	12.26	3	Horizontal	75	2.08	44	70.14	35.70	11.01	34.45
AV	7.1833G	52.48	68.20	-15.72	13.31	3	Horizontal	75	2.08	44	39.17	36.53	11.29	34.51
PK	6.8564G	91.23	Inf	-Inf	12.26	3	Horizontal	75	2.08	44	78.97	35.70	11.01	34.45
PK	7.1385G	64.64	88.20	-23.56	13.24	3	Horizontal	75	2.08	44	51.40	36.51	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7121G	51.71	68.20	-16.49	21.65	3	Vertical	186	2.16	-	30.06	39.70	14.36	32.41
PK	13.70766G	64.60	88.20	-23.60	21.65	3	Vertical	186	2.16	-	42.95	39.70	14.36	32.41

802.11a_Nss1,(6Mbps)_1TX(Port2)


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.70913G	51.49	68.20	-16.71	21.65	3	Horizontal	323	2.75	-	29.84	39.70	14.36	32.41
PK	13.72191G	64.44	88.20	-23.76	21.65	3	Horizontal	323	2.75	-	42.79	39.70	14.37	32.42

802.11a_Nss1,(6Mbps)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.87015G	98.29	Inf	-Inf	12.26	3	Vertical	54	1.76	44	86.03	35.70	11.02	34.46
AV	7.16395G	52.46	68.20	-15.74	13.33	3	Vertical	54	1.76	44	39.13	36.57	11.27	34.51
PK	6.8773G	108.34	Inf	-Inf	12.27	3	Vertical	54	1.76	44	96.07	35.70	11.03	34.46
PK	7.1399G	64.57	88.20	-23.63	13.25	3	Vertical	54	1.76	44	51.32	36.52	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.87665G	82.47	Inf	-Inf	12.27	3	Horizontal	58	1.62	44	70.20	35.70	11.03	34.46
AV	7.1503G	52.52	68.20	-15.68	13.35	3	Horizontal	58	1.62	44	39.17	36.60	11.26	34.51
PK	6.87665G	91.62	Inf	-Inf	12.27	3	Horizontal	58	1.62	44	79.35	35.70	11.03	34.46
PK	7.1334G	63.57	88.20	-24.63	13.19	3	Horizontal	58	1.62	44	50.38	36.47	11.24	34.52


802.11a_Nss1,(6Mbps)_1TX(Port2)

6875MHz Straddle 6.525-6.875GHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port2)

6875MHz Straddle 6.525-6.875GHz_TX



802.11a_Nss1,(6Mbps)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8992G	98.36	Inf	-Inf	12.26	3	Vertical	56	1.81	43	86.10	35.70	11.04	34.48
AV	7.2107G	52.62	68.20	-15.58	13.33	3	Vertical	56	1.81	43	39.29	36.54	11.30	34.51
PK	6.8985G	107.71	Inf	-Inf	12.26	3	Vertical	56	1.81	43	95.45	35.70	11.04	34.48
PK	7.1722G	64.38	88.20	-23.82	13.33	3	Vertical	56	1.81	43	51.05	36.56	11.28	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8992G	82.10	Inf	-Inf	12.26	3	Horizontal	32	1.07	43	69.84	35.70	11.04	34.48
AV	7.2016G	52.60	68.20	-15.60	13.30	3	Horizontal	32	1.07	43	39.30	36.51	11.30	34.51
PK	6.8992G	90.96	Inf	-Inf	12.26	3	Horizontal	32	1.07	43	78.70	35.70	11.04	34.48
PK	7.1428G	64.11	88.20	-24.09	13.27	3	Horizontal	32	1.07	43	50.84	36.54	11.25	34.52


802.11a_Nss1,(6Mbps)_1TX(Port2)

6895MHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port2)

6895MHz_TX



802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.999G	98.36	Inf	-Inf	12.30	3	Vertical	38	1.50	49	86.06	35.70	11.13	34.53
AV	7.1805G	52.66	68.20	-15.54	13.31	3	Vertical	38	1.50	49	39.35	36.54	11.28	34.51
PK	7.0015G	106.93	Inf	-Inf	12.31	3	Vertical	38	1.50	49	94.62	35.71	11.13	34.53
PK	7.1965G	65.25	88.20	-22.95	13.30	3	Vertical	38	1.50	49	51.95	36.51	11.30	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.001G	84.13	Inf	-Inf	12.31	3	Horizontal	215	1.92	49	71.82	35.71	11.13	34.53
AV	7.2075G	52.63	68.20	-15.57	13.32	3	Horizontal	215	1.92	49	39.31	36.53	11.30	34.51
PK	6.9965G	93.58	Inf	-Inf	12.30	3	Horizontal	215	1.92	49	81.28	35.70	11.13	34.53
PK	7.182G	64.39	88.20	-23.81	13.31	3	Horizontal	215	1.92	49	51.08	36.54	11.28	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.99042G	54.55	68.20	-13.65	21.78	3	Vertical	11	2.79	-	32.77	39.79	14.53	32.54
PK	13.98988G	67.51	88.20	-20.69	21.78	3	Vertical	11	2.79	-	45.73	39.79	14.53	32.54

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.97572G	52.42	68.20	-15.78	21.78	3	Horizontal	222	2.34	-	30.64	39.78	14.53	32.53
PK	13.98688G	65.29	88.20	-22.91	21.79	3	Horizontal	222	2.34	-	43.50	39.79	14.53	32.53

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0965G	98.02	Inf	-Inf	12.88	3	Vertical	37	1.56	45	85.14	36.19	11.21	34.52
AV	7.182G	52.87	68.20	-15.33	13.31	3	Vertical	37	1.56	45	39.56	36.54	11.28	34.51
PK	7.0977G	108.33	Inf	-Inf	12.88	3	Vertical	37	1.56	45	95.45	36.19	11.21	34.52
PK	7.1598G	64.70	88.20	-23.50	13.34	3	Vertical	37	1.56	45	51.36	36.58	11.27	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0992G	85.42	Inf	-Inf	12.89	3	Horizontal	212	2.04	45	72.53	36.20	11.21	34.52
AV	7.1889G	52.65	68.20	-15.55	13.30	3	Horizontal	212	2.04	45	39.35	36.52	11.29	34.51
PK	7.1004G	94.36	Inf	-Inf	12.90	3	Horizontal	212	2.04	45	81.46	36.20	11.22	34.52
PK	7.1796G	64.38	88.20	-23.82	13.31	3	Horizontal	212	2.04	45	51.07	36.54	11.28	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.19051G	53.89	68.20	-14.31	22.00	3	Vertical	223	2.14	-	31.89	40.10	14.68	32.78
PK	14.18382G	67.00	88.20	-21.20	22.01	3	Vertical	223	2.14	-	44.99	40.10	14.68	32.77

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.18847G	52.91	68.20	-15.29	22.00	3	Horizontal	163	3.00	-	30.91	40.10	14.68	32.78
PK	14.19132G	65.89	88.20	-22.31	22.00	3	Horizontal	163	3.00	-	43.89	40.10	14.68	32.78

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.88	68.20	-17.32	10.25	3	Vertical	34	1.89	-	40.63	34.20	10.27	34.22
AV	5.9562G	100.01	Inf	-Inf	10.34	3	Vertical	34	1.89	-	89.67	34.26	10.30	34.22
PK	5.8434G	62.83	88.20	-25.37	10.06	3	Vertical	34	1.89	-	52.77	34.06	10.21	34.21
PK	5.9613G	110.14	Inf	-Inf	10.31	3	Vertical	34	1.89	-	99.83	34.23	10.30	34.22

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.856G	50.74	68.20	-17.46	10.11	3	Horizontal	340	2.18	-	40.63	34.10	10.22	34.21
AV	5.9493G	87.09	Inf	-Inf	10.37	3	Horizontal	340	2.18	-	76.72	34.30	10.29	34.22
PK	5.9148G	64.22	88.20	-23.98	10.22	3	Horizontal	340	2.18	-	54.00	34.16	10.27	34.21
PK	5.9493G	96.83	Inf	-Inf	10.37	3	Horizontal	340	2.18	-	86.46	34.30	10.29	34.22

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.91778G	43.86	54.00	-10.14	17.63	3	Vertical	349	1.50	-	26.23	38.64	13.28	34.29
PK	11.91476G	56.97	74.00	-17.03	17.63	3	Vertical	349	1.50	-	39.34	38.63	13.28	34.28

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.91632G	43.78	54.00	-10.22	17.63	3	Horizontal	312	2.76	-	26.15	38.63	13.28	34.28
PK	11.91354G	57.02	74.00	-16.98	17.63	3	Horizontal	312	2.76	-	39.39	38.63	13.28	34.28

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	50.53	68.20	-17.67	10.13	3	Vertical	56	1.80	-	40.40	34.10	10.24	34.21
AV	6.1774G	101.02	Inf	-Inf	10.38	3	Vertical	56	1.80	-	90.64	34.10	10.51	34.23
PK	5.8924G	63.10	88.20	-25.10	10.14	3	Vertical	56	1.80	-	52.96	34.10	10.25	34.21
PK	6.1774G	110.58	Inf	-Inf	10.38	3	Vertical	56	1.80	-	100.20	34.10	10.51	34.23

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8858G	50.60	68.20	-17.60	10.13	3	Horizontal	167	2.83	-	40.47	34.10	10.24	34.21
AV	6.172G	83.27	Inf	-Inf	10.37	3	Horizontal	167	2.83	-	72.90	34.10	10.50	34.23
PK	5.902G	61.85	88.20	-26.35	10.16	3	Horizontal	167	2.83	-	51.69	34.11	10.26	34.21
PK	6.172G	92.67	Inf	-Inf	10.37	3	Horizontal	167	2.83	-	82.30	34.10	10.50	34.23


802.11a_Nss1,(6Mbps)_2TX

6175MHz_TX




802.11a_Nss1,(6Mbps)_2TX

6175MHz_TX



802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8606G	50.63	68.20	-17.57	10.12	3	Vertical	51	1.87	-	40.51	34.10	10.23	34.21
AV	6.4102G	100.42	Inf	-Inf	11.14	3	Vertical	51	1.87	-	89.28	34.74	10.65	34.25
PK	5.8162G	61.62	88.20	-26.58	9.88	3	Vertical	51	1.87	-	51.74	33.90	10.19	34.21
PK	6.4102G	108.82	Inf	-Inf	11.14	3	Vertical	51	1.87	-	97.68	34.74	10.65	34.25

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.875G	50.66	68.20	-17.54	10.13	3	Horizontal	219	2.07	-	40.53	34.10	10.24	34.21
AV	6.421G	84.00	Inf	-Inf	11.18	3	Horizontal	219	2.07	-	72.82	34.78	10.65	34.25
PK	5.8918G	61.75	88.20	-26.45	10.14	3	Horizontal	219	2.07	-	51.61	34.10	10.25	34.21
PK	6.421G	93.92	Inf	-Inf	11.18	3	Horizontal	219	2.07	-	82.74	34.78	10.65	34.25

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82022G	45.81	68.20	-22.39	19.93	3	Vertical	254	1.50	-	25.88	39.60	13.81	33.48
PK	12.83464G	58.88	88.20	-29.32	19.97	3	Vertical	254	1.50	-	38.91	39.60	13.82	33.45

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.83218G	45.86	68.20	-22.34	19.96	3	Horizontal	308	1.76	-	25.90	39.60	13.82	33.46
PK	12.83626G	58.78	88.20	-29.42	19.97	3	Horizontal	308	1.76	-	38.81	39.60	13.82	33.45

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8746G	50.67	68.20	-17.53	10.13	3	Vertical	234	1.79	-	40.54	34.10	10.24	34.21
AV	6.4302G	100.54	Inf	-Inf	11.23	3	Vertical	234	1.79	-	89.31	34.82	10.66	34.25
PK	5.9046G	62.25	88.20	-25.95	10.17	3	Vertical	234	1.79	-	52.08	34.12	10.26	34.21
PK	6.429G	110.38	Inf	-Inf	11.23	3	Vertical	234	1.79	-	99.15	34.82	10.66	34.25

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	50.72	68.20	-17.48	10.12	3	Horizontal	216	2.38	-	40.60	34.10	10.23	34.21
AV	6.4302G	85.09	Inf	-Inf	11.23	3	Horizontal	216	2.38	-	73.86	34.82	10.66	34.25
PK	5.9082G	61.45	88.20	-26.75	10.18	3	Horizontal	216	2.38	-	51.27	34.13	10.26	34.21
PK	6.4302G	94.55	Inf	-Inf	11.23	3	Horizontal	216	2.38	-	83.32	34.82	10.66	34.25


802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX



802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.852G	50.53	68.20	-17.67	10.11	3	Vertical	52	1.94	-	40.42	34.10	10.22	34.21
AV	6.4708G	100.24	Inf	-Inf	11.45	3	Vertical	52	1.94	-	88.79	35.02	10.69	34.26
AV	7.1582G	54.22	68.20	-13.98	13.33	3	Vertical	52	1.94	-	40.89	36.58	11.26	34.51
PK	5.8646G	62.72	88.20	-25.48	10.12	3	Vertical	52	1.94	-	52.60	34.10	10.23	34.21
PK	6.4694G	109.44	Inf	-Inf	11.45	3	Vertical	52	1.94	-	97.99	35.02	10.69	34.26
PK	7.161G	64.95	88.20	-23.25	13.34	3	Vertical	52	1.94	-	51.61	36.58	11.27	34.51

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8716G	50.57	68.20	-17.63	10.12	3	Horizontal	217	2.58	-	40.45	34.10	10.23	34.21
AV	6.4806G	84.99	Inf	-Inf	11.51	3	Horizontal	217	2.58	-	73.48	35.08	10.69	34.26
AV	7.1498G	54.21	68.20	-13.99	13.34	3	Horizontal	217	2.58	-	40.87	36.60	11.26	34.52
PK	5.7932G	61.68	88.20	-26.52	9.76	3	Horizontal	217	2.58	-	51.92	33.79	10.18	34.21
PK	6.4792G	95.10	Inf	-Inf	11.51	3	Horizontal	217	2.58	-	83.59	35.08	10.69	34.26
PK	7.14G	65.15	88.20	-23.05	13.25	3	Horizontal	217	2.58	-	51.90	36.52	11.25	34.52

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95838G	46.00	68.20	-22.20	20.40	3	Vertical	327	1.00	-	25.60	39.72	13.90	33.22
PK	12.9521G	58.74	88.20	-29.46	20.37	3	Vertical	327	1.00	-	38.37	39.70	13.90	33.23

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95738G	45.96	68.20	-22.24	20.39	3	Horizontal	99	1.50	-	25.57	39.71	13.90	33.22
PK	12.95584G	58.81	88.20	-29.39	20.39	3	Horizontal	99	1.50	-	38.42	39.71	13.90	33.22

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8892G	50.56	68.20	-17.64	10.14	3	Vertical	54	1.79	-	40.42	34.10	10.25	34.21
AV	6.5206G	100.29	Inf	-Inf	11.69	3	Vertical	54	1.79	-	88.60	35.24	10.72	34.27
AV	7.1968G	54.37	68.20	-13.83	13.30	3	Vertical	54	1.79	-	41.07	36.51	11.30	34.51
PK	5.8878G	62.20	88.20	-26.00	10.14	3	Vertical	54	1.79	-	52.06	34.10	10.25	34.21
PK	6.5206G	109.78	Inf	-Inf	11.69	3	Vertical	54	1.79	-	98.09	35.24	10.72	34.27
PK	7.1926G	65.47	88.20	-22.73	13.29	3	Vertical	54	1.79	-	52.18	36.51	11.29	34.51

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8528G	50.62	68.20	-17.58	10.11	3	Horizontal	221	1.97	-	40.51	34.10	10.22	34.21
AV	6.5108G	83.49	Inf	-Inf	11.66	3	Horizontal	221	1.97	-	71.83	35.22	10.71	34.27
AV	7.18G	54.27	68.20	-13.93	13.31	3	Horizontal	221	1.97	-	40.96	36.54	11.28	34.51
PK	5.8906G	62.81	88.20	-25.39	10.14	3	Horizontal	221	1.97	-	52.67	34.10	10.25	34.21
PK	6.5108G	92.86	Inf	-Inf	11.66	3	Horizontal	221	1.97	-	81.20	35.22	10.71	34.27
PK	7.1576G	65.84	88.20	-22.36	13.33	3	Horizontal	221	1.97	-	52.51	36.58	11.26	34.51

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0264G	46.60	68.20	-21.60	20.61	3	Vertical	49	1.50	-	25.99	39.77	13.94	33.10
PK	13.0398G	59.78	88.20	-28.42	20.64	3	Vertical	49	1.50	-	39.14	39.76	13.95	33.07

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.02312G	47.02	68.20	-21.18	20.62	3	Horizontal	67	1.50	-	26.40	39.78	13.94	33.10
PK	13.03924G	60.60	88.20	-27.60	20.63	3	Horizontal	67	1.50	-	39.97	39.76	13.95	33.08

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9246G	50.50	68.20	-17.70	10.25	3	Vertical	49	1.80	-	40.25	34.20	10.27	34.22
AV	6.5308G	100.02	Inf	-Inf	11.71	3	Vertical	49	1.80	-	88.31	35.26	10.73	34.28
AV	7.1762G	54.23	68.20	-13.97	13.32	3	Vertical	49	1.80	-	40.91	36.55	11.28	34.51
PK	5.8854G	61.91	88.20	-26.29	10.13	3	Vertical	49	1.80	-	51.78	34.10	10.24	34.21
PK	6.5406G	109.20	Inf	-Inf	11.73	3	Vertical	49	1.80	-	97.47	35.28	10.73	34.28
PK	7.1594G	65.33	88.20	-22.87	13.34	3	Vertical	49	1.80	-	51.99	36.58	11.27	34.51

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8504G	50.56	68.20	-17.64	10.11	3	Horizontal	250	1.50	-	40.45	34.10	10.22	34.21
AV	6.5308G	80.10	Inf	-Inf	11.71	3	Horizontal	250	1.50	-	68.39	35.26	10.73	34.28
AV	7.1594G	54.34	68.20	-13.86	13.34	3	Horizontal	250	1.50	-	41.00	36.58	11.27	34.51
PK	5.8994G	61.54	88.20	-26.66	10.14	3	Horizontal	250	1.50	-	51.40	34.10	10.25	34.21
PK	6.5406G	89.30	Inf	-Inf	11.73	3	Horizontal	250	1.50	-	77.57	35.28	10.73	34.28
PK	7.186G	65.40	88.20	-22.80	13.31	3	Horizontal	250	1.50	-	52.09	36.53	11.29	34.51


802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX



802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	99.91	Inf	-Inf	12.38	3	Vertical	233	1.92	-	87.53	35.89	10.86	34.37
AV	7.151G	54.34	68.20	-13.86	13.35	3	Vertical	233	1.92	-	40.99	36.60	11.26	34.51
PK	6.698G	109.76	Inf	-Inf	12.38	3	Vertical	233	1.92	-	97.38	35.89	10.86	34.37
PK	7.155G	65.88	88.20	-22.32	13.34	3	Vertical	233	1.92	-	52.54	36.59	11.26	34.51

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.692G	84.02	Inf	-Inf	12.37	3	Horizontal	31	1.22	-	71.65	35.87	10.86	34.36
AV	7.146G	54.34	68.20	-13.86	13.30	3	Horizontal	31	1.22	-	41.04	36.57	11.25	34.52
PK	6.693G	93.03	Inf	-Inf	12.37	3	Horizontal	31	1.22	-	80.66	35.87	10.86	34.36
PK	7.179G	65.32	88.20	-22.88	13.31	3	Horizontal	31	1.22	-	52.01	36.54	11.28	34.51

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.39638G	47.64	54.00	-6.36	21.77	3	Vertical	157	1.60	-	25.87	40.09	14.17	32.49
PK	13.3942G	61.33	74.00	-12.67	21.76	3	Vertical	157	1.60	-	39.57	40.08	14.17	32.49

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.39696G	47.47	54.00	-6.53	21.77	3	Horizontal	246	2.77	-	25.70	40.09	14.17	32.49
PK	13.39288G	60.56	74.00	-13.44	21.75	3	Horizontal	246	2.77	-	38.81	40.08	14.17	32.50

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8578G	99.88	Inf	-Inf	12.26	3	Vertical	216	1.84	-	87.62	35.70	11.01	34.45
AV	7.2008G	54.34	68.20	-13.86	13.29	3	Vertical	216	1.84	-	41.05	36.50	11.30	34.51
PK	6.8578G	109.95	Inf	-Inf	12.26	3	Vertical	216	1.84	-	97.69	35.70	11.01	34.45
PK	7.1896G	67.43	88.20	-20.77	13.30	3	Vertical	216	1.84	-	54.13	36.52	11.29	34.51

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8515G	81.99	Inf	-Inf	12.25	3	Horizontal	35	1.36	-	69.74	35.70	11.00	34.45
AV	7.191G	54.24	68.20	-13.96	13.30	3	Horizontal	35	1.36	-	40.94	36.52	11.29	34.51
PK	6.8522G	91.33	Inf	-Inf	12.25	3	Horizontal	35	1.36	-	79.08	35.70	11.00	34.45
PK	7.1756G	66.05	88.20	-22.15	13.32	3	Horizontal	35	1.36	-	52.73	36.55	11.28	34.51

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7023G	51.38	68.20	-16.82	21.65	3	Vertical	260	1.59	-	29.73	39.70	14.36	32.41
PK	13.70684G	64.95	88.20	-23.25	21.65	3	Vertical	260	1.59	-	43.30	39.70	14.36	32.41

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.70634G	51.44	68.20	-16.76	21.65	3	Horizontal	111	2.40	-	29.79	39.70	14.36	32.41
PK	13.71946G	64.24	88.20	-23.96	21.65	3	Horizontal	111	2.40	-	42.59	39.70	14.37	32.42

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8715G	99.71	Inf	-Inf	12.26	3	Vertical	219	1.70	-	87.45	35.70	11.02	34.46
AV	7.1424G	54.41	68.20	-13.79	13.27	3	Vertical	219	1.70	-	41.14	36.54	11.25	34.52
PK	6.8715G	109.21	Inf	-Inf	12.26	3	Vertical	219	1.70	-	96.95	35.70	11.02	34.46
PK	7.1823G	66.29	88.20	-21.91	13.31	3	Vertical	219	1.70	-	52.98	36.54	11.28	34.51

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8722G	81.39	Inf	-Inf	12.26	3	Horizontal	39	1.61	-	69.13	35.70	11.02	34.46
AV	7.2089G	54.34	68.20	-13.86	13.33	3	Horizontal	39	1.61	-	41.01	36.54	11.30	34.51
PK	6.8722G	91.03	Inf	-Inf	12.26	3	Horizontal	39	1.61	-	78.77	35.70	11.02	34.46
PK	7.1942G	65.52	88.20	-22.68	13.30	3	Horizontal	39	1.61	-	52.22	36.51	11.30	34.51

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.75666G	51.47	68.20	-16.73	21.66	3	Vertical	316	2.13	-	29.81	39.70	14.39	32.43
PK	13.74884G	64.67	88.20	-23.53	21.66	3	Vertical	316	2.13	-	43.01	39.70	14.39	32.43

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.74854G	51.71	68.20	-16.49	21.66	3	Horizontal	78	1.27	-	30.05	39.70	14.39	32.43
PK	13.75736G	64.09	88.20	-24.11	21.66	3	Horizontal	78	1.27	-	42.43	39.70	14.39	32.43

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	99.39	Inf	-Inf	12.27	3	Vertical	218	1.92	-	87.12	35.70	11.04	34.47
AV	7.1505G	54.31	68.20	-13.89	13.35	3	Vertical	218	1.92	-	40.96	36.60	11.26	34.51
PK	6.8978G	108.68	Inf	-Inf	12.27	3	Vertical	218	1.92	-	96.41	35.70	11.04	34.47
PK	7.1274G	65.81	88.20	-22.39	13.14	3	Vertical	218	1.92	-	52.67	36.42	11.24	34.52

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8964G	80.91	Inf	-Inf	12.27	3	Horizontal	39	1.57	-	68.64	35.70	11.04	34.47
AV	7.1757G	54.37	68.20	-13.83	13.32	3	Horizontal	39	1.57	-	41.05	36.55	11.28	34.51
PK	6.8971G	90.49	Inf	-Inf	12.27	3	Horizontal	39	1.57	-	78.22	35.70	11.04	34.47
PK	7.1575G	66.57	88.20	-21.63	13.34	3	Horizontal	39	1.57	-	53.23	36.59	11.26	34.51


802.11a_Nss1,(6Mbps)_2TX

6895MHz_TX




802.11a_Nss1,(6Mbps)_2TX

6895MHz_TX



802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0015G	100.10	Inf	-Inf	12.31	3	Vertical	218	1.74	-	87.79	35.71	11.13	34.53
AV	7.156G	54.45	68.20	-13.75	13.34	3	Vertical	218	1.74	-	41.11	36.59	11.26	34.51
PK	6.9915G	109.88	Inf	-Inf	12.29	3	Vertical	218	1.74	-	97.59	35.70	11.12	34.53
PK	7.166G	66.05	88.20	-22.15	13.33	3	Vertical	218	1.74	-	52.72	36.57	11.27	34.51

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9925G	81.52	Inf	-Inf	12.29	3	Horizontal	54	1.73	-	69.23	35.70	11.12	34.53
AV	7.1795G	54.31	68.20	-13.89	13.31	3	Horizontal	54	1.73	-	41.00	36.54	11.28	34.51
PK	6.992G	90.81	Inf	-Inf	12.29	3	Horizontal	54	1.73	-	78.52	35.70	11.12	34.53
PK	7.188G	66.29	88.20	-21.91	13.30	3	Horizontal	54	1.73	-	52.99	36.52	11.29	34.51

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.9824G	52.36	68.20	-15.84	21.78	3	Vertical	333	2.80	-	30.58	39.78	14.53	32.53
PK	13.98668G	65.27	88.20	-22.93	21.79	3	Vertical	333	2.80	-	43.48	39.79	14.53	32.53

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.9848G	52.33	68.20	-15.87	21.78	3	Horizontal	328	1.05	-	30.55	39.78	14.53	32.53
PK	13.99322G	65.84	88.20	-22.36	21.79	3	Horizontal	328	1.05	-	44.05	39.79	14.54	32.54

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0974G	99.96	Inf	-Inf	12.88	3	Vertical	36	1.73	-	87.08	36.19	11.21	34.52
AV	7.1448G	54.46	68.20	-13.74	13.29	3	Vertical	36	1.73	-	41.17	36.56	11.25	34.52
PK	7.0977G	109.70	Inf	-Inf	12.88	3	Vertical	36	1.73	-	96.82	36.19	11.21	34.52
PK	7.1841G	66.36	88.20	-21.84	13.31	3	Vertical	36	1.73	-	53.05	36.53	11.29	34.51

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.089G	85.54	Inf	-Inf	12.85	3	Horizontal	206	2.18	-	72.69	36.16	11.21	34.52
AV	7.1898G	54.40	68.20	-13.80	13.30	3	Horizontal	206	2.18	-	41.10	36.52	11.29	34.51
PK	7.089G	95.34	Inf	-Inf	12.85	3	Horizontal	206	2.18	-	82.49	36.16	11.21	34.52
PK	7.1547G	68.37	88.20	-19.83	13.34	3	Horizontal	206	2.18	-	55.03	36.59	11.26	34.51

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.1803G	51.45	68.20	-16.75	22.00	3	Vertical	192	2.67	-	29.45	40.10	14.67	32.77
PK	14.1904G	64.62	88.20	-23.58	22.00	3	Vertical	192	2.67	-	42.62	40.10	14.68	32.78

802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.1847G	51.50	68.20	-16.70	22.01	3	Horizontal	193	1.01	-	29.49	40.10	14.68	32.77
PK	14.1894G	64.55	88.20	-23.65	22.00	3	Horizontal	193	1.01	-	42.55	40.10	14.68	32.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	49.23	68.20	-18.97	10.25	3	Vertical	33	1.68	43	38.98	34.20	10.27	34.22
AV	5.9601G	98.23	Inf	-Inf	10.32	3	Vertical	33	1.68	43	87.91	34.24	10.30	34.22
PK	5.9196G	61.55	88.20	-26.65	10.23	3	Vertical	33	1.68	43	51.32	34.18	10.27	34.22
PK	5.9604G	110.38	Inf	-Inf	10.32	3	Vertical	33	1.68	43	100.06	34.24	10.30	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8818G	48.95	68.20	-19.25	10.13	3	Horizontal	247	1.68	43	38.82	34.10	10.24	34.21
AV	5.9577G	82.88	Inf	-Inf	10.33	3	Horizontal	247	1.68	43	72.55	34.25	10.30	34.22
PK	5.9145G	61.17	88.20	-27.03	10.22	3	Horizontal	247	1.68	43	50.95	34.16	10.27	34.21
PK	5.9568G	94.82	Inf	-Inf	10.34	3	Horizontal	247	1.68	43	84.48	34.26	10.30	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.91867G	44.51	54.00	-9.49	17.63	3	Vertical	185	1.79	-	26.88	38.64	13.28	34.29
PK	11.90559G	57.31	74.00	-16.69	17.60	3	Vertical	185	1.79	-	39.71	38.61	13.27	34.28

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.90505G	44.42	54.00	-9.58	17.60	3	Horizontal	171	1.50	-	26.82	38.61	13.27	34.28
PK	11.89785G	58.23	74.00	-15.77	17.60	3	Horizontal	171	1.50	-	40.63	38.60	13.27	34.27

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9182G	48.84	68.20	-19.36	10.22	3	Vertical	54	1.73	40	38.62	34.17	10.27	34.22
AV	6.1738G	97.78	Inf	-Inf	10.37	3	Vertical	54	1.73	40	87.41	34.10	10.50	34.23
PK	5.881G	61.50	88.20	-26.70	10.13	3	Vertical	54	1.73	40	51.37	34.10	10.24	34.21
PK	6.172G	110.82	Inf	-Inf	10.37	3	Vertical	54	1.73	40	100.45	34.10	10.50	34.23

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8822G	48.76	68.20	-19.44	10.13	3	Horizontal	43	2.11	40	38.63	34.10	10.24	34.21
AV	6.1732G	81.50	Inf	-Inf	10.37	3	Horizontal	43	2.11	40	71.13	34.10	10.50	34.23
PK	5.9152G	60.44	88.20	-27.76	10.22	3	Horizontal	43	2.11	40	50.22	34.16	10.27	34.21
PK	6.1738G	91.74	Inf	-Inf	10.37	3	Horizontal	43	2.11	40	81.37	34.10	10.50	34.23

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.33515G	45.36	54.00	-8.64	18.20	3	Vertical	275	1.64	-	27.16	38.84	13.52	34.16
PK	12.3644G	58.02	74.00	-15.98	18.24	3	Vertical	275	1.64	-	39.78	38.86	13.53	34.15

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.35612G	45.20	54.00	-8.80	18.24	3	Horizontal	331	1.50	-	26.96	38.86	13.53	34.15
PK	12.3485G	58.43	74.00	-15.57	18.21	3	Horizontal	331	1.50	-	40.22	38.85	13.52	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	48.88	68.20	-19.32	10.21	3	Vertical	55	1.79	46	38.67	34.15	10.27	34.21
AV	6.4198G	97.94	Inf	-Inf	11.18	3	Vertical	55	1.79	46	86.76	34.78	10.65	34.25
PK	5.881G	60.92	88.20	-27.28	10.13	3	Vertical	55	1.79	46	50.79	34.10	10.24	34.21
PK	6.4174G	108.68	Inf	-Inf	11.17	3	Vertical	55	1.79	46	97.51	34.77	10.65	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	48.98	68.20	-19.22	10.19	3	Horizontal	114	2.91	46	38.79	34.14	10.26	34.21
AV	6.4174G	83.85	Inf	-Inf	11.17	3	Horizontal	114	2.91	46	72.68	34.77	10.65	34.25
PK	5.8666G	61.14	88.20	-27.06	10.12	3	Horizontal	114	2.91	46	51.02	34.10	10.23	34.21
PK	6.4186G	95.55	Inf	-Inf	11.17	3	Horizontal	114	2.91	46	84.38	34.77	10.65	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82376G	46.60	68.20	-21.60	19.95	3	Vertical	17	1.50	-	26.65	39.60	13.82	33.47
PK	12.82817G	59.73	88.20	-28.47	19.96	3	Vertical	17	1.50	-	39.77	39.60	13.82	33.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.84377G	46.55	68.20	-21.65	20.00	3	Horizontal	337	1.50	-	26.55	39.60	13.83	33.43
PK	12.83957G	59.38	88.20	-28.82	19.99	3	Horizontal	337	1.50	-	39.39	39.60	13.83	33.44

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8818G	48.92	68.20	-19.28	10.13	3	Vertical	32	1.50	47	38.79	34.10	10.24	34.21
AV	6.4278G	98.48	Inf	-Inf	11.22	3	Vertical	32	1.50	47	87.26	34.81	10.66	34.25
PK	5.895G	60.26	88.20	-27.94	10.14	3	Vertical	32	1.50	47	50.12	34.10	10.25	34.21
PK	6.4422G	108.91	Inf	-Inf	11.28	3	Vertical	32	1.50	47	97.63	34.87	10.67	34.26

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8566G	48.89	68.20	-19.31	10.11	3	Horizontal	201	2.93	47	38.78	34.10	10.22	34.21
AV	6.4374G	84.68	Inf	-Inf	11.26	3	Horizontal	201	2.93	47	73.42	34.85	10.66	34.25
PK	5.9178G	60.72	88.20	-27.48	10.22	3	Horizontal	201	2.93	47	50.50	34.17	10.27	34.22
PK	6.4362G	94.97	Inf	-Inf	11.25	3	Horizontal	201	2.93	47	83.72	34.84	10.66	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.85554G	46.28	68.20	-21.92	20.03	3	Vertical	175	1.50	-	26.25	39.60	13.84	33.41
PK	12.87348G	59.34	88.20	-28.86	20.07	3	Vertical	175	1.50	-	39.27	39.60	13.85	33.38

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.86097G	46.25	68.20	-21.95	20.04	3	Horizontal	63	1.50	-	26.21	39.60	13.84	33.40
PK	12.85833G	59.48	88.20	-28.72	20.03	3	Horizontal	63	1.50	-	39.45	39.60	13.84	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.887G	48.89	68.20	-19.31	10.14	3	Vertical	35	1.50	45	38.75	34.10	10.25	34.21
AV	6.4708G	98.01	Inf	-Inf	11.45	3	Vertical	35	1.50	45	86.56	35.02	10.69	34.26
AV	7.154G	52.34	68.20	-15.86	13.34	3	Vertical	35	1.50	45	39.00	36.59	11.26	34.51
PK	5.8002G	60.64	88.20	-27.56	9.77	3	Vertical	35	1.50	45	50.87	33.80	10.18	34.21
PK	6.468G	110.07	Inf	-Inf	11.43	3	Vertical	35	1.50	45	98.64	35.01	10.68	34.26
PK	7.1372G	63.72	88.20	-24.48	13.23	3	Vertical	35	1.50	45	50.49	36.50	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9108G	49.07	68.20	-19.13	10.19	3	Horizontal	198	2.56	45	38.88	34.14	10.26	34.21
AV	6.4694G	84.14	Inf	-Inf	11.45	3	Horizontal	198	2.56	45	72.69	35.02	10.69	34.26
AV	7.1554G	52.48	68.20	-15.72	13.34	3	Horizontal	198	2.56	45	39.14	36.59	11.26	34.51
PK	5.901G	59.99	88.20	-28.21	10.15	3	Horizontal	198	2.56	45	49.84	34.10	10.26	34.21
PK	6.468G	96.81	Inf	-Inf	11.43	3	Horizontal	198	2.56	45	85.38	35.01	10.68	34.26
PK	7.1484G	63.60	88.20	-24.60	13.33	3	Horizontal	198	2.56	45	50.27	36.59	11.26	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.96044G	46.44	68.20	-21.76	20.41	3	Vertical	156	2.22	-	26.03	39.72	13.90	33.21
PK	12.94751G	59.29	88.20	-28.91	20.35	3	Vertical	156	2.22	-	38.94	39.70	13.89	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95924G	46.25	68.20	-21.95	20.40	3	Horizontal	101	1.61	-	25.85	39.72	13.90	33.22
PK	12.95927G	59.02	88.20	-29.18	20.40	3	Horizontal	101	1.61	-	38.62	39.72	13.90	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9116G	48.93	68.20	-19.27	10.20	3	Vertical	32	1.50	49	38.73	34.15	10.26	34.21
AV	6.508G	98.45	Inf	-Inf	11.67	3	Vertical	32	1.50	49	86.78	35.22	10.71	34.26
AV	7.1996G	52.59	68.20	-15.61	13.29	3	Vertical	32	1.50	49	39.30	36.50	11.30	34.51
PK	5.8598G	60.72	88.20	-27.48	10.11	3	Vertical	32	1.50	49	50.61	34.10	10.22	34.21
PK	6.5178G	109.72	Inf	-Inf	11.69	3	Vertical	32	1.50	49	98.03	35.24	10.72	34.27
PK	7.1464G	63.99	88.20	-24.21	13.30	3	Vertical	32	1.50	49	50.69	36.57	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.85G	48.80	68.20	-19.40	10.11	3	Horizontal	248	2.93	49	38.69	34.10	10.22	34.21
AV	6.508G	81.37	Inf	-Inf	11.67	3	Horizontal	248	2.93	49	69.70	35.22	10.71	34.26
AV	7.1758G	52.38	68.20	-15.82	13.32	3	Horizontal	248	2.93	49	39.06	36.55	11.28	34.51
PK	5.8682G	60.20	88.20	-28.00	10.12	3	Horizontal	248	2.93	49	50.08	34.10	10.23	34.21
PK	6.508G	92.00	Inf	-Inf	11.67	3	Horizontal	248	2.93	49	80.33	35.22	10.71	34.26
PK	7.1772G	63.56	88.20	-24.64	13.32	3	Horizontal	248	2.93	49	50.24	36.55	11.28	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.02229G	46.74	68.20	-21.46	20.62	3	Vertical	216	1.50	-	26.12	39.78	13.94	33.10
PK	13.0171G	60.07	88.20	-28.13	20.61	3	Vertical	216	1.50	-	39.46	39.78	13.94	33.11

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0339G	46.89	68.20	-21.31	20.64	3	Horizontal	360	2.77	-	26.25	39.77	13.95	33.08
PK	13.02826G	59.76	88.20	-28.44	20.62	3	Horizontal	360	2.77	-	39.14	39.77	13.94	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8686G	48.83	68.20	-19.37	10.12	3	Vertical	35	1.72	45	38.71	34.10	10.23	34.21
AV	6.5336G	97.96	Inf	-Inf	11.72	3	Vertical	35	1.72	45	86.24	35.27	10.73	34.28
AV	7.235G	52.60	68.20	-15.60	13.44	3	Vertical	35	1.72	45	39.16	36.64	11.31	34.51
PK	5.8826G	59.67	88.20	-28.53	10.13	3	Vertical	35	1.72	45	49.54	34.10	10.24	34.21
PK	6.5434G	109.29	Inf	-Inf	11.74	3	Vertical	35	1.72	45	97.55	35.29	10.73	34.28
PK	7.235G	63.83	88.20	-24.37	13.44	3	Vertical	35	1.72	45	50.39	36.64	11.31	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8616G	48.74	68.20	-19.46	10.12	3	Horizontal	28	1.11	45	38.62	34.10	10.23	34.21
AV	6.5322G	81.36	Inf	-Inf	11.71	3	Horizontal	28	1.11	45	69.65	35.26	10.73	34.28
AV	7.1818G	52.45	68.20	-15.75	13.31	3	Horizontal	28	1.11	45	39.14	36.54	11.28	34.51
PK	5.8994G	61.61	88.20	-26.59	10.14	3	Horizontal	28	1.11	45	51.47	34.10	10.25	34.21
PK	6.5378G	92.79	Inf	-Inf	11.73	3	Horizontal	28	1.11	45	81.06	35.28	10.73	34.28
PK	7.1594G	64.64	88.20	-23.56	13.34	3	Horizontal	28	1.11	45	51.30	36.58	11.27	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.07162G	46.83	68.20	-21.37	20.68	3	Vertical	26	1.50	-	26.15	39.73	13.97	33.02
PK	13.05749G	60.36	88.20	-27.84	20.65	3	Vertical	26	1.50	-	39.71	39.74	13.96	33.05

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0619G	46.53	68.20	-21.67	20.66	3	Horizontal	42	1.26	-	25.87	39.74	13.96	33.04
PK	13.07678G	59.67	88.20	-28.53	20.68	3	Horizontal	42	1.26	-	38.99	39.72	13.97	33.01

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.698G	97.06	Inf	-Inf	12.38	3	Vertical	54	1.50	57	84.68	35.89	10.86	34.37
AV	7.165G	52.57	68.20	-15.63	13.33	3	Vertical	54	1.50	57	39.24	36.57	11.27	34.51
PK	6.7G	108.91	Inf	-Inf	12.40	3	Vertical	54	1.50	57	96.51	35.90	10.87	34.37
PK	7.145G	63.82	88.20	-24.38	13.29	3	Vertical	54	1.50	57	50.53	36.56	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.698G	82.69	Inf	-Inf	12.38	3	Horizontal	41	1.49	57	70.31	35.89	10.86	34.37
AV	7.147G	52.43	68.20	-15.77	13.31	3	Horizontal	41	1.49	57	39.12	36.58	11.25	34.52
PK	6.704G	93.35	Inf	-Inf	12.39	3	Horizontal	41	1.49	57	80.96	35.89	10.87	34.37
PK	7.18G	63.95	88.20	-24.25	13.31	3	Horizontal	41	1.49	57	50.64	36.54	11.28	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38982G	50.18	54.00	-3.82	21.73	3	Vertical	235	1.86	-	28.45	40.07	14.16	32.50
PK	13.38997G	62.49	74.00	-11.51	21.73	3	Vertical	235	1.86	-	40.76	40.07	14.16	32.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38913G	48.03	54.00	-5.97	21.73	3	Horizontal	242	2.96	-	26.30	40.07	14.16	32.50
PK	13.38853G	60.98	74.00	-13.02	21.73	3	Horizontal	242	2.96	-	39.25	40.07	14.16	32.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8529G	97.65	Inf	-Inf	12.25	3	Vertical	56	1.85	44	85.40	35.70	11.00	34.45
AV	7.2001G	52.59	68.20	-15.61	13.29	3	Vertical	56	1.85	44	39.30	36.50	11.30	34.51
PK	6.8536G	107.82	Inf	-Inf	12.26	3	Vertical	56	1.85	44	95.56	35.70	11.01	34.45
PK	7.1539G	63.90	88.20	-24.30	13.34	3	Vertical	56	1.85	44	50.56	36.59	11.26	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8585G	81.55	Inf	-Inf	12.26	3	Horizontal	75	2.08	44	69.29	35.70	11.01	34.45
AV	7.1784G	52.81	68.20	-15.39	13.31	3	Horizontal	75	2.08	44	39.50	36.54	11.28	34.51
PK	6.8606G	93.60	Inf	-Inf	12.26	3	Horizontal	75	2.08	44	81.34	35.70	11.01	34.45
PK	7.1399G	64.26	88.20	-23.94	13.25	3	Horizontal	75	2.08	44	51.01	36.52	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.71258G	52.90	68.20	-15.30	21.65	3	Vertical	9	2.55	-	31.25	39.70	14.36	32.41
PK	13.71444G	66.18	88.20	-22.02	21.65	3	Vertical	9	2.55	-	44.53	39.70	14.36	32.41

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.71456G	51.43	68.20	-16.77	21.65	3	Horizontal	69	2.75	-	29.78	39.70	14.36	32.41
PK	13.70961G	63.64	88.20	-24.56	21.65	3	Horizontal	69	2.75	-	41.99	39.70	14.36	32.41

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.86755G	97.73	Inf	-Inf	12.26	3	Vertical	55	1.76	44	85.47	35.70	11.02	34.46
AV	7.15225G	52.61	68.20	-15.59	13.35	3	Vertical	55	1.76	44	39.26	36.60	11.26	34.51
PK	6.876G	109.50	Inf	-Inf	12.26	3	Vertical	55	1.76	44	97.24	35.70	11.02	34.46
PK	7.17435G	63.79	88.20	-24.41	13.32	3	Vertical	55	1.76	44	50.47	36.55	11.28	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8734G	81.82	Inf	-Inf	12.26	3	Horizontal	58	1.62	44	69.56	35.70	11.02	34.46
AV	7.162G	52.56	68.20	-15.64	13.34	3	Horizontal	58	1.62	44	39.22	36.58	11.27	34.51
PK	6.88055G	93.01	Inf	-Inf	12.26	3	Horizontal	58	1.62	44	80.75	35.70	11.03	34.47
PK	7.16135G	63.56	88.20	-24.64	13.34	3	Horizontal	58	1.62	44	50.22	36.58	11.27	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.74991G	53.29	68.20	-14.91	21.66	3	Vertical	13	2.23	-	31.63	39.70	14.39	32.43
PK	13.75582G	66.28	88.20	-21.92	21.66	3	Vertical	13	2.23	-	44.62	39.70	14.39	32.43

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76419G	51.65	68.20	-16.55	21.65	3	Horizontal	0	1.50	-	30.00	39.70	14.39	32.44
PK	13.75138G	64.96	88.20	-23.24	21.66	3	Horizontal	0	1.50	-	43.30	39.70	14.39	32.43

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	98.03	Inf	-Inf	12.27	3	Vertical	54	1.81	46	85.76	35.70	11.04	34.47
AV	7.1855G	52.51	68.20	-15.69	13.31	3	Vertical	54	1.81	46	39.20	36.53	11.29	34.51
PK	6.9034G	109.07	Inf	-Inf	12.27	3	Vertical	54	1.81	46	96.80	35.70	11.05	34.48
PK	7.1946G	64.37	88.20	-23.83	13.30	3	Vertical	54	1.81	46	51.07	36.51	11.30	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8978G	82.14	Inf	-Inf	12.27	3	Horizontal	32	1.07	46	69.87	35.70	11.04	34.47
AV	7.2373G	52.60	68.20	-15.60	13.45	3	Horizontal	32	1.07	46	39.15	36.65	11.31	34.51
PK	6.8971G	93.48	Inf	-Inf	12.27	3	Horizontal	32	1.07	46	81.21	35.70	11.04	34.47
PK	7.2289G	64.59	88.20	-23.61	13.42	3	Horizontal	32	1.07	46	51.17	36.62	11.31	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6895MHz_TX




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6895MHz_TX



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.993G	98.23	Inf	-Inf	12.29	3	Vertical	36	1.41	49	85.94	35.70	11.12	34.53
AV	7.1595G	52.63	68.20	-15.57	13.34	3	Vertical	36	1.41	49	39.29	36.58	11.27	34.51
PK	6.992G	111.41	Inf	-Inf	12.29	3	Vertical	36	1.41	49	99.12	35.70	11.12	34.53
PK	7.203G	64.93	88.20	-23.27	13.30	3	Vertical	36	1.41	49	51.63	36.51	11.30	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9935G	83.23	Inf	-Inf	12.29	3	Horizontal	213	1.98	49	70.94	35.70	11.12	34.53
AV	7.154G	52.95	68.20	-15.25	13.34	3	Horizontal	213	1.98	49	39.61	36.59	11.26	34.51
PK	6.9935G	94.05	Inf	-Inf	12.29	3	Horizontal	213	1.98	49	81.76	35.70	11.12	34.53
PK	7.1585G	64.45	88.20	-23.75	13.33	3	Horizontal	213	1.98	49	51.12	36.58	11.26	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.97506G	52.25	68.20	-15.95	21.77	3	Vertical	254	1.92	-	30.48	39.78	14.52	32.53
PK	13.98391G	66.09	88.20	-22.11	21.78	3	Vertical	254	1.92	-	44.31	39.78	14.53	32.53

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.98481G	52.30	68.20	-15.90	21.78	3	Horizontal	84	1.50	-	30.52	39.78	14.53	32.53
PK	14.00428G	65.89	88.20	-22.31	21.80	3	Horizontal	84	1.50	-	44.09	39.81	14.54	32.55

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.098G	97.85	Inf	-Inf	12.88	3	Vertical	39	1.29	47	84.97	36.19	11.21	34.52
AV	7.1922G	52.92	68.20	-15.28	13.30	3	Vertical	39	1.29	47	39.62	36.52	11.29	34.51
PK	7.092G	110.84	Inf	-Inf	12.86	3	Vertical	39	1.29	47	97.98	36.17	11.21	34.52
PK	7.1355G	65.00	88.20	-23.20	13.21	3	Vertical	39	1.29	47	51.79	36.48	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1001G	85.21	Inf	-Inf	12.90	3	Horizontal	212	2.04	47	72.31	36.20	11.22	34.52
AV	7.1547G	52.72	68.20	-15.48	13.34	3	Horizontal	212	2.04	47	39.38	36.59	11.26	34.51
PK	7.1004G	97.06	Inf	-Inf	12.90	3	Horizontal	212	2.04	47	84.16	36.20	11.22	34.52
PK	7.1601G	65.13	88.20	-23.07	13.34	3	Horizontal	212	2.04	47	51.79	36.58	11.27	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.18982G	53.74	68.20	-14.46	22.00	3	Vertical	223	2.22	-	31.74	40.10	14.68	32.78
PK	14.18994G	67.14	88.20	-21.06	22.00	3	Vertical	223	2.22	-	45.14	40.10	14.68	32.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.19045G	52.35	68.20	-15.85	22.00	3	Horizontal	220	2.07	-	30.35	40.10	14.68	32.78
PK	14.18871G	65.71	88.20	-22.49	22.00	3	Horizontal	220	2.07	-	43.71	40.10	14.68	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	51.66	68.20	-16.54	10.24	3	Vertical	29	1.75	-	41.42	34.19	10.27	34.22
AV	5.9499G	100.73	Inf	-Inf	10.37	3	Vertical	29	1.75	-	90.36	34.30	10.29	34.22
PK	5.8791G	62.28	88.20	-25.92	10.13	3	Vertical	29	1.75	-	52.15	34.10	10.24	34.21
PK	5.9595G	111.78	Inf	-Inf	10.32	3	Vertical	29	1.75	-	101.46	34.24	10.30	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8572G	51.11	68.20	-17.09	10.11	3	Horizontal	333	2.71	-	41.00	34.10	10.22	34.21
AV	5.9523G	89.51	Inf	-Inf	10.36	3	Horizontal	333	2.71	-	79.15	34.29	10.29	34.22
PK	5.832G	62.50	88.20	-25.70	9.98	3	Horizontal	333	2.71	-	52.52	33.99	10.20	34.21
PK	5.952G	101.96	Inf	-Inf	10.36	3	Horizontal	333	2.71	-	91.60	34.29	10.29	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.91502G	44.43	54.00	-9.57	17.63	3	Vertical	203	1.50	-	26.80	38.63	13.28	34.28
PK	11.90252G	56.62	74.00	-17.38	17.60	3	Vertical	203	1.50	-	39.02	38.61	13.27	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.90726G	44.51	54.00	-9.49	17.60	3	Horizontal	145	1.69	-	26.91	38.61	13.27	34.28
PK	11.90822G	56.98	74.00	-17.02	17.61	3	Horizontal	145	1.69	-	39.37	38.62	13.27	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	50.98	68.20	-17.22	10.18	3	Vertical	53	1.87	-	40.80	34.13	10.26	34.21
AV	6.178G	100.00	Inf	-Inf	10.38	3	Vertical	53	1.87	-	89.62	34.10	10.51	34.23
PK	5.8918G	62.25	88.20	-25.95	10.14	3	Vertical	53	1.87	-	52.11	34.10	10.25	34.21
PK	6.1768G	110.36	Inf	-Inf	10.38	3	Vertical	53	1.87	-	99.98	34.10	10.51	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9122G	50.98	68.20	-17.22	10.20	3	Horizontal	274	1.12	-	40.78	34.15	10.26	34.21
AV	6.1732G	84.39	Inf	-Inf	10.37	3	Horizontal	274	1.12	-	74.02	34.10	10.50	34.23
PK	5.8912G	62.11	88.20	-26.09	10.14	3	Horizontal	274	1.12	-	51.97	34.10	10.25	34.21
PK	6.1738G	94.73	Inf	-Inf	10.37	3	Horizontal	274	1.12	-	84.36	34.10	10.50	34.23


802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX



802.11ax HEW20_Nss2,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	51.11	68.20	-17.09	10.11	3	Vertical	48	1.87	-	41.00	34.10	10.22	34.21
AV	6.4102G	100.49	Inf	-Inf	11.14	3	Vertical	48	1.87	-	89.35	34.74	10.65	34.25
PK	5.917G	62.46	88.20	-25.74	10.22	3	Vertical	48	1.87	-	52.24	34.17	10.27	34.22
PK	6.4078G	111.02	Inf	-Inf	11.13	3	Vertical	48	1.87	-	99.89	34.73	10.65	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.893G	51.19	68.20	-17.01	10.14	3	Horizontal	164	2.74	-	41.05	34.10	10.25	34.21
AV	6.4234G	81.70	Inf	-Inf	11.20	3	Horizontal	164	2.74	-	70.50	34.79	10.66	34.25
PK	5.8414G	61.67	88.20	-26.53	10.05	3	Horizontal	164	2.74	-	51.62	34.05	10.21	34.21
PK	6.4102G	92.23	Inf	-Inf	11.14	3	Horizontal	164	2.74	-	81.09	34.74	10.65	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8223G	46.63	68.20	-21.57	19.95	3	Vertical	0	1.50	-	26.68	39.60	13.82	33.47
PK	12.83792G	59.01	88.20	-29.19	19.99	3	Vertical	0	1.50	-	39.02	39.60	13.83	33.44

802.11ax HEW20_Nss2,(MCS0)_2TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82976G	46.97	68.20	-21.23	19.96	3	Horizontal	224	2.34	-	27.01	39.60	13.82	33.46
PK	12.8378G	58.94	88.20	-29.26	19.99	3	Horizontal	224	2.34	-	38.95	39.60	13.83	33.44

802.11ax HEW20_Nss2,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8446G	51.10	68.20	-17.10	10.07	3	Vertical	227	1.80	-	41.03	34.07	10.21	34.21
AV	6.4302G	100.23	Inf	-Inf	11.23	3	Vertical	227	1.80	-	89.00	34.82	10.66	34.25
PK	5.8938G	62.11	88.20	-26.09	10.14	3	Vertical	227	1.80	-	51.97	34.10	10.25	34.21
PK	6.4278G	110.69	Inf	-Inf	11.22	3	Vertical	227	1.80	-	99.47	34.81	10.66	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8638G	51.26	68.20	-16.94	10.12	3	Horizontal	164	2.74	-	41.14	34.10	10.23	34.21
AV	6.4302G	81.74	Inf	-Inf	11.23	3	Horizontal	164	2.74	-	70.51	34.82	10.66	34.25
PK	5.9034G	62.35	88.20	-25.85	10.16	3	Horizontal	164	2.74	-	52.19	34.11	10.26	34.21
PK	6.4302G	93.46	Inf	-Inf	11.23	3	Horizontal	164	2.74	-	82.23	34.82	10.66	34.25

802.11ax HEW20_Nss2,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.87768G	46.43	68.20	-21.77	20.08	3	Vertical	223	1.50	-	26.35	39.60	13.85	33.37
PK	12.86402G	59.45	88.20	-28.75	20.04	3	Vertical	223	1.50	-	39.41	39.60	13.84	33.40

802.11ax HEW20_Nss2,(MCS0)_2TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.86398G	46.47	68.20	-21.73	20.04	3	Horizontal	200	1.28	-	26.43	39.60	13.84	33.40
PK	12.87764G	59.03	88.20	-29.17	20.08	3	Horizontal	200	1.28	-	38.95	39.60	13.85	33.37

802.11ax HEW20_Nss2,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	51.16	68.20	-17.04	10.19	3	Vertical	47	1.79	-	40.97	34.14	10.26	34.21
AV	6.468G	100.38	Inf	-Inf	11.43	3	Vertical	47	1.79	-	88.95	35.01	10.68	34.26
AV	7.1708G	54.60	68.20	-13.60	13.33	3	Vertical	47	1.79	-	41.27	36.56	11.28	34.51
PK	5.7988G	62.65	88.20	-25.55	9.77	3	Vertical	47	1.79	-	52.88	33.80	10.18	34.21
PK	6.482G	109.98	Inf	-Inf	11.52	3	Vertical	47	1.79	-	98.46	35.09	10.69	34.26
PK	7.161G	65.42	88.20	-22.78	13.34	3	Vertical	47	1.79	-	52.08	36.58	11.27	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8366G	51.03	68.20	-17.17	10.02	3	Horizontal	171	2.82	-	41.01	34.02	10.21	34.21
AV	6.4778G	85.27	Inf	-Inf	11.50	3	Horizontal	171	2.82	-	73.77	35.07	10.69	34.26
AV	7.1736G	54.78	68.20	-13.42	13.32	3	Horizontal	171	2.82	-	41.46	36.55	11.28	34.51
PK	5.8856G	62.07	88.20	-26.13	10.13	3	Horizontal	171	2.82	-	51.94	34.10	10.24	34.21
PK	6.4778G	95.28	Inf	-Inf	11.50	3	Horizontal	171	2.82	-	83.78	35.07	10.69	34.26
PK	7.161G	65.46	88.20	-22.74	13.34	3	Horizontal	171	2.82	-	52.12	36.58	11.27	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95792G	46.67	68.20	-21.53	20.40	3	Vertical	82	2.23	-	26.27	39.72	13.90	33.22
PK	12.94184G	59.37	88.20	-28.83	20.32	3	Vertical	82	2.23	-	39.05	39.68	13.89	33.25

802.11ax HEW20_Nss2,(MCS0)_2TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.95892G	46.58	68.20	-21.62	20.40	3	Horizontal	0	1.59	-	26.18	39.72	13.90	33.22
PK	12.94608G	59.26	88.20	-28.94	20.34	3	Horizontal	0	1.59	-	38.92	39.69	13.89	33.24

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8472G	51.07	68.20	-17.13	10.09	3	Vertical	228	1.85	-	40.98	34.08	10.22	34.21
AV	6.508G	100.44	Inf	-Inf	11.67	3	Vertical	228	1.85	-	88.77	35.22	10.71	34.26
AV	7.1954G	54.98	68.20	-13.22	13.30	3	Vertical	228	1.85	-	41.68	36.51	11.30	34.51
PK	5.8514G	61.54	88.20	-26.66	10.11	3	Vertical	228	1.85	-	51.43	34.10	10.22	34.21
PK	6.508G	111.62	Inf	-Inf	11.67	3	Vertical	228	1.85	-	99.95	35.22	10.71	34.26
PK	7.208G	66.24	88.20	-21.96	13.32	3	Vertical	228	1.85	-	52.92	36.53	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8486G	51.40	68.20	-16.80	10.10	3	Horizontal	154	1.41	-	41.30	34.09	10.22	34.21
AV	6.5178G	82.55	Inf	-Inf	11.69	3	Horizontal	154	1.41	-	70.86	35.24	10.72	34.27
AV	7.1576G	55.01	68.20	-13.19	13.33	3	Horizontal	154	1.41	-	41.68	36.58	11.26	34.51
PK	5.8304G	61.95	88.20	-26.25	9.97	3	Horizontal	154	1.41	-	51.98	33.98	10.20	34.21
PK	6.5164G	91.97	Inf	-Inf	11.68	3	Horizontal	154	1.41	-	80.29	35.23	10.72	34.27
PK	7.1968G	66.26	88.20	-21.94	13.30	3	Horizontal	154	1.41	-	52.96	36.51	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.03328G	47.33	68.20	-20.87	20.63	3	Vertical	207	1.29	-	26.70	39.77	13.95	33.09
PK	13.03078G	59.52	88.20	-28.68	20.62	3	Vertical	207	1.29	-	38.90	39.77	13.94	33.09

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.02032G	46.97	68.20	-21.23	20.61	3	Horizontal	248	1.50	-	26.36	39.78	13.94	33.11
PK	13.03052G	59.87	88.20	-28.33	20.62	3	Horizontal	248	1.50	-	39.25	39.77	13.94	33.09

802.11ax HEW20_Nss2,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8812G	51.02	68.20	-17.18	10.13	3	Vertical	50	1.84	-	40.89	34.10	10.24	34.21
AV	6.5294G	100.36	Inf	-Inf	11.70	3	Vertical	50	1.84	-	88.66	35.26	10.72	34.28
AV	7.2042G	54.80	68.20	-13.40	13.31	3	Vertical	50	1.84	-	41.49	36.52	11.30	34.51
PK	5.9218G	61.53	88.20	-26.67	10.24	3	Vertical	50	1.84	-	51.29	34.19	10.27	34.22
PK	6.5364G	110.67	Inf	-Inf	11.72	3	Vertical	50	1.84	-	98.95	35.27	10.73	34.28
PK	7.2014G	65.60	88.20	-22.60	13.30	3	Vertical	50	1.84	-	52.30	36.51	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8448G	51.06	68.20	-17.14	10.07	3	Horizontal	17	1.22	-	40.99	34.07	10.21	34.21
AV	6.5378G	84.01	Inf	-Inf	11.73	3	Horizontal	17	1.22	-	72.28	35.28	10.73	34.28
AV	7.1986G	54.86	68.20	-13.34	13.29	3	Horizontal	17	1.22	-	41.57	36.50	11.30	34.51
PK	5.9064G	61.59	88.20	-26.61	10.18	3	Horizontal	17	1.22	-	51.41	34.13	10.26	34.21
PK	6.5392G	94.90	Inf	-Inf	11.73	3	Horizontal	17	1.22	-	83.17	35.28	10.73	34.28
PK	7.1328G	65.55	88.20	-22.65	13.18	3	Horizontal	17	1.22	-	52.37	36.46	11.24	34.52


802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX



802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	99.52	Inf	-Inf	12.38	3	Vertical	216	1.85	-	87.14	35.89	10.86	34.37
AV	7.157G	54.86	68.20	-13.34	13.34	3	Vertical	216	1.85	-	41.52	36.59	11.26	34.51
PK	6.693G	109.40	Inf	-Inf	12.37	3	Vertical	216	1.85	-	97.03	35.87	10.86	34.36
PK	7.146G	65.51	88.20	-22.69	13.30	3	Vertical	216	1.85	-	52.21	36.57	11.25	34.52

802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.699G	84.56	Inf	-Inf	12.39	3	Horizontal	34	1.59	-	72.17	35.90	10.86	34.37
AV	7.143G	55.09	68.20	-13.11	13.27	3	Horizontal	34	1.59	-	41.82	36.54	11.25	34.52
PK	6.699G	94.91	Inf	-Inf	12.39	3	Horizontal	34	1.59	-	82.52	35.90	10.86	34.37
PK	7.186G	65.44	88.20	-22.76	13.31	3	Horizontal	34	1.59	-	52.13	36.53	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38928G	48.76	54.00	-5.24	21.73	3	Vertical	231	2.04	-	27.03	40.07	14.16	32.50
PK	13.38952G	61.02	74.00	-12.98	21.73	3	Vertical	231	2.04	-	39.29	40.07	14.16	32.50

802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38966G	47.75	54.00	-6.25	21.73	3	Horizontal	126	1.10	-	26.02	40.07	14.16	32.50
PK	13.38536G	60.19	74.00	-13.81	21.71	3	Horizontal	126	1.10	-	38.48	40.06	14.16	32.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8571G	99.74	Inf	-Inf	12.26	3	Vertical	214	1.83	-	87.48	35.70	11.01	34.45
AV	7.205G	54.91	68.20	-13.29	13.31	3	Vertical	214	1.83	-	41.60	36.52	11.30	34.51
PK	6.8578G	110.52	Inf	-Inf	12.26	3	Vertical	214	1.83	-	98.26	35.70	11.01	34.45
PK	7.1959G	66.79	88.20	-21.41	13.30	3	Vertical	214	1.83	-	53.49	36.51	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8508G	82.35	Inf	-Inf	12.25	3	Horizontal	39	1.64	-	70.10	35.70	11.00	34.45
AV	7.1518G	54.92	68.20	-13.28	13.35	3	Horizontal	39	1.64	-	41.57	36.60	11.26	34.51
PK	6.8501G	94.91	Inf	-Inf	12.25	3	Horizontal	39	1.64	-	82.66	35.70	11.00	34.45
PK	7.1854G	65.76	88.20	-22.44	13.31	3	Horizontal	39	1.64	-	52.45	36.53	11.29	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX



802.11ax HEW20_Nss2,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8778G	99.21	Inf	-Inf	12.27	3	Vertical	37	1.81	-	86.94	35.70	11.03	34.46
AV	7.1529G	55.05	68.20	-13.15	13.34	3	Vertical	37	1.81	-	41.71	36.59	11.26	34.51
PK	6.8771G	110.33	Inf	-Inf	12.27	3	Vertical	37	1.81	-	98.06	35.70	11.03	34.46
PK	7.1788G	66.34	88.20	-21.86	13.31	3	Vertical	37	1.81	-	53.03	36.54	11.28	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.868G	83.58	Inf	-Inf	12.26	3	Horizontal	38	1.47	-	71.32	35.70	11.02	34.46
AV	7.1655G	54.82	68.20	-13.38	13.33	3	Horizontal	38	1.47	-	41.49	36.57	11.27	34.51
PK	6.8694G	93.20	Inf	-Inf	12.26	3	Horizontal	38	1.47	-	80.94	35.70	11.02	34.46
PK	7.1837G	65.90	88.20	-22.30	13.31	3	Horizontal	38	1.47	-	52.59	36.53	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.70078G	52.05	68.20	-16.15	21.65	3	Vertical	197	1.57	-	30.40	39.70	14.36	32.41
PK	13.70704G	64.40	88.20	-23.80	21.65	3	Vertical	197	1.57	-	42.75	39.70	14.36	32.41

802.11ax HEW20_Nss2,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.71384G	51.94	68.20	-16.26	21.65	3	Horizontal	337	1.50	-	30.29	39.70	14.36	32.41
PK	13.70772G	65.36	88.20	-22.84	21.65	3	Horizontal	337	1.50	-	43.71	39.70	14.36	32.41

802.11ax HEW20_Nss2,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8978G	99.94	Inf	-Inf	12.27	3	Vertical	36	1.78	-	87.67	35.70	11.04	34.47
AV	7.1575G	55.04	68.20	-13.16	13.34	3	Vertical	36	1.78	-	41.70	36.59	11.26	34.51
PK	6.8978G	111.62	Inf	-Inf	12.27	3	Vertical	36	1.78	-	99.35	35.70	11.04	34.47
PK	7.2324G	66.39	88.20	-21.81	13.43	3	Vertical	36	1.78	-	52.96	36.63	11.31	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8929G	82.67	Inf	-Inf	12.27	3	Horizontal	40	1.56	-	70.40	35.70	11.04	34.47
AV	7.1981G	54.93	68.20	-13.27	13.29	3	Horizontal	40	1.56	-	41.64	36.50	11.30	34.51
PK	6.8964G	92.96	Inf	-Inf	12.27	3	Horizontal	40	1.56	-	80.69	35.70	11.04	34.47
PK	7.1925G	65.76	88.20	-22.44	13.30	3	Horizontal	40	1.56	-	52.46	36.52	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.78914G	53.65	68.20	-14.55	21.66	3	Vertical	0	2.86	-	31.99	39.70	14.41	32.45
PK	13.7869G	66.06	88.20	-22.14	21.66	3	Vertical	0	2.86	-	44.40	39.70	14.41	32.45

802.11ax HEW20_Nss2,(MCS0)_2TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.79748G	52.13	68.20	-16.07	21.67	3	Horizontal	41	2.46	-	30.46	39.70	14.42	32.45
PK	13.79884G	64.60	88.20	-23.60	21.67	3	Horizontal	41	2.46	-	42.93	39.70	14.42	32.45

802.11ax HEW20_Nss2,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.002G	99.33	Inf	-Inf	12.31	3	Vertical	39	1.74	-	87.02	35.71	11.13	34.53
AV	7.21G	55.22	68.20	-12.98	13.33	3	Vertical	39	1.74	-	41.89	36.54	11.30	34.51
PK	7.001G	110.37	Inf	-Inf	12.31	3	Vertical	39	1.74	-	98.06	35.71	11.13	34.53
PK	7.158G	66.50	88.20	-21.70	13.33	3	Vertical	39	1.74	-	53.17	36.58	11.26	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0015G	82.51	Inf	-Inf	12.31	3	Horizontal	104	2.89	-	70.20	35.71	11.13	34.53
AV	7.157G	55.02	68.20	-13.18	13.34	3	Horizontal	104	2.89	-	41.68	36.59	11.26	34.51
PK	6.9975G	94.37	Inf	-Inf	12.30	3	Horizontal	104	2.89	-	82.07	35.70	11.13	34.53
PK	7.1795G	65.80	88.20	-22.40	13.31	3	Horizontal	104	2.89	-	52.49	36.54	11.28	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX



802.11ax HEW20_Nss2,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0977G	99.80	Inf	-Inf	12.88	3	Vertical	37	1.72	-	86.92	36.19	11.21	34.52
AV	7.1502G	55.15	68.20	-13.05	13.35	3	Vertical	37	1.72	-	41.80	36.60	11.26	34.51
PK	7.1037G	111.95	Inf	-Inf	12.93	3	Vertical	37	1.72	-	99.02	36.23	11.22	34.52
PK	7.1619G	66.25	88.20	-21.95	13.34	3	Vertical	37	1.72	-	52.91	36.58	11.27	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0983G	85.63	Inf	-Inf	12.88	3	Horizontal	207	2.19	-	72.75	36.19	11.21	34.52
AV	7.2033G	55.04	68.20	-13.16	13.30	3	Horizontal	207	2.19	-	41.74	36.51	11.30	34.51
PK	7.0974G	97.18	Inf	-Inf	12.88	3	Horizontal	207	2.19	-	84.30	36.19	11.21	34.52
PK	7.1697G	66.29	88.20	-21.91	13.32	3	Horizontal	207	2.19	-	52.97	36.56	11.27	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.1911G	53.20	68.20	-15.00	22.00	3	Vertical	174	1.50	-	31.20	40.10	14.68	32.78
PK	14.19138G	66.19	88.20	-22.01	22.00	3	Vertical	174	1.50	-	44.19	40.10	14.68	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.18758G	52.18	68.20	-16.02	22.00	3	Horizontal	194	1.24	-	30.18	40.10	14.68	32.78
PK	14.185G	65.46	88.20	-22.74	22.01	3	Horizontal	194	1.24	-	43.45	40.10	14.68	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	50.88	68.20	-17.32	10.25	3	Vertical	30	1.73	54	40.63	34.20	10.27	34.22
AV	5.9704G	98.36	Inf	-Inf	10.27	3	Vertical	30	1.73	54	88.09	34.18	10.31	34.22
PK	5.9176G	61.46	88.20	-26.74	10.22	3	Vertical	30	1.73	54	51.24	34.17	10.27	34.22
PK	5.9704G	110.92	Inf	-Inf	10.27	3	Vertical	30	1.73	54	100.65	34.18	10.31	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8867G	49.66	68.20	-18.54	10.14	3	Horizontal	206	1.00	54	39.52	34.10	10.25	34.21
AV	5.977G	84.57	Inf	-Inf	10.23	3	Horizontal	206	1.00	54	74.34	34.14	10.31	34.22
PK	5.8321G	60.93	88.20	-27.27	9.98	3	Horizontal	206	1.00	54	50.95	33.99	10.20	34.21
PK	5.9617G	96.73	Inf	-Inf	10.31	3	Horizontal	206	1.00	54	86.42	34.23	10.30	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.93966G	44.63	54.00	-9.37	17.67	3	Vertical	38	1.50	-	26.96	38.68	13.29	34.30
PK	11.9204G	56.88	74.00	-17.12	17.63	3	Vertical	38	1.50	-	39.25	38.64	13.28	34.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.942G	44.46	54.00	-9.54	17.67	3	Horizontal	232	2.57	-	26.79	38.68	13.29	34.30
PK	11.92601G	57.50	74.00	-16.50	17.64	3	Horizontal	232	2.57	-	39.86	38.65	13.28	34.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9082G	49.66	68.20	-18.54	10.18	3	Vertical	52	1.73	52	39.48	34.13	10.26	34.21
AV	6.1716G	98.31	Inf	-Inf	10.37	3	Vertical	52	1.73	52	87.94	34.10	10.50	34.23
PK	5.9034G	60.59	88.20	-27.61	10.16	3	Vertical	52	1.73	52	50.43	34.11	10.26	34.21
PK	6.1644G	109.70	Inf	-Inf	10.36	3	Vertical	52	1.73	52	99.34	34.10	10.49	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8956G	49.42	68.20	-18.78	10.14	3	Horizontal	177	1.21	52	39.28	34.10	10.25	34.21
AV	6.159G	81.28	Inf	-Inf	10.36	3	Horizontal	177	1.21	52	70.92	34.10	10.49	34.23
PK	5.9148G	60.54	88.20	-27.66	10.22	3	Horizontal	177	1.21	52	50.32	34.16	10.27	34.21
PK	6.162G	93.08	Inf	-Inf	10.36	3	Horizontal	177	1.21	52	82.72	34.10	10.49	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.33222G	45.72	54.00	-8.28	18.18	3	Vertical	286	1.50	-	27.54	38.83	13.51	34.16
PK	12.33669G	57.72	74.00	-16.28	18.20	3	Vertical	286	1.50	-	39.52	38.84	13.52	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.34383G	45.61	54.00	-8.39	18.20	3	Horizontal	85	1.69	-	27.41	38.84	13.52	34.16
PK	12.34095G	58.48	74.00	-15.52	18.20	3	Horizontal	85	1.69	-	40.28	38.84	13.52	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	49.55	68.20	-18.65	10.24	3	Vertical	52	1.80	57	39.31	34.19	10.27	34.22
AV	6.411G	98.68	Inf	-Inf	11.14	3	Vertical	52	1.80	57	87.54	34.74	10.65	34.25
PK	5.9202G	60.30	88.20	-27.90	10.23	3	Vertical	52	1.80	57	50.07	34.18	10.27	34.22
PK	6.411G	110.91	Inf	-Inf	11.14	3	Vertical	52	1.80	57	99.77	34.74	10.65	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8854G	49.41	68.20	-18.79	10.13	3	Horizontal	114	2.91	57	39.28	34.10	10.24	34.21
AV	6.411G	84.23	Inf	-Inf	11.14	3	Horizontal	114	2.91	57	73.09	34.74	10.65	34.25
PK	5.8602G	60.15	88.20	-28.05	10.12	3	Horizontal	114	2.91	57	50.03	34.10	10.23	34.21
PK	6.4038G	94.70	Inf	-Inf	11.11	3	Horizontal	114	2.91	57	83.59	34.72	10.64	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.80886G	46.61	68.20	-21.59	19.91	3	Vertical	334	2.77	-	26.70	39.60	13.81	33.50
PK	12.79941G	59.20	88.20	-29.00	19.88	3	Vertical	334	2.77	-	39.32	39.60	13.80	33.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.82377G	46.53	68.20	-21.67	19.95	3	Horizontal	360	1.01	-	26.58	39.60	13.82	33.47
PK	12.81519G	58.65	88.20	-29.55	19.92	3	Horizontal	360	1.01	-	38.73	39.60	13.81	33.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	49.54	68.20	-18.66	10.22	3	Vertical	34	1.60	57	39.32	34.16	10.27	34.21
AV	6.4414G	98.81	Inf	-Inf	11.28	3	Vertical	34	1.60	57	87.53	34.87	10.67	34.26
PK	5.8714G	60.11	88.20	-28.09	10.12	3	Vertical	34	1.60	57	49.99	34.10	10.23	34.21
PK	6.4498G	110.15	Inf	-Inf	11.31	3	Vertical	34	1.60	57	98.84	34.90	10.67	34.26

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8546G	49.44	68.20	-18.76	10.11	3	Horizontal	200	2.54	57	39.33	34.10	10.22	34.21
AV	6.457G	84.69	Inf	-Inf	11.36	3	Horizontal	200	2.54	57	73.33	34.94	10.68	34.26
PK	5.8738G	60.40	88.20	-27.80	10.13	3	Horizontal	200	2.54	57	50.27	34.10	10.24	34.21
PK	6.4438G	95.11	Inf	-Inf	11.29	3	Horizontal	200	2.54	57	83.82	34.88	10.67	34.26

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.88151G	46.47	68.20	-21.73	20.09	3	Vertical	133	1.50	-	26.38	39.60	13.85	33.36
PK	12.89714G	58.84	88.20	-29.36	20.13	3	Vertical	133	1.50	-	38.71	39.60	13.86	33.33

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.87614G	46.41	68.20	-21.79	20.08	3	Horizontal	262	1.50	-	26.33	39.60	13.85	33.37
PK	12.87875G	59.08	88.20	-29.12	20.08	3	Horizontal	262	1.50	-	39.00	39.60	13.85	33.37

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.862G	49.56	68.20	-18.64	10.12	3	Vertical	35	1.50	56	39.44	34.10	10.23	34.21
AV	6.4696G	98.50	Inf	-Inf	11.45	3	Vertical	35	1.50	56	87.05	35.02	10.69	34.26
AV	7.15G	53.22	68.20	-14.98	13.34	3	Vertical	35	1.50	56	39.88	36.60	11.26	34.52
PK	5.8354G	60.05	88.20	-28.15	10.01	3	Vertical	35	1.50	56	50.04	34.01	10.21	34.21
PK	6.4906G	110.01	Inf	-Inf	11.58	3	Vertical	35	1.50	56	98.43	35.14	10.70	34.26
PK	7.1304G	63.92	88.20	-24.28	13.16	3	Vertical	35	1.50	56	50.76	36.44	11.24	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	49.51	68.20	-18.69	10.19	3	Horizontal	197	2.61	56	39.32	34.14	10.26	34.21
AV	6.4822G	84.98	Inf	-Inf	11.52	3	Horizontal	197	2.61	56	73.46	35.09	10.69	34.26
AV	7.1388G	53.12	68.20	-15.08	13.24	3	Horizontal	197	2.61	56	39.88	36.51	11.25	34.52
PK	5.918G	60.80	88.20	-27.40	10.22	3	Horizontal	197	2.61	56	50.58	34.17	10.27	34.22
PK	6.4822G	97.22	Inf	-Inf	11.52	3	Horizontal	197	2.61	56	85.70	35.09	10.69	34.26
PK	7.1696G	63.74	88.20	-24.46	13.32	3	Horizontal	197	2.61	56	50.42	36.56	11.27	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.98377G	46.72	68.20	-21.48	20.52	3	Vertical	359	2.70	-	26.20	39.77	13.92	33.17
PK	12.97606G	58.66	88.20	-29.54	20.47	3	Vertical	359	2.70	-	38.19	39.75	13.91	33.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.9676G	46.72	68.20	-21.48	20.45	3	Horizontal	176	1.50	-	26.27	39.74	13.91	33.20
PK	12.97015G	58.77	88.20	-29.43	20.45	3	Horizontal	176	1.50	-	38.32	39.74	13.91	33.20

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8922G	49.67	68.20	-18.53	10.14	3	Vertical	33	1.50	53	39.53	34.10	10.25	34.21
AV	6.5208G	98.43	Inf	-Inf	11.69	3	Vertical	33	1.50	53	86.74	35.24	10.72	34.27
AV	7.162G	53.10	68.20	-15.10	13.34	3	Vertical	33	1.50	53	39.76	36.58	11.27	34.51
PK	5.9076G	61.30	88.20	-26.90	10.18	3	Vertical	33	1.50	53	51.12	34.13	10.26	34.21
PK	6.5306G	110.12	Inf	-Inf	11.70	3	Vertical	33	1.50	53	98.42	35.26	10.72	34.28
PK	7.1984G	63.81	88.20	-24.39	13.29	3	Vertical	33	1.50	53	50.52	36.50	11.30	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8516G	49.55	68.20	-18.65	10.11	3	Horizontal	28	1.12	53	39.44	34.10	10.22	34.21
AV	6.5306G	81.43	Inf	-Inf	11.70	3	Horizontal	28	1.12	53	69.73	35.26	10.72	34.28
AV	7.2222G	53.13	68.20	-15.07	13.38	3	Horizontal	28	1.12	53	39.75	36.59	11.30	34.51
PK	5.902G	60.12	88.20	-28.08	10.16	3	Horizontal	28	1.12	53	49.96	34.11	10.26	34.21
PK	6.5306G	93.86	Inf	-Inf	11.70	3	Horizontal	28	1.12	53	82.16	35.26	10.72	34.28
PK	7.1858G	64.82	88.20	-23.38	13.31	3	Horizontal	28	1.12	53	51.51	36.53	11.29	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6525MHz Straddle 6.425-6.525GHz_TX




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6525MHz Straddle 6.425-6.525GHz_TX



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5614G	98.59	Inf	-Inf	11.82	3	Vertical	35	1.65	52	86.77	35.37	10.74	34.29
AV	7.159G	53.25	68.20	-14.95	13.34	3	Vertical	35	1.65	52	39.91	36.58	11.27	34.51
PK	6.5602G	108.89	Inf	-Inf	11.81	3	Vertical	35	1.65	52	97.08	35.36	10.74	34.29
PK	7.153G	63.43	88.20	-24.77	13.34	3	Vertical	35	1.65	52	50.09	36.59	11.26	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5638G	81.31	Inf	-Inf	11.84	3	Horizontal	39	1.50	52	69.47	35.38	10.75	34.29
AV	7.1554G	53.09	68.20	-15.11	13.34	3	Horizontal	39	1.50	52	39.75	36.59	11.26	34.51
PK	6.5614G	91.84	Inf	-Inf	11.82	3	Horizontal	39	1.50	52	80.02	35.37	10.74	34.29
PK	7.1626G	63.53	88.20	-24.67	13.33	3	Horizontal	39	1.50	52	50.20	36.57	11.27	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.13486G	47.08	68.20	-21.12	20.79	3	Vertical	164	1.35	-	26.29	39.70	14.01	32.92
PK	13.14443G	60.49	88.20	-27.71	20.81	3	Vertical	164	1.35	-	39.68	39.70	14.01	32.90

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.14329G	47.07	68.20	-21.13	20.80	3	Horizontal	219	1.86	-	26.27	39.70	14.01	32.91
PK	13.12157G	59.49	88.20	-28.71	20.76	3	Horizontal	219	1.86	-	38.73	39.70	14.00	32.94

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	98.07	Inf	-Inf	12.36	3	Vertical	34	1.38	55	85.71	35.86	10.86	34.36
AV	7.16G	53.26	68.20	-14.94	13.34	3	Vertical	34	1.38	55	39.92	36.58	11.27	34.51
PK	6.69G	109.85	Inf	-Inf	12.36	3	Vertical	34	1.38	55	97.49	35.86	10.86	34.36
PK	7.157G	64.54	88.20	-23.66	13.34	3	Vertical	34	1.38	55	51.20	36.59	11.26	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	82.26	Inf	-Inf	12.36	3	Horizontal	42	1.50	55	69.90	35.86	10.86	34.36
AV	7.174G	52.99	68.20	-15.21	13.32	3	Horizontal	42	1.50	55	39.67	36.55	11.28	34.51
PK	6.682G	93.53	Inf	-Inf	12.32	3	Horizontal	42	1.50	55	81.21	35.83	10.85	34.36
PK	7.142G	63.67	88.20	-24.53	13.27	3	Horizontal	42	1.50	55	50.40	36.54	11.25	34.52


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8499G	98.16	Inf	-Inf	12.25	3	Vertical	55	1.80	58	85.91	35.70	11.00	34.45
AV	7.1824G	53.18	68.20	-15.02	13.32	3	Vertical	55	1.80	58	39.86	36.54	11.29	34.51
PK	6.8506G	110.51	Inf	-Inf	12.25	3	Vertical	55	1.80	58	98.26	35.70	11.00	34.45
PK	7.1369G	64.20	88.20	-24.00	13.23	3	Vertical	55	1.80	58	50.97	36.50	11.25	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8506G	82.31	Inf	-Inf	12.25	3	Horizontal	44	1.28	58	70.06	35.70	11.00	34.45
AV	7.1474G	53.28	68.20	-14.92	13.32	3	Horizontal	44	1.28	58	39.96	36.58	11.26	34.52
PK	6.8443G	93.05	Inf	-Inf	12.27	3	Horizontal	44	1.28	58	80.78	35.72	11.00	34.45
PK	7.1845G	63.87	88.20	-24.33	13.31	3	Horizontal	44	1.28	58	50.56	36.53	11.29	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.70491G	51.72	68.20	-16.48	21.65	3	Vertical	310	2.24	-	30.07	39.70	14.36	32.41
PK	13.70167G	64.06	88.20	-24.14	21.65	3	Vertical	310	2.24	-	42.41	39.70	14.36	32.41

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.68976G	52.00	68.20	-16.20	21.68	3	Horizontal	29	2.30	-	30.32	39.73	14.35	32.40
PK	13.6972G	64.52	88.20	-23.68	21.65	3	Horizontal	29	2.30	-	42.87	39.71	14.35	32.41

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8794G	98.55	Inf	-Inf	12.27	3	Vertical	55	1.71	59	86.28	35.70	11.03	34.46
AV	7.1797G	53.49	68.20	-14.71	13.31	3	Vertical	55	1.71	59	40.18	36.54	11.28	34.51
PK	6.8899G	110.35	Inf	-Inf	12.27	3	Vertical	55	1.71	59	98.08	35.70	11.04	34.47
PK	7.1468G	63.91	88.20	-24.29	13.30	3	Vertical	55	1.71	59	50.61	36.57	11.25	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8815G	82.21	Inf	-Inf	12.26	3	Horizontal	59	1.50	59	69.95	35.70	11.03	34.47
AV	7.1839G	53.30	68.20	-14.90	13.31	3	Horizontal	59	1.50	59	39.99	36.53	11.29	34.51
PK	6.8822G	92.50	Inf	-Inf	12.26	3	Horizontal	59	1.50	59	80.24	35.70	11.03	34.47
PK	7.1489G	65.13	88.20	-23.07	13.33	3	Horizontal	59	1.50	59	51.80	36.59	11.26	34.52


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6885MHz Straddle 6.525-6.875GHz_TX




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6885MHz Straddle 6.525-6.875GHz_TX



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9208G	98.67	Inf	-Inf	12.27	3	Vertical	37	1.67	62	86.40	35.70	11.06	34.49
AV	7.1992G	53.55	68.20	-14.65	13.29	3	Vertical	37	1.67	62	40.26	36.50	11.30	34.51
PK	6.9304G	110.53	Inf	-Inf	12.28	3	Vertical	37	1.67	62	98.25	35.70	11.07	34.49
PK	7.1782G	64.26	88.20	-23.94	13.31	3	Vertical	37	1.67	62	50.95	36.54	11.28	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9226G	83.00	Inf	-Inf	12.27	3	Horizontal	62	1.69	62	70.73	35.70	11.06	34.49
AV	7.1794G	53.64	68.20	-14.56	13.31	3	Horizontal	62	1.69	62	40.33	36.54	11.28	34.51
PK	6.922G	94.40	Inf	-Inf	12.27	3	Horizontal	62	1.69	62	82.13	35.70	11.06	34.49
PK	7.1998G	64.99	88.20	-23.21	13.29	3	Horizontal	62	1.69	62	51.70	36.50	11.30	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.85273G	52.93	68.20	-15.27	21.67	3	Vertical	123	2.65	-	31.26	39.70	14.45	32.48
PK	13.84025G	64.97	88.20	-23.23	21.67	3	Vertical	123	2.65	-	43.30	39.70	14.44	32.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84565G	53.03	68.20	-15.17	21.68	3	Horizontal	43	1.35	-	31.35	39.70	14.45	32.47
PK	13.84574G	65.33	88.20	-22.87	21.68	3	Horizontal	43	1.35	-	43.65	39.70	14.45	32.47

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0011G	99.03	Inf	-Inf	12.31	3	Vertical	38	1.50	63	86.72	35.71	11.13	34.53
AV	7.1472G	53.50	68.20	-14.70	13.32	3	Vertical	38	1.50	63	40.18	36.58	11.26	34.52
PK	7.0104G	110.94	Inf	-Inf	12.37	3	Vertical	38	1.50	63	98.57	35.76	11.14	34.53
PK	7.1535G	64.69	88.20	-23.51	13.34	3	Vertical	38	1.50	63	51.35	36.59	11.26	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0035G	85.05	Inf	-Inf	12.32	3	Horizontal	214	1.93	63	72.73	35.72	11.13	34.53
AV	7.1493G	53.30	68.20	-14.90	13.33	3	Horizontal	214	1.93	63	39.97	36.59	11.26	34.52
PK	7.0041G	96.83	Inf	-Inf	12.32	3	Horizontal	214	1.93	63	84.51	35.72	11.13	34.53
PK	7.1529G	64.20	88.20	-24.00	13.34	3	Horizontal	214	1.93	63	50.86	36.59	11.26	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.99791G	52.68	68.20	-15.52	21.80	3	Vertical	140	2.10	-	30.88	39.80	14.54	32.54
PK	14.0025G	64.92	88.20	-23.28	21.81	3	Vertical	140	2.10	-	43.11	39.81	14.54	32.54

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.00499G	52.63	68.20	-15.57	21.80	3	Horizontal	162	2.53	-	30.83	39.81	14.54	32.55
PK	13.99968G	65.13	88.20	-23.07	21.80	3	Horizontal	162	2.53	-	43.33	39.80	14.54	32.54

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0688G	98.45	Inf	-Inf	12.75	3	Vertical	40	1.50	61	85.70	36.08	11.19	34.52
AV	7.1255G	55.05	68.20	-13.15	13.12	3	Vertical	40	1.50	61	41.93	36.40	11.24	34.52
PK	7.082G	110.11	Inf	-Inf	12.81	3	Vertical	40	1.50	61	97.30	36.13	11.20	34.52
PK	7.1336G	68.15	88.20	-20.05	13.19	3	Vertical	40	1.50	61	54.96	36.47	11.24	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	86.56	Inf	-Inf	12.80	3	Horizontal	212	2.25	61	73.76	36.12	11.20	34.52
AV	7.1864G	53.38	68.20	-14.82	13.31	3	Horizontal	212	2.25	61	40.07	36.53	11.29	34.51
PK	7.0904G	98.21	Inf	-Inf	12.85	3	Horizontal	212	2.25	61	85.36	36.16	11.21	34.52
PK	7.2107G	65.33	88.20	-22.87	13.33	3	Horizontal	212	2.25	61	52.00	36.54	11.30	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.18125G	52.17	68.20	-16.03	22.00	3	Vertical	242	2.14	-	30.17	40.10	14.67	32.77
PK	14.17129G	64.39	88.20	-23.81	22.01	3	Vertical	242	2.14	-	42.38	40.10	14.67	32.76

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.16718G	52.22	68.20	-15.98	22.01	3	Horizontal	55	1.52	-	30.21	40.10	14.66	32.75
PK	14.17981G	64.33	88.20	-23.87	22.00	3	Horizontal	55	1.52	-	42.33	40.10	14.67	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	52.23	68.20	-15.97	10.25	3	Vertical	8	1.50	-	41.98	34.20	10.27	34.22
AV	5.9755G	99.18	Inf	-Inf	10.24	3	Vertical	8	1.50	-	88.94	34.15	10.31	34.22
PK	5.8714G	62.50	88.20	-25.70	10.12	3	Vertical	8	1.50	-	52.38	34.10	10.23	34.21
PK	5.9737G	110.68	Inf	-Inf	10.25	3	Vertical	8	1.50	-	100.43	34.16	10.31	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.851G	51.30	68.20	-16.90	10.11	3	Horizontal	334	2.95	-	41.19	34.10	10.22	34.21
AV	5.9704G	88.28	Inf	-Inf	10.27	3	Horizontal	334	2.95	-	78.01	34.18	10.31	34.22
PK	5.8651G	62.95	88.20	-25.25	10.12	3	Horizontal	334	2.95	-	52.83	34.10	10.23	34.21
PK	5.9611G	100.85	Inf	-Inf	10.31	3	Horizontal	334	2.95	-	90.54	34.23	10.30	34.22


802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8788G	50.99	68.20	-17.21	10.13	3	Vertical	51	1.79	-	40.86	34.10	10.24	34.21
AV	6.1698G	100.10	Inf	-Inf	10.37	3	Vertical	51	1.79	-	89.73	34.10	10.50	34.23
PK	5.892G	62.32	88.20	-25.88	10.14	3	Vertical	51	1.79	-	52.18	34.10	10.25	34.21
PK	6.1716G	111.97	Inf	-Inf	10.37	3	Vertical	51	1.79	-	101.60	34.10	10.50	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9154G	50.87	68.20	-17.33	10.22	3	Horizontal	4	1.95	-	40.65	34.16	10.27	34.21
AV	6.1674G	83.40	Inf	-Inf	10.37	3	Horizontal	4	1.95	-	73.03	34.10	10.50	34.23
PK	5.916G	61.95	88.20	-26.25	10.22	3	Horizontal	4	1.95	-	51.73	34.16	10.27	34.21
PK	6.1614G	96.36	Inf	-Inf	10.36	3	Horizontal	4	1.95	-	86.00	34.10	10.49	34.23


802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8494G	50.72	68.20	-17.48	10.11	3	Vertical	47	1.81	-	40.61	34.10	10.22	34.21
AV	6.4014G	100.16	Inf	-Inf	11.10	3	Vertical	47	1.81	-	89.06	34.71	10.64	34.25
PK	5.8566G	61.84	88.20	-26.36	10.11	3	Vertical	47	1.81	-	51.73	34.10	10.22	34.21
PK	6.4074G	111.26	Inf	-Inf	11.12	3	Vertical	47	1.81	-	100.14	34.73	10.64	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.871G	51.02	68.20	-17.18	10.12	3	Horizontal	210	2.11	-	40.90	34.10	10.23	34.21
AV	6.411G	85.00	Inf	-Inf	11.14	3	Horizontal	210	2.11	-	73.86	34.74	10.65	34.25
PK	5.8986G	61.59	88.20	-26.61	10.14	3	Horizontal	210	2.11	-	51.45	34.10	10.25	34.21
PK	6.4122G	96.00	Inf	-Inf	11.15	3	Horizontal	210	2.11	-	84.85	34.75	10.65	34.25


802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	50.46	68.20	-17.74	10.21	3	Vertical	50	1.85	-	40.25	34.15	10.27	34.21
AV	6.4378G	100.32	Inf	-Inf	11.25	3	Vertical	50	1.85	-	89.07	34.85	10.66	34.26
PK	5.8546G	60.54	88.20	-27.66	10.11	3	Vertical	50	1.85	-	50.43	34.10	10.22	34.21
PK	6.433G	111.52	Inf	-Inf	11.24	3	Vertical	50	1.85	-	100.28	34.83	10.66	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8606G	50.54	68.20	-17.66	10.12	3	Horizontal	72	1.08	-	40.42	34.10	10.23	34.21
AV	6.4378G	83.03	Inf	-Inf	11.25	3	Horizontal	72	1.08	-	71.78	34.85	10.66	34.26
PK	5.8654G	61.88	88.20	-26.32	10.12	3	Horizontal	72	1.08	-	51.76	34.10	10.23	34.21
PK	6.439G	94.24	Inf	-Inf	11.27	3	Horizontal	72	1.08	-	82.97	34.86	10.67	34.26

802.11ax HEW40_Nss2,(MCS0)_2TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.89448G	46.35	68.20	-21.85	20.12	3	Vertical	12	2.07	-	26.23	39.60	13.86	33.34
PK	12.88682G	58.79	88.20	-29.41	20.11	3	Vertical	12	2.07	-	38.68	39.60	13.86	33.35

802.11ax HEW40_Nss2,(MCS0)_2TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.89686G	46.19	68.20	-22.01	20.13	3	Horizontal	211	2.13	-	26.06	39.60	13.86	33.33
PK	12.8881G	57.72	88.20	-30.48	20.11	3	Horizontal	211	2.13	-	37.61	39.60	13.86	33.35

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8648G	50.52	68.20	-17.68	10.12	3	Vertical	47	1.84	-	40.40	34.10	10.23	34.21
AV	6.4906G	100.49	Inf	-Inf	11.58	3	Vertical	47	1.84	-	88.91	35.14	10.70	34.26
AV	7.1766G	54.16	68.20	-14.04	13.32	3	Vertical	47	1.84	-	40.84	36.55	11.28	34.51
PK	5.848G	61.21	88.20	-26.99	10.10	3	Vertical	47	1.84	-	51.11	34.09	10.22	34.21
PK	6.4878G	111.09	Inf	-Inf	11.57	3	Vertical	47	1.84	-	99.52	35.13	10.70	34.26
PK	7.1262G	64.51	88.20	-23.69	13.13	3	Vertical	47	1.84	-	51.38	36.41	11.24	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8872G	50.48	68.20	-17.72	10.14	3	Horizontal	66	1.84	-	40.34	34.10	10.25	34.21
AV	6.4864G	83.38	Inf	-Inf	11.56	3	Horizontal	66	1.84	-	71.82	35.12	10.70	34.26
AV	7.171G	54.26	68.20	-13.94	13.33	3	Horizontal	66	1.84	-	40.93	36.56	11.28	34.51
PK	5.8494G	61.22	88.20	-26.98	10.11	3	Horizontal	66	1.84	-	51.11	34.10	10.22	34.21
PK	6.4808G	95.01	Inf	-Inf	11.51	3	Horizontal	66	1.84	-	83.50	35.08	10.69	34.26
PK	7.1766G	65.81	88.20	-22.39	13.32	3	Horizontal	66	1.84	-	52.49	36.55	11.28	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.9784G	46.60	68.20	-21.60	20.49	3	Vertical	73	2.25	-	26.11	39.76	13.91	33.18
PK	12.96002G	58.42	88.20	-29.78	20.40	3	Vertical	73	2.25	-	38.02	39.72	13.90	33.22

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.9681G	46.79	68.20	-21.41	20.45	3	Horizontal	153	2.53	-	26.34	39.74	13.91	33.20
PK	12.96766G	58.72	88.20	-29.48	20.45	3	Horizontal	153	2.53	-	38.27	39.74	13.91	33.20

802.11ax HEW40_Nss2,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8586G	50.71	68.20	-17.49	10.11	3	Vertical	50	1.80	-	40.60	34.10	10.22	34.21
AV	6.518G	100.44	Inf	-Inf	11.69	3	Vertical	50	1.80	-	88.75	35.24	10.72	34.27
AV	7.1816G	54.55	68.20	-13.65	13.31	3	Vertical	50	1.80	-	41.24	36.54	11.28	34.51
PK	5.8936G	61.70	88.20	-26.50	10.14	3	Vertical	50	1.80	-	51.56	34.10	10.25	34.21
PK	6.5278G	111.20	Inf	-Inf	11.70	3	Vertical	50	1.80	-	99.50	35.26	10.72	34.28
PK	7.1956G	65.03	88.20	-23.17	13.30	3	Vertical	50	1.80	-	51.73	36.51	11.30	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8586G	50.45	68.20	-17.75	10.11	3	Horizontal	65	1.50	-	40.34	34.10	10.22	34.21
AV	6.5264G	81.23	Inf	-Inf	11.70	3	Horizontal	65	1.50	-	69.53	35.25	10.72	34.27
AV	7.162G	54.70	68.20	-13.50	13.34	3	Horizontal	65	1.50	-	41.36	36.58	11.27	34.51
PK	5.8684G	60.99	88.20	-27.21	10.12	3	Horizontal	65	1.50	-	50.87	34.10	10.23	34.21
PK	6.5264G	90.99	Inf	-Inf	11.70	3	Horizontal	65	1.50	-	79.29	35.25	10.72	34.27
PK	7.1718G	66.11	88.20	-22.09	13.33	3	Horizontal	65	1.50	-	52.78	36.56	11.28	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.5578G	100.42	Inf	-Inf	11.80	3	Vertical	50	1.80	-	88.62	35.35	10.74	34.29
AV	7.1614G	54.51	68.20	-13.69	13.34	3	Vertical	50	1.80	-	41.17	36.58	11.27	34.51
PK	6.5578G	112.62	Inf	-Inf	11.80	3	Vertical	50	1.80	-	100.82	35.35	10.74	34.29
PK	7.1482G	64.73	88.20	-23.47	13.33	3	Vertical	50	1.80	-	51.40	36.59	11.26	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.5722G	82.71	Inf	-Inf	11.88	3	Horizontal	238	1.98	-	70.83	35.43	10.75	34.30
AV	7.153G	54.30	68.20	-13.90	13.34	3	Horizontal	238	1.98	-	40.96	36.59	11.26	34.51
PK	6.5578G	92.76	Inf	-Inf	11.80	3	Horizontal	238	1.98	-	80.96	35.35	10.74	34.29
PK	7.129G	65.09	88.20	-23.11	13.15	3	Horizontal	238	1.98	-	51.94	36.43	11.24	34.52


802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	99.70	Inf	-Inf	12.36	3	Vertical	223	1.86	-	87.34	35.86	10.86	34.36
AV	7.162G	54.44	68.20	-13.76	13.34	3	Vertical	223	1.86	-	41.10	36.58	11.27	34.51
PK	6.692G	111.35	Inf	-Inf	12.37	3	Vertical	223	1.86	-	98.98	35.87	10.86	34.36
PK	7.139G	65.27	88.20	-22.93	13.24	3	Vertical	223	1.86	-	52.03	36.51	11.25	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.68G	83.63	Inf	-Inf	12.31	3	Horizontal	41	1.78	-	71.32	35.82	10.85	34.36
AV	7.171G	54.52	68.20	-13.68	13.33	3	Horizontal	41	1.78	-	41.19	36.56	11.28	34.51
PK	6.678G	94.19	Inf	-Inf	12.29	3	Horizontal	41	1.78	-	81.90	35.81	10.84	34.36
PK	7.161G	64.59	88.20	-23.61	13.34	3	Horizontal	41	1.78	-	51.25	36.58	11.27	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8513G	100.09	Inf	-Inf	12.25	3	Vertical	65	1.88	-	87.84	35.70	11.00	34.45
AV	7.1509G	54.39	68.20	-13.81	13.35	3	Vertical	65	1.88	-	41.04	36.60	11.26	34.51
PK	6.8471G	111.74	Inf	-Inf	12.26	3	Vertical	65	1.88	-	99.48	35.71	11.00	34.45
PK	7.1824G	65.67	88.20	-22.53	13.32	3	Vertical	65	1.88	-	52.35	36.54	11.29	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8513G	81.88	Inf	-Inf	12.25	3	Horizontal	41	1.89	-	69.63	35.70	11.00	34.45
AV	7.1866G	54.47	68.20	-13.73	13.31	3	Horizontal	41	1.89	-	41.16	36.53	11.29	34.51
PK	6.8513G	93.81	Inf	-Inf	12.25	3	Horizontal	41	1.89	-	81.56	35.70	11.00	34.45
PK	7.1768G	65.07	88.20	-23.13	13.32	3	Horizontal	41	1.89	-	51.75	36.55	11.28	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8759G	99.37	Inf	-Inf	12.26	3	Vertical	234	1.84	-	87.11	35.70	11.02	34.46
AV	7.1993G	54.72	68.20	-13.48	13.29	3	Vertical	234	1.84	-	41.43	36.50	11.30	34.51
PK	6.8808G	110.75	Inf	-Inf	12.26	3	Vertical	234	1.84	-	98.49	35.70	11.03	34.47
PK	7.1552G	65.83	88.20	-22.37	13.34	3	Vertical	234	1.84	-	52.49	36.59	11.26	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.878G	82.21	Inf	-Inf	12.27	3	Horizontal	287	2.01	-	69.94	35.70	11.03	34.46
AV	7.1573G	54.52	68.20	-13.68	13.34	3	Horizontal	287	2.01	-	41.18	36.59	11.26	34.51
PK	6.8815G	92.41	Inf	-Inf	12.26	3	Horizontal	287	2.01	-	80.15	35.70	11.03	34.47
PK	7.2189G	65.58	88.20	-22.62	13.37	3	Horizontal	287	2.01	-	52.21	36.58	11.30	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9214G	100.07	Inf	-Inf	12.27	3	Vertical	35	1.82	-	87.80	35.70	11.06	34.49
AV	7.2112G	54.42	68.20	-13.78	13.33	3	Vertical	35	1.82	-	41.09	36.54	11.30	34.51
PK	6.9274G	111.69	Inf	-Inf	12.28	3	Vertical	35	1.82	-	99.41	35.70	11.07	34.49
PK	7.1752G	65.93	88.20	-22.27	13.32	3	Vertical	35	1.82	-	52.61	36.55	11.28	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9184G	84.60	Inf	-Inf	12.27	3	Horizontal	286	2.01	-	72.33	35.70	11.06	34.49
AV	7.1608G	54.50	68.20	-13.70	13.34	3	Horizontal	286	2.01	-	41.16	36.58	11.27	34.51
PK	6.9184G	95.14	Inf	-Inf	12.27	3	Horizontal	286	2.01	-	82.87	35.70	11.06	34.49
PK	7.1458G	65.10	88.20	-23.10	13.30	3	Horizontal	286	2.01	-	51.80	36.57	11.25	34.52


802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX



802.11ax HEW40_Nss2,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0101G	100.48	Inf	-Inf	12.37	3	Vertical	213	1.92	-	88.11	35.76	11.14	34.53
AV	7.1439G	54.37	68.20	-13.83	13.28	3	Vertical	213	1.92	-	41.09	36.55	11.25	34.52
PK	7.0089G	111.38	Inf	-Inf	12.36	3	Vertical	213	1.92	-	99.02	35.75	11.14	34.53
PK	7.1466G	65.09	88.20	-23.11	13.30	3	Vertical	213	1.92	-	51.79	36.57	11.25	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9984G	84.49	Inf	-Inf	12.30	3	Horizontal	282	2.13	-	72.19	35.70	11.13	34.53
AV	7.1481G	54.47	68.20	-13.73	13.32	3	Horizontal	282	2.13	-	41.15	36.58	11.26	34.52
PK	7.0023G	95.38	Inf	-Inf	12.31	3	Horizontal	282	2.13	-	83.07	35.71	11.13	34.53
PK	7.1397G	65.74	88.20	-22.46	13.25	3	Horizontal	282	2.13	-	52.49	36.52	11.25	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.00572G	52.62	68.20	-15.58	21.81	3	Vertical	288	1.28	-	30.81	39.82	14.54	32.55
PK	14.0097G	64.76	88.20	-23.44	21.83	3	Vertical	288	1.28	-	42.93	39.83	14.55	32.55

802.11ax HEW40_Nss2,(MCS0)_2TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.00382G	52.58	68.20	-15.62	21.81	3	Horizontal	237	1.43	-	30.77	39.81	14.54	32.54
PK	14.00986G	65.20	88.20	-23.00	21.83	3	Horizontal	237	1.43	-	43.37	39.83	14.55	32.55

802.11ax HEW40_Nss2,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0901G	100.98	Inf	-Inf	12.85	3	Vertical	61	1.80	-	88.13	36.16	11.21	34.52
AV	7.1279G	55.57	68.20	-12.63	13.14	3	Vertical	61	1.80	-	42.43	36.42	11.24	34.52
PK	7.0874G	112.70	Inf	-Inf	12.83	3	Vertical	61	1.80	-	99.87	36.15	11.20	34.52
PK	7.1255G	67.35	88.20	-20.85	13.12	3	Vertical	61	1.80	-	54.23	36.40	11.24	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0721G	84.57	Inf	-Inf	12.76	3	Horizontal	283	2.11	-	71.81	36.09	11.19	34.52
AV	7.1648G	54.62	68.20	-13.58	13.33	3	Horizontal	283	2.11	-	41.29	36.57	11.27	34.51
PK	7.0676G	95.07	Inf	-Inf	12.74	3	Horizontal	283	2.11	-	82.33	36.07	11.19	34.52
PK	7.1585G	65.85	88.20	-22.35	13.33	3	Horizontal	283	2.11	-	52.52	36.58	11.26	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.17894G	52.22	68.20	-15.98	22.00	3	Vertical	36	1.75	-	30.22	40.10	14.67	32.77
PK	14.16864G	65.42	88.20	-22.78	22.01	3	Vertical	36	1.75	-	43.41	40.10	14.66	32.75

802.11ax HEW40_Nss2,(MCS0)_2TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.16586G	52.06	68.20	-16.14	22.01	3	Horizontal	245	1.16	-	30.05	40.10	14.66	32.75
PK	14.16294G	64.39	88.20	-23.81	22.01	3	Horizontal	245	1.16	-	42.38	40.10	14.66	32.75

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	58.66	68.20	-9.54	10.25	3	Vertical	32	1.78	69	48.41	34.20	10.27	34.22
AV	5.976G	98.64	Inf	-Inf	10.23	3	Vertical	32	1.78	69	88.41	34.14	10.31	34.22
PK	5.924G	74.04	88.20	-14.16	10.25	3	Vertical	32	1.78	69	63.79	34.20	10.27	34.22
PK	5.976G	109.93	Inf	-Inf	10.23	3	Vertical	32	1.78	69	99.70	34.14	10.31	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.40	68.20	-17.80	10.25	3	Horizontal	166	2.95	69	40.15	34.20	10.27	34.22
AV	5.976G	84.60	Inf	-Inf	10.23	3	Horizontal	166	2.95	69	74.37	34.14	10.31	34.22
PK	5.9185G	61.79	88.20	-26.41	10.22	3	Horizontal	166	2.95	69	51.57	34.17	10.27	34.22
PK	5.9875G	95.33	Inf	-Inf	10.18	3	Horizontal	166	2.95	69	85.15	34.08	10.32	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.97009G	44.62	54.00	-9.38	17.73	3	Vertical	348	1.04	-	26.89	38.74	13.30	34.31
PK	11.98209G	57.24	74.00	-16.76	17.74	3	Vertical	348	1.04	-	39.50	38.76	13.30	34.32

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.97345G	44.58	54.00	-9.42	17.73	3	Horizontal	65	1.72	-	26.85	38.75	13.30	34.32
PK	11.97627G	56.58	74.00	-17.42	17.73	3	Horizontal	65	1.72	-	38.85	38.75	13.30	34.32

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	49.84	68.20	-18.36	10.25	3	Vertical	49	1.73	65	39.59	34.20	10.27	34.22
AV	6.1558G	97.90	Inf	-Inf	10.36	3	Vertical	49	1.73	65	87.54	34.10	10.49	34.23
PK	5.8954G	60.69	88.20	-27.51	10.14	3	Vertical	49	1.73	65	50.55	34.10	10.25	34.21
PK	6.1564G	109.71	Inf	-Inf	10.36	3	Vertical	49	1.73	65	99.35	34.10	10.49	34.23

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.875G	49.63	68.20	-18.57	10.13	3	Horizontal	93	2.93	65	39.50	34.10	10.24	34.21
AV	6.1684G	82.84	Inf	-Inf	10.37	3	Horizontal	93	2.93	65	72.47	34.10	10.50	34.23
PK	5.8858G	60.56	88.20	-27.64	10.13	3	Horizontal	93	2.93	65	50.43	34.10	10.24	34.21
PK	6.1756G	94.70	Inf	-Inf	10.38	3	Horizontal	93	2.93	65	84.32	34.10	10.51	34.23

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.29435G	45.02	54.00	-8.98	18.12	3	Vertical	313	1.27	-	26.90	38.81	13.49	34.18
PK	12.29882G	57.62	74.00	-16.38	18.11	3	Vertical	313	1.27	-	39.51	38.80	13.49	34.18

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.29837G	44.93	54.00	-9.07	18.11	3	Horizontal	29	1.70	-	26.82	38.80	13.49	34.18
PK	12.28082G	57.34	74.00	-16.66	18.13	3	Horizontal	29	1.70	-	39.21	38.84	13.48	34.19

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8774G	49.55	68.20	-18.65	10.13	3	Vertical	54	1.80	69	39.42	34.10	10.24	34.21
AV	6.3742G	98.59	Inf	-Inf	10.98	3	Vertical	54	1.80	69	87.61	34.60	10.63	34.25
PK	5.839G	60.49	88.20	-27.71	10.03	3	Vertical	54	1.80	69	50.46	34.03	10.21	34.21
PK	6.3742G	109.69	Inf	-Inf	10.98	3	Vertical	54	1.80	69	98.71	34.60	10.63	34.25

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8606G	49.65	68.20	-18.55	10.12	3	Horizontal	204	2.75	69	39.53	34.10	10.23	34.21
AV	6.3742G	84.45	Inf	-Inf	10.98	3	Horizontal	204	2.75	69	73.47	34.60	10.63	34.25
PK	5.9026G	60.63	88.20	-27.57	10.16	3	Horizontal	204	2.75	69	50.47	34.11	10.26	34.21
PK	6.3742G	95.23	Inf	-Inf	10.98	3	Horizontal	204	2.75	69	84.25	34.60	10.63	34.25

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.78293G	46.19	68.20	-22.01	19.77	3	Vertical	145	2.97	-	26.42	39.53	13.79	33.55
PK	12.7643G	57.99	88.20	-30.21	19.66	3	Vertical	145	2.97	-	38.33	39.46	13.78	33.58

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.7829G	46.00	68.20	-22.20	19.77	3	Horizontal	282	2.80	-	26.23	39.53	13.79	33.55
PK	12.77138G	57.98	88.20	-30.22	19.70	3	Horizontal	282	2.80	-	38.28	39.49	13.78	33.57

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8854G	49.53	68.20	-18.67	10.13	3	Vertical	34	1.70	70	39.40	34.10	10.24	34.21
AV	6.4566G	99.22	Inf	-Inf	11.36	3	Vertical	34	1.70	70	87.86	34.94	10.68	34.26
AV	7.1286G	53.05	68.20	-15.15	13.15	3	Vertical	34	1.70	70	39.90	36.43	11.24	34.52
PK	5.821G	60.27	88.20	-27.93	9.92	3	Vertical	34	1.70	70	50.35	33.93	10.20	34.21
PK	6.4524G	109.71	Inf	-Inf	11.32	3	Vertical	34	1.70	70	98.39	34.91	10.67	34.26
PK	7.158G	63.55	88.20	-24.65	13.33	3	Vertical	34	1.70	70	50.22	36.58	11.26	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8532G	49.52	68.20	-18.68	10.11	3	Horizontal	197	2.54	70	39.41	34.10	10.22	34.21
AV	6.4552G	85.16	Inf	-Inf	11.35	3	Horizontal	197	2.54	70	73.81	34.93	10.68	34.26
AV	7.1622G	52.99	68.20	-15.21	13.34	3	Horizontal	197	2.54	70	39.65	36.58	11.27	34.51
PK	5.8728G	60.21	88.20	-27.99	10.12	3	Horizontal	197	2.54	70	50.09	34.10	10.23	34.21
PK	6.4678G	96.61	Inf	-Inf	11.43	3	Horizontal	197	2.54	70	85.18	35.01	10.68	34.26
PK	7.137G	63.55	88.20	-24.65	13.23	3	Horizontal	197	2.54	70	50.32	36.50	11.25	34.52


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6465MHz_TX




802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6465MHz_TX



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9052G	49.94	68.20	-18.26	10.17	3	Vertical	35	1.62	65	39.77	34.12	10.26	34.21
AV	6.5562G	98.30	Inf	-Inf	11.79	3	Vertical	35	1.62	65	86.51	35.34	10.74	34.29
AV	7.1764G	53.27	68.20	-14.93	13.32	3	Vertical	35	1.62	65	39.95	36.55	11.28	34.51
PK	5.8478G	60.46	88.20	-27.74	10.10	3	Vertical	35	1.62	65	50.36	34.09	10.22	34.21
PK	6.5548G	109.72	Inf	-Inf	11.78	3	Vertical	35	1.62	65	97.94	35.33	10.74	34.29
PK	7.2268G	64.43	88.20	-23.77	13.41	3	Vertical	35	1.62	65	51.02	36.61	11.31	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9122G	49.67	68.20	-18.53	10.20	3	Horizontal	40	1.65	65	39.47	34.15	10.26	34.21
AV	6.5604G	81.12	Inf	-Inf	11.81	3	Horizontal	40	1.65	65	69.31	35.36	10.74	34.29
AV	7.1778G	53.14	68.20	-15.06	13.31	3	Horizontal	40	1.65	65	39.83	36.54	11.28	34.51
PK	5.9122G	59.89	88.20	-28.31	10.20	3	Horizontal	40	1.65	65	49.69	34.15	10.26	34.21
PK	6.5576G	92.28	Inf	-Inf	11.80	3	Horizontal	40	1.65	65	80.48	35.35	10.74	34.29
PK	7.175G	63.58	88.20	-24.62	13.32	3	Horizontal	40	1.65	65	50.26	36.55	11.28	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.08091G	46.90	68.20	-21.30	20.68	3	Vertical	169	2.12	-	26.22	39.72	13.97	33.01
PK	13.07884G	60.71	88.20	-27.49	20.68	3	Vertical	169	2.12	-	40.03	39.72	13.97	33.01

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.09939G	46.99	68.20	-21.21	20.71	3	Horizontal	120	2.59	-	26.28	39.70	13.99	32.98
PK	13.07764G	59.48	88.20	-28.72	20.68	3	Horizontal	120	2.59	-	38.80	39.72	13.97	33.01

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6358G	98.37	Inf	-Inf	12.14	3	Vertical	34	1.41	70	86.23	35.67	10.80	34.33
AV	7.177G	53.26	68.20	-14.94	13.32	3	Vertical	34	1.41	70	39.94	36.55	11.28	34.51
PK	6.6274G	109.30	Inf	-Inf	12.12	3	Vertical	34	1.41	70	97.18	35.65	10.80	34.33
PK	7.165G	64.48	88.20	-23.72	13.33	3	Vertical	34	1.41	70	51.15	36.57	11.27	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6358G	83.45	Inf	-Inf	12.14	3	Horizontal	24	1.08	70	71.31	35.67	10.80	34.33
AV	7.2046G	53.39	68.20	-14.81	13.31	3	Horizontal	24	1.08	70	40.08	36.52	11.30	34.51
PK	6.6418G	95.02	Inf	-Inf	12.15	3	Horizontal	24	1.08	70	82.87	35.68	10.81	34.34
PK	7.1482G	63.79	88.20	-24.41	13.33	3	Horizontal	24	1.08	70	50.46	36.59	11.26	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.25462G	47.52	54.00	-6.48	21.11	3	Vertical	147	1.24	-	26.41	39.75	14.08	32.72
PK	13.26422G	59.43	74.00	-14.57	21.14	3	Vertical	147	1.24	-	38.29	39.76	14.09	32.71

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.25552G	47.38	54.00	-6.62	21.12	3	Horizontal	277	2.28	-	26.26	39.76	14.08	32.72
PK	13.25822G	59.10	74.00	-14.90	21.12	3	Horizontal	277	2.28	-	37.98	39.76	14.08	32.72

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.698G	97.87	Inf	-Inf	12.38	3	Vertical	53	1.50	66	85.49	35.89	10.86	34.37
AV	7.139G	53.48	68.20	-14.72	13.24	3	Vertical	53	1.50	66	40.24	36.51	11.25	34.52
PK	6.736G	108.50	Inf	-Inf	12.34	3	Vertical	53	1.50	66	96.16	35.83	10.90	34.39
PK	7.127G	64.20	88.20	-24.00	13.14	3	Vertical	53	1.50	66	51.06	36.42	11.24	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	82.59	Inf	-Inf	12.36	3	Horizontal	41	1.50	66	70.23	35.86	10.86	34.36
AV	7.17G	53.12	68.20	-15.08	13.32	3	Horizontal	41	1.50	66	39.80	36.56	11.27	34.51
PK	6.702G	93.15	Inf	-Inf	12.40	3	Horizontal	41	1.50	66	80.75	35.90	10.87	34.37
PK	7.181G	64.68	88.20	-23.52	13.31	3	Horizontal	41	1.50	66	51.37	36.54	11.28	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.4058G	47.60	68.20	-20.60	21.81	3	Vertical	196	1.63	-	25.79	40.11	14.17	32.47
PK	13.4058G	60.61	88.20	-27.59	21.79	3	Vertical	196	1.63	-	38.82	40.10	14.17	32.48

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.40409G	47.51	68.20	-20.69	21.79	3	Horizontal	348	2.52	-	25.72	40.10	14.17	32.48
PK	13.40205G	59.38	88.20	-28.82	21.79	3	Horizontal	348	2.52	-	37.59	40.10	14.17	32.48

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7745G	98.44	Inf	-Inf	12.38	3	Vertical	54	1.80	64	86.06	35.85	10.94	34.41
AV	7.1315G	52.80	68.20	-15.40	13.17	3	Vertical	54	1.80	64	39.63	36.45	11.24	34.52
PK	6.7822G	109.93	Inf	-Inf	12.39	3	Vertical	54	1.80	64	97.54	35.86	10.94	34.41
PK	7.1322G	63.33	88.20	-24.87	13.18	3	Vertical	54	1.80	64	50.15	36.46	11.24	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7745G	82.62	Inf	-Inf	12.38	3	Horizontal	59	1.61	64	70.24	35.85	10.94	34.41
AV	7.1308G	52.58	68.20	-15.62	13.17	3	Horizontal	59	1.61	64	39.41	36.45	11.24	34.52
PK	6.7759G	93.32	Inf	-Inf	12.38	3	Horizontal	59	1.61	64	80.94	35.85	10.94	34.41
PK	7.1259G	63.71	88.20	-24.49	13.13	3	Horizontal	59	1.61	64	50.58	36.41	11.24	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.555G	47.35	68.20	-20.85	22.02	3	Vertical	60	1.94	-	25.33	40.09	14.27	32.34
PK	13.56301G	59.62	88.20	-28.58	21.99	3	Vertical	60	1.94	-	37.63	40.07	14.27	32.35

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.55605G	47.25	68.20	-20.95	22.02	3	Horizontal	78	1.64	-	25.23	40.09	14.27	32.34
PK	13.58023G	58.91	88.20	-29.29	21.96	3	Horizontal	78	1.64	-	36.95	40.04	14.28	32.36

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8762G	98.21	Inf	-Inf	12.26	3	Vertical	55	1.82	70	85.95	35.70	11.02	34.46
AV	7.1716G	53.29	68.20	-14.91	13.33	3	Vertical	55	1.82	70	39.96	36.56	11.28	34.51
PK	6.8678G	110.13	Inf	-Inf	12.26	3	Vertical	55	1.82	70	97.87	35.70	11.02	34.46
PK	7.159G	64.33	88.20	-23.87	13.34	3	Vertical	55	1.82	70	50.99	36.58	11.27	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8559G	81.83	Inf	-Inf	12.26	3	Horizontal	60	1.33	70	69.57	35.70	11.01	34.45
AV	7.1933G	53.12	68.20	-15.08	13.29	3	Horizontal	60	1.33	70	39.83	36.51	11.29	34.51
PK	6.8559G	92.99	Inf	-Inf	12.26	3	Horizontal	60	1.33	70	80.73	35.70	11.01	34.45
PK	7.1415G	64.43	88.20	-23.77	13.26	3	Horizontal	60	1.33	70	51.17	36.53	11.25	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.73882G	52.22	68.20	-15.98	21.65	3	Vertical	37	1.74	-	30.57	39.70	14.38	32.43
PK	13.73927G	64.37	88.20	-23.83	21.65	3	Vertical	37	1.74	-	42.72	39.70	14.38	32.43

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.71878G	51.92	68.20	-16.28	21.65	3	Horizontal	208	2.58	-	30.27	39.70	14.37	32.42
PK	13.7426G	64.52	88.20	-23.68	21.65	3	Horizontal	208	2.58	-	42.87	39.70	14.38	32.43

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9534G	98.91	Inf	-Inf	12.29	3	Vertical	56	1.72	71	86.62	35.70	11.09	34.50
AV	7.1928G	53.82	68.20	-14.38	13.29	3	Vertical	56	1.72	71	40.53	36.51	11.29	34.51
PK	6.9564G	110.54	Inf	-Inf	12.28	3	Vertical	56	1.72	71	98.26	35.70	11.09	34.51
PK	7.1514G	64.77	88.20	-23.43	13.35	3	Vertical	56	1.72	71	51.42	36.60	11.26	34.51

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9498G	80.70	Inf	-Inf	12.29	3	Horizontal	287	2.00	71	68.41	35.70	11.09	34.50
AV	7.1538G	53.41	68.20	-14.79	13.34	3	Horizontal	287	2.00	71	40.07	36.59	11.26	34.51
PK	6.9486G	92.19	Inf	-Inf	12.29	3	Horizontal	287	2.00	71	79.90	35.70	11.09	34.50
PK	7.1394G	64.84	88.20	-23.36	13.25	3	Horizontal	287	2.00	71	51.59	36.52	11.25	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.88604G	52.81	68.20	-15.39	21.68	3	Vertical	50	1.38	-	31.13	39.70	14.47	32.49
PK	13.88319G	64.39	88.20	-23.81	21.68	3	Vertical	50	1.38	-	42.71	39.70	14.47	32.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.89093G	52.76	68.20	-15.44	21.68	3	Horizontal	315	1.25	-	31.08	39.70	14.47	32.49
PK	13.87701G	64.67	88.20	-23.53	21.67	3	Horizontal	315	1.25	-	43.00	39.70	14.46	32.49

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.016G	98.87	Inf	-Inf	12.41	3	Vertical	57	1.85	70	86.46	35.80	11.14	34.53
AV	7.1315G	55.41	68.20	-12.79	13.17	3	Vertical	57	1.85	70	42.24	36.45	11.24	34.52
PK	7.007G	109.94	Inf	-Inf	12.35	3	Vertical	57	1.85	70	97.59	35.74	11.14	34.53
PK	7.1294G	67.80	88.20	-20.40	13.16	3	Vertical	57	1.85	70	54.64	36.44	11.24	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0103G	81.97	Inf	-Inf	12.37	3	Horizontal	220	1.68	70	69.60	35.76	11.14	34.53
AV	7.1363G	53.19	68.20	-15.01	13.22	3	Horizontal	220	1.68	70	39.97	36.49	11.25	34.52
PK	7.0556G	92.79	Inf	-Inf	12.68	3	Horizontal	220	1.68	70	80.11	36.02	11.18	34.52
PK	7.1354G	64.35	88.20	-23.85	13.21	3	Horizontal	220	1.68	70	51.14	36.48	11.25	34.52

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.05858G	52.48	68.20	-15.72	21.95	3	Vertical	9	1.57	-	30.53	39.98	14.58	32.61
PK	14.0638G	64.92	88.20	-23.28	21.96	3	Vertical	9	1.57	-	42.96	39.99	14.59	32.62

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.06194G	52.39	68.20	-15.81	21.96	3	Horizontal	23	1.64	-	30.43	39.99	14.59	32.62
PK	14.04502G	64.35	88.20	-23.85	21.91	3	Horizontal	23	1.64	-	42.44	39.94	14.57	32.60

802.11ax HEW80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	56.97	68.20	-11.23	10.25	3	Vertical	225	1.82	-	46.72	34.20	10.27	34.22
AV	6G	100.55	Inf	-Inf	10.11	3	Vertical	225	1.82	-	90.44	34.00	10.33	34.22
PK	5.9245G	74.88	88.20	-13.32	10.25	3	Vertical	225	1.82	-	64.63	34.20	10.27	34.22
PK	5.9985G	112.01	Inf	-Inf	10.12	3	Vertical	225	1.82	-	101.89	34.01	10.33	34.22

802.11ax HEW80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	50.94	68.20	-17.26	10.22	3	Horizontal	339	2.92	-	40.72	34.16	10.27	34.21
AV	5.996G	88.61	Inf	-Inf	10.13	3	Horizontal	339	2.92	-	78.48	34.02	10.33	34.22
PK	5.907G	63.13	88.20	-25.07	10.18	3	Horizontal	339	2.92	-	52.95	34.13	10.26	34.21
PK	5.992G	101.72	Inf	-Inf	10.15	3	Horizontal	339	2.92	-	91.57	34.05	10.32	34.22


802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX



802.11ax HEW80_Nss2,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9152G	50.88	68.20	-17.32	10.22	3	Vertical	58	1.98	-	40.66	34.16	10.27	34.21
AV	6.1534G	100.87	Inf	-Inf	10.35	3	Vertical	58	1.98	-	90.52	34.10	10.48	34.23
PK	5.8534G	61.94	88.20	-26.26	10.11	3	Vertical	58	1.98	-	51.83	34.10	10.22	34.21
PK	6.1582G	111.70	Inf	-Inf	10.36	3	Vertical	58	1.98	-	101.34	34.10	10.49	34.23

802.11ax HEW80_Nss2,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.887G	50.93	68.20	-17.27	10.14	3	Horizontal	9	1.81	-	40.79	34.10	10.25	34.21
AV	6.1498G	86.02	Inf	-Inf	10.35	3	Horizontal	9	1.81	-	75.67	34.10	10.48	34.23
PK	5.9086G	61.66	88.20	-26.54	10.18	3	Horizontal	9	1.81	-	51.48	34.13	10.26	34.21
PK	6.1564G	97.55	Inf	-Inf	10.36	3	Horizontal	9	1.81	-	87.19	34.10	10.49	34.23


802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX



802.11ax HEW80_Nss2,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8678G	50.66	68.20	-17.54	10.12	3	Vertical	54	1.79	-	40.54	34.10	10.23	34.21
AV	6.3766G	100.51	Inf	-Inf	10.99	3	Vertical	54	1.79	-	89.52	34.61	10.63	34.25
PK	5.8918G	61.41	88.20	-26.79	10.14	3	Vertical	54	1.79	-	51.27	34.10	10.25	34.21
PK	6.3982G	111.96	Inf	-Inf	11.08	3	Vertical	54	1.79	-	100.88	34.69	10.64	34.25

802.11ax HEW80_Nss2,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.863G	50.89	68.20	-17.31	10.12	3	Horizontal	85	1.03	-	40.77	34.10	10.23	34.21
AV	6.3994G	82.89	Inf	-Inf	11.09	3	Horizontal	85	1.03	-	71.80	34.70	10.64	34.25
PK	5.8834G	61.76	88.20	-26.44	10.13	3	Horizontal	85	1.03	-	51.63	34.10	10.24	34.21
PK	6.397G	94.46	Inf	-Inf	11.08	3	Horizontal	85	1.03	-	83.38	34.69	10.64	34.25


802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX



802.11ax HEW80_Nss2,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8518G	50.57	68.20	-17.63	10.11	3	Vertical	50	1.73	-	40.46	34.10	10.22	34.21
AV	6.4552G	100.24	Inf	-Inf	11.35	3	Vertical	50	1.73	-	88.89	34.93	10.68	34.26
AV	7.1622G	54.36	68.20	-13.84	13.34	3	Vertical	50	1.73	-	41.02	36.58	11.27	34.51
PK	5.7944G	61.07	88.20	-27.13	9.76	3	Vertical	50	1.73	-	51.31	33.79	10.18	34.21
PK	6.4524G	111.64	Inf	-Inf	11.32	3	Vertical	50	1.73	-	100.32	34.91	10.67	34.26
PK	7.1622G	65.56	88.20	-22.64	13.34	3	Vertical	50	1.73	-	52.22	36.58	11.27	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	50.49	68.20	-17.71	10.14	3	Horizontal	85	1.00	-	40.35	34.10	10.25	34.21
AV	6.4874G	83.69	Inf	-Inf	11.56	3	Horizontal	85	1.00	-	72.13	35.12	10.70	34.26
AV	7.1594G	54.42	68.20	-13.78	13.34	3	Horizontal	85	1.00	-	41.08	36.58	11.27	34.51
PK	5.9218G	61.75	88.20	-26.45	10.24	3	Horizontal	85	1.00	-	51.51	34.19	10.27	34.22
PK	6.4916G	95.14	Inf	-Inf	11.59	3	Horizontal	85	1.00	-	83.55	35.15	10.70	34.26
PK	7.1454G	66.03	88.20	-22.17	13.29	3	Horizontal	85	1.00	-	52.74	36.56	11.25	34.52

802.11ax HEW80_Nss2,(MCS0)_2TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.92236G	46.58	68.20	-21.62	20.23	3	Vertical	115	1.08	-	26.35	39.64	13.88	33.29
PK	12.92268G	58.98	88.20	-29.22	20.24	3	Vertical	115	1.08	-	38.74	39.65	13.88	33.29

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.9355G	46.35	68.20	-21.85	20.30	3	Horizontal	330	2.54	-	26.05	39.67	13.89	33.26
PK	12.92104G	58.53	88.20	-29.67	20.23	3	Horizontal	330	2.54	-	38.30	39.64	13.88	33.29