


Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	42.61M	35.94	40.00	-4.06	-13.84	3	Horizontal	360	1.25	"Worst"	49.78	17.28	0.36	31.48		
PK	48.43M	34.99	40.00	-5.01	-16.50	3	Horizontal	114	2.00	-	51.49	14.59	0.42	31.51		
PK	83.35M	27.48	40.00	-12.52	-17.67	3	Horizontal	338	1.25	-	45.15	13.55	0.74	31.96		
PK	920.46M	32.29	46.00	-13.71	-2.49	3	Horizontal	214	1.50	-	34.78	26.87	3.31	32.67		
PK	925.31M	31.78	46.00	-14.22	-2.53	3	Horizontal	215	1.00	-	34.31	26.84	3.32	32.69		
PK	944.71M	31.90	46.00	-14.10	-2.61	3	Horizontal	0	2.00	-	34.51	26.78	3.35	32.74		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4838G	53.96	54.00	-0.04	3	Vertical	307	1.98	80

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 81
81\85\83\82\81
1.04\0.86\0.77\1.57\2.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3895G	59.85	74.00	-14.15	27.72	3	Vertical	87	1.80	81	27.60	4.53	-			
AV	2.3893G	51.77	54.00	-2.23	19.64	3	Vertical	87	1.80	81	27.60	4.53	-			
PK	2.413G	108.12	Inf	-Inf	76.06	3	Vertical	87	1.80	81	27.50	4.56	-			
AV	2.4113G	104.33	Inf	-Inf	72.27	3	Vertical	87	1.80	81	27.50	4.56	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 81
81
6.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3892G	56.65	74.00	-17.35	24.52	3	Horizontal	222	1.70	81	27.60	4.53	-				
AV	2.3893G	48.00	54.00	-6.00	15.87	3	Horizontal	222	1.70	81	27.60	4.53	-				
PK	2.413G	103.98	Inf	-Inf	71.92	3	Horizontal	222	1.70	81	27.50	4.56	-				
AV	2.4113G	100.29	Inf	-Inf	68.23	3	Horizontal	222	1.70	81	27.50	4.56	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 81
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.8238G	46.22	74.00	-27.78	41.96	3	Vertical	247	2.49	81	31.20	6.73	33.67				
AV	4.82396G	33.55	54.00	-20.45	29.29	3	Vertical	247	2.49	81	31.20	6.73	33.67				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 81
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.84352G	45.99	74.00	-28.01	41.72	3	Horizontal	24	1.80	81	31.20	6.74	33.67			
AV	4.81452G	32.27	54.00	-21.73	28.02	3	Horizontal	24	1.80	81	31.20	6.72	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUTZ_1TX
Setting 90
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	60.52	74.00	-13.48	27.47	3	Vertical	334	2.66	-	28.40	4.65	-			
AV	2.39G	53.82	54.00	-0.18	20.77	3	Vertical	334	2.66	-	28.40	4.65	-			
PK	2.418G	112.76	Inf	-Inf	79.70	3	Vertical	334	2.66	-	28.38	4.68	-			
AV	2.4162G	108.91	Inf	-Inf	75.87	3	Vertical	334	2.66	-	28.36	4.68	-			
PK	2.4862G	57.22	74.00	-16.78	23.90	3	Vertical	334	2.66	-	28.56	4.76	-			
AV	2.4962G	45.35	54.00	-8.65	11.98	3	Vertical	334	2.66	-	28.60	4.77	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 90
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3888G	57.91	74.00	-16.09	24.86	3	Horizontal	255	1.50	-	28.40	4.65	-			
AV	2.39G	48.17	54.00	-5.83	15.12	3	Horizontal	255	1.50	-	28.40	4.65	-			
PK	2.418G	106.55	Inf	-Inf	73.49	3	Horizontal	255	1.50	-	28.38	4.68	-			
AV	2.4178G	102.72	Inf	-Inf	69.66	3	Horizontal	255	1.50	-	28.38	4.68	-			
PK	2.4884G	57.41	74.00	-16.59	24.07	3	Horizontal	255	1.50	-	28.58	4.76	-			
AV	2.4984G	45.36	54.00	-8.64	11.99	3	Horizontal	255	1.50	-	28.60	4.77	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
81\108
8.25\7.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38836G	55.17	74.00	-18.83	23.04	3	Vertical	304	1.80	108	27.60	4.53	-			
AV	2.38852G	45.11	54.00	-8.89	12.98	3	Vertical	304	1.80	108	27.60	4.53	-			
PK	2.43604G	109.08	Inf	-Inf	77.05	3	Vertical	304	1.80	108	27.44	4.59	-			
AV	2.4362G	105.49	Inf	-Inf	73.46	3	Vertical	304	1.80	108	27.44	4.59	-			
PK	2.4858G	57.68	74.00	-16.32	25.55	3	Vertical	304	1.80	108	27.46	4.67	-			
AV	2.48532G	46.93	54.00	-7.07	14.81	3	Vertical	304	1.80	108	27.45	4.67	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
108
8.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38868G	55.28	74.00	-18.72	23.15	3	Horizontal	312	1.64	108	27.60	4.53	-				
AV	2.38836G	44.46	54.00	-9.54	12.33	3	Horizontal	312	1.64	108	27.60	4.53	-				
PK	2.43604G	104.01	Inf	-Inf	71.98	3	Horizontal	312	1.64	108	27.44	4.59	-				
AV	2.4362G	100.41	Inf	-Inf	68.38	3	Horizontal	312	1.64	108	27.44	4.59	-				
PK	2.4858G	55.73	74.00	-18.27	23.60	3	Horizontal	312	1.64	108	27.46	4.67	-				
AV	2.48532G	45.12	54.00	-8.88	13.00	3	Horizontal	312	1.64	108	27.45	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8576G	45.74	74.00	-28.26	41.48	3	Vertical	297	1.80	108	31.18	6.75	33.67				
AV	4.86576G	32.17	54.00	-21.83	27.92	3	Vertical	297	1.80	108	31.17	6.75	33.67				
PK	7.32668G	52.69	74.00	-21.31	40.89	3	Vertical	271	2.29	108	36.55	8.79	33.54				
AV	7.33076G	39.56	54.00	-14.44	27.77	3	Vertical	271	2.29	108	36.54	8.80	33.55				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87644G	45.29	74.00	-28.71	41.05	3	Horizontal	16	1.80	108	31.15	6.76	33.67				
AV	4.88036G	32.07	54.00	-21.93	27.84	3	Horizontal	16	1.80	108	31.14	6.76	33.67				
PK	7.3104G	52.58	74.00	-21.42	40.80	3	Horizontal	116	1.80	108	36.58	8.74	33.54				
AV	7.32764G	39.47	54.00	-14.53	27.68	3	Horizontal	116	1.80	108	36.54	8.79	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 82
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3638G	56.71	74.00	-17.29	23.74	3	Vertical	342	2.66	-	28.34	4.63	-			
AV	2.3852G	44.94	54.00	-9.06	11.89	3	Vertical	342	2.66	-	28.40	4.65	-			
PK	2.456G	110.78	Inf	-Inf	77.60	3	Vertical	342	2.66	-	28.46	4.72	-			
AV	2.4562G	107.12	Inf	-Inf	73.94	3	Vertical	342	2.66	-	28.46	4.72	-			
PK	2.4836G	59.89	74.00	-14.11	26.59	3	Vertical	342	2.66	-	28.54	4.76	-			
AV	2.4836G	49.97	54.00	-4.03	16.67	3	Vertical	342	2.66	-	28.54	4.76	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 82
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3578G	56.66	74.00	-17.34	23.74	3	Horizontal	136	1.09	-	28.30	4.62	-			
AV	2.3868G	44.88	54.00	-9.12	11.83	3	Horizontal	136	1.09	-	28.40	4.65	-			
PK	2.458G	107.06	Inf	-Inf	73.85	3	Horizontal	136	1.09	-	28.48	4.73	-			
AV	2.4578G	103.19	Inf	-Inf	69.98	3	Horizontal	136	1.09	-	28.48	4.73	-			
PK	2.4866G	59.31	74.00	-14.69	25.98	3	Horizontal	136	1.09	-	28.57	4.76	-			
AV	2.4835G	50.08	54.00	-3.92	16.78	3	Horizontal	136	1.09	-	28.54	4.76	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 80
81\66\85\76\80
-3.73\9.54\9.43\6.09\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	108.15	Inf	-Inf	76.12	3	Vertical	88	1.68	80	27.40	4.63	-			
AV	2.4613G	104.36	Inf	-Inf	72.33	3	Vertical	88	1.68	80	27.40	4.63	-			
PK	2.4846G	59.99	74.00	-14.01	27.87	3	Vertical	88	1.68	80	27.45	4.67	-			
AV	2.4847G	52.89	54.00	-1.11	20.77	3	Vertical	88	1.68	80	27.45	4.67	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 80
80
6.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.463G	103.58	Inf	-Inf	71.55	3	Horizontal	318	1.81	80	27.40	4.63	-				
AV	2.4613G	99.76	Inf	-Inf	67.73	3	Horizontal	318	1.81	80	27.40	4.63	-				
PK	2.485G	57.25	74.00	-16.75	25.13	3	Horizontal	318	1.81	80	27.45	4.67	-				
AV	2.4848G	47.91	54.00	-6.09	15.79	3	Horizontal	318	1.81	80	27.45	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 80
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92384G	47.62	74.00	-26.38	43.26	3	Vertical	121	2.51	80	31.24	6.79	33.67				
AV	4.92404G	35.48	54.00	-18.52	31.12	3	Vertical	121	2.51	80	31.24	6.79	33.67				
PK	7.39928G	53.07	74.00	-20.93	41.27	3	Vertical	16	2.05	80	36.40	8.98	33.58				
AV	7.39996G	39.72	54.00	-14.28	27.92	3	Vertical	16	2.05	80	36.40	8.98	33.58				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 80
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.94248G	45.38	74.00	-28.62	40.91	3	Horizontal	116	2.95	80	31.35	6.80	33.68				
AV	4.92396G	34.14	54.00	-19.86	29.78	3	Horizontal	116	2.95	80	31.24	6.79	33.67				
PK	7.40384G	52.97	74.00	-21.03	41.15	3	Horizontal	5	1.80	80	36.42	8.98	33.58				
AV	7.4058G	39.63	54.00	-14.37	27.82	3	Horizontal	5	1.80	80	36.42	8.97	33.58				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
80\40\73\84\79\77\76
-10.49\8.31\6.60\10.68\10.29\2.83\2.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	61.79	74.00	-12.21	29.66	3	Vertical	86	1.76	76	27.60	4.53	-			
AV	2.39G	51.48	54.00	-2.52	19.35	3	Vertical	86	1.76	76	27.60	4.53	-			
PK	2.4156G	107.02	Inf	-Inf	74.96	3	Vertical	86	1.76	76	27.50	4.56	-			
AV	2.418G	97.62	Inf	-Inf	65.55	3	Vertical	86	1.76	76	27.50	4.57	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
76
6.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.39G	57.64	74.00	-16.36	25.51	3	Horizontal	342	1.61	76	27.60	4.53	-				
AV	2.3889G	47.61	54.00	-6.39	15.48	3	Horizontal	342	1.61	76	27.60	4.53	-				
PK	2.4182G	102.79	Inf	-Inf	70.72	3	Horizontal	342	1.61	76	27.50	4.57	-				
AV	2.4188G	93.20	Inf	-Inf	61.13	3	Horizontal	342	1.61	76	27.50	4.57	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8314G	45.28	74.00	-28.72	41.02	3	Vertical	181	2.11	76	31.20	6.73	33.67			
AV	4.82688G	35.08	54.00	-18.92	30.82	3	Vertical	181	2.11	76	31.20	6.73	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81832G	45.70	74.00	-28.30	41.45	3	Horizontal	0	1.80	76	31.20	6.72	33.67			
AV	4.82444G	35.08	54.00	-18.92	30.82	3	Horizontal	0	1.80	76	31.20	6.73	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	60.85	74.00	-13.15	27.80	3	Vertical	334	2.70	-	28.40	4.65	-			
AV	2.3896G	50.07	54.00	-3.93	17.02	3	Vertical	334	2.70	-	28.40	4.65	-			
PK	2.4216G	110.82	Inf	-Inf	77.74	3	Vertical	334	2.70	-	28.40	4.68	-			
AV	2.424G	101.90	Inf	-Inf	68.81	3	Vertical	334	2.70	-	28.40	4.69	-			
PK	2.489G	57.53	74.00	-16.47	24.18	3	Vertical	334	2.70	-	28.59	4.76	-			
AV	2.487G	47.17	54.00	-6.83	13.84	3	Vertical	334	2.70	-	28.57	4.76	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	60.55	74.00	-13.45	27.50	3	Horizontal	253	1.26	-	28.40	4.65	-			
AV	2.3882G	50.07	54.00	-3.93	17.02	3	Horizontal	253	1.26	-	28.40	4.65	-			
PK	2.4206G	105.42	Inf	-Inf	72.34	3	Horizontal	253	1.26	-	28.40	4.68	-			
AV	2.4244G	97.08	Inf	-Inf	63.99	3	Horizontal	253	1.26	-	28.40	4.69	-			
PK	2.4964G	59.08	74.00	-14.92	25.71	3	Horizontal	253	1.26	-	28.60	4.77	-			
AV	2.4862G	47.01	54.00	-6.99	13.69	3	Horizontal	253	1.26	-	28.56	4.76	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 103
76\103
6.76\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.389G	60.85	74.00	-13.15	28.72	3	Vertical	302	1.80	103	27.60	4.53	-				
AV	2.3898G	50.96	54.00	-3.04	18.83	3	Vertical	302	1.80	103	27.60	4.53	-				
PK	2.4354G	109.87	Inf	-Inf	77.83	3	Vertical	302	1.80	103	27.45	4.59	-				
AV	2.4386G	101.13	Inf	-Inf	69.12	3	Vertical	302	1.80	103	27.41	4.60	-				
PK	2.48404G	65.89	74.00	-8.11	33.78	3	Vertical	302	1.80	103	27.44	4.67	-				
AV	2.4842G	53.58	54.00	-0.42	21.47	3	Vertical	302	1.80	103	27.44	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 103
103
4.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.389G	56.43	74.00	-17.57	24.30	3	Horizontal	309	1.64	103	27.60	4.53	-				
AV	2.38964G	48.12	54.00	-5.88	15.99	3	Horizontal	309	1.64	103	27.60	4.53	-				
PK	2.43572G	104.75	Inf	-Inf	72.72	3	Horizontal	309	1.64	103	27.44	4.59	-				
AV	2.43012G	96.07	Inf	-Inf	63.98	3	Horizontal	309	1.64	103	27.50	4.59	-				
PK	2.48484G	60.16	74.00	-13.84	28.04	3	Horizontal	309	1.64	103	27.45	4.67	-				
AV	2.4842G	49.44	54.00	-4.56	17.33	3	Horizontal	309	1.64	103	27.44	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 103
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8678G	45.78	74.00	-28.22	41.54	3	Vertical	317.1	1.80	103	31.16	6.75	33.67				
AV	4.87356G	34.35	54.00	-19.65	30.11	3	Vertical	317.1	1.80	103	31.15	6.76	33.67				
PK	7.31112G	52.62	74.00	-21.38	40.84	3	Vertical	103	1.12	103	36.58	8.74	33.54				
AV	7.32952G	41.69	54.00	-12.31	29.90	3	Vertical	103	1.12	103	36.54	8.79	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 103
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85468G	45.77	74.00	-28.23	41.50	3	Horizontal	88	1.80	103	31.19	6.75	33.67				
AV	4.893G	34.50	54.00	-19.50	30.29	3	Horizontal	88	1.80	103	31.11	6.77	33.67				
PK	7.31688G	52.89	74.00	-21.11	41.10	3	Horizontal	244	1.43	103	36.57	8.76	33.54				
AV	7.32636G	42.25	54.00	-11.75	30.46	3	Horizontal	244	1.43	103	36.55	8.78	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 75
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.369G	56.28	74.00	-17.72	23.26	3	Vertical	338	2.89	-	28.39	4.63	-			
AV	2.3814G	46.50	54.00	-7.50	13.46	3	Vertical	338	2.89	-	28.40	4.64	-			
PK	2.4606G	109.08	Inf	-Inf	75.85	3	Vertical	338	2.89	-	28.50	4.73	-			
AV	2.4596G	100.28	Inf	-Inf	67.05	3	Vertical	338	2.89	-	28.50	4.73	-			
PK	2.4842G	63.44	74.00	-10.56	30.14	3	Vertical	338	2.89	-	28.54	4.76	-			
AV	2.484G	52.94	54.00	-1.06	19.64	3	Vertical	338	2.89	-	28.54	4.76	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 75
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3856G	56.94	74.00	-17.06	23.89	3	Horizontal	125	2.80	-	28.40	4.65	-			
AV	2.366G	46.47	54.00	-7.53	13.48	3	Horizontal	125	2.80	-	28.36	4.63	-			
PK	2.4606G	106.22	Inf	-Inf	72.99	3	Horizontal	125	2.80	-	28.50	4.73	-			
AV	2.4636G	97.16	Inf	-Inf	63.93	3	Horizontal	125	2.80	-	28.50	4.73	-			
PK	2.4836G	58.94	74.00	-15.06	25.64	3	Horizontal	125	2.80	-	28.54	4.76	-			
AV	2.4848G	48.39	54.00	-5.61	15.08	3	Horizontal	125	2.80	-	28.55	4.76	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
76\65\80\73\75\74
-2.56\6.96\17.22\3.41\0.75\1.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4682G	107.08	Inf	-Inf	75.04	3	Vertical	100	1.69	74	27.40	4.64	-				
AV	2.4684G	97.69	Inf	-Inf	65.65	3	Vertical	100	1.69	74	27.40	4.64	-				
PK	2.4842G	62.10	74.00	-11.90	29.99	3	Vertical	100	1.69	74	27.44	4.67	-				
AV	2.4847G	52.24	54.00	-1.76	20.12	3	Vertical	100	1.69	74	27.45	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
74
6.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4655G	101.79	Inf	-Inf	69.75	3	Horizontal	318	1.80	74	27.40	4.64	-			
AV	2.4634G	92.89	Inf	-Inf	60.85	3	Horizontal	318	1.80	74	27.40	4.64	-			
PK	2.4852G	57.36	74.00	-16.64	25.24	3	Horizontal	318	1.80	74	27.45	4.67	-			
AV	2.4837G	47.85	54.00	-6.15	15.74	3	Horizontal	318	1.80	74	27.44	4.67	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91432G	46.08	74.00	-27.92	41.78	3	Vertical	78	1.80	74	31.19	6.78	33.67				
AV	4.92124G	35.05	54.00	-18.95	30.70	3	Vertical	78	1.80	74	31.23	6.79	33.67				
PK	7.39696G	53.23	74.00	-20.77	41.42	3	Vertical	219	1.08	74	36.41	8.97	33.57				
AV	7.39776G	41.83	54.00	-12.17	30.04	3	Vertical	219	1.08	74	36.40	8.97	33.58				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.9144G	45.87	74.00	-28.13	41.57	3	Horizontal	360	2.59	74	31.19	6.78	33.67				
AV	4.90792G	34.93	54.00	-19.07	30.67	3	Horizontal	360	2.59	74	31.15	6.78	33.67				
PK	7.38252G	52.58	74.00	-21.42	40.79	3	Horizontal	169	1.97	74	36.43	8.93	33.57				
AV	7.3996G	42.17	54.00	-11.83	30.37	3	Horizontal	169	1.97	74	36.40	8.98	33.58				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
80\40\72\84\78\75\76\83\76
-15.20\8.07\6.41\15.00\15.03\5.38\4.12\15.05\3.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3891G	60.63	74.00	-13.37	28.50	3	Vertical	84	1.77	76	27.60	4.53	-				
AV	2.3875G	50.60	54.00	-3.40	18.47	3	Vertical	84	1.77	76	27.60	4.53	-				
PK	2.4181G	109.39	Inf	-Inf	77.32	3	Vertical	84	1.77	76	27.50	4.57	-				
AV	2.4145G	97.25	Inf	-Inf	65.19	3	Vertical	84	1.77	76	27.50	4.56	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
76
4.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3891G	59.73	74.00	-14.27	27.60	3	Horizontal	225	1.53	76	27.60	4.53	-				
AV	2.3892G	49.22	54.00	-4.78	17.09	3	Horizontal	225	1.53	76	27.60	4.53	-				
PK	2.4156G	104.22	Inf	-Inf	72.16	3	Horizontal	225	1.53	76	27.50	4.56	-				
AV	2.4098G	93.47	Inf	-Inf	61.42	3	Horizontal	225	1.53	76	27.50	4.55	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8174G	45.68	74.00	-28.32	41.43	3	Vertical	208	2.07	76	31.20	6.72	33.67			
AV	4.83108G	34.77	54.00	-19.23	30.51	3	Vertical	208	2.07	76	31.20	6.73	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 76
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81844G	45.45	74.00	-28.55	41.20	3	Horizontal	298	1.80	76	31.20	6.72	33.67			
AV	4.83584G	34.77	54.00	-19.23	30.51	3	Horizontal	298	1.80	76	31.20	6.73	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX



EUT_Z_1TX

SET 76


76\99\88\83\81\80\79\72\75\76

5.96\ -3.52\ -3.35\ -3.98\ -3.21\ -2.98\ -3.47\ 7.61\ 6.45\ 5.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3882G	55.99	74.00	-18.01	23.86	3	Vertical	300	1.80	76	27.60	4.53	-				
AV	2.38948G	46.74	54.00	-7.26	14.61	3	Vertical	300	1.80	76	27.60	4.53	-				
PK	2.43492G	108.44	Inf	-Inf	76.40	3	Vertical	300	1.80	76	27.45	4.59	-				
AV	2.4338G	98.05	Inf	-Inf	66.00	3	Vertical	300	1.80	76	27.46	4.59	-				
PK	2.48628G	58.54	74.00	-15.46	26.41	3	Vertical	300	1.80	76	27.46	4.67	-				
AV	2.4842G	48.01	54.00	-5.99	15.90	3	Vertical	300	1.80	76	27.44	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 76
76
7.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.37748G	55.61	74.00	-18.39	23.48	3	Horizontal	309	1.62	76	27.60	4.53	-			
AV	2.38996G	45.93	54.00	-8.07	13.80	3	Horizontal	309	1.62	76	27.60	4.53	-			
PK	2.42836G	102.57	Inf	-Inf	70.49	3	Horizontal	309	1.62	76	27.50	4.58	-			
AV	2.42884G	92.96	Inf	-Inf	60.88	3	Horizontal	309	1.62	76	27.50	4.58	-			
PK	2.48388G	56.22	74.00	-17.78	24.11	3	Horizontal	309	1.62	76	27.44	4.67	-			
AV	2.48516G	46.81	54.00	-7.19	14.69	3	Horizontal	309	1.62	76	27.45	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 76
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85508G	45.63	74.00	-28.37	41.36	3	Vertical	262	2.14	76	31.19	6.75	33.67				
AV	4.88396G	35.12	54.00	-18.88	30.90	3	Vertical	262	2.14	76	31.13	6.76	33.67				
PK	7.29848G	54.23	74.00	-19.77	42.46	3	Vertical	325	1.80	76	36.59	8.71	33.53				
AV	7.31812G	41.80	54.00	-12.20	30.02	3	Vertical	325	1.80	76	36.56	8.76	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 76
06-E-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.87924G	45.31	74.00	-28.69	41.08	3	Horizontal	40	1.80	76	31.14	6.76	33.67					
AV	4.85468G	34.73	54.00	-19.27	30.46	3	Horizontal	40	1.80	76	31.19	6.75	33.67					
PK	7.31732G	52.50	74.00	-21.50	40.71	3	Horizontal	15	1.80	76	36.57	8.76	33.54					
AV	7.31248G	41.71	54.00	-12.29	29.92	3	Horizontal	15	1.80	76	36.58	8.75	33.54					

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
76\60\80\70\75\73\74
-3.90\7.10\21.84\4.84\0.48\2.05\1.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4653G	108.73	Inf	-Inf	76.69	3	Vertical	97	1.70	74	27.40	4.64	-				
AV	2.4687G	97.57	Inf	-Inf	65.53	3	Vertical	97	1.70	74	27.40	4.64	-				
PK	2.4835G	62.27	74.00	-11.73	30.17	3	Vertical	97	1.70	74	27.43	4.67	-				
AV	2.4837G	52.93	54.00	-1.07	20.82	3	Vertical	97	1.70	74	27.44	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
74
6.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4577G	103.90	Inf	-Inf	71.87	3	Horizontal	317	1.80	74	27.40	4.63	-			
AV	2.4634G	92.45	Inf	-Inf	60.41	3	Horizontal	317	1.80	74	27.40	4.64	-			
PK	2.4835G	57.05	74.00	-16.95	24.95	3	Horizontal	317	1.80	74	27.43	4.67	-			
AV	2.4836G	47.11	54.00	-6.89	15.00	3	Horizontal	317	1.80	74	27.44	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91576G	46.64	74.00	-27.36	42.33	3	Vertical	1	1.80	74	31.19	6.79	33.67				
AV	4.91332G	34.73	54.00	-19.27	30.44	3	Vertical	1	1.80	74	31.18	6.78	33.67				
PK	7.40184G	52.59	74.00	-21.41	40.78	3	Vertical	213.1	1.80	74	36.41	8.98	33.58				
AV	7.39892G	42.56	54.00	-11.44	30.76	3	Vertical	213.1	1.80	74	36.40	8.98	33.58				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92592G	45.63	74.00	-28.37	41.25	3	Horizontal	36	1.57	74	31.26	6.79	33.67				
AV	4.9174G	34.69	54.00	-19.31	30.37	3	Horizontal	36	1.57	74	31.20	6.79	33.67				
PK	7.40568G	53.68	74.00	-20.32	41.87	3	Horizontal	188	1.80	74	36.42	8.97	33.58				
AV	7.40152G	42.22	54.00	-11.78	30.41	3	Horizontal	188	1.80	74	36.41	8.98	33.58				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 80
80
0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3888G	60.94	74.00	-13.06	28.81	3	Vertical	318	1.87	80	27.60	4.53	-				
AV	2.3893G	53.89	54.00	-0.11	21.76	3	Vertical	318	1.87	80	27.60	4.53	-				
PK	2.413G	109.61	Inf	-Inf	77.55	3	Vertical	318	1.87	80	27.50	4.56	-				
AV	2.4113G	105.80	Inf	-Inf	73.74	3	Vertical	318	1.87	80	27.50	4.56	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 80
80
2.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3895G	59.44	74.00	-14.56	27.31	3	Horizontal	319	1.88	80	27.60	4.53	-			
AV	2.3882G	51.87	54.00	-2.13	19.74	3	Horizontal	319	1.88	80	27.60	4.53	-			
PK	2.413G	109.85	Inf	-Inf	77.79	3	Horizontal	319	1.88	80	27.50	4.56	-			
AV	2.4113G	106.02	Inf	-Inf	73.96	3	Horizontal	319	1.88	80	27.50	4.56	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
 SET 80
 06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82168G	45.93	74.00	-28.07	41.68	3	Vertical	170	2.60	80	31.20	6.72	33.67			
AV	4.82396G	34.55	54.00	-19.45	30.29	3	Vertical	170	2.60	80	31.20	6.73	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 80
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.84072G	45.50	74.00	-28.50	41.23	3	Horizontal	289	1.80	80	31.20	6.74	33.67				
AV	4.82408G	32.89	54.00	-21.11	28.63	3	Horizontal	289	1.80	80	31.20	6.73	33.67				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 82
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	58.01	74.00	-15.99	24.96	3	Vertical	349	2.71	-	28.40	4.65	-			
AV	2.39G	52.98	54.00	-1.02	19.93	3	Vertical	349	2.71	-	28.40	4.65	-			
PK	2.418G	112.10	Inf	-Inf	79.04	3	Vertical	349	2.71	-	28.38	4.68	-			
AV	2.4162G	108.30	Inf	-Inf	75.26	3	Vertical	349	2.71	-	28.36	4.68	-			
PK	2.4976G	57.05	74.00	-16.95	23.68	3	Vertical	349	2.71	-	28.60	4.77	-			
AV	2.4948G	45.36	54.00	-8.64	11.99	3	Vertical	349	2.71	-	28.60	4.77	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Z_2TX
Setting 82
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	59.32	74.00	-14.68	26.27	3	Horizontal	360	2.84	-	28.40	4.65	-			
AV	2.39G	50.29	54.00	-3.71	17.24	3	Horizontal	360	2.84	-	28.40	4.65	-			
PK	2.418G	112.30	Inf	-Inf	79.24	3	Horizontal	360	2.84	-	28.38	4.68	-			
AV	2.4178G	108.42	Inf	-Inf	75.36	3	Horizontal	360	2.84	-	28.38	4.68	-			
PK	2.4908G	57.06	74.00	-16.94	23.70	3	Horizontal	360	2.84	-	28.60	4.76	-			
AV	2.4858G	45.50	54.00	-8.50	12.18	3	Horizontal	360	2.84	-	28.56	4.76	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
80\108
8.83\5.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3874G	56.00	74.00	-18.00	23.87	3	Vertical	312	2.00	108	27.60	4.53	-			
AV	2.38852G	45.62	54.00	-8.38	13.49	3	Vertical	312	2.00	108	27.60	4.53	-			
PK	2.43604G	110.64	Inf	-Inf	78.61	3	Vertical	312	2.00	108	27.44	4.59	-			
AV	2.4362G	106.91	Inf	-Inf	74.88	3	Vertical	312	2.00	108	27.44	4.59	-			
PK	2.48564G	57.35	74.00	-16.65	25.22	3	Vertical	312	2.00	108	27.46	4.67	-			
AV	2.48532G	48.14	54.00	-5.86	16.02	3	Vertical	312	2.00	108	27.45	4.67	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
108
3.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38852G	57.57	74.00	-16.43	25.44	3	Horizontal	318	1.83	108	27.60	4.53	-				
AV	2.38852G	47.22	54.00	-6.78	15.09	3	Horizontal	318	1.83	108	27.60	4.53	-				
PK	2.43604G	110.39	Inf	-Inf	78.36	3	Horizontal	318	1.83	108	27.44	4.59	-				
AV	2.4362G	106.72	Inf	-Inf	74.69	3	Horizontal	318	1.83	108	27.44	4.59	-				
PK	2.48564G	57.73	74.00	-16.27	25.60	3	Horizontal	318	1.83	108	27.46	4.67	-				
AV	2.48564G	50.02	54.00	-3.98	17.89	3	Horizontal	318	1.83	108	27.46	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88524G	45.85	74.00	-28.15	41.62	3	Vertical	180	1.76	108	31.13	6.77	33.67				
AV	4.87396G	35.92	54.00	-18.08	31.68	3	Vertical	180	1.76	108	31.15	6.76	33.67				
PK	7.31132G	53.76	74.00	-20.24	41.98	3	Vertical	349	2.49	108	36.58	8.74	33.54				
AV	7.31176G	42.78	54.00	-11.22	30.99	3	Vertical	349	2.49	108	36.58	8.75	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87416G	45.72	74.00	-28.28	41.48	3	Horizontal	284	1.08	108	31.15	6.76	33.67				
AV	4.87396G	34.37	54.00	-19.63	30.13	3	Horizontal	284	1.08	108	31.15	6.76	33.67				
PK	7.31032G	54.47	74.00	-19.53	42.69	3	Horizontal	85	2.58	108	36.58	8.74	33.54				
AV	7.31172G	43.93	54.00	-10.07	32.14	3	Horizontal	85	2.58	108	36.58	8.75	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 80
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.372G	56.39	74.00	-17.61	23.36	3	Vertical	343	3.00	-	28.40	4.63	-				
AV	2.3892G	45.01	54.00	-8.99	11.96	3	Vertical	343	3.00	-	28.40	4.65	-				
PK	2.458G	112.05	Inf	-Inf	78.84	3	Vertical	343	3.00	-	28.48	4.73	-				
AV	2.4562G	108.23	Inf	-Inf	75.05	3	Vertical	343	3.00	-	28.46	4.72	-				
PK	2.4836G	60.33	74.00	-13.67	27.03	3	Vertical	343	3.00	-	28.54	4.76	-				
AV	2.4864G	51.39	54.00	-2.61	18.07	3	Vertical	343	3.00	-	28.56	4.76	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 80
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3704G	55.99	74.00	-18.01	22.96	3	Horizontal	0	2.54	-	28.40	4.63	-			
AV	2.3874G	44.97	54.00	-9.03	11.92	3	Horizontal	0	2.54	-	28.40	4.65	-			
PK	2.458G	112.26	Inf	-Inf	79.05	3	Horizontal	0	2.54	-	28.48	4.73	-			
AV	2.4578G	108.31	Inf	-Inf	75.10	3	Horizontal	0	2.54	-	28.48	4.73	-			
PK	2.4864G	60.70	74.00	-13.30	27.38	3	Horizontal	0	2.54	-	28.56	4.76	-			
AV	2.4864G	53.07	54.00	-0.93	19.75	3	Horizontal	0	2.54	-	28.56	4.76	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 80
80
0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.463G	108.90	Inf	-Inf	76.87	3	Vertical	307	1.98	80	27.40	4.63	-				
AV	2.4612G	105.22	Inf	-Inf	73.19	3	Vertical	307	1.98	80	27.40	4.63	-				
PK	2.4835G	61.04	74.00	-12.96	28.94	3	Vertical	307	1.98	80	27.43	4.67	-				
AV	2.4838G	53.96	54.00	-0.04	21.85	3	Vertical	307	1.98	80	27.44	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 77
80\52\79\66\72\75\76\78\77
-6.96\9.53\ -3.55\9.49\7.02\3.20\6.05\ -1.79\2.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4611G	109.65	Inf	-Inf	77.62	3	Horizontal	314	1.80	77	27.40	4.63	-			
AV	2.4612G	106.03	Inf	-Inf	74.00	3	Horizontal	314	1.80	77	27.40	4.63	-			
PK	2.4835G	59.53	74.00	-14.47	27.43	3	Horizontal	314	1.80	77	27.43	4.67	-			
AV	2.4837G	51.36	54.00	-2.64	19.25	3	Horizontal	314	1.80	77	27.44	4.67	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 77
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.9238G	48.81	74.00	-25.19	44.45	3	Vertical	171	2.95	77	31.24	6.79	33.67				
AV	4.924G	42.59	54.00	-11.41	38.23	3	Vertical	171	2.95	77	31.24	6.79	33.67				
PK	7.38764G	55.03	74.00	-18.97	43.23	3	Vertical	157	2.08	77	36.42	8.95	33.57				
AV	7.38672G	45.75	54.00	-8.25	33.95	3	Vertical	157	2.08	77	36.43	8.94	33.57				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 77
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.9412G	46.04	74.00	-27.96	41.57	3	Horizontal	272	2.95	77	31.35	6.80	33.68				
AV	4.924G	34.05	54.00	-19.95	29.69	3	Horizontal	272	2.95	77	31.24	6.79	33.67				
PK	7.38684G	53.54	74.00	-20.46	41.73	3	Horizontal	324	2.28	77	36.43	8.95	33.57				
AV	7.38472G	40.85	54.00	-13.15	29.05	3	Horizontal	324	2.28	77	36.43	8.94	33.57				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_4TX
SET 74
80\40\72\84\78\75\74
-14.37\8.19\1.29\14.28\12.55\1.19\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3899G	64.98	74.00	-9.02	32.85	3	Vertical	260	1.94	74	27.60	4.53	-				
AV	2.39G	53.75	54.00	-0.25	21.62	3	Vertical	260	1.94	74	27.60	4.53	-				
PK	2.4088G	107.90	Inf	-Inf	75.84	3	Vertical	260	1.94	74	27.51	4.55	-				
AV	2.4138G	99.67	Inf	-Inf	67.61	3	Vertical	260	1.94	74	27.50	4.56	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 74
74
5.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	58.96	74.00	-15.04	26.83	3	Horizontal	310	1.88	74	27.60	4.53	-			
AV	2.3899G	48.86	54.00	-5.14	16.73	3	Horizontal	310	1.88	74	27.60	4.53	-			
PK	2.4166G	106.16	Inf	-Inf	74.10	3	Horizontal	310	1.88	74	27.50	4.56	-			
AV	2.4164G	98.10	Inf	-Inf	66.04	3	Horizontal	310	1.88	74	27.50	4.56	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.80512G	45.62	74.00	-28.38	41.37	3	Vertical	165	1.80	74	31.20	6.71	33.66			
AV	4.82664G	34.81	54.00	-19.19	30.55	3	Vertical	165	1.80	74	31.20	6.73	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.82024G	45.93	74.00	-28.07	41.68	3	Horizontal	319	1.80	74	31.20	6.72	33.67				
AV	4.8118G	34.95	54.00	-19.05	30.69	3	Horizontal	319	1.80	74	31.20	6.72	33.66				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 80
74\105\90\83\80\81\80
7.80\0.96\1.15\1.39\0.81\0.23\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38964G	62.14	74.00	-11.86	30.01	3	Vertical	240	1.93	80	27.60	4.53	-			
AV	2.3898G	51.30	54.00	-2.70	19.17	3	Vertical	240	1.93	80	27.60	4.53	-			
PK	2.43508G	111.45	Inf	-Inf	79.41	3	Vertical	240	1.93	80	27.45	4.59	-			
AV	2.4298G	103.10	Inf	-Inf	71.02	3	Vertical	240	1.93	80	27.50	4.58	-			
PK	2.4835G	64.48	74.00	-9.52	32.38	3	Vertical	240	1.93	80	27.43	4.67	-			
AV	2.48484G	53.46	54.00	-0.54	21.34	3	Vertical	240	1.93	80	27.45	4.67	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 80
80
2.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38996G	60.28	74.00	-13.72	28.15	3	Horizontal	306	1.67	80	27.60	4.53	-				
AV	2.38996G	49.18	54.00	-4.82	17.05	3	Horizontal	306	1.67	80	27.60	4.53	-				
PK	2.441G	109.73	Inf	-Inf	77.73	3	Horizontal	306	1.67	80	27.40	4.60	-				
AV	2.4362G	101.67	Inf	-Inf	69.64	3	Horizontal	306	1.67	80	27.44	4.59	-				
PK	2.48596G	61.92	74.00	-12.08	29.79	3	Horizontal	306	1.67	80	27.46	4.67	-				
AV	2.485G	51.16	54.00	-2.84	19.04	3	Horizontal	306	1.67	80	27.45	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 80
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88904G	45.80	74.00	-28.20	41.58	3	Vertical	6	2.61	80	31.12	6.77	33.67				
AV	4.86368G	34.73	54.00	-19.27	30.48	3	Vertical	6	2.61	80	31.17	6.75	33.67				
PK	7.33088G	52.51	74.00	-21.49	40.72	3	Vertical	295	2.53	80	36.54	8.80	33.55				
AV	7.31272G	42.01	54.00	-11.99	30.23	3	Vertical	295	2.53	80	36.57	8.75	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 80
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86936G	45.35	74.00	-28.65	41.10	3	Horizontal	30	1.80	80	31.16	6.76	33.67				
AV	4.87248G	34.79	54.00	-19.21	30.54	3	Horizontal	30	1.80	80	31.16	6.76	33.67				
PK	7.2946G	52.39	74.00	-21.61	40.64	3	Horizontal	351	1.80	80	36.58	8.70	33.53				
AV	7.32728G	41.90	54.00	-12.10	30.10	3	Horizontal	351	1.80	80	36.55	8.79	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
74\80\70\75\74
1.67\18.33\5.57\0.23\1.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4645G	107.94	Inf	-Inf	75.90	3	Vertical	250	1.93	74	27.40	4.64	-				
AV	2.4648G	99.87	Inf	-Inf	67.83	3	Vertical	250	1.93	74	27.40	4.64	-				
PK	2.4845G	63.53	74.00	-10.47	31.42	3	Vertical	250	1.93	74	27.44	4.67	-				
AV	2.484G	52.46	54.00	-1.54	20.35	3	Vertical	250	1.93	74	27.44	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
74
4.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4577G	106.93	Inf	-Inf	74.90	3	Horizontal	322	1.76	74	27.40	4.63	-				
AV	2.4569G	98.96	Inf	-Inf	66.93	3	Horizontal	322	1.76	74	27.40	4.63	-				
PK	2.4835G	58.08	74.00	-15.92	25.98	3	Horizontal	322	1.76	74	27.43	4.67	-				
AV	2.4861G	49.89	54.00	-4.11	17.76	3	Horizontal	322	1.76	74	27.46	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90792G	45.85	74.00	-28.15	41.59	3	Vertical	314	1.80	74	31.15	6.78	33.67				
AV	4.90952G	34.91	54.00	-19.09	30.64	3	Vertical	314	1.80	74	31.16	6.78	33.67				
PK	7.38856G	53.25	74.00	-20.75	41.45	3	Vertical	322	2.82	74	36.42	8.95	33.57				
AV	7.40524G	42.07	54.00	-11.93	30.26	3	Vertical	322	2.82	74	36.42	8.97	33.58				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91344G	45.76	74.00	-28.24	41.47	3	Horizontal	65	1.80	74	31.18	6.78	33.67				
AV	4.92744G	35.04	54.00	-18.96	30.66	3	Horizontal	65	1.80	74	31.26	6.79	33.67				
PK	7.4046G	52.99	74.00	-21.01	41.17	3	Horizontal	115	1.78	74	36.42	8.98	33.58				
AV	7.40008G	42.25	54.00	-11.75	30.45	3	Horizontal	115	1.78	74	36.40	8.98	33.58				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
80\40\71\56\63\66\67\66
-16.70\7.78\ -1.39\3.94\0.90\0.78\ -0.01\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3899G	63.89	74.00	-10.11	31.76	3	Vertical	250	1.90	66	27.60	4.53	-				
AV	2.389G	53.52	54.00	-0.48	21.39	3	Vertical	250	1.90	66	27.60	4.53	-				
PK	2.4159G	106.47	Inf	-Inf	74.41	3	Vertical	250	1.90	66	27.50	4.56	-				
AV	2.4156G	96.79	Inf	-Inf	64.73	3	Vertical	250	1.90	66	27.50	4.56	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
66
5.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	58.71	74.00	-15.29	26.58	3	Horizontal	305	1.86	66	27.60	4.53	-				
AV	2.3894G	48.86	54.00	-5.14	16.73	3	Horizontal	305	1.86	66	27.60	4.53	-				
PK	2.4192G	106.03	Inf	-Inf	73.96	3	Horizontal	305	1.86	66	27.50	4.57	-				
AV	2.4116G	94.67	Inf	-Inf	62.61	3	Horizontal	305	1.86	66	27.50	4.56	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82908G	45.66	74.00	-28.34	41.40	3	Vertical	278	1.80	66	31.20	6.73	33.67			
AV	4.84056G	34.90	54.00	-19.10	30.63	3	Vertical	278	1.80	66	31.20	6.74	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.83404G	46.23	74.00	-27.77	41.97	3	Horizontal	209	1.80	66	31.20	6.73	33.67				
AV	4.82696G	34.78	54.00	-19.22	30.52	3	Horizontal	209	1.80	66	31.20	6.73	33.67				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
66\95\75\85\80\78\77\76
7.28\5.15\6.07\5.22\4.82\3.80\1.44\4.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38628G	57.25	74.00	-16.75	25.12	3	Vertical	294	1.88	76	27.60	4.53	-			
AV	2.38836G	47.00	54.00	-7.00	14.87	3	Vertical	294	1.88	76	27.60	4.53	-			
PK	2.43604G	110.38	Inf	-Inf	78.35	3	Vertical	294	1.88	76	27.44	4.59	-			
AV	2.42884G	100.41	Inf	-Inf	68.33	3	Vertical	294	1.88	76	27.50	4.58	-			
PK	2.48404G	59.49	74.00	-14.51	27.38	3	Vertical	294	1.88	76	27.44	4.67	-			
AV	2.48468G	49.35	54.00	-4.65	17.23	3	Vertical	294	1.88	76	27.45	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
76
6.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.36356G	55.91	74.00	-18.09	23.73	3	Horizontal	308	1.64	76	27.66	4.52	-				
AV	2.389G	46.64	54.00	-7.36	14.51	3	Horizontal	308	1.64	76	27.60	4.53	-				
PK	2.43396G	108.76	Inf	-Inf	76.71	3	Horizontal	308	1.64	76	27.46	4.59	-				
AV	2.43412G	98.33	Inf	-Inf	66.28	3	Horizontal	308	1.64	76	27.46	4.59	-				
PK	2.48404G	56.16	74.00	-17.84	24.05	3	Horizontal	308	1.64	76	27.44	4.67	-				
AV	2.48372G	47.25	54.00	-6.75	15.14	3	Horizontal	308	1.64	76	27.44	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.89068G	45.38	74.00	-28.62	41.16	3	Vertical	204	1.80	76	31.12	6.77	33.67					
AV	4.86908G	35.04	54.00	-18.96	30.80	3	Vertical	204	1.80	76	31.16	6.75	33.67					
PK	7.305G	52.56	74.00	-21.44	40.77	3	Vertical	0	1.80	76	36.59	8.73	33.53					
AV	7.308G	42.07	54.00	-11.93	30.29	3	Vertical	0	1.80	76	36.58	8.74	33.54					

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87248G	46.03	74.00	-27.97	41.78	3	Horizontal	360.1	1.80	76	31.16	6.76	33.67				
AV	4.88856G	34.69	54.00	-19.31	30.47	3	Horizontal	360.1	1.80	76	31.12	6.77	33.67				
PK	7.31132G	52.60	74.00	-21.40	40.82	3	Horizontal	357	2.82	76	36.58	8.74	33.54				
AV	7.32132G	42.00	54.00	-12.00	30.21	3	Horizontal	357	2.82	76	36.56	8.77	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
66\80\62\71\75\73\74
3.72\ -23.11\4.60\2.34\ -2.78\1.51\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4656G	109.21	Inf	-Inf	77.17	3	Vertical	248	1.80	74	27.40	4.64	-				
AV	2.4609G	98.67	Inf	-Inf	66.64	3	Vertical	248	1.80	74	27.40	4.63	-				
PK	2.4841G	63.92	74.00	-10.08	31.81	3	Vertical	248	1.80	74	27.44	4.67	-				
AV	2.4839G	53.72	54.00	-0.28	21.61	3	Vertical	248	1.80	74	27.44	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
74
3.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4568G	108.01	Inf	-Inf	75.98	3	Horizontal	315	1.77	74	27.40	4.63	-			
AV	2.4569G	98.16	Inf	-Inf	66.13	3	Horizontal	315	1.77	74	27.40	4.63	-			
PK	2.4843G	60.10	74.00	-13.90	27.99	3	Horizontal	315	1.77	74	27.44	4.67	-			
AV	2.484G	50.45	54.00	-3.55	18.34	3	Horizontal	315	1.77	74	27.44	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9054G	45.52	74.00	-28.48	41.28	3	Vertical	18	2.95	74	31.13	6.78	33.67				
AV	4.91452G	34.91	54.00	-19.09	30.61	3	Vertical	18	2.95	74	31.19	6.78	33.67				
PK	7.39376G	52.62	74.00	-21.38	40.82	3	Vertical	235	1.80	74	36.41	8.96	33.57				
AV	7.403G	42.34	54.00	-11.66	30.53	3	Vertical	235	1.80	74	36.41	8.98	33.58				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92848G	45.70	74.00	-28.30	41.31	3	Horizontal	56	1.80	74	31.27	6.79	33.67				
AV	4.90964G	35.11	54.00	-18.89	30.84	3	Horizontal	56	1.80	74	31.16	6.78	33.67				
PK	7.404G	53.02	74.00	-20.98	41.20	3	Horizontal	360.1	1.80	74	36.42	8.98	33.58				
AV	7.39256G	42.80	54.00	-11.20	31.00	3	Horizontal	360.1	1.80	74	36.41	8.96	33.57				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
80\40\71\56\63\66
-16.61\7.99\1.16\3.72\2.03\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	63.90	74.00	-10.10	31.77	3	Vertical	256	1.93	66	27.60	4.53	-			
AV	2.3898G	53.51	54.00	-0.49	21.38	3	Vertical	256	1.93	66	27.60	4.53	-			
PK	2.4143G	105.02	Inf	-Inf	72.96	3	Vertical	256	1.93	66	27.50	4.56	-			
AV	2.4191G	94.81	Inf	-Inf	62.74	3	Vertical	256	1.93	66	27.50	4.57	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
66
5.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	60.00	74.00	-14.00	27.87	3	Horizontal	304	1.89	66	27.60	4.53	-			
AV	2.3892G	48.92	54.00	-5.08	16.79	3	Horizontal	304	1.89	66	27.60	4.53	-			
PK	2.4109G	103.92	Inf	-Inf	71.86	3	Horizontal	304	1.89	66	27.50	4.56	-			
AV	2.4153G	93.47	Inf	-Inf	61.41	3	Horizontal	304	1.89	66	27.50	4.56	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82912G	45.79	74.00	-28.21	41.53	3	Vertical	235	1.80	66	31.20	6.73	33.67			
AV	4.8224G	34.65	54.00	-19.35	30.40	3	Vertical	235	1.80	66	31.20	6.72	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 66
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.84228G	45.44	74.00	-28.56	41.17	3	Horizontal	201	1.80	66	31.20	6.74	33.67			
AV	4.8296G	34.91	54.00	-19.09	30.65	3	Horizontal	201	1.80	66	31.20	6.73	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
66\96\81\74\77\78\77\76
7.71\ -3.95\ -3.85\6.79\2.72\ -3.19\ -0.08\5.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	57.23	74.00	-16.77	25.10	3	Vertical	298	1.80	76	27.60	4.53	-				
AV	2.3898G	46.86	54.00	-7.14	14.73	3	Vertical	298	1.80	76	27.60	4.53	-				
PK	2.43284G	109.80	Inf	-Inf	77.74	3	Vertical	298	1.80	76	27.47	4.59	-				
AV	2.43492G	99.14	Inf	-Inf	67.10	3	Vertical	298	1.80	76	27.45	4.59	-				
PK	2.48692G	58.59	74.00	-15.41	26.45	3	Vertical	298	1.80	76	27.47	4.67	-				
AV	2.48468G	48.30	54.00	-5.70	16.18	3	Vertical	298	1.80	76	27.45	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
76
7.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38132G	56.36	74.00	-17.64	24.23	3	Horizontal	304	1.84	76	27.60	4.53	-			
AV	2.38644G	46.35	54.00	-7.65	14.22	3	Horizontal	304	1.84	76	27.60	4.53	-			
PK	2.43588G	107.54	Inf	-Inf	75.51	3	Horizontal	304	1.84	76	27.44	4.59	-			
AV	2.43636G	96.97	Inf	-Inf	64.94	3	Horizontal	304	1.84	76	27.44	4.59	-			
PK	2.48516G	57.07	74.00	-16.93	24.95	3	Horizontal	304	1.84	76	27.45	4.67	-			
AV	2.48436G	46.90	54.00	-7.10	14.79	3	Horizontal	304	1.84	76	27.44	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87204G	45.34	74.00	-28.66	41.09	3	Vertical	90	1.80	76	31.16	6.76	33.67				
AV	4.89184G	34.92	54.00	-19.08	30.70	3	Vertical	90	1.80	76	31.12	6.77	33.67				
PK	7.31904G	54.48	74.00	-19.52	42.69	3	Vertical	157	1.91	76	36.56	8.77	33.54				
AV	7.30988G	43.64	54.00	-10.36	31.86	3	Vertical	157	1.91	76	36.58	8.74	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 76
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88364G	46.10	74.00	-27.90	41.88	3	Horizontal	5	1.80	76	31.13	6.76	33.67				
AV	4.87428G	34.52	54.00	-19.48	30.28	3	Horizontal	5	1.80	76	31.15	6.76	33.67				
PK	7.31432G	52.87	74.00	-21.13	41.09	3	Horizontal	260	1.80	76	36.57	8.75	33.54				
AV	7.32188G	42.15	54.00	-11.85	30.36	3	Horizontal	260	1.80	76	36.56	8.77	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
66\82\62\72\77\75\74
4.05\ -21.64\4.01\2.65\ -10.83\ -1.20\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4613G	108.65	Inf	-Inf	76.62	3	Vertical	246	1.94	74	27.40	4.63	-				
AV	2.466G	97.61	Inf	-Inf	65.57	3	Vertical	246	1.94	74	27.40	4.64	-				
PK	2.4835G	63.60	74.00	-10.40	31.50	3	Vertical	246	1.94	74	27.43	4.67	-				
AV	2.4835G	53.91	54.00	-0.09	21.81	3	Vertical	246	1.94	74	27.43	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
74
4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4587G	106.49	Inf	-Inf	74.46	3	Horizontal	314	1.75	74	27.40	4.63	-				
AV	2.4576G	96.28	Inf	-Inf	64.25	3	Horizontal	314	1.75	74	27.40	4.63	-				
PK	2.4846G	59.13	74.00	-14.87	27.01	3	Horizontal	314	1.75	74	27.45	4.67	-				
AV	2.4835G	49.42	54.00	-4.58	17.32	3	Horizontal	314	1.75	74	27.43	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9392G	46.19	74.00	-27.81	41.73	3	Vertical	111	1.59	74	31.34	6.80	33.68				
AV	4.90688G	34.67	54.00	-19.33	30.42	3	Vertical	111	1.59	74	31.14	6.78	33.67				
PK	7.38292G	55.09	74.00	-18.91	43.30	3	Vertical	158	2.12	74	36.43	8.93	33.57				
AV	7.38876G	43.74	54.00	-10.26	31.94	3	Vertical	158	2.12	74	36.42	8.95	33.57				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



EUT_Z_2TX
SET 74
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91668G	46.07	74.00	-27.93	41.75	3	Horizontal	228.1	1.80	74	31.20	6.79	33.67				
AV	4.9174G	34.81	54.00	-19.19	30.49	3	Horizontal	228.1	1.80	74	31.20	6.79	33.67				
PK	7.403G	52.98	74.00	-21.02	41.17	3	Horizontal	68	1.16	74	36.41	8.98	33.58				
AV	7.40132G	42.63	54.00	-11.37	30.82	3	Horizontal	68	1.16	74	36.41	8.98	33.58				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.3898G	53.96	54.00	-0.04	3	Horizontal	47	2.31	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
Setting 75
03-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3872G	58.25	74.00	-15.75	25.64	3	Vertical	134	2.21	-	28.40	4.21	-				
AV	2.3892G	46.32	54.00	-7.68	13.71	3	Vertical	134	2.21	-	28.40	4.21	-				
PK	2.413G	106.71	Inf	-Inf	74.15	3	Vertical	134	2.21	-	28.33	4.23	-				
AV	2.4128G	102.79	Inf	-Inf	70.23	3	Vertical	134	2.21	-	28.33	4.23	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 75
03-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	60.59	74.00	-13.41	27.98	3	Horizontal	58	2.10	-	28.40	4.21	-			
AV	2.3892G	51.45	54.00	-2.55	18.84	3	Horizontal	58	2.10	-	28.40	4.21	-			
PK	2.413G	113.81	Inf	-Inf	81.25	3	Horizontal	58	2.10	-	28.33	4.23	-			
AV	2.4128G	109.87	Inf	-Inf	77.31	3	Horizontal	58	2.10	-	28.33	4.23	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_V_1TX
Setting 75
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82412G	48.63	74.00	-25.37	43.34	3	Vertical	347	2.43	-	33.40	6.80	34.91			
AV	4.824G	39.79	54.00	-14.21	34.50	3	Vertical	347	2.43	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_V_1TX
Setting 75
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82415G	50.00	74.00	-24.00	44.71	3	Horizontal	57	2.20	-	33.40	6.80	34.91			
AV	4.82406G	40.07	54.00	-13.93	34.78	3	Horizontal	57	2.20	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
Setting 75
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	59.52	74.00	-14.48	26.91	3	Vertical	252	2.05	-	28.40	4.21	-			
AV	2.3898G	51.53	54.00	-2.47	18.92	3	Vertical	252	2.05	-	28.40	4.21	-			
PK	2.4178G	106.08	Inf	-Inf	73.47	3	Vertical	252	2.05	-	28.38	4.23	-			
AV	2.4162G	102.25	Inf	-Inf	69.66	3	Vertical	252	2.05	-	28.36	4.23	-			
PK	2.497G	57.41	74.00	-16.59	24.52	3	Vertical	252	2.05	-	28.60	4.29	-			
AV	2.493G	44.88	54.00	-9.12	11.99	3	Vertical	252	2.05	-	28.60	4.29	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
Setting 75
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	60.76	74.00	-13.24	28.15	3	Horizontal	55	2.10	-	28.40	4.21	-				
AV	2.3898G	52.39	54.00	-1.61	19.78	3	Horizontal	55	2.10	-	28.40	4.21	-				
PK	2.4162G	113.75	Inf	-Inf	81.16	3	Horizontal	55	2.10	-	28.36	4.23	-				
AV	2.4162G	110.03	Inf	-Inf	77.44	3	Horizontal	55	2.10	-	28.36	4.23	-				
PK	2.491G	56.94	74.00	-17.06	24.05	3	Horizontal	55	2.10	-	28.60	4.29	-				
AV	2.485G	45.00	54.00	-9.00	12.17	3	Horizontal	55	2.10	-	28.55	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 80
03-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3394G	56.95	74.00	-17.05	24.60	3	Vertical	227	1.50	-	28.19	4.16	-			
AV	2.385G	45.02	54.00	-8.98	12.41	3	Vertical	227	1.50	-	28.40	4.21	-			
PK	2.4378G	105.85	Inf	-Inf	73.20	3	Vertical	227	1.50	-	28.40	4.25	-			
AV	2.4362G	102.21	Inf	-Inf	69.56	3	Vertical	227	1.50	-	28.40	4.25	-			
PK	2.4835G	57.73	74.00	-16.27	24.91	3	Vertical	227	1.50	-	28.54	4.28	-			
AV	2.4835G	46.39	54.00	-7.61	13.57	3	Vertical	227	1.50	-	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 80
03-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	58.52	74.00	-15.48	25.91	3	Horizontal	51	2.28	-	28.40	4.21	-			
AV	2.3854G	47.06	54.00	-6.94	14.45	3	Horizontal	51	2.28	-	28.40	4.21	-			
PK	2.4378G	112.75	Inf	-Inf	80.10	3	Horizontal	51	2.28	-	28.40	4.25	-			
AV	2.4362G	109.01	Inf	-Inf	76.36	3	Horizontal	51	2.28	-	28.40	4.25	-			
PK	2.4835G	60.11	74.00	-13.89	27.29	3	Horizontal	51	2.28	-	28.54	4.28	-			
AV	2.4835G	49.27	54.00	-4.73	16.45	3	Horizontal	51	2.28	-	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 95
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87394G	49.65	74.00	-24.35	44.30	3	Vertical	358	2.20	-	33.45	6.82	34.92				
AV	4.87403G	40.97	54.00	-13.03	35.62	3	Vertical	358	2.20	-	33.45	6.82	34.92				
PK	7.31145G	55.41	74.00	-18.59	44.89	3	Vertical	330	2.06	-	36.95	8.56	34.99				
AV	7.31181G	44.12	54.00	-9.88	33.60	3	Vertical	330	2.06	-	36.95	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 95
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87397G	50.02	74.00	-23.98	44.67	3	Horizontal	51	2.27	-	33.45	6.82	34.92				
AV	4.874G	42.80	54.00	-11.20	37.45	3	Horizontal	51	2.27	-	33.45	6.82	34.92				
PK	7.31124G	54.86	74.00	-19.14	44.35	3	Horizontal	357	1.82	-	36.94	8.56	34.99				
AV	7.31181G	44.62	54.00	-9.38	34.10	3	Horizontal	357	1.82	-	36.95	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
Setting 74
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3862G	56.28	74.00	-17.72	23.67	3	Vertical	134	1.79	-	28.40	4.21	-			
AV	2.385G	44.42	54.00	-9.58	11.81	3	Vertical	134	1.79	-	28.40	4.21	-			
PK	2.4578G	106.25	Inf	-Inf	73.51	3	Vertical	134	1.79	-	28.48	4.26	-			
AV	2.4578G	102.36	Inf	-Inf	69.62	3	Vertical	134	1.79	-	28.48	4.26	-			
PK	2.4862G	58.72	74.00	-15.28	25.88	3	Vertical	134	1.79	-	28.56	4.28	-			
AV	2.4862G	47.33	54.00	-6.67	14.49	3	Vertical	134	1.79	-	28.56	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
Setting 74
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3834G	57.15	74.00	-16.85	24.55	3	Horizontal	63	2.08	-	28.40	4.20	-			
AV	2.3882G	44.61	54.00	-9.39	12.00	3	Horizontal	63	2.08	-	28.40	4.21	-			
PK	2.4578G	111.65	Inf	-Inf	78.91	3	Horizontal	63	2.08	-	28.48	4.26	-			
AV	2.4562G	107.87	Inf	-Inf	75.15	3	Horizontal	63	2.08	-	28.46	4.26	-			
PK	2.4838G	60.25	74.00	-13.75	27.43	3	Horizontal	63	2.08	-	28.54	4.28	-			
AV	2.4862G	51.66	54.00	-2.34	18.82	3	Horizontal	63	2.08	-	28.56	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.461G	102.24	Inf	-Inf	73.14	3	Vertical	137	1.80	-	28.50	4.27	-			
AV	2.4612G	102.24	Inf	-Inf	69.47	3	Vertical	137	1.80	-	28.50	4.27	-			
PK	2.4908G	57.48	74.00	-16.52	24.59	3	Vertical	137	1.80	-	28.60	4.29	-			
AV	2.4835G	45.88	54.00	-8.12	13.06	3	Vertical	137	1.80	-	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-E-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4612G	110.89	Inf	-Inf	78.12	3	Horizontal	62	2.00	-	28.50	4.27	-				
AV	2.4612G	107.11	Inf	-Inf	74.34	3	Horizontal	62	2.00	-	28.50	4.27	-				
PK	2.4838G	59.33	74.00	-14.67	26.51	3	Horizontal	62	2.00	-	28.54	4.28	-				
AV	2.4835G	48.94	54.00	-5.06	16.12	3	Horizontal	62	2.00	-	28.54	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_V_1TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.909G	49.93	74.00	-24.07	44.49	3	Vertical	211	1.17	-	33.54	6.83	34.93			
AV	4.924G	40.67	54.00	-13.33	35.17	3	Vertical	211	1.17	-	33.60	6.84	34.94			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_V_1TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.92358G	49.10	74.00	-24.90	43.61	3	Horizontal	37	1.58	-	33.59	6.84	34.94			
AV	4.924G	40.81	54.00	-13.19	35.31	3	Horizontal	37	1.58	-	33.60	6.84	34.94			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	58.36	74.00	-15.64	25.75	3	Vertical	137	2.02	-	28.40	4.21	-			
AV	2.39G	48.09	54.00	-5.91	15.48	3	Vertical	137	2.02	-	28.40	4.21	-			
PK	2.4176G	103.79	Inf	-Inf	71.18	3	Vertical	137	2.02	-	28.38	4.23	-			
AV	2.4088G	94.93	Inf	-Inf	62.40	3	Vertical	137	2.02	-	28.30	4.23	-			
PK	2.4912G	56.88	74.00	-17.12	23.99	3	Vertical	137	2.02	-	28.60	4.29	-			
AV	2.4884G	46.67	54.00	-7.33	13.80	3	Vertical	137	2.02	-	28.58	4.29	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	63.90	74.00	-10.10	31.29	3	Horizontal	58	2.08	-	28.40	4.21	-			
AV	2.3896G	52.84	54.00	-1.16	20.23	3	Horizontal	58	2.08	-	28.40	4.21	-			
PK	2.4176G	112.73	Inf	-Inf	80.12	3	Horizontal	58	2.08	-	28.38	4.23	-			
AV	2.4148G	103.17	Inf	-Inf	70.59	3	Horizontal	58	2.08	-	28.35	4.23	-			
PK	2.4844G	57.29	74.00	-16.71	24.47	3	Horizontal	58	2.08	-	28.54	4.28	-			
AV	2.4888G	47.02	54.00	-6.98	14.14	3	Horizontal	58	2.08	-	28.59	4.29	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_V_1TX
Setting 73
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81335G	47.49	74.00	-26.51	42.20	3	Vertical	182	1.51	-	33.40	6.80	34.91			
AV	4.81581G	36.85	54.00	-17.15	31.56	3	Vertical	182	1.51	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_V_1TX
Setting 73
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81947G	47.49	74.00	-26.51	42.20	3	Horizontal	42	2.73	-	33.40	6.80	34.91			
AV	4.82427G	36.93	54.00	-17.07	31.64	3	Horizontal	42	2.73	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	57.71	74.00	-16.29	25.10	3	Vertical	226	1.59	-	28.40	4.21	-				
AV	2.3898G	47.65	54.00	-6.35	15.04	3	Vertical	226	1.59	-	28.40	4.21	-				
PK	2.4302G	105.08	Inf	-Inf	72.44	3	Vertical	226	1.59	-	28.40	4.24	-				
AV	2.4302G	96.57	Inf	-Inf	63.93	3	Vertical	226	1.59	-	28.40	4.24	-				
PK	2.4842G	58.60	74.00	-15.40	25.78	3	Vertical	226	1.59	-	28.54	4.28	-				
AV	2.4882G	47.59	54.00	-6.41	14.72	3	Vertical	226	1.59	-	28.58	4.29	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	61.95	74.00	-12.05	29.34	3	Horizontal	61	1.82	-	28.40	4.21	-				
AV	2.3898G	50.00	54.00	-4.00	17.39	3	Horizontal	61	1.82	-	28.40	4.21	-				
PK	2.4442G	111.80	Inf	-Inf	79.15	3	Horizontal	61	1.82	-	28.40	4.25	-				
AV	2.4442G	102.38	Inf	-Inf	69.73	3	Horizontal	61	1.82	-	28.40	4.25	-				
PK	2.4835G	60.69	74.00	-13.31	27.87	3	Horizontal	61	1.82	-	28.54	4.28	-				
AV	2.4842G	50.82	54.00	-3.18	18.00	3	Horizontal	61	1.82	-	28.54	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88048G	47.51	74.00	-26.49	42.16	3	Vertical	22	1.11	-	33.46	6.82	34.93				
AV	4.87565G	37.16	54.00	-16.84	31.82	3	Vertical	22	1.11	-	33.45	6.82	34.93				
PK	7.30482G	53.41	74.00	-20.59	42.93	3	Vertical	89	2.44	-	36.92	8.55	34.99				
AV	7.31412G	42.27	54.00	-11.73	31.73	3	Vertical	89	2.44	-	36.96	8.56	34.98				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8746G	48.54	74.00	-25.46	43.19	3	Horizontal	51	2.30	-	33.45	6.82	34.92				
AV	4.87265G	37.09	54.00	-16.91	31.74	3	Horizontal	51	2.30	-	33.45	6.82	34.92				
PK	7.31103G	54.45	74.00	-19.55	43.94	3	Horizontal	356	1.80	-	36.94	8.56	34.99				
AV	7.3083G	43.21	54.00	-10.79	32.72	3	Horizontal	356	1.80	-	36.93	8.55	34.99				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.372G	56.76	74.00	-17.24	24.17	3	Vertical	138	1.79	-	28.40	4.19	-			
AV	2.3852G	46.41	54.00	-7.59	13.80	3	Vertical	138	1.79	-	28.40	4.21	-			
PK	2.4592G	104.39	Inf	-Inf	71.64	3	Vertical	138	1.79	-	28.49	4.26	-			
AV	2.4604G	95.99	Inf	-Inf	63.22	3	Vertical	138	1.79	-	28.50	4.27	-			
PK	2.4835G	57.85	74.00	-16.15	25.03	3	Vertical	138	1.79	-	28.54	4.28	-			
AV	2.4848G	48.18	54.00	-5.82	15.35	3	Vertical	138	1.79	-	28.55	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3644G	56.61	74.00	-17.39	24.09	3	Horizontal	63	2.11	-	28.34	4.18	-			
AV	2.3792G	46.31	54.00	-7.69	13.71	3	Horizontal	63	2.11	-	28.40	4.20	-			
PK	2.4604G	109.31	Inf	-Inf	76.54	3	Horizontal	63	2.11	-	28.50	4.27	-			
AV	2.4608G	100.66	Inf	-Inf	67.89	3	Horizontal	63	2.11	-	28.50	4.27	-			
PK	2.4835G	61.71	74.00	-12.29	28.89	3	Horizontal	63	2.11	-	28.54	4.28	-			
AV	2.4835G	51.24	54.00	-2.76	18.42	3	Horizontal	63	2.11	-	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91908G	48.55	74.00	-25.45	43.07	3	Vertical	321	1.49	-	33.58	6.84	34.94				
AV	4.93897G	37.30	54.00	-16.70	31.73	3	Vertical	321	1.49	-	33.66	6.85	34.94				
PK	7.38318G	53.83	74.00	-20.17	43.06	3	Vertical	325	2.11	-	37.10	8.63	34.96				
AV	7.39203G	42.95	54.00	-11.05	32.16	3	Vertical	325	2.11	-	37.10	8.64	34.95				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92877G	47.91	74.00	-26.09	42.39	3	Horizontal	259	1.98	-	33.62	6.84	34.94				
AV	4.92676G	37.16	54.00	-16.84	31.65	3	Horizontal	259	1.98	-	33.61	6.84	34.94				
PK	7.40016G	53.08	74.00	-20.92	42.28	3	Horizontal	209	2.79	-	37.10	8.65	34.95				
AV	7.38459G	42.35	54.00	-11.65	31.58	3	Horizontal	209	2.79	-	37.10	8.63	34.96				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3884G	58.29	74.00	-15.71	25.68	3	Vertical	147	2.05	-	28.40	4.21	-			
AV	2.3896G	46.50	54.00	-7.50	13.89	3	Vertical	147	2.05	-	28.40	4.21	-			
PK	2.4192G	106.12	Inf	-Inf	73.50	3	Vertical	147	2.05	-	28.39	4.23	-			
AV	2.414G	93.99	Inf	-Inf	61.42	3	Vertical	147	2.05	-	28.34	4.23	-			
PK	2.4896G	56.78	74.00	-17.22	23.89	3	Vertical	147	2.05	-	28.60	4.29	-			
AV	2.4972G	45.78	54.00	-8.22	12.89	3	Vertical	147	2.05	-	28.60	4.29	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	64.07	74.00	-9.93	31.46	3	Horizontal	58	2.10	-	28.40	4.21	-			
AV	2.39G	52.01	54.00	-1.99	19.40	3	Horizontal	58	2.10	-	28.40	4.21	-			
PK	2.4144G	113.47	Inf	-Inf	80.90	3	Horizontal	58	2.10	-	28.34	4.23	-			
AV	2.4144G	101.60	Inf	-Inf	69.03	3	Horizontal	58	2.10	-	28.34	4.23	-			
PK	2.4864G	57.60	74.00	-16.40	24.76	3	Horizontal	58	2.10	-	28.56	4.28	-			
AV	2.4884G	45.69	54.00	-8.31	12.82	3	Horizontal	58	2.10	-	28.58	4.29	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 73
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.82967G	47.71	74.00	-26.29	42.42	3	Vertical	355	1.03	-	33.40	6.80	34.91				
AV	4.81746G	35.70	54.00	-18.30	30.41	3	Vertical	355	1.03	-	33.40	6.80	34.91				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_V_1TX
Setting 73
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82817G	47.93	74.00	-26.07	42.64	3	Horizontal	304	1.04	-	33.40	6.80	34.91			
AV	4.815G	35.48	54.00	-18.52	30.19	3	Horizontal	304	1.04	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	58.07	74.00	-15.93	25.46	3	Vertical	224	1.90	-	28.40	4.21	-			
AV	2.3898G	46.94	54.00	-7.06	14.33	3	Vertical	224	1.90	-	28.40	4.21	-			
PK	2.4306G	106.71	Inf	-Inf	74.07	3	Vertical	224	1.90	-	28.40	4.24	-			
AV	2.4282G	95.04	Inf	-Inf	62.40	3	Vertical	224	1.90	-	28.40	4.24	-			
PK	2.4858G	58.41	74.00	-15.59	25.57	3	Vertical	224	1.90	-	28.56	4.28	-			
AV	2.4838G	46.89	54.00	-7.11	14.07	3	Vertical	224	1.90	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.98	74.00	-12.02	29.37	3	Horizontal	54	2.05	-	28.40	4.21	-
AV	2.3898G	50.07	54.00	-3.93	17.46	3	Horizontal	54	2.05	-	28.40	4.21	-
PK	2.4426G	114.52	Inf	-Inf	81.87	3	Horizontal	54	2.05	-	28.40	4.25	-
AV	2.4462G	101.53	Inf	-Inf	68.88	3	Horizontal	54	2.05	-	28.40	4.25	-
PK	2.485G	61.52	74.00	-12.48	28.69	3	Horizontal	54	2.05	-	28.55	4.28	-
AV	2.4846G	49.47	54.00	-4.53	16.64	3	Horizontal	54	2.05	-	28.55	4.28	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8674G	47.82	74.00	-26.18	42.49	3	Vertical	147	1.21	-	33.43	6.82	34.92				
AV	4.88132G	35.53	54.00	-18.47	30.18	3	Vertical	147	1.21	-	33.46	6.82	34.93				
PK	7.31994G	52.87	74.00	-21.13	42.30	3	Vertical	99	1.71	-	36.98	8.57	34.98				
AV	7.31691G	40.45	54.00	-13.55	29.90	3	Vertical	99	1.71	-	36.97	8.56	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
Setting 77
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87589G	48.14	74.00	-25.86	42.80	3	Horizontal	90	2.18	-	33.45	6.82	34.93				
AV	4.86485G	35.39	54.00	-18.61	30.06	3	Horizontal	90	2.18	-	33.43	6.82	34.92				
PK	7.32171G	52.75	74.00	-21.25	42.17	3	Horizontal	49	1.06	-	36.99	8.57	34.98				
AV	7.31463G	40.27	54.00	-13.73	29.73	3	Horizontal	49	1.06	-	36.96	8.56	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3788G	57.24	74.00	-16.76	24.64	3	Vertical	135	1.80	-	28.40	4.20	-			
AV	2.364G	45.22	54.00	-8.78	12.70	3	Vertical	135	1.80	-	28.34	4.18	-			
PK	2.4616G	106.55	Inf	-Inf	73.78	3	Vertical	135	1.80	-	28.50	4.27	-			
AV	2.46G	94.25	Inf	-Inf	61.49	3	Vertical	135	1.80	-	28.50	4.26	-			
PK	2.486G	58.12	74.00	-15.88	25.28	3	Vertical	135	1.80	-	28.56	4.28	-			
AV	2.484G	46.72	54.00	-7.28	13.90	3	Vertical	135	1.80	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3848G	56.38	74.00	-17.62	23.78	3	Horizontal	63	2.04	-	28.40	4.20	-			
AV	2.3892G	45.30	54.00	-8.70	12.69	3	Horizontal	63	2.04	-	28.40	4.21	-			
PK	2.4596G	111.16	Inf	-Inf	78.40	3	Horizontal	63	2.04	-	28.50	4.26	-			
AV	2.46G	99.09	Inf	-Inf	66.33	3	Horizontal	63	2.04	-	28.50	4.26	-			
PK	2.4835G	61.68	74.00	-12.32	28.86	3	Horizontal	63	2.04	-	28.54	4.28	-			
AV	2.484G	51.18	54.00	-2.82	18.36	3	Horizontal	63	2.04	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92601G	48.45	74.00	-25.55	42.95	3	Vertical	132	1.37	-	33.60	6.84	34.94				
AV	4.93708G	35.62	54.00	-18.38	30.07	3	Vertical	132	1.37	-	33.65	6.84	34.94				
PK	7.38492G	53.57	74.00	-20.43	42.80	3	Vertical	146	1.77	-	37.10	8.63	34.96				
AV	7.39803G	41.51	54.00	-12.49	30.71	3	Vertical	146	1.77	-	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91101G	47.83	74.00	-26.17	42.40	3	Horizontal	22	2.58	-	33.54	6.83	34.94			
AV	4.92913G	35.83	54.00	-18.17	30.31	3	Horizontal	22	2.58	-	33.62	6.84	34.94			
PK	7.38489G	53.79	74.00	-20.21	43.02	3	Horizontal	59	2.48	-	37.10	8.63	34.96			
AV	7.39812G	41.83	54.00	-12.17	31.03	3	Horizontal	59	2.48	-	37.10	8.65	34.95			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 76
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	60.08	74.00	-13.92	27.47	3	Vertical	355	2.61	-	28.40	4.21	-			
AV	2.39G	52.21	54.00	-1.79	19.60	3	Vertical	355	2.61	-	28.40	4.21	-			
PK	2.4132G	114.19	Inf	-Inf	81.63	3	Vertical	355	2.61	-	28.33	4.23	-			
AV	2.4128G	109.97	Inf	-Inf	77.41	3	Vertical	355	2.61	-	28.33	4.23	-			
PK	2.4868G	56.99	74.00	-17.01	24.13	3	Vertical	355	2.61	-	28.57	4.29	-			
AV	2.4848G	45.22	54.00	-8.78	12.39	3	Vertical	355	2.61	-	28.55	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 76
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3884G	60.26	74.00	-13.74	27.65	3	Horizontal	56	2.10	-	28.40	4.21	-			
AV	2.3884G	51.66	54.00	-2.34	19.05	3	Horizontal	56	2.10	-	28.40	4.21	-			
PK	2.4132G	114.09	Inf	-Inf	81.53	3	Horizontal	56	2.10	-	28.33	4.23	-			
AV	2.4128G	109.96	Inf	-Inf	77.40	3	Horizontal	56	2.10	-	28.33	4.23	-			
PK	2.486G	56.72	74.00	-17.28	23.88	3	Horizontal	56	2.10	-	28.56	4.28	-			
AV	2.4852G	44.96	54.00	-9.04	12.13	3	Horizontal	56	2.10	-	28.55	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 76
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82388G	52.06	74.00	-21.94	46.77	3	Vertical	348	1.99	-	33.40	6.80	34.91			
AV	4.82403G	44.67	54.00	-9.33	39.38	3	Vertical	348	1.99	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 76
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.824G	51.04	74.00	-22.96	45.75	3	Horizontal	305	2.93	-	33.40	6.80	34.91			
AV	4.824G	44.48	54.00	-9.52	39.19	3	Horizontal	305	2.93	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 74
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	57.91	74.00	-16.09	25.30	3	Vertical	357	2.64	-	28.40	4.21	-			
AV	2.389G	47.04	54.00	-6.96	14.43	3	Vertical	357	2.64	-	28.40	4.21	-			
PK	2.4178G	113.81	Inf	-Inf	81.20	3	Vertical	357	2.64	-	28.38	4.23	-			
AV	2.4162G	109.78	Inf	-Inf	77.19	3	Vertical	357	2.64	-	28.36	4.23	-			
PK	2.4918G	57.32	74.00	-16.68	24.43	3	Vertical	357	2.64	-	28.60	4.29	-			
AV	2.4838G	45.37	54.00	-8.63	12.55	3	Vertical	357	2.64	-	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 74
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	60.59	74.00	-13.41	27.98	3	Horizontal	56	2.10	-	28.40	4.21	-			
AV	2.3898G	52.05	54.00	-1.95	19.44	3	Horizontal	56	2.10	-	28.40	4.21	-			
PK	2.4162G	113.82	Inf	-Inf	81.23	3	Horizontal	56	2.10	-	28.36	4.23	-			
AV	2.4162G	109.83	Inf	-Inf	77.24	3	Horizontal	56	2.10	-	28.36	4.23	-			
PK	2.4882G	57.63	74.00	-16.37	24.76	3	Horizontal	56	2.10	-	28.58	4.29	-			
AV	2.4858G	45.29	54.00	-8.71	12.45	3	Horizontal	56	2.10	-	28.56	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 95
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3882G	59.26	74.00	-14.74	26.65	3	Vertical	356	2.34	-	28.40	4.21	-				
AV	2.3882G	49.83	54.00	-4.17	17.22	3	Vertical	356	2.34	-	28.40	4.21	-				
PK	2.4378G	115.87	Inf	-Inf	83.22	3	Vertical	356	2.34	-	28.40	4.25	-				
AV	2.4362G	112.15	Inf	-Inf	79.50	3	Vertical	356	2.34	-	28.40	4.25	-				
PK	2.4858G	61.95	74.00	-12.05	29.11	3	Vertical	356	2.34	-	28.56	4.28	-				
AV	2.4835G	53.90	54.00	-0.10	21.08	3	Vertical	356	2.34	-	28.54	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 95
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	57.98	74.00	-16.02	25.37	3	Horizontal	332	2.16	-	28.40	4.21	-			
AV	2.3882G	47.36	54.00	-6.64	14.75	3	Horizontal	332	2.16	-	28.40	4.21	-			
PK	2.4362G	112.57	Inf	-Inf	79.92	3	Horizontal	332	2.16	-	28.40	4.25	-			
AV	2.4362G	108.89	Inf	-Inf	76.24	3	Horizontal	332	2.16	-	28.40	4.25	-			
PK	2.4838G	58.80	74.00	-15.20	25.98	3	Horizontal	332	2.16	-	28.54	4.28	-			
AV	2.4835G	48.93	54.00	-5.07	16.11	3	Horizontal	332	2.16	-	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 80
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87397G	50.98	74.00	-23.02	45.63	3	Vertical	346	1.96	-	33.45	6.82	34.92				
AV	4.87406G	43.95	54.00	-10.05	38.60	3	Vertical	346	1.96	-	33.45	6.82	34.92				
PK	7.31199G	60.09	74.00	-13.91	49.57	3	Vertical	309	2.64	-	36.95	8.56	34.99				
AV	7.31175G	53.74	54.00	-0.26	43.22	3	Vertical	309	2.64	-	36.95	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 80
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87406G	50.70	74.00	-23.30	45.35	3	Horizontal	67	1.01	-	33.45	6.82	34.92				
AV	4.87403G	45.23	54.00	-8.77	39.88	3	Horizontal	67	1.01	-	33.45	6.82	34.92				
PK	7.31187G	58.32	74.00	-15.68	47.80	3	Horizontal	350	1.48	-	36.95	8.56	34.99				
AV	7.31175G	51.37	54.00	-2.63	40.85	3	Horizontal	350	1.48	-	36.95	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	56.21	74.00	-17.79	23.60	3	Vertical	360	2.71	-	28.40	4.21	-			
AV	2.3896G	44.70	54.00	-9.30	12.09	3	Vertical	360	2.71	-	28.40	4.21	-			
PK	2.4578G	113.99	Inf	-Inf	81.25	3	Vertical	360	2.71	-	28.48	4.26	-			
AV	2.4562G	110.08	Inf	-Inf	77.36	3	Vertical	360	2.71	-	28.46	4.26	-			
PK	2.4842G	62.30	74.00	-11.70	29.48	3	Vertical	360	2.71	-	28.54	4.28	-			
AV	2.485G	52.40	54.00	-1.60	19.57	3	Vertical	360	2.71	-	28.55	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	56.40	74.00	-17.60	23.79	3	Horizontal	313	2.06	-	28.40	4.21	-			
AV	2.3898G	44.64	54.00	-9.36	12.03	3	Horizontal	313	2.06	-	28.40	4.21	-			
PK	2.4562G	110.88	Inf	-Inf	78.16	3	Horizontal	313	2.06	-	28.46	4.26	-			
AV	2.4562G	106.99	Inf	-Inf	74.27	3	Horizontal	313	2.06	-	28.46	4.26	-			
PK	2.4842G	59.23	74.00	-14.77	26.41	3	Horizontal	313	2.06	-	28.54	4.28	-			
AV	2.485G	49.11	54.00	-4.89	16.28	3	Horizontal	313	2.06	-	28.55	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3856G	56.55	74.00	-17.45	23.94	3	Vertical	1	1.88	-	28.40	4.21	-
AV	2.3892G	44.71	54.00	-9.29	12.10	3	Vertical	1	1.88	-	28.40	4.21	-
PK	2.4612G	113.22	Inf	-Inf	80.45	3	Vertical	1	1.88	-	28.50	4.27	-
AV	2.4612G	109.45	Inf	-Inf	76.68	3	Vertical	1	1.88	-	28.50	4.27	-
PK	2.484G	63.63	74.00	-10.37	30.81	3	Vertical	1	1.88	-	28.54	4.28	-
AV	2.4835G	53.75	54.00	-0.25	20.93	3	Vertical	1	1.88	-	28.54	4.28	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3868G	57.24	74.00	-16.76	24.63	3	Horizontal	332	2.16	-	28.40	4.21	-			
AV	2.39G	44.56	54.00	-9.44	11.95	3	Horizontal	332	2.16	-	28.40	4.21	-			
PK	2.4612G	109.62	Inf	-Inf	76.85	3	Horizontal	332	2.16	-	28.50	4.27	-			
AV	2.4612G	105.95	Inf	-Inf	73.18	3	Horizontal	332	2.16	-	28.50	4.27	-			
PK	2.4835G	60.28	74.00	-13.72	27.46	3	Horizontal	332	2.16	-	28.54	4.28	-			
AV	2.4835G	50.30	54.00	-3.70	17.48	3	Horizontal	332	2.16	-	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.924G	50.90	74.00	-23.10	45.40	3	Vertical	352	2.41	-	33.60	6.84	34.94				
AV	4.924G	43.31	54.00	-10.69	37.81	3	Vertical	352	2.41	-	33.60	6.84	34.94				
PK	7.38702G	59.98	74.00	-14.02	49.20	3	Vertical	327	1.73	-	37.10	8.64	34.96				
AV	7.38528G	53.40	54.00	-0.60	42.63	3	Vertical	327	1.73	-	37.10	8.63	34.96				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.92415G	50.15	74.00	-23.85	44.65	3	Horizontal	330	1.72	-	33.60	6.84	34.94				
AV	4.92403G	41.82	54.00	-12.18	36.32	3	Horizontal	330	1.72	-	33.60	6.84	34.94				
PK	7.3851G	60.32	74.00	-13.68	49.55	3	Horizontal	283	2.05	-	37.10	8.63	34.96				
AV	7.38675G	53.43	54.00	-0.57	42.65	3	Horizontal	283	2.05	-	37.10	8.64	34.96				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	64.18	74.00	-9.82	31.57	3	Vertical	346	1.80	-	28.40	4.21	-			
AV	2.39G	52.16	54.00	-1.84	19.55	3	Vertical	346	1.80	-	28.40	4.21	-			
PK	2.4152G	114.08	Inf	-Inf	81.50	3	Vertical	346	1.80	-	28.35	4.23	-			
AV	2.4152G	104.97	Inf	-Inf	72.39	3	Vertical	346	1.80	-	28.35	4.23	-			
PK	2.488G	57.18	74.00	-16.82	24.31	3	Vertical	346	1.80	-	28.58	4.29	-			
AV	2.488G	47.08	54.00	-6.92	14.21	3	Vertical	346	1.80	-	28.58	4.29	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	64.39	74.00	-9.61	31.78	3	Horizontal	52	2.08	-	28.40	4.21	-			
AV	2.39G	52.87	54.00	-1.13	20.26	3	Horizontal	52	2.08	-	28.40	4.21	-			
PK	2.4152G	112.33	Inf	-Inf	79.75	3	Horizontal	52	2.08	-	28.35	4.23	-			
AV	2.4104G	103.76	Inf	-Inf	71.23	3	Horizontal	52	2.08	-	28.30	4.23	-			
PK	2.4992G	57.17	74.00	-16.83	24.28	3	Horizontal	52	2.08	-	28.60	4.29	-			
AV	2.4848G	46.71	54.00	-7.29	13.88	3	Horizontal	52	2.08	-	28.55	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82583G	47.85	74.00	-26.15	42.56	3	Vertical	23	1.42	-	33.40	6.80	34.91			
AV	4.82343G	37.61	54.00	-16.39	32.32	3	Vertical	23	1.42	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82706G	48.43	74.00	-25.57	43.14	3	Horizontal	149	2.78	-	33.40	6.80	34.91			
AV	4.82103G	37.78	54.00	-16.22	32.49	3	Horizontal	149	2.78	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	59.45	74.00	-14.55	26.84	3	Vertical	338	2.18	-	28.40	4.21	-			
AV	2.389G	48.40	54.00	-5.60	15.79	3	Vertical	338	2.18	-	28.40	4.21	-			
PK	2.4346G	115.41	Inf	-Inf	82.76	3	Vertical	338	2.18	-	28.40	4.25	-			
AV	2.4354G	105.91	Inf	-Inf	73.26	3	Vertical	338	2.18	-	28.40	4.25	-			
PK	2.485G	61.87	74.00	-12.13	29.04	3	Vertical	338	2.18	-	28.55	4.28	-			
AV	2.4846G	51.31	54.00	-2.69	18.48	3	Vertical	338	2.18	-	28.55	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	62.76	74.00	-11.24	30.15	3	Horizontal	45	2.31	-	28.40	4.21	-			
AV	2.3894G	51.28	54.00	-2.72	18.67	3	Horizontal	45	2.31	-	28.40	4.21	-			
PK	2.4398G	113.36	Inf	-Inf	80.71	3	Horizontal	45	2.31	-	28.40	4.25	-			
AV	2.4354G	104.63	Inf	-Inf	71.98	3	Horizontal	45	2.31	-	28.40	4.25	-			
PK	2.485G	62.74	74.00	-11.26	29.91	3	Horizontal	45	2.31	-	28.55	4.28	-			
AV	2.4842G	51.17	54.00	-2.83	18.35	3	Horizontal	45	2.31	-	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.8743G	47.48	74.00	-26.52	42.13	3	Vertical	74	2.11	-	33.45	6.82	34.92				
AV	4.87295G	36.54	54.00	-17.46	31.19	3	Vertical	74	2.11	-	33.45	6.82	34.92				
PK	7.31214G	56.31	74.00	-17.69	45.79	3	Vertical	344	1.72	-	36.95	8.56	34.99				
AV	7.31187G	44.94	54.00	-9.06	34.42	3	Vertical	344	1.72	-	36.95	8.56	34.99				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.86992G	47.39	74.00	-26.61	42.05	3	Horizontal	301	1.04	-	33.44	6.82	34.92				
AV	4.86179G	36.58	54.00	-17.42	31.27	3	Horizontal	301	1.04	-	33.42	6.81	34.92				
PK	7.32507G	52.47	74.00	-21.53	41.88	3	Horizontal	300	1.30	-	37.00	8.57	34.98				
AV	7.31478G	42.62	54.00	-11.38	32.08	3	Horizontal	300	1.30	-	36.96	8.56	34.98				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.384G	56.67	74.00	-17.33	24.07	3	Vertical	353	1.96	-	28.40	4.20	-			
AV	2.3896G	46.26	54.00	-7.74	13.65	3	Vertical	353	1.96	-	28.40	4.21	-			
PK	2.4596G	113.69	Inf	-Inf	80.93	3	Vertical	353	1.96	-	28.50	4.26	-			
AV	2.46G	104.65	Inf	-Inf	71.89	3	Vertical	353	1.96	-	28.50	4.26	-			
PK	2.4835G	64.12	74.00	-9.88	31.30	3	Vertical	353	1.96	-	28.54	4.28	-			
AV	2.4835G	52.87	54.00	-1.13	20.05	3	Vertical	353	1.96	-	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3736G	56.41	74.00	-17.59	23.82	3	Horizontal	59	2.04	-	28.40	4.19	-				
AV	2.3792G	46.22	54.00	-7.78	13.62	3	Horizontal	59	2.04	-	28.40	4.20	-				
PK	2.4556G	109.17	Inf	-Inf	76.45	3	Horizontal	59	2.04	-	28.46	4.26	-				
AV	2.4552G	100.41	Inf	-Inf	67.70	3	Horizontal	59	2.04	-	28.45	4.26	-				
PK	2.4835G	65.42	74.00	-8.58	32.60	3	Horizontal	59	2.04	-	28.54	4.28	-				
AV	2.4835G	52.45	54.00	-1.55	19.63	3	Horizontal	59	2.04	-	28.54	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.93522G	47.61	74.00	-26.39	42.07	3	Vertical	29	1.70	-	33.64	6.84	34.94				
AV	4.93606G	37.38	54.00	-16.62	31.84	3	Vertical	29	1.70	-	33.64	6.84	34.94				
PK	7.38816G	53.97	74.00	-20.03	43.18	3	Vertical	302	2.21	-	37.10	8.64	34.95				
AV	7.38369G	42.78	54.00	-11.22	32.01	3	Vertical	302	2.21	-	37.10	8.63	34.96				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93162G	47.81	74.00	-26.19	42.28	3	Horizontal	240	2.06	-	33.63	6.84	34.94				
AV	4.9267G	36.92	54.00	-17.08	31.41	3	Horizontal	240	2.06	-	33.61	6.84	34.94				
PK	7.39056G	52.85	74.00	-21.15	42.06	3	Horizontal	111	2.39	-	37.10	8.64	34.95				
AV	7.3944G	42.13	54.00	-11.87	31.34	3	Horizontal	111	2.39	-	37.10	8.64	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3892G	69.53	74.00	-4.47	36.92	3	Vertical	344	1.80	-	28.40	4.21	-				
AV	2.3888G	53.26	54.00	-0.74	20.65	3	Vertical	344	1.80	-	28.40	4.21	-				
PK	2.4156G	115.36	Inf	-Inf	82.77	3	Vertical	344	1.80	-	28.36	4.23	-				
AV	2.4212G	103.44	Inf	-Inf	70.80	3	Vertical	344	1.80	-	28.40	4.24	-				
PK	2.4848G	57.53	74.00	-16.47	24.70	3	Vertical	344	1.80	-	28.55	4.28	-				
AV	2.4872G	45.91	54.00	-8.09	13.05	3	Vertical	344	1.80	-	28.57	4.29	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3888G	68.26	74.00	-5.74	35.65	3	Horizontal	54	2.09	-	28.40	4.21	-			
AV	2.39G	53.26	54.00	-0.74	20.65	3	Horizontal	54	2.09	-	28.40	4.21	-			
PK	2.414G	114.18	Inf	-Inf	81.61	3	Horizontal	54	2.09	-	28.34	4.23	-			
AV	2.4136G	102.18	Inf	-Inf	69.61	3	Horizontal	54	2.09	-	28.34	4.23	-			
PK	2.4856G	57.62	74.00	-16.38	24.78	3	Horizontal	54	2.09	-	28.56	4.28	-			
AV	2.488G	45.76	54.00	-8.24	12.89	3	Horizontal	54	2.09	-	28.58	4.29	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83219G	47.04	74.00	-26.96	41.75	3	Vertical	303	1.46	-	33.40	6.80	34.91			
AV	4.81689G	35.32	54.00	-18.68	30.03	3	Vertical	303	1.46	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 73
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83378G	47.33	74.00	-26.67	42.04	3	Horizontal	31	1.16	-	33.40	6.80	34.91			
AV	4.82574G	35.30	54.00	-18.70	30.01	3	Horizontal	31	1.16	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3886G	60.96	74.00	-13.04	28.35	3	Vertical	347	1.99	-	28.40	4.21	-				
AV	2.3898G	48.90	54.00	-5.10	16.29	3	Vertical	347	1.99	-	28.40	4.21	-				
PK	2.4438G	115.77	Inf	-Inf	83.12	3	Vertical	347	1.99	-	28.40	4.25	-				
AV	2.4286G	104.70	Inf	-Inf	72.06	3	Vertical	347	1.99	-	28.40	4.24	-				
PK	2.485G	63.15	74.00	-10.85	30.32	3	Vertical	347	1.99	-	28.55	4.28	-				
AV	2.4854G	50.94	54.00	-3.06	18.11	3	Vertical	347	1.99	-	28.55	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	69.06	74.00	-4.94	36.45	3	Horizontal	47	2.31	-	28.40	4.21	-			
AV	2.3898G	53.96	54.00	-0.04	21.35	3	Horizontal	47	2.31	-	28.40	4.21	-			
PK	2.4362G	115.02	Inf	-Inf	82.37	3	Horizontal	47	2.31	-	28.40	4.25	-			
AV	2.4438G	103.09	Inf	-Inf	70.44	3	Horizontal	47	2.31	-	28.40	4.25	-			
PK	2.4846G	67.25	74.00	-6.75	34.42	3	Horizontal	47	2.31	-	28.55	4.28	-			
AV	2.4835G	53.74	54.00	-0.26	20.92	3	Horizontal	47	2.31	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85936G	47.40	74.00	-26.60	42.09	3	Vertical	189	2.80	-	33.42	6.81	34.92				
AV	4.86254G	35.20	54.00	-18.80	29.87	3	Vertical	189	2.80	-	33.43	6.82	34.92				
PK	7.30905G	53.44	74.00	-20.56	42.94	3	Vertical	73	2.39	-	36.94	8.55	34.99				
AV	7.31676G	42.18	54.00	-11.82	31.63	3	Vertical	73	2.39	-	36.97	8.56	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86536G	47.54	74.00	-26.46	42.21	3	Horizontal	94	1.80	-	33.43	6.82	34.92				
AV	4.88867G	35.47	54.00	-18.53	30.09	3	Horizontal	94	1.80	-	33.48	6.83	34.93				
PK	7.30635G	54.96	74.00	-19.04	44.47	3	Horizontal	109	2.41	-	36.93	8.55	34.99				
AV	7.31181G	42.06	54.00	-11.94	31.54	3	Horizontal	109	2.41	-	36.95	8.56	34.99				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3824G	56.61	74.00	-17.39	24.01	3	Vertical	356	1.96	-	28.40	4.20	-			
AV	2.3884G	45.33	54.00	-8.67	12.72	3	Vertical	356	1.96	-	28.40	4.21	-			
PK	2.4616G	114.24	Inf	-Inf	81.47	3	Vertical	356	1.96	-	28.50	4.27	-			
AV	2.4588G	102.65	Inf	-Inf	69.90	3	Vertical	356	1.96	-	28.49	4.26	-			
PK	2.4848G	66.48	74.00	-7.52	33.65	3	Vertical	356	1.96	-	28.55	4.28	-			
AV	2.4835G	53.24	54.00	-0.76	20.42	3	Vertical	356	1.96	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3852G	56.53	74.00	-17.47	23.92	3	Horizontal	318	2.09	-	28.40	4.21	-			
AV	2.3856G	45.16	54.00	-8.84	12.55	3	Horizontal	318	2.09	-	28.40	4.21	-			
PK	2.4588G	110.87	Inf	-Inf	78.12	3	Horizontal	318	2.09	-	28.49	4.26	-			
AV	2.4592G	98.94	Inf	-Inf	66.19	3	Horizontal	318	2.09	-	28.49	4.26	-			
PK	2.4844G	66.14	74.00	-7.86	33.32	3	Horizontal	318	2.09	-	28.54	4.28	-			
AV	2.4835G	51.58	54.00	-2.42	18.76	3	Horizontal	318	2.09	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92652G	47.35	74.00	-26.65	41.84	3	Vertical	32	2.36	-	33.61	6.84	34.94				
AV	4.92721G	35.53	54.00	-18.47	30.02	3	Vertical	32	2.36	-	33.61	6.84	34.94				
PK	7.37553G	53.23	74.00	-20.77	42.47	3	Vertical	8	1.62	-	37.10	8.62	34.96				
AV	7.39626G	41.34	54.00	-12.66	30.54	3	Vertical	8	1.62	-	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.9225G	48.18	74.00	-25.82	42.69	3	Horizontal	201	1.91	-	33.59	6.84	34.94				
AV	4.91515G	35.84	54.00	-18.16	30.38	3	Horizontal	201	1.91	-	33.56	6.84	34.94				
PK	7.37394G	53.39	74.00	-20.61	42.63	3	Horizontal	194	1.26	-	37.10	8.62	34.96				
AV	7.39317G	41.25	54.00	-12.75	30.46	3	Horizontal	194	1.26	-	37.10	8.64	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	66.20	74.00	-7.80	33.59	3	Vertical	346	2.01	-	28.40	4.21	-			
AV	2.39G	53.37	54.00	-0.63	20.76	3	Vertical	346	2.01	-	28.40	4.21	-			
PK	2.4194G	115.10	Inf	-Inf	82.48	3	Vertical	346	2.01	-	28.39	4.23	-			
AV	2.421G	102.76	Inf	-Inf	70.12	3	Vertical	346	2.01	-	28.40	4.24	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	63.90	74.00	-10.10	31.29	3	Horizontal	53	2.10	-	28.40	4.21	-			
AV	2.39G	51.74	54.00	-2.26	19.13	3	Horizontal	53	2.10	-	28.40	4.21	-			
PK	2.414G	113.61	Inf	-Inf	81.04	3	Horizontal	53	2.10	-	28.34	4.23	-			
AV	2.4136G	101.43	Inf	-Inf	68.86	3	Horizontal	53	2.10	-	28.34	4.23	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81725G	47.90	74.00	-26.10	42.61	3	Vertical	296	2.73	-	33.40	6.80	34.91			
AV	4.83132G	35.11	54.00	-18.89	29.82	3	Vertical	296	2.73	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8222G	47.27	74.00	-26.73	41.98	3	Horizontal	85	2.84	-	33.40	6.80	34.91			
AV	4.81368G	35.12	54.00	-18.88	29.83	3	Horizontal	85	2.84	-	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	62.78	74.00	-11.22	30.17	3	Vertical	351	2.20	-	28.40	4.21	-				
AV	2.3898G	49.70	54.00	-4.30	17.09	3	Vertical	351	2.20	-	28.40	4.21	-				
PK	2.4306G	117.16	Inf	-Inf	84.52	3	Vertical	351	2.20	-	28.40	4.24	-				
AV	2.4294G	103.76	Inf	-Inf	71.12	3	Vertical	351	2.20	-	28.40	4.24	-				
PK	2.4846G	62.85	74.00	-11.15	30.02	3	Vertical	351	2.20	-	28.55	4.28	-				
AV	2.4835G	51.08	54.00	-2.92	18.26	3	Vertical	351	2.20	-	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	66.95	74.00	-7.05	34.34	3	Horizontal	47	2.30	-	28.40	4.21	-				
AV	2.3898G	53.53	54.00	-0.47	20.92	3	Horizontal	47	2.30	-	28.40	4.21	-				
PK	2.4462G	114.81	Inf	-Inf	82.16	3	Horizontal	47	2.30	-	28.40	4.25	-				
AV	2.443G	102.53	Inf	-Inf	69.88	3	Horizontal	47	2.30	-	28.40	4.25	-				
PK	2.4882G	69.53	74.00	-4.47	36.66	3	Horizontal	47	2.30	-	28.58	4.29	-				
AV	2.4838G	52.88	54.00	-1.12	20.06	3	Horizontal	47	2.30	-	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86707G	47.35	74.00	-26.65	42.02	3	Vertical	314	1.04	-	33.43	6.82	34.92				
AV	4.87826G	35.05	54.00	-18.95	29.70	3	Vertical	314	1.04	-	33.46	6.82	34.93				
PK	7.31169G	52.82	74.00	-21.18	42.30	3	Vertical	289	2.99	-	36.95	8.56	34.99				
AV	7.32207G	40.26	54.00	-13.74	29.68	3	Vertical	289	2.99	-	36.99	8.57	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 77
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86701G	47.37	74.00	-26.63	42.04	3	Horizontal	102	1.73	-	33.43	6.82	34.92				
AV	4.86698G	34.89	54.00	-19.11	29.56	3	Horizontal	102	1.73	-	33.43	6.82	34.92				
PK	7.3023G	52.20	74.00	-21.80	41.73	3	Horizontal	38	1.66	-	36.91	8.55	34.99				
AV	7.31427G	40.54	54.00	-13.46	30.00	3	Horizontal	38	1.66	-	36.96	8.56	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3792G	56.39	74.00	-17.61	23.79	3	Vertical	356	2.16	-	28.40	4.20	-			
AV	2.39G	45.28	54.00	-8.72	12.67	3	Vertical	356	2.16	-	28.40	4.21	-			
PK	2.4608G	114.03	Inf	-Inf	81.26	3	Vertical	356	2.16	-	28.50	4.27	-			
AV	2.4644G	101.74	Inf	-Inf	68.97	3	Vertical	356	2.16	-	28.50	4.27	-			
PK	2.4835G	66.05	74.00	-7.95	33.23	3	Vertical	356	2.16	-	28.54	4.28	-			
AV	2.4835G	53.47	54.00	-0.53	20.65	3	Vertical	356	2.16	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.362G	56.26	74.00	-17.74	23.76	3	Horizontal	59	1.99	-	28.32	4.18	-			
AV	2.3884G	45.10	54.00	-8.90	12.49	3	Horizontal	59	1.99	-	28.40	4.21	-			
PK	2.4612G	111.01	Inf	-Inf	78.24	3	Horizontal	59	1.99	-	28.50	4.27	-			
AV	2.4584G	97.80	Inf	-Inf	65.06	3	Horizontal	59	1.99	-	28.48	4.26	-			
PK	2.484G	64.74	74.00	-9.26	31.92	3	Horizontal	59	1.99	-	28.54	4.28	-			
AV	2.4835G	51.36	54.00	-2.64	18.54	3	Horizontal	59	1.99	-	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92223G	48.28	74.00	-25.72	42.79	3	Vertical	49	1.25	-	33.59	6.84	34.94				
AV	4.92445G	35.94	54.00	-18.06	30.44	3	Vertical	49	1.25	-	33.60	6.84	34.94				
PK	7.39644G	52.70	74.00	-21.30	41.90	3	Vertical	177	1.38	-	37.10	8.65	34.95				
AV	7.39905G	40.96	54.00	-13.04	30.16	3	Vertical	177	1.38	-	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



EUT_Y_2TX
Setting 69
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.93624G	48.03	74.00	-25.97	42.49	3	Horizontal	210	2.90	-	33.64	6.84	34.94				
AV	4.92688G	35.73	54.00	-18.27	30.22	3	Horizontal	210	2.90	-	33.61	6.84	34.94				
PK	7.39896G	53.17	74.00	-20.83	42.37	3	Horizontal	269	1.28	-	37.10	8.65	34.95				
AV	7.39509G	40.88	54.00	-13.12	30.09	3	Horizontal	269	1.28	-	37.10	8.64	34.95				