

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

23/06/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.63	10.63	7.64	7.92

Sum ☒

Port 1 ☐

Port 2 ☐

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

23/06/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.68	10.68	7.67	8.00

Sum ☒

Port 1 ☐

Port 2 ☐

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

23/06/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.81	7.81	4.62	5.10

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.80	10.80	7.60	8.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

23/06/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

23/06/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.47	13.47	10.56	10.67

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

23/06/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
21.891

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.61	12.61	9.73	9.83

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.85	10.86	7.64	8.09

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.20	13.20	9.97	10.49

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.86	12.86	9.62	10.12

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.99	9.99	6.88	7.12

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

23/06/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.01	10.01	6.74	7.31

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

23/06/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.17	10.17	6.92	7.44

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

23/06/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.97	9.97	6.79	7.19

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

23/06/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.15	10.15	6.98	7.37

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

23/06/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.39	5.39	2.13	2.68

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.80	10.80	7.49	8.12

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

23/06/2026



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

23/06/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.50	13.50	10.51	10.62

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

23/06/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
30.535

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.66	12.66	9.64	9.72

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

23/06/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.63	5.63	2.69	2.65

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

23/06/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.05	10.05	6.99	7.11

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

23/06/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.39	7.39	4.18	4.59

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

23/06/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.45	5.45	2.16	2.85

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

23/06/2026



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

23/06/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.72	0.72	-2.18	-2.36

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
16.261

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.55	7.55	4.46	4.63

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

23/06/2026

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
16.261
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
9.83	9.83	6.71	7.04

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

23/06/2026

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
8.758
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
2.52	2.52	-0.74	-0.16

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

23/06/2026

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
8.758
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.52	2.52	-0.84	-0.02


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

23/06/2026

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
8.758
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.24	4.24	1.13	1.33

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

23/06/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.758

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.90	4.90	1.62	2.24

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
8.758

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.66	4.66	1.34	1.96

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

23/06/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.39	-2.39	-5.62	-5.10

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.39	-1.39	-4.62	-4.18

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

23/06/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.56	-2.56	-5.52	-5.63

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

23/06/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.69	10.69	7.35	8.07

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

23/06/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.83	12.83	9.56	10.18

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

23/06/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.03	13.03	9.69	10.37

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

23/06/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.29	10.29	7.27	7.46

Sum ☒

Port 1 ☒


Port 2 ☒

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5300MHz

23/06/2026




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5320MHz

23/06/2026



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5500MHz

23/06/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.13	10.13	6.99	7.32

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5580MHz

23/06/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.10	10.10	6.88	7.39

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5700MHz

23/06/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.30	5.30	2.13	2.58

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.94	10.94	7.68	8.20

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

23/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.33	9.33	6.02	6.71

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5745MHz

23/06/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.82	12.82	9.70	10.03

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5785MHz

23/06/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.52	13.52	10.52	10.56

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5825MHz

23/06/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
50.305

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.77	12.77	9.76	9.85

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

23/06/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
9.259

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.22	5.22	2.20	2.26

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

23/06/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
9.259

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.15	10.15	7.05	7.22

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

23/06/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
9.259

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.62	7.62	4.45	4.83

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

23/06/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
9.259

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.63	5.63	2.27	2.98

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5510MHz

23/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.20	6.20	3.21	3.20

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5550MHz

23/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.56	7.56	4.72	4.46

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5670MHz

23/06/2026




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5755MHz

23/06/2026




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

23/06/2026

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
9.259
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.85	9.85	6.82	7.05


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

23/06/2026

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
5.505
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.72	2.72	-0.64	0.10

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

23/06/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
5.505

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.61	2.61	-0.77	0.01

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5530MHz

23/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
5.505

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.53	4.53	1.52	1.62

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5610MHz

23/06/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
5.505

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	4.99	1.73	2.34

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/06/2026

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
5.505

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.94	4.94	1.71	2.26

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

23/06/2026




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.38	-2.38	-5.68	-5.07

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.47	-1.47	-4.80	-4.18

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5570MHz

23/06/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.52	-1.52	-4.46	-4.61

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	1.35
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-2.40

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	4.37	-2.04	-1.25	1.35	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-
5290MHz	Pass	4.87	-5.73	-5.01	-2.40	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/07/2026

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.022
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.35	1.35	-2.04	-1.25


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5290MHz

08/08/2026

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
10.335
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.40	-2.40	-5.73	-5.01

Summary

Mode	PD
	(dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	2.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-2.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-3.00
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	1.11
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-1.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-1.61
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	0.12
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	4.36
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	4.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-3.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-2.63
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	1.41
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	3.72

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	4.48	-0.24	-0.62	2.50	17.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	4.52	-1.77	-1.88	1.11	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	5.21	-2.83	-2.88	0.12	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5610MHz	Pass	5.21	1.44	1.33	4.36	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	5.21	1.46	1.60	4.54	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.725-5.85GHz	Pass	5.83	-1.50	-1.57	1.41	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5775MHz	Pass	5.83	1.04	0.46	3.72	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	-5.43	-5.91	-2.68	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.48	-5.66	-6.32	-3.00	17.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	-4.54	-4.84	-1.71	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	4.52	-4.42	-4.79	-1.61	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-	-	-	-
5570MHz	Pass	5.21	-6.15	-6.33	-3.25	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-
5570MHz	Pass	5.21	-5.54	-5.71	-2.63	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/07/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
10

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.50	2.50	-0.24	-0.62

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5290MHz

24/07/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
10

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.11	1.11	-1.77	-1.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

24/07/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.12	0.12	-2.83	-2.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

24/07/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.36	4.36	1.44	1.33

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/07/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/07/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

24/07/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/07/2026



5250-5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.71	-1.71	-4.54	-4.84

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/07/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.00	-3.00	-5.66	-6.32

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.61	-1.61	-4.42	-4.79

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

PSD

5570MHz

24/07/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.25	-3.25	-6.15	-6.33

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5570MHz

24/07/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
10

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.63	-2.63	-5.54	-5.71




Radiated Emissions below 1GHz

Appendix E.1


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	PK	50.37M	36.60	40.00	-3.40	Vertical

Mode 4



Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	42.61M	35.94	40.00	-4.06	-13.84	3	Horizontal	360	1.25	"Worst"	49.78	17.28	0.36	31.48		
PK	48.43M	34.99	40.00	-5.01	-16.50	3	Horizontal	114	2.00	-	51.49	14.59	0.42	31.51		
PK	83.35M	27.48	40.00	-12.52	-17.67	3	Horizontal	338	1.25	-	45.15	13.55	0.74	31.96		
PK	920.46M	32.29	46.00	-13.71	-2.49	3	Horizontal	214	1.50	-	34.78	26.87	3.31	32.67		
PK	925.31M	31.78	46.00	-14.22	-2.53	3	Horizontal	215	1.00	-	34.31	26.84	3.32	32.69		
PK	944.71M	31.90	46.00	-14.10	-2.61	3	Horizontal	0	2.00	-	34.51	26.78	3.35	32.74		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1494G	53.97	54.00	-0.03	3	Horizontal	8	1.02	

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 91
60\91\106\99\96\95\83\89\92\91
7.79\1.71\16.80\6.47\4.34\3.58\6.64\3.60\0.62\1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1465G	63.31	74.00	-10.69	57.13	3	Vertical	174	2.18	91	34.10	7.01	34.93			
AV	5.1497G	52.34	54.00	-1.66	46.16	3	Vertical	174	2.18	91	34.10	7.01	34.93			
PK	5.1838G	110.71	Inf	-Inf	104.49	3	Vertical	174	2.18	91	34.10	7.04	34.92			
AV	5.1838G	102.33	Inf	-Inf	96.11	3	Vertical	174	2.18	91	34.10	7.04	34.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 91
91
1.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1452G	64.70	74.00	-9.30	58.52	3	Horizontal	161	2.30	91	34.10	7.01	34.93				
AV	5.1497G	52.73	54.00	-1.27	46.55	3	Horizontal	161	2.30	91	34.10	7.01	34.93				
PK	5.1741G	110.45	Inf	-Inf	104.24	3	Horizontal	161	2.30	91	34.10	7.04	34.93				
AV	5.177G	102.83	Inf	-Inf	96.61	3	Horizontal	161	2.30	91	34.10	7.04	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 105
60\92\108\100\104\106\105
8.08\6.78\1.50\3.76\1.84\0.05\1.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1484G	66.37	74.00	-7.63	60.19	3	Vertical	180	2.26	105	34.10	7.01	34.93				
AV	5.1492G	52.99	54.00	-1.01	46.81	3	Vertical	180	2.26	105	34.10	7.01	34.93				
PK	5.2036G	113.88	Inf	-Inf	107.63	3	Vertical	180	2.26	105	34.11	7.06	34.92				
AV	5.202G	105.47	Inf	-Inf	99.22	3	Vertical	180	2.26	105	34.11	7.06	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 104
105\102\103\104
-0.64\1.15\0.56\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	67.39	74.00	-6.61	61.21	3	Horizontal	104	2.93	104	34.10	7.01	34.93			
AV	5.1498G	53.70	54.00	-0.30	47.52	3	Horizontal	104	2.93	104	34.10	7.01	34.93			
PK	5.2064G	115.70	Inf	-Inf	109.43	3	Horizontal	104	2.93	104	34.13	7.06	34.92			
AV	5.1972G	107.80	Inf	-Inf	101.56	3	Horizontal	104	2.93	104	34.10	7.06	34.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
60\88\108
7.09\6.94\6.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1476G	57.54	74.00	-16.46	51.36	3	Vertical	155	2.88	108	34.10	7.01	34.93				
AV	5.15G	47.63	54.00	-6.37	41.45	3	Vertical	155	2.88	108	34.10	7.01	34.93				
PK	5.2439G	117.33	Inf	-Inf	110.87	3	Vertical	155	2.88	108	34.28	7.09	34.91				
AV	5.2448G	108.95	Inf	-Inf	102.49	3	Vertical	155	2.88	108	34.28	7.09	34.91				
PK	5.3552G	56.98	74.00	-17.02	50.09	3	Vertical	155	2.88	108	34.61	7.17	34.89				
AV	5.3558G	47.53	54.00	-6.47	40.64	3	Vertical	155	2.88	108	34.61	7.17	34.89				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
108
5.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	56.82	74.00	-17.18	50.64	3	Horizontal	104	2.75	108	34.10	7.01	34.93			
AV	5.15G	48.01	54.00	-5.99	41.83	3	Horizontal	104	2.75	108	34.10	7.01	34.93			
PK	5.2442G	117.88	Inf	-Inf	111.42	3	Horizontal	104	2.75	108	34.28	7.09	34.91			
AV	5.2439G	109.76	Inf	-Inf	103.30	3	Horizontal	104	2.75	108	34.28	7.09	34.91			
PK	5.357G	57.74	74.00	-16.26	50.85	3	Horizontal	104	2.75	108	34.61	7.17	34.89			
AV	5.3519G	47.96	54.00	-6.04	41.08	3	Horizontal	104	2.75	108	34.60	7.17	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 103
60\90\108\99\103\105\104\103
7.56\7.26\4.54\7.21\7.15\4.80\4.40\6.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1448G	57.07	74.00	-16.93	60.57	3	Vertical	9	2.46	103	32.07	8.28	43.85				
AV	5.1472G	47.58	54.00	-6.42	51.07	3	Vertical	9	2.46	103	32.08	8.28	43.85				
PK	5.2585G	115.55	Inf	-Inf	119.57	3	Vertical	9	2.46	103	31.47	8.33	43.82				
AV	5.2591G	106.42	Inf	-Inf	110.45	3	Vertical	9	2.46	103	31.46	8.33	43.82				
PK	5.3509G	58.26	74.00	-15.74	62.27	3	Vertical	9	2.46	103	31.40	8.38	43.79				
AV	5.35G	46.33	54.00	-7.67	50.34	3	Vertical	9	2.46	103	31.40	8.38	43.79				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 103
103
4.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1481G	58.34	74.00	-15.66	61.82	3	Horizontal	83	2.34	103	32.09	8.28	43.85					
AV	5.1454G	47.05	54.00	-6.95	50.55	3	Horizontal	83	2.34	103	32.07	8.28	43.85					
PK	5.254G	118.66	Inf	-Inf	122.67	3	Horizontal	83	2.34	103	31.48	8.33	43.82					
AV	5.257G	108.87	Inf	-Inf	112.89	3	Horizontal	83	2.34	103	31.47	8.33	43.82					
PK	5.3506G	62.74	74.00	-11.26	66.75	3	Horizontal	83	2.34	103	31.40	8.38	43.79					
AV	5.3512G	49.06	54.00	-4.94	53.07	3	Horizontal	83	2.34	103	31.40	8.38	43.79					

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 103
60\97\108\103\105\104\103
9.26\6.43\6.21\1.11\5.69\0.47\0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3032G	111.98	Inf	-Inf	116.11	3	Vertical	18	1.04	103	31.31	8.36	43.80			
AV	5.294G	102.98	Inf	-Inf	107.12	3	Vertical	18	1.04	103	31.32	8.35	43.81			
PK	5.3566G	63.39	74.00	-10.61	67.39	3	Vertical	18	1.04	103	31.40	8.39	43.79			
AV	5.3502G	53.18	54.00	-0.82	57.19	3	Vertical	18	1.04	103	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 100
103\90\102\96\99\100
-3.25\6.42\2.12\4.16\1.48\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3062G	115.04	Inf	-Inf	119.17	3	Horizontal	292	2.95	100	31.31	8.36	43.80			
AV	5.2932G	106.08	Inf	-Inf	110.21	3	Horizontal	292	2.95	100	31.33	8.35	43.81			
PK	5.3508G	66.57	74.00	-7.43	70.58	3	Horizontal	292	2.95	100	31.40	8.38	43.79			
AV	5.3514G	53.88	54.00	-0.12	57.89	3	Horizontal	292	2.95	100	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 94
60\96\78\87\91\93\94
9.24\1.59\8.51\6.21\2.58\1.81\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3237G	110.77	Inf	-Inf	114.85	3	Vertical	7	1.02	94	31.35	8.37	43.80			
AV	5.3175G	101.05	Inf	-Inf	105.15	3	Vertical	7	1.02	94	31.34	8.36	43.80			
PK	5.35G	67.09	74.00	-6.91	71.10	3	Vertical	7	1.02	94	31.40	8.38	43.79			
AV	5.3501G	53.59	54.00	-0.41	57.60	3	Vertical	7	1.02	94	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 90
94\78\93\86\89\90
-4.00\6.31\ -2.65\3.42\0.61\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3264G	114.22	Inf	-Inf	118.30	3	Horizontal	78	2.98	90	31.35	8.37	43.80			
AV	5.3149G	105.08	Inf	-Inf	109.19	3	Horizontal	78	2.98	90	31.33	8.36	43.80			
PK	5.3553G	69.38	74.00	-4.62	73.38	3	Horizontal	78	2.98	90	31.40	8.39	43.79			
AV	5.3505G	53.86	54.00	-0.14	57.87	3	Horizontal	78	2.98	90	31.40	8.38	43.79			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 92
60\94\77\85\89\91\92
8.65\1.95\7.68\6.55\4.45\1.72\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1395G	65.28	74.00	-8.72	59.11	3	Vertical	173	2.18	92	34.10	7.00	34.93			
AV	5.1492G	53.71	54.00	-0.29	47.53	3	Vertical	173	2.18	92	34.10	7.01	34.93			
PK	5.1832G	112.62	Inf	-Inf	106.40	3	Vertical	173	2.18	92	34.10	7.04	34.92			
AV	5.1777G	101.63	Inf	-Inf	95.41	3	Vertical	173	2.18	92	34.10	7.04	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 91
92\90\91
-0.27\1.80\0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	66.18	74.00	-7.82	60.00	3	Horizontal	161	2.30	91	34.10	7.01	34.93			
AV	5.1485G	53.23	54.00	-0.77	47.05	3	Horizontal	161	2.30	91	34.10	7.01	34.93			
PK	5.1758G	113.45	Inf	-Inf	107.23	3	Horizontal	161	2.30	91	34.10	7.04	34.92			
AV	5.1728G	102.03	Inf	-Inf	95.83	3	Horizontal	161	2.30	91	34.10	7.03	34.93			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 104
60\95\108\102\105\104
8.87\5.77\3.80\1.69\0.47\0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.61	74.00	-8.39	59.43	3	Vertical	183	2.04	104	34.10	7.01	34.93			
AV	5.1492G	53.35	54.00	-0.65	47.17	3	Vertical	183	2.04	104	34.10	7.01	34.93			
PK	5.2076G	114.77	Inf	-Inf	108.49	3	Vertical	183	2.04	104	34.13	7.07	34.92			
AV	5.2034G	103.84	Inf	-Inf	97.59	3	Vertical	183	2.04	104	34.11	7.06	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 101
104\94\103\99\101
-2.29\4.31\1.78\2.13\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	65.97	74.00	-8.03	59.79	3	Horizontal	103	2.93	101	34.10	7.01	34.93			
AV	5.1496G	53.78	54.00	-0.22	47.60	3	Horizontal	103	2.93	101	34.10	7.01	34.93			
PK	5.206G	117.77	Inf	-Inf	111.51	3	Horizontal	103	2.93	101	34.12	7.06	34.92			
AV	5.1982G	106.19	Inf	-Inf	99.95	3	Horizontal	103	2.93	101	34.10	7.06	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_V_1TX
SET 108
60\92\108
8.00\7.56\6.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.85	74.00	-16.15	51.67	3	Vertical	155	2.88	108	34.10	7.01	34.93
AV	5.1476G	47.41	54.00	-6.59	41.23	3	Vertical	155	2.88	108	34.10	7.01	34.93
PK	5.2391G	118.52	Inf	-Inf	112.08	3	Vertical	155	2.88	108	34.26	7.09	34.91
AV	5.2439G	108.04	Inf	-Inf	101.58	3	Vertical	155	2.88	108	34.28	7.09	34.91
PK	5.35G	57.37	74.00	-16.63	50.49	3	Vertical	155	2.88	108	34.60	7.17	34.89
AV	5.351G	47.18	54.00	-6.82	40.30	3	Vertical	155	2.88	108	34.60	7.17	34.89

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
108
6.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	59.88	74.00	-14.12	53.70	3	Horizontal	102	2.76	108	34.10	7.01	34.93			
AV	5.1497G	47.64	54.00	-6.36	41.46	3	Horizontal	102	2.76	108	34.10	7.01	34.93			
PK	5.2358G	119.70	Inf	-Inf	113.28	3	Horizontal	102	2.76	108	34.24	7.09	34.91			
AV	5.2379G	108.77	Inf	-Inf	102.34	3	Horizontal	102	2.76	108	34.25	7.09	34.91			
PK	5.3525G	58.98	74.00	-15.02	52.09	3	Horizontal	102	2.76	108	34.61	7.17	34.89			
AV	5.3546G	47.57	54.00	-6.43	40.68	3	Horizontal	102	2.76	108	34.61	7.17	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
60\96\108
9.21\8.58\1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	72.58	74.00	-1.42	76.06	3	Vertical	6	2.26	108	32.09	8.28	43.85
AV	5.1484G	47.96	54.00	-6.04	51.44	3	Vertical	6	2.26	108	32.09	8.28	43.85
PK	5.2555G	116.16	Inf	-Inf	120.17	3	Vertical	6	2.26	108	31.48	8.33	43.82
AV	5.2618G	104.39	Inf	-Inf	108.43	3	Vertical	6	2.26	108	31.45	8.33	43.82
PK	5.3542G	72.77	74.00	-1.23	76.78	3	Vertical	6	2.26	108	31.40	8.38	43.79
AV	5.3518G	51.84	54.00	-2.16	55.85	3	Vertical	6	2.26	108	31.40	8.38	43.79

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 102
108\98\107\103\101\102
-2.35\7.48\2.09\1.52\6.15\4.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1496G	59.47	74.00	-14.53	62.94	3	Horizontal	83	2.95	102	32.10	8.28	43.85
AV	5.1499G	47.47	54.00	-6.53	50.94	3	Horizontal	83	2.95	102	32.10	8.28	43.85
PK	5.2573G	118.84	Inf	-Inf	122.86	3	Horizontal	83	2.95	102	31.47	8.33	43.82
AV	5.2516G	106.67	Inf	-Inf	110.67	3	Horizontal	83	2.95	102	31.49	8.33	43.82
PK	5.3503G	64.78	74.00	-9.22	68.79	3	Horizontal	83	2.95	102	31.40	8.38	43.79
AV	5.3524G	49.39	54.00	-4.61	53.40	3	Horizontal	83	2.95	102	31.40	8.38	43.79

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 103
60\100\108\104\102\103
10.58\4.26\2.83\0.62\2.74\1.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2916G	113.19	Inf	-Inf	117.32	3	Vertical	356	2.33	103	31.33	8.35	43.81				
AV	5.2926G	102.02	Inf	-Inf	106.15	3	Vertical	356	2.33	103	31.33	8.35	43.81				
PK	5.3512G	66.54	74.00	-7.46	70.55	3	Vertical	356	2.33	103	31.40	8.38	43.79				
AV	5.3512G	52.54	54.00	-1.46	56.55	3	Vertical	356	2.33	103	31.40	8.38	43.79				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 97
103\84\102\93\97\99\98\97
-4.62\8.22\ -3.05\4.37\0.76\ -0.72\ -0.09\0.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2908G	115.97	Inf	-Inf	120.09	3	Horizontal	289	2.98	97	31.34	8.35	43.81			
AV	5.3008G	104.33	Inf	-Inf	108.47	3	Horizontal	289	2.98	97	31.30	8.36	43.80			
PK	5.3526G	67.88	74.00	-6.12	71.89	3	Horizontal	289	2.98	97	31.40	8.38	43.79			
AV	5.3504G	53.03	54.00	-0.97	57.04	3	Horizontal	289	2.98	97	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 94
60\100\82\91\95\93\94
10.40\ -4.51\8.27\2.71\ -1.10\1.53\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3243G	112.46	Inf	-Inf	116.54	3	Vertical	11	1.02	94	31.35	8.37	43.80				
AV	5.3233G	99.80	Inf	-Inf	103.88	3	Vertical	11	1.02	94	31.35	8.37	43.80				
PK	5.3506G	66.10	74.00	-7.90	70.11	3	Vertical	11	1.02	94	31.40	8.38	43.79				
AV	5.3504G	53.41	54.00	-0.59	57.42	3	Vertical	11	1.02	94	31.40	8.38	43.79				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 89
94\78\93\86\89\90\89
-3.99\7.28\2.45\3.99\1.81\0.28\1.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3187G	116.21	Inf	-Inf	120.30	3	Horizontal	86	2.98	89	31.34	8.37	43.80			
AV	5.312G	104.16	Inf	-Inf	108.28	3	Horizontal	86	2.98	89	31.32	8.36	43.80			
PK	5.361G	65.86	74.00	-8.14	69.85	3	Horizontal	86	2.98	89	31.40	8.39	43.78			
AV	5.3502G	52.22	54.00	-1.78	56.23	3	Horizontal	86	2.98	89	31.40	8.38	43.79			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 87
60\94\56\75\84\88\86\87
8.71\ -12.16\8.98\6.81\4.62\ -1.19\2.59\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	68.25	74.00	-5.75	71.73	3	Vertical	16	1.08	87	32.09	8.28	43.85			
AV	5.1486G	52.72	54.00	-1.28	56.20	3	Vertical	16	1.08	87	32.09	8.28	43.85			
PK	5.1836G	108.57	Inf	-Inf	112.21	3	Vertical	16	1.08	87	31.90	8.30	43.84			
AV	5.1764G	96.49	Inf	-Inf	100.10	3	Vertical	16	1.08	87	31.94	8.29	43.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 84
87\81\84\85\84
-1.49\3.37\2.04\ -0.12\1.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1478G	66.36	74.00	-7.64	69.84	3	Horizontal	86	2.94	84	32.09	8.28	43.85			
AV	5.15G	52.20	54.00	-1.80	55.66	3	Horizontal	86	2.94	84	32.10	8.29	43.85			
PK	5.194G	111.99	Inf	-Inf	115.69	3	Horizontal	86	2.94	84	31.84	8.30	43.84			
AV	5.1924G	99.71	Inf	-Inf	103.40	3	Horizontal	86	2.94	84	31.85	8.30	43.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 103
60\96\108\102\105\104\103
9.00\5.47\ -3.34\1.39\ -1.08\ -0.24\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	65.67	74.00	-8.33	69.14	3	Vertical	6	2.24	103	32.10	8.28	43.85			
AV	5.1486G	53.41	54.00	-0.59	56.89	3	Vertical	6	2.24	103	32.09	8.28	43.85			
PK	5.2226G	113.12	Inf	-Inf	116.98	3	Vertical	6	2.24	103	31.66	8.31	43.83			
AV	5.2204G	100.65	Inf	-Inf	104.49	3	Vertical	6	2.24	103	31.68	8.31	43.83			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 99
103\91\102\97\99
-2.80\4.23\ -2.14\1.53\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	67.56	74.00	-6.44	71.03	3	Horizontal	80	2.92	99	32.10	8.28	43.85			
AV	5.149G	53.94	54.00	-0.06	57.42	3	Horizontal	80	2.92	99	32.09	8.28	43.85			
PK	5.2328G	115.04	Inf	-Inf	118.95	3	Horizontal	80	2.92	99	31.60	8.32	43.83			
AV	5.2454G	102.80	Inf	-Inf	106.77	3	Horizontal	80	2.92	99	31.53	8.32	43.82			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 97
60\100\80\90\95\97\98\97
10.50\ -3.24\10.33\6.34\1.76\0.61\ -0.26\1.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2754G	111.91	Inf	-Inf	115.98	3	Vertical	12	1.16	97	31.40	8.34	43.81				
AV	5.2652G	99.65	Inf	-Inf	103.69	3	Vertical	12	1.16	97	31.44	8.34	43.82				
PK	5.3502G	65.46	74.00	-8.54	69.47	3	Vertical	12	1.16	97	31.40	8.38	43.79				
AV	5.3508G	52.92	54.00	-1.08	56.93	3	Vertical	12	1.16	97	31.40	8.38	43.79				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 92
97\81\96\89\92\93\92
-3.77\8.66\ -3.04\3.97\0.68\ -1.19\0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2724G	115.40	Inf	-Inf	119.46	3	Horizontal	85	2.98	92	31.41	8.34	43.81			
AV	5.273G	102.54	Inf	-Inf	106.60	3	Horizontal	85	2.98	92	31.41	8.34	43.81			
PK	5.3508G	66.99	74.00	-7.01	71.00	3	Horizontal	85	2.98	92	31.40	8.38	43.79			
AV	5.351G	53.42	54.00	-0.58	57.43	3	Horizontal	85	2.98	92	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 90
60\100\56\78\89\94\92\91\90
10.48\ -16.12\10.64\9.58\2.47\ -7.68\ -4.03\ -2.60\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2922G	108.81	Inf	-Inf	112.94	3	Vertical	359	2.34	90	31.33	8.35	43.81			
AV	5.2928G	96.26	Inf	-Inf	100.39	3	Vertical	359	2.34	90	31.33	8.35	43.81			
PK	5.35G	66.79	74.00	-7.21	70.80	3	Vertical	359	2.34	90	31.40	8.38	43.79			
AV	5.3502G	53.55	54.00	-0.45	57.56	3	Vertical	359	2.34	90	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 90
90
0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3012G	109.01	Inf	-Inf	113.15	3	Horizontal	12	1.05	90	31.30	8.36	43.80			
AV	5.2956G	95.97	Inf	-Inf	100.11	3	Horizontal	12	1.05	90	31.32	8.35	43.81			
PK	5.3508G	67.97	74.00	-6.03	71.98	3	Horizontal	12	1.05	90	31.40	8.38	43.79			
AV	5.3502G	53.75	54.00	-0.25	57.76	3	Horizontal	12	1.05	90	31.40	8.38	43.79			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 88
60\95\56\75\84\88
8.92\10.70\8.74\7.85\3.10\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1355G	67.60	74.00	-6.40	71.17	3	Vertical	16	1.02	88	32.01	8.28	43.86			
AV	5.148G	53.75	54.00	-0.25	57.23	3	Vertical	16	1.02	88	32.09	8.28	43.85			
PK	5.1845G	105.26	Inf	-Inf	108.91	3	Vertical	16	1.02	88	31.89	8.30	43.84			
AV	5.173G	92.90	Inf	-Inf	96.49	3	Vertical	16	1.02	88	31.96	8.29	43.84			
PK	5.4535G	56.07	74.00	-17.93	59.66	3	Vertical	16	1.02	88	31.71	8.45	43.75			
AV	5.3655G	44.47	54.00	-9.53	48.46	3	Vertical	16	1.02	88	31.40	8.39	43.78			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_V_1TX
SET 82
88\74\87\81\84\83\82
-3.46\5.65\ -3.46\1.16\ -0.74\ -0.40\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.146G	66.13	74.00	-7.87	69.62	3	Horizontal	81	2.98	82	32.08	8.28	43.85			
AV	5.149G	53.74	54.00	-0.26	57.22	3	Horizontal	81	2.98	82	32.09	8.28	43.85			
PK	5.1925G	107.53	Inf	-Inf	111.22	3	Horizontal	81	2.98	82	31.85	8.30	43.84			
AV	5.24G	95.38	Inf	-Inf	99.32	3	Horizontal	81	2.98	82	31.56	8.32	43.82			
PK	5.3665G	56.33	74.00	-17.67	60.32	3	Horizontal	81	2.98	82	31.40	8.39	43.78			
AV	5.359G	44.96	54.00	-9.04	48.96	3	Horizontal	81	2.98	82	31.40	8.39	43.79			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
SET 87
60\96\56\76\86\91\89\88\87
9.08\ -11.91\9.10\7.81\1.89\ -5.25\ -3.01\ -2.20\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	57.94	74.00	-16.06	61.61	3	Vertical	6	2.25	87	31.91	8.28	43.86
AV	5.1465G	46.48	54.00	-7.52	49.97	3	Vertical	6	2.25	87	32.08	8.28	43.85
PK	5.258G	105.77	Inf	-Inf	109.79	3	Vertical	6	2.25	87	31.47	8.33	43.82
AV	5.2615G	94.07	Inf	-Inf	98.11	3	Vertical	6	2.25	87	31.45	8.33	43.82
PK	5.35G	67.18	74.00	-6.82	71.19	3	Vertical	6	2.25	87	31.40	8.38	43.79
AV	5.3505G	53.92	54.00	-0.08	57.93	3	Vertical	6	2.25	87	31.40	8.38	43.79
PK	5.495G	56.63	68.20	-11.57	60.10	3	Vertical	6	2.25	87	31.79	8.48	43.74

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
SET 83
87\73\86\80\83
-3.44\5.32\1.66\2.69\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.86	74.00	-15.14	62.35	3	Horizontal	85	2.98	83	32.08	8.28	43.85
AV	5.145G	47.43	54.00	-6.57	50.93	3	Horizontal	85	2.98	83	32.07	8.28	43.85
PK	5.2875G	109.46	Inf	-Inf	113.57	3	Horizontal	85	2.98	83	31.35	8.35	43.81
AV	5.278G	97.25	Inf	-Inf	101.33	3	Horizontal	85	2.98	83	31.39	8.34	43.81
PK	5.352G	64.37	74.00	-9.63	68.38	3	Horizontal	85	2.98	83	31.40	8.38	43.79
AV	5.35G	53.53	54.00	-0.47	57.54	3	Horizontal	85	2.98	83	31.40	8.38	43.79
PK	5.52G	56.10	68.20	-12.10	59.56	3	Horizontal	85	2.98	83	31.76	8.50	43.72

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 92
60\89\103\96\93\92
7.41\3.79\ -9.21\ -3.79\ -0.39\0.96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1465G	67.77	74.00	-6.23	71.26	3	Vertical	19	2.14	92	32.08	8.28	43.85			
AV	5.1464G	53.04	54.00	-0.96	56.53	3	Vertical	19	2.14	92	32.08	8.28	43.85			
PK	5.1769G	112.48	Inf	-Inf	116.09	3	Vertical	19	2.14	92	31.94	8.29	43.84			
AV	5.182G	103.74	Inf	-Inf	107.38	3	Vertical	19	2.14	92	31.91	8.29	43.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 87
92\75\91\83\87
-4.16\5.15\3.39\4.16\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1475G	66.40	74.00	-7.60	69.88	3	Horizontal	14	1.07	87	32.09	8.28	43.85			
AV	5.147G	53.65	54.00	-0.35	57.14	3	Horizontal	14	1.07	87	32.08	8.28	43.85			
PK	5.1819G	119.17	Inf	-Inf	122.81	3	Horizontal	14	1.07	87	31.91	8.29	43.84			
AV	5.1769G	109.64	Inf	-Inf	113.25	3	Horizontal	14	1.07	87	31.94	8.29	43.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 96
04-C-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37173G	55.73	68.20	-12.47	47.65	3	Horizontal	118	1.81	-	39.14	12.37	43.43			
PK	15.54618G	58.74	74.00	-15.26	47.77	3	Horizontal	177	2.44	-	38.22	15.83	43.08			
AV	15.52536G	47.99	54.00	-6.01	36.94	3	Horizontal	177	2.44	-	38.30	15.82	43.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 106
60\91\108\100\104\106\107\106
7.82\6.99\0.60\4.62\2.40\0.99\0.04\1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	65.87	74.00	-8.13	69.34	3	Vertical	357	2.16	106	32.10	8.28	43.85				
AV	5.1494G	52.94	54.00	-1.06	56.41	3	Vertical	357	2.16	106	32.10	8.28	43.85				
PK	5.2046G	115.43	Inf	-Inf	119.19	3	Vertical	357	2.16	106	31.77	8.30	43.83				
AV	5.1948G	106.18	Inf	-Inf	109.89	3	Vertical	357	2.16	106	31.83	8.30	43.84				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 97
106\78\101\90\95\97\98\97
-6.84\5.84\1.86\4.07\1.92\1.18\1.05\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	65.69	74.00	-8.31	69.17	3	Horizontal	14	1.05	97	32.09	8.28	43.85			
AV	5.146G	53.15	54.00	-0.85	56.64	3	Horizontal	14	1.05	97	32.08	8.28	43.85			
PK	5.2022G	119.23	Inf	-Inf	122.98	3	Horizontal	14	1.05	97	31.79	8.30	43.84			
AV	5.197G	110.60	Inf	-Inf	114.32	3	Horizontal	14	1.05	97	31.82	8.30	43.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
SET 108
60\91\108
7.97\7.63\6.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.132G	57.73	74.00	-16.27	61.32	3	Vertical	357	2.24	108	31.99	8.28	43.86				
AV	5.1206G	47.07	54.00	-6.93	50.73	3	Vertical	357	2.24	108	31.92	8.28	43.86				
PK	5.2451G	115.50	Inf	-Inf	119.47	3	Vertical	357	2.24	108	31.53	8.32	43.82				
AV	5.2448G	106.98	Inf	-Inf	110.95	3	Vertical	357	2.24	108	31.53	8.32	43.82				
PK	5.3843G	56.27	74.00	-17.73	60.25	3	Vertical	357	2.24	108	31.40	8.40	43.78				
AV	5.3807G	44.86	54.00	-9.14	48.84	3	Vertical	357	2.24	108	31.40	8.40	43.78				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
SET 108
108
4.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1365G	61.08	74.00	-12.92	64.64	3	Horizontal	13	1.07	108	32.02	8.28	43.86			
AV	5.1467G	49.94	54.00	-4.06	53.43	3	Horizontal	13	1.07	108	32.08	8.28	43.85			
PK	5.2424G	119.40	Inf	-Inf	123.35	3	Horizontal	13	1.07	108	31.55	8.32	43.82			
AV	5.2469G	112.80	Inf	-Inf	116.77	3	Horizontal	13	1.07	108	31.52	8.33	43.82			
PK	5.3651G	56.73	74.00	-17.27	60.72	3	Horizontal	13	1.07	108	31.40	8.39	43.78			
AV	5.3543G	46.34	54.00	-7.66	50.35	3	Horizontal	13	1.07	108	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 102
60\91\108\100\104\102\103\102
7.76\5.01\16.06\2.50\12.69\1.32\0.43\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	61.13	74.00	-12.87	64.68	3	Vertical	342	2.98	102	32.03	8.28	43.86
AV	5.1454G	50.64	54.00	-3.36	54.14	3	Vertical	342	2.98	102	32.07	8.28	43.85
PK	5.2546G	119.25	Inf	-Inf	123.26	3	Vertical	342	2.98	102	31.48	8.33	43.82
AV	5.2654G	113.89	Inf	-Inf	117.93	3	Vertical	342	2.98	102	31.44	8.34	43.82
PK	5.3509G	64.39	74.00	-9.61	68.40	3	Vertical	342	2.98	102	31.40	8.38	43.79
AV	5.3512G	53.11	54.00	-0.89	57.12	3	Vertical	342	2.98	102	31.40	8.38	43.79

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 99
102\99
-0.55\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	64.11	74.00	-9.89	67.60	3	Horizontal	359	2.98	99	32.08	8.28	43.85			
AV	5.1412G	53.75	54.00	-0.25	57.27	3	Horizontal	359	2.98	99	32.05	8.28	43.85			
PK	5.2561G	119.32	Inf	-Inf	123.33	3	Horizontal	359	2.98	99	31.48	8.33	43.82			
AV	5.2663G	115.47	Inf	-Inf	119.51	3	Horizontal	359	2.98	99	31.43	8.34	43.81			
PK	5.3521G	60.38	74.00	-13.62	64.39	3	Horizontal	359	2.98	99	31.40	8.38	43.79			
AV	5.3566G	50.18	54.00	-3.82	54.18	3	Horizontal	359	2.98	99	31.40	8.39	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 93
60\93\108\101\98\97\96\95\94\93
8.44\0.97\ -19.15\ -6.32\ -4.12\ -2.46\ -1.70\ -0.96\ -0.78\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2956G	119.04	Inf	-Inf	123.18	3	Vertical	7	1.03	93	31.32	8.35	43.81			
AV	5.2962G	111.73	Inf	-Inf	115.87	3	Vertical	7	1.03	93	31.32	8.35	43.81			
PK	5.3504G	68.78	74.00	-5.22	72.79	3	Vertical	7	1.03	93	31.40	8.38	43.79			
AV	5.3508G	53.83	54.00	-0.17	57.84	3	Vertical	7	1.03	93	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 82
93\72\82
-5.01\2.24\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	119.20	Inf	-Inf	123.33	3	Horizontal	4	1.09	82	31.31	8.36	43.80			
AV	5.2958G	114.51	Inf	-Inf	118.65	3	Horizontal	4	1.09	82	31.32	8.35	43.81			
PK	5.3516G	64.67	74.00	-9.33	68.68	3	Horizontal	4	1.09	82	31.40	8.38	43.79			
AV	5.3516G	53.69	54.00	-0.31	57.70	3	Horizontal	4	1.09	82	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 85
60\90\73\81\85\87\86\85
7.50\ -4.48\5.38\2.81\0.92\ -1.85\ -0.31\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3187G	118.55	Inf	-Inf	122.64	3	Vertical	344	2.75	85	31.34	8.37	43.80			
AV	5.3145G	110.06	Inf	-Inf	114.17	3	Vertical	344	2.75	85	31.33	8.36	43.80			
PK	5.3602G	66.58	74.00	-7.42	70.57	3	Vertical	344	2.75	85	31.40	8.39	43.78			
AV	5.3507G	53.58	54.00	-0.42	57.59	3	Vertical	344	2.75	85	31.40	8.38	43.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 64
85\47\64
-9.30\4.44\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3265G	118.99	Inf	-Inf	123.07	3	Horizontal	6	1.05	64	31.35	8.37	43.80			
AV	5.3269G	111.71	Inf	-Inf	115.79	3	Horizontal	6	1.05	64	31.35	8.37	43.80			
PK	5.3604G	67.17	74.00	-6.83	71.16	3	Horizontal	6	1.05	64	31.40	8.39	43.78			
AV	5.3607G	53.81	54.00	-0.19	57.80	3	Horizontal	6	1.05	64	31.40	8.39	43.78			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 91
60\95\78\86\90\92\91
8.99\ -3.58\7.79\6.30\3.37\ -0.20\1.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.138G	64.69	74.00	-9.31	68.24	3	Vertical	16	2.28	91	32.03	8.28	43.86				
AV	5.1485G	52.62	54.00	-1.38	56.10	3	Vertical	16	2.28	91	32.09	8.28	43.85				
PK	5.1786G	114.00	Inf	-Inf	117.62	3	Vertical	16	2.28	91	31.93	8.29	43.84				
AV	5.1734G	101.76	Inf	-Inf	105.35	3	Vertical	16	2.28	91	31.96	8.29	43.84				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 87
91\74\90\82\86\88\87
-4.09\5.22\3.67\3.70\2.26\3.70\1.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1483G	68.26	74.00	-5.74	71.74	3	Horizontal	16	1.04	87	32.09	8.28	43.85			
AV	5.1482G	52.96	54.00	-1.04	56.44	3	Horizontal	16	1.04	87	32.09	8.28	43.85			
PK	5.1765G	119.41	Inf	-Inf	123.02	3	Horizontal	16	1.04	87	31.94	8.29	43.84			
AV	5.1761G	107.63	Inf	-Inf	111.24	3	Horizontal	16	1.04	87	31.94	8.29	43.84			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 100
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34806G	56.12	68.20	-12.08	48.10	3	Vertical	78	2.90	-	39.08	12.35	43.41			
PK	15.52638G	59.19	74.00	-14.81	48.15	3	Vertical	192	1.80	-	38.29	15.82	43.07			
AV	15.52503G	46.78	54.00	-7.22	35.73	3	Vertical	192	1.80	-	38.30	15.82	43.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 100
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36003G	55.74	68.20	-12.46	47.68	3	Horizontal	360	1.39	-	39.12	12.36	43.42			
PK	15.54027G	59.75	74.00	-14.25	48.75	3	Horizontal	63	2.42	-	38.24	15.83	43.07			
AV	15.54012G	47.04	54.00	-6.96	36.04	3	Horizontal	63	2.42	-	38.24	15.83	43.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 100
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71913G	70.14	83.54	-13.40	63.96	1	Vertical	234	1.77	-	37.81	17.47	49.10			
AV	20.71589G	57.88	63.54	-5.66	51.71	1	Vertical	234	1.77	-	37.80	17.47	49.10			
PK	25.89613G	54.69	77.74	-23.05	41.44	1	Vertical	335	2.03	-	39.11	20.21	46.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 100
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71958G	76.00	83.54	-7.54	69.81	1	Horizontal	245	1.92	-	37.82	17.47	49.10			
AV	20.71922G	62.98	63.54	-0.56	56.79	1	Horizontal	245	1.92	-	37.82	17.47	49.10			
PK	25.90453G	54.57	77.74	-23.17	41.33	1	Horizontal	99	1.55	-	39.09	20.22	46.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 105
60\95\108\102\105\106\105
8.82\6.51\2.12\3.16\0.84\0.26\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	66.36	74.00	-7.64	69.84	3	Vertical	358	2.28	105	32.09	8.28	43.85			
AV	5.1498G	53.40	54.00	-0.60	56.87	3	Vertical	358	2.28	105	32.10	8.28	43.85			
PK	5.2048G	115.76	Inf	-Inf	119.52	3	Vertical	358	2.28	105	31.77	8.30	43.83			
AV	5.2052G	104.64	Inf	-Inf	108.40	3	Vertical	358	2.28	105	31.77	8.30	43.83			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 95
105\73\102\88\95\98\97\96\95
-7.77\7.27\5.34\4.95\0.66\2.24\1.26\0.61\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1462G	67.75	74.00	-6.25	71.24	3	Horizontal	13	1.04	95	32.08	8.28	43.85			
AV	5.1484G	53.53	54.00	-0.47	57.01	3	Horizontal	13	1.04	95	32.09	8.28	43.85			
PK	5.1938G	119.26	Inf	-Inf	122.96	3	Horizontal	13	1.04	95	31.84	8.30	43.84			
AV	5.2034G	108.80	Inf	-Inf	112.55	3	Horizontal	13	1.04	95	31.78	8.30	43.83			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60044G	58.81	74.00	-15.19	48.17	3	Vertical	124	2.74	-	37.90	15.84	43.10			
AV	15.59996G	46.51	54.00	-7.49	35.87	3	Vertical	124	2.74	-	37.90	15.84	43.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.60087G	58.63	74.00	-15.37	48.00	3	Horizontal	319	2.28	-	37.89	15.84	43.10			
AV	15.59986G	46.59	54.00	-7.41	35.95	3	Horizontal	319	2.28	-	37.90	15.84	43.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79379G	67.93	83.54	-15.61	61.77	1	Vertical	234	1.80	-	37.74	17.48	49.06			
AV	20.78941G	55.70	63.54	-7.84	49.52	1	Vertical	234	1.80	-	37.76	17.48	49.06			
PK	25.99427G	53.18	77.74	-24.56	40.12	1	Vertical	197	1.80	-	38.82	20.28	46.04			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79007G	72.90	83.54	-10.64	66.72	1	Horizontal	252	1.97	-	37.76	17.48	49.06			
AV	20.79001G	60.39	63.54	-3.15	54.21	1	Horizontal	252	1.97	-	37.76	17.48	49.06			
PK	25.99727G	54.76	77.74	-22.98	41.71	1	Horizontal	261	1.36	-	38.81	20.28	46.04			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 108
108
7.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1485G	58.82	74.00	-15.18	62.30	3	Vertical	11	2.24	108	32.09	8.28	43.85				
AV	5.1479G	46.42	54.00	-7.58	49.90	3	Vertical	11	2.24	108	32.09	8.28	43.85				
PK	5.2307G	115.62	Inf	-Inf	119.51	3	Vertical	11	2.24	108	31.62	8.32	43.83				
AV	5.2481G	104.51	Inf	-Inf	108.49	3	Vertical	11	2.24	108	31.51	8.33	43.82				
PK	5.3624G	56.35	74.00	-17.65	60.34	3	Vertical	11	2.24	108	31.40	8.39	43.78				
AV	5.3846G	43.85	54.00	-10.15	47.83	3	Vertical	11	2.24	108	31.40	8.40	43.78				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 108
108
4.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1482G	61.27	74.00	-12.73	64.75	3	Horizontal	9	1.06	108	32.09	8.28	43.85				
AV	5.1431G	49.54	54.00	-4.46	53.05	3	Horizontal	9	1.06	108	32.06	8.28	43.85				
PK	5.2406G	119.34	Inf	-Inf	123.28	3	Horizontal	9	1.06	108	31.56	8.32	43.82				
AV	5.2484G	111.25	Inf	-Inf	115.23	3	Horizontal	9	1.06	108	31.51	8.33	43.82				
PK	5.3507G	57.12	74.00	-16.88	61.13	3	Horizontal	9	1.06	108	31.40	8.38	43.79				
AV	5.3534G	45.20	54.00	-8.80	49.21	3	Horizontal	9	1.06	108	31.40	8.38	43.79				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.72066G	57.21	74.00	-16.79	46.85	3	Vertical	226	2.27	-	37.64	15.86	43.14			
AV	15.72073G	45.32	54.00	-8.68	34.96	3	Vertical	226	2.27	-	37.64	15.86	43.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
Setting 108
04-H-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.72067G	57.21	74.00	-16.79	46.85	3	Horizontal	108	2.43	-	37.64	15.86	43.14			
AV	15.72057G	45.24	54.00	-8.76	34.88	3	Horizontal	108	2.43	-	37.64	15.86	43.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95385G	60.62	83.54	-22.92	54.18	1	Vertical	318	1.85	-	37.91	17.50	48.97			
AV	20.95622G	48.31	63.54	-15.23	41.87	1	Vertical	318	1.85	-	37.91	17.50	48.97			
PK	26.18911G	55.70	77.74	-22.04	42.00	1	Vertical	215	1.96	-	39.33	20.30	45.93			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95097G	60.67	83.54	-22.87	54.25	1	Horizontal	65	1.76	-	37.90	17.50	48.98			
AV	20.96078G	48.20	63.54	-15.34	41.75	1	Horizontal	65	1.76	-	37.92	17.50	48.97			
PK	26.20012G	54.91	77.74	-22.83	41.14	1	Horizontal	333	1.84	-	39.40	20.30	45.93			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 100
60\95\108\102\99\100\107\104\103\91\100
8.88\5.82\6.68\0.09\4.22\3.99\6.04\6.77\5.29\6.01\3.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	60.93	74.00	-13.07	64.41	3	Vertical	357	2.29	100	32.09	8.28	43.85
AV	5.1466G	49.03	54.00	-4.97	52.52	3	Vertical	357	2.29	100	32.08	8.28	43.85
PK	5.2555G	119.20	Inf	-Inf	123.21	3	Vertical	357	2.29	100	31.48	8.33	43.82
AV	5.2681G	112.36	Inf	-Inf	116.40	3	Vertical	357	2.29	100	31.43	8.34	43.81
PK	5.3536G	65.84	74.00	-8.16	69.85	3	Vertical	357	2.29	100	31.40	8.38	43.79
AV	5.35G	50.06	54.00	-3.94	54.07	3	Vertical	357	2.29	100	31.40	8.38	43.79

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 100
100
2.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	62.77	74.00	-11.23	66.24	3	Horizontal	10	1.80	100	32.10	8.28	43.85			
AV	5.1478G	51.41	54.00	-2.59	54.89	3	Horizontal	10	1.80	100	32.09	8.28	43.85			
PK	5.2678G	119.31	Inf	-Inf	123.35	3	Horizontal	10	1.80	100	31.43	8.34	43.81			
AV	5.2687G	114.16	Inf	-Inf	118.20	3	Horizontal	10	1.80	100	31.43	8.34	43.81			
PK	5.3533G	67.10	74.00	-6.90	71.11	3	Horizontal	10	1.80	100	31.40	8.38	43.79			
AV	5.35G	51.93	54.00	-2.07	55.94	3	Horizontal	10	1.80	100	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77953G	56.17	74.00	-17.83	45.94	3	Vertical	191	2.47	-	37.52	15.87	43.16			
AV	15.77951G	44.05	54.00	-9.95	33.82	3	Vertical	191	2.47	-	37.52	15.87	43.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.77966G	56.08	74.00	-17.92	45.85	3	Horizontal	13	2.57	-	37.52	15.87	43.16			
AV	15.77929G	44.21	54.00	-9.79	33.98	3	Horizontal	13	2.57	-	37.52	15.87	43.16			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	21.03118G	64.03	83.54	-19.51	57.45	1	Vertical	358	1.73	-	38.00	17.52	48.94				
AV	21.04162G	52.54	63.54	-11.00	45.95	1	Vertical	358	1.73	-	38.00	17.52	48.93				
PK	26.30006G	56.62	77.74	-21.12	42.69	1	Vertical	124	1.35	-	39.50	20.30	45.87				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.03991G	64.95	83.54	-18.59	58.36	1	Horizontal	316	1.76	-	38.00	17.52	48.93			
AV	21.04183G	52.95	63.54	-10.59	46.35	1	Horizontal	316	1.76	-	38.00	17.53	48.93			
PK	26.29001G	56.78	77.74	-20.96	42.92	1	Horizontal	263	1.46	-	39.44	20.30	45.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 91
60\97\81\89\93\91
9.38\ -4.17\5.66\1.38\ -1.01\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2956G	118.92	Inf	-Inf	123.06	3	Vertical	7	1.03	91	31.32	8.35	43.81			
AV	5.293G	110.37	Inf	-Inf	114.50	3	Vertical	7	1.03	91	31.33	8.35	43.81			
PK	5.35G	67.40	74.00	-6.60	71.41	3	Vertical	7	1.03	91	31.40	8.38	43.79			
AV	5.3506G	53.93	54.00	-0.07	57.94	3	Vertical	7	1.03	91	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 81
91\71\81\86\84\83\82\81
-4.91\3.56\0.85\2.17\0.94\0.31\0.08\0.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.297G	119.12	Inf	-Inf	123.26	3	Horizontal	20	1.02	81	31.31	8.35	43.80				
AV	5.2914G	113.40	Inf	-Inf	117.53	3	Horizontal	20	1.02	81	31.33	8.35	43.81				
PK	5.3514G	66.02	74.00	-7.98	70.03	3	Horizontal	20	1.02	81	31.40	8.38	43.79				
AV	5.3512G	53.39	54.00	-0.61	57.40	3	Horizontal	20	1.02	81	31.40	8.38	43.79				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.90091G	56.17	74.00	-17.83	45.88	3	Vertical	19	1.13	-	37.59	15.90	43.20			
AV	15.90001G	43.37	54.00	-10.63	33.07	3	Vertical	19	1.13	-	37.60	15.90	43.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.9005G	56.04	74.00	-17.96	45.74	3	Horizontal	123	1.20	-	37.60	15.90	43.20			
AV	15.90003G	43.65	54.00	-10.35	33.35	3	Horizontal	123	1.20	-	37.60	15.90	43.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.19883G	65.57	83.54	-17.97	58.95	1	Vertical	322	1.95	-	37.90	17.58	48.86			
AV	21.19718G	53.60	63.54	-9.94	46.97	1	Vertical	322	1.95	-	37.91	17.58	48.86			
PK	26.49835G	58.86	77.74	-18.88	44.31	1	Vertical	115	1.73	-	39.99	20.32	45.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.1997G	67.08	83.54	-16.46	60.46	1	Horizontal	65	1.79	-	37.90	17.58	48.86			
AV	21.19913G	53.89	63.54	-9.65	47.27	1	Horizontal	65	1.79	-	37.90	17.58	48.86			
PK	26.49835G	58.36	77.74	-19.38	43.81	1	Horizontal	245	1.96	-	39.99	20.32	45.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 84
60\88\74\81\84\85\84
7.03\ -2.29\3.68\1.22\0.59\ -0.23\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3238G	118.77	Inf	-Inf	122.85	3	Vertical	9	1.08	84	31.35	8.37	43.80				
AV	5.3182G	108.35	Inf	-Inf	112.44	3	Vertical	9	1.08	84	31.34	8.37	43.80				
PK	5.3612G	68.08	74.00	-5.92	72.07	3	Vertical	9	1.08	84	31.40	8.39	43.78				
AV	5.3503G	53.56	54.00	-0.44	57.57	3	Vertical	9	1.08	84	31.40	8.38	43.79				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 62
84\45\61\69\65\63\62
-9.55\4.14\0.57\1.51\0.30\0.34\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3212G	118.93	Inf	-Inf	123.02	3	Horizontal	13	1.03	62	31.34	8.37	43.80			
AV	5.3112G	110.11	Inf	-Inf	114.23	3	Horizontal	13	1.03	62	31.32	8.36	43.80			
PK	5.361G	68.08	74.00	-5.92	72.07	3	Horizontal	13	1.03	62	31.40	8.39	43.78			
AV	5.3608G	53.77	54.00	-0.23	57.76	3	Horizontal	13	1.03	62	31.40	8.39	43.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.96096G	55.48	74.00	-18.52	45.64	3	Vertical	66	1.44	-	37.16	15.91	43.23			
AV	15.96084G	43.22	54.00	-10.78	33.38	3	Vertical	66	1.44	-	37.16	15.91	43.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 108
04-H-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.96099G	55.50	74.00	-18.50	45.66	3	Horizontal	44	2.10	-	37.16	15.91	43.23			
AV	15.95948G	43.19	54.00	-10.81	33.35	3	Horizontal	44	2.10	-	37.16	15.91	43.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27961G	66.26	83.54	-17.28	59.52	1	Vertical	66	1.79	-	37.96	17.61	48.83			
AV	21.28181G	53.47	63.54	-10.07	46.73	1	Vertical	66	1.79	-	37.96	17.61	48.83			
PK	26.59475G	57.21	77.74	-20.53	42.68	1	Vertical	234	1.53	-	39.98	20.33	45.78			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27406G	65.30	83.54	-18.24	58.57	1	Horizontal	66	1.79	-	37.95	17.61	48.83			
AV	21.28171G	53.78	63.54	-9.76	47.04	1	Horizontal	66	1.79	-	37.96	17.61	48.83			
PK	26.60108G	57.28	77.74	-20.46	42.73	1	Horizontal	187	1.67	-	40.00	20.33	45.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 85
60\95\56\75\84\88\86\85
8.85\ -16.25\9.13\6.03\1.59\ -4.22\ -1.04\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1478G	67.95	74.00	-6.05	71.43	3	Vertical	12	2.13	85	32.09	8.28	43.85			
AV	5.1484G	53.72	54.00	-0.28	57.20	3	Vertical	12	2.13	85	32.09	8.28	43.85			
PK	5.186G	109.90	Inf	-Inf	113.56	3	Vertical	12	2.13	85	31.88	8.30	43.84			
AV	5.1856G	97.80	Inf	-Inf	101.45	3	Vertical	12	2.13	85	31.89	8.30	43.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 73
85\48\82\65\73
-9.06\8.69\ -5.23\5.02\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	65.52	74.00	-8.48	69.00	3	Horizontal	13	1.08	73	32.09	8.28	43.85			
AV	5.1482G	53.95	54.00	-0.05	57.43	3	Horizontal	13	1.08	73	32.09	8.28	43.85			
PK	5.1884G	113.10	Inf	-Inf	116.77	3	Horizontal	13	1.08	73	31.87	8.30	43.84			
AV	5.1808G	101.26	Inf	-Inf	104.89	3	Horizontal	13	1.08	73	31.92	8.29	43.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 103
60\96\108\102\105\104\103
9.23\5.39\ -4.50\1.24\ -1.57\ -0.65\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	65.86	74.00	-8.14	69.34	3	Vertical	358	2.23	103	32.09	8.28	43.85			
AV	5.15G	53.87	54.00	-0.13	57.33	3	Vertical	358	2.23	103	32.10	8.29	43.85			
PK	5.245G	113.55	Inf	-Inf	117.52	3	Vertical	358	2.23	103	31.53	8.32	43.82			
AV	5.2452G	101.67	Inf	-Inf	105.64	3	Vertical	358	2.23	103	31.53	8.32	43.82			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 92
103\69\99\84\91\94\93\92
-8.30\7.54\ -4.96\3.81\0.51\ -0.54\ -0.34\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	67.56	74.00	-6.44	71.10	3	Horizontal	10	1.05	92	32.04	8.28	43.86			
AV	5.1486G	53.69	54.00	-0.31	57.17	3	Horizontal	10	1.05	92	32.09	8.28	43.85			
PK	5.2454G	117.84	Inf	-Inf	121.81	3	Horizontal	10	1.05	92	31.53	8.32	43.82			
AV	5.2482G	105.19	Inf	-Inf	109.17	3	Horizontal	10	1.05	92	31.51	8.33	43.82			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 88
60\97\64\80\88
9.34\ -8.27\8.49\5.99\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2648G	118.88	Inf	-Inf	122.92	3	Vertical	357	2.28	88	31.44	8.34	43.82				
AV	5.2628G	108.73	Inf	-Inf	112.77	3	Vertical	357	2.28	88	31.45	8.33	43.82				
PK	5.35G	67.27	74.00	-6.73	71.28	3	Vertical	357	2.28	88	31.40	8.38	43.79				
AV	5.3506G	53.74	54.00	-0.26	57.75	3	Vertical	357	2.28	88	31.40	8.38	43.79				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 79
88\71\79
-4.11\3.19\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2554G	119.17	Inf	-Inf	123.18	3	Horizontal	2	1.02	79	31.48	8.33	43.82			
AV	5.2754G	111.66	Inf	-Inf	115.73	3	Horizontal	2	1.02	79	31.40	8.34	43.81			
PK	5.3506G	65.42	74.00	-8.58	69.43	3	Horizontal	2	1.02	79	31.40	8.38	43.79			
AV	5.3506G	53.67	54.00	-0.33	57.68	3	Horizontal	2	1.02	79	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 79
60\83\72\77\79
5.89\1.08\1.67\0.91\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2954G	115.60	Inf	-Inf	119.74	3	Vertical	3	1.97	79	31.32	8.35	43.81			
AV	5.2978G	103.73	Inf	-Inf	107.87	3	Vertical	3	1.97	79	31.31	8.35	43.80			
PK	5.3502G	68.97	74.00	-5.03	72.98	3	Vertical	3	1.97	79	31.40	8.38	43.79			
AV	5.35G	53.97	54.00	-0.03	57.98	3	Vertical	3	1.97	79	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT Y_2TX
SET 54
79\39\64\52\58\55\54
-15.55\6.47\4.96\1.48\1.51\0.10\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3006G	116.42	Inf	-Inf	120.56	3	Horizontal	5	1.08	54	31.30	8.36	43.80			
AV	5.2958G	104.80	Inf	-Inf	108.94	3	Horizontal	5	1.08	54	31.32	8.35	43.81			
PK	5.3558G	67.00	74.00	-7.00	71.00	3	Horizontal	5	1.08	54	31.40	8.39	43.79			
AV	5.3506G	53.70	54.00	-0.30	57.71	3	Horizontal	5	1.08	54	31.40	8.38	43.79			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 88
60\97\56\76\86\91\89\88
9.38\ -14.79\9.45\7.94\3.17\ -5.09\ -1.66\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1335G	65.92	74.00	-8.08	69.50	3	Vertical	357	1.96	88	32.00	8.28	43.86			
AV	5.1495G	53.76	54.00	-0.24	57.23	3	Vertical	357	1.96	88	32.10	8.28	43.85			
PK	5.1875G	106.04	Inf	-Inf	109.71	3	Vertical	357	1.96	88	31.87	8.30	43.84			
AV	5.195G	94.37	Inf	-Inf	98.08	3	Vertical	357	1.96	88	31.83	8.30	43.84			
PK	5.35G	56.37	74.00	-17.63	60.38	3	Vertical	357	1.96	88	31.40	8.38	43.79			
AV	5.3625G	44.22	54.00	-9.78	48.21	3	Vertical	357	1.96	88	31.40	8.39	43.78			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 77
88\48\82\65\73\77
-11.18\8.56\ -2.92\5.47\1.81\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.149G	64.83	74.00	-9.17	68.31	3	Horizontal	12	1.08	77	32.09	8.28	43.85			
AV	5.1485G	53.91	54.00	-0.09	57.39	3	Horizontal	12	1.08	77	32.09	8.28	43.85			
PK	5.209G	112.02	Inf	-Inf	115.80	3	Horizontal	12	1.08	77	31.75	8.30	43.83			
AV	5.1835G	98.99	Inf	-Inf	102.63	3	Horizontal	12	1.08	77	31.90	8.30	43.84			
PK	5.358G	56.44	74.00	-17.56	60.44	3	Horizontal	12	1.08	77	31.40	8.39	43.79			
AV	5.358G	44.54	54.00	-9.46	48.54	3	Horizontal	12	1.08	77	31.40	8.39	43.79			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 75
60\84\61\72\77\75
6.04\ -6.07\5.66\1.76\ -0.46\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.65	74.00	-15.35	62.13	3	Vertical	359	1.80	75	32.09	8.28	43.85
AV	5.136G	47.60	54.00	-6.40	51.16	3	Vertical	359	1.80	75	32.02	8.28	43.86
PK	5.281G	111.84	Inf	-Inf	115.93	3	Vertical	359	1.80	75	31.38	8.34	43.81
AV	5.2625G	100.02	Inf	-Inf	104.06	3	Vertical	359	1.80	75	31.45	8.33	43.82
PK	5.35G	65.31	74.00	-8.69	69.32	3	Vertical	359	1.80	75	31.40	8.38	43.79
AV	5.35G	53.63	54.00	-0.37	57.64	3	Vertical	359	1.80	75	31.40	8.38	43.79
PK	5.4905G	56.33	68.20	-11.87	59.81	3	Vertical	359	1.80	75	31.78	8.48	43.74

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
 SET 55
 75\35\64\50\57\54\55\56\55
 -12.64\7.49\4.52\2.79\0.81\0.66\0.56\0.17\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1135G	60.82	74.00	-13.18	64.53	3	Horizontal	6	1.02	55	31.88	8.27	43.86			
AV	5.1335G	49.25	54.00	-4.75	52.83	3	Horizontal	6	1.02	55	32.00	8.28	43.86			
PK	5.276G	114.44	Inf	-Inf	118.51	3	Horizontal	6	1.02	55	31.40	8.34	43.81			
AV	5.276G	102.92	Inf	-Inf	106.99	3	Horizontal	6	1.02	55	31.40	8.34	43.81			
PK	5.356G	65.68	74.00	-8.32	69.68	3	Horizontal	6	1.02	55	31.40	8.39	43.79			
AV	5.3505G	53.57	54.00	-0.43	57.58	3	Horizontal	6	1.02	55	31.40	8.38	43.79			
PK	5.516G	56.96	68.20	-11.24	60.42	3	Horizontal	6	1.02	55	31.77	8.50	43.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 82
87\83\63\73\68\70\71\82
-0.76\ -5.13\6.34\ -7.25\4.81\5.06\4.54\2.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1395G	65.97	74.00	-8.03	69.51	3	Vertical	353	1.72	82	32.04	8.28	43.86				
AV	5.14G	51.95	54.00	-2.05	55.49	3	Vertical	353	1.72	82	32.04	8.28	43.86				
PK	5.1784G	119.28	Inf	-Inf	122.90	3	Vertical	353	1.72	82	31.93	8.29	43.84				
AV	5.1745G	107.33	Inf	-Inf	110.93	3	Vertical	353	1.72	82	31.95	8.29	43.84				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 65
82\52\67\60\63\64\65
-7.47\3.48\ -0.07\0.94\0.87\0.89\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1371G	67.51	74.00	-6.49	71.07	3	Horizontal	13	1.06	65	32.02	8.28	43.86			
AV	5.1394G	53.91	54.00	-0.09	57.45	3	Horizontal	13	1.06	65	32.04	8.28	43.86			
PK	5.177G	119.51	Inf	-Inf	123.12	3	Horizontal	13	1.06	65	31.94	8.29	43.84			
AV	5.1723G	109.57	Inf	-Inf	113.15	3	Horizontal	13	1.06	65	31.97	8.29	43.84			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 93
99\88\93
-2.69\3.14\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	67.14	74.00	-6.86	70.61	3	Vertical	5	1.80	93	32.10	8.28	43.85				
AV	5.15G	53.62	54.00	-0.38	57.08	3	Vertical	5	1.80	93	32.10	8.29	43.85				
PK	5.1918G	119.30	Inf	-Inf	122.99	3	Vertical	5	1.80	93	31.85	8.30	43.84				
AV	5.2032G	109.18	Inf	-Inf	112.93	3	Vertical	5	1.80	93	31.78	8.30	43.83				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 79
93\71\82\77\79
-5.38\1.89\1.27\0.59\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	65.73	74.00	-8.27	69.21	3	Horizontal	8	1.02	79	32.09	8.28	43.85			
AV	5.1494G	53.97	54.00	-0.03	57.44	3	Horizontal	8	1.02	79	32.10	8.28	43.85			
PK	5.1954G	119.59	Inf	-Inf	123.30	3	Horizontal	8	1.02	79	31.83	8.30	43.84			
AV	5.191G	111.46	Inf	-Inf	115.15	3	Horizontal	8	1.02	79	31.85	8.30	43.84			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
108
2.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.20	74.00	-9.80	67.66	3	Vertical	2	1.80	108	32.10	8.29	43.85			
AV	5.1488G	51.70	54.00	-2.30	55.18	3	Vertical	2	1.80	108	32.09	8.28	43.85			
PK	5.2472G	119.29	Inf	-Inf	123.26	3	Vertical	2	1.80	108	31.52	8.33	43.82			
AV	5.2484G	111.98	Inf	-Inf	115.96	3	Vertical	2	1.80	108	31.51	8.33	43.82			
PK	5.3585G	59.42	74.00	-14.58	63.42	3	Vertical	2	1.80	108	31.40	8.39	43.79			
AV	5.351G	47.40	54.00	-6.60	51.41	3	Vertical	2	1.80	108	31.40	8.38	43.79			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
 SET 98
 108\102\99\98
 -1.49\ -0.33\ -0.03\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1401G	66.05	74.00	-7.95	69.59	3	Horizontal	1	1.05	98	32.04	8.28	43.86
AV	5.1452G	53.62	54.00	-0.38	57.12	3	Horizontal	1	1.05	98	32.07	8.28	43.85
PK	5.2358G	119.48	Inf	-Inf	123.39	3	Horizontal	1	1.05	98	31.59	8.32	43.82
AV	5.2484G	113.04	Inf	-Inf	117.02	3	Horizontal	1	1.05	98	31.51	8.33	43.82
PK	5.3567G	60.38	74.00	-13.62	64.38	3	Horizontal	1	1.05	98	31.40	8.39	43.79
AV	5.3546G	48.98	54.00	-5.02	52.98	3	Horizontal	1	1.05	98	31.40	8.39	43.79

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 100
100\108\96\102\99\100
4.05\5.02\5.19\2.16\4.68\4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	61.17	74.00	-12.83	64.64	3	Vertical	1	1.80	100	32.10	8.28	43.85
AV	5.1424G	49.37	54.00	-4.63	52.89	3	Vertical	1	1.80	100	32.05	8.28	43.85
PK	5.2528G	119.23	Inf	-Inf	123.23	3	Vertical	1	1.80	100	31.49	8.33	43.82
AV	5.2516G	111.24	Inf	-Inf	115.24	3	Vertical	1	1.80	100	31.49	8.33	43.82
PK	5.3548G	64.04	74.00	-9.96	68.04	3	Vertical	1	1.80	100	31.40	8.39	43.79
AV	5.3503G	49.60	54.00	-4.40	53.61	3	Vertical	1	1.80	100	31.40	8.38	43.79

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 100
100
0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1289G	65.06	74.00	-8.94	68.67	3	Horizontal	3	1.10	100	31.97	8.28	43.86			
AV	5.1499G	53.29	54.00	-0.71	56.76	3	Horizontal	3	1.10	100	32.10	8.28	43.85			
PK	5.2612G	119.41	Inf	-Inf	123.44	3	Horizontal	3	1.10	100	31.46	8.33	43.82			
AV	5.2678G	113.25	Inf	-Inf	117.29	3	Horizontal	3	1.10	100	31.43	8.34	43.81			
PK	5.353G	64.80	74.00	-9.20	68.81	3	Horizontal	3	1.10	100	31.40	8.38	43.79			
AV	5.3512G	52.33	54.00	-1.67	56.34	3	Horizontal	3	1.10	100	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 92
86\104\82\93\88\90\91\92
4.52\14.39\5.97\0.59\3.33\1.78\1.20\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3044G	119.01	Inf	-Inf	123.14	3	Vertical	1	2.00	92	31.31	8.36	43.80			
AV	5.292G	109.34	Inf	-Inf	113.47	3	Vertical	1	2.00	92	31.33	8.35	43.81			
PK	5.3504G	67.66	74.00	-6.34	71.67	3	Vertical	1	2.00	92	31.40	8.38	43.79			
AV	5.3502G	53.52	54.00	-0.48	57.53	3	Vertical	1	2.00	92	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 83
92\71\88\80\84\82\83
-5.18\4.49\ -2.71\1.98\ -4.74\0.79\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2966G	119.21	Inf	-Inf	123.36	3	Horizontal	14	1.02	83	31.31	8.35	43.81			
AV	5.2908G	111.98	Inf	-Inf	116.10	3	Horizontal	14	1.02	83	31.34	8.35	43.81			
PK	5.3554G	65.06	74.00	-8.94	69.06	3	Horizontal	14	1.02	83	31.40	8.39	43.79			
AV	5.3504G	53.40	54.00	-0.60	57.41	3	Horizontal	14	1.02	83	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 86
77\93\73\83\88\86\87\86
4.17\ -5.64\5.50\2.25\ -0.16\0.94\ -8.12\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3184G	118.68	Inf	-Inf	122.77	3	Vertical	11	1.80	86	31.34	8.37	43.80			
AV	5.3261G	106.54	Inf	-Inf	110.62	3	Vertical	11	1.80	86	31.35	8.37	43.80			
PK	5.3603G	68.90	74.00	-5.10	72.89	3	Vertical	11	1.80	86	31.40	8.39	43.78			
AV	5.3606G	53.15	54.00	-0.85	57.14	3	Vertical	11	1.80	86	31.40	8.39	43.78			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 66
86\57\71\64\67\66
-7.12\3.94\0.70\1.63\6.38\1.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3269G	118.95	Inf	-Inf	123.03	3	Horizontal	6	1.06	66	31.35	8.37	43.80			
AV	5.3127G	108.29	Inf	-Inf	112.40	3	Horizontal	6	1.06	66	31.33	8.36	43.80			
PK	5.3604G	66.63	74.00	-7.37	70.62	3	Horizontal	6	1.06	66	31.40	8.39	43.78			
AV	5.3604G	52.60	54.00	-1.40	56.59	3	Horizontal	6	1.06	66	31.40	8.39	43.78			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 76
78\76
-0.33\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	68.20	74.00	-5.80	71.68	3	Vertical	354	1.79	76	32.09	8.28	43.85			
AV	5.15G	53.86	54.00	-0.14	57.32	3	Vertical	354	1.79	76	32.10	8.29	43.85			
PK	5.1776G	116.05	Inf	-Inf	119.67	3	Vertical	354	1.79	76	31.93	8.29	43.84			
AV	5.1724G	102.99	Inf	-Inf	106.57	3	Vertical	354	1.79	76	31.97	8.29	43.84			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 51
76\36\57\47\52\50\51
-17.07\5.49\2.14\2.37\0.14\1.22\0.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1472G	67.27	74.00	-6.73	70.76	3	Horizontal	12	1.02	51	32.08	8.28	43.85				
AV	5.1482G	53.11	54.00	-0.89	56.59	3	Horizontal	12	1.02	51	32.09	8.28	43.85				
PK	5.1808G	116.19	Inf	-Inf	119.82	3	Horizontal	12	1.02	51	31.92	8.29	43.84				
AV	5.1778G	103.61	Inf	-Inf	107.23	3	Horizontal	12	1.02	51	31.93	8.29	43.84				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 91
96\85\90\92\91
-2.74\1.83\0.64\0.03\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.147G	66.18	74.00	-7.82	69.67	3	Vertical	359	1.80	91	32.08	8.28	43.85			
AV	5.15G	53.72	54.00	-0.28	57.18	3	Vertical	359	1.80	91	32.10	8.29	43.85			
PK	5.2456G	118.92	Inf	-Inf	122.88	3	Vertical	359	1.80	91	31.53	8.33	43.82			
AV	5.2458G	106.86	Inf	-Inf	110.82	3	Vertical	359	1.80	91	31.53	8.33	43.82			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 70
91\67\79\73\70
-5.94\0.78\ -2.26\ -0.16\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1466G	66.05	74.00	-7.95	69.54	3	Horizontal	8	1.03	70	32.08	8.28	43.85				
AV	5.15G	53.86	54.00	-0.14	57.32	3	Horizontal	8	1.03	70	32.10	8.29	43.85				
PK	5.2202G	119.07	Inf	-Inf	122.91	3	Horizontal	8	1.03	70	31.68	8.31	43.83				
AV	5.2224G	107.18	Inf	-Inf	111.03	3	Horizontal	8	1.03	70	31.67	8.31	43.83				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 89
87\93\83\88\90\89
1.58\ -4.89\5.00\1.00\ -1.51\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2682G	118.68	Inf	-Inf	122.72	3	Vertical	357	1.80	89	31.43	8.34	43.81			
AV	5.2612G	106.99	Inf	-Inf	111.02	3	Vertical	357	1.80	89	31.46	8.33	43.82			
PK	5.3506G	67.69	74.00	-6.31	71.70	3	Vertical	357	1.80	89	31.40	8.38	43.79			
AV	5.3508G	53.82	54.00	-0.18	57.83	3	Vertical	357	1.80	89	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 84
89\76\82\85\84
-3.06\3.22\0.87\ -0.50\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2664G	119.21	Inf	-Inf	123.25	3	Horizontal	4	1.03	84	31.43	8.34	43.81			
AV	5.273G	110.24	Inf	-Inf	114.30	3	Horizontal	4	1.03	84	31.41	8.34	43.81			
PK	5.3516G	67.12	74.00	-6.88	71.13	3	Horizontal	4	1.03	84	31.40	8.38	43.79			
AV	5.3502G	53.69	54.00	-0.31	57.70	3	Horizontal	4	1.03	84	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 82
61\88\57\72\79\82\83\82
6.76\ -8.68\6.91\2.97\1.51\1.22\ -0.01\0.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3142G	116.10	Inf	-Inf	120.21	3	Vertical	1	2.02	82	31.33	8.36	43.80			
AV	5.2972G	103.73	Inf	-Inf	107.87	3	Vertical	1	2.02	82	31.31	8.35	43.80			
PK	5.3506G	64.76	74.00	-9.24	68.77	3	Vertical	1	2.02	82	31.40	8.38	43.79			
AV	5.35G	53.49	54.00	-0.51	57.50	3	Vertical	1	2.02	82	31.40	8.38	43.79			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 56
82\42\66\54\60\57\56
-16.48\6.03\ -5.66\1.25\ -1.54\ -0.04\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2938G	115.47	Inf	-Inf	119.61	3	Horizontal	12	1.03	56	31.32	8.35	43.81			
AV	5.2946G	103.41	Inf	-Inf	107.55	3	Horizontal	12	1.03	56	31.32	8.35	43.81			
PK	5.3582G	66.96	74.00	-7.04	70.96	3	Horizontal	12	1.03	56	31.40	8.39	43.79			
AV	5.3512G	53.69	54.00	-0.31	57.70	3	Horizontal	12	1.03	56	31.40	8.38	43.79			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 78
60\82\71\76\78
5.56\2.23\2.75\1.82\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1495G	65.05	74.00	-8.95	68.52	3	Vertical	2	1.80	78	32.10	8.28	43.85				
AV	5.1475G	53.74	54.00	-0.26	57.22	3	Vertical	2	1.80	78	32.09	8.28	43.85				
PK	5.1965G	112.20	Inf	-Inf	115.92	3	Vertical	2	1.80	78	31.82	8.30	43.84				
AV	5.2415G	100.10	Inf	-Inf	104.05	3	Vertical	2	1.80	78	31.55	8.32	43.82				
PK	5.363G	57.76	74.00	-16.24	61.75	3	Vertical	2	1.80	78	31.40	8.39	43.78				
AV	5.3505G	45.75	54.00	-8.25	49.76	3	Vertical	2	1.80	78	31.40	8.38	43.79				

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 51
78\38\56\47\51
-18.14\4.61\ -2.20\1.97\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.15	74.00	-8.85	68.61	3	Horizontal	10	1.04	51	32.10	8.29	43.85
AV	5.15G	53.97	54.00	-0.03	57.43	3	Horizontal	10	1.04	51	32.10	8.29	43.85
PK	5.177G	113.59	Inf	-Inf	117.20	3	Horizontal	10	1.04	51	31.94	8.29	43.84
AV	5.1795G	100.71	Inf	-Inf	104.34	3	Horizontal	10	1.04	51	31.92	8.29	43.84
PK	5.367G	57.07	74.00	-16.93	61.06	3	Horizontal	10	1.04	51	31.40	8.39	43.78
AV	5.37G	45.34	54.00	-8.66	49.33	3	Horizontal	10	1.04	51	31.40	8.39	43.78

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 76
61\86\59\72\78\75\76
6.47\ -6.97\7.05\1.98\ -1.28\0.88\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1385G	59.99	74.00	-14.01	63.54	3	Vertical	11	1.80	76	32.03	8.28	43.86			
AV	5.145G	48.04	54.00	-5.96	51.54	3	Vertical	11	1.80	76	32.07	8.28	43.85			
PK	5.271G	111.63	Inf	-Inf	115.68	3	Vertical	11	1.80	76	31.42	8.34	43.81			
AV	5.278G	99.63	Inf	-Inf	103.71	3	Vertical	11	1.80	76	31.39	8.34	43.81			
PK	5.351G	64.82	74.00	-9.18	68.83	3	Vertical	11	1.80	76	31.40	8.38	43.79			
AV	5.35G	53.70	54.00	-0.30	57.71	3	Vertical	11	1.80	76	31.40	8.38	43.79			
PK	5.501G	56.24	68.20	-11.96	59.69	3	Vertical	11	1.80	76	31.80	8.49	43.74			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



EUT_V_2TX
SET 56
76\36\66\51\58\55\56
-11.82\7.50\4.90\2.48\1.34\0.94\0.43


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1375G	60.15	74.00	-13.85	63.71	3	Horizontal	7	1.03	56	32.02	8.28	43.86
AV	5.15G	49.41	54.00	-4.59	52.87	3	Horizontal	7	1.03	56	32.10	8.29	43.85
PK	5.269G	112.98	Inf	-Inf	117.03	3	Horizontal	7	1.03	56	31.42	8.34	43.81
AV	5.282G	101.50	Inf	-Inf	105.59	3	Horizontal	7	1.03	56	31.37	8.35	43.81
PK	5.35G	65.02	74.00	-8.98	69.03	3	Horizontal	7	1.03	56	31.40	8.38	43.79
AV	5.35G	53.57	54.00	-0.43	57.58	3	Horizontal	7	1.03	56	31.40	8.38	43.79
PK	5.4775G	56.55	68.20	-11.65	60.07	3	Horizontal	7	1.03	56	31.76	8.47	43.75

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1499G	53.94	54.00	-0.06	3	Horizontal	78	1.76	95
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1462G	53.44	54.00	-0.56	3	Horizontal	44	1.80	103
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.144G	73.81	74.00	-0.19	3	Vertical	349	2.84	108
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.92	54.00	-0.08	3	Vertical	39	1.80	96
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1498G	53.76	54.00	-0.24	3	Horizontal	48	1.80	88
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.83	54.00	-0.17	3	Vertical	356	2.52	78
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.67	54.00	-0.33	3	Vertical	42	1.79	74
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.97	54.00	-0.03	3	Horizontal	50	1.67	75
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.1475G	53.86	54.00	-0.14	3	Horizontal	76	1.90	78
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.63	54.00	-0.37	3	Vertical	1	2.07	73
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.79	54.00	-0.21	3	Vertical	44	1.90	75
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3502G	53.94	54.00	-0.06	3	Horizontal	79	1.75	94
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3504G	53.99	54.00	-0.01	3	Horizontal	45	1.73	93
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Horizontal	78	1.78	103
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.3584G	73.96	74.00	-0.04	3	Vertical	358	2.43	106
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.83	54.00	-0.17	3	Horizontal	57	1.80	102
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3514G	53.70	54.00	-0.30	3	Vertical	350	2.72	102
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.351G	53.79	54.00	-0.21	3	Horizontal	52	1.59	97
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.88	54.00	-0.12	3	Vertical	346	1.18	75
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.354G	53.53	54.00	-0.47	3	Horizontal	78	1.81	81
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.3505G	53.75	54.00	-0.25	3	Vertical	350	1.72	73
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.352G	53.43	54.00	-0.57	3	Horizontal	49	1.67	80
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.1486G	53.59	54.00	-0.41	3	Vertical	0	2.66	78
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.35G	73.74	74.00	-0.26	3	Vertical	5	2.37	68
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.3532G	53.47	54.00	-0.53	3	Horizontal	46	1.60	71
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7262G	67.15	68.20	-1.05	3	Horizontal	78	1.66	77
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7254G	68.15	68.20	-0.05	3	Vertical	0	1.71	69
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.725G	67.74	68.20	-0.46	3	Vertical	337	2.94	75
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.47G	67.92	68.20	-0.28	3	Horizontal	57	1.66	90
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.4664G	68.17	68.20	-0.03	3	Vertical	360	1.80	89
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.4688G	67.72	68.20	-0.48	3	Horizontal	79	1.66	100
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.8516G	68.13	68.20	-0.07	3	Vertical	0	1.70	102
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.47G	68.07	68.20	-0.13	3	Horizontal	78	1.67	78
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.727G	68.15	68.20	-0.05	3	Vertical	0	2.00	101
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.728G	68.15	68.20	-0.05	3	Horizontal	47	1.68	94
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.7265G	68.14	68.20	-0.06	3	Horizontal	47	1.57	96
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4698G	68.14	68.20	-0.06	3	Vertical	336	2.92	75
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4698G	67.81	68.20	-0.39	3	Horizontal	50	1.58	69
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.7458G	68.00	68.20	-0.20	3	Horizontal	55	1.56	72
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.454G	46.12	54.00	-7.88	3	Horizontal	81	1.62	108
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.649G	63.88	68.20	-4.32	3	Vertical	360	1.80	108
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.649G	67.39	68.20	-0.81	3	Horizontal	79	1.64	104
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	17.4714G	63.24	68.20	-4.96	3	Horizontal	294	1.80	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	68.16	68.35	-0.19	3	Horizontal	45	1.61	104
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.6504G	66.34	68.50	-2.16	3	Horizontal	74	1.80	108
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6504G	67.59	68.50	-0.91	3	Horizontal	44	1.76	108
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.6504G	67.96	68.50	-0.54	3	Vertical	51	1.85	101
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.64G	67.68	68.20	-0.52	3	Vertical	333	2.90	103
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6466G	67.96	68.20	-0.24	3	Vertical	350	1.53	92
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6478G	68.01	68.20	-0.19	3	Vertical	52	1.79	94

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_V_1TX
 SET 95
 70\102\68\85\93\97\95\96\95
 8.17\ -8.70\8.05\5.99\1.64\ -0.95\0.94\ -0.06\0.71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	71.64	74.00	-2.36	60.49	3	Vertical	358	2.51	95	33.70	7.58	30.13			
AV	5.15G	53.29	54.00	-0.71	42.14	3	Vertical	358	2.51	95	33.70	7.58	30.13			
PK	5.1856G	115.28	Inf	-Inf	104.07	3	Vertical	358	2.51	95	33.77	7.59	30.15			
AV	5.1812G	86.84	Inf	-Inf	75.63	3	Vertical	358	2.51	95	33.76	7.59	30.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_V_1TX
SET 95
95
0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	72.51	74.00	-1.49	61.36	3	Horizontal	78	1.76	95	33.70	7.58	30.13			
AV	5.1499G	53.94	54.00	-0.06	42.79	3	Horizontal	78	1.76	95	33.70	7.58	30.13			
PK	5.1769G	116.25	Inf	-Inf	105.05	3	Horizontal	78	1.76	95	33.75	7.59	30.14			
AV	5.1813G	87.88	Inf	-Inf	76.67	3	Horizontal	78	1.76	95	33.76	7.59	30.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 108
70\103\108
8.28\3.01\1.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	72.03	74.00	-1.97	60.88	3	Vertical	357	2.74	108	33.70	7.58	30.13			
AV	5.15G	52.30	54.00	-1.70	41.15	3	Vertical	357	2.74	108	33.70	7.58	30.13			
PK	5.2056G	116.99	Inf	-Inf	105.76	3	Vertical	357	2.74	108	33.80	7.59	30.16			
AV	5.205G	88.20	Inf	-Inf	76.97	3	Vertical	357	2.74	108	33.80	7.59	30.16			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 104
108\104
-0.82\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.148G	73.50	74.00	-0.50	62.36	3	Horizontal	78	1.86	104	33.69	7.58	30.13			
AV	5.1498G	53.22	54.00	-0.78	42.07	3	Horizontal	78	1.86	104	33.70	7.58	30.13			
PK	5.1968G	117.83	Inf	-Inf	106.60	3	Horizontal	78	1.86	104	33.79	7.59	30.15			
AV	5.1964G	88.97	Inf	-Inf	77.74	3	Horizontal	78	1.86	104	33.79	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
70\102\108
8.05\7.56\7.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1494G	59.10	74.00	-14.90	47.95	3	Vertical	350	2.84	108	33.70	7.58	30.13				
AV	5.141G	46.45	54.00	-7.55	35.33	3	Vertical	350	2.84	108	33.66	7.58	30.12				
PK	5.2433G	118.45	Inf	-Inf	107.21	3	Vertical	350	2.84	108	33.80	7.62	30.18				
AV	5.2415G	89.32	Inf	-Inf	78.08	3	Vertical	350	2.84	108	33.80	7.62	30.18				
PK	5.3567G	59.24	74.00	-14.76	47.84	3	Vertical	350	2.84	108	33.93	7.71	30.24				
AV	5.3522G	46.69	54.00	-7.31	35.31	3	Vertical	350	2.84	108	33.91	7.70	30.23				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
108
6.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.11	74.00	-10.89	51.96	3	Horizontal	75	1.89	108	33.70	7.58	30.13			
AV	5.1488G	47.03	54.00	-6.97	35.88	3	Horizontal	75	1.89	108	33.70	7.58	30.13			
PK	5.2469G	118.73	Inf	-Inf	107.48	3	Horizontal	75	1.89	108	33.80	7.63	30.18			
AV	5.2415G	89.81	Inf	-Inf	78.57	3	Horizontal	75	1.89	108	33.80	7.62	30.18			
PK	5.354G	59.48	74.00	-14.52	48.08	3	Horizontal	75	1.89	108	33.92	7.71	30.23			
AV	5.3504G	46.85	54.00	-7.15	35.48	3	Horizontal	75	1.89	108	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
50\81\108
7.89\7.93\7.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1292G	58.35	74.00	-15.65	47.27	3	Vertical	352	2.73	108	33.62	7.58	30.12				
AV	5.1496G	45.74	54.00	-8.26	34.59	3	Vertical	352	2.73	108	33.70	7.58	30.13				
PK	5.2585G	116.33	Inf	-Inf	105.08	3	Vertical	352	2.73	108	33.80	7.63	30.18				
AV	5.2549G	88.17	Inf	-Inf	76.92	3	Vertical	352	2.73	108	33.80	7.63	30.18				
PK	5.35G	58.53	74.00	-15.47	47.16	3	Vertical	352	2.73	108	33.90	7.70	30.23				
AV	5.3542G	46.55	54.00	-7.45	35.15	3	Vertical	352	2.73	108	33.92	7.71	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
108
7.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1271G	59.13	74.00	-14.87	48.06	3	Horizontal	78	1.80	108	33.61	7.58	30.12				
AV	5.1466G	46.00	54.00	-8.00	34.86	3	Horizontal	78	1.80	108	33.69	7.58	30.13				
PK	5.254G	117.14	Inf	-Inf	105.89	3	Horizontal	78	1.80	108	33.80	7.63	30.18				
AV	5.2549G	88.90	Inf	-Inf	77.65	3	Horizontal	78	1.80	108	33.80	7.63	30.18				
PK	5.3524G	59.94	74.00	-14.06	48.56	3	Horizontal	78	1.80	108	33.91	7.70	30.23				
AV	5.3509G	46.93	54.00	-7.07	35.56	3	Horizontal	78	1.80	108	33.90	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 108
50\81\108
7.83\7.90\5.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3056G	115.88	Inf	-Inf	104.61	3	Vertical	348	2.81	108	33.81	7.67	30.21				
AV	5.3046G	87.47	Inf	-Inf	76.20	3	Vertical	348	2.81	108	33.81	7.67	30.21				
PK	5.35G	63.30	74.00	-10.70	51.93	3	Vertical	348	2.81	108	33.90	7.70	30.23				
AV	5.3502G	48.99	54.00	-5.01	37.62	3	Vertical	348	2.81	108	33.90	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
SET 108
108
0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2964G	117.19	Inf	-Inf	105.93	3	Horizontal	78	1.78	108	33.80	7.66	30.20				
AV	5.295G	88.53	Inf	-Inf	77.27	3	Horizontal	78	1.78	108	33.80	7.66	30.20				
PK	5.3502G	72.45	74.00	-1.55	61.08	3	Horizontal	78	1.78	108	33.90	7.70	30.23				
AV	5.3506G	53.81	54.00	-0.19	42.44	3	Horizontal	78	1.78	108	33.90	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 98
50\82\108\95\101\98
8.03\7.86\12.17\2.42\4.21\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3257G	114.39	Inf	-Inf	103.08	3	Vertical	349	2.79	98	33.85	7.68	30.22			
AV	5.3251G	86.40	Inf	-Inf	75.09	3	Vertical	349	2.79	98	33.85	7.68	30.22			
PK	5.3502G	73.79	74.00	-0.21	62.42	3	Vertical	349	2.79	98	33.90	7.70	30.23			
AV	5.3503G	53.07	54.00	-0.93	41.70	3	Vertical	349	2.79	98	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 94
98\80\102\91\96\94
-4.45\7.25\ -9.64\2.57\ -1.40\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3257G	114.47	Inf	-Inf	103.16	3	Horizontal	79	1.75	94	33.85	7.68	30.22			
AV	5.3246G	86.10	Inf	-Inf	74.79	3	Horizontal	79	1.75	94	33.85	7.68	30.22			
PK	5.3504G	72.51	74.00	-1.49	61.14	3	Horizontal	79	1.75	94	33.90	7.70	30.23			
AV	5.3502G	53.94	54.00	-0.06	42.57	3	Horizontal	79	1.75	94	33.90	7.70	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 95
50\82\108\95\101\98\97\96\95
8.02\7.77\17.92\1.49\5.66\2.50\1.25\0.49\1.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4591G	61.86	74.00	-12.14	50.37	3	Vertical	350	2.86	95	34.00	7.78	30.29			
AV	5.4596G	47.25	54.00	-6.75	35.76	3	Vertical	350	2.86	95	34.00	7.78	30.29			
PK	5.47G	66.41	68.20	-1.79	54.92	3	Vertical	350	2.86	95	34.00	7.78	30.29			
PK	5.5071G	113.11	Inf	-Inf	101.59	3	Vertical	350	2.86	95	34.03	7.80	30.31			
AV	5.5051G	85.74	Inf	-Inf	74.23	3	Vertical	350	2.86	95	34.02	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 93
95\89\92\93\94\93
-1.43\3.84\0.77\0.92\ -0.55\1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4551G	61.70	74.00	-12.30	50.22	3	Horizontal	75	1.74	93	34.00	7.77	30.29			
AV	5.4579G	47.96	54.00	-6.04	36.48	3	Horizontal	75	1.74	93	34.00	7.77	30.29			
PK	5.4629G	66.81	68.20	-1.39	55.32	3	Horizontal	75	1.74	93	34.00	7.78	30.29			
PK	5.5072G	114.13	Inf	-Inf	102.61	3	Horizontal	75	1.74	93	34.03	7.80	30.31			
AV	5.5014G	86.86	Inf	-Inf	75.36	3	Horizontal	75	1.74	93	34.01	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
50\82\108
8.05\7.93\7.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4504G	58.89	74.00	-15.11	47.40	3	Vertical	0	2.91	108	34.00	7.77	30.28			
AV	5.4447G	46.44	54.00	-7.56	34.94	3	Vertical	0	2.91	108	34.01	7.77	30.28			
PK	5.4633G	58.87	68.20	-9.33	47.38	3	Vertical	0	2.91	108	34.00	7.78	30.29			
PK	5.577G	114.93	Inf	-Inf	103.21	3	Vertical	0	2.91	108	34.15	7.85	30.28			
AV	5.5815G	87.37	Inf	-Inf	75.66	3	Vertical	0	2.91	108	34.14	7.85	30.28			
PK	5.7297G	59.03	68.20	-9.17	47.27	3	Vertical	0	2.91	108	33.90	8.09	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
108
7.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4453G	58.82	74.00	-15.18	47.32	3	Horizontal	80	1.64	108	34.01	7.77	30.28			
AV	5.4318G	46.59	54.00	-7.41	35.06	3	Horizontal	80	1.64	108	34.04	7.76	30.27			
PK	5.4642G	58.22	68.20	-9.98	46.73	3	Horizontal	80	1.64	108	34.00	7.78	30.29			
PK	5.5854G	118.34	Inf	-Inf	106.64	3	Horizontal	80	1.64	108	34.13	7.85	30.28			
AV	5.5809G	89.41	Inf	-Inf	77.70	3	Horizontal	80	1.64	108	34.14	7.85	30.28			
PK	5.7276G	59.33	68.20	-8.87	47.58	3	Horizontal	80	1.64	108	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 81
50\87\69\78\82\84\83\82\81
9.35\1.93\8.88\3.64\2.07\1.39\1.39\0.32\1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7058G	109.13	Inf	-Inf	97.42	3	Vertical	338	2.95	81	33.90	8.05	30.24			
AV	5.6962G	83.64	Inf	-Inf	71.95	3	Vertical	338	2.95	81	33.90	8.03	30.24			
PK	5.7274G	66.89	68.20	-1.31	55.14	3	Vertical	338	2.95	81	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT Y_1TX
SET 77
81\74\77\78\77
-1.62\3.18\1.53\1.37\1.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7054G	111.39	Inf	-Inf	99.69	3	Horizontal	78	1.66	77	33.90	8.04	30.24			
AV	5.6962G	84.55	Inf	-Inf	72.86	3	Horizontal	78	1.66	77	33.90	8.03	30.24			
PK	5.7262G	67.15	68.20	-1.05	55.40	3	Horizontal	78	1.66	77	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
50\82\108
8.13\7.94\7.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	58.63	74.00	-15.37	47.14	3	Vertical	338	2.92	108	34.00	7.78	30.29			
AV	5.4248G	46.08	54.00	-7.92	34.55	3	Vertical	338	2.92	108	34.05	7.75	30.27			
PK	5.4644G	57.75	68.20	-10.45	46.26	3	Vertical	338	2.92	108	34.00	7.78	30.29			
PK	5.7254G	115.86	Inf	-Inf	104.11	3	Vertical	338	2.92	108	33.90	8.08	30.23			
AV	5.7248G	87.55	Inf	-Inf	75.80	3	Vertical	338	2.92	108	33.90	8.08	30.23			
PK	5.9744G	59.36	68.20	-8.84	47.07	3	Vertical	338	2.92	108	34.30	8.13	30.14			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 108
108
7.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4284G	58.57	74.00	-15.43	47.04	3	Horizontal	78	1.64	108	34.04	7.76	30.27			
AV	5.438G	46.36	54.00	-7.64	34.86	3	Horizontal	78	1.64	108	34.02	7.76	30.28			
PK	5.4632G	58.91	68.20	-9.29	47.42	3	Horizontal	78	1.64	108	34.00	7.78	30.29			
PK	5.7272G	117.21	Inf	-Inf	105.46	3	Horizontal	78	1.64	108	33.90	8.08	30.23			
AV	5.7212G	89.11	Inf	-Inf	77.37	3	Horizontal	78	1.64	108	33.90	8.07	30.23			
PK	5.9852G	58.77	68.20	-9.43	46.48	3	Horizontal	78	1.64	108	34.30	8.13	30.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
SET 108
50\82\108
8.22\8.22\8.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5818G	59.81	68.20	-8.39	48.10	3	Vertical	0	2.26	108	34.14	7.85	30.28			
AV	5.4522G	45.90	54.00	-8.10	34.42	3	Vertical	0	2.26	108	34.00	7.77	30.29			
PK	5.7432G	113.88	Inf	-Inf	102.09	3	Vertical	0	2.26	108	33.90	8.11	30.22			
AV	5.7402G	86.58	Inf	-Inf	74.79	3	Vertical	0	2.26	108	33.90	8.11	30.22			
PK	5.9688G	59.94	68.20	-8.26	47.65	3	Vertical	0	2.26	108	34.30	8.13	30.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
SET 108
108
7.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.454G	46.12	54.00	-7.88	34.64	3	Horizontal	81	1.62	108	34.00	7.77	30.29			
PK	5.6436G	59.55	68.20	-8.65	47.94	3	Horizontal	81	1.62	108	33.93	7.94	30.26			
PK	5.7426G	118.01	Inf	-Inf	106.22	3	Horizontal	81	1.62	108	33.90	8.11	30.22			
AV	5.7456G	89.63	Inf	-Inf	77.84	3	Horizontal	81	1.62	108	33.90	8.11	30.22			
PK	5.9316G	58.83	68.20	-9.37	46.60	3	Horizontal	81	1.62	108	34.23	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
SET 108
50\84\108
8.63\9.30\9.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6131G	58.61	68.20	-9.59	46.95	3	Vertical	360	2.15	108	34.05	7.88	30.27				
PK	5.78311G	113.30	Inf	-Inf	101.43	3	Vertical	360	2.15	108	33.90	8.18	30.21				
AV	5.78613G	86.43	Inf	-Inf	74.55	3	Vertical	360	2.15	108	33.90	8.19	30.21				
PK	5.94525G	59.11	68.20	-9.09	46.84	3	Vertical	360	2.15	108	34.28	8.14	30.15				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
108
8.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.55139G	59.86	68.20	-8.34	48.12	3	Horizontal	74	1.80	108	34.20	7.83	30.29			
PK	5.7819G	117.51	Inf	-Inf	105.64	3	Horizontal	74	1.80	108	33.90	8.18	30.21			
AV	5.78129G	89.35	Inf	-Inf	77.48	3	Horizontal	74	1.80	108	33.90	8.18	30.21			
PK	6.02027G	58.88	68.20	-9.32	46.57	3	Horizontal	74	1.80	108	34.34	8.11	30.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
50\87\108
9.28\9.05\8.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6174G	58.90	68.20	-9.30	47.25	3	Vertical	0	2.24	108	34.03	7.89	30.27				
PK	5.8238G	112.32	Inf	-Inf	100.41	3	Vertical	0	2.24	108	33.90	8.20	30.19				
AV	5.8214G	85.69	Inf	-Inf	73.78	3	Vertical	0	2.24	108	33.90	8.20	30.19				
PK	5.9246G	60.06	68.50	-8.44	47.87	3	Vertical	0	2.24	108	34.20	8.15	30.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
108
8.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6102G	59.75	68.20	-8.45	48.08	3	Horizontal	74	1.77	108	34.06	7.88	30.27				
PK	5.8232G	116.78	Inf	-Inf	104.87	3	Horizontal	74	1.77	108	33.90	8.20	30.19				
AV	5.8262G	88.43	Inf	-Inf	76.52	3	Horizontal	74	1.77	108	33.90	8.20	30.19				
PK	6.0974G	59.44	68.20	-8.76	47.14	3	Horizontal	74	1.77	108	34.40	8.07	30.17				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 90
70\102\66\84\93\89\91\90
8.22\ -14.62\8.39\6.29\ -1.97\2.00\ -0.42\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1497G	70.22	74.00	-3.78	59.07	3	Vertical	356	2.51	90	33.70	7.58	30.13			
AV	5.15G	53.65	54.00	-0.35	42.50	3	Vertical	356	2.51	90	33.70	7.58	30.13			
PK	5.1859G	116.14	Inf	-Inf	104.93	3	Vertical	356	2.51	90	33.77	7.59	30.15			
AV	5.1849G	97.67	Inf	-Inf	86.46	3	Vertical	356	2.51	90	33.77	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



EUT_Y_1TX
SET 89
90\87\88\89
-0.72\2.77\1.85\0.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	68.47	74.00	-5.53	57.32	3	Horizontal	76	1.77	89	33.70	7.58	30.13			
AV	5.15G	53.20	54.00	-0.80	42.05	3	Horizontal	76	1.77	89	33.70	7.58	30.13			
PK	5.1781G	116.43	Inf	-Inf	105.22	3	Horizontal	76	1.77	89	33.76	7.59	30.14			
AV	5.1787G	98.53	Inf	-Inf	87.32	3	Horizontal	76	1.77	89	33.76	7.59	30.14			