


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 102
70\105\73\89\97\101\103\102
8.85\ -8.05\8.79\7.77\4.57\2.52\ -4.90\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	73.65	74.00	-0.35	62.50	3	Vertical	358	2.73	102	33.70	7.58	30.13				
AV	5.15G	52.79	54.00	-1.21	41.64	3	Vertical	358	2.73	102	33.70	7.58	30.13				
PK	5.2048G	117.72	Inf	-Inf	106.49	3	Vertical	358	2.73	102	33.80	7.59	30.16				
AV	5.2012G	99.79	Inf	-Inf	88.55	3	Vertical	358	2.73	102	33.80	7.59	30.15				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 100
102\95\106\101\99\100
-1.72\4.32\ -11.97\ -0.23\1.15\0.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	69.40	74.00	-4.60	58.25	3	Horizontal	81	1.90	100	33.70	7.58	30.13			
AV	5.15G	53.32	54.00	-0.68	42.17	3	Horizontal	81	1.90	100	33.70	7.58	30.13			
PK	5.1982G	117.66	Inf	-Inf	106.42	3	Horizontal	81	1.90	100	33.80	7.59	30.15			
AV	5.1978G	100.24	Inf	-Inf	89.00	3	Horizontal	81	1.90	100	33.80	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_V_1TX
SET 108
70\103\108
8.49\7.85\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	73.81	74.00	-0.19	62.67	3	Vertical	349	2.84	108	33.68	7.58	30.12
AV	5.1488G	46.99	54.00	-7.01	35.84	3	Vertical	349	2.84	108	33.70	7.58	30.13
PK	5.2433G	119.80	Inf	-Inf	108.56	3	Vertical	349	2.84	108	33.80	7.62	30.18
AV	5.2415G	101.27	Inf	-Inf	90.03	3	Vertical	349	2.84	108	33.80	7.62	30.18
PK	5.3537G	68.43	74.00	-5.57	57.04	3	Vertical	349	2.84	108	33.91	7.71	30.23
AV	5.35G	47.00	54.00	-7.00	35.63	3	Vertical	349	2.84	108	33.90	7.70	30.23

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 106
108\101\107\104\105\106
-1.65\7.57\0.70\7.01\4.29\1.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1434G	72.85	74.00	-1.15	61.72	3	Horizontal	76	1.80	106	33.67	7.58	30.12				
AV	5.15G	47.98	54.00	-6.02	36.83	3	Horizontal	76	1.80	106	33.70	7.58	30.13				
PK	5.2394G	119.27	Inf	-Inf	108.02	3	Horizontal	76	1.80	106	33.80	7.62	30.17				
AV	5.2448G	101.72	Inf	-Inf	90.48	3	Horizontal	76	1.80	106	33.80	7.62	30.18				
PK	5.3522G	69.13	74.00	-4.87	57.75	3	Horizontal	76	1.80	106	33.91	7.70	30.23				
AV	5.35G	47.09	54.00	-6.91	35.72	3	Horizontal	76	1.80	106	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
50\83\108
8.42\8.33\7.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.143G	58.59	74.00	-15.41	47.46	3	Vertical	350	2.72	108	33.67	7.58	30.12				
AV	5.1499G	45.57	54.00	-8.43	34.42	3	Vertical	350	2.72	108	33.70	7.58	30.13				
PK	5.2549G	119.16	Inf	-Inf	107.91	3	Vertical	350	2.72	108	33.80	7.63	30.18				
AV	5.2525G	100.90	Inf	-Inf	89.65	3	Vertical	350	2.72	108	33.80	7.63	30.18				
PK	5.3563G	60.70	74.00	-13.30	49.30	3	Vertical	350	2.72	108	33.93	7.71	30.24				
AV	5.3503G	46.64	54.00	-7.36	35.27	3	Vertical	350	2.72	108	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
108
6.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1307G	58.34	74.00	-15.66	47.26	3	Horizontal	78	1.80	108	33.62	7.58	30.12			
AV	5.1481G	45.95	54.00	-8.05	34.81	3	Horizontal	78	1.80	108	33.69	7.58	30.13			
PK	5.2558G	119.24	Inf	-Inf	107.99	3	Horizontal	78	1.80	108	33.80	7.63	30.18			
AV	5.2549G	101.18	Inf	-Inf	89.93	3	Horizontal	78	1.80	108	33.80	7.63	30.18			
PK	5.3545G	64.35	74.00	-9.65	52.95	3	Horizontal	78	1.80	108	33.92	7.71	30.23			
AV	5.3503G	47.79	54.00	-6.21	36.42	3	Horizontal	78	1.80	108	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 108
50\83\108
8.49\8.24\2.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.292G	116.90	Inf	-Inf	105.64	3	Vertical	349	2.82	108	33.80	7.66	30.20				
AV	5.2926G	99.65	Inf	-Inf	88.39	3	Vertical	349	2.82	108	33.80	7.66	30.20				
PK	5.3518G	68.01	74.00	-5.99	56.63	3	Vertical	349	2.82	108	33.91	7.70	30.23				
AV	5.35G	51.21	54.00	-2.79	39.84	3	Vertical	349	2.82	108	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 103
108\75\107\91\99\103
-8.12\8.06\ -3.73\6.51\3.03\0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2978G	117.18	Inf	-Inf	105.92	3	Horizontal	78	1.78	103	33.80	7.66	30.20			
AV	5.2948G	99.64	Inf	-Inf	88.38	3	Horizontal	78	1.78	103	33.80	7.66	30.20			
PK	5.3504G	70.47	74.00	-3.53	59.10	3	Horizontal	78	1.78	103	33.90	7.70	30.23			
AV	5.35G	53.98	54.00	-0.02	42.61	3	Horizontal	78	1.78	103	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 93
50\84\108\96\90\93\94\93
8.64\7.41\17.60\2.36\3.12\0.64\0.26\0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3149G	113.74	Inf	-Inf	102.44	3	Vertical	331	2.80	93	33.83	7.68	30.21				
AV	5.3176G	96.16	Inf	-Inf	84.86	3	Vertical	331	2.80	93	33.84	7.68	30.22				
PK	5.3511G	71.70	74.00	-2.30	60.33	3	Vertical	331	2.80	93	33.90	7.70	30.23				
AV	5.3502G	53.38	54.00	-0.62	42.01	3	Vertical	331	2.80	93	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 90
93\84\97\91\88\89\90
-2.24\6.19\6.59\0.33\2.49\1.34\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3159G	114.15	Inf	-Inf	102.85	3	Horizontal	78	1.73	90	33.83	7.68	30.21			
AV	5.3276G	96.63	Inf	-Inf	85.30	3	Horizontal	78	1.73	90	33.86	7.69	30.22			
PK	5.3514G	71.64	74.00	-2.36	60.26	3	Horizontal	78	1.73	90	33.91	7.70	30.23			
AV	5.35G	53.35	54.00	-0.65	41.98	3	Horizontal	78	1.73	90	33.90	7.70	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 93
50\85\108\97\92\94\93
8.76\7.50\20.75\5.94\1.14\0.77\1.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4595G	63.05	74.00	-10.95	51.56	3	Vertical	346	2.87	93	34.00	7.78	30.29				
AV	5.46G	47.84	54.00	-6.16	36.35	3	Vertical	346	2.87	93	34.00	7.78	30.29				
PK	5.4688G	66.51	68.20	-1.69	55.02	3	Vertical	346	2.87	93	34.00	7.78	30.29				
PK	5.4959G	115.14	Inf	-Inf	103.65	3	Vertical	346	2.87	93	34.00	7.80	30.31				
AV	5.4977G	96.71	Inf	-Inf	85.22	3	Vertical	346	2.87	93	34.00	7.80	30.31				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 88
93\88\97\88
-1.02\5.03\7.96\5.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4593G	63.19	74.00	-10.81	51.70	3	Horizontal	75	1.75	88	34.00	7.78	30.29			
PK	5.4603G	63.04	68.20	-5.16	51.55	3	Horizontal	75	1.75	88	34.00	7.78	30.29			
AV	5.46G	48.18	54.00	-5.82	36.69	3	Horizontal	75	1.75	88	34.00	7.78	30.29			
PK	5.5033G	114.91	Inf	-Inf	103.41	3	Horizontal	75	1.75	88	34.01	7.80	30.31			
AV	5.5013G	97.34	Inf	-Inf	85.84	3	Horizontal	75	1.75	88	34.01	7.80	30.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
50\84\108
8.65\8.46\8.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4309G	58.76	74.00	-15.24	47.23	3	Vertical	0	2.90	108	34.04	7.76	30.27			
AV	5.442G	45.96	54.00	-8.04	34.45	3	Vertical	0	2.90	108	34.02	7.77	30.28			
PK	5.463G	58.33	68.20	-9.87	46.84	3	Vertical	0	2.90	108	34.00	7.78	30.29			
PK	5.5749G	115.61	Inf	-Inf	103.90	3	Vertical	0	2.90	108	34.15	7.84	30.28			
AV	5.5815G	98.81	Inf	-Inf	87.10	3	Vertical	0	2.90	108	34.14	7.85	30.28			
PK	5.7285G	57.71	68.20	-10.49	45.96	3	Vertical	0	2.90	108	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
108
7.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4462G	59.10	74.00	-14.90	47.60	3	Horizontal	80	1.76	108	34.01	7.77	30.28			
PK	5.4606G	59.17	68.20	-9.03	47.68	3	Horizontal	80	1.76	108	34.00	7.78	30.29			
AV	5.4588G	46.09	54.00	-7.91	34.60	3	Horizontal	80	1.76	108	34.00	7.78	30.29			
PK	5.583G	119.41	Inf	-Inf	107.71	3	Horizontal	80	1.76	108	34.13	7.85	30.28			
AV	5.5824G	101.47	Inf	-Inf	89.76	3	Horizontal	80	1.76	108	34.14	7.85	30.28			
PK	5.7276G	59.92	68.20	-8.28	48.17	3	Horizontal	80	1.76	108	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
SET 75
50\85\46\65\74\78\76\75
8.82\11.11\8.83\4.36\0.78\3.85\3.30\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6962G	109.35	Inf	-Inf	97.66	3	Vertical	337	2.94	75	33.90	8.03	30.24			
AV	5.6986G	92.78	Inf	-Inf	81.09	3	Vertical	337	2.94	75	33.90	8.03	30.24			
PK	5.725G	67.74	68.20	-0.46	55.99	3	Vertical	337	2.94	75	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
SET 68
75\62\68\71\70\69\68
-3.02\2.87\0.73\1.45\1.10\0.68\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6968G	111.55	Inf	-Inf	99.86	3	Horizontal	79	1.66	68	33.90	8.03	30.24			
AV	5.7074G	93.51	Inf	-Inf	81.80	3	Horizontal	79	1.66	68	33.90	8.05	30.24			
PK	5.725G	67.41	68.20	-0.79	55.66	3	Horizontal	79	1.66	68	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
50\84\108
8.68\8.53\8.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4494G	58.42	74.00	-15.58	46.93	3	Vertical	342	2.92	108	34.00	7.77	30.28			
AV	5.4368G	45.75	54.00	-8.25	34.24	3	Vertical	342	2.92	108	34.03	7.76	30.28			
PK	5.4638G	57.83	68.20	-10.37	46.34	3	Vertical	342	2.92	108	34.00	7.78	30.29			
PK	5.7206G	115.73	Inf	-Inf	103.99	3	Vertical	342	2.92	108	33.90	8.07	30.23			
AV	5.7248G	99.12	Inf	-Inf	87.37	3	Vertical	342	2.92	108	33.90	8.08	30.23			
PK	5.9678G	58.95	68.20	-9.25	46.66	3	Vertical	342	2.92	108	34.30	8.13	30.14			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_1TX
SET 108
108
8.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.438G	59.56	74.00	-14.44	48.06	3	Horizontal	80	1.63	108	34.02	7.76	30.28			
AV	5.4218G	45.87	54.00	-8.13	34.33	3	Horizontal	80	1.63	108	34.06	7.75	30.27			
PK	5.4608G	57.88	68.20	-10.32	46.39	3	Horizontal	80	1.63	108	34.00	7.78	30.29			
PK	5.7122G	117.33	Inf	-Inf	105.60	3	Horizontal	80	1.63	108	33.90	8.06	30.23			
AV	5.7176G	101.23	Inf	-Inf	89.49	3	Horizontal	80	1.63	108	33.90	8.07	30.23			
PK	5.9522G	58.77	68.20	-9.43	46.48	3	Horizontal	80	1.63	108	34.30	8.14	30.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
SET 108
50\82\108
8.09\8.61\2.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4468G	45.50	54.00	-8.50	34.00	3	Vertical	0	2.28	108	34.01	7.77	30.28			
PK	5.649G	65.64	68.20	-2.56	54.05	3	Vertical	0	2.28	108	33.90	7.95	30.26			
PK	5.7486G	114.68	Inf	-Inf	102.88	3	Vertical	0	2.28	108	33.90	8.12	30.22			
AV	5.7426G	97.20	Inf	-Inf	85.41	3	Vertical	0	2.28	108	33.90	8.11	30.22			
PK	5.9652G	59.09	68.20	-9.11	46.79	3	Vertical	0	2.28	108	34.30	8.14	30.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 104
108\90\107\99\103\105\104
-4.33\8.24\ -3.07\8.13\3.24\ -1.58\0.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4504G	45.75	54.00	-8.25	34.26	3	Horizontal	79	1.64	104	34.00	7.77	30.28			
PK	5.649G	67.39	68.20	-0.81	55.80	3	Horizontal	79	1.64	104	33.90	7.95	30.26			
PK	5.7402G	118.29	Inf	-Inf	106.50	3	Horizontal	79	1.64	104	33.90	8.11	30.22			
AV	5.7426G	101.52	Inf	-Inf	89.73	3	Horizontal	79	1.64	104	33.90	8.11	30.22			
PK	6.0384G	59.58	68.20	-8.62	47.25	3	Horizontal	79	1.64	104	34.38	8.10	30.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 108
50\85\108
8.84\8.56\9.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.61673G	59.06	68.20	-9.14	47.41	3	Vertical	356	2.16	108	34.03	7.89	30.27				
PK	5.79158G	114.77	Inf	-Inf	102.88	3	Vertical	356	2.16	108	33.90	8.20	30.21				
AV	5.78976G	97.17	Inf	-Inf	85.29	3	Vertical	356	2.16	108	33.90	8.19	30.21				
PK	6.02632G	59.20	68.20	-9.00	46.88	3	Vertical	356	2.16	108	34.35	8.11	30.14				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
108
8.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.56833G	60.08	68.20	-8.12	48.37	3	Horizontal	74	1.80	108	34.16	7.84	30.29				
PK	5.7819G	118.52	Inf	-Inf	106.65	3	Horizontal	74	1.80	108	33.90	8.18	30.21				
AV	5.77887G	101.21	Inf	-Inf	89.35	3	Horizontal	74	1.80	108	33.90	8.17	30.21				
PK	6.05173G	59.51	68.20	-8.69	47.17	3	Horizontal	74	1.80	108	34.40	8.09	30.15				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
SET 108
50\85\108
8.86\8.94\9.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5766G	58.48	68.20	-9.72	46.76	3	Vertical	338	2.95	108	34.15	7.85	30.28				
PK	5.8238G	115.00	Inf	-Inf	103.09	3	Vertical	338	2.95	108	33.90	8.20	30.19				
AV	5.8262G	98.55	Inf	-Inf	86.64	3	Vertical	338	2.95	108	33.90	8.20	30.19				
PK	5.9732G	58.79	68.20	-9.41	46.50	3	Vertical	338	2.95	108	34.30	8.13	30.14				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
108
9.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6342G	59.09	68.20	-9.11	47.47	3	Horizontal	75	1.78	108	33.96	7.92	30.26			
PK	5.8274G	117.68	Inf	-Inf	105.77	3	Horizontal	75	1.78	108	33.90	8.20	30.19			
AV	5.8262G	100.08	Inf	-Inf	88.17	3	Horizontal	75	1.78	108	33.90	8.20	30.19			
PK	6.0638G	59.06	68.20	-9.14	46.74	3	Horizontal	75	1.78	108	34.40	8.08	30.16			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 78
70\84\66\75\79\77\78
3.64\ -7.61\5.51\2.45\ -1.21\1.05\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	67.55	74.00	-6.45	56.40	3	Vertical	356	2.52	78	33.70	7.58	30.13			
AV	5.15G	53.83	54.00	-0.17	42.68	3	Vertical	356	2.52	78	33.70	7.58	30.13			
PK	5.1828G	109.90	Inf	-Inf	98.69	3	Vertical	356	2.52	78	33.77	7.59	30.15			
AV	5.1878G	95.49	Inf	-Inf	84.27	3	Vertical	356	2.52	78	33.78	7.59	30.15			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 75
78\74\76\75
-0.91\1.93\0.05\1.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	67.02	74.00	-6.98	55.87	3	Horizontal	79	1.75	75	33.70	7.58	30.13			
AV	5.1492G	52.80	54.00	-1.20	41.65	3	Horizontal	79	1.75	75	33.70	7.58	30.13			
PK	5.1768G	110.97	Inf	-Inf	99.77	3	Horizontal	79	1.75	75	33.75	7.59	30.14			
AV	5.179G	96.71	Inf	-Inf	85.50	3	Horizontal	79	1.75	75	33.76	7.59	30.14			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 97
70\101\86\93\96\97\98\97
7.97\ -2.84\7.18\4.21\2.35\1.33\ -0.70\1.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	66.17	74.00	-7.83	55.02	3	Vertical	352	2.85	97	33.70	7.58	30.13			
AV	5.15G	52.35	54.00	-1.65	41.20	3	Vertical	352	2.85	97	33.70	7.58	30.13			
PK	5.2326G	115.25	Inf	-Inf	104.01	3	Vertical	352	2.85	97	33.80	7.61	30.17			
AV	5.2278G	100.18	Inf	-Inf	88.94	3	Vertical	352	2.85	97	33.80	7.61	30.17			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 94
97\88\101\95\92\93\94
-2.06\4.47\ -6.36\ -0.17\1.66\1.03\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	67.26	74.00	-6.74	56.13	3	Horizontal	77	1.79	94	33.68	7.58	30.13			
AV	5.149G	53.24	54.00	-0.76	42.09	3	Horizontal	77	1.79	94	33.70	7.58	30.13			
PK	5.2358G	115.42	Inf	-Inf	104.17	3	Horizontal	77	1.79	94	33.80	7.62	30.17			
AV	5.234G	100.53	Inf	-Inf	89.28	3	Horizontal	77	1.79	94	33.80	7.62	30.17			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 102
50\81\108\95\101\104\103\102
7.95\7.44\6.83\4.74\0.75\1.70\0.32\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2612G	114.62	Inf	-Inf	103.37	3	Vertical	350	2.72	102	33.80	7.64	30.19			
AV	5.255G	100.32	Inf	-Inf	89.07	3	Vertical	350	2.72	102	33.80	7.63	30.18			
PK	5.3518G	67.81	74.00	-6.19	56.43	3	Vertical	350	2.72	102	33.91	7.70	30.23			
AV	5.3514G	53.70	54.00	-0.30	42.32	3	Vertical	350	2.72	102	33.91	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 98
102\92\106\99\96\97\98
-2.27\4.22\ -6.95\ -0.26\1.97\1.43\1.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2796G	115.30	Inf	-Inf	104.05	3	Horizontal	77	1.79	98	33.80	7.65	30.20			
AV	5.2794G	100.10	Inf	-Inf	88.85	3	Horizontal	77	1.79	98	33.80	7.65	30.20			
PK	5.352G	67.33	74.00	-6.67	55.95	3	Horizontal	77	1.79	98	33.91	7.70	30.23			
AV	5.3502G	52.97	54.00	-1.03	41.60	3	Horizontal	77	1.79	98	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 86
50\81\100\91\87\85\86
7.78\4.80\15.22\6.09\1.31\1.36\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.313G	109.64	Inf	-Inf	98.35	3	Vertical	342	2.81	86	33.83	7.67	30.21
AV	5.305G	94.84	Inf	-Inf	83.57	3	Vertical	342	2.81	86	33.81	7.67	30.21
PK	5.3504G	66.99	74.00	-7.01	55.62	3	Vertical	342	2.81	86	33.90	7.70	30.23
AV	5.3502G	53.47	54.00	-0.53	42.10	3	Vertical	342	2.81	86	33.90	7.70	30.23

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 80
86\62\90\76\83\80\81\80
-5.89\7.28\12.48\3.04\3.24\1.01\0.46\1.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.2962G	109.30	Inf	-Inf	98.04	3	Horizontal	80	1.78	80	33.80	7.66	30.20					
AV	5.295G	95.09	Inf	-Inf	83.83	3	Horizontal	80	1.78	80	33.80	7.66	30.20					
PK	5.3528G	66.61	74.00	-7.39	55.23	3	Horizontal	80	1.78	80	33.91	7.70	30.23					
AV	5.3502G	52.69	54.00	-1.31	41.32	3	Horizontal	80	1.78	80	33.90	7.70	30.23					

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 80
50\82\66\74\78\80
8.07\1.67\7.78\4.06\2.01\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	61.48	74.00	-12.52	49.99	3	Vertical	346	2.88	80	34.00	7.78	30.29			
AV	5.46G	48.63	54.00	-5.37	37.14	3	Vertical	346	2.88	80	34.00	7.78	30.29			
PK	5.4698G	67.71	68.20	-0.49	56.22	3	Vertical	346	2.88	80	34.00	7.78	30.29			
PK	5.501G	108.29	Inf	-Inf	96.80	3	Vertical	346	2.88	80	34.00	7.80	30.31			
AV	5.4938G	94.49	Inf	-Inf	83.00	3	Vertical	346	2.88	80	34.00	7.80	30.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 78
80\77\78\79\78
-0.70\1.91\0.67\0.03\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	63.39	74.00	-10.61	51.90	3	Horizontal	79	1.69	78	34.00	7.78	30.29			
AV	5.4598G	49.34	54.00	-4.66	37.85	3	Horizontal	79	1.69	78	34.00	7.78	30.29			
PK	5.47G	67.61	68.20	-0.59	56.12	3	Horizontal	79	1.69	78	34.00	7.78	30.29			
PK	5.5218G	111.22	Inf	-Inf	99.62	3	Horizontal	79	1.69	78	34.09	7.81	30.30			
AV	5.505G	96.88	Inf	-Inf	85.37	3	Horizontal	79	1.69	78	34.02	7.80	30.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 101
50\82\108\95\101\104\103\91\97\100\101
8.20\7.84\6.40\6.88\4.46\5.36\4.94\7.49\6.45\5.21\4.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
PK	5.4566G	63.37	74.00	-10.63	51.89	3	Vertical	1	2.95	101	34.00	7.77	30.29
AV	5.4564G	49.31	54.00	-4.69	37.83	3	Vertical	1	2.95	101	34.00	7.77	30.29
PK	5.4698G	62.60	68.20	-5.60	51.11	3	Vertical	1	2.95	101	34.00	7.78	30.29
PK	5.5428G	113.00	Inf	-Inf	101.29	3	Vertical	1	2.95	101	34.17	7.83	30.29
AV	5.5442G	98.70	Inf	-Inf	86.98	3	Vertical	1	2.95	101	34.18	7.83	30.29

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 100
101\97\99\100
-0.78\0.54\1.16\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4526G	66.60	74.00	-7.40	55.12	3	Horizontal	79	1.66	100	34.00	7.77	30.29			
AV	5.4596G	53.34	54.00	-0.66	41.85	3	Horizontal	79	1.66	100	34.00	7.78	30.29			
PK	5.4688G	67.72	68.20	-0.48	56.23	3	Horizontal	79	1.66	100	34.00	7.78	30.29			
PK	5.5556G	115.31	Inf	-Inf	103.58	3	Horizontal	79	1.66	100	34.19	7.83	30.29			
AV	5.535G	101.32	Inf	-Inf	89.66	3	Horizontal	79	1.66	100	34.14	7.82	30.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 99
50\86\104\95\99
9.13\3.13\6.13\2.58\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6637G	112.55	Inf	-Inf	100.93	3	Vertical	342	2.85	99	33.90	7.97	30.25			
AV	5.6628G	98.78	Inf	-Inf	87.16	3	Vertical	342	2.85	99	33.90	7.97	30.25			
PK	5.7288G	67.70	68.20	-0.50	55.94	3	Vertical	342	2.85	99	33.90	8.09	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 85
99\61\89\75\82\85\86\85
-9.36\7.14\0.01\5.24\4.43\0.97\1.03\2.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6685G	111.42	Inf	-Inf	99.79	3	Horizontal	76	1.68	85	33.90	7.98	30.25			
AV	5.6661G	97.45	Inf	-Inf	85.82	3	Horizontal	76	1.68	85	33.90	7.98	30.25			
PK	5.7252G	65.86	68.20	-2.34	54.11	3	Horizontal	76	1.68	85	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
50\82\108
8.05\7.81\2.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4166G	58.91	74.00	-15.09	47.36	3	Vertical	337	2.81	108	34.07	7.75	30.27			
AV	5.4328G	46.40	54.00	-7.60	34.89	3	Vertical	337	2.81	108	34.03	7.76	30.28			
PK	5.4652G	57.50	68.20	-10.70	46.01	3	Vertical	337	2.81	108	34.00	7.78	30.29			
PK	5.7154G	113.74	Inf	-Inf	102.01	3	Vertical	337	2.81	108	33.90	8.06	30.23			
AV	5.7154G	100.05	Inf	-Inf	88.32	3	Vertical	337	2.81	108	33.90	8.06	30.23			
PK	5.851G	65.69	68.20	-2.51	53.78	3	Vertical	337	2.81	108	33.90	8.19	30.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
108
0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4112G	59.53	74.00	-14.47	47.96	3	Horizontal	78	1.66	108	34.08	7.75	30.26			
PK	5.4688G	58.61	68.20	-9.59	47.12	3	Horizontal	78	1.66	108	34.00	7.78	30.29			
AV	5.4556G	46.65	54.00	-7.35	35.17	3	Horizontal	78	1.66	108	34.00	7.77	30.29			
PK	5.7124G	116.32	Inf	-Inf	104.59	3	Horizontal	78	1.66	108	33.90	8.06	30.23			
AV	5.7148G	102.13	Inf	-Inf	90.40	3	Horizontal	78	1.66	108	33.90	8.06	30.23			
PK	5.851G	67.33	68.20	-0.87	55.42	3	Horizontal	78	1.66	108	33.90	8.19	30.18			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 98
50\83\108\96\102\99\98
8.31\8.15\4.28\7.99\3.64\0.68\2.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4592G	46.15	54.00	-7.85	34.66	3	Vertical	340	2.90	98	34.00	7.78	30.29				
PK	5.6428G	65.32	68.20	-2.88	53.72	3	Vertical	340	2.90	98	33.93	7.93	30.26				
PK	5.7388G	113.47	Inf	-Inf	101.69	3	Vertical	340	2.90	98	33.90	8.10	30.22				
AV	5.7472G	98.97	Inf	-Inf	87.17	3	Vertical	340	2.90	98	33.90	8.12	30.22				
PK	6.0274G	59.21	68.20	-8.99	46.90	3	Vertical	340	2.90	98	34.35	8.10	30.14				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 97
98\91\102\97
-1.68\7.02\8.55\4.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
AV	5.455G	46.34	54.00	-7.66	34.86	3	Horizontal	78	1.62	97	34.00	7.77	30.29					
PK	5.6512G	64.67	69.09	-4.42	53.08	3	Horizontal	78	1.62	97	33.90	7.95	30.26					
PK	5.7454G	114.69	Inf	-Inf	102.90	3	Horizontal	78	1.62	97	33.90	8.11	30.22					
AV	5.7484G	101.16	Inf	-Inf	89.36	3	Horizontal	78	1.62	97	33.90	8.12	30.22					
PK	6.028G	59.02	68.20	-9.18	46.70	3	Horizontal	78	1.62	97	34.36	8.10	30.14					

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
SET 108
50\85\108
8.82\9.13\5.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6522G	64.05	69.83	-5.78	52.46	3	Vertical	0	2.26	108	33.90	7.95	30.26				
PK	5.786G	111.79	Inf	-Inf	99.91	3	Vertical	0	2.26	108	33.90	8.19	30.21				
AV	5.789G	97.35	Inf	-Inf	85.47	3	Vertical	0	2.26	108	33.90	8.19	30.21				
PK	6.0608G	59.48	68.20	-8.72	47.14	3	Vertical	0	2.26	108	34.40	8.09	30.15				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 108
108
2.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6504G	66.34	68.50	-2.16	54.75	3	Horizontal	74	1.80	108	33.90	7.95	30.26				
PK	5.8046G	114.90	Inf	-Inf	102.99	3	Horizontal	74	1.80	108	33.90	8.21	30.20				
AV	5.7776G	101.58	Inf	-Inf	89.72	3	Horizontal	74	1.80	108	33.90	8.17	30.21				
PK	5.9594G	59.42	68.20	-8.78	47.12	3	Horizontal	74	1.80	108	34.30	8.14	30.14				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 82
70\94\66\80\87\84\83\82
6.02\13.18\6.67\2.56\5.25\2.62\0.62\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.142G	65.35	74.00	-8.65	54.22	3	Vertical	351	2.85	82	33.67	7.58	30.12					
AV	5.135G	53.54	54.00	-0.46	42.44	3	Vertical	351	2.85	82	33.64	7.58	30.12					
PK	5.2195G	107.25	Inf	-Inf	96.01	3	Vertical	351	2.85	82	33.80	7.60	30.16					
AV	5.222G	95.35	Inf	-Inf	84.11	3	Vertical	351	2.85	82	33.80	7.61	30.17					
PK	5.3795G	59.16	74.00	-14.84	47.67	3	Vertical	351	2.85	82	34.02	7.72	30.25					
AV	5.353G	47.46	54.00	-6.54	36.08	3	Vertical	351	2.85	82	33.91	7.70	30.23					

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 78
82\69\86\78\81\80\79\78
-3.05\4.40\7.95\0.63\2.17\0.75\0.08\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	64.40	74.00	-9.60	53.25	3	Horizontal	76	1.90	78	33.70	7.58	30.13			
AV	5.1475G	53.86	54.00	-0.14	42.72	3	Horizontal	76	1.90	78	33.69	7.58	30.13			
PK	5.2005G	107.37	Inf	-Inf	96.13	3	Horizontal	76	1.90	78	33.80	7.59	30.15			
AV	5.1985G	95.64	Inf	-Inf	84.40	3	Horizontal	76	1.90	78	33.80	7.59	30.15			
PK	5.355G	59.31	74.00	-14.69	47.91	3	Horizontal	76	1.90	78	33.92	7.71	30.23			
AV	5.365G	47.37	54.00	-6.63	35.94	3	Horizontal	76	1.90	78	33.96	7.71	30.24			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
SET 86
50\78\100\89\84\86\87\86
7.21\5.73\ -15.27\ -4.06\1.61\0.69\ -1.68\0.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.123G	58.58	74.00	-15.42	47.53	3	Vertical	351	2.82	86	33.59	7.57	30.11				
AV	5.15G	47.30	54.00	-6.70	36.15	3	Vertical	351	2.82	86	33.70	7.58	30.13				
PK	5.2915G	107.97	Inf	-Inf	96.71	3	Vertical	351	2.82	86	33.80	7.66	30.20				
AV	5.277G	94.82	Inf	-Inf	83.56	3	Vertical	351	2.82	86	33.80	7.65	30.19				
PK	5.387G	66.57	74.00	-7.43	55.04	3	Vertical	351	2.82	86	34.05	7.73	30.25				
AV	5.3665G	53.14	54.00	-0.86	41.70	3	Vertical	351	2.82	86	33.97	7.71	30.24				
PK	5.466G	58.62	68.20	-9.58	47.13	3	Vertical	351	2.82	86	34.00	7.78	30.29				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 81
86\64\89\77\83\80\81
-5.32\6.36\ -10.73\2.72\ -2.55\0.93\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1385G	58.25	74.00	-15.75	47.14	3	Horizontal	78	1.81	81	33.65	7.58	30.12			
AV	5.149G	46.95	54.00	-7.05	35.80	3	Horizontal	78	1.81	81	33.70	7.58	30.13			
PK	5.26G	106.47	Inf	-Inf	95.23	3	Horizontal	78	1.81	81	33.80	7.63	30.19			
AV	5.2785G	94.66	Inf	-Inf	83.40	3	Horizontal	78	1.81	81	33.80	7.65	30.19			
PK	5.35G	65.23	74.00	-8.77	53.86	3	Horizontal	78	1.81	81	33.90	7.70	30.23			
AV	5.354G	53.53	54.00	-0.47	42.13	3	Horizontal	78	1.81	81	33.92	7.71	30.23			
PK	5.465G	59.08	68.20	-9.12	47.59	3	Horizontal	78	1.81	81	34.00	7.78	30.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
SET 86
50\78\102\90\84\87\86
7.15\6.01\16.22\2.16\3.73\0.82\2.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3475G	59.07	68.20	-9.13	47.71	3	Vertical	351	2.85	86	33.89	7.70	30.23			
AV	5.35G	46.83	54.00	-7.17	35.46	3	Vertical	351	2.85	86	33.90	7.70	30.23			
PK	5.46G	62.28	74.00	-11.72	50.79	3	Vertical	351	2.85	86	34.00	7.78	30.29			
AV	5.46G	51.18	54.00	-2.82	39.69	3	Vertical	351	2.85	86	34.00	7.78	30.29			
PK	5.47G	64.77	68.20	-3.43	53.28	3	Vertical	351	2.85	86	34.00	7.78	30.29			
PK	5.52G	106.53	Inf	-Inf	94.94	3	Vertical	351	2.85	86	34.08	7.81	30.30			
AV	5.5195G	94.73	Inf	-Inf	83.14	3	Vertical	351	2.85	86	34.08	7.81	30.30			
PK	5.732G	59.17	68.20	-9.03	47.41	3	Vertical	351	2.85	86	33.90	8.09	30.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 84
86\78\82\84
-1.94\2.83\1.11\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3425G	58.49	68.20	-9.71	47.14	3	Horizontal	76	1.74	84	33.88	7.70	30.23					
AV	5.35G	46.89	54.00	-7.11	35.52	3	Horizontal	76	1.74	84	33.90	7.70	30.23					
PK	5.457G	64.66	74.00	-9.34	53.18	3	Horizontal	76	1.74	84	34.00	7.77	30.29					
AV	5.459G	53.66	54.00	-0.34	42.17	3	Horizontal	76	1.74	84	34.00	7.78	30.29					
PK	5.4685G	66.82	68.20	-1.38	55.33	3	Horizontal	76	1.74	84	34.00	7.78	30.29					
PK	5.517G	109.04	Inf	-Inf	97.46	3	Horizontal	76	1.74	84	34.07	7.81	30.30					
AV	5.519G	96.88	Inf	-Inf	85.29	3	Horizontal	76	1.74	84	34.08	7.81	30.30					
PK	5.766G	59.00	68.20	-9.20	47.16	3	Horizontal	76	1.74	84	33.90	8.15	30.21					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 101
50\78\105\92\98\101
7.12\6.87\4.38\6.46\3.94\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	61.49	74.00	-12.51	50.01	3	Vertical	0	2.00	101	34.00	7.77	30.29
AV	5.4495G	49.47	54.00	-4.53	37.98	3	Vertical	0	2.00	101	34.00	7.77	30.28
PK	5.462G	60.86	68.20	-7.34	49.37	3	Vertical	0	2.00	101	34.00	7.78	30.29
PK	5.5915G	108.33	Inf	-Inf	96.64	3	Vertical	0	2.00	101	34.12	7.85	30.28
AV	5.597G	96.93	Inf	-Inf	85.24	3	Vertical	0	2.00	101	34.11	7.86	30.28
PK	5.727G	68.15	68.20	-0.05	56.40	3	Vertical	0	2.00	101	33.90	8.08	30.23

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 96
101\84\105\95\100\98\97\96
-4.02\5.96\ -10.79\1.73\ -2.24\ -1.70\ -0.81\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4585G	62.07	74.00	-11.93	50.58	3	Horizontal	80	1.64	96	34.00	7.78	30.29			
AV	5.4555G	50.57	54.00	-3.43	39.09	3	Horizontal	80	1.64	96	34.00	7.77	30.29			
PK	5.47G	62.40	68.20	-5.80	50.91	3	Horizontal	80	1.64	96	34.00	7.78	30.29			
PK	5.6155G	112.09	Inf	-Inf	100.43	3	Horizontal	80	1.64	96	34.04	7.89	30.27			
AV	5.5985G	99.50	Inf	-Inf	87.81	3	Horizontal	80	1.64	96	34.10	7.86	30.27			
PK	5.7275G	67.37	68.20	-0.83	55.62	3	Horizontal	80	1.64	96	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
50\79\108
7.33\7.31\2.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4134G	61.69	74.00	-12.31	50.13	3	Vertical	338	2.86	108	34.07	7.75	30.26				
AV	5.3972G	49.23	54.00	-4.77	37.66	3	Vertical	338	2.86	108	34.09	7.74	30.26				
PK	5.4698G	65.74	68.20	-2.46	54.25	3	Vertical	338	2.86	108	34.00	7.78	30.29				
PK	5.6618G	111.48	Inf	-Inf	99.86	3	Vertical	338	2.86	108	33.90	7.97	30.25				
AV	5.6606G	98.59	Inf	-Inf	86.97	3	Vertical	338	2.86	108	33.90	7.97	30.25				
PK	5.85G	66.14	68.20	-2.06	54.23	3	Vertical	338	2.86	108	33.90	8.19	30.18				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 106
108\91\107\99\103\105\106
-4.13\6.42\ -3.64\5.06\2.16\0.68\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	64.34	74.00	-9.66	52.85	3	Horizontal	77	1.70	106	34.00	7.78	30.29			
AV	5.4578G	52.40	54.00	-1.60	40.92	3	Horizontal	77	1.70	106	34.00	7.77	30.29			
PK	5.465G	65.18	68.20	-3.02	53.69	3	Horizontal	77	1.70	106	34.00	7.78	30.29			
PK	5.6918G	112.81	Inf	-Inf	101.13	3	Horizontal	77	1.70	106	33.90	8.02	30.24			
AV	5.6798G	100.30	Inf	-Inf	88.65	3	Horizontal	77	1.70	106	33.90	8.00	30.25			
PK	5.852G	67.75	68.20	-0.45	55.83	3	Horizontal	77	1.70	106	33.91	8.19	30.18			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 103
50\86\108\97\102\104\103
9.09\8.23\5.70\3.18\0.71\1.09\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64G	67.68	68.20	-0.52	56.07	3	Vertical	333	2.90	103	33.94	7.93	30.26				
PK	5.7696G	110.21	Inf	-Inf	98.36	3	Vertical	333	2.90	103	33.90	8.16	30.21				
AV	5.7648G	98.41	Inf	-Inf	86.57	3	Vertical	333	2.90	103	33.90	8.15	30.21				
PK	6.048G	59.43	68.20	-8.77	47.09	3	Vertical	333	2.90	103	34.40	8.09	30.15				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



EUT_Y_1TX
SET 99
103\93\98\100\99
-2.40\3.34\0.93\0.06\0.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6496G	67.65	68.20	-0.55	56.06	3	Horizontal	77	1.61	99	33.90	7.95	30.26			
PK	5.757G	111.45	Inf	-Inf	99.64	3	Horizontal	77	1.61	99	33.90	8.13	30.22			
AV	5.7636G	100.12	Inf	-Inf	88.29	3	Horizontal	77	1.61	99	33.90	8.15	30.22			
PK	6.0276G	58.85	68.20	-9.35	46.53	3	Horizontal	77	1.61	99	34.36	8.10	30.14			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 78
73\90\69\79\74\76\77\78
4.31\ -11.01\6.58\ -0.67\3.24\1.76\0.93\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	70.93	74.00	-3.07	59.78	3	Vertical	0	2.66	78	33.70	7.58	30.13				
AV	5.1486G	53.59	54.00	-0.41	42.45	3	Vertical	0	2.66	78	33.69	7.58	30.13				
PK	5.187G	101.78	Inf	-Inf	90.57	3	Vertical	0	2.66	78	33.77	7.59	30.15				
AV	5.1738G	86.76	Inf	-Inf	75.57	3	Vertical	0	2.66	78	33.75	7.58	30.14				
PK	5.3904G	69.60	74.00	-4.40	58.06	3	Vertical	0	2.66	78	34.06	7.73	30.25				
AV	5.3622G	53.49	54.00	-0.51	42.07	3	Vertical	0	2.66	78	33.95	7.71	30.24				
PK	5.4624G	62.78	68.20	-5.42	51.29	3	Vertical	0	2.66	78	34.00	7.78	30.29				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 73
78\63\82\73\77\75\74\73
-3.60\6.93\7.85\0.92\3.18\1.58\0.52\0.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	69.08	74.00	-4.92	57.93	3	Horizontal	81	1.80	73	33.70	7.58	30.13			
AV	5.1492G	50.18	54.00	-3.82	39.03	3	Horizontal	81	1.80	73	33.70	7.58	30.13			
PK	5.277G	103.25	Inf	-Inf	91.99	3	Horizontal	81	1.80	73	33.80	7.65	30.19			
AV	5.2236G	86.76	Inf	-Inf	75.52	3	Horizontal	81	1.80	73	33.80	7.61	30.17			
PK	5.35G	73.37	74.00	-0.63	62.00	3	Horizontal	81	1.80	73	33.90	7.70	30.23			
AV	5.35G	53.05	54.00	-0.95	41.68	3	Horizontal	81	1.80	73	33.90	7.70	30.23			
PK	5.463G	62.82	68.20	-5.38	51.33	3	Horizontal	81	1.80	73	34.00	7.78	30.29			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 75
50\83\63\73\78\76\75
8.31\5.04\6.37\0.85\2.07\1.01\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3342G	59.06	68.20	-9.14	47.72	3	Vertical	336	2.92	75	33.87	7.69	30.22			
PK	5.4572G	66.02	74.00	-7.98	54.54	3	Vertical	336	2.92	75	34.00	7.77	30.29			
AV	5.4554G	48.42	54.00	-5.58	36.94	3	Vertical	336	2.92	75	34.00	7.77	30.29			
PK	5.4698G	68.14	68.20	-0.06	56.65	3	Vertical	336	2.92	75	34.00	7.78	30.29			
PK	5.5934G	102.41	Inf	-Inf	90.72	3	Vertical	336	2.92	75	34.11	7.86	30.28			
AV	5.5952G	86.20	Inf	-Inf	74.51	3	Vertical	336	2.92	75	34.11	7.86	30.28			
PK	5.7338G	67.85	68.20	-0.35	56.09	3	Vertical	336	2.92	75	33.90	8.09	30.23			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 72
75\67\71\73\72
-1.86\3.04\0.52\ -1.30\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3366G	59.14	68.20	-9.06	47.81	3	Horizontal	80	1.68	72	33.87	7.69	30.23			
PK	5.459G	66.50	74.00	-7.50	55.01	3	Horizontal	80	1.68	72	34.00	7.78	30.29			
AV	5.4596G	47.73	54.00	-6.27	36.24	3	Horizontal	80	1.68	72	34.00	7.78	30.29			
PK	5.4698G	67.87	68.20	-0.33	56.38	3	Horizontal	80	1.68	72	34.00	7.78	30.29			
PK	5.5358G	103.51	Inf	-Inf	91.85	3	Horizontal	80	1.68	72	34.14	7.82	30.30			
AV	5.5946G	87.16	Inf	-Inf	75.47	3	Horizontal	80	1.68	72	34.11	7.86	30.28			
PK	5.7524G	65.36	68.20	-2.84	53.55	3	Horizontal	80	1.68	72	33.90	8.13	30.22			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
SET 91
70\99\66\82\90\94\92\91
7.49\ -10.28\7.73\5.60\0.79\ -1.72\ -0.75\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1466G	72.76	74.00	-1.24	61.62	3	Vertical	358	2.28	91	33.69	7.58	30.13				
AV	5.1464G	53.88	54.00	-0.12	42.74	3	Vertical	358	2.28	91	33.69	7.58	30.13				
PK	5.1763G	119.99	Inf	-Inf	108.79	3	Vertical	358	2.28	91	33.75	7.59	30.14				
AV	5.1762G	90.46	Inf	-Inf	79.26	3	Vertical	358	2.28	91	33.75	7.59	30.14				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_V_2TX
SET 93
91\96\94\93
1.35\ -1.19\ -0.13\ 0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.145G	71.42	74.00	-2.58	60.29	3	Horizontal	48	1.80	93	33.68	7.58	30.13				
AV	5.15G	53.94	54.00	-0.06	42.79	3	Horizontal	48	1.80	93	33.70	7.58	30.13				
PK	5.1762G	116.77	Inf	-Inf	105.57	3	Horizontal	48	1.80	93	33.75	7.59	30.14				
AV	5.1764G	88.67	Inf	-Inf	77.47	3	Horizontal	48	1.80	93	33.75	7.59	30.14				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 101
70\100\108\104\102\101
7.74\0.92\4.91\1.43\0.27\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1458G	71.67	74.00	-2.33	60.54	3	Vertical	357	2.34	101	33.68	7.58	30.13				
AV	5.15G	53.33	54.00	-0.67	42.18	3	Vertical	357	2.34	101	33.70	7.58	30.13				
PK	5.2062G	121.27	Inf	-Inf	110.04	3	Vertical	357	2.34	101	33.80	7.59	30.16				
AV	5.201G	91.84	Inf	-Inf	80.60	3	Vertical	357	2.34	101	33.80	7.59	30.15				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 103
101\108\105\104\103
2.30\0.10\0.04\0.06\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.15G	71.77	74.00	-2.23	60.62	3	Horizontal	44	1.80	103	33.70	7.58	30.13					
AV	5.1462G	53.44	54.00	-0.56	42.31	3	Horizontal	44	1.80	103	33.68	7.58	30.13					
PK	5.1964G	119.59	Inf	-Inf	108.36	3	Horizontal	44	1.80	103	33.79	7.59	30.15					
AV	5.196G	89.87	Inf	-Inf	78.64	3	Horizontal	44	1.80	103	33.79	7.59	30.15					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
70\101\108
7.77\7.06\5.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1497G	64.68	74.00	-9.32	53.53	3	Vertical	354	2.11	108	33.70	7.58	30.13				
AV	5.15G	48.39	54.00	-5.61	37.24	3	Vertical	354	2.11	108	33.70	7.58	30.13				
PK	5.2454G	122.82	Inf	-Inf	111.58	3	Vertical	354	2.11	108	33.80	7.62	30.18				
AV	5.2454G	92.85	Inf	-Inf	81.61	3	Vertical	354	2.11	108	33.80	7.62	30.18				
PK	5.3522G	62.90	74.00	-11.10	51.52	3	Vertical	354	2.11	108	33.91	7.70	30.23				
AV	5.35G	47.79	54.00	-6.21	36.42	3	Vertical	354	2.11	108	33.90	7.70	30.23				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
108
6.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1422G	60.62	74.00	-13.38	49.49	3	Horizontal	77	1.79	108	33.67	7.58	30.12			
AV	5.1464G	47.41	54.00	-6.59	36.27	3	Horizontal	77	1.79	108	33.69	7.58	30.13			
PK	5.237G	119.85	Inf	-Inf	108.60	3	Horizontal	77	1.79	108	33.80	7.62	30.17			
AV	5.2415G	90.56	Inf	-Inf	79.32	3	Horizontal	77	1.79	108	33.80	7.62	30.18			
PK	5.3507G	60.04	74.00	-13.96	48.67	3	Horizontal	77	1.79	108	33.90	7.70	30.23			
AV	5.3561G	46.82	54.00	-7.18	35.43	3	Horizontal	77	1.79	108	33.92	7.71	30.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
50\81\108
7.96\7.66\4.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1406G	59.52	74.00	-14.48	48.40	3	Vertical	346	1.83	108	33.66	7.58	30.12				
AV	5.1487G	46.32	54.00	-7.68	35.18	3	Vertical	346	1.83	108	33.69	7.58	30.13				
PK	5.2645G	123.21	Inf	-Inf	111.96	3	Vertical	346	1.83	108	33.80	7.64	30.19				
AV	5.2648G	92.60	Inf	-Inf	81.35	3	Vertical	346	1.83	108	33.80	7.64	30.19				
PK	5.3521G	66.83	74.00	-7.17	55.45	3	Vertical	346	1.83	108	33.91	7.70	30.23				
AV	5.3527G	49.30	54.00	-4.70	37.92	3	Vertical	346	1.83	108	33.91	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 108
108
6.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1478G	58.99	74.00	-15.01	47.85	3	Horizontal	51	1.70	108	33.69	7.58	30.13				
AV	5.1433G	46.13	54.00	-7.87	35.00	3	Horizontal	51	1.70	108	33.67	7.58	30.12				
PK	5.2555G	119.91	Inf	-Inf	108.66	3	Horizontal	51	1.70	108	33.80	7.63	30.18				
AV	5.2564G	90.95	Inf	-Inf	79.70	3	Horizontal	51	1.70	108	33.80	7.63	30.18				
PK	5.3581G	61.52	74.00	-12.48	50.12	3	Horizontal	51	1.70	108	33.93	7.71	30.24				
AV	5.3539G	47.24	54.00	-6.76	35.84	3	Horizontal	51	1.70	108	33.92	7.71	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 102
50\81\107\94\100\103\102
7.81\6.58\5.38\4.89\2.11\0.16\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.294G	120.24	Inf	-Inf	108.98	3	Vertical	346	1.29	102	33.80	7.66	30.20				
AV	5.3042G	91.33	Inf	-Inf	80.06	3	Vertical	346	1.29	102	33.81	7.67	30.21				
PK	5.3538G	70.27	74.00	-3.73	58.87	3	Vertical	346	1.29	102	33.92	7.71	30.23				
AV	5.3502G	53.40	54.00	-0.60	42.03	3	Vertical	346	1.29	102	33.90	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 106
102\108\98\103\105\106
2.77\ -4.08\5.23\2.07\0.87\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2962G	119.14	Inf	-Inf	107.88	3	Horizontal	51	1.79	106	33.80	7.66	30.20			
AV	5.296G	89.71	Inf	-Inf	78.45	3	Horizontal	51	1.79	106	33.80	7.66	30.20			
PK	5.3508G	71.13	74.00	-2.87	59.76	3	Horizontal	51	1.79	106	33.90	7.70	30.23			
AV	5.3512G	53.69	54.00	-0.31	42.32	3	Horizontal	51	1.79	106	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 91
50\81\106\94\88\91
7.81\6.30\18.76\1.45\2.65\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3155G	117.90	Inf	-Inf	106.60	3	Vertical	0	2.37	91	33.83	7.68	30.21				
AV	5.3251G	89.37	Inf	-Inf	78.06	3	Vertical	0	2.37	91	33.85	7.68	30.22				
PK	5.3502G	73.17	74.00	-0.83	61.80	3	Vertical	0	2.37	91	33.90	7.70	30.23				
AV	5.35G	53.61	54.00	-0.39	42.24	3	Vertical	0	2.37	91	33.90	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 93
91\97\94\93
1.62\ -3.24\ -0.44\ 0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3262G	115.54	Inf	-Inf	104.23	3	Horizontal	45	1.73	93	33.85	7.68	30.22				
AV	5.3211G	87.60	Inf	-Inf	76.30	3	Horizontal	45	1.73	93	33.84	7.68	30.22				
PK	5.3501G	72.02	74.00	-1.98	60.65	3	Horizontal	45	1.73	93	33.90	7.70	30.23				
AV	5.3504G	53.99	54.00	-0.01	42.62	3	Horizontal	45	1.73	93	33.90	7.70	30.23				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 88
50\81\105\93\87\90\89\88
7.89\6.24\19.98\4.12\1.28\1.19\1.10\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	63.86	74.00	-10.14	52.37	3	Vertical	0	1.80	88	34.00	7.78	30.29			
AV	5.4596G	48.91	54.00	-5.09	37.42	3	Vertical	0	1.80	88	34.00	7.78	30.29			
PK	5.4653G	67.95	68.20	-0.25	56.46	3	Vertical	0	1.80	88	34.00	7.78	30.29			
PK	5.5048G	118.52	Inf	-Inf	107.01	3	Vertical	0	1.80	88	34.02	7.80	30.31			
AV	5.5053G	89.69	Inf	-Inf	78.18	3	Vertical	0	1.80	88	34.02	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 92
88\106\84\95\90\92\93\92
4.50\19.04\7.23\2.74\2.32\0.78\0.32\1.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4595G	62.43	74.00	-11.57	50.94	3	Horizontal	47	1.66	92	34.00	7.78	30.29			
AV	5.4599G	47.86	54.00	-6.14	36.37	3	Horizontal	47	1.66	92	34.00	7.78	30.29			
PK	5.4699G	67.18	68.20	-1.02	55.69	3	Horizontal	47	1.66	92	34.00	7.78	30.29			
PK	5.4956G	115.85	Inf	-Inf	104.36	3	Horizontal	47	1.66	92	34.00	7.80	30.31			
AV	5.5008G	87.98	Inf	-Inf	76.49	3	Horizontal	47	1.66	92	34.00	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
50\82\108
8.12\7.59\7.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	59.96	74.00	-14.04	48.47	3	Vertical	0	1.94	108	34.00	7.78	30.29			
AV	5.451G	46.82	54.00	-7.18	35.33	3	Vertical	0	1.94	108	34.00	7.77	30.28			
PK	5.4633G	59.58	68.20	-8.62	48.09	3	Vertical	0	1.94	108	34.00	7.78	30.29			
PK	5.5845G	123.48	Inf	-Inf	111.78	3	Vertical	0	1.94	108	34.13	7.85	30.28			
AV	5.5851G	93.07	Inf	-Inf	81.37	3	Vertical	0	1.94	108	34.13	7.85	30.28			
PK	5.7285G	59.06	68.20	-9.14	47.31	3	Vertical	0	1.94	108	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 108
108
7.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4441G	58.27	74.00	-15.73	46.77	3	Horizontal	49	1.60	108	34.01	7.77	30.28			
AV	5.4321G	46.30	54.00	-7.70	34.77	3	Horizontal	49	1.60	108	34.04	7.76	30.27			
PK	5.4684G	58.51	68.20	-9.69	47.02	3	Horizontal	49	1.60	108	34.00	7.78	30.29			
PK	5.5812G	120.36	Inf	-Inf	108.65	3	Horizontal	49	1.60	108	34.14	7.85	30.28			
AV	5.5812G	91.30	Inf	-Inf	79.59	3	Horizontal	49	1.60	108	34.14	7.85	30.28			
PK	5.7291G	58.99	68.20	-9.21	47.23	3	Horizontal	49	1.60	108	33.90	8.09	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 69
50\86\46\66\76\71\69
9.21\10.38\8.11\2.70\4.58\1.40\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.705G	114.67	Inf	-Inf	102.97	3	Vertical	0	1.71	69	33.90	8.04	30.24			
AV	5.7052G	87.07	Inf	-Inf	75.37	3	Vertical	0	1.71	69	33.90	8.04	30.24			
PK	5.7254G	68.15	68.20	-0.05	56.40	3	Vertical	0	1.71	69	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 74
69\89\66\77\72\74
5.12\5.93\6.67\1.20\2.94\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7056G	111.74	Inf	-Inf	100.04	3	Horizontal	42	1.73	74	33.90	8.04	30.24				
AV	5.7054G	85.53	Inf	-Inf	73.83	3	Horizontal	42	1.73	74	33.90	8.04	30.24				
PK	5.7256G	67.76	68.20	-0.44	56.01	3	Horizontal	42	1.73	74	33.90	8.08	30.23				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
50\82\108
8.08\7.92\7.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4224G	58.60	74.00	-15.40	47.06	3	Vertical	0	1.69	108	34.06	7.75	30.27			
AV	5.4254G	46.41	54.00	-7.59	34.87	3	Vertical	0	1.69	108	34.05	7.76	30.27			
PK	5.4644G	58.62	68.20	-9.58	47.13	3	Vertical	0	1.69	108	34.00	7.78	30.29			
PK	5.7248G	123.29	Inf	-Inf	111.54	3	Vertical	0	1.69	108	33.90	8.08	30.23			
AV	5.7146G	93.33	Inf	-Inf	81.60	3	Vertical	0	1.69	108	33.90	8.06	30.23			
PK	5.9876G	59.28	68.20	-8.92	46.98	3	Vertical	0	1.69	108	34.30	8.13	30.13			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
108
7.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.435G	58.34	74.00	-15.66	46.83	3	Horizontal	45	1.62	108	34.03	7.76	30.28				
AV	5.4278G	46.23	54.00	-7.77	34.70	3	Horizontal	45	1.62	108	34.04	7.76	30.27				
PK	5.4632G	58.29	68.20	-9.91	46.80	3	Horizontal	45	1.62	108	34.00	7.78	30.29				
PK	5.726G	119.67	Inf	-Inf	107.92	3	Horizontal	45	1.62	108	33.90	8.08	30.23				
AV	5.7254G	90.70	Inf	-Inf	78.95	3	Horizontal	45	1.62	108	33.90	8.08	30.23				
PK	5.903G	58.85	68.20	-9.35	46.74	3	Horizontal	45	1.62	108	34.11	8.16	30.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 108
50\82\108
8.06\7.87\4.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4516G	46.33	54.00	-7.67	34.84	3	Vertical	360	1.80	108	34.00	7.77	30.28			
PK	5.649G	63.88	68.20	-4.32	52.29	3	Vertical	360	1.80	108	33.90	7.95	30.26			
PK	5.739G	122.61	Inf	-Inf	110.83	3	Vertical	360	1.80	108	33.90	8.10	30.22			
AV	5.7402G	93.01	Inf	-Inf	81.22	3	Vertical	360	1.80	108	33.90	8.11	30.22			
PK	5.9892G	59.05	68.20	-9.15	46.76	3	Vertical	360	1.80	108	34.30	8.12	30.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 108
108
6.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4498G	46.01	54.00	-7.99	34.52	3	Horizontal	40	1.61	108	34.00	7.77	30.28			
PK	5.6454G	61.57	68.20	-6.63	49.97	3	Horizontal	40	1.61	108	33.92	7.94	30.26			
PK	5.7414G	119.98	Inf	-Inf	108.19	3	Horizontal	40	1.61	108	33.90	8.11	30.22			
AV	5.7504G	91.13	Inf	-Inf	79.33	3	Horizontal	40	1.61	108	33.90	8.12	30.22			
PK	5.9766G	59.29	68.20	-8.91	47.00	3	Horizontal	40	1.61	108	34.30	8.13	30.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
50\79\108
7.29\8.28\7.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.62762G	61.07	68.20	-7.13	49.43	3	Vertical	55	1.75	108	33.99	7.91	30.26				
PK	5.78613G	122.52	Inf	-Inf	110.64	3	Vertical	55	1.75	108	33.90	8.19	30.21				
AV	5.78613G	92.83	Inf	-Inf	80.95	3	Vertical	55	1.75	108	33.90	8.19	30.21				
PK	6.07109G	59.10	68.20	-9.10	46.78	3	Vertical	55	1.75	108	34.40	8.08	30.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
8.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63065G	59.66	68.20	-8.54	48.03	3	Horizontal	40	1.40	108	33.98	7.91	30.26			
PK	5.78008G	119.01	Inf	-Inf	107.14	3	Horizontal	40	1.40	108	33.90	8.18	30.21			
AV	5.78008G	90.70	Inf	-Inf	78.83	3	Horizontal	40	1.40	108	33.90	8.18	30.21			
PK	6.04023G	59.03	68.20	-9.17	46.70	3	Horizontal	40	1.40	108	34.38	8.10	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
50\83\108
8.35\8.60\8.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63G	59.62	68.20	-8.58	47.99	3	Vertical	54	1.89	108	33.98	7.91	30.26			
PK	5.8214G	122.40	Inf	-Inf	110.49	3	Vertical	54	1.89	108	33.90	8.20	30.19			
AV	5.8202G	92.04	Inf	-Inf	80.13	3	Vertical	54	1.89	108	33.90	8.20	30.19			
PK	6.053G	59.55	68.20	-8.65	47.21	3	Vertical	54	1.89	108	34.40	8.09	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
8.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.615G	59.41	68.20	-8.79	47.75	3	Horizontal	44	1.66	108	34.04	7.89	30.27			
PK	5.8208G	118.20	Inf	-Inf	106.29	3	Horizontal	44	1.66	108	33.90	8.20	30.19			
AV	5.8262G	89.95	Inf	-Inf	78.04	3	Horizontal	44	1.66	108	33.90	8.20	30.19			
PK	6.0692G	58.73	68.20	-9.47	46.41	3	Horizontal	44	1.66	108	34.40	8.08	30.16			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_V_2TX
SET 86
70\97\66\81\88\85\86\87\86
6.97\12.32\7.34\4.76\1.82\1.55\0.53\0.74\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1455G	68.91	74.00	-5.09	57.78	3	Vertical	358	2.27	86	33.68	7.58	30.13			
AV	5.148G	53.31	54.00	-0.69	42.17	3	Vertical	358	2.27	86	33.69	7.58	30.13			
PK	5.1759G	119.62	Inf	-Inf	108.42	3	Vertical	358	2.27	86	33.75	7.59	30.14			
AV	5.1755G	101.36	Inf	-Inf	90.16	3	Vertical	358	2.27	86	33.75	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_V_2TX
SET 88
86\94\82\88
2.11\5.60\5.32\0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1479G	69.44	74.00	-4.56	58.30	3	Horizontal	45	1.77	88	33.69	7.58	30.13			
AV	5.15G	53.89	54.00	-0.11	42.74	3	Horizontal	45	1.77	88	33.70	7.58	30.13			
PK	5.1756G	117.19	Inf	-Inf	105.99	3	Horizontal	45	1.77	88	33.75	7.59	30.14			
AV	5.1808G	99.02	Inf	-Inf	87.81	3	Horizontal	45	1.77	88	33.76	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.36612G	55.33	68.20	-12.87	50.41	3	Vertical	0	1.80	-	38.30	11.96	45.34			
PK	15.53046G	61.85	74.00	-12.15	52.14	3	Vertical	12	2.78	-	38.22	14.42	42.93			
AV	15.54014G	47.70	54.00	-6.30	38.06	3	Vertical	12	2.78	-	38.16	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36134G	55.45	68.20	-12.75	50.53	3	Horizontal	263	1.80	-	38.30	11.96	45.34			
PK	15.54048G	63.40	74.00	-10.60	53.76	3	Horizontal	351	2.15	-	38.16	14.43	42.95			
AV	15.5362G	49.71	54.00	-4.29	40.05	3	Horizontal	351	2.15	-	38.18	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72368G	60.20	83.54	-23.34	54.75	1	Vertical	317	1.80	-	37.64	16.71	48.90			
AV	20.71908G	45.35	63.54	-18.19	39.93	1	Vertical	317	1.80	-	37.61	16.71	48.90			
PK	25.89314G	60.48	77.74	-17.26	50.51	1	Vertical	360	1.80	-	38.70	18.75	47.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71194G	60.35	83.54	-23.19	54.98	1	Horizontal	314	1.78	-	37.57	16.70	48.90			
AV	20.71928G	45.12	63.54	-18.42	39.69	1	Horizontal	314	1.78	-	37.62	16.71	48.90			
PK	25.8929G	57.96	77.74	-19.78	47.99	1	Horizontal	348	1.66	-	38.70	18.75	47.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_V_2TX
SET 96
97\94\95\96
-0.64\1.25\0.90\0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	69.27	74.00	-4.73	58.12	3	Vertical	39	1.80	96	33.70	7.58	30.13			
AV	5.1496G	53.92	54.00	-0.08	42.77	3	Vertical	39	1.80	96	33.70	7.58	30.13			
PK	5.1992G	120.38	Inf	-Inf	109.14	3	Vertical	39	1.80	96	33.80	7.59	30.15			
AV	5.1948G	102.59	Inf	-Inf	91.36	3	Vertical	39	1.80	96	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 98
96\103\92\97\99\98
1.88\ -9.32\4.22\1.25\ -0.30\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	69.78	74.00	-4.22	58.65	3	Horizontal	49	1.80	98	33.68	7.58	30.13			
AV	5.15G	53.90	54.00	-0.10	42.75	3	Horizontal	49	1.80	98	33.70	7.58	30.13			
PK	5.1982G	118.50	Inf	-Inf	107.26	3	Horizontal	49	1.80	98	33.80	7.59	30.15			
AV	5.1954G	100.65	Inf	-Inf	89.42	3	Horizontal	49	1.80	98	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3948G	55.82	68.20	-12.38	50.88	3	Vertical	0	1.80	-	38.30	11.98	45.34			
PK	15.59534G	61.23	74.00	-12.77	51.99	3	Vertical	358	2.62	-	37.83	14.48	43.07			
AV	15.59782G	47.02	54.00	-6.98	37.80	3	Vertical	358	2.62	-	37.81	14.48	43.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.4014G	55.35	68.20	-12.85	50.41	3	Horizontal	241	1.73	-	38.29	11.98	45.33				
PK	15.59102G	60.73	74.00	-13.27	51.46	3	Horizontal	342	2.29	-	37.85	14.48	43.06				
AV	15.5977G	47.12	54.00	-6.88	37.90	3	Horizontal	342	2.29	-	37.81	14.48	43.07				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8081G	53.65	83.54	-29.89	48.20	1	Vertical	360	1.80	-	37.60	16.75	48.90			
AV	20.799G	39.31	63.54	-24.23	33.86	1	Vertical	360	1.80	-	37.60	16.75	48.90			
PK	25.99756G	59.14	77.74	-18.60	49.34	1	Vertical	239	2.08	-	38.51	18.79	47.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8031G	52.76	83.54	-30.78	47.31	1	Horizontal	240	1.54	-	37.60	16.75	48.90			
AV	20.799G	38.98	63.54	-24.56	33.53	1	Horizontal	240	1.54	-	37.60	16.75	48.90			
PK	25.993G	59.04	77.74	-18.70	49.22	1	Horizontal	345	1.81	-	38.53	18.79	47.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 102
70\102\108\105\104\103\102
8.13\1.76\2.14\1.92\1.90\0.62\1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	72.67	74.00	-1.33	61.54	3	Vertical	352	1.80	102	33.68	7.58	30.13
AV	5.15G	48.31	54.00	-5.69	37.16	3	Vertical	352	1.80	102	33.70	7.58	30.13
PK	5.2349G	122.50	Inf	-Inf	111.25	3	Vertical	352	1.80	102	33.80	7.62	30.17
AV	5.2451G	105.29	Inf	-Inf	94.05	3	Vertical	352	1.80	102	33.80	7.62	30.18
PK	5.35G	71.07	74.00	-2.93	59.70	3	Vertical	352	1.80	102	33.90	7.70	30.23
AV	5.3507G	47.95	54.00	-6.05	36.58	3	Vertical	352	1.80	102	33.90	7.70	30.23

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 104
102\108\105\104
6.71\ -0.99\ -0.51\ 0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1461G	73.63	74.00	-0.37	62.50	3	Horizontal	48	1.60	104	33.68	7.58	30.13			
AV	5.15G	48.27	54.00	-5.73	37.12	3	Horizontal	48	1.60	104	33.70	7.58	30.13			
PK	5.2382G	120.64	Inf	-Inf	109.39	3	Horizontal	48	1.60	104	33.80	7.62	30.17			
AV	5.2454G	103.05	Inf	-Inf	91.81	3	Horizontal	48	1.60	104	33.80	7.62	30.18			
PK	5.3816G	68.33	74.00	-5.67	56.82	3	Horizontal	48	1.60	104	34.03	7.73	30.25			
AV	5.35G	46.89	54.00	-7.11	35.52	3	Horizontal	48	1.60	104	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4857G	54.81	68.20	-13.39	49.92	3	Vertical	145	1.81	-	38.17	12.03	45.31			
PK	15.72252G	61.17	74.00	-12.83	52.21	3	Vertical	353	2.32	-	37.70	14.59	43.33			
AV	15.71984G	47.44	54.00	-6.56	38.48	3	Vertical	353	2.32	-	37.70	14.59	43.33			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.489G	57.24	68.20	-10.96	52.34	3	Horizontal	330	1.70	-	38.18	12.03	45.31			
PK	15.71646G	59.30	74.00	-14.70	50.34	3	Horizontal	47	1.83	-	37.70	14.58	43.32			
AV	15.72292G	45.86	54.00	-8.14	36.90	3	Horizontal	47	1.83	-	37.70	14.59	43.33			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95374G	53.04	83.54	-30.50	47.33	1	Vertical	143	1.40	-	37.79	16.82	48.90			
AV	20.9514G	39.28	63.54	-24.26	33.56	1	Vertical	143	1.40	-	37.80	16.82	48.90			
PK	26.19962G	54.15	77.74	-23.59	43.62	1	Vertical	209	1.59	-	39.10	18.89	47.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96344G	53.00	83.54	-30.54	47.31	1	Horizontal	218	1.46	-	37.77	16.82	48.90			
AV	20.95142G	38.83	63.54	-24.71	33.11	1	Horizontal	218	1.46	-	37.80	16.82	48.90			
PK	26.1987G	54.04	77.74	-23.70	43.52	1	Horizontal	67	2.10	-	39.09	18.89	47.46			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
SET 106
50\83\108\96\102\105\106
8.49\7.93\0.92\7.27\6.42\1.60\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.149G	66.48	74.00	-7.52	55.33	3	Vertical	358	2.43	106	33.70	7.58	30.13				
AV	5.1487G	46.80	54.00	-7.20	35.66	3	Vertical	358	2.43	106	33.69	7.58	30.13				
PK	5.2555G	122.83	Inf	-Inf	111.58	3	Vertical	358	2.43	106	33.80	7.63	30.18				
AV	5.2651G	105.24	Inf	-Inf	93.99	3	Vertical	358	2.43	106	33.80	7.64	30.19				
PK	5.3584G	73.96	74.00	-0.04	62.56	3	Vertical	358	2.43	106	33.93	7.71	30.24				
AV	5.3515G	50.48	54.00	-3.52	39.10	3	Vertical	358	2.43	106	33.91	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
106\108
6.00\1.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1475G	64.86	74.00	-9.14	53.72	3	Horizontal	52	1.68	108	33.69	7.58	30.13				
AV	5.1499G	46.27	54.00	-7.73	35.12	3	Horizontal	52	1.68	108	33.70	7.58	30.13				
PK	5.2558G	120.42	Inf	-Inf	109.17	3	Horizontal	52	1.68	108	33.80	7.63	30.18				
AV	5.2654G	102.75	Inf	-Inf	91.50	3	Horizontal	52	1.68	108	33.80	7.64	30.19				
PK	5.3665G	72.42	74.00	-1.58	60.98	3	Horizontal	52	1.68	108	33.97	7.71	30.24				
AV	5.3512G	48.36	54.00	-5.64	36.99	3	Horizontal	52	1.68	108	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5205G	55.50	68.20	-12.70	50.57	3	Vertical	311	1.86	-	38.24	12.04	45.35			
PK	15.77764G	60.14	74.00	-13.86	51.25	3	Vertical	358	2.02	-	37.70	14.64	43.45			
AV	15.78012G	46.21	54.00	-7.79	37.32	3	Vertical	358	2.02	-	37.70	14.64	43.45			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5145G	54.92	68.20	-13.28	49.99	3	Horizontal	113	1.40	-	38.23	12.04	45.34			
PK	15.77372G	58.61	74.00	-15.39	49.72	3	Horizontal	318	1.68	-	37.70	14.63	43.44			
AV	15.7758G	45.04	54.00	-8.96	36.14	3	Horizontal	318	1.68	-	37.70	14.64	43.44			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.04788G	52.13	83.54	-31.41	46.35	1	Vertical	319	1.36	-	37.80	16.86	48.88			
AV	21.04036G	38.12	63.54	-25.42	32.37	1	Vertical	319	1.36	-	37.78	16.85	48.88			
PK	26.30302G	54.06	77.74	-23.68	43.28	1	Vertical	54	1.75	-	39.28	18.94	47.44			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0403G	51.59	83.54	-31.95	45.84	1	Horizontal	267	1.88	-	37.78	16.85	48.88			
AV	21.04534G	38.12	63.54	-25.42	32.35	1	Horizontal	267	1.88	-	37.79	16.86	48.88			
PK	26.30266G	54.12	77.74	-23.62	43.34	1	Horizontal	67	2.10	-	39.28	18.94	47.44			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 97
50\83\108\96\102\99\98\97
8.40\6.57\ -14.80\0.69\ -4.35\ -1.27\ -0.70\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.297G	119.87	Inf	-Inf	108.61	3	Vertical	345	1.80	97	33.80	7.66	30.20			
AV	5.3048G	102.49	Inf	-Inf	91.22	3	Vertical	345	1.80	97	33.81	7.67	30.21			
PK	5.3526G	69.22	74.00	-4.78	57.84	3	Vertical	345	1.80	97	33.91	7.70	30.23			
AV	5.35G	53.71	54.00	-0.29	42.34	3	Vertical	345	1.80	97	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 100
97\106\93\99\102\101\100
2.37\ -5.64\5.10\1.29\ -1.37\ -0.40\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.293G	118.31	Inf	-Inf	107.05	3	Horizontal	48	1.79	100	33.80	7.66	30.20			
AV	5.2954G	100.50	Inf	-Inf	89.24	3	Horizontal	48	1.79	100	33.80	7.66	30.20			
PK	5.353G	68.98	74.00	-5.02	57.60	3	Horizontal	48	1.79	100	33.91	7.70	30.23			
AV	5.3506G	53.70	54.00	-0.30	42.33	3	Horizontal	48	1.79	100	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59992G	54.74	68.20	-13.46	49.86	3	Vertical	159	1.30	-	38.30	12.08	45.50			
PK	15.90536G	58.60	74.00	-15.40	49.89	3	Vertical	12	1.76	-	37.67	14.75	43.71			
AV	15.89524G	45.29	54.00	-8.71	36.53	3	Vertical	12	1.76	-	37.71	14.74	43.69			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59746G	54.60	68.20	-13.60	49.71	3	Horizontal	203	1.41	-	38.30	12.08	45.49			
PK	15.90058G	58.20	74.00	-15.80	49.46	3	Horizontal	34	1.80	-	37.70	14.74	43.70			
AV	15.89494G	44.78	54.00	-9.22	36.02	3	Horizontal	34	1.80	-	37.71	14.74	43.69			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.20058G	48.49	83.54	-35.05	42.80	1	Vertical	248	1.59	-	37.60	16.91	48.82			
AV	21.1912G	35.93	63.54	-27.61	30.20	1	Vertical	248	1.59	-	37.64	16.91	48.82			
PK	26.49358G	55.06	77.74	-22.68	43.97	1	Vertical	37	1.87	-	39.46	19.03	47.40			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.1913G	48.56	83.54	-34.98	42.84	1	Horizontal	326	1.76	-	37.63	16.91	48.82			
AV	21.19888G	35.90	63.54	-27.64	30.21	1	Horizontal	326	1.76	-	37.60	16.91	48.82			
PK	26.49626G	54.89	77.74	-22.85	43.78	1	Horizontal	76	1.93	-	39.48	19.03	47.40			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 88
50\81\99\90\86\88
7.87\4.60\11.77\1.77\2.70\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3175G	118.31	Inf	-Inf	107.02	3	Vertical	0	1.80	88	33.83	7.68	30.22				
AV	5.3253G	100.93	Inf	-Inf	89.62	3	Vertical	0	1.80	88	33.85	7.68	30.22				
PK	5.3501G	71.15	74.00	-2.85	59.78	3	Vertical	0	1.80	88	33.90	7.70	30.23				
AV	5.3501G	53.71	54.00	-0.29	42.34	3	Vertical	0	1.80	88	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
SET 88
88\97\84\90\87\88
2.35\7.50\5.78\0.15\3.35\2.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3231G	115.58	Inf	-Inf	104.27	3	Horizontal	48	1.73	88	33.85	7.68	30.22				
AV	5.3257G	98.33	Inf	-Inf	87.02	3	Horizontal	48	1.73	88	33.85	7.68	30.22				
PK	5.3531G	68.69	74.00	-5.31	57.31	3	Horizontal	48	1.73	88	33.91	7.70	30.23				
AV	5.3503G	51.61	54.00	-2.39	40.24	3	Horizontal	48	1.73	88	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64754G	54.26	74.00	-19.74	49.44	3	Vertical	185	2.10	-	38.30	12.11	45.59			
AV	10.63504G	41.02	54.00	-12.98	36.18	3	Vertical	185	2.10	-	38.30	12.10	45.56			
PK	15.95174G	58.39	74.00	-15.61	50.01	3	Vertical	342	1.94	-	37.40	14.79	43.81			
AV	15.96402G	44.32	54.00	-9.68	35.93	3	Vertical	342	1.94	-	37.43	14.80	43.84			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64082G	55.61	74.00	-18.39	50.78	3	Horizontal	60	1.87	-	38.30	12.10	45.57			
AV	10.63494G	41.01	54.00	-12.99	36.17	3	Horizontal	60	1.87	-	38.30	12.10	45.56			
PK	15.96206G	58.00	74.00	-16.00	49.61	3	Horizontal	35	1.78	-	37.42	14.80	43.83			
AV	15.96G	44.12	54.00	-9.88	35.73	3	Horizontal	35	1.78	-	37.42	14.80	43.83			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27716G	48.99	83.54	-34.55	43.11	1	Vertical	326	1.67	-	37.74	16.93	48.79			
AV	21.28478G	35.56	63.54	-27.98	29.72	1	Vertical	326	1.67	-	37.69	16.94	48.79			
PK	26.5936G	55.18	77.74	-22.56	43.96	1	Vertical	331	1.93	-	39.56	19.08	47.42			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28732G	49.23	83.54	-34.31	43.40	1	Horizontal	67	1.81	-	37.68	16.94	48.79			
AV	21.27976G	35.74	63.54	-27.80	29.87	1	Horizontal	67	1.81	-	37.72	16.94	48.79			
PK	26.59632G	55.17	77.74	-22.57	43.93	1	Horizontal	262	1.91	-	39.58	19.08	47.42			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 88
50\81\96\89\86\87\88
7.86\3.96\ -8.79\ -0.23\1.64\1.68\1.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4596G	68.87	74.00	-5.13	57.38	3	Vertical	0	1.80	88	34.00	7.78	30.29				
PK	5.4601G	66.86	68.20	-1.34	55.37	3	Vertical	0	1.80	88	34.00	7.78	30.29				
AV	5.4599G	51.82	54.00	-2.18	40.33	3	Vertical	0	1.80	88	34.00	7.78	30.29				
PK	5.5048G	119.53	Inf	-Inf	108.02	3	Vertical	0	1.80	88	34.02	7.80	30.31				
AV	5.5049G	102.05	Inf	-Inf	90.54	3	Vertical	0	1.80	88	34.02	7.80	30.31				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 90
88\106\84\95\90
4.51\ -20.84\6.32\ -5.88\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	65.34	74.00	-8.66	53.85	3	Horizontal	57	1.66	90	34.00	7.78	30.29			
AV	5.46G	48.97	54.00	-5.03	37.48	3	Horizontal	57	1.66	90	34.00	7.78	30.29			
PK	5.47G	67.92	68.20	-0.28	56.43	3	Horizontal	57	1.66	90	34.00	7.78	30.29			
PK	5.4956G	116.91	Inf	-Inf	105.42	3	Horizontal	57	1.66	90	34.00	7.80	30.31			
AV	5.5055G	99.07	Inf	-Inf	87.56	3	Horizontal	57	1.66	90	34.02	7.80	30.31			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00892G	54.83	74.00	-19.17	50.46	3	Vertical	15	1.38	-	38.32	12.29	46.24			
AV	11.00098G	41.03	54.00	-12.97	36.69	3	Vertical	15	1.38	-	38.30	12.29	46.25			
PK	16.50508G	59.49	68.20	-8.71	49.90	3	Vertical	20	2.68	-	39.21	14.93	44.55			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.001G	54.43	74.00	-19.57	50.09	3	Horizontal	47	1.93	-	38.30	12.29	46.25			
AV	11.00838G	40.96	54.00	-13.04	36.59	3	Horizontal	47	1.93	-	38.32	12.29	46.24			
PK	16.49884G	60.04	68.20	-8.16	50.47	3	Horizontal	15	2.69	-	39.19	14.93	44.55			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.00022G	54.30	77.74	-23.44	47.62	1	Vertical	149	1.61	-	38.10	17.18	48.60			
PK	27.50492G	54.99	77.74	-22.75	43.49	1	Vertical	163	1.35	-	39.46	19.44	47.40			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.99482G	54.16	77.74	-23.58	47.53	1	Horizontal	307	1.53	-	38.05	17.18	48.60			
PK	27.4949G	56.18	77.74	-21.56	44.68	1	Horizontal	98	1.84	-	39.47	19.43	47.40			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 106
50\84\108\96\102\105\106\107\106
8.60\7.99\0.44\7.53\7.48\7.40\2.16\0.24\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4447G	63.47	74.00	-10.53	51.97	3	Vertical	1	1.94	106	34.01	7.77	30.28
PK	5.469G	67.89	68.20	-0.31	56.40	3	Vertical	1	1.94	106	34.00	7.78	30.29
AV	5.4579G	46.65	54.00	-7.35	35.17	3	Vertical	1	1.94	106	34.00	7.77	30.29
PK	5.5779G	123.21	Inf	-Inf	111.50	3	Vertical	1	1.94	106	34.14	7.85	30.28
AV	5.5851G	106.00	Inf	-Inf	94.30	3	Vertical	1	1.94	106	34.13	7.85	30.28
PK	5.7255G	66.84	68.20	-1.36	55.09	3	Vertical	1	1.94	106	33.90	8.08	30.23

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
106\108
6.76\6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4435G	59.83	74.00	-14.17	48.33	3	Horizontal	46	1.67	108	34.01	7.77	30.28			
AV	5.4345G	46.19	54.00	-7.81	34.68	3	Horizontal	46	1.67	108	34.03	7.76	30.28			
PK	5.4687G	62.16	68.20	-6.04	50.67	3	Horizontal	46	1.67	108	34.00	7.78	30.29			
PK	5.5857G	120.21	Inf	-Inf	108.51	3	Horizontal	46	1.67	108	34.13	7.85	30.28			
AV	5.5851G	103.11	Inf	-Inf	91.41	3	Horizontal	46	1.67	108	34.13	7.85	30.28			
PK	5.7258G	61.37	68.20	-6.83	49.62	3	Horizontal	46	1.67	108	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1638G	54.87	74.00	-19.13	50.14	3	Vertical	168	1.63	-	38.46	12.37	46.10			
AV	11.15844G	41.04	54.00	-12.96	36.35	3	Vertical	168	1.63	-	38.43	12.37	46.11			
PK	16.74014G	60.60	68.20	-7.60	50.22	3	Vertical	320	2.94	-	40.12	14.98	44.72			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15584G	54.26	74.00	-19.74	49.59	3	Horizontal	187	1.77	-	38.42	12.36	46.11			
AV	11.15202G	41.05	54.00	-12.95	36.39	3	Horizontal	187	1.77	-	38.41	12.36	46.11			
PK	16.743G	60.17	68.20	-8.03	49.77	3	Horizontal	10	1.80	-	40.14	14.98	44.72			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.3279G	56.93	83.54	-26.61	49.81	1	Vertical	161	1.92	-	38.19	17.33	48.40			
AV	22.32108G	43.15	63.54	-20.39	36.01	1	Vertical	161	1.92	-	38.22	17.33	48.41			
PK	27.89882G	53.94	77.74	-23.80	42.25	1	Vertical	312	1.54	-	39.69	19.56	47.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.31348G	57.24	83.54	-26.30	50.08	1	Horizontal	78	2.09	-	38.25	17.32	48.41			
AV	22.32104G	43.25	63.54	-20.29	36.11	1	Horizontal	78	2.09	-	38.22	17.33	48.41			
PK	27.89156G	53.78	77.74	-23.96	42.13	1	Horizontal	310	1.46	-	39.65	19.56	47.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 60
50\84\46\65\56\60\62\61\60
8.62\ -16.46\8.93\ -3.34\2.05\0.79\ -1.01\ -0.37\0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6948G	113.31	Inf	-Inf	101.62	3	Vertical	2	1.76	60	33.90	8.03	30.24			
AV	5.7048G	96.25	Inf	-Inf	84.55	3	Vertical	2	1.76	60	33.90	8.04	30.24			
PK	5.725G	67.56	68.20	-0.64	55.81	3	Vertical	2	1.76	60	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 66
60\76\68\64\66
4.00\3.03\0.99\0.72\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6956G	112.49	Inf	-Inf	100.80	3	Horizontal	44	1.80	66	33.90	8.03	30.24			
AV	5.6952G	94.59	Inf	-Inf	82.90	3	Horizontal	44	1.80	66	33.90	8.03	30.24			
PK	5.7252G	67.82	68.20	-0.38	56.07	3	Horizontal	44	1.80	66	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4043G	54.91	74.00	-19.09	49.70	3	Vertical	14	1.80	-	38.61	12.49	45.89			
AV	11.39814G	41.39	54.00	-12.61	36.19	3	Vertical	14	1.80	-	38.60	12.49	45.89			
PK	17.10366G	62.47	68.20	-5.73	50.98	3	Vertical	326	2.97	-	41.42	15.06	44.99			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40372G	56.27	74.00	-17.73	51.06	3	Horizontal	25	1.71	-	38.61	12.49	45.89			
AV	11.40392G	41.57	54.00	-12.43	36.36	3	Horizontal	25	1.71	-	38.61	12.49	45.89			
PK	17.10496G	61.63	68.20	-6.57	50.13	3	Horizontal	289	1.73	-	41.43	15.06	44.99			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.79988G	53.38	83.54	-30.16	45.47	1	Vertical	34	1.90	-	38.60	17.55	48.24			
AV	22.79936G	39.41	63.54	-24.13	31.50	1	Vertical	34	1.90	-	38.60	17.55	48.24			
PK	28.49286G	57.06	77.74	-20.68	45.21	1	Vertical	356	1.47	-	39.50	19.85	47.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.80918G	53.33	83.54	-30.21	45.42	1	Horizontal	356	2.08	-	38.60	17.55	48.24			
AV	22.80446G	39.56	63.54	-23.98	31.65	1	Horizontal	356	2.08	-	38.60	17.55	48.24			
PK	28.49946G	57.42	77.74	-20.32	45.57	1	Horizontal	344	1.94	-	39.50	19.85	47.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
50\84\108
8.60\8.17\2.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4566G	58.52	74.00	-15.48	47.04	3	Vertical	1	1.62	108	34.00	7.77	30.29			
AV	5.4206G	45.94	54.00	-8.06	34.40	3	Vertical	1	1.62	108	34.06	7.75	30.27			
PK	5.4614G	58.31	68.20	-9.89	46.82	3	Vertical	1	1.62	108	34.00	7.78	30.29			
PK	5.7194G	122.75	Inf	-Inf	111.01	3	Vertical	1	1.62	108	33.90	8.07	30.23			
AV	5.7152G	105.58	Inf	-Inf	93.85	3	Vertical	1	1.62	108	33.90	8.06	30.23			
PK	5.858G	66.20	68.20	-2.00	54.27	3	Vertical	1	1.62	108	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
8.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.435G	59.06	74.00	-14.94	47.55	3	Horizontal	39	1.61	108	34.03	7.76	30.28			
AV	5.4254G	45.81	54.00	-8.19	34.27	3	Horizontal	39	1.61	108	34.05	7.76	30.27			
PK	5.4638G	58.12	68.20	-10.08	46.63	3	Horizontal	39	1.61	108	34.00	7.78	30.29			
PK	5.7254G	119.36	Inf	-Inf	107.61	3	Horizontal	39	1.61	108	33.90	8.08	30.23			
AV	5.7254G	102.36	Inf	-Inf	90.61	3	Horizontal	39	1.61	108	33.90	8.08	30.23			
PK	5.8586G	59.14	68.20	-9.06	47.21	3	Horizontal	39	1.61	108	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44888G	55.05	74.00	-18.95	49.69	3	Vertical	185	2.06	-	38.70	12.51	45.85			
AV	11.44862G	41.58	54.00	-12.42	36.22	3	Vertical	185	2.06	-	38.70	12.51	45.85			
PK	17.15794G	62.70	68.20	-5.50	50.94	3	Vertical	318	2.25	-	41.73	15.07	45.04			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43902G	54.99	74.00	-19.01	49.65	3	Horizontal	82	1.96	-	38.68	12.51	45.85			
AV	11.44294G	41.41	54.00	-12.59	36.06	3	Horizontal	82	1.96	-	38.69	12.51	45.85			
PK	17.16194G	62.43	68.20	-5.77	50.65	3	Horizontal	291	1.90	-	41.75	15.07	45.04			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.88004G	52.59	83.54	-30.95	44.69	1	Vertical	39	2.10	-	38.54	17.58	48.22			
AV	22.87968G	39.05	63.54	-24.49	31.15	1	Vertical	39	2.10	-	38.54	17.58	48.22			
PK	28.60336G	55.71	77.74	-22.03	43.75	1	Vertical	34	1.92	-	39.61	19.91	47.56			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.87978G	52.72	83.54	-30.82	44.82	1	Horizontal	166	1.34	-	38.54	17.58	48.22			
AV	22.87964G	39.16	63.54	-24.38	31.26	1	Horizontal	166	1.34	-	38.54	17.58	48.22			
PK	28.59418G	55.61	77.74	-22.13	43.67	1	Horizontal	181	1.83	-	39.60	19.90	47.56			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_V_2TX
SET 99
50\83\108\96\102\99\100\99
8.49\8.07\7.61\7.46\5.27\6.46\1.50\7.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4456G	46.02	54.00	-7.98	34.52	3	Vertical	0	1.69	99	34.01	7.77	30.28			
PK	5.6316G	61.00	68.20	-7.20	49.37	3	Vertical	0	1.69	99	33.97	7.92	30.26			
PK	5.7426G	122.44	Inf	-Inf	110.65	3	Vertical	0	1.69	99	33.90	8.11	30.22			
AV	5.7396G	105.41	Inf	-Inf	93.63	3	Vertical	0	1.69	99	33.90	8.10	30.22			
PK	5.9682G	58.76	68.20	-9.44	46.47	3	Vertical	0	1.69	99	34.30	8.13	30.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 101
99\108\104\102\101
8.17\ -3.39\ -1.75\ -0.77\ 6.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4492G	45.70	54.00	-8.30	34.21	3	Horizontal	44	1.61	101	34.00	7.77	30.28			
PK	5.6478G	62.12	68.20	-6.08	50.53	3	Horizontal	44	1.61	101	33.91	7.94	30.26			
PK	5.7408G	120.19	Inf	-Inf	108.40	3	Horizontal	44	1.61	101	33.90	8.11	30.22			
AV	5.7504G	102.85	Inf	-Inf	91.05	3	Horizontal	44	1.61	101	33.90	8.12	30.22			
PK	5.9454G	59.15	68.20	-9.05	46.88	3	Horizontal	44	1.61	101	34.28	8.14	30.15			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49332G	55.18	74.00	-18.82	49.76	3	Vertical	185	1.47	-	38.70	12.53	45.81			
AV	11.49572G	41.63	54.00	-12.37	36.19	3	Vertical	185	1.47	-	38.70	12.54	45.80			
PK	17.22782G	61.68	68.20	-6.52	49.68	3	Vertical	318	2.10	-	42.01	15.08	45.09			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49036G	55.04	74.00	-18.96	49.62	3	Horizontal	235	1.57	-	38.70	12.53	45.81			
AV	11.49774G	41.74	54.00	-12.26	36.30	3	Horizontal	235	1.57	-	38.70	12.54	45.80			
PK	17.22614G	61.18	68.20	-7.02	49.19	3	Horizontal	342	2.44	-	42.00	15.08	45.09			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.97968G	52.16	83.54	-31.38	44.03	1	Vertical	322	1.54	-	38.70	17.63	48.20			
AV	22.9793G	38.62	63.54	-24.92	30.49	1	Vertical	322	1.54	-	38.70	17.63	48.20			
PK	28.72322G	55.60	77.74	-22.14	43.57	1	Vertical	113	1.45	-	39.69	19.97	47.63			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.9832G	52.25	83.54	-31.29	44.12	1	Horizontal	2	1.84	-	38.70	17.63	48.20			
AV	22.97928G	38.57	63.54	-24.97	30.44	1	Horizontal	2	1.84	-	38.70	17.63	48.20			
PK	28.72692G	54.95	77.74	-22.79	42.90	1	Horizontal	32	1.77	-	39.71	19.98	47.64			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
50\85\108
8.80\8.08\6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62097G	61.63	68.20	-6.57	49.98	3	Vertical	51	1.83	108	34.02	7.90	30.27				
PK	5.78795G	123.01	Inf	-Inf	111.13	3	Vertical	51	1.83	108	33.90	8.19	30.21				
AV	5.78008G	105.40	Inf	-Inf	93.53	3	Vertical	51	1.83	108	33.90	8.18	30.21				
PK	6.02148G	58.89	68.20	-9.31	46.58	3	Vertical	51	1.83	108	34.34	8.11	30.14				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
6.96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.60524G	61.24	68.20	-6.96	49.56	3	Horizontal	41	1.68	108	34.08	7.87	30.27				
PK	5.78008G	120.32	Inf	-Inf	108.45	3	Horizontal	41	1.68	108	33.90	8.18	30.21				
AV	5.78008G	102.71	Inf	-Inf	90.84	3	Horizontal	41	1.68	108	33.90	8.18	30.21				
PK	6.07895G	59.98	68.20	-8.22	47.66	3	Horizontal	41	1.68	108	34.40	8.08	30.16				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56542G	55.76	74.00	-18.24	49.98	3	Vertical	23	1.75	-	39.03	12.57	45.82			
AV	11.57914G	42.20	54.00	-11.80	36.39	3	Vertical	23	1.75	-	39.06	12.58	45.83			
PK	17.35638G	63.16	68.20	-5.04	50.61	3	Vertical	308	1.80	-	42.64	15.11	45.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56768G	56.10	74.00	-17.90	50.31	3	Horizontal	198	1.72	-	39.04	12.57	45.82			
AV	11.56372G	41.99	54.00	-12.01	36.21	3	Horizontal	198	1.72	-	39.03	12.57	45.82			
PK	17.36178G	62.60	68.20	-5.60	50.02	3	Horizontal	65	1.80	-	42.67	15.11	45.20			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.1471G	52.27	77.74	-25.47	43.76	1	Vertical	230	1.50	-	38.89	17.73	48.11			
PK	28.91672G	53.47	77.74	-24.27	41.31	1	Vertical	278	1.89	-	39.83	20.08	47.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.14182G	52.49	77.74	-25.25	44.01	1	Horizontal	88	1.86	-	38.87	17.72	48.11			
PK	28.9316G	53.82	77.74	-23.92	41.64	1	Horizontal	270	1.57	-	39.86	20.08	47.76			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
50\83\108
8.44\8.02\6.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6474G	61.22	68.20	-6.98	49.63	3	Vertical	52	1.91	108	33.91	7.94	30.26				
PK	5.8232G	122.43	Inf	-Inf	110.52	3	Vertical	52	1.91	108	33.90	8.20	30.19				
AV	5.8202G	104.45	Inf	-Inf	92.54	3	Vertical	52	1.91	108	33.90	8.20	30.19				
PK	6.1064G	59.43	68.20	-8.77	47.13	3	Vertical	52	1.91	108	34.41	8.06	30.17				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
8.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6156G	58.93	68.20	-9.27	47.27	3	Horizontal	45	1.65	108	34.04	7.89	30.27				
PK	5.8202G	118.46	Inf	-Inf	106.55	3	Horizontal	45	1.65	108	33.90	8.20	30.19				
AV	5.8202G	101.69	Inf	-Inf	89.78	3	Horizontal	45	1.65	108	33.90	8.20	30.19				
PK	6.0884G	59.40	68.20	-8.80	47.10	3	Horizontal	45	1.65	108	34.40	8.07	30.17				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65402G	55.64	74.00	-18.36	49.66	3	Vertical	239	1.80	-	39.21	12.62	45.85			
AV	11.64218G	42.20	54.00	-11.80	36.26	3	Vertical	239	1.80	-	39.18	12.61	45.85			
PK	17.4818G	62.93	68.20	-5.27	49.61	3	Vertical	341	1.89	-	43.49	15.13	45.30			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65872G	55.70	74.00	-18.30	49.71	3	Horizontal	230	1.80	-	39.22	12.62	45.85			
AV	11.65818G	42.17	54.00	-11.83	36.18	3	Horizontal	230	1.80	-	39.22	12.62	45.85			
PK	17.4714G	63.24	68.20	-4.96	49.97	3	Horizontal	294	1.80	-	43.43	15.13	45.29			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.29036G	55.86	77.74	-21.88	47.18	1	Vertical	270	1.55	-	38.90	17.81	48.03			
PK	29.1234G	54.28	77.74	-23.46	42.03	1	Vertical	126	1.47	-	39.89	20.14	47.78			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.30018G	53.74	77.74	-24.00	45.05	1	Horizontal	22	1.91	-	38.90	17.81	48.02			
PK	29.12248G	53.68	77.74	-24.06	41.43	1	Horizontal	349	1.35	-	39.89	20.14	47.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 74
70\78\74
2.03\ -2.23\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	67.58	74.00	-6.42	56.43	3	Vertical	42	1.79	74	33.70	7.58	30.13			
AV	5.15G	53.67	54.00	-0.33	42.52	3	Vertical	42	1.79	74	33.70	7.58	30.13			
PK	5.1968G	113.00	Inf	-Inf	101.77	3	Vertical	42	1.79	74	33.79	7.59	30.15			
AV	5.1972G	98.84	Inf	-Inf	87.61	3	Vertical	42	1.79	74	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 75
74\78\76\75
1.07\1.26\0.45\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	67.50	74.00	-6.50	56.35	3	Horizontal	45	1.78	75	33.70	7.58	30.13			
AV	5.148G	53.54	54.00	-0.46	42.40	3	Horizontal	45	1.78	75	33.69	7.58	30.13			
PK	5.1906G	111.36	Inf	-Inf	100.14	3	Horizontal	45	1.78	75	33.78	7.59	30.15			
AV	5.178G	97.73	Inf	-Inf	86.52	3	Horizontal	45	1.78	75	33.76	7.59	30.14			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 92
70\99\77\88\93\91\92
7.32\ -5.50\6.73\3.31\ -0.26\0.99\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1372G	70.67	74.00	-3.33	59.56	3	Vertical	344	1.80	92	33.65	7.58	30.12			
AV	5.15G	53.40	54.00	-0.60	42.25	3	Vertical	344	1.80	92	33.70	7.58	30.13			
PK	5.2376G	118.73	Inf	-Inf	107.48	3	Vertical	344	1.80	92	33.80	7.62	30.17			
AV	5.2446G	103.87	Inf	-Inf	92.63	3	Vertical	344	1.80	92	33.80	7.62	30.18			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 93
92\98\88\93\95\94\93
1.59\ -4.49\4.20\0.98\ -0.78\ -0.18\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	66.27	74.00	-7.73	55.13	3	Horizontal	51	1.51	93	33.69	7.58	30.13			
AV	5.148G	53.52	54.00	-0.48	42.38	3	Horizontal	51	1.51	93	33.69	7.58	30.13			
PK	5.2358G	115.13	Inf	-Inf	103.88	3	Horizontal	51	1.51	93	33.80	7.62	30.17			
AV	5.2356G	101.73	Inf	-Inf	90.48	3	Horizontal	51	1.51	93	33.80	7.62	30.17			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 91
50\80\101\91
7.68\5.35\9.52\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2776G	116.77	Inf	-Inf	105.51	3	Vertical	351	1.26	91	33.80	7.65	30.19				
AV	5.255G	102.74	Inf	-Inf	91.49	3	Vertical	351	1.26	91	33.80	7.63	30.18				
PK	5.3502G	68.00	74.00	-6.00	56.63	3	Vertical	351	1.26	91	33.90	7.70	30.23				
AV	5.3502G	53.64	54.00	-0.36	42.27	3	Vertical	351	1.26	91	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 97
91\108\87\97
4.26\ -11.39\5.70\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2728G	116.79	Inf	-Inf	105.54	3	Horizontal	52	1.59	97	33.80	7.64	30.19				
AV	5.2578G	101.58	Inf	-Inf	90.33	3	Horizontal	52	1.59	97	33.80	7.63	30.18				
PK	5.3512G	70.08	74.00	-3.92	58.71	3	Horizontal	52	1.59	97	33.90	7.70	30.23				
AV	5.351G	53.79	54.00	-0.21	42.42	3	Horizontal	52	1.59	97	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 74
50\78\64\71\74
7.02\ -2.21\4.43\1.58\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2948G	112.47	Inf	-Inf	101.21	3	Vertical	346	1.71	74	33.80	7.66	30.20			
AV	5.3248G	99.04	Inf	-Inf	87.73	3	Vertical	346	1.71	74	33.85	7.68	30.22			
PK	5.3552G	66.39	74.00	-7.61	54.99	3	Vertical	346	1.71	74	33.92	7.71	30.23			
AV	5.35G	53.60	54.00	-0.40	42.23	3	Vertical	346	1.71	74	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 79
74\84\70\77\80\79
2.65\5.51\4.48\1.37\0.83\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3156G	111.70	Inf	-Inf	100.40	3	Horizontal	53	1.78	79	33.83	7.68	30.21			
AV	5.2956G	96.61	Inf	-Inf	85.35	3	Horizontal	53	1.78	79	33.80	7.66	30.20			
PK	5.3508G	68.23	74.00	-5.77	56.86	3	Horizontal	53	1.78	79	33.90	7.70	30.23			
AV	5.3506G	53.64	54.00	-0.36	42.27	3	Horizontal	53	1.78	79	33.90	7.70	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 76
50\80\65\72\75\76
7.50\1.18\5.16\2.19\1.45\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	63.90	74.00	-10.10	52.41	3	Vertical	360	1.80	76	34.00	7.78	30.29			
AV	5.46G	50.44	54.00	-3.56	38.95	3	Vertical	360	1.80	76	34.00	7.78	30.29			
PK	5.47G	68.01	68.20	-0.19	56.52	3	Vertical	360	1.80	76	34.00	7.78	30.29			
PK	5.5052G	113.78	Inf	-Inf	102.27	3	Vertical	360	1.80	76	34.02	7.80	30.31			
AV	5.515G	99.82	Inf	-Inf	88.25	3	Vertical	360	1.80	76	34.06	7.81	30.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 78
76\86\72\79\77\78
2.50\ -7.87\3.10\ -0.25\1.49\0.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	61.96	74.00	-12.04	50.47	3	Horizontal	45	1.66	78	34.00	7.78	30.29			
AV	5.46G	48.98	54.00	-5.02	37.49	3	Horizontal	45	1.66	78	34.00	7.78	30.29			
PK	5.4698G	67.30	68.20	-0.90	55.81	3	Horizontal	45	1.66	78	34.00	7.78	30.29			
PK	5.5128G	111.78	Inf	-Inf	100.23	3	Horizontal	45	1.66	78	34.05	7.81	30.31			
AV	5.5152G	97.87	Inf	-Inf	86.30	3	Horizontal	45	1.66	78	34.06	7.81	30.30			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 96
50\81\107\94\100\97\96
7.92\6.62\ -13.39\0.96\ -2.89\ -1.13\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4564G	68.98	74.00	-5.02	57.50	3	Vertical	360	1.69	96	34.00	7.77	30.29			
AV	5.4598G	52.86	54.00	-1.14	41.37	3	Vertical	360	1.69	96	34.00	7.78	30.29			
PK	5.4646G	67.90	68.20	-0.30	56.41	3	Vertical	360	1.69	96	34.00	7.78	30.29			
PK	5.5574G	119.54	Inf	-Inf	107.81	3	Vertical	360	1.69	96	34.19	7.83	30.29			
AV	5.555G	105.17	Inf	-Inf	93.44	3	Vertical	360	1.69	96	34.19	7.83	30.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 99
96\103\92\97\99\100\99
1.87\ -11.91\4.50\1.31\0.57\ -0.46\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4578G	66.23	74.00	-7.77	54.75	3	Horizontal	50	1.72	99	34.00	7.77	30.29			
PK	5.4602G	67.83	68.20	-0.37	56.34	3	Horizontal	50	1.72	99	34.00	7.78	30.29			
AV	5.46G	52.93	54.00	-1.07	41.44	3	Horizontal	50	1.72	99	34.00	7.78	30.29			
PK	5.5524G	117.24	Inf	-Inf	105.50	3	Horizontal	50	1.72	99	34.20	7.83	30.29			
AV	5.5654G	102.69	Inf	-Inf	90.97	3	Horizontal	50	1.72	99	34.17	7.84	30.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 76
50\76\89\83\80\79\67\73\76
6.71\0.61\4.82\0.96\0.99\13.07\4.03\1.07\1.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6625G	114.54	Inf	-Inf	102.92	3	Vertical	360	1.80	76	33.90	7.97	30.25				
AV	5.6547G	100.22	Inf	-Inf	88.61	3	Vertical	360	1.80	76	33.90	7.96	30.25				
PK	5.7252G	66.82	68.20	-1.38	55.07	3	Vertical	360	1.80	76	33.90	8.08	30.23				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 55
76\55
-5.24\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6778G	106.02	Inf	-Inf	94.37	3	Horizontal	47	1.72	55	33.90	8.00	30.25			
AV	5.6553G	92.22	Inf	-Inf	80.61	3	Horizontal	47	1.72	55	33.90	7.96	30.25			
PK	5.7312G	67.74	68.20	-0.46	55.98	3	Horizontal	47	1.72	55	33.90	8.09	30.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 102
50\82\108\95\101\104\103\102
8.00\7.48\ -4.27\6.96\4.65\ -3.50\ -1.34\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4106G	59.05	74.00	-14.95	47.48	3	Vertical	0	1.70	102	34.08	7.75	30.26
AV	5.4166G	46.85	54.00	-7.15	35.30	3	Vertical	0	1.70	102	34.07	7.75	30.27
PK	5.461G	58.75	68.20	-9.45	47.26	3	Vertical	0	1.70	102	34.00	7.78	30.29
PK	5.7244G	119.98	Inf	-Inf	108.23	3	Vertical	0	1.70	102	33.90	8.08	30.23
AV	5.7046G	106.59	Inf	-Inf	94.89	3	Vertical	0	1.70	102	33.90	8.04	30.24
PK	5.8516G	68.13	68.20	-0.07	56.21	3	Vertical	0	1.70	102	33.91	8.19	30.18

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 105
102\108\105
6.16\0.66\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4124G	58.95	74.00	-15.05	47.38	3	Horizontal	42	1.64	105	34.08	7.75	30.26			
PK	5.4658G	58.98	68.20	-9.22	47.49	3	Horizontal	42	1.64	105	34.00	7.78	30.29			
AV	5.4466G	46.68	54.00	-7.32	35.18	3	Horizontal	42	1.64	105	34.01	7.77	30.28			
PK	5.6926G	117.42	Inf	-Inf	105.74	3	Horizontal	42	1.64	105	33.90	8.02	30.24			
AV	5.728G	103.28	Inf	-Inf	91.53	3	Horizontal	42	1.64	105	33.90	8.08	30.23			
PK	5.851G	68.11	68.20	-0.09	56.20	3	Horizontal	42	1.64	105	33.90	8.19	30.18			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 95
50\83\108\96\102\99\98\86\92\95\96\95
8.31\7.70\13.92\1.77\13.18\11.01\5.64\7.52\3.05\0.56\0.87\2.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4562G	46.58	54.00	-7.42	35.10	3	Vertical	360	1.44	95	34.00	7.77	30.29			
PK	5.6488G	65.73	68.20	-2.47	54.14	3	Vertical	360	1.44	95	33.90	7.95	30.26			
PK	5.737G	118.88	Inf	-Inf	107.10	3	Vertical	360	1.44	95	33.90	8.10	30.22			
AV	5.7394G	104.76	Inf	-Inf	92.98	3	Vertical	360	1.44	95	33.90	8.10	30.22			
PK	6.0328G	59.33	68.20	-8.87	47.00	3	Vertical	360	1.44	95	34.37	8.10	30.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 96
95\108\91\99\96\97\96
5.38\11.45\6.62\8.61\3.52\2.60\4.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4562G	46.21	54.00	-7.79	34.73	3	Horizontal	40	1.60	96	34.00	7.77	30.29			
PK	5.6506G	64.16	68.64	-4.48	52.57	3	Horizontal	40	1.60	96	33.90	7.95	30.26			
PK	5.758G	117.47	Inf	-Inf	105.65	3	Horizontal	40	1.60	96	33.90	8.14	30.22			
AV	5.7502G	102.68	Inf	-Inf	90.88	3	Horizontal	40	1.60	96	33.90	8.12	30.22			
PK	6.0334G	59.62	68.20	-8.58	47.29	3	Horizontal	40	1.60	96	34.37	8.10	30.14			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 101
50\83\108\96\102\105\104\103\102\101
8.49\8.37\1.93\7.72\0.76\1.41\1.61\2.10\0.44\1.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.651G	67.64	68.94	-1.30	56.05	3	Vertical	56	1.77	101	33.90	7.95	30.26			
PK	5.8004G	119.21	Inf	-Inf	107.30	3	Vertical	56	1.77	101	33.90	8.21	30.20			
AV	5.7932G	105.39	Inf	-Inf	93.49	3	Vertical	56	1.77	101	33.90	8.20	30.20			
PK	6.0488G	59.35	68.20	-8.85	47.01	3	Vertical	56	1.77	101	34.40	8.09	30.15			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 108
101\108
2.13\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6504G	67.59	68.50	-0.91	56.00	3	Horizontal	44	1.76	108	33.90	7.95	30.26			
PK	5.786G	116.36	Inf	-Inf	104.48	3	Horizontal	44	1.76	108	33.90	8.19	30.21			
AV	5.7776G	102.98	Inf	-Inf	91.12	3	Horizontal	44	1.76	108	33.90	8.17	30.21			
PK	6.074G	59.21	68.20	-8.99	46.89	3	Horizontal	44	1.76	108	34.40	8.08	30.16			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 73
50\77\64\70\73
6.96\ -2.19\4.28\1.18\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1385G	64.80	74.00	-9.20	53.69	3	Vertical	1	2.07	73	33.65	7.58	30.12			
AV	5.15G	53.63	54.00	-0.37	42.48	3	Vertical	1	2.07	73	33.70	7.58	30.13			
PK	5.2275G	110.05	Inf	-Inf	98.81	3	Vertical	1	2.07	73	33.80	7.61	30.17			
AV	5.198G	98.71	Inf	-Inf	87.47	3	Vertical	1	2.07	73	33.80	7.59	30.15			
PK	5.395G	59.42	74.00	-14.58	47.86	3	Vertical	1	2.07	73	34.08	7.74	30.26			
AV	5.3605G	48.03	54.00	-5.97	36.62	3	Vertical	1	2.07	73	33.94	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 76
73\82\78\76\77\76
2.27\ -3.74\ -0.23\ 0.94\ -0.09\ 0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.137G	64.82	74.00	-9.18	53.71	3	Horizontal	300	1.89	76	33.65	7.58	30.12			
AV	5.149G	53.34	54.00	-0.66	42.19	3	Horizontal	300	1.89	76	33.70	7.58	30.13			
PK	5.197G	108.43	Inf	-Inf	97.20	3	Horizontal	300	1.89	76	33.79	7.59	30.15			
AV	5.2015G	95.92	Inf	-Inf	84.68	3	Horizontal	300	1.89	76	33.80	7.59	30.15			
PK	5.3665G	59.27	74.00	-14.73	47.83	3	Horizontal	300	1.89	76	33.97	7.71	30.24			
AV	5.37G	47.16	54.00	-6.84	35.70	3	Horizontal	300	1.89	76	33.98	7.72	30.24			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 73
50\73
5.81\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1405G	58.37	74.00	-15.63	47.25	3	Vertical	350	1.72	73	33.66	7.58	30.12			
AV	5.112G	47.28	54.00	-6.72	36.27	3	Vertical	350	1.72	73	33.55	7.57	30.11			
PK	5.2945G	109.90	Inf	-Inf	98.64	3	Vertical	350	1.72	73	33.80	7.66	30.20			
AV	5.295G	98.40	Inf	-Inf	87.14	3	Vertical	350	1.72	73	33.80	7.66	30.20			
PK	5.3505G	65.21	74.00	-8.79	53.84	3	Vertical	350	1.72	73	33.90	7.70	30.23			
AV	5.3505G	53.75	54.00	-0.25	42.38	3	Vertical	350	1.72	73	33.90	7.70	30.23			
PK	5.4755G	59.09	68.20	-9.11	47.60	3	Vertical	350	1.72	73	34.00	7.79	30.30			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 78
73\84\69\76\79\78
2.80\5.76\4.24\1.31\0.02\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.094G	58.77	74.00	-15.23	47.81	3	Horizontal	47	1.69	78	33.49	7.57	30.10			
AV	5.145G	47.05	54.00	-6.95	35.92	3	Horizontal	47	1.69	78	33.68	7.58	30.13			
PK	5.2855G	108.30	Inf	-Inf	97.05	3	Horizontal	47	1.69	78	33.80	7.65	30.20			
AV	5.2755G	96.58	Inf	-Inf	85.32	3	Horizontal	47	1.69	78	33.80	7.65	30.19			
PK	5.3535G	64.73	74.00	-9.27	53.34	3	Horizontal	47	1.69	78	33.91	7.71	30.23			
AV	5.3505G	53.31	54.00	-0.69	41.94	3	Horizontal	47	1.69	78	33.90	7.70	30.23			
PK	5.518G	59.47	68.20	-8.73	47.89	3	Horizontal	47	1.69	78	34.07	7.81	30.30			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 80
50\78\92\85\82\81\80
7.06\0.83\ -14.91\ -3.39\ -0.82\ -0.12\ 0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	58.76	68.20	-9.44	47.40	3	Vertical	360	1.80	80	33.89	7.70	30.23
AV	5.35G	47.33	54.00	-6.67	35.96	3	Vertical	360	1.80	80	33.90	7.70	30.23
PK	5.46G	64.50	74.00	-9.50	53.01	3	Vertical	360	1.80	80	34.00	7.78	30.29
AV	5.455G	53.63	54.00	-0.37	42.15	3	Vertical	360	1.80	80	34.00	7.77	30.29
PK	5.47G	66.70	68.20	-1.50	55.21	3	Vertical	360	1.80	80	34.00	7.78	30.29
PK	5.5375G	111.56	Inf	-Inf	99.89	3	Vertical	360	1.80	80	34.15	7.82	30.30
AV	5.5175G	99.89	Inf	-Inf	88.31	3	Vertical	360	1.80	80	34.07	7.81	30.30
PK	5.7305G	59.24	68.20	-8.96	47.48	3	Vertical	360	1.80	80	33.90	8.09	30.23

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 84
80\90\76\83\86\85\84
2.58\ -7.49\3.16\1.10\ -2.06\ -0.97\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3375G	58.57	68.20	-9.63	47.24	3	Horizontal	52	1.73	84	33.87	7.69	30.23			
AV	5.35G	46.68	54.00	-7.32	35.31	3	Horizontal	52	1.73	84	33.90	7.70	30.23			
PK	5.458G	65.22	74.00	-8.78	53.74	3	Horizontal	52	1.73	84	34.00	7.77	30.29			
AV	5.46G	53.72	54.00	-0.28	42.23	3	Horizontal	52	1.73	84	34.00	7.78	30.29			
PK	5.468G	65.77	68.20	-2.43	54.28	3	Horizontal	52	1.73	84	34.00	7.78	30.29			
PK	5.536G	109.95	Inf	-Inf	98.29	3	Horizontal	52	1.73	84	34.14	7.82	30.30			
AV	5.5205G	98.11	Inf	-Inf	86.52	3	Horizontal	52	1.73	84	34.08	7.81	30.30			
PK	5.7765G	59.46	68.20	-8.74	47.60	3	Horizontal	52	1.73	84	33.90	8.17	30.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 89
50\78\101\90\85\87\88\89
7.14\5.76\ -14.41\ -0.22\3.03\2.24\0.73\0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	63.14	74.00	-10.86	51.64	3	Vertical	0	2.21	89	34.01	7.77	30.28
PK	5.465G	65.58	68.20	-2.62	54.09	3	Vertical	0	2.21	89	34.00	7.78	30.29
AV	5.458G	50.40	54.00	-3.60	38.92	3	Vertical	0	2.21	89	34.00	7.77	30.29
PK	5.588G	114.51	Inf	-Inf	102.82	3	Vertical	0	2.21	89	34.12	7.85	30.28
AV	5.6G	102.64	Inf	-Inf	90.95	3	Vertical	0	2.21	89	34.10	7.86	30.27
PK	5.725G	67.42	68.20	-0.78	55.67	3	Vertical	0	2.21	89	33.90	8.08	30.23

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 94
89\100\85\92\95\94
2.91\5.32\6.29\1.93\1.18\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	62.78	74.00	-11.22	51.30	3	Horizontal	47	1.68	94	34.00	7.77	30.29			
PK	5.4615G	62.53	68.20	-5.67	51.04	3	Horizontal	47	1.68	94	34.00	7.78	30.29			
AV	5.46G	50.69	54.00	-3.31	39.20	3	Horizontal	47	1.68	94	34.00	7.78	30.29			
PK	5.618G	113.30	Inf	-Inf	101.65	3	Horizontal	47	1.68	94	34.03	7.89	30.27			
AV	5.6055G	101.28	Inf	-Inf	89.60	3	Horizontal	47	1.68	94	34.08	7.87	30.27			
PK	5.728G	68.15	68.20	-0.05	56.40	3	Horizontal	47	1.68	94	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 96
50\78\104\91\97\94\95\96
7.15\6.58\6.56\4.76\0.07\3.07\1.22\1.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.25	74.00	-12.75	49.76	3	Vertical	360	1.80	96	34.00	7.78	30.29			
AV	5.4518G	49.76	54.00	-4.24	38.27	3	Vertical	360	1.80	96	34.00	7.77	30.28			
PK	5.4644G	63.82	68.20	-4.38	52.33	3	Vertical	360	1.80	96	34.00	7.78	30.29			
PK	5.6726G	116.77	Inf	-Inf	105.13	3	Vertical	360	1.80	96	33.90	7.99	30.25			
AV	5.6774G	104.30	Inf	-Inf	92.65	3	Vertical	360	1.80	96	33.90	8.00	30.25			
PK	5.852G	67.07	68.20	-1.13	55.15	3	Vertical	360	1.80	96	33.91	8.19	30.18			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 101
96\108\92\100\104\102\101
4.35\ -7.17\6.47\0.57\ -1.20\ -0.98\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4446G	62.97	74.00	-11.03	51.47	3	Horizontal	42	1.74	101	34.01	7.77	30.28
PK	5.4656G	63.23	68.20	-4.97	51.74	3	Horizontal	42	1.74	101	34.00	7.78	30.29
AV	5.46G	49.74	54.00	-4.26	38.25	3	Horizontal	42	1.74	101	34.00	7.78	30.29
PK	5.6804G	114.17	Inf	-Inf	102.52	3	Horizontal	42	1.74	101	33.90	8.00	30.25
AV	5.6756G	102.15	Inf	-Inf	90.51	3	Horizontal	42	1.74	101	33.90	7.99	30.25
PK	5.852G	67.78	68.20	-0.42	55.86	3	Horizontal	42	1.74	101	33.91	8.19	30.18

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_V_2TX
SET 92
50\84\101\93\89\91\92
8.61\3.78\ -6.84\ -0.27\1.32\1.06\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6466G	67.96	68.20	-0.24	56.37	3	Vertical	350	1.53	92	33.91	7.94	30.26			
PK	5.7738G	115.89	Inf	-Inf	104.04	3	Vertical	350	1.53	92	33.90	8.16	30.21			
AV	5.7618G	103.20	Inf	-Inf	91.38	3	Vertical	350	1.53	92	33.90	8.14	30.22			
PK	5.961G	59.66	68.20	-8.54	47.36	3	Vertical	350	1.53	92	34.30	8.14	30.14			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 93
92\99\96\95\94\93
1.89\1.47\0.98\0.76\0.39\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6298G	67.83	68.20	-0.37	56.20	3	Horizontal	40	1.60	93	33.98	7.91	30.26				
PK	5.748G	111.75	Inf	-Inf	99.95	3	Horizontal	40	1.60	93	33.90	8.12	30.22				
AV	5.7378G	100.41	Inf	-Inf	88.63	3	Horizontal	40	1.60	93	33.90	8.10	30.22				
PK	6.0606G	59.33	68.20	-8.87	46.99	3	Horizontal	40	1.60	93	34.40	8.09	30.15				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 68
65\72\69\68
1.80\1.74\0.74\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	70.09	74.00	-3.91	58.94	3	Vertical	5	2.37	68	33.70	7.58	30.13			
AV	5.1456G	50.01	54.00	-3.99	38.88	3	Vertical	5	2.37	68	33.68	7.58	30.13			
PK	5.325G	106.05	Inf	-Inf	94.74	3	Vertical	5	2.37	68	33.85	7.68	30.22			
AV	5.2656G	89.33	Inf	-Inf	78.08	3	Vertical	5	2.37	68	33.80	7.64	30.19			
PK	5.35G	73.74	74.00	-0.26	62.37	3	Vertical	5	2.37	68	33.90	7.70	30.23			
AV	5.35G	51.63	54.00	-2.37	40.26	3	Vertical	5	2.37	68	33.90	7.70	30.23			
PK	5.475G	61.29	68.20	-6.91	49.80	3	Vertical	5	2.37	68	34.00	7.79	30.30			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 72
68\75\72\73\72
1.82\ -2.89\0.60\ -0.66\0.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	70.50	74.00	-3.50	59.35	3	Horizontal	51	1.69	72	33.70	7.58	30.13			
AV	5.1456G	50.89	54.00	-3.11	39.76	3	Horizontal	51	1.69	72	33.68	7.58	30.13			
PK	5.3256G	103.85	Inf	-Inf	92.54	3	Horizontal	51	1.69	72	33.85	7.68	30.22			
AV	5.2752G	88.36	Inf	-Inf	77.10	3	Horizontal	51	1.69	72	33.80	7.65	30.19			
PK	5.3562G	73.48	74.00	-0.52	62.09	3	Horizontal	51	1.69	72	33.92	7.71	30.24			
AV	5.3508G	53.28	54.00	-0.72	41.91	3	Horizontal	51	1.69	72	33.90	7.70	30.23			
PK	5.4606G	62.23	68.20	-5.97	50.74	3	Horizontal	51	1.69	72	34.00	7.78	30.29			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 64
50\81\46\63\71\67\65\64
7.88\ -10.19\7.96\2.52\ -4.35\ -0.49\ -0.01\1.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3462G	58.34	68.20	-9.86	46.98	3	Vertical	0	1.67	64	33.89	7.70	30.23			
PK	5.4596G	63.79	74.00	-10.21	52.30	3	Vertical	0	1.67	64	34.00	7.78	30.29			
AV	5.46G	47.07	54.00	-6.93	35.58	3	Vertical	0	1.67	64	34.00	7.78	30.29			
PK	5.4692G	66.53	68.20	-1.67	55.04	3	Vertical	0	1.67	64	34.00	7.78	30.29			
PK	5.6G	106.05	Inf	-Inf	94.36	3	Vertical	0	1.67	64	34.10	7.86	30.27			
AV	5.5952G	89.44	Inf	-Inf	77.75	3	Vertical	0	1.67	64	34.11	7.86	30.28			
PK	5.7344G	61.94	68.20	-6.26	50.17	3	Vertical	0	1.67	64	33.90	8.10	30.23			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 69
64\76\70\67\68\69
3.16\ -3.99\ -0.22\ 2.65\ 1.03\ 0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3258G	58.16	68.20	-10.04	46.85	3	Horizontal	50	1.58	69	33.85	7.68	30.22			
PK	5.46G	65.33	74.00	-8.67	53.84	3	Horizontal	50	1.58	69	34.00	7.78	30.29			
AV	5.4452G	47.25	54.00	-6.75	35.75	3	Horizontal	50	1.58	69	34.01	7.77	30.28			
PK	5.4698G	67.81	68.20	-0.39	56.32	3	Horizontal	50	1.58	69	34.00	7.78	30.29			
PK	5.6006G	104.12	Inf	-Inf	92.43	3	Horizontal	50	1.58	69	34.10	7.86	30.27			
AV	5.5958G	88.11	Inf	-Inf	76.42	3	Horizontal	50	1.58	69	34.11	7.86	30.28			
PK	5.7278G	64.46	68.20	-3.74	52.71	3	Horizontal	50	1.58	69	33.90	8.08	30.23			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 85
70\95\66\80\87\84\85\86\85
6.36\ -10.90\7.29\4.70\ -1.49\1.59\1.22\ -0.71\1.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1493G	68.21	74.00	-5.79	57.06	3	Vertical	47	1.98	85	33.70	7.58	30.13			
AV	5.15G	52.82	54.00	-1.18	41.67	3	Vertical	47	1.98	85	33.70	7.58	30.13			
PK	5.1736G	118.55	Inf	-Inf	107.36	3	Vertical	47	1.98	85	33.75	7.58	30.14			
AV	5.1826G	101.21	Inf	-Inf	89.99	3	Vertical	47	1.98	85	33.77	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_V_2TX
SET 88
85\98\81\89\86\87\88
3.31\11.71\6.04\0.67\1.80\1.06\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1431G	70.34	74.00	-3.66	59.21	3	Horizontal	48	1.80	88	33.67	7.58	30.12			
AV	5.1498G	53.76	54.00	-0.24	42.61	3	Horizontal	48	1.80	88	33.70	7.58	30.13			
PK	5.1823G	115.17	Inf	-Inf	103.96	3	Horizontal	48	1.80	88	33.76	7.59	30.14			
AV	5.1759G	98.62	Inf	-Inf	87.42	3	Horizontal	48	1.80	88	33.75	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 93
70\100\80\90\95\93\94\93
7.67\5.18\6.95\3.56\1.14\2.11\6.80\2.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.146G	67.79	74.00	-6.21	56.66	3	Vertical	39	1.79	93	33.68	7.58	30.13			
AV	5.15G	51.91	54.00	-2.09	40.76	3	Vertical	39	1.79	93	33.70	7.58	30.13			
PK	5.2008G	119.51	Inf	-Inf	108.27	3	Vertical	39	1.79	93	33.80	7.59	30.15			
AV	5.1976G	102.49	Inf	-Inf	91.25	3	Vertical	39	1.79	93	33.80	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_V_2TX
SET 98
93\108\89\98
4.12\ -8.26\6.00\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	68.79	74.00	-5.21	57.64	3	Horizontal	47	1.80	98	33.70	7.58	30.13			
AV	5.15G	53.66	54.00	-0.34	42.51	3	Horizontal	47	1.80	98	33.70	7.58	30.13			
PK	5.1968G	117.46	Inf	-Inf	106.23	3	Horizontal	47	1.80	98	33.79	7.59	30.15			
AV	5.1966G	100.34	Inf	-Inf	89.11	3	Horizontal	47	1.80	98	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 103
70\101\108\105\104\103
7.87\5.45\0.44\0.42\0.73\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	73.09	74.00	-0.91	61.94	3	Vertical	46	1.89	103	33.70	7.58	30.13			
AV	5.15G	49.21	54.00	-4.79	38.06	3	Vertical	46	1.89	103	33.70	7.58	30.13			
PK	5.234G	122.73	Inf	-Inf	111.48	3	Vertical	46	1.89	103	33.80	7.62	30.17			
AV	5.2427G	105.49	Inf	-Inf	94.25	3	Vertical	46	1.89	103	33.80	7.62	30.18			
PK	5.35G	72.85	74.00	-1.15	61.48	3	Vertical	46	1.89	103	33.90	7.70	30.23			
AV	5.3504G	49.00	54.00	-5.00	37.63	3	Vertical	46	1.89	103	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 108
103\108
6.64\0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1461G	73.10	74.00	-0.90	61.97	3	Horizontal	80	1.80	108	33.68	7.58	30.13			
AV	5.147G	48.34	54.00	-5.66	37.20	3	Horizontal	80	1.80	108	33.69	7.58	30.13			
PK	5.2445G	119.76	Inf	-Inf	108.52	3	Horizontal	80	1.80	108	33.80	7.62	30.18			
AV	5.2472G	102.79	Inf	-Inf	91.54	3	Horizontal	80	1.80	108	33.80	7.63	30.18			
PK	5.35G	69.71	74.00	-4.29	58.34	3	Horizontal	80	1.80	108	33.90	7.70	30.23			
AV	5.3507G	47.30	54.00	-6.70	35.93	3	Horizontal	80	1.80	108	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 105
50\83\108\96\102\105
8.28\7.26\4.44\6.62\5.42\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	62.43	74.00	-11.57	51.30	3	Vertical	45	1.89	105	33.67	7.58	30.12
AV	5.1499G	47.05	54.00	-6.95	35.90	3	Vertical	45	1.89	105	33.70	7.58	30.13
PK	5.2534G	123.66	Inf	-Inf	112.41	3	Vertical	45	1.89	105	33.80	7.63	30.18
AV	5.2558G	105.04	Inf	-Inf	93.79	3	Vertical	45	1.89	105	33.80	7.63	30.18
PK	5.3587G	73.52	74.00	-0.48	62.12	3	Vertical	45	1.89	105	33.93	7.71	30.24
AV	5.3509G	50.31	54.00	-3.69	38.94	3	Vertical	45	1.89	105	33.90	7.70	30.23

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
SET 108
105\108
6.81\5.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	61.43	74.00	-12.57	50.29	3	Horizontal	56	1.67	108	33.69	7.58	30.13			
AV	5.1493G	46.34	54.00	-7.66	35.19	3	Horizontal	56	1.67	108	33.70	7.58	30.13			
PK	5.2645G	118.97	Inf	-Inf	107.72	3	Horizontal	56	1.67	108	33.80	7.64	30.19			
AV	5.2654G	101.81	Inf	-Inf	90.56	3	Horizontal	56	1.67	108	33.80	7.64	30.19			
PK	5.3653G	68.40	74.00	-5.60	56.97	3	Horizontal	56	1.67	108	33.96	7.71	30.24			
AV	5.3509G	48.23	54.00	-5.77	36.86	3	Horizontal	56	1.67	108	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 97
50\82\107\95\101\98\97
8.16\6.36\13.06\1.96\2.48\0.01\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.293G	120.18	Inf	-Inf	108.92	3	Vertical	46	1.87	97	33.80	7.66	30.20			
AV	5.2936G	102.71	Inf	-Inf	91.45	3	Vertical	46	1.87	97	33.80	7.66	30.20			
PK	5.3522G	69.38	74.00	-4.62	58.00	3	Vertical	46	1.87	97	33.91	7.70	30.23			
AV	5.35G	53.53	54.00	-0.47	42.16	3	Vertical	46	1.87	97	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 102
97\108\93\100\103\102
3.73\ -9.34\5.63\1.84\ -0.58\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2956G	116.98	Inf	-Inf	105.72	3	Horizontal	57	1.80	102	33.80	7.66	30.20			
AV	5.2962G	100.06	Inf	-Inf	88.80	3	Horizontal	57	1.80	102	33.80	7.66	30.20			
PK	5.3526G	69.08	74.00	-4.92	57.70	3	Horizontal	57	1.80	102	33.91	7.70	30.23			
AV	5.35G	53.83	54.00	-0.17	42.46	3	Horizontal	57	1.80	102	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 89
50\81\100\91\87\89\90\89
7.79\4.94\ -11.78\ -2.34\2.27\0.69\ -0.32\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3269G	117.77	Inf	-Inf	106.45	3	Vertical	0	1.72	89	33.85	7.69	30.22			
AV	5.3272G	100.92	Inf	-Inf	89.60	3	Vertical	0	1.72	89	33.85	7.69	30.22			
PK	5.351G	69.54	74.00	-4.46	58.17	3	Vertical	0	1.72	89	33.90	7.70	30.23			
AV	5.3502G	53.57	54.00	-0.43	42.20	3	Vertical	0	1.72	89	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
SET 90
89\95\85\90\92\91\90
1.57\ -4.69\5.21\0.55\ -1.68\ -0.70\0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3278G	115.09	Inf	-Inf	103.76	3	Horizontal	49	1.72	90	33.86	7.69	30.22			
AV	5.3262G	98.15	Inf	-Inf	86.84	3	Horizontal	49	1.72	90	33.85	7.68	30.22			
PK	5.3504G	72.98	74.00	-1.02	61.61	3	Horizontal	49	1.72	90	33.90	7.70	30.23			
AV	5.35G	53.36	54.00	-0.64	41.99	3	Horizontal	49	1.72	90	33.90	7.70	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 89
50\81\100\91\87\89
7.98\4.78\ -15.59\ -0.98\0.69\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	68.09	74.00	-5.91	56.60	3	Vertical	360	1.80	89	34.00	7.78	30.29			
AV	5.46G	51.32	54.00	-2.68	39.83	3	Vertical	360	1.80	89	34.00	7.78	30.29			
PK	5.4664G	68.17	68.20	-0.03	56.68	3	Vertical	360	1.80	89	34.00	7.78	30.29			
PK	5.5052G	118.21	Inf	-Inf	106.70	3	Vertical	360	1.80	89	34.02	7.80	30.31			
AV	5.5052G	101.51	Inf	-Inf	90.00	3	Vertical	360	1.80	89	34.02	7.80	30.31			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 91
89\95\85\90\92\91
1.72\ -5.64\6.16\1.89\ -2.71\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	65.18	74.00	-8.82	53.69	3	Horizontal	73	1.76	91	34.00	7.78	30.29			
AV	5.4598G	49.06	54.00	-4.94	37.57	3	Horizontal	73	1.76	91	34.00	7.78	30.29			
PK	5.4692G	68.08	68.20	-0.12	56.59	3	Horizontal	73	1.76	91	34.00	7.78	30.29			
PK	5.4987G	115.96	Inf	-Inf	104.47	3	Horizontal	73	1.76	91	34.00	7.80	30.31			
AV	5.4964G	98.80	Inf	-Inf	87.31	3	Horizontal	73	1.76	91	34.00	7.80	30.31			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 105
50\84\108\96\102\105\106\105
8.51\8.03\2.78\7.58\7.51\4.81\0.21\7.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4456G	59.09	74.00	-14.91	47.59	3	Vertical	55	1.78	105	34.01	7.77	30.28			
PK	5.4657G	59.69	68.20	-8.51	48.20	3	Vertical	55	1.78	105	34.00	7.78	30.29			
AV	5.4594G	46.65	54.00	-7.35	35.16	3	Vertical	55	1.78	105	34.00	7.78	30.29			
PK	5.5752G	123.25	Inf	-Inf	111.53	3	Vertical	55	1.78	105	34.15	7.85	30.28			
AV	5.5827G	105.20	Inf	-Inf	93.50	3	Vertical	55	1.78	105	34.13	7.85	30.28			
PK	5.7276G	59.08	68.20	-9.12	47.33	3	Vertical	55	1.78	105	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 108
105\108
7.79\7.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	58.77	74.00	-15.23	47.28	3	Horizontal	45	1.67	108	34.00	7.77	30.28			
AV	5.4408G	46.17	54.00	-7.83	34.67	3	Horizontal	45	1.67	108	34.02	7.76	30.28			
PK	5.4696G	60.98	68.20	-7.22	49.49	3	Horizontal	45	1.67	108	34.00	7.78	30.29			
PK	5.5761G	118.67	Inf	-Inf	106.95	3	Horizontal	45	1.67	108	34.15	7.85	30.28			
AV	5.5863G	102.05	Inf	-Inf	90.35	3	Horizontal	45	1.67	108	34.13	7.85	30.28			
PK	5.7276G	58.22	68.20	-9.98	46.47	3	Horizontal	45	1.67	108	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 60
50\85\46\65\56\60
8.82\ -17.48\8.70\ -0.88\2.29\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6924G	113.17	Inf	-Inf	101.49	3	Vertical	360	1.71	60	33.90	8.02	30.24			
AV	5.7044G	96.30	Inf	-Inf	84.60	3	Vertical	360	1.71	60	33.90	8.04	30.24			
PK	5.725G	68.09	68.20	-0.11	56.34	3	Vertical	360	1.71	60	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 66
60\72\66\69\70\69\68\67\66
3.19\ -0.46\1.79\0.60\ -3.98\ -1.14\ -0.30\ -2.37\4.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7074G	110.60	Inf	-Inf	98.89	3	Horizontal	43	1.63	66	33.90	8.05	30.24			
AV	5.6958G	93.92	Inf	-Inf	82.23	3	Horizontal	43	1.63	66	33.90	8.03	30.24			
PK	5.7254G	64.15	68.20	-4.05	52.40	3	Horizontal	43	1.63	66	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 108
50\84\108
8.50\8.10\4.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4368G	58.04	74.00	-15.96	46.53	3	Vertical	54	1.80	108	34.03	7.76	30.28			
AV	5.4218G	46.07	54.00	-7.93	34.53	3	Vertical	54	1.80	108	34.06	7.75	30.27			
PK	5.462G	57.81	68.20	-10.39	46.32	3	Vertical	54	1.80	108	34.00	7.78	30.29			
PK	5.714G	121.33	Inf	-Inf	109.60	3	Vertical	54	1.80	108	33.90	8.06	30.23			
AV	5.7212G	105.16	Inf	-Inf	93.42	3	Vertical	54	1.80	108	33.90	8.07	30.23			
PK	5.858G	63.35	68.20	-4.85	51.42	3	Vertical	54	1.80	108	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
8.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4266G	58.23	74.00	-15.77	46.69	3	Horizontal	44	1.63	108	34.05	7.76	30.27			
AV	5.4242G	45.98	54.00	-8.02	34.45	3	Horizontal	44	1.63	108	34.05	7.75	30.27			
PK	5.465G	57.65	68.20	-10.55	46.16	3	Horizontal	44	1.63	108	34.00	7.78	30.29			
PK	5.7248G	118.88	Inf	-Inf	107.13	3	Horizontal	44	1.63	108	33.90	8.08	30.23			
AV	5.7266G	102.37	Inf	-Inf	90.62	3	Horizontal	44	1.63	108	33.90	8.08	30.23			
PK	5.9234G	59.28	68.20	-8.92	47.10	3	Horizontal	44	1.63	108	34.19	8.15	30.16			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_V_2TX
SET 99
50\83\108\96\102\99\100\99
8.49\7.81\5.63\7.35\6.12\6.54\1.16\2.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4492G	46.12	54.00	-7.88	34.63	3	Vertical	357	1.69	99	34.00	7.77	30.28			
PK	5.6442G	65.35	68.20	-2.85	53.75	3	Vertical	357	1.69	99	33.92	7.94	30.26			
PK	5.7438G	122.27	Inf	-Inf	110.48	3	Vertical	357	1.69	99	33.90	8.11	30.22			
AV	5.7384G	105.08	Inf	-Inf	93.30	3	Vertical	357	1.69	99	33.90	8.10	30.22			
PK	5.9622G	58.94	68.20	-9.26	46.64	3	Vertical	357	1.69	99	34.30	8.14	30.14			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 104
99\108\104
8.06\0.13\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4456G	45.92	54.00	-8.08	34.42	3	Horizontal	45	1.61	104	34.01	7.77	30.28			
PK	5.6502G	68.16	68.35	-0.19	56.57	3	Horizontal	45	1.61	104	33.90	7.95	30.26			
PK	5.7528G	119.17	Inf	-Inf	107.36	3	Horizontal	45	1.61	104	33.90	8.13	30.22			
AV	5.7498G	102.59	Inf	-Inf	90.79	3	Horizontal	45	1.61	104	33.90	8.12	30.22			
PK	5.9754G	59.56	68.20	-8.64	47.27	3	Horizontal	45	1.61	104	34.30	8.13	30.14			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
50\81\108
7.94\8.26\7.93

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6004G	60.27	68.20	-7.93	48.58	3	Vertical	55	1.76	108	34.10	7.86	30.27				
PK	5.78613G	122.45	Inf	-Inf	110.57	3	Vertical	55	1.76	108	33.90	8.19	30.21				
AV	5.78129G	105.56	Inf	-Inf	93.69	3	Vertical	55	1.76	108	33.90	8.18	30.21				
PK	6.06564G	59.64	68.20	-8.56	47.32	3	Vertical	55	1.76	108	34.40	8.08	30.16				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
7.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.59979G	60.51	68.20	-7.69	48.82	3	Horizontal	74	1.66	108	34.10	7.86	30.27				
PK	5.77948G	118.94	Inf	-Inf	107.08	3	Horizontal	74	1.66	108	33.90	8.17	30.21				
AV	5.78129G	101.69	Inf	-Inf	89.82	3	Horizontal	74	1.66	108	33.90	8.18	30.21				
PK	5.97913G	59.52	68.20	-8.68	47.23	3	Horizontal	74	1.66	108	34.30	8.13	30.14				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
50\83\108
8.30\8.72\8.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6456G	59.80	68.20	-8.40	48.20	3	Vertical	56	1.91	108	33.92	7.94	30.26			
PK	5.8232G	121.10	Inf	-Inf	109.19	3	Vertical	56	1.91	108	33.90	8.20	30.19			
AV	5.8262G	104.43	Inf	-Inf	92.52	3	Vertical	56	1.91	108	33.90	8.20	30.19			
PK	6.0038G	60.12	68.20	-8.08	47.82	3	Vertical	56	1.91	108	34.31	8.12	30.13			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
8.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5808G	58.90	68.20	-9.30	47.19	3	Horizontal	73	1.78	108	34.14	7.85	30.28			
PK	5.8238G	116.47	Inf	-Inf	104.56	3	Horizontal	73	1.78	108	33.90	8.20	30.19			
AV	5.8262G	100.27	Inf	-Inf	88.36	3	Horizontal	73	1.78	108	33.90	8.20	30.19			
PK	6.0908G	59.28	68.20	-8.92	46.98	3	Horizontal	73	1.78	108	34.40	8.07	30.17			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 72
70\75\73\72
1.31\1.01\0.63\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1464G	67.69	74.00	-6.31	56.55	3	Vertical	41	1.80	72	33.69	7.58	30.13			
AV	5.149G	53.56	54.00	-0.44	42.41	3	Vertical	41	1.80	72	33.70	7.58	30.13			
PK	5.1882G	112.07	Inf	-Inf	100.85	3	Vertical	41	1.80	72	33.78	7.59	30.15			
AV	5.1972G	100.01	Inf	-Inf	88.78	3	Vertical	41	1.80	72	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 75
72\78\75
1.72\2.13\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	67.90	74.00	-6.10	56.75	3	Horizontal	50	1.67	75	33.70	7.58	30.13			
AV	5.1492G	53.97	54.00	-0.03	42.82	3	Horizontal	50	1.67	75	33.70	7.58	30.13			
PK	5.1946G	110.12	Inf	-Inf	98.89	3	Horizontal	50	1.67	75	33.79	7.59	30.15			
AV	5.1944G	98.07	Inf	-Inf	86.84	3	Horizontal	50	1.67	75	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
SET 92
70\97\84\90\93\92
6.93\ -3.14\4.81\1.77\ -0.43\0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1416G	66.60	74.00	-7.40	55.47	3	Vertical	49	1.79	92	33.67	7.58	30.12			
AV	5.149G	53.46	54.00	-0.54	42.31	3	Vertical	49	1.79	92	33.70	7.58	30.13			
PK	5.2438G	117.37	Inf	-Inf	106.13	3	Vertical	49	1.79	92	33.80	7.62	30.18			
AV	5.2342G	105.11	Inf	-Inf	93.86	3	Vertical	49	1.79	92	33.80	7.62	30.17			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 93
92\96\94\93
1.14\ -1.97\ -0.18\ 0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1446G	65.29	74.00	-8.71	54.16	3	Horizontal	54	1.80	93	33.68	7.58	30.13				
AV	5.149G	53.66	54.00	-0.34	42.51	3	Horizontal	54	1.80	93	33.70	7.58	30.13				
PK	5.2406G	114.43	Inf	-Inf	103.19	3	Horizontal	54	1.80	93	33.80	7.62	30.18				
AV	5.2318G	102.43	Inf	-Inf	91.19	3	Horizontal	54	1.80	93	33.80	7.61	30.17				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 90
50\78\97\88\92\90
7.14\4.89\5.71\2.03\1.53\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2612G	117.10	Inf	-Inf	105.85	3	Vertical	53	1.80	90	33.80	7.64	30.19			
AV	5.2564G	103.82	Inf	-Inf	92.57	3	Vertical	53	1.80	90	33.80	7.63	30.18			
PK	5.3526G	67.21	74.00	-6.79	55.83	3	Vertical	53	1.80	90	33.91	7.70	30.23			
AV	5.3528G	53.68	54.00	-0.32	42.30	3	Vertical	53	1.80	90	33.91	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 96
90\106\86\96
4.14\ -9.57\5.82\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2626G	114.24	Inf	-Inf	102.99	3	Horizontal	53	1.67	96	33.80	7.64	30.19				
AV	5.2668G	101.97	Inf	-Inf	90.72	3	Horizontal	53	1.67	96	33.80	7.64	30.19				
PK	5.354G	65.11	74.00	-8.89	53.71	3	Horizontal	53	1.67	96	33.92	7.71	30.23				
AV	5.3512G	53.63	54.00	-0.37	42.26	3	Horizontal	53	1.67	96	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 75
50\76\63\69\72\73\74\75
6.67\ -0.24\3.77\2.62\1.17\0.93\0.56\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.326G	113.44	Inf	-Inf	102.13	3	Vertical	346	1.18	75	33.85	7.68	30.22			
AV	5.3246G	99.56	Inf	-Inf	88.25	3	Vertical	346	1.18	75	33.85	7.68	30.22			
PK	5.3522G	66.02	74.00	-7.98	54.64	3	Vertical	346	1.18	75	33.91	7.70	30.23			
AV	5.35G	53.88	54.00	-0.12	42.51	3	Vertical	346	1.18	75	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 79
75\84\71\77\80\79
2.32\5.44\3.75\0.66\0.45\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3224G	109.63	Inf	-Inf	98.33	3	Horizontal	46	1.76	79	33.84	7.68	30.22				
AV	5.3238G	97.23	Inf	-Inf	85.92	3	Horizontal	46	1.76	79	33.85	7.68	30.22				
PK	5.3536G	66.45	74.00	-7.55	55.06	3	Horizontal	46	1.76	79	33.91	7.71	30.23				
AV	5.3508G	53.80	54.00	-0.20	42.43	3	Horizontal	46	1.76	79	33.90	7.70	30.23				

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 76
50\78\64\71\74\75\76
7.15\ -0.54\5.14\1.97\2.00\1.29\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4572G	61.73	74.00	-12.27	50.25	3	Vertical	360	1.80	76	34.00	7.77	30.29			
AV	5.46G	50.34	54.00	-3.66	38.85	3	Vertical	360	1.80	76	34.00	7.78	30.29			
PK	5.47G	67.97	68.20	-0.23	56.48	3	Vertical	360	1.80	76	34.00	7.78	30.29			
PK	5.5164G	113.50	Inf	-Inf	101.92	3	Vertical	360	1.80	76	34.07	7.81	30.30			
AV	5.5128G	100.77	Inf	-Inf	89.22	3	Vertical	360	1.80	76	34.05	7.81	30.31			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 78
76\83\80\79\78
1.78\ -3.42\ -0.70\ -0.58\ 0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	63.41	74.00	-10.59	51.92	3	Horizontal	78	1.67	78	34.00	7.78	30.29			
AV	5.4592G	49.98	54.00	-4.02	38.49	3	Horizontal	78	1.67	78	34.00	7.78	30.29			
PK	5.47G	68.07	68.20	-0.13	56.58	3	Horizontal	78	1.67	78	34.00	7.78	30.29			
PK	5.5108G	110.89	Inf	-Inf	99.35	3	Horizontal	78	1.67	78	34.04	7.81	30.31			
AV	5.506G	98.69	Inf	-Inf	87.18	3	Horizontal	78	1.67	78	34.02	7.80	30.31			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 96
50\79\102\91\96
7.46\5.86\3.70\3.54\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.454G	67.20	74.00	-6.80	55.72	3	Vertical	0	1.68	96	34.00	7.77	30.29			
PK	5.4646G	67.75	68.20	-0.45	56.26	3	Vertical	0	1.68	96	34.00	7.78	30.29			
AV	5.4596G	53.27	54.00	-0.73	41.78	3	Vertical	0	1.68	96	34.00	7.78	30.29			
PK	5.5412G	118.88	Inf	-Inf	107.20	3	Vertical	0	1.68	96	34.16	7.82	30.30			
AV	5.5524G	106.26	Inf	-Inf	94.52	3	Vertical	0	1.68	96	34.20	7.83	30.29			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 98
96\102\92\97\99\98
1.68\ -10.42\4.05\1.22\ -0.01\0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4532G	65.82	74.00	-8.18	54.34	3	Horizontal	72	1.80	98	34.00	7.77	30.29			
PK	5.4604G	66.97	68.20	-1.23	55.48	3	Horizontal	72	1.80	98	34.00	7.78	30.29			
AV	5.4574G	53.46	54.00	-0.54	41.98	3	Horizontal	72	1.80	98	34.00	7.77	30.29			
PK	5.5606G	115.97	Inf	-Inf	104.24	3	Horizontal	72	1.80	98	34.18	7.84	30.29			
AV	5.562G	103.19	Inf	-Inf	91.46	3	Horizontal	72	1.80	98	34.18	7.84	30.29			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 84
50\81\96\89\86\85\84
7.97\2.16\ -8.38\ -5.95\ -0.05\ -1.68\1.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6556G	115.03	Inf	-Inf	103.42	3	Vertical	360	1.80	84	33.90	7.96	30.25			
AV	5.6847G	103.07	Inf	-Inf	91.40	3	Vertical	360	1.80	84	33.90	8.01	30.24			
PK	5.7267G	67.01	68.20	-1.19	55.26	3	Vertical	360	1.80	84	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 88
84\102\80\91\86\88\89\88
4.59\ -15.57\4.37\ -1.90\3.62\3.17\ -0.59\2.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6565G	112.12	Inf	-Inf	100.51	3	Horizontal	49	1.78	88	33.90	7.96	30.25			
AV	5.6679G	99.98	Inf	-Inf	88.35	3	Horizontal	49	1.78	88	33.90	7.98	30.25			
PK	5.7261G	65.31	68.20	-2.89	53.56	3	Horizontal	49	1.78	88	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 102
50\79\106\93\99\102
7.35\6.87\3.41\6.38\6.36\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4196G	60.57	74.00	-13.43	49.03	3	Vertical	358	1.69	102	34.06	7.75	30.27
PK	5.4616G	59.20	68.20	-9.00	47.71	3	Vertical	358	1.69	102	34.00	7.78	30.29
AV	5.446G	47.62	54.00	-6.38	36.12	3	Vertical	358	1.69	102	34.01	7.77	30.28
PK	5.7244G	119.72	Inf	-Inf	107.97	3	Vertical	358	1.69	102	33.90	8.08	30.23
AV	5.713G	107.25	Inf	-Inf	95.52	3	Vertical	358	1.69	102	33.90	8.06	30.23
PK	5.85G	68.06	68.20	-0.14	56.15	3	Vertical	358	1.69	102	33.90	8.19	30.18

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 105
102\108\105
6.19\0.61\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4496G	59.75	74.00	-14.25	48.26	3	Horizontal	42	1.64	105	34.00	7.77	30.28			
AV	5.4262G	47.28	54.00	-6.72	35.74	3	Horizontal	42	1.64	105	34.05	7.76	30.27			
PK	5.4628G	58.19	68.20	-10.01	46.70	3	Horizontal	42	1.64	105	34.00	7.78	30.29			
PK	5.6956G	115.81	Inf	-Inf	104.12	3	Horizontal	42	1.64	105	33.90	8.03	30.24			
AV	5.713G	104.10	Inf	-Inf	92.37	3	Horizontal	42	1.64	105	33.90	8.06	30.23			
PK	5.85G	67.88	68.20	-0.32	55.97	3	Horizontal	42	1.64	105	33.90	8.19	30.18			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 94
50\79\108\94\101\98\97\85\91\94
7.44\7.29\14.18\2.84\12.77\10.09\4.15\7.01\3.99\3.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	47.22	54.00	-6.78	35.74	3	Vertical	358	1.38	94	34.00	7.77	30.29
PK	5.6494G	64.80	68.20	-3.40	53.21	3	Vertical	358	1.38	94	33.90	7.95	30.26
PK	5.737G	117.95	Inf	-Inf	106.17	3	Vertical	358	1.38	94	33.90	8.10	30.22
AV	5.7508G	106.22	Inf	-Inf	94.42	3	Vertical	358	1.38	94	33.90	8.12	30.22
PK	5.9644G	59.24	68.20	-8.96	46.94	3	Vertical	358	1.38	94	34.30	8.14	30.14

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 96
94\108\90\99\95\97\96
6.32\10.72\7.35\8.36\5.32\1.72\1.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4574G	46.73	54.00	-7.27	35.25	3	Horizontal	38	1.61	96	34.00	7.77	30.29			
PK	5.6518G	67.91	69.53	-1.62	56.32	3	Horizontal	38	1.61	96	33.90	7.95	30.26			
PK	5.7562G	115.42	Inf	-Inf	103.61	3	Horizontal	38	1.61	96	33.90	8.13	30.22			
AV	5.758G	103.10	Inf	-Inf	91.28	3	Horizontal	38	1.61	96	33.90	8.14	30.22			
PK	5.9278G	58.88	68.20	-9.32	46.68	3	Horizontal	38	1.61	96	34.21	8.15	30.16			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 101
50\86\108\97\102\100\101
9.19\7.77\1.99\6.11\0.72\2.58\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6504G	67.96	68.50	-0.54	56.37	3	Vertical	51	1.85	101	33.90	7.95	30.26			
PK	5.7782G	119.00	Inf	-Inf	107.14	3	Vertical	51	1.85	101	33.90	8.17	30.21			
AV	5.798G	107.03	Inf	-Inf	95.12	3	Vertical	51	1.85	101	33.90	8.21	30.20			
PK	6.0878G	59.16	68.20	-9.04	46.86	3	Vertical	51	1.85	101	34.40	8.07	30.17			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 108
101\108
3.35\1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6504G	66.99	68.50	-1.51	55.40	3	Horizontal	42	1.60	108	33.90	7.95	30.26			
PK	5.7806G	115.87	Inf	-Inf	104.00	3	Horizontal	42	1.60	108	33.90	8.18	30.21			
AV	5.783G	104.13	Inf	-Inf	92.26	3	Horizontal	42	1.60	108	33.90	8.18	30.21			
PK	6.0452G	59.49	68.20	-8.71	47.15	3	Horizontal	42	1.60	108	34.39	8.10	30.15			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 75
50\77\64\70\73\74\75
6.88\ -0.79\4.16\1.87\1.12\0.70\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.74	74.00	-8.26	54.59	3	Vertical	44	1.90	75	33.70	7.58	30.13			
AV	5.15G	53.79	54.00	-0.21	42.64	3	Vertical	44	1.90	75	33.70	7.58	30.13			
PK	5.2385G	110.87	Inf	-Inf	99.62	3	Vertical	44	1.90	75	33.80	7.62	30.17			
AV	5.242G	98.00	Inf	-Inf	86.76	3	Vertical	44	1.90	75	33.80	7.62	30.18			
PK	5.375G	59.64	74.00	-14.36	48.16	3	Vertical	44	1.90	75	34.00	7.72	30.24			
AV	5.3575G	48.27	54.00	-5.73	36.87	3	Vertical	44	1.90	75	33.93	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 79
75\85\71\78\81\80\79
2.69\ -6.15\4.36\1.35\ -1.29\ -0.17\0.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.148G	64.58	74.00	-9.42	53.44	3	Horizontal	298	1.80	79	33.69	7.58	30.13			
AV	5.147G	53.45	54.00	-0.55	42.31	3	Horizontal	298	1.80	79	33.69	7.58	30.13			
PK	5.1975G	106.72	Inf	-Inf	95.49	3	Horizontal	298	1.80	79	33.79	7.59	30.15			
AV	5.1975G	95.06	Inf	-Inf	83.83	3	Horizontal	298	1.80	79	33.79	7.59	30.15			
PK	5.361G	59.00	74.00	-15.00	47.59	3	Horizontal	298	1.80	79	33.94	7.71	30.24			
AV	5.3795G	47.22	54.00	-6.78	35.73	3	Horizontal	298	1.80	79	34.02	7.72	30.25			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



EUT_Y_2TX
SET 74
50\75\63\69\72\73\74
6.30\ -0.15\3.39\1.98\0.92\0.59\0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.04G	58.62	74.00	-15.38	47.73	3	Vertical	354	1.72	74	33.40	7.56	30.07
AV	5.138G	46.87	54.00	-7.13	35.76	3	Vertical	354	1.72	74	33.65	7.58	30.12
PK	5.3045G	109.19	Inf	-Inf	97.92	3	Vertical	354	1.72	74	33.81	7.67	30.21
AV	5.2815G	97.09	Inf	-Inf	85.84	3	Vertical	354	1.72	74	33.80	7.65	30.20
PK	5.35G	65.06	74.00	-8.94	53.69	3	Vertical	354	1.72	74	33.90	7.70	30.23
AV	5.3505G	53.37	54.00	-0.63	42.00	3	Vertical	354	1.72	74	33.90	7.70	30.23
PK	5.501G	59.08	68.20	-9.12	47.59	3	Vertical	354	1.72	74	34.00	7.80	30.31