


5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 80
74\89\70\79\83\81\80
3.82\ -11.54\4.83\1.31\ -3.54\ -1.11\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.112G	58.45	74.00	-15.55	47.44	3	Horizontal	49	1.67	80	33.55	7.57	30.11
AV	5.1485G	47.15	54.00	-6.85	36.01	3	Horizontal	49	1.67	80	33.69	7.58	30.13
PK	5.2765G	108.74	Inf	-Inf	97.48	3	Horizontal	49	1.67	80	33.80	7.65	30.19
AV	5.278G	95.34	Inf	-Inf	84.08	3	Horizontal	49	1.67	80	33.80	7.65	30.19
PK	5.3525G	65.20	74.00	-8.80	53.82	3	Horizontal	49	1.67	80	33.91	7.70	30.23
AV	5.352G	53.43	54.00	-0.57	42.05	3	Horizontal	49	1.67	80	33.91	7.70	30.23
PK	5.504G	58.84	68.20	-9.36	47.33	3	Horizontal	49	1.67	80	34.02	7.80	30.31

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 82
50\78\92\85\82\83\82
7.05\2.39\12.38\3.06\0.56\0.16\0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	59.16	68.20	-9.04	47.82	3	Vertical	0	1.78	82	33.87	7.69	30.22
AV	5.35G	47.66	54.00	-6.34	36.29	3	Vertical	0	1.78	82	33.90	7.70	30.23
PK	5.4575G	65.63	74.00	-8.37	54.15	3	Vertical	0	1.78	82	34.00	7.77	30.29
AV	5.4585G	53.25	54.00	-0.75	41.76	3	Vertical	0	1.78	82	34.00	7.78	30.29
PK	5.465G	65.73	68.20	-2.47	54.24	3	Vertical	0	1.78	82	34.00	7.78	30.29
PK	5.557G	111.61	Inf	-Inf	99.88	3	Vertical	0	1.78	82	34.19	7.83	30.29
AV	5.5165G	100.07	Inf	-Inf	88.49	3	Vertical	0	1.78	82	34.07	7.81	30.30
PK	5.729G	59.57	68.20	-8.63	47.81	3	Vertical	0	1.78	82	33.90	8.09	30.23

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 83
82\86\84\83
1.20\ -2.69\ -1.06\ 0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3235G	59.30	68.20	-8.90	47.99	3	Horizontal	75	1.72	83	33.85	7.68	30.22			
AV	5.35G	47.00	54.00	-7.00	35.63	3	Horizontal	75	1.72	83	33.90	7.70	30.23			
PK	5.4555G	65.50	74.00	-8.50	54.02	3	Horizontal	75	1.72	83	34.00	7.77	30.29			
AV	5.459G	53.57	54.00	-0.43	42.08	3	Horizontal	75	1.72	83	34.00	7.78	30.29			
PK	5.47G	66.59	68.20	-1.61	55.10	3	Horizontal	75	1.72	83	34.00	7.78	30.29			
PK	5.558G	108.76	Inf	-Inf	97.04	3	Horizontal	75	1.72	83	34.18	7.83	30.29			
AV	5.5185G	97.04	Inf	-Inf	85.46	3	Horizontal	75	1.72	83	34.07	7.81	30.30			
PK	5.7545G	59.10	68.20	-9.10	47.29	3	Horizontal	75	1.72	83	33.90	8.13	30.22			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 89
50\77\100\89\94\92\91\90\89
6.93\5.99\11.94\0.95\4.13\2.01\1.73\1.21\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4535G	63.46	74.00	-10.54	51.98	3	Vertical	50	1.83	89	34.00	7.77	30.29			
AV	5.4585G	51.58	54.00	-2.42	40.09	3	Vertical	50	1.83	89	34.00	7.78	30.29			
PK	5.464G	65.02	68.20	-3.18	53.53	3	Vertical	50	1.83	89	34.00	7.78	30.29			
PK	5.6045G	114.50	Inf	-Inf	102.82	3	Vertical	50	1.83	89	34.08	7.87	30.27			
AV	5.597G	101.68	Inf	-Inf	89.99	3	Vertical	50	1.83	89	34.11	7.86	30.28			
PK	5.725G	67.82	68.20	-0.38	56.07	3	Vertical	50	1.83	89	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 96
89\108\85\96
4.96\15.71\5.58\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	61.98	74.00	-12.02	50.50	3	Horizontal	47	1.57	96	34.00	7.77	30.29			
AV	5.456G	50.87	54.00	-3.13	39.39	3	Horizontal	47	1.57	96	34.00	7.77	30.29			
PK	5.4635G	62.53	68.20	-5.67	51.04	3	Horizontal	47	1.57	96	34.00	7.78	30.29			
PK	5.5965G	113.56	Inf	-Inf	101.87	3	Horizontal	47	1.57	96	34.11	7.86	30.28			
AV	5.598G	99.81	Inf	-Inf	88.12	3	Horizontal	47	1.57	96	34.10	7.86	30.27			
PK	5.7265G	68.14	68.20	-0.06	56.39	3	Horizontal	47	1.57	96	33.90	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 96
50\78\103\91\97\94\95\96
7.22\6.43\8.22\3.84\0.13\2.86\2.51\1.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4488G	61.15	74.00	-12.85	49.66	3	Vertical	48	1.71	96	34.00	7.77	30.28			
PK	5.4662G	62.12	68.20	-6.08	50.63	3	Vertical	48	1.71	96	34.00	7.78	30.29			
AV	5.4596G	49.45	54.00	-4.55	37.96	3	Vertical	48	1.71	96	34.00	7.78	30.29			
PK	5.678G	115.02	Inf	-Inf	103.37	3	Vertical	48	1.71	96	33.90	8.00	30.25			
AV	5.678G	103.54	Inf	-Inf	91.89	3	Vertical	48	1.71	96	33.90	8.00	30.25			
PK	5.8562G	67.19	68.20	-1.01	55.27	3	Vertical	48	1.71	96	33.92	8.18	30.18			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 103
96\108\92\100\104\102\103
5.42\5.01\6.12\3.04\0.11\1.49\1.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4458G	62.15	74.00	-11.85	50.65	3	Horizontal	43	1.63	103	34.01	7.77	30.28			
AV	5.4542G	50.72	54.00	-3.28	39.24	3	Horizontal	43	1.63	103	34.00	7.77	30.29			
PK	5.4644G	62.91	68.20	-5.29	51.42	3	Horizontal	43	1.63	103	34.00	7.78	30.29			
PK	5.6822G	113.02	Inf	-Inf	101.36	3	Horizontal	43	1.63	103	33.90	8.00	30.24			
AV	5.6828G	100.61	Inf	-Inf	88.95	3	Horizontal	43	1.63	103	33.90	8.00	30.24			
PK	5.8514G	66.91	68.20	-1.29	54.99	3	Horizontal	43	1.63	103	33.91	8.19	30.18			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 94
50\84\100\92\96\94
8.67\4.21\3.73\0.72\0.93\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6478G	68.01	68.20	-0.19	56.42	3	Vertical	52	1.79	94	33.91	7.94	30.26				
PK	5.7822G	114.94	Inf	-Inf	103.07	3	Vertical	52	1.79	94	33.90	8.18	30.21				
AV	5.7654G	102.56	Inf	-Inf	90.72	3	Vertical	52	1.79	94	33.90	8.15	30.21				
PK	5.988G	59.60	68.20	-8.60	47.30	3	Vertical	52	1.79	94	34.30	8.13	30.13				

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 100
94\105\90\97\100
2.77\ -7.57\4.80\1.38\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.6448G	67.99	68.20	-0.21	56.39	3	Horizontal	40	1.69	100	33.92	7.94	30.26					
PK	5.7576G	112.64	Inf	-Inf	100.82	3	Horizontal	40	1.69	100	33.90	8.14	30.22					
AV	5.7618G	100.75	Inf	-Inf	88.93	3	Horizontal	40	1.69	100	33.90	8.14	30.22					
PK	5.9328G	59.41	68.20	-8.79	47.18	3	Horizontal	40	1.69	100	34.23	8.15	30.15					

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 68
67\73\63\68\70\69\68
1.56\5.15\3.89\0.54\0.68\0.59\0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1438G	64.44	74.00	-9.56	53.30	3	Vertical	4	1.80	68	33.68	7.58	30.12			
AV	5.1474G	50.24	54.00	-3.76	39.10	3	Vertical	4	1.80	68	33.69	7.58	30.13			
PK	5.2692G	104.65	Inf	-Inf	93.40	3	Vertical	4	1.80	68	33.80	7.64	30.19			
PK	5.352G	68.81	74.00	-5.19	57.43	3	Vertical	4	1.80	68	33.91	7.70	30.23			
AV	5.3256G	92.46	Inf	-Inf	81.15	3	Vertical	4	1.80	68	33.85	7.68	30.22			
AV	5.3514G	53.42	54.00	-0.58	42.04	3	Vertical	4	1.80	68	33.91	7.70	30.23			
PK	5.4606G	62.94	68.20	-5.26	51.45	3	Vertical	4	1.80	68	34.00	7.78	30.29			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 71
68\81\64\72\69\70\71
3.42\9.77\5.47\1.55\2.69\1.98\0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1456G	68.29	74.00	-5.71	57.16	3	Horizontal	46	1.60	71	33.68	7.58	30.13			
AV	5.1492G	50.96	54.00	-3.04	39.81	3	Horizontal	46	1.60	71	33.70	7.58	30.13			
PK	5.3118G	102.73	Inf	-Inf	91.45	3	Horizontal	46	1.60	71	33.82	7.67	30.21			
AV	5.2764G	90.84	Inf	-Inf	79.58	3	Horizontal	46	1.60	71	33.80	7.65	30.19			
AV	5.3532G	53.47	54.00	-0.53	42.09	3	Horizontal	46	1.60	71	33.91	7.70	30.23			
PK	5.4258G	69.46	74.00	-4.54	57.92	3	Horizontal	46	1.60	71	34.05	7.76	30.27			
PK	5.4612G	64.75	68.20	-3.45	53.26	3	Horizontal	46	1.60	71	34.00	7.78	30.29			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 69
50\76\53\64\69
6.59\5.80\6.88\3.95\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3486G	58.82	68.20	-9.38	47.45	3	Vertical	359	1.60	69	33.90	7.70	30.23			
PK	5.4596G	64.21	74.00	-9.79	52.72	3	Vertical	359	1.60	69	34.00	7.78	30.29			
AV	5.4578G	49.43	54.00	-4.57	37.95	3	Vertical	359	1.60	69	34.00	7.77	30.29			
PK	5.462G	67.88	68.20	-0.32	56.39	3	Vertical	359	1.60	69	34.00	7.78	30.29			
PK	5.5916G	105.90	Inf	-Inf	94.21	3	Vertical	359	1.60	69	34.12	7.85	30.28			
AV	5.5958G	93.53	Inf	-Inf	81.84	3	Vertical	359	1.60	69	34.11	7.86	30.28			
PK	5.729G	67.51	68.20	-0.69	55.75	3	Vertical	359	1.60	69	33.90	8.09	30.23			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT_V_2TX
SET 72
69\79\65\72
2.65\ -6.68\6.00\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	58.76	68.20	-9.44	47.39	3	Horizontal	55	1.56	72	33.90	7.70	30.23
PK	5.4476G	63.74	74.00	-10.26	52.25	3	Horizontal	55	1.56	72	34.00	7.77	30.28
AV	5.4452G	48.63	54.00	-5.37	37.13	3	Horizontal	55	1.56	72	34.01	7.77	30.28
PK	5.465G	64.91	68.20	-3.29	53.42	3	Horizontal	55	1.56	72	34.00	7.78	30.29
PK	5.5964G	102.78	Inf	-Inf	91.09	3	Horizontal	55	1.56	72	34.11	7.86	30.28
AV	5.5928G	91.36	Inf	-Inf	79.67	3	Horizontal	55	1.56	72	34.11	7.86	30.28
PK	5.7458G	68.00	68.20	-0.20	56.20	3	Horizontal	55	1.56	72	33.90	8.12	30.22




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.361G	53.98	54.00	-0.02	3	Horizontal	360	2.76	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT V_2TX
Setting 63
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1415G	65.09	74.00	-8.91	54.69	3	Vertical	313	2.09	-	33.67	7.69	30.96
AV	5.144G	48.60	54.00	-5.40	38.19	3	Vertical	313	2.09	-	33.68	7.69	30.96
PK	5.187G	105.90	Inf	-Inf	95.36	3	Vertical	313	2.09	-	33.77	7.72	30.95
AV	5.179G	94.41	Inf	-Inf	83.88	3	Vertical	313	2.09	-	33.76	7.72	30.95
PK	5.36G	59.85	74.00	-14.15	48.84	3	Vertical	313	2.09	-	33.94	7.98	30.91
AV	5.435G	47.32	54.00	-6.68	36.13	3	Vertical	313	2.09	-	34.03	8.05	30.89

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_V_2TX
Setting 63
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	73.88	74.00	-0.12	63.45	3	Horizontal	2	2.82	-	33.69	7.70	30.96
AV	5.149G	52.09	54.00	-1.91	41.65	3	Horizontal	2	2.82	-	33.70	7.70	30.96
PK	5.1935G	112.90	Inf	-Inf	102.33	3	Horizontal	2	2.82	-	33.79	7.73	30.95
AV	5.174G	100.00	Inf	-Inf	89.49	3	Horizontal	2	2.82	-	33.75	7.71	30.95
PK	5.2465G	59.78	74.00	-14.22	48.58	3	Horizontal	2	2.82	-	34.05	8.05	30.90
AV	5.3585G	47.91	54.00	-6.09	36.91	3	Horizontal	2	2.82	-	33.93	7.98	30.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_2TX
Setting 63
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4213G	55.68	68.20	-12.52	72.42	3	Vertical	343	1.45	-	38.21	11.83	66.78			
PK	15.6297G	56.93	74.00	-17.07	69.26	3	Vertical	318	1.56	-	37.68	13.93	63.94			
AV	15.63702G	43.16	54.00	-10.84	55.52	3	Vertical	318	1.56	-	37.65	13.93	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_2TX
Setting 63
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42954G	55.62	68.20	-12.58	72.37	3	Horizontal	175	2.03	-	38.18	11.84	66.77			
PK	15.62506G	56.93	74.00	-17.07	69.24	3	Horizontal	252	1.73	-	37.70	13.93	63.94			
AV	15.63934G	43.20	54.00	-10.80	55.56	3	Horizontal	252	1.73	-	37.64	13.94	63.94			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_V_2TX
Setting 63
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0745G	59.85	74.00	-14.15	49.72	3	Vertical	316	2.60	-	33.45	7.65	30.97
AV	5.136G	46.63	54.00	-7.37	36.26	3	Vertical	316	2.60	-	33.64	7.69	30.96
PK	5.262G	107.24	Inf	-Inf	96.54	3	Vertical	316	2.60	-	33.80	7.83	30.93
AV	5.2595G	96.26	Inf	-Inf	85.57	3	Vertical	316	2.60	-	33.80	7.82	30.93
PK	5.353G	62.42	74.00	-11.58	51.45	3	Vertical	316	2.60	-	33.91	7.97	30.91
AV	5.3585G	48.84	54.00	-5.16	37.84	3	Vertical	316	2.60	-	33.93	7.98	30.91
PK	5.5305G	59.10	68.20	-9.10	47.77	3	Vertical	316	2.60	-	34.12	8.08	30.87

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_V_2TX
Setting 63
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.116G	59.38	74.00	-14.62	49.10	3	Horizontal	360	2.76	-	33.56	7.68	30.96
AV	5.143G	47.56	54.00	-6.44	37.16	3	Horizontal	360	2.76	-	33.67	7.69	30.96
PK	5.2665G	111.98	Inf	-Inf	101.28	3	Horizontal	360	2.76	-	33.80	7.83	30.93
AV	5.2615G	99.78	Inf	-Inf	89.08	3	Horizontal	360	2.76	-	33.80	7.83	30.93
PK	5.3565G	71.51	74.00	-2.49	60.52	3	Horizontal	360	2.76	-	33.93	7.97	30.91
AV	5.361G	53.98	54.00	-0.02	42.97	3	Horizontal	360	2.76	-	33.94	7.98	30.91
PK	5.487G	59.63	68.20	-8.57	48.44	3	Horizontal	360	2.76	-	34.00	8.07	30.88

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT Y_2TX
Setting 63
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.57014G	55.84	68.20	-12.36	72.22	3	Vertical	205	1.49	-	38.30	11.91	66.59			
PK	15.8696G	57.71	74.00	-16.29	69.88	3	Vertical	339	1.98	-	37.76	14.03	63.96			
AV	15.86958G	44.22	54.00	-9.78	56.39	3	Vertical	339	1.98	-	37.76	14.03	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX

EUT Y_2TX
Setting 63
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58516G	55.96	68.20	-12.24	72.32	3	Horizontal	86	2.06	-	38.30	11.92	66.58			
PK	15.8769G	57.90	74.00	-16.10	70.08	3	Horizontal	286	1.44	-	37.75	14.03	63.96			
AV	15.87598G	44.34	54.00	-9.66	56.52	3	Horizontal	286	1.44	-	37.75	14.03	63.96			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_2TX	Pass	PK	5.73G	67.93	68.20	-0.27	3	Vertical	1	1.68	73

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 80
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	73.32	74.00	-0.68	68.24	3	Vertical	358	1.80	-	31.89	6.91	33.72
AV	5.146G	53.55	54.00	-0.45	48.48	3	Vertical	358	1.80	-	31.88	6.91	33.72
PK	5.2004G	108.21	Inf	-Inf	103.41	3	Vertical	358	1.80	-	31.60	6.93	33.73
AV	5.2404G	97.65	Inf	-Inf	93.08	3	Vertical	358	1.80	-	31.36	6.95	33.74
PK	5.3628G	57.78	74.00	-16.22	53.22	3	Vertical	358	1.80	-	31.33	7.00	33.77
AV	5.3508G	46.94	54.00	-7.06	42.42	3	Vertical	358	1.80	-	31.30	6.99	33.77

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 80
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	70.82	74.00	-3.18	65.73	3	Horizontal	51	2.56	-	31.90	6.91	33.72			
AV	5.146G	50.73	54.00	-3.27	45.66	3	Horizontal	51	2.56	-	31.88	6.91	33.72			
PK	5.2052G	105.01	Inf	-Inf	100.24	3	Horizontal	51	2.56	-	31.57	6.93	33.73			
AV	5.2004G	93.72	Inf	-Inf	88.92	3	Horizontal	51	2.56	-	31.60	6.93	33.73			
PK	5.3972G	57.90	74.00	-16.10	53.28	3	Horizontal	51	2.56	-	31.39	7.01	33.78			
AV	5.354G	46.50	54.00	-7.50	41.97	3	Horizontal	51	2.56	-	31.31	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
SET80
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34008G	47.19	68.20	-21.01	63.85	3	Vertical	335.1	1.80	80	39.56	10.68	66.90			
PK	15.61258G	46.81	74.00	-27.19	58.61	3	Vertical	244	1.47	80	38.52	13.62	63.94			
AV	15.63096G	35.21	54.00	-18.79	47.11	3	Vertical	244	1.47	80	38.41	13.63	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
SET80
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.36038G	47.39	68.20	-20.81	63.94	3	Horizontal	34	1.80	80	39.64	10.68	66.87				
PK	15.63559G	45.92	74.00	-28.08	57.83	3	Horizontal	0	1.80	80	38.39	13.64	63.94				
AV	15.62233G	34.72	54.00	-19.28	46.56	3	Horizontal	0	1.80	80	38.47	13.63	63.94				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 61
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	57.36	74.00	-16.64	52.31	3	Vertical	354	1.77	-	31.87	6.90	33.72			
AV	5.1452G	46.28	54.00	-7.72	41.21	3	Vertical	354	1.77	-	31.88	6.91	33.72			
PK	5.2924G	109.65	Inf	-Inf	105.22	3	Vertical	354	1.77	-	31.22	6.97	33.76			
AV	5.3052G	97.98	Inf	-Inf	93.56	3	Vertical	354	1.77	-	31.21	6.97	33.76			
PK	5.35G	72.40	74.00	-1.60	67.88	3	Vertical	354	1.77	-	31.30	6.99	33.77			
AV	5.3508G	53.40	54.00	-0.60	48.88	3	Vertical	354	1.77	-	31.30	6.99	33.77			
PK	5.474G	58.12	68.20	-10.08	53.19	3	Vertical	354	1.77	-	31.60	7.13	33.80			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 61
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1276G	56.60	74.00	-17.40	51.60	3	Horizontal	50	1.72	-	31.81	6.90	33.71				
AV	5.1452G	45.82	54.00	-8.18	40.75	3	Horizontal	50	1.72	-	31.88	6.91	33.72				
PK	5.2724G	104.29	Inf	-Inf	99.82	3	Horizontal	50	1.72	-	31.26	6.96	33.75				
AV	5.3004G	93.24	Inf	-Inf	88.83	3	Horizontal	50	1.72	-	31.20	6.97	33.76				
PK	5.3532G	68.04	74.00	-5.96	63.51	3	Horizontal	50	1.72	-	31.31	6.99	33.77				
AV	5.3564G	50.26	54.00	-3.74	45.73	3	Horizontal	50	1.72	-	31.31	6.99	33.77				
PK	5.4604G	57.77	68.20	-10.43	52.92	3	Horizontal	50	1.72	-	31.54	7.11	33.80				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
SET 61
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51526G	47.88	68.20	-20.32	63.94	3	Vertical	360	1.13	61	39.87	10.72	66.65			
PK	15.93346G	46.40	74.00	-27.60	58.51	3	Vertical	347	2.94	61	37.97	13.88	63.96			
AV	15.88167G	35.21	54.00	-18.79	47.27	3	Vertical	347	2.94	61	38.06	13.84	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
SET 61
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57808G	47.14	68.20	-21.06	63.14	3	Horizontal	360	1.22	61	39.86	10.73	66.59			
PK	15.93761G	45.72	74.00	-28.28	57.86	3	Horizontal	73	1.80	61	37.95	13.88	63.97			
AV	15.94624G	33.51	54.00	-20.49	45.67	3	Horizontal	73	1.80	61	37.92	13.89	63.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
SET 58
80\40\70\55\62\59\58
-15.68\7.58\ -9.91\4.94\ -3.40\ -0.51\0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.321G	57.04	68.20	-11.16	52.58	3	Vertical	355	1.74	58	31.24	6.98	33.76
AV	5.35G	45.66	54.00	-8.34	41.14	3	Vertical	355	1.74	58	31.30	6.99	33.77
PK	5.459G	64.74	74.00	-9.26	59.89	3	Vertical	355	1.74	58	31.54	7.11	33.80
AV	5.455G	49.04	54.00	-4.96	44.22	3	Vertical	355	1.74	58	31.52	7.10	33.80
PK	5.4645G	67.57	68.20	-0.63	62.69	3	Vertical	355	1.74	58	31.56	7.12	33.80
PK	5.52G	109.30	Inf	-Inf	104.20	3	Vertical	355	1.74	58	31.70	7.21	33.81
AV	5.5275G	96.44	Inf	-Inf	91.33	3	Vertical	355	1.74	58	31.70	7.22	33.81
PK	5.749G	58.06	68.20	-10.14	52.49	3	Vertical	355	1.74	58	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
SET 58
58
3.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.348G	57.58	68.20	-10.62	53.06	3	Horizontal	48	1.64	58	31.30	6.99	33.77				
AV	5.35G	45.32	54.00	-8.68	40.80	3	Horizontal	48	1.64	58	31.30	6.99	33.77				
PK	5.4565G	63.29	74.00	-10.71	58.46	3	Horizontal	48	1.64	58	31.53	7.10	33.80				
AV	5.456G	47.53	54.00	-6.47	42.71	3	Horizontal	48	1.64	58	31.52	7.10	33.80				
PK	5.4645G	64.93	68.20	-3.27	60.05	3	Horizontal	48	1.64	58	31.56	7.12	33.80				
PK	5.5205G	104.57	Inf	-Inf	99.47	3	Horizontal	48	1.64	58	31.70	7.21	33.81				
AV	5.5155G	92.36	Inf	-Inf	87.27	3	Horizontal	48	1.64	58	31.70	7.20	33.81				
PK	5.733G	58.11	68.20	-10.09	52.54	3	Horizontal	48	1.64	58	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX

EUT_Y_2TX
SET 58
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12697G	46.97	74.00	-27.03	62.73	3	Vertical	100	2.62	58	39.59	10.87	66.22			
AV	11.12617G	36.31	54.00	-17.69	52.06	3	Vertical	100	2.62	58	39.60	10.87	66.22			
PK	16.57689G	48.76	68.20	-19.44	58.49	3	Vertical	327	1.38	58	39.59	14.18	63.50			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
SET 58
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05265G	47.95	74.00	-26.05	63.32	3	Horizontal	275	2.95	58	39.98	10.85	66.20			
AV	11.03666G	36.97	54.00	-17.03	52.26	3	Horizontal	275	2.95	58	40.05	10.85	66.19			
PK	16.61893G	48.66	68.20	-19.54	58.37	3	Horizontal	162	2.62	58	39.61	14.20	63.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
SET 61
80\45\75\60\67\64\63\62\61
-8.73\7.71\3.40\0.68\1.96\1.16\1.12\0.24\0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3225G	57.33	68.20	-10.87	52.87	3	Vertical	356	1.74	61	31.24	6.98	33.76			
AV	5.35G	45.70	54.00	-8.30	41.18	3	Vertical	356	1.74	61	31.30	6.99	33.77			
PK	5.46G	61.61	74.00	-12.39	56.76	3	Vertical	356	1.74	61	31.54	7.11	33.80			
AV	5.46G	47.97	54.00	-6.03	43.12	3	Vertical	356	1.74	61	31.54	7.11	33.80			
PK	5.4695G	67.67	68.20	-0.53	62.77	3	Vertical	356	1.74	61	31.58	7.12	33.80			
PK	5.54G	108.86	Inf	-Inf	103.73	3	Vertical	356	1.74	61	31.70	7.24	33.81			
AV	5.54G	97.69	Inf	-Inf	92.56	3	Vertical	356	1.74	61	31.70	7.24	33.81			
PK	5.745G	58.38	68.20	-9.82	52.81	3	Vertical	356	1.74	61	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
SET 61
61
4.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3335G	56.94	68.20	-11.26	52.46	3	Horizontal	42	1.79	61	31.27	6.98	33.77			
AV	5.35G	45.29	54.00	-8.71	40.77	3	Horizontal	42	1.79	61	31.30	6.99	33.77			
PK	5.4595G	58.92	74.00	-15.08	54.07	3	Horizontal	42	1.79	61	31.54	7.11	33.80			
AV	5.46G	46.87	54.00	-7.13	42.02	3	Horizontal	42	1.79	61	31.54	7.11	33.80			
PK	5.4695G	64.01	68.20	-4.19	59.11	3	Horizontal	42	1.79	61	31.58	7.12	33.80			
PK	5.543G	104.17	Inf	-Inf	99.02	3	Horizontal	42	1.79	61	31.70	7.25	33.80			
AV	5.5405G	93.11	Inf	-Inf	87.98	3	Horizontal	42	1.79	61	31.70	7.24	33.81			
PK	5.747G	57.92	68.20	-10.28	52.35	3	Horizontal	42	1.79	61	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5530MHz_TX

EUT_Y_2TX
SET 61
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1153G	47.31	74.00	-26.69	63.02	3	Vertical	209	2.61	61	39.64	10.87	66.22			
AV	11.11339G	36.01	54.00	-17.99	51.71	3	Vertical	209	2.61	61	39.65	10.87	66.22			
PK	16.5462G	48.69	68.20	-19.51	58.30	3	Vertical	0	1.80	61	39.72	14.16	63.49			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5530MHz_TX

EUT_Y_2TX
SET 61
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00358G	47.52	74.00	-26.48	62.67	3	Horizontal	340	1.80	61	40.19	10.84	66.18			
AV	11.04034G	36.30	54.00	-17.70	51.60	3	Horizontal	340	1.80	61	40.04	10.85	66.19			
PK	16.56155G	47.60	68.20	-20.60	57.28	3	Horizontal	349	1.80	61	39.65	14.17	63.50			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
SET 73
80\61\84\73
-4.66\6.74\6.11\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4405G	62.67	74.00	-11.33	57.90	3	Vertical	1	1.68	73	31.48	7.08	33.79			
PK	5.4615G	61.75	68.20	-6.45	56.89	3	Vertical	1	1.68	73	31.55	7.11	33.80			
AV	5.46G	48.52	54.00	-5.48	43.67	3	Vertical	1	1.68	73	31.54	7.11	33.80			
PK	5.6025G	112.27	Inf	-Inf	107.12	3	Vertical	1	1.68	73	31.61	7.34	33.80			
AV	5.6G	100.14	Inf	-Inf	95.00	3	Vertical	1	1.68	73	31.60	7.34	33.80			
PK	5.73G	67.93	68.20	-0.27	62.36	3	Vertical	1	1.68	73	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX

EUT_Y_2TX
SET 73
73
6.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	60.07	74.00	-13.93	55.25	3	Horizontal	50	1.66	73	31.52	7.10	33.80			
AV	5.4585G	46.82	54.00	-7.18	41.98	3	Horizontal	50	1.66	73	31.53	7.11	33.80			
PK	5.4615G	58.17	68.20	-10.03	53.31	3	Horizontal	50	1.66	73	31.55	7.11	33.80			
PK	5.6G	108.05	Inf	-Inf	102.91	3	Horizontal	50	1.66	73	31.60	7.34	33.80			
AV	5.5955G	96.35	Inf	-Inf	91.21	3	Horizontal	50	1.66	73	31.61	7.33	33.80			
PK	5.735G	61.32	68.20	-6.88	55.75	3	Horizontal	50	1.66	73	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Y_2TX
SET 73
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22751G	47.73	74.00	-26.27	63.62	3	Vertical	232	1.08	73	39.46	10.90	66.25			
AV	11.22879G	36.65	54.00	-17.35	52.54	3	Vertical	232	1.08	73	39.46	10.90	66.25			
PK	16.85765G	49.96	68.20	-18.24	58.51	3	Vertical	120	1.80	73	40.74	14.30	63.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Y_2TX
SET 73
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.24733G	46.29	74.00	-27.71	62.16	3	Horizontal	287	2.95	73	39.49	10.90	66.26			
AV	11.14184G	35.63	54.00	-18.37	51.45	3	Horizontal	287	2.95	73	39.53	10.88	66.23			
PK	16.85765G	49.40	68.20	-18.80	57.95	3	Horizontal	112	2.95	73	40.74	14.30	63.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX

SET91


80\107\76\91\98\95\94\82\88\91

6.77\8.73\7.18\0.86\6.95\6.58\5.09\4.38\1.11\0.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.456G	63.12	74.00	-10.88	58.30	3	Vertical	356	1.52	91	31.52	7.10	33.80			
AV	5.4056G	48.15	54.00	-5.85	43.51	3	Vertical	356	1.52	91	31.41	7.02	33.79			
PK	5.4662G	62.33	68.20	-5.87	57.45	3	Vertical	356	1.52	91	31.56	7.12	33.80			
PK	5.687G	116.98	Inf	-Inf	111.51	3	Vertical	356	1.52	91	31.92	7.34	33.79			
AV	5.6774G	105.63	Inf	-Inf	100.22	3	Vertical	356	1.52	91	31.86	7.34	33.79			
PK	5.8544G	67.40	68.20	-0.80	61.61	3	Vertical	356	1.52	91	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Y_2TX
SET91
91
7.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.435G	57.89	74.00	-16.11	53.14	3	Horizontal	47	1.46	91	31.47	7.07	33.79			
PK	5.4644G	58.26	68.20	-9.94	53.38	3	Horizontal	47	1.46	91	31.56	7.12	33.80			
AV	5.459G	46.92	54.00	-7.08	42.07	3	Horizontal	47	1.46	91	31.54	7.11	33.80			
PK	5.6834G	111.63	Inf	-Inf	106.18	3	Horizontal	47	1.46	91	31.90	7.34	33.79			
AV	5.678G	100.29	Inf	-Inf	94.87	3	Horizontal	47	1.46	91	31.87	7.34	33.79			
PK	5.8562G	60.97	68.20	-7.23	55.18	3	Horizontal	47	1.46	91	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET91
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.35171G	46.32	74.00	-27.68	61.88	3	Vertical	353	1.80	91	39.80	10.93	66.29			
AV	11.31479G	35.12	54.00	-18.88	50.82	3	Vertical	353	1.80	91	39.66	10.92	66.28			
PK	17.04427G	50.98	68.20	-17.22	59.85	3	Vertical	360	2.50	91	40.45	14.38	63.70			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET91
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38368G	46.83	74.00	-27.17	62.39	3	Horizontal	115	1.80	91	39.80	10.94	66.30			
AV	11.36114G	35.85	54.00	-18.15	51.42	3	Horizontal	115	1.80	91	39.80	10.93	66.30			
PK	17.05274G	52.00	68.20	-16.20	60.84	3	Horizontal	264	1.92	91	40.49	14.38	63.71			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
SET 80
80
0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6412G	67.70	68.20	-0.50	62.47	3	Vertical	356	1.52	80	31.68	7.34	33.79			
PK	5.7642G	113.77	Inf	-Inf	108.20	3	Vertical	356	1.52	80	32.00	7.35	33.78			
AV	5.7624G	101.81	Inf	-Inf	96.24	3	Vertical	356	1.52	80	32.00	7.35	33.78			
PK	6.0072G	58.63	68.20	-9.57	52.26	3	Vertical	356	1.52	80	32.41	7.71	33.75			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX

EUT_Y_2TX
SET 80
80
5.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6376G	62.83	68.20	-5.37	57.60	3	Horizontal	28	1.74	80	31.68	7.34	33.79			
PK	5.7678G	107.21	Inf	-Inf	101.64	3	Horizontal	28	1.74	80	32.00	7.35	33.78			
AV	5.7648G	96.95	Inf	-Inf	91.38	3	Horizontal	28	1.74	80	32.00	7.35	33.78			
PK	5.967G	59.19	68.20	-9.01	52.96	3	Horizontal	28	1.74	80	32.33	7.65	33.75			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX

EUT_Y_2TX
SET80
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49805G	43.66	74.00	-30.34	59.24	3	Vertical	0	1.80	80	39.80	10.96	66.34			
AV	11.49837G	32.24	54.00	-21.76	47.82	3	Vertical	0	1.80	80	39.80	10.96	66.34			
PK	17.40364G	51.11	68.20	-17.09	58.99	3	Vertical	130	2.17	80	41.82	14.53	64.23			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Y_2TX
SET80
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52554G	45.67	74.00	-28.33	61.30	3	Horizontal	283	1.54	80	39.75	10.97	66.35			
AV	11.50429G	34.68	54.00	-19.32	50.26	3	Horizontal	283	1.54	80	39.79	10.97	66.34			
PK	17.28376G	49.44	68.20	-18.76	58.14	3	Horizontal	260	2.90	80	40.87	14.48	64.05			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 65
80\40\69\55\62\65
-15.19\7.45\2.54\5.82\2.82\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	68.62	74.00	-5.38	63.53	3	Vertical	354	1.77	65	31.90	6.91	33.72				
AV	5.1408G	49.78	54.00	-4.22	44.74	3	Vertical	354	1.77	65	31.86	6.90	33.72				
PK	5.2926G	105.09	Inf	-Inf	100.67	3	Vertical	354	1.77	65	31.21	6.97	33.76				
AV	5.2752G	94.09	Inf	-Inf	89.63	3	Vertical	354	1.77	65	31.25	6.96	33.75				
PK	5.4054G	73.67	74.00	-0.33	69.03	3	Vertical	354	1.77	65	31.41	7.02	33.79				
AV	5.4054G	52.26	54.00	-1.74	47.62	3	Vertical	354	1.77	65	31.41	7.02	33.79				
PK	5.4606G	62.39	68.20	-5.81	57.54	3	Vertical	354	1.77	65	31.54	7.11	33.80				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 65
65
3.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.136G	65.55	74.00	-8.45	60.53	3	Horizontal	49	1.72	65	31.84	6.90	33.72				
AV	5.1408G	48.15	54.00	-5.85	43.11	3	Horizontal	49	1.72	65	31.86	6.90	33.72				
PK	5.3136G	101.01	Inf	-Inf	96.56	3	Horizontal	49	1.72	65	31.23	6.98	33.76				
AV	5.3106G	90.24	Inf	-Inf	85.81	3	Horizontal	49	1.72	65	31.22	6.97	33.76				
PK	5.4114G	69.68	74.00	-4.32	65.02	3	Horizontal	49	1.72	65	31.42	7.03	33.79				
AV	5.4108G	50.02	54.00	-3.98	45.36	3	Horizontal	49	1.72	65	31.42	7.03	33.79				
PK	5.487G	59.89	68.20	-8.31	54.90	3	Horizontal	49	1.72	65	31.65	7.15	33.81				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
SET 65
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46803G	48.49	68.20	-19.71	64.59	3	Vertical	227	1.32	65	39.90	10.71	66.71			
PK	15.84782G	46.91	74.00	-27.09	59.05	3	Vertical	93	1.28	65	38.01	13.81	63.96			
AV	15.77621G	35.85	54.00	-18.15	47.66	3	Vertical	93	1.28	65	38.39	13.75	63.95			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 65
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46803G	47.28	68.20	-20.92	63.38	3	Horizontal	304	2.38	65	39.90	10.71	66.71			
PK	15.63428G	46.16	74.00	-27.84	58.07	3	Horizontal	272	1.95	65	38.39	13.64	63.94			
AV	15.59655G	34.29	54.00	-19.71	46.01	3	Horizontal	272	1.95	65	38.61	13.61	63.94			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 66
66\68\67\66
0.59\ -2.17\ -0.61\ 0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.09	74.00	-10.91	58.01	3	Vertical	353	1.72	66	31.89	6.91	33.72
AV	5.148G	49.05	54.00	-4.95	43.97	3	Vertical	353	1.72	66	31.89	6.91	33.72
PK	5.283G	106.05	Inf	-Inf	101.61	3	Vertical	353	1.72	66	31.23	6.96	33.75
AV	5.3124G	95.02	Inf	-Inf	90.59	3	Vertical	353	1.72	66	31.22	6.97	33.76
PK	5.43G	69.58	74.00	-4.42	64.85	3	Vertical	353	1.72	66	31.46	7.06	33.79
AV	5.4102G	53.32	54.00	-0.68	48.66	3	Vertical	353	1.72	66	31.42	7.03	33.79
PK	5.4696G	61.82	68.20	-6.38	56.92	3	Vertical	353	1.72	66	31.58	7.12	33.80

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 66
66
3.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	61.06	74.00	-12.94	55.98	3	Horizontal	52	1.74	66	31.89	6.91	33.72			
AV	5.136G	47.80	54.00	-6.20	42.78	3	Horizontal	52	1.74	66	31.84	6.90	33.72			
PK	5.3256G	101.63	Inf	-Inf	97.16	3	Horizontal	52	1.74	66	31.25	6.98	33.76			
AV	5.3082G	90.80	Inf	-Inf	86.37	3	Horizontal	52	1.74	66	31.22	6.97	33.76			
PK	5.4366G	66.11	74.00	-7.89	61.36	3	Horizontal	52	1.74	66	31.47	7.07	33.79			
AV	5.4312G	50.63	54.00	-3.37	45.90	3	Horizontal	52	1.74	66	31.46	7.06	33.79			
PK	5.4612G	61.59	68.20	-6.61	56.74	3	Horizontal	52	1.74	66	31.54	7.11	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
SET 66
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45716G	47.28	68.20	-20.92	63.40	3	Vertical	192	2.32	66	39.90	10.70	66.72			
PK	15.79188G	47.10	74.00	-26.90	59.03	3	Vertical	182	1.80	66	38.26	13.76	63.95			
AV	15.78996G	35.74	54.00	-18.26	47.65	3	Vertical	182	1.80	66	38.28	13.76	63.95			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Y_2TX
SET 66
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34943G	46.91	68.20	-21.29	63.52	3	Horizontal	277	1.80	66	39.60	10.68	66.89			
PK	15.60327G	45.61	74.00	-28.39	57.36	3	Horizontal	278	1.80	66	38.58	13.61	63.94			
AV	15.59591G	34.36	54.00	-19.64	46.07	3	Horizontal	278	1.80	66	38.62	13.61	63.94			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Y_2TX
SET 61
80\40\71\56\63\60\61
-11.85\7.84\7.97\4.03\1.33\1.02\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3276G	57.68	68.20	-10.52	53.21	3	Vertical	359	1.66	61	31.26	6.98	33.77					
PK	5.4554G	64.82	74.00	-9.18	60.00	3	Vertical	359	1.66	61	31.52	7.10	33.80					
AV	5.4548G	47.69	54.00	-6.31	42.87	3	Vertical	359	1.66	61	31.52	7.10	33.80					
PK	5.465G	67.03	68.20	-1.17	62.15	3	Vertical	359	1.66	61	31.56	7.12	33.80					
PK	5.5472G	105.12	Inf	-Inf	99.97	3	Vertical	359	1.66	61	31.70	7.25	33.80					
AV	5.5952G	92.90	Inf	-Inf	87.76	3	Vertical	359	1.66	61	31.61	7.33	33.80					
PK	5.7452G	67.85	68.20	-0.35	62.28	3	Vertical	359	1.66	61	32.00	7.35	33.78					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX



EUT_Y_2TX
SET 61
61
1.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2844G	57.38	68.20	-10.82	52.94	3	Horizontal	43	1.58	61	31.23	6.96	33.75				
PK	5.4554G	60.94	74.00	-13.06	56.12	3	Horizontal	43	1.58	61	31.52	7.10	33.80				
AV	5.3864G	46.78	54.00	-7.22	42.19	3	Horizontal	43	1.58	61	31.37	7.00	33.78				
PK	5.465G	63.85	68.20	-4.35	58.97	3	Horizontal	43	1.58	61	31.56	7.12	33.80				
PK	5.5352G	101.11	Inf	-Inf	95.99	3	Horizontal	43	1.58	61	31.70	7.23	33.81				
AV	5.5958G	89.06	Inf	-Inf	83.92	3	Horizontal	43	1.58	61	31.61	7.33	33.80				
PK	5.7308G	66.35	68.20	-1.85	60.78	3	Horizontal	43	1.58	61	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX


5570MHz_TX

EUT_Y_2TX
SET 61
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23303G	47.21	74.00	-26.79	63.09	3	Vertical	278	2.61	61	39.47	10.90	66.25			
AV	11.23526G	36.67	54.00	-17.33	52.56	3	Vertical	278	2.61	61	39.47	10.90	66.26			
PK	16.56295G	48.98	68.20	-19.22	58.66	3	Vertical	297	1.96	61	39.65	14.17	63.50			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Y_2TX
SET 61
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.04825G	46.89	74.00	-27.11	62.23	3	Horizontal	281	1.80	61	40.01	10.85	66.20			
AV	11.05081G	36.13	54.00	-17.87	51.48	3	Horizontal	281	1.80	61	40.00	10.85	66.20			
PK	16.80271G	48.21	68.20	-19.99	56.79	3	Horizontal	148	1.80	61	40.71	14.28	63.57			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_Y_2TX
SET 64
80\40\70\55\62\65\64
-11.02\7.71\4.58\6.45\2.31\1.03\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	58.53	68.20	-9.67	54.05	3	Vertical	356	1.68	64	31.27	6.98	33.77
PK	5.4248G	67.17	74.00	-6.83	62.46	3	Vertical	356	1.68	64	31.45	7.05	33.79
PK	5.465G	64.82	68.20	-3.38	59.94	3	Vertical	356	1.68	64	31.56	7.12	33.80
AV	5.4452G	49.52	54.00	-4.48	44.75	3	Vertical	356	1.68	64	31.49	7.08	33.80
PK	5.5448G	106.22	Inf	-Inf	101.07	3	Vertical	356	1.68	64	31.70	7.25	33.80
AV	5.5472G	94.71	Inf	-Inf	89.56	3	Vertical	356	1.68	64	31.70	7.25	33.80
PK	5.7548G	67.92	68.20	-0.28	62.35	3	Vertical	356	1.68	64	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_Y_2TX
SET 64
64
1.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)					
PK	5.3426G	57.29	68.20	-10.91	52.78	3	Horizontal	52	1.64	64	31.29	6.99	33.77					
PK	5.4242G	65.00	74.00	-9.00	60.29	3	Horizontal	52	1.64	64	31.45	7.05	33.79					
AV	5.3912G	47.77	54.00	-6.23	43.16	3	Horizontal	52	1.64	64	31.38	7.01	33.78					
PK	5.4656G	62.74	68.20	-5.46	57.86	3	Horizontal	52	1.64	64	31.56	7.12	33.80					
PK	5.5454G	101.96	Inf	-Inf	96.81	3	Horizontal	52	1.64	64	31.70	7.25	33.80					
AV	5.5454G	90.85	Inf	-Inf	85.70	3	Horizontal	52	1.64	64	31.70	7.25	33.80					
PK	5.7416G	66.51	68.20	-1.69	60.94	3	Horizontal	52	1.64	64	32.00	7.35	33.78					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT_Y_2TX
SET 64
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11251G	46.85	74.00	-27.15	62.55	3	Vertical	105	1.13	64	39.65	10.87	66.22			
AV	11.22983G	36.05	54.00	-17.95	51.94	3	Vertical	105	1.13	64	39.46	10.90	66.25			
PK	16.80111G	49.48	68.20	-18.72	58.08	3	Vertical	250	1.80	64	40.70	14.27	63.57			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX

EUT_Y_2TX
SET 64
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13393G	46.78	74.00	-27.22	62.57	3	Horizontal	17	2.92	64	39.56	10.87	66.22			
AV	11.03834G	36.42	54.00	-17.58	51.71	3	Horizontal	17	2.92	64	40.05	10.85	66.19			
PK	16.80335G	48.21	68.20	-19.99	56.79	3	Horizontal	350	1.80	64	40.71	14.28	63.57			