



16/06/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




06/06/2026

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6445MHz;TX




06/06/2026

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6485MHz;TX




09/07/2026

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6525MHz;TX




05/06/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX




19/06/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




19/06/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6845MHz;TX




19/06/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6885MHz;TX




09/07/2026

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7005MHz;TX




16/06/2026

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7085MHz;TX




09/07/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




09/07/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




19/06/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




19/06/2026

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6465MHz;TX




06/06/2026

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6545MHz;TX



08/06/2026


EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX



16/06/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
23.75				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.02	12.41	7.99	33.42	58.57

09/07/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
19.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.15	12.50	8.08	33.41	58.67


08/06/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6865MHz;TX




08/06/2026

EIRP:Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6945MHz;TX




19/06/2026

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:7025MHz;TX




19/06/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




09/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




09/07/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




09/07/2026

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6505MHz;TX




09/07/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




19/06/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6825MHz;TX



09/07/2026


EIRP;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6985MHz;TX



19/06/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
24.49				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.16	13.39	7.64	33.68	57.76

06/06/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.29				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.38	13.17	7.68	33.58	57.98


06/06/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6425MHz;TX



06/06/2026


EIRP;Band:6.4G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6585MHz;TX



19/06/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6745MHz;TX

CF Freq
6.745GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz



Page 10
Horizontal

EIRP (dBm)

26.36

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

5.62

12.49

8.03


33.42

58.62

08/06/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz



Page 10
Horizontal

EIRP (dBm)

22.17

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

0.47

11.99

8.27

33.41

58.83

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.04	0.06368
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.90	0.12303
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.26	0.21184
802.11be EHT160-BF_Nss1,(MCS0)_2TX	25.21	0.33189
802.11be EHT320-BF_Nss1,(MCS0)_2TX	25.81	0.38107
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.56	0.05702
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.82	0.12078
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.32	0.21478
802.11be EHT160-BF_Nss1,(MCS0)_2TX	25.28	0.33729
802.11be EHT320-BF_Nss1,(MCS0)_2TX	26.46	0.44259
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.45	0.05559
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.41	0.10990
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.21	0.20941
802.11be EHT160-BF_Nss1,(MCS0)_2TX	25.87	0.38637
802.11be EHT320-BF_Nss1,(MCS0)_2TX	25.41	0.34754
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.22	0.06637
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.18	0.13122
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.90	0.24547
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.10	0.25704

Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	18.04	30.00
6195MHz	Pass	16.98	30.00
6415MHz	Pass	16.88	30.00
6435MHz	Pass	17.08	30.00
6475MHz	Pass	17.56	30.00
6515MHz	Pass	17.43	30.00
6535MHz	Pass	16.80	30.00
6695MHz	Pass	17.45	30.00
6855MHz	Pass	16.74	30.00
6875MHz	Pass	16.95	30.00
6895MHz	Pass	17.15	30.00
6995MHz	Pass	18.22	30.00
7095MHz	Pass	17.29	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	20.69	30.00
6205MHz	Pass	20.90	30.00
6405MHz	Pass	20.64	30.00
6445MHz	Pass	20.82	30.00
6485MHz	Pass	19.95	30.00
6525MHz	Pass	20.59	30.00
6565MHz	Pass	20.41	30.00
6685MHz	Pass	19.65	30.00
6845MHz	Pass	20.28	30.00
6885MHz	Pass	19.68	30.00
6925MHz	Pass	21.18	30.00
7005MHz	Pass	20.47	30.00
7085MHz	Pass	20.61	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	23.26	30.00
6225MHz	Pass	23.24	30.00
6385MHz	Pass	22.28	30.00
6465MHz	Pass	22.58	30.00
6545MHz	Pass	23.32	30.00
6625MHz	Pass	22.04	30.00
6705MHz	Pass	23.21	30.00
6785MHz	Pass	22.78	30.00
6865MHz	Pass	22.37	30.00
6945MHz	Pass	22.79	30.00
7025MHz	Pass	23.90	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	24.16	30.00
6185MHz	Pass	25.21	30.00
6345MHz	Pass	24.10	30.00
6505MHz	Pass	25.28	30.00
6665MHz	Pass	25.77	30.00
6825MHz	Pass	25.87	30.00
6985MHz	Pass	24.10	30.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	25.81	30.00
6265MHz	Pass	25.41	30.00
6425MHz	Pass	24.07	30.00
6585MHz	Pass	26.46	30.00
6745MHz	Pass	25.41	30.00
6905MHz	Pass	22.58	30.00



DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.


03/06/2026

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




03/06/2026

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




03/06/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




03/06/2026

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




03/06/2026

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




03/06/2026

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




03/06/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




03/06/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




04/06/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




04/06/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




04/06/2026

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




04/06/2026

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




04/06/2026

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




04/06/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




04/06/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




04/06/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




04/06/2026

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




04/06/2026

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




04/06/2026

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




04/06/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




04/06/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




04/06/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




04/06/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




04/06/2026

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




04/06/2026

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




04/06/2026

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




04/06/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




04/06/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




04/06/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX



04/06/2026

EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX



04/06/2026

EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX

CF Freq
6.545GHz

Span
200MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.32				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.20	12.02	8.56	30.38	58.36

04/06/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
200MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
22.04				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.80	11.85	8.69	30.47	58.47


04/06/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




05/06/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




05/06/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




05/06/2026

EIRP:Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




05/06/2026

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




03/06/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




05/06/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX



05/06/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX



05/06/2026

EIRP;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX

CF Freq
6.505GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
160MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.28				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.69	11.60	8.00	35.12	58.31

05/06/2026

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX

CF Freq
6.665GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.73	11.74	8.77	30.51	58.52


09/06/2026

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




05/06/2026

EIRP;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




05/06/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




09/06/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




09/06/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




09/06/2026

EIRP;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




09/06/2026

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX



05/06/2026

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.72	0.29648	28.10	0.64565
802.11be EHT20_Nss1,(MCS0)_2TX	27.34	0.54200	31.31	1.35207
802.11be EHT20_Nss2,(MCS0)_2TX	27.02	0.50350	30.99	1.25603
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.34	0.54200	31.39	1.37721
802.11be EHT40_Nss1,(MCS0)_1TX	24.31	0.26977	27.69	0.58749
802.11be EHT40_Nss1,(MCS0)_2TX	26.88	0.48753	30.85	1.21619
802.11be EHT40_Nss2,(MCS0)_2TX	26.90	0.48978	30.87	1.22180
802.11be EHT40-BF_Nss1,(MCS0)_2TX	26.88	0.48753	30.93	1.23880
802.11be EHT80_Nss1,(MCS0)_1TX	24.39	0.27479	27.77	0.59841
802.11be EHT80_Nss1,(MCS0)_2TX	26.89	0.48865	30.86	1.21899
802.11be EHT80_Nss2,(MCS0)_2TX	26.94	0.49431	30.91	1.23310
802.11be EHT80-BF_Nss1,(MCS0)_2TX	26.89	0.48865	30.94	1.24165
802.11be EHT160_Nss1,(MCS0)_1TX	22.11	0.16255	25.49	0.35400
802.11be EHT160_Nss1,(MCS0)_2TX	23.99	0.25061	27.96	0.62517
802.11be EHT160_Nss2,(MCS0)_2TX	23.44	0.22080	27.41	0.55081
802.11be EHT160-BF_Nss1,(MCS0)_2TX	23.99	0.25061	28.04	0.63680
802.11be EHT320_Nss1,(MCS0)_1TX	21.09	0.12853	24.47	0.27990
802.11be EHT320_Nss1,(MCS0)_2TX	23.33	0.21528	27.30	0.53703
802.11be EHT320_Nss2,(MCS0)_2TX	23.68	0.23335	27.65	0.58210
802.11be EHT320-BF_Nss1,(MCS0)_2TX	23.33	0.21528	27.38	0.54702
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.95	0.31261	28.09	0.64417
802.11be EHT20_Nss1,(MCS0)_2TX	27.49	0.56105	30.63	1.15611
802.11be EHT20_Nss2,(MCS0)_2TX	27.59	0.57412	30.73	1.18304
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.49	0.56105	30.79	1.19950
802.11be EHT40_Nss1,(MCS0)_1TX	24.36	0.27290	27.50	0.56234
802.11be EHT40_Nss1,(MCS0)_2TX	27.17	0.52119	30.31	1.07399
802.11be EHT40_Nss2,(MCS0)_2TX	26.91	0.49091	30.05	1.01158
802.11be EHT40-BF_Nss1,(MCS0)_2TX	27.17	0.52119	30.47	1.11429
802.11be EHT80_Nss1,(MCS0)_1TX	24.96	0.31333	28.10	0.64565
802.11be EHT80_Nss1,(MCS0)_2TX	27.45	0.55590	30.59	1.14551
802.11be EHT80_Nss2,(MCS0)_2TX	27.49	0.56105	30.63	1.15611
802.11be EHT80-BF_Nss1,(MCS0)_2TX	27.45	0.55590	30.75	1.18850
802.11be EHT160_Nss1,(MCS0)_1TX	21.41	0.13836	24.55	0.28510
802.11be EHT160_Nss1,(MCS0)_2TX	24.32	0.27040	27.46	0.55719
802.11be EHT160_Nss2,(MCS0)_2TX	24.04	0.25351	27.18	0.52240
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.32	0.27040	27.62	0.57810

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	3.38	22.87		22.87	26.25	36.00
6195MHz	Pass	3.38	24.72		24.72	28.10	36.00
6415MHz	Pass	3.38	22.61		22.61	25.99	36.00
6535MHz	Pass	3.14	21.94		21.94	25.08	36.00
6695MHz	Pass	3.14	24.47		24.47	27.61	36.00
6855MHz	Pass	3.14	24.95		24.95	28.09	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5965MHz	Pass	3.38	20.83		20.83	24.21	36.00
6205MHz	Pass	3.38	24.31		24.31	27.69	36.00
6405MHz	Pass	3.38	22.50		22.50	25.88	36.00
6565MHz	Pass	3.14	24.36		24.36	27.50	36.00
6685MHz	Pass	3.14	24.18		24.18	27.32	36.00
6845MHz	Pass	3.14	24.12		24.12	27.26	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5985MHz	Pass	3.38	22.26		22.26	25.64	36.00
6225MHz	Pass	3.38	24.39		24.39	27.77	36.00
6385MHz	Pass	3.38	22.73		22.73	26.11	36.00
6625MHz	Pass	3.14	24.35		24.35	27.49	36.00
6705MHz	Pass	3.14	24.91		24.91	28.05	36.00
6785MHz	Pass	3.14	24.96		24.96	28.10	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6025MHz	Pass	3.38	22.11		22.11	25.49	36.00
6185MHz	Pass	3.38	20.30		20.30	23.68	36.00
6345MHz	Pass	3.38	20.60		20.60	23.98	36.00
6665MHz	Pass	3.14	21.41		21.41	24.55	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6105MHz	Pass	3.38	21.09		21.09	24.47	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	3.97	21.17	22.15	24.70	28.67	36.00
6195MHz	Pass	3.97	24.61	24.02	27.34	31.31	36.00
6415MHz	Pass	3.97	22.26	22.61	25.45	29.42	36.00
6535MHz	Pass	3.14	21.77	22.17	24.98	28.12	36.00
6695MHz	Pass	3.14	24.28	24.33	27.32	30.46	36.00
6855MHz	Pass	3.14	24.71	24.23	27.49	30.63	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	3.97	20.74	21.14	23.95	27.92	36.00
6205MHz	Pass	3.97	23.99	23.75	26.88	30.85	36.00
6405MHz	Pass	3.97	21.96	22.95	25.49	29.46	36.00
6565MHz	Pass	3.14	24.06	24.26	27.17	30.31	36.00
6685MHz	Pass	3.14	23.76	23.94	26.86	30.00	36.00
6845MHz	Pass	3.14	23.56	23.38	26.48	29.62	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	3.97	20.77	21.06	23.93	27.90	36.00
6225MHz	Pass	3.97	23.97	23.78	26.89	30.86	36.00
6385MHz	Pass	3.97	21.99	23.06	25.57	29.54	36.00
6625MHz	Pass	3.14	24.02	24.19	27.12	30.26	36.00
6705MHz	Pass	3.14	24.57	24.31	27.45	30.59	36.00
6785MHz	Pass	3.14	24.56	24.04	27.32	30.46	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	3.97	19.40	19.15	22.29	26.26	36.00
6185MHz	Pass	3.97	20.13	20.16	23.16	27.13	36.00
6345MHz	Pass	3.97	20.71	21.24	23.99	27.96	36.00
6665MHz	Pass	3.14	21.15	21.46	24.32	27.46	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-



Average Power_Mode 3

Appendix C.3

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	3.97	20.16	20.48	23.33	27.30	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	3.97	21.10	21.97	24.57	28.54	36.00
6195MHz	Pass	3.97	24.21	23.81	27.02	30.99	36.00
6415MHz	Pass	3.97	22.36	22.63	25.51	29.48	36.00
6535MHz	Pass	3.14	21.86	22.26	25.07	28.21	36.00
6695MHz	Pass	3.14	24.31	24.35	27.34	30.48	36.00
6855MHz	Pass	3.14	24.80	24.34	27.59	30.73	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	3.97	20.77	21.00	23.90	27.87	36.00
6205MHz	Pass	3.97	24.01	23.77	26.90	30.87	36.00
6405MHz	Pass	3.97	21.72	22.71	25.25	29.22	36.00
6565MHz	Pass	3.14	23.75	24.04	26.91	30.05	36.00
6685MHz	Pass	3.14	23.76	23.77	26.78	29.92	36.00
6845MHz	Pass	3.14	23.18	23.28	26.24	29.38	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	3.97	20.36	20.63	23.51	27.48	36.00
6225MHz	Pass	3.97	24.05	23.81	26.94	30.91	36.00
6385MHz	Pass	3.97	22.06	23.14	25.64	29.61	36.00
6625MHz	Pass	3.14	23.98	24.16	27.08	30.22	36.00
6705MHz	Pass	3.14	24.61	24.34	27.49	30.63	36.00
6785MHz	Pass	3.14	24.55	24.10	27.34	30.48	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	3.97	19.22	19.16	22.20	26.17	36.00
6185MHz	Pass	3.97	19.79	19.81	22.81	26.78	36.00
6345MHz	Pass	3.97	20.18	20.67	23.44	27.41	36.00
6665MHz	Pass	3.14	20.91	21.15	24.04	27.18	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	3.97	20.53	20.81	23.68	27.65	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	4.05	21.17	22.15	24.70	28.75	36.00
6195MHz	Pass	4.05	24.61	24.02	27.34	31.39	36.00
6415MHz	Pass	4.05	22.26	22.61	25.45	29.50	36.00
6535MHz	Pass	3.30	21.77	22.17	24.98	28.28	36.00
6695MHz	Pass	3.30	24.28	24.33	27.32	30.62	36.00
6855MHz	Pass	3.30	24.71	24.23	27.49	30.79	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	4.05	20.74	21.14	23.95	28.00	36.00
6205MHz	Pass	4.05	23.99	23.75	26.88	30.93	36.00
6405MHz	Pass	4.05	21.96	22.95	25.49	29.54	36.00
6565MHz	Pass	3.30	24.06	24.26	27.17	30.47	36.00
6685MHz	Pass	3.30	23.76	23.94	26.86	30.16	36.00
6845MHz	Pass	3.30	23.56	23.38	26.48	29.78	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	4.05	20.77	21.06	23.93	27.98	36.00
6225MHz	Pass	4.05	23.97	23.78	26.89	30.94	36.00
6385MHz	Pass	4.05	21.99	23.06	25.57	29.62	36.00
6625MHz	Pass	3.30	24.02	24.19	27.12	30.42	36.00
6705MHz	Pass	3.30	24.57	24.31	27.45	30.75	36.00
6785MHz	Pass	3.30	24.56	24.04	27.32	30.62	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	4.05	19.40	19.15	22.29	26.34	36.00
6185MHz	Pass	4.05	20.13	20.16	23.16	27.21	36.00
6345MHz	Pass	4.05	20.71	21.24	23.99	28.04	36.00
6665MHz	Pass	3.30	21.15	21.46	24.32	27.62	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-



Average Power_Mode 3

Appendix C.3

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	4.05	20.16	20.48	23.33	27.38	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.95
802.11be EHT20_Nss1,(MCS0)_2TX	4.85
802.11be EHT20_Nss2,(MCS0)_2TX	4.98
802.11be EHT40_Nss1,(MCS0)_1TX	4.93
802.11be EHT40_Nss1,(MCS0)_2TX	4.84
802.11be EHT40_Nss2,(MCS0)_2TX	4.87
802.11be EHT80_Nss1,(MCS0)_1TX	4.88
802.11be EHT80_Nss1,(MCS0)_2TX	4.87
802.11be EHT80_Nss2,(MCS0)_2TX	4.95
802.11be EHT160_Nss1,(MCS0)_1TX	0.27
802.11be EHT160_Nss1,(MCS0)_2TX	4.95
802.11be EHT160_Nss2,(MCS0)_2TX	4.98
802.11be EHT320_Nss1,(MCS0)_1TX	-0.54
802.11be EHT320_Nss1,(MCS0)_2TX	2.73
802.11be EHT320_Nss2,(MCS0)_2TX	1.01
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.94
802.11be EHT20_Nss1,(MCS0)_2TX	4.92
802.11be EHT20_Nss2,(MCS0)_2TX	4.95
802.11be EHT40_Nss1,(MCS0)_1TX	4.89
802.11be EHT40_Nss1,(MCS0)_2TX	4.95
802.11be EHT40_Nss2,(MCS0)_2TX	4.94
802.11be EHT80_Nss1,(MCS0)_1TX	4.91
802.11be EHT80_Nss1,(MCS0)_2TX	4.97
802.11be EHT80_Nss2,(MCS0)_2TX	4.80
802.11be EHT160_Nss1,(MCS0)_1TX	0.89
802.11be EHT160_Nss1,(MCS0)_2TX	4.81
802.11be EHT160_Nss2,(MCS0)_2TX	4.96
802.11be EHT320_Nss1,(MCS0)_1TX	-1.24
802.11be EHT320_Nss1,(MCS0)_2TX	4.83
802.11be EHT320_Nss2,(MCS0)_2TX	1.75
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.96
802.11be EHT20_Nss1,(MCS0)_2TX	4.98
802.11be EHT20_Nss2,(MCS0)_2TX	4.99
802.11be EHT40_Nss1,(MCS0)_1TX	4.83
802.11be EHT40_Nss1,(MCS0)_2TX	4.99
802.11be EHT40_Nss2,(MCS0)_2TX	4.98
802.11be EHT80_Nss1,(MCS0)_1TX	4.98
802.11be EHT80_Nss1,(MCS0)_2TX	4.94
802.11be EHT80_Nss2,(MCS0)_2TX	4.99
802.11be EHT160_Nss1,(MCS0)_1TX	1.56
802.11be EHT160_Nss1,(MCS0)_2TX	4.83
802.11be EHT160_Nss2,(MCS0)_2TX	4.91
802.11be EHT320_Nss1,(MCS0)_1TX	-1.24
802.11be EHT320_Nss1,(MCS0)_2TX	2.82
802.11be EHT320_Nss2,(MCS0)_2TX	2.03
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.76
802.11be EHT20_Nss1,(MCS0)_2TX	4.90
802.11be EHT20_Nss2,(MCS0)_2TX	4.99
802.11be EHT40_Nss1,(MCS0)_1TX	4.85
802.11be EHT40_Nss1,(MCS0)_2TX	4.82
802.11be EHT40_Nss2,(MCS0)_2TX	4.92



Radiated PSD _Mode 1

Appendix D.1

Mode	EIRP PD (dBm/RBW)
802.11be EHT80_Nss1,(MCS0)_1TX	4.90
802.11be EHT80_Nss1,(MCS0)_2TX	4.80
802.11be EHT80_Nss2,(MCS0)_2TX	4.93
802.11be EHT160_Nss1,(MCS0)_1TX	0.69
802.11be EHT160_Nss1,(MCS0)_2TX	4.74
802.11be EHT160_Nss2,(MCS0)_2TX	2.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.95	5.00
6195MHz	Pass	4.85	5.00
6415MHz	Pass	4.79	5.00
6435MHz	Pass	4.94	5.00
6475MHz	Pass	4.83	5.00
6515MHz	Pass	4.91	5.00
6535MHz	Pass	4.96	5.00
6695MHz	Pass	4.95	5.00
6855MHz	Pass	4.84	5.00
6875MHz	Pass	4.83	5.00
6995MHz	Pass	4.73	5.00
7095MHz	Pass	4.76	5.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.88	5.00
6205MHz	Pass	4.93	5.00
6405MHz	Pass	4.74	5.00
6445MHz	Pass	4.84	5.00
6485MHz	Pass	4.71	5.00
6525MHz	Pass	4.89	5.00
6565MHz	Pass	4.79	5.00
6685MHz	Pass	4.81	5.00
6845MHz	Pass	4.83	5.00
6885MHz	Pass	4.78	5.00
7005MHz	Pass	4.85	5.00
7085MHz	Pass	4.71	5.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	4.88	5.00
6225MHz	Pass	4.64	5.00
6385MHz	Pass	4.82	5.00
6465MHz	Pass	4.90	5.00
6545MHz	Pass	4.91	5.00
6625MHz	Pass	4.69	5.00
6705MHz	Pass	4.77	5.00
6785MHz	Pass	4.98	5.00
6865MHz	Pass	4.79	5.00
6945MHz	Pass	4.90	5.00
7025MHz	Pass	2.79	5.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	0.27	5.00
6185MHz	Pass	-3.14	5.00
6345MHz	Pass	-0.01	5.00
6505MHz	Pass	0.89	5.00
6665MHz	Pass	1.16	5.00
6825MHz	Pass	1.56	5.00
6985MHz	Pass	0.69	5.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	-0.54	5.00
6265MHz	Pass	-3.08	5.00
6425MHz	Pass	-3.40	5.00
6585MHz	Pass	-1.24	5.00
6745MHz	Pass	-1.24	5.00
6905MHz	Pass	-2.59	5.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.85	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6195MHz	Pass	4.77	5.00
6415MHz	Pass	4.84	5.00
6435MHz	Pass	4.76	5.00
6475MHz	Pass	4.92	5.00
6515MHz	Pass	4.89	5.00
6535MHz	Pass	4.90	5.00
6695MHz	Pass	4.79	5.00
6855MHz	Pass	4.98	5.00
6875MHz	Pass	4.78	5.00
6995MHz	Pass	4.90	5.00
7095MHz	Pass	4.75	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.79	5.00
6205MHz	Pass	4.84	5.00
6405MHz	Pass	4.75	5.00
6445MHz	Pass	4.69	5.00
6485MHz	Pass	4.79	5.00
6525MHz	Pass	4.95	5.00
6565MHz	Pass	4.85	5.00
6685MHz	Pass	4.86	5.00
6845MHz	Pass	4.99	5.00
6885MHz	Pass	4.92	5.00
7005MHz	Pass	4.72	5.00
7085MHz	Pass	4.82	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.73	5.00
6225MHz	Pass	4.81	5.00
6385MHz	Pass	4.87	5.00
6465MHz	Pass	4.85	5.00
6545MHz	Pass	4.97	5.00
6625MHz	Pass	4.80	5.00
6705MHz	Pass	4.89	5.00
6785MHz	Pass	4.81	5.00
6865MHz	Pass	4.94	5.00
6945MHz	Pass	4.79	5.00
7025MHz	Pass	4.80	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.67	5.00
6185MHz	Pass	4.84	5.00
6345MHz	Pass	4.95	5.00
6505MHz	Pass	4.81	5.00
6665MHz	Pass	4.71	5.00
6825MHz	Pass	4.83	5.00
6985MHz	Pass	4.74	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	1.57	5.00
6265MHz	Pass	1.27	5.00
6425MHz	Pass	2.73	5.00
6585MHz	Pass	4.83	5.00
6745MHz	Pass	2.82	5.00
6905MHz	Pass	-0.49	5.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.85	5.00
6195MHz	Pass	4.72	5.00
6415MHz	Pass	4.98	5.00
6435MHz	Pass	4.95	5.00



Radiated PSD _Mode 1

Appendix D.1

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6475MHz	Pass	4.78	5.00
6515MHz	Pass	4.81	5.00
6535MHz	Pass	4.69	5.00
6695MHz	Pass	4.63	5.00
6855MHz	Pass	4.74	5.00
6875MHz	Pass	4.99	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.96	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.77	5.00
6205MHz	Pass	4.87	5.00
6405MHz	Pass	4.78	5.00
6445MHz	Pass	4.94	5.00
6485MHz	Pass	4.73	5.00
6525MHz	Pass	4.92	5.00
6565MHz	Pass	4.97	5.00
6685MHz	Pass	4.87	5.00
6845MHz	Pass	4.98	5.00
6885MHz	Pass	4.85	5.00
7005MHz	Pass	4.92	5.00
7085MHz	Pass	4.89	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.81	5.00
6225MHz	Pass	4.95	5.00
6385MHz	Pass	4.92	5.00
6465MHz	Pass	4.80	5.00
6545MHz	Pass	4.72	5.00
6625MHz	Pass	4.78	5.00
6705MHz	Pass	4.99	5.00
6785MHz	Pass	4.84	5.00
6865MHz	Pass	4.93	5.00
6945MHz	Pass	4.87	5.00
7025MHz	Pass	4.93	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	1.13	5.00
6185MHz	Pass	4.98	5.00
6345MHz	Pass	4.91	5.00
6505MHz	Pass	4.96	5.00
6665MHz	Pass	4.91	5.00
6825MHz	Pass	4.73	5.00
6985MHz	Pass	2.96	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	0.23	5.00
6265MHz	Pass	0.21	5.00
6425MHz	Pass	1.01	5.00
6585MHz	Pass	1.75	5.00
6745MHz	Pass	2.03	5.00
6905MHz	Pass	-1.48	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

17/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.95		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.06	13.40	7.63	33.76	57.54

15/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.85		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.70	13.32	9.24	43.24	57.87


05/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




05/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6435MHz;TX




05/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6475MHz;TX




15/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6515MHz;TX




17/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




17/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




17/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




15/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6875MHz;TX




17/06/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6995MHz;TX




17/06/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:7095MHz;TX




17/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




15/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




17/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX



05/06/2026


EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6445MHz;TX



17/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.71				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.58	12.43	7.88	33.44	58.28

17/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.53	12.36	7.88	33.43	58.33


15/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




15/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




17/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




15/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6885MHz;TX




06/06/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:7005MHz;TX




17/06/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:7085MHz;TX




05/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




17/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




15/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6465MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6545MHz;TX




06/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




15/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX



17/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX



17/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6865MHz;TX

CF Freq
6.865GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.79		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.36	12.38	8.18	33.41	58.76

17/06/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6945MHz;TX

CF Freq
6.945GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.9		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.94	11.93	8.31	33.40	58.86


06/06/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:7025MHz;TX




10/08/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




08/07/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




18/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




18/06/2026

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6505MHz;TX




18/06/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




18/06/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6825MHz;TX




08/07/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6985MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX



24/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX



18/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6425MHz;TX

CF Freq
6.425GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	-3.4	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.43	13.13	7.72	33.57	58.01

18/06/2026

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6585MHz;TX

CF Freq
6.585GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8


Horizontal

EIRP PSD (dBm)	-1.24	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.70	12.33	7.87	33.43	58.35

18/06/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6745MHz;TX

CF Freq
6.745GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	-1.24	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.84	12.38	7.91	33.42	58.49

15/06/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 8
Horizontal

EIRP PSD (dBm)	-2.59	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.35	12.70	9.71	42.94	58.69

18/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.85		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.19	13.40	7.64	33.75	57.55

15/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.77		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.84	13.30	9.25	43.23	57.89


15/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX



15/06/2026


EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX



18/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX

CF Freq
6.475GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.35	12.44	7.88	33.44	58.27

06/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX

CF Freq
6.515GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.89	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.49	12.38	7.88	33.43	58.31


08/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




18/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




15/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




18/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




08/06/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




18/06/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX



15/06/2026


EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX



18/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.75				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.13	12.70	7.90	33.49	58.17

15/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX

CF Freq
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.17	12.72	9.46	43.10	58.22

15/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.79	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.43	12.50	9.49	43.07	58.30

18/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.95	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.45	12.37	7.88	33.43	58.32


18/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




08/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




18/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




08/07/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




08/06/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




18/06/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




15/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




15/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




15/06/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




18/06/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX



18/06/2026


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX



18/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.82	12.40	7.97	33.42	58.56

18/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.81				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.97	12.50	8.05	33.41	58.64


18/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




15/06/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




18/06/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




09/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




18/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




09/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




18/06/2026

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX



18/06/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



18/06/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX

CF Freq
6.825GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.83		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.72	12.09	8.24	33.41	58.81

09/06/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.252s

Detector Type
RMS

CP BW
160MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.74		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.30	11.02	11.00	32.77	58.83

18/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
1.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.91	13.30	7.61	33.65	57.82

24/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
1.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.28	13.26	7.60	33.64	57.85


09/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




09/06/2026

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




18/06/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX




15/06/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX




18/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




19/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6435MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6475MHz;TX



06/06/2026


EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6515MHz;TX



16/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.65	12.44	9.50	43.06	58.34

08/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.479s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.61	10.60	10.86	32.58	58.56


08/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6855MHz;TX




08/06/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6875MHz;TX




19/06/2026

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6995MHz;TX



19/06/2026


EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:7095MHz;TX



19/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.33	13.40	7.67	33.75	57.58

19/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.80	13.20	7.59	33.62	57.90


16/06/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




16/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6445MHz;TX




16/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6485MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6525MHz;TX




08/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX




19/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




19/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6845MHz;TX




19/06/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6885MHz;TX




09/06/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7005MHz;TX




19/06/2026

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7085MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




19/06/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




19/06/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6465MHz;TX




16/06/2026

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6545MHz;TX




16/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




19/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




08/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




16/06/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6865MHz;TX




19/06/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6945MHz;TX




19/06/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:7025MHz;TX




19/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




06/06/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6505MHz;TX




06/06/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




24/06/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6825MHz;TX



06/06/2026


EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6985MHz;TX



19/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
0.23				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.25	13.30	7.61	33.65	57.82

06/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
0.21				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.51	13.20	7.61	33.61	57.92


06/06/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6425MHz;TX




06/06/2026

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6585MHz;TX




19/06/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6745MHz;TX



16/06/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6905MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT320-BF_Nss1,(MCS0)_2TX	3.09
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.94
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.69
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.23
802.11be EHT320-BF_Nss1,(MCS0)_2TX	0.85
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT320-BF_Nss1,(MCS0)_2TX	0.90
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.89
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.48

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.97	5.00
6195MHz	Pass	4.78	5.00
6415MHz	Pass	4.89	5.00
6435MHz	Pass	4.79	5.00
6475MHz	Pass	4.79	5.00
6515MHz	Pass	4.94	5.00
6535MHz	Pass	4.95	5.00
6695MHz	Pass	4.96	5.00
6855MHz	Pass	4.98	5.00
6875MHz	Pass	4.93	5.00
6895MHz	Pass	4.80	5.00
6995MHz	Pass	4.68	5.00
7095MHz	Pass	4.86	5.00
7115MHz	Pass	-Inf	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.73	5.00
6205MHz	Pass	4.96	5.00
6405MHz	Pass	4.96	5.00
6445MHz	Pass	4.83	5.00
6485MHz	Pass	4.97	5.00
6525MHz	Pass	4.79	5.00
6565MHz	Pass	4.98	5.00
6685MHz	Pass	4.62	5.00
6845MHz	Pass	4.82	5.00
6885MHz	Pass	4.93	5.00
6925MHz	Pass	4.85	5.00
7005MHz	Pass	4.90	5.00
7085MHz	Pass	4.76	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.88	5.00
6225MHz	Pass	4.84	5.00
6385MHz	Pass	4.63	5.00
6465MHz	Pass	4.61	5.00
6545MHz	Pass	4.69	5.00
6625MHz	Pass	4.71	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.93	5.00
6865MHz	Pass	4.76	5.00
6945MHz	Pass	4.89	5.00
7025MHz	Pass	4.87	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.30	5.00
6185MHz	Pass	4.09	5.00
6345MHz	Pass	4.91	5.00
6505MHz	Pass	4.23	5.00
6665MHz	Pass	4.98	5.00
6825MHz	Pass	4.50	5.00
6985MHz	Pass	4.48	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.09	5.00
6265MHz	Pass	1.08	5.00
6425MHz	Pass	2.81	5.00
6585MHz	Pass	0.85	5.00
6745MHz	Pass	0.90	5.00



Radiated PSD_Mode 2

Appendix D.2

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6905MHz	Pass	0.11	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

03/06/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.16	11.42	8.14	30.14	57.55

03/06/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.34	11.57	8.02	30.20	57.87


03/06/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




03/06/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




03/06/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




03/06/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




03/06/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




04/06/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




04/06/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




04/06/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




04/06/2026

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX



04/06/2026

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX



04/06/2026

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX

CF Freq
7.095GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	4.86	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.46	11.78	8.94	30.89	59.05

04/06/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)	4.73	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.38	11.45	8.13	30.14	57.57


04/06/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




04/06/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




04/06/2026

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




04/06/2026

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




04/06/2026

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX



04/06/2026


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



04/06/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.62	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.51	11.68	8.80	30.53	58.54

04/06/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.82	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.66	11.60	9.04	30.70	58.74


04/06/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




04/06/2026

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




04/06/2026

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




04/06/2026

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




04/06/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX



04/06/2026


EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX



04/06/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.70	11.89	8.35	30.29	58.16

04/06/2026

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX

CF Freq
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.61				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.65	12.15	8.46	30.32	58.27


04/06/2026

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




04/06/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX



05/06/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX



05/06/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX

