


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6405MHz	Pass	RMS	12.81312G	33.92	68.20	-34.28	3	Horizontal	0	1.47	-
6405MHz	Pass	PK	19.22288G	47.90	83.54	-35.64	1	Vertical	259	1.35	-
6405MHz	Pass	AV	19.22066G	35.40	63.54	-28.14	1	Vertical	259	1.35	-
6405MHz	Pass	PK	19.21712G	48.46	83.54	-35.08	1	Horizontal	117	1.59	-
6405MHz	Pass	AV	19.22308G	35.19	63.54	-28.35	1	Horizontal	117	1.59	-
6445MHz	Pass	PK	12.89222G	47.27	88.20	-40.93	3	Vertical	39	2.03	-
6445MHz	Pass	RMS	12.88438G	34.25	68.20	-33.95	3	Vertical	39	2.03	-
6445MHz	Pass	PK	12.89622G	46.60	88.20	-41.60	3	Horizontal	75	1.41	-
6445MHz	Pass	RMS	12.89426G	34.18	68.20	-34.02	3	Horizontal	75	1.41	-
6445MHz	Pass	PK	19.22044G	47.53	83.54	-36.01	1	Vertical	301	1.42	-
6445MHz	Pass	AV	19.22234G	34.39	63.54	-29.15	1	Vertical	301	1.42	-
6445MHz	Pass	PK	19.22074G	47.54	83.54	-36.00	1	Horizontal	67	1.46	-
6445MHz	Pass	AV	19.2196G	34.28	63.54	-29.26	1	Horizontal	67	1.46	-
6485MHz	Pass	PK	12.9696G	46.57	88.20	-41.63	3	Vertical	208	1.71	-
6485MHz	Pass	RMS	12.97978G	33.81	68.20	-34.39	3	Vertical	208	1.71	-
6485MHz	Pass	PK	12.97282G	47.28	88.20	-40.92	3	Horizontal	126	1.74	-
6485MHz	Pass	RMS	12.96912G	33.80	68.20	-34.40	3	Horizontal	126	1.74	-
6485MHz	Pass	PK	19.46046G	51.41	83.54	-32.13	1	Vertical	255	1.70	-
6485MHz	Pass	AV	19.45296G	38.51	63.54	-25.03	1	Vertical	255	1.70	-
6485MHz	Pass	PK	19.4611G	51.08	83.54	-32.46	1	Horizontal	224	1.57	-
6485MHz	Pass	AV	19.45812G	38.50	63.54	-25.04	1	Horizontal	224	1.57	-
6525MHz	Pass	PK	13.04718G	47.37	88.20	-40.83	3	Vertical	238	1.83	-
6525MHz	Pass	RMS	13.04218G	34.77	68.20	-33.43	3	Vertical	238	1.83	-
6525MHz	Pass	PK	13.04752G	47.84	88.20	-40.36	3	Horizontal	218	1.92	-
6525MHz	Pass	RMS	13.04066G	34.73	68.20	-33.47	3	Horizontal	218	1.92	-
6525MHz	Pass	PK	19.57526G	54.81	83.54	-28.73	1	Vertical	134	2.03	-
6525MHz	Pass	AV	19.58278G	42.32	63.54	-21.22	1	Vertical	134	2.03	-
6525MHz	Pass	PK	19.57506G	55.25	83.54	-28.29	1	Horizontal	61	2.10	-
6525MHz	Pass	AV	19.58036G	42.36	63.54	-21.18	1	Horizontal	61	2.10	-
6565MHz	Pass	PK	13.13166G	48.71	88.20	-39.49	3	Vertical	111	1.97	-
6565MHz	Pass	RMS	13.13318G	35.00	68.20	-33.20	3	Vertical	111	1.97	-
6565MHz	Pass	PK	13.12012G	47.88	88.20	-40.32	3	Horizontal	83	1.90	-
6565MHz	Pass	RMS	13.13874G	35.06	68.20	-33.14	3	Horizontal	83	1.90	-
6565MHz	Pass	PK	19.69494G	56.33	83.54	-27.21	1	Vertical	46	1.83	-
6565MHz	Pass	AV	19.69482G	43.37	63.54	-20.17	1	Vertical	46	1.83	-
6565MHz	Pass	PK	19.69G	56.43	83.54	-27.11	1	Horizontal	176	1.34	-
6565MHz	Pass	AV	19.69988G	43.02	63.54	-20.52	1	Horizontal	176	1.34	-
6685MHz	Pass	PK	13.36944G	49.34	74.00	-24.66	3	Vertical	143	2.09	-
6685MHz	Pass	AV	13.37426G	35.98	54.00	-18.02	3	Vertical	143	2.09	-
6685MHz	Pass	PK	13.3642G	49.17	74.00	-24.83	3	Horizontal	139	1.91	-
6685MHz	Pass	AV	13.37384G	36.01	54.00	-17.99	3	Horizontal	139	1.91	-
6685MHz	Pass	PK	20.05072G	51.53	83.54	-32.01	1	Vertical	306	1.98	-
6685MHz	Pass	AV	20.04648G	38.77	63.54	-24.77	1	Vertical	306	1.98	-
6685MHz	Pass	PK	20.06402G	52.03	83.54	-31.51	1	Horizontal	141	1.61	-
6685MHz	Pass	AV	20.04926G	38.70	63.54	-24.84	1	Horizontal	141	1.61	-
6845MHz	Pass	PK	13.68416G	51.00	88.20	-37.20	3	Vertical	284	1.52	-
6845MHz	Pass	RMS	13.69324G	38.51	68.20	-29.69	3	Vertical	284	1.52	-
6845MHz	Pass	PK	13.69034G	51.44	88.20	-36.76	3	Horizontal	39	1.49	-
6845MHz	Pass	RMS	13.69188G	38.43	68.20	-29.77	3	Horizontal	39	1.49	-
6845MHz	Pass	PK	20.53932G	57.62	83.54	-25.92	1	Vertical	355	1.32	-
6845MHz	Pass	AV	20.54428G	44.05	63.54	-19.49	1	Vertical	355	1.32	-
6845MHz	Pass	PK	20.5442G	57.89	83.54	-25.65	1	Horizontal	62	1.40	-
6845MHz	Pass	AV	20.54444G	44.28	63.54	-19.26	1	Horizontal	62	1.40	-
6885MHz	Pass	PK	13.77302G	51.38	88.20	-36.82	3	Vertical	74	1.53	-
6885MHz	Pass	RMS	13.7602G	37.70	68.20	-30.50	3	Vertical	74	1.53	-
6885MHz	Pass	PK	13.76122G	51.05	88.20	-37.15	3	Horizontal	76	1.66	-
6885MHz	Pass	RMS	13.76156G	37.81	68.20	-30.39	3	Horizontal	76	1.66	-
6885MHz	Pass	PK	20.66156G	57.87	83.54	-25.67	1	Vertical	65	1.47	-
6885MHz	Pass	AV	20.6529G	43.55	63.54	-19.99	1	Vertical	65	1.47	-
6885MHz	Pass	PK	20.6565G	56.55	83.54	-26.99	1	Horizontal	112	1.61	-
6885MHz	Pass	AV	20.65016G	43.40	63.54	-20.14	1	Horizontal	112	1.61	-
6925MHz	Pass	PK	13.84196G	51.39	88.20	-36.81	3	Vertical	128	1.70	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6925MHz	Pass	RMS	13.84542G	37.79	68.20	-30.41	3	Vertical	128	1.70	-
6925MHz	Pass	PK	13.85156G	50.73	88.20	-37.47	3	Horizontal	351	1.35	-
6925MHz	Pass	RMS	13.84456G	37.78	68.20	-30.42	3	Horizontal	351	1.35	-
6925MHz	Pass	PK	20.7735G	59.53	83.54	-24.01	1	Vertical	358	1.55	-
6925MHz	Pass	AV	20.76842G	46.13	63.54	-17.41	1	Vertical	358	1.55	-
6925MHz	Pass	PK	20.76844G	59.32	83.54	-24.22	1	Horizontal	32	2.10	-
6925MHz	Pass	AV	20.76886G	45.93	63.54	-17.61	1	Horizontal	32	2.10	-
7005MHz	Pass	PK	14.01592G	52.48	88.20	-35.72	3	Vertical	171	1.55	-
7005MHz	Pass	RMS	14.00792G	39.44	68.20	-28.76	3	Vertical	171	1.55	-
7005MHz	Pass	PK	14.01136G	52.85	88.20	-35.35	3	Horizontal	195	1.87	-
7005MHz	Pass	RMS	14.00418G	39.51	68.20	-28.69	3	Horizontal	195	1.87	-
7005MHz	Pass	PK	21.00834G	49.28	83.54	-34.26	1	Vertical	38	1.92	-
7005MHz	Pass	AV	21.01264G	35.20	63.54	-28.34	1	Vertical	38	1.92	-
7005MHz	Pass	PK	21.02232G	48.76	83.54	-34.78	1	Horizontal	244	2.01	-
7005MHz	Pass	AV	21.01806G	35.24	63.54	-28.30	1	Horizontal	244	2.01	-
7085MHz	Pass	PK	7.0784G	107.63	Inf	-Inf	3	Vertical	-0	1.00	-
7085MHz	Pass	RMS	7.077G	97.14	Inf	-Inf	3	Vertical	-0	1.00	-
7085MHz	Pass	PK	7.1296G	70.49	88.20	-17.71	3	Vertical	-0	1.00	-
7085MHz	Pass	RMS	7.1274G	59.52	68.20	-8.68	3	Vertical	-0	1.00	-
7085MHz	Pass	PK	7.074G	113.65	Inf	-Inf	3	Horizontal	-0	2.90	-
7085MHz	Pass	RMS	7.076G	104.55	Inf	-Inf	3	Horizontal	-0	2.90	-
7085MHz	Pass	PK	7.1284G	77.46	88.20	-10.74	3	Horizontal	-0	2.90	-
7085MHz	Pass	RMS	7.1258G	67.89	68.20	-0.31	3	Horizontal	-0	2.90	-
7085MHz	Pass	PK	14.16632G	53.38	88.20	-34.82	3	Vertical	67	1.87	-
7085MHz	Pass	RMS	14.16292G	40.27	68.20	-27.93	3	Vertical	67	1.87	-
7085MHz	Pass	PK	14.1647G	53.73	88.20	-34.47	3	Horizontal	121	1.67	-
7085MHz	Pass	RMS	14.17664G	40.32	68.20	-27.88	3	Horizontal	121	1.67	-
7085MHz	Pass	PK	21.26498G	50.05	83.54	-33.49	1	Vertical	296	2.05	-
7085MHz	Pass	AV	21.26496G	36.51	63.54	-27.03	1	Vertical	296	2.05	-
7085MHz	Pass	PK	21.25802G	49.49	83.54	-34.05	1	Horizontal	260	1.90	-
7085MHz	Pass	AV	21.26032G	36.59	63.54	-26.95	1	Horizontal	260	1.90	-
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	PK	5.9214G	71.63	88.20	-16.57	3	Vertical	4	2.32	-
5985MHz	Pass	RMS	5.9238G	61.82	68.20	-6.38	3	Vertical	4	2.32	-
5985MHz	Pass	PK	6.0158G	104.26	Inf	-Inf	3	Vertical	4	2.32	-
5985MHz	Pass	RMS	5.9706G	94.19	Inf	-Inf	3	Vertical	4	2.32	-
5985MHz	Pass	PK	5.9134G	78.12	88.20	-10.08	3	Horizontal	1	2.60	-
5985MHz	Pass	RMS	5.9238G	67.63	68.20	-0.57	3	Horizontal	1	2.60	-
5985MHz	Pass	PK	5.9962G	110.14	Inf	-Inf	3	Horizontal	1	2.60	-
5985MHz	Pass	RMS	5.9962G	100.86	Inf	-Inf	3	Horizontal	1	2.60	-
6225MHz											
6385MHz											
6465MHz											
6545MHz											
6625MHz											
6705MHz											
6785MHz											
6865MHz											
6945MHz											
7025MHz	Pass	PK	6.9894G	103.67	Inf	-Inf	3	Vertical	25	2.81	-
7025MHz	Pass	RMS	6.9994G	94.33	Inf	-Inf	3	Vertical	25	2.81	-
7025MHz	Pass	PK	7.125G	70.56	88.20	-17.64	3	Vertical	25	2.81	-
7025MHz	Pass	RMS	7.127G	60.29	68.20	-7.91	3	Vertical	25	2.81	-
7025MHz	Pass	PK	6.9958G	116.03	Inf	-Inf	3	Horizontal	354	2.28	-
7025MHz	Pass	RMS	6.9954G	102.04	Inf	-Inf	3	Horizontal	354	2.28	-
7025MHz	Pass	PK	7.1254G	78.79	88.20	-9.41	3	Horizontal	354	2.28	-
7025MHz	Pass	RMS	7.1254G	67.69	68.20	-0.51	3	Horizontal	354	2.28	-
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	PK	5.9235G	72.93	88.20	-15.27	3	Vertical	7	2.44	-
6025MHz	Pass	RMS	5.9235G	60.80	68.20	-7.40	3	Vertical	7	2.44	-
6025MHz	Pass	PK	6.0435G	100.91	Inf	-Inf	3	Vertical	7	2.44	-
6025MHz	Pass	RMS	6.051G	92.10	Inf	-Inf	3	Vertical	7	2.44	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6025MHz	Pass	PK	5.9215G	78.47	88.20	-9.73	3	Horizontal	3	2.58	-
6025MHz	Pass	RMS	5.924G	67.51	68.20	-0.69	3	Horizontal	3	2.58	-
6025MHz	Pass	PK	6.0895G	108.72	Inf	-Inf	3	Horizontal	3	2.58	-
6025MHz	Pass	RMS	6.089G	99.29	Inf	-Inf	3	Horizontal	3	2.58	-
6185MHz											
6345MHz											
6505MHz											
6665MHz											
6825MHz											
6985MHz	Pass	PK	6.9206G	99.78	Inf	-Inf	3	Vertical	288	2.97	-
6985MHz	Pass	RMS	6.9248G	91.19	Inf	-Inf	3	Vertical	288	2.97	-
6985MHz	Pass	PK	7.146G	67.64	88.20	-20.56	3	Vertical	288	2.97	-
6985MHz	Pass	RMS	7.1474G	56.43	68.20	-11.77	3	Vertical	288	2.97	-
6985MHz	Pass	PK	7.2608G	56.02	74.00	-17.98	3	Vertical	288	2.97	-
6985MHz	Pass	AV	7.2552G	46.67	54.00	-7.33	3	Vertical	288	2.97	-
6985MHz	Pass	PK	6.929G	107.67	Inf	-Inf	3	Horizontal	360	2.98	-
6985MHz	Pass	RMS	6.9234G	98.86	Inf	-Inf	3	Horizontal	360	2.98	-
6985MHz	Pass	PK	7.1306G	77.75	88.20	-10.45	3	Horizontal	360	2.98	-
6985MHz	Pass	RMS	7.1264G	68.02	68.20	-0.18	3	Horizontal	360	2.98	-
6985MHz	Pass	PK	7.251G	62.33	74.00	-11.67	3	Horizontal	360	2.98	-
6985MHz	Pass	AV	7.25G	52.20	54.00	-1.80	3	Horizontal	360	2.98	-
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.9138G	74.96	88.20	-13.24	3	Vertical	307	2.45	-
6105MHz	Pass	RMS	5.9234G	65.18	68.20	-3.02	3	Vertical	307	2.45	-
6105MHz	Pass	PK	5.9618G	109.43	Inf	-Inf	3	Vertical	307	2.45	-
6105MHz	Pass	RMS	6.1434G	90.56	Inf	-Inf	3	Vertical	307	2.45	-
6105MHz	Pass	PK	5.921G	77.73	88.20	-10.47	3	Horizontal	350	2.90	-
6105MHz	Pass	RMS	5.9234G	67.91	68.20	-0.29	3	Horizontal	350	2.90	-
6105MHz	Pass	PK	6.005G	106.31	Inf	-Inf	3	Horizontal	350	2.90	-
6105MHz	Pass	RMS	6.1378G	97.94	Inf	-Inf	3	Horizontal	350	2.90	-
6265MHz											
6425MHz											
6585MHz											
6745MHz											
6905MHz	Pass	PK	6.86G	95.00	Inf	-Inf	3	Vertical	325	3.00	-
6905MHz	Pass	RMS	6.884G	86.66	Inf	-Inf	3	Vertical	325	3.00	-
6905MHz	Pass	PK	7.1465G	63.66	88.20	-24.54	3	Vertical	325	3.00	-
6905MHz	Pass	RMS	7.1435G	52.32	68.20	-15.88	3	Vertical	325	3.00	-
6905MHz	Pass	PK	7.292G	57.22	74.00	-16.78	3	Vertical	325	3.00	-
6905MHz	Pass	AV	7.322G	47.04	54.00	-6.96	3	Vertical	325	3.00	-
6905MHz	Pass	PK	6.788G	102.77	Inf	-Inf	3	Horizontal	6	2.84	-
6905MHz	Pass	RMS	6.7835G	93.66	Inf	-Inf	3	Horizontal	6	2.84	-
6905MHz	Pass	PK	7.1435G	69.49	88.20	-18.71	3	Horizontal	6	2.84	-
6905MHz	Pass	RMS	7.127G	58.70	68.20	-9.50	3	Horizontal	6	2.84	-
6905MHz	Pass	PK	7.2695G	62.51	74.00	-11.49	3	Horizontal	6	2.84	-
6905MHz	Pass	AV	7.262G	53.29	54.00	-0.71	3	Horizontal	6	2.84	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 91
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	70.16	88.20	-18.04	57.98	3	Vertical	332	2.63	-	34.19	8.15	30.16			
RMS	5.925G	59.24	68.20	-8.96	47.05	3	Vertical	332	2.63	-	34.20	8.15	30.16			
PK	5.961G	113.98	Inf	-Inf	101.68	3	Vertical	332	2.63	-	34.30	8.14	30.14			
RMS	5.9586G	103.08	Inf	-Inf	90.78	3	Vertical	332	2.63	-	34.30	8.14	30.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 91
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9116G	79.19	88.20	-9.01	67.04	3	Horizontal	7	2.60	-	34.15	8.16	30.16			
RMS	5.9244G	67.41	68.20	-0.79	55.22	3	Horizontal	7	2.60	-	34.20	8.15	30.16			
PK	5.9468G	118.20	Inf	-Inf	105.92	3	Horizontal	7	2.60	-	34.29	8.14	30.15			
RMS	5.9592G	107.87	Inf	-Inf	95.57	3	Horizontal	7	2.60	-	34.30	8.14	30.14			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 88
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.086G	110.03	Inf	-Inf	96.51	3	Vertical	259	1.72	-	35.47	8.94	30.89				
RMS	7.0862G	100.47	Inf	-Inf	86.95	3	Vertical	259	1.72	-	35.47	8.94	30.89				
PK	7.1262G	76.78	88.20	-11.42	63.11	3	Vertical	259	1.72	-	35.60	8.96	30.89				
RMS	7.1258G	58.18	68.20	-10.02	44.51	3	Vertical	259	1.72	-	35.60	8.96	30.89				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 88
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1038G	120.14	Inf	-Inf	106.56	3	Horizontal	3	2.96	-	35.52	8.95	30.89			
RMS	7.0886G	110.53	Inf	-Inf	97.00	3	Horizontal	3	2.96	-	35.48	8.94	30.89			
PK	7.1306G	85.51	88.20	-2.69	71.81	3	Horizontal	3	2.96	-	35.62	8.97	30.89			
RMS	7.1262G	67.01	68.20	-1.19	53.34	3	Horizontal	3	2.96	-	35.60	8.96	30.89			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 84
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9204G	72.32	88.20	-15.88	60.14	3	Vertical	7	1.76	-	34.18	8.16	30.16			
RMS	5.9232G	61.45	68.20	-6.75	49.27	3	Vertical	7	1.76	-	34.19	8.15	30.16			
PK	5.983G	106.55	Inf	-Inf	94.26	3	Vertical	7	1.76	-	34.30	8.13	30.14			
RMS	5.9756G	96.78	Inf	-Inf	84.49	3	Vertical	7	1.76	-	34.30	8.13	30.14			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 84
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	79.40	88.20	-8.80	67.21	3	Horizontal	6	2.69	-	34.19	8.16	30.16			
RMS	5.9242G	67.88	68.20	-0.32	55.69	3	Horizontal	6	2.69	-	34.20	8.15	30.16			
PK	5.9542G	112.76	Inf	-Inf	100.47	3	Horizontal	6	2.69	-	34.30	8.14	30.15			
RMS	5.9794G	103.92	Inf	-Inf	91.63	3	Horizontal	6	2.69	-	34.30	8.13	30.14			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 84
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93044G	47.53	74.00	-26.47	41.45	3	Vertical	311	2.03	-	39.28	12.75	45.95			
AV	11.9309G	34.53	54.00	-19.47	28.44	3	Vertical	311	2.03	-	39.28	12.76	45.95			
PK	17.9012G	57.08	74.00	-16.92	40.94	3	Vertical	104	1.76	-	46.20	15.22	45.28			
AV	17.89486G	44.49	54.00	-9.51	28.39	3	Vertical	104	1.76	-	46.16	15.22	45.28			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 84
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93048G	48.10	74.00	-25.90	42.02	3	Horizontal	269	1.57	-	39.28	12.75	45.95			
AV	11.92364G	34.54	54.00	-19.46	28.42	3	Horizontal	269	1.57	-	39.31	12.75	45.94			
PK	17.90138G	57.73	74.00	-16.27	41.59	3	Horizontal	104	1.62	-	46.20	15.22	45.28			
AV	17.89782G	44.36	54.00	-9.64	28.24	3	Horizontal	104	1.62	-	46.18	15.22	45.28			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 84
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85138G	54.46	83.54	-29.08	44.19	1	Vertical	52	1.44	-	38.60	18.76	47.09			
AV	23.8535G	41.36	63.54	-22.18	31.07	1	Vertical	52	1.44	-	38.61	18.76	47.08			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 84
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8629G	53.95	83.54	-29.59	43.64	1	Horizontal	318	1.74	-	38.63	18.76	47.08			
AV	23.85094G	41.25	63.54	-22.29	30.98	1	Horizontal	318	1.74	-	38.60	18.76	47.09			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41362G	48.27	74.00	-25.73	42.30	3	Vertical	315	1.53	-	38.67	12.85	45.55			
AV	12.4111G	35.34	54.00	-18.66	29.36	3	Vertical	315	1.53	-	38.68	12.85	45.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41888G	47.93	74.00	-26.07	41.96	3	Horizontal	166	2.04	-	38.66	12.85	45.54			
AV	12.40876G	35.42	54.00	-18.58	29.44	3	Horizontal	166	2.04	-	38.68	12.85	45.55			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60634G	47.38	83.54	-36.16	42.76	1	Vertical	63	1.41	-	37.70	16.59	49.67			
AV	18.6116G	34.15	63.54	-29.39	29.52	1	Vertical	63	1.41	-	37.70	16.59	49.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61086G	46.89	83.54	-36.65	42.26	1	Horizontal	165	1.83	-	37.70	16.59	49.66			
AV	18.60908G	34.19	63.54	-29.35	29.56	1	Horizontal	165	1.83	-	37.70	16.59	49.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80728G	47.35	88.20	-40.85	41.16	3	Vertical	180	1.48	-	39.01	12.92	45.74			
RMS	12.8197G	33.89	68.20	-34.31	27.68	3	Vertical	180	1.48	-	39.04	12.92	45.75			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80348G	46.83	88.20	-41.37	40.65	3	Horizontal	0	1.47	-	39.01	12.91	45.74			
RMS	12.81312G	33.92	68.20	-34.28	27.72	3	Horizontal	0	1.47	-	39.03	12.92	45.75			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22288G	47.90	83.54	-35.64	42.98	1	Vertical	259	1.35	-	37.74	16.04	48.86			
AV	19.22066G	35.40	63.54	-28.14	30.51	1	Vertical	259	1.35	-	37.72	16.03	48.86			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21712G	48.46	83.54	-35.08	43.59	1	Horizontal	117	1.59	-	37.70	16.03	48.86			
AV	19.22308G	35.19	63.54	-28.35	30.27	1	Horizontal	117	1.59	-	37.74	16.04	48.86			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8922G	47.27	88.20	-40.93	40.98	3	Vertical	39	2.03	-	39.18	12.93	45.82			
RMS	12.88438G	34.25	68.20	-33.95	27.96	3	Vertical	39	2.03	-	39.17	12.93	45.81			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89622G	46.60	88.20	-41.60	40.30	3	Horizontal	75	1.41	-	39.19	12.93	45.82			
RMS	12.89426G	34.18	68.20	-34.02	27.88	3	Horizontal	75	1.41	-	39.19	12.93	45.82			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22044G	47.53	83.54	-36.01	42.30	1	Vertical	301	1.42	-	37.78	16.92	49.47			
AV	19.22234G	34.39	63.54	-29.15	29.15	1	Vertical	301	1.42	-	37.79	16.92	49.47			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22074G	47.54	83.54	-36.00	42.31	1	Horizontal	67	1.46	-	37.78	16.92	49.47			
AV	19.2196G	34.28	63.54	-29.26	29.05	1	Horizontal	67	1.46	-	37.78	16.92	49.47			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9696G	46.57	88.20	-41.63	40.18	3	Vertical	208	1.71	-	39.34	12.94	45.89			
RMS	12.97978G	33.81	68.20	-34.39	27.41	3	Vertical	208	1.71	-	39.36	12.94	45.90			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97282G	47.28	88.20	-40.92	40.88	3	Horizontal	126	1.74	-	39.35	12.94	45.89			
RMS	12.96912G	33.80	68.20	-34.40	27.41	3	Horizontal	126	1.74	-	39.34	12.94	45.89			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.46046G	51.41	83.54	-32.13	46.23	1	Vertical	255	1.70	-	37.70	17.06	49.58			
AV	19.45296G	38.51	63.54	-25.03	33.34	1	Vertical	255	1.70	-	37.70	17.05	49.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6485MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4611G	51.08	83.54	-32.46	45.90	1	Horizontal	224	1.57	-	37.70	17.06	49.58			
AV	19.45812G	38.50	63.54	-25.04	33.32	1	Horizontal	224	1.57	-	37.70	17.06	49.58			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04218G	47.37	88.20	-40.83	40.85	3	Vertical	238	1.83	-	39.40	12.95	45.83			
RMS	13.04218G	34.77	68.20	-33.43	28.26	3	Vertical	238	1.83	-	39.40	12.95	45.84			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6525MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04752G	47.84	88.20	-40.36	41.32	3	Horizontal	218	1.92	-	39.40	12.95	45.83			
RMS	13.04066G	34.73	68.20	-33.47	28.23	3	Horizontal	218	1.92	-	39.40	12.95	45.85			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6525MHz_TX

EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57526G	54.81	83.54	-28.73	49.54	1	Vertical	134	2.03	-	37.70	17.12	49.55			
AV	19.58278G	42.32	63.54	-21.22	37.03	1	Vertical	134	2.03	-	37.70	17.13	49.54			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57506G	55.25	83.54	-28.29	49.98	1	Horizontal	61	2.10	-	37.70	17.12	49.55			
AV	19.58036G	42.36	63.54	-21.18	37.07	1	Horizontal	61	2.10	-	37.70	17.13	49.54			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13166G	48.71	88.20	-39.49	41.72	3	Vertical	111	1.97	-	39.70	12.97	45.68			
RMS	13.13318G	35.00	68.20	-33.20	28.01	3	Vertical	111	1.97	-	39.70	12.97	45.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12012G	47.88	88.20	-40.32	40.92	3	Horizontal	83	1.90	-	39.70	12.96	45.70			
RMS	13.13874G	35.06	68.20	-33.14	28.06	3	Horizontal	83	1.90	-	39.70	12.97	45.67			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69494G	56.33	83.54	-27.21	50.82	1	Vertical	46	1.83	-	37.78	17.19	49.46			
AV	19.69482G	43.37	63.54	-20.17	37.86	1	Vertical	46	1.83	-	37.78	17.19	49.46			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69G	56.43	83.54	-27.11	50.94	1	Horizontal	176	1.34	-	37.76	17.19	49.46			
AV	19.69988G	43.02	63.54	-20.52	37.48	1	Horizontal	176	1.34	-	37.80	17.20	49.46			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36944G	49.34	74.00	-24.66	41.45	3	Vertical	143	2.09	-	40.14	13.00	45.25			
AV	13.37426G	35.98	54.00	-18.02	28.07	3	Vertical	143	2.09	-	40.15	13.00	45.24			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3642G	49.17	74.00	-24.83	41.30	3	Horizontal	139	1.91	-	40.13	13.00	45.26			
AV	13.37384G	36.01	54.00	-17.99	28.10	3	Horizontal	139	1.91	-	40.15	13.00	45.24			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05072G	51.53	83.54	-32.01	45.79	1	Vertical	306	1.98	-	37.60	17.38	49.24			
AV	20.04648G	38.77	63.54	-24.77	33.02	1	Vertical	306	1.98	-	37.61	17.38	49.24			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06402G	52.03	83.54	-31.51	46.26	1	Horizontal	141	1.61	-	37.63	17.38	49.24			
AV	20.04926G	38.70	63.54	-24.84	32.96	1	Horizontal	141	1.61	-	37.60	17.38	49.24			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68416G	51.00	88.20	-37.20	42.23	3	Vertical	284	1.52	-	40.77	13.05	45.05			
RMS	13.69324G	38.51	68.20	-29.69	29.72	3	Vertical	284	1.52	-	40.79	13.05	45.05			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69034G	51.44	88.20	-36.76	42.66	3	Horizontal	39	1.49	-	40.78	13.05	45.05			
RMS	13.69188G	38.43	68.20	-29.77	29.65	3	Horizontal	39	1.49	-	40.78	13.05	45.05			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53932G	57.62	83.54	-25.92	51.67	1	Vertical	355	1.32	-	37.70	17.45	49.20			
AV	20.54428G	44.05	63.54	-19.49	38.10	1	Vertical	355	1.32	-	37.70	17.45	49.20			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5442G	57.89	83.54	-25.65	51.94	1	Horizontal	62	1.40	-	37.70	17.45	49.20			
AV	20.54444G	44.28	63.54	-19.26	38.33	1	Horizontal	62	1.40	-	37.70	17.45	49.20			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77302G	51.38	88.20	-36.82	42.49	3	Vertical	74	1.53	-	40.90	13.06	45.07			
RMS	13.7602G	37.70	68.20	-30.50	28.81	3	Vertical	74	1.53	-	40.90	13.06	45.07			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76122G	51.05	88.20	-37.15	42.16	3	Horizontal	76	1.66	-	40.90	13.06	45.07			
RMS	13.76156G	37.81	68.20	-30.39	28.92	3	Horizontal	76	1.66	-	40.90	13.06	45.07			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.66156G	57.87	83.54	-25.67	51.69	1	Vertical	65	1.47	-	37.85	17.46	49.13			
AV	20.6529G	43.55	63.54	-19.99	37.34	1	Vertical	65	1.47	-	37.89	17.46	49.14			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6565G	56.55	83.54	-26.99	50.36	1	Horizontal	112	1.61	-	37.87	17.46	49.14			
AV	20.65016G	43.40	63.54	-20.14	37.18	1	Horizontal	112	1.61	-	37.90	17.46	49.14			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84196G	51.39	88.20	-36.81	42.33	3	Vertical	128	1.70	-	41.07	13.08	45.09			
RMS	13.84542G	37.79	68.20	-30.41	28.72	3	Vertical	128	1.70	-	41.08	13.08	45.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85156G	50.73	88.20	-37.47	41.63	3	Horizontal	351	1.35	-	41.11	13.08	45.09			
RMS	13.84456G	37.78	68.20	-30.42	28.71	3	Horizontal	351	1.35	-	41.08	13.08	45.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7735G	59.53	83.54	-24.01	53.26	1	Vertical	358	1.55	-	37.86	17.48	49.07			
AV	20.76842G	46.13	63.54	-17.41	39.84	1	Vertical	358	1.55	-	37.89	17.48	49.08			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76844G	59.32	83.54	-24.22	53.03	1	Horizontal	32	2.10	-	37.89	17.48	49.08			
AV	20.76886G	45.93	63.54	-17.61	39.63	1	Horizontal	32	2.10	-	37.89	17.48	49.07			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7005MHz_TX


EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01592G	52.48	88.20	-35.72	42.92	3	Vertical	171	1.55	-	41.56	13.11	45.11			
RMS	14.00792G	39.44	68.20	-28.76	29.91	3	Vertical	171	1.55	-	41.53	13.11	45.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01136G	52.85	88.20	-35.35	43.30	3	Horizontal	195	1.87	-	41.55	13.11	45.11			
RMS	14.00418G	39.51	68.20	-28.69	30.01	3	Horizontal	195	1.87	-	41.52	13.10	45.12			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.00834G	49.28	83.54	-34.26	42.72	1	Vertical	38	1.92	-	38.00	17.51	48.95			
AV	21.01264G	35.20	63.54	-28.34	28.63	1	Vertical	38	1.92	-	38.00	17.51	48.94			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02232G	48.76	83.54	-34.78	42.18	1	Horizontal	244	2.01	-	38.00	17.52	48.94			
AV	21.01806G	35.24	63.54	-28.30	28.66	1	Horizontal	244	2.01	-	38.00	17.52	48.94			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 78
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0784G	107.63	Inf	-Inf	94.12	3	Vertical	-0	1.00	-	35.46	8.94	30.89			
RMS	7.077G	97.14	Inf	-Inf	83.64	3	Vertical	-0	1.00	-	35.45	8.94	30.89			
PK	7.1296G	70.49	88.20	-17.71	56.80	3	Vertical	-0	1.00	-	35.62	8.96	30.89			
RMS	7.1274G	59.52	68.20	-8.68	45.84	3	Vertical	-0	1.00	-	35.61	8.96	30.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 78
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.074G	113.65	Inf	-Inf	100.15	3	Horizontal	-0	2.90	-	35.45	8.94	30.89			
RMS	7.076G	104.55	Inf	-Inf	91.05	3	Horizontal	-0	2.90	-	35.45	8.94	30.89			
PK	7.1284G	77.46	88.20	-10.74	63.78	3	Horizontal	-0	2.90	-	35.61	8.96	30.89			
RMS	7.1258G	67.89	68.20	-0.31	54.22	3	Horizontal	-0	2.90	-	35.60	8.96	30.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 78
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16632G	53.38	88.20	-34.82	43.18	3	Vertical	67	1.87	-	41.97	13.24	45.01			
RMS	14.16292G	40.27	68.20	-27.93	30.10	3	Vertical	67	1.87	-	41.95	13.24	45.02			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 78
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1647G	53.73	88.20	-34.47	43.54	3	Horizontal	121	1.67	-	41.96	13.24	45.01			
RMS	14.17664G	40.32	68.20	-27.88	30.07	3	Horizontal	121	1.67	-	42.01	13.25	45.01			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 78
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.26498G	50.05	83.54	-33.49	43.34	1	Vertical	296	2.05	-	37.93	17.61	48.83			
AV	21.26496G	36.51	63.54	-27.03	29.80	1	Vertical	296	2.05	-	37.93	17.61	48.83			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


7085MHz_TX

EUT_Y_2TX
Setting 78
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25802G	49.49	83.54	-34.05	42.81	1	Horizontal	260	1.90	-	37.92	17.60	48.84			
AV	21.26032G	36.59	63.54	-26.95	29.91	1	Horizontal	260	1.90	-	37.92	17.60	48.84			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 87
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9214G	71.63	88.20	-16.57	59.44	3	Vertical	4	2.32	-	34.19	8.16	30.16				
RMS	5.9238G	61.82	68.20	-6.38	49.63	3	Vertical	4	2.32	-	34.20	8.15	30.16				
PK	6.0158G	104.26	Inf	-Inf	91.96	3	Vertical	4	2.32	-	34.33	8.11	30.14				
RMS	5.9706G	94.19	Inf	-Inf	81.90	3	Vertical	4	2.32	-	34.30	8.13	30.14				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 87
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9134G	78.12	88.20	-10.08	65.97	3	Horizontal	1	2.60	-	34.15	8.16	30.16			
RMS	5.9238G	67.63	68.20	-0.57	55.44	3	Horizontal	1	2.60	-	34.20	8.15	30.16			
PK	5.9962G	110.14	Inf	-Inf	97.85	3	Horizontal	1	2.60	-	34.30	8.12	30.13			
RMS	5.9962G	100.86	Inf	-Inf	88.57	3	Horizontal	1	2.60	-	34.30	8.12	30.13			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 86
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9894G	103.67	Inf	-Inf	90.36	3	Vertical	25	2.81	-	35.28	8.91	30.88			
RMS	6.9994G	94.33	Inf	-Inf	81.02	3	Vertical	25	2.81	-	35.30	8.90	30.89			
PK	7.125G	70.56	88.20	-17.64	56.89	3	Vertical	25	2.81	-	35.60	8.96	30.89			
RMS	7.127G	60.29	68.20	-7.91	46.61	3	Vertical	25	2.81	-	35.61	8.96	30.89			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 86
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9958G	116.03	Inf	-Inf	102.73	3	Horizontal	354	2.28	-	35.29	8.90	30.89			
RMS	6.9954G	102.04	Inf	-Inf	88.73	3	Horizontal	354	2.28	-	35.29	8.90	30.88			
PK	7.1254G	78.79	88.20	-9.41	65.12	3	Horizontal	354	2.28	-	35.60	8.96	30.89			
RMS	7.1254G	67.69	68.20	-0.51	54.02	3	Horizontal	354	2.28	-	35.60	8.96	30.89			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 80
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	72.93	88.20	-15.27	60.75	3	Vertical	7	2.44	-	34.19	8.15	30.16			
RMS	5.9235G	60.80	68.20	-7.40	48.62	3	Vertical	7	2.44	-	34.19	8.15	30.16			
PK	6.0435G	100.91	Inf	-Inf	88.57	3	Vertical	7	2.44	-	34.39	8.10	30.15			
RMS	6.051G	92.10	Inf	-Inf	79.76	3	Vertical	7	2.44	-	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 80
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	78.47	88.20	-9.73	66.28	3	Horizontal	3	2.58	-	34.19	8.16	30.16			
RMS	5.924G	67.51	68.20	-0.69	55.32	3	Horizontal	3	2.58	-	34.20	8.15	30.16			
PK	6.0895G	108.72	Inf	-Inf	96.42	3	Horizontal	3	2.58	-	34.40	8.07	30.17			
RMS	6.089G	99.29	Inf	-Inf	86.99	3	Horizontal	3	2.58	-	34.40	8.07	30.17			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 80
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9206G	99.78	Inf	-Inf	86.35	3	Vertical	288	2.97	-	35.26	8.97	30.80			
RMS	6.9248G	91.19	Inf	-Inf	77.79	3	Vertical	288	2.97	-	35.25	8.96	30.81			
PK	7.146G	67.64	88.20	-20.56	53.88	3	Vertical	288	2.97	-	35.68	8.97	30.89			
RMS	7.1474G	56.43	68.20	-11.77	42.66	3	Vertical	288	2.97	-	35.69	8.97	30.89			
PK	7.2608G	56.02	74.00	-17.98	41.66	3	Vertical	288	2.97	-	36.24	9.01	30.89			
AV	7.2552G	46.67	54.00	-7.33	32.33	3	Vertical	288	2.97	-	36.22	9.01	30.89			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 80
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.929G	107.67	Inf	-Inf	94.28	3	Horizontal	360	2.98	-	35.24	8.96	30.81			
RMS	6.9234G	98.86	Inf	-Inf	85.44	3	Horizontal	360	2.98	-	35.25	8.97	30.80			
PK	7.1306G	77.75	88.20	-10.45	64.05	3	Horizontal	360	2.98	-	35.62	8.97	30.89			
RMS	7.1264G	68.02	68.20	-0.18	54.34	3	Horizontal	360	2.98	-	35.61	8.96	30.89			
PK	7.251G	62.33	74.00	-11.67	48.01	3	Horizontal	360	2.98	-	36.20	9.01	30.89			
AV	7.25G	52.20	54.00	-1.80	37.88	3	Horizontal	360	2.98	-	36.20	9.01	30.89			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 86
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	74.96	88.20	-13.24	62.80	3	Vertical	307	2.45	-	34.16	8.16	30.16			
RMS	5.9234G	65.18	68.20	-3.02	53.00	3	Vertical	307	2.45	-	34.19	8.15	30.16			
PK	5.9618G	109.43	Inf	-Inf	97.13	3	Vertical	307	2.45	-	34.30	8.14	30.14			
RMS	6.1434G	90.56	Inf	-Inf	78.22	3	Vertical	307	2.45	-	34.49	8.04	30.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 86
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	77.73	88.20	-10.47	65.55	3	Horizontal	350	2.90	-	34.18	8.16	30.16			
RMS	5.9234G	67.91	68.20	-0.29	55.73	3	Horizontal	350	2.90	-	34.19	8.15	30.16			
PK	6.005G	106.31	Inf	-Inf	94.01	3	Horizontal	350	2.90	-	34.31	8.12	30.13			
RMS	6.1378G	97.94	Inf	-Inf	85.61	3	Horizontal	350	2.90	-	34.48	8.04	30.19			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 71
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.86G	95.00	Inf	-Inf	81.41	3	Vertical	325	3.00	-	35.30	9.02	30.73			
RMS	6.884G	86.66	Inf	-Inf	73.12	3	Vertical	325	3.00	-	35.30	9.00	30.76			
PK	7.1465G	63.66	88.20	-24.54	49.89	3	Vertical	325	3.00	-	35.69	8.97	30.89			
RMS	7.1435G	52.32	68.20	-15.88	38.57	3	Vertical	325	3.00	-	35.67	8.97	30.89			
PK	7.292G	57.22	74.00	-16.78	42.73	3	Vertical	325	3.00	-	36.37	9.01	30.89			
AV	7.322G	47.04	54.00	-6.96	32.47	3	Vertical	325	3.00	-	36.44	9.02	30.89			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



EUT_Y_2TX
Setting 71
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.788G	102.77	Inf	-Inf	89.18	3	Horizontal	6	2.84	-	35.20	9.04	30.65
RMS	6.7835G	93.66	Inf	-Inf	80.08	3	Horizontal	6	2.84	-	35.20	9.03	30.65
PK	7.1435G	69.49	88.20	-18.71	55.74	3	Horizontal	6	2.84	-	35.67	8.97	30.89
RMS	7.127G	58.70	68.20	-9.50	45.02	3	Horizontal	6	2.84	-	35.61	8.96	30.89
PK	7.2695G	62.51	74.00	-11.49	48.11	3	Horizontal	6	2.84	-	36.28	9.01	30.89
AV	7.262G	53.29	54.00	-0.71	38.92	3	Horizontal	6	2.84	-	36.25	9.01	30.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	RMS	7.127G	68.16	68.20	-0.04	3	Horizontal	22	2.25	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX

EUT Y_2TX
Setting 78
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	74.90	88.20	-13.30	63.03	3	Vertical	303	2.85	-	34.19	8.48	30.80			
RMS	5.9242G	60.37	68.20	-7.83	48.49	3	Vertical	303	2.85	-	34.20	8.48	30.80			
PK	5.9894G	107.87	Inf	-Inf	95.79	3	Vertical	303	2.85	-	34.30	8.57	30.79			
RMS	5.9962G	99.58	Inf	-Inf	87.49	3	Vertical	303	2.85	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT Y_2TX
Setting 78
02-D-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	79.32	88.20	-8.88	67.45	3	Horizontal	38	2.18	-	34.19	8.48	30.80			
RMS	5.925G	67.82	68.20	-0.38	55.94	3	Horizontal	38	2.18	-	34.20	8.48	30.80			
PK	5.997G	111.82	Inf	-Inf	99.73	3	Horizontal	38	2.18	-	34.30	8.58	30.79			
RMS	5.995G	102.57	Inf	-Inf	90.49	3	Horizontal	38	2.18	-	34.30	8.57	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97108G	59.17	74.00	-14.83	38.77	3	Vertical	11	1.54	-	39.16	12.65	31.41			
AV	11.95248G	46.42	54.00	-7.58	25.97	3	Vertical	11	1.54	-	39.20	12.64	31.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97844G	58.44	74.00	-15.56	38.94	3	Horizontal	127	1.58	-	39.14	12.66	32.30			
AV	11.97696G	45.73	54.00	-8.27	26.22	3	Horizontal	127	1.58	-	39.15	12.66	32.30			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94572G	50.42	83.54	-33.12	41.14	1	Vertical	10	1.72	-	38.99	18.19	47.90			
AV	23.93908G	37.82	63.54	-25.72	28.56	1	Vertical	10	1.72	-	38.98	18.18	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95956G	50.20	83.54	-33.34	40.92	1	Horizontal	63	2.04	-	38.98	18.20	47.90			
AV	23.94416G	37.86	63.54	-25.68	28.58	1	Horizontal	63	2.04	-	38.99	18.19	47.90			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 80
02-D-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.993G	104.90	Inf	-Inf	91.89	3	Vertical	6	1.88	-	35.29	9.40	31.68			
RMS	6.9954G	95.41	Inf	-Inf	82.40	3	Vertical	6	1.88	-	35.29	9.40	31.68			
PK	7.1306G	71.87	88.20	-16.33	58.53	3	Vertical	6	1.88	-	35.62	9.38	31.66			
RMS	7.1254G	60.68	68.20	-7.52	47.36	3	Vertical	6	1.88	-	35.60	9.38	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


7025MHz_TX

EUT_Y_2TX
Setting 80
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0542G	114.55	Inf	-Inf	101.42	3	Horizontal	22	2.25	-	35.41	9.40	31.68			
RMS	7.0342G	104.52	Inf	-Inf	91.43	3	Horizontal	22	2.25	-	35.37	9.40	31.68			
PK	7.1294G	78.00	88.20	-10.20	64.66	3	Horizontal	22	2.25	-	35.62	9.38	31.66			
RMS	7.127G	68.16	68.20	-0.04	54.83	3	Horizontal	22	2.25	-	35.61	9.38	31.66			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_V_2TX
Setting 80
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0666G	66.44	88.20	-21.76	42.51	3	Vertical	218	1.69	-	41.70	13.31	31.08			
RMS	14.04964G	54.01	68.20	-14.19	30.07	3	Vertical	218	1.69	-	41.70	13.30	31.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


7025MHz_TX

EUT_V_2TX
Setting 80
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.04632G	66.30	88.20	-21.90	42.37	3	Horizontal	274	1.85	-	41.69	13.30	31.06			
RMS	14.06952G	54.11	68.20	-14.09	30.19	3	Horizontal	274	1.85	-	41.70	13.31	31.09			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


7025MHz_TX

EUT V_2TX
Setting 80
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07342G	47.65	83.54	-35.89	41.91	1	Vertical	97	1.53	-	37.75	16.86	48.87			
AV	21.07348G	34.20	63.54	-29.34	28.46	1	Vertical	97	1.53	-	37.75	16.86	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT V_2TX
Setting 80
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07656G	46.48	83.54	-37.06	40.73	1	Horizontal	336	1.54	-	37.75	16.87	48.87			
AV	21.07695G	34.20	63.54	-29.34	28.45	1	Horizontal	336	1.54	-	37.75	16.87	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT Y_2TX
Setting 78
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	71.61	88.20	-16.59	59.75	3	Vertical	335	2.92	-	34.18	8.48	30.80			
RMS	5.92G	60.90	68.20	-7.30	49.04	3	Vertical	335	2.92	-	34.18	8.48	30.80			
PK	6.0425G	104.12	Inf	-Inf	92.02	3	Vertical	335	2.92	-	34.38	8.53	30.81			
RMS	6.0425G	95.48	Inf	-Inf	83.38	3	Vertical	335	2.92	-	34.38	8.53	30.81			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX


6025MHz_TX

EUT_Y_2TX
Setting 78
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.43	88.20	-9.77	66.57	3	Horizontal	8	2.48	-	34.18	8.48	30.80			
RMS	5.919G	67.29	68.20	-0.91	55.44	3	Horizontal	8	2.48	-	34.18	8.47	30.80			
PK	6.0815G	110.71	Inf	-Inf	98.65	3	Horizontal	8	2.48	-	34.40	8.49	30.83			
RMS	6.0865G	101.02	Inf	-Inf	88.97	3	Horizontal	8	2.48	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04696G	58.48	74.00	-15.52	38.99	3	Vertical	175	1.45	-	39.10	12.68	32.29			
AV	12.04004G	45.54	54.00	-8.46	26.05	3	Vertical	175	1.45	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0612G	58.15	74.00	-15.85	38.66	3	Horizontal	300	1.56	-	39.08	12.69	32.28			
AV	12.03544G	45.60	54.00	-8.40	26.12	3	Horizontal	300	1.56	-	39.10	12.68	32.30			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07571G	45.79	83.54	-37.75	41.47	1	Vertical	345	1.53	-	37.25	15.50	48.43			
AV	18.07689G	33.21	63.54	-30.33	28.89	1	Vertical	345	1.53	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX


6025MHz_TX

EUT_V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07569G	46.17	83.54	-37.37	41.85	1	Horizontal	107	1.58	-	37.25	15.50	48.43			
AV	18.07408G	33.23	63.54	-30.31	28.91	1	Horizontal	107	1.58	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


6025MHz_TX

EUT Y_2TX
Setting 79
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	63.31	88.20	-24.89	51.43	3	Vertical	331	2.85	-	34.20	8.48	30.80			
RMS	5.925G	53.03	68.20	-15.17	41.15	3	Vertical	331	2.85	-	34.20	8.48	30.80			
PK	6.1015G	102.03	Inf	-Inf	90.01	3	Vertical	331	2.85	-	34.40	8.46	30.84			
RMS	6.083G	92.97	Inf	-Inf	80.92	3	Vertical	331	2.85	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


6025MHz_TX

EUT_Y_2TX
Setting 79
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	78.30	88.20	-9.90	66.43	3	Horizontal	12	2.47	-	34.19	8.48	30.80			
RMS	5.924G	67.37	68.20	-0.83	55.49	3	Horizontal	12	2.47	-	34.20	8.48	30.80			
PK	6.0815G	111.53	Inf	-Inf	99.47	3	Horizontal	12	2.47	-	34.40	8.49	30.83			
RMS	6.087G	102.16	Inf	-Inf	90.11	3	Horizontal	12	2.47	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


6025MHz_TX

EUT_V_2TX
Setting 79
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04568G	57.88	74.00	-16.12	38.39	3	Vertical	91	1.81	-	39.10	12.68	32.29			
AV	12.04084G	45.60	54.00	-8.40	26.11	3	Vertical	91	1.81	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

6025MHz_TX




EUT V_2TX
Setting 79
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05328G	58.10	74.00	-15.90	38.60	3	Horizontal	250	1.84	-	39.09	12.69	32.28			
AV	12.03928G	45.58	54.00	-8.42	26.09	3	Horizontal	250	1.84	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

6025MHz_TX




EUT V_2TX
Setting 79
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07554G	45.84	83.54	-37.70	41.52	1	Vertical	265	1.52	-	37.25	15.50	48.43			
AV	18.07409G	33.19	63.54	-30.35	28.87	1	Vertical	265	1.52	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


6025MHz_TX

EUT_V_2TX
Setting 79
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07589G	45.62	83.54	-37.92	41.30	1	Horizontal	183	1.56	-	37.25	15.50	48.43			
AV	18.07409G	33.29	63.54	-30.25	28.97	1	Horizontal	183	1.56	-	37.25	15.50	48.43			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_V_2TX
Setting 81
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9706G	101.11	Inf	-Inf	88.17	3	Vertical	329	1.80	-	35.24	9.35	31.65			
RMS	6.9106G	90.61	Inf	-Inf	77.66	3	Vertical	329	1.80	-	35.28	9.24	31.57			
PK	7.1258G	71.00	88.20	-17.20	57.68	3	Vertical	329	1.80	-	35.60	9.38	31.66			
RMS	7.1258G	58.79	68.20	-9.41	45.47	3	Vertical	329	1.80	-	35.60	9.38	31.66			
PK	7.293G	55.26	74.00	-18.74	41.13	3	Vertical	329	1.80	-	36.37	9.37	31.61			
AV	7.301G	43.67	54.00	-10.33	29.52	3	Vertical	329	1.80	-	36.40	9.36	31.61			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_V_2TX
Setting 81
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9218G	108.08	Inf	-Inf	95.15	3	Horizontal	360	2.94	-	35.26	9.26	31.59			
RMS	6.9082G	98.22	Inf	-Inf	85.27	3	Horizontal	360	2.94	-	35.28	9.24	31.57			
PK	7.129G	78.73	88.20	-9.47	65.39	3	Horizontal	360	2.94	-	35.62	9.38	31.66			
RMS	7.1258G	67.88	68.20	-0.32	54.56	3	Horizontal	360	2.94	-	35.60	9.38	31.66			
PK	7.257G	62.51	74.00	-11.49	48.53	3	Horizontal	360	2.94	-	36.23	9.37	31.62			
AV	7.2514G	51.74	54.00	-2.26	37.78	3	Horizontal	360	2.94	-	36.21	9.37	31.62			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT V_2TX
Setting 81
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97364G	65.17	88.20	-23.03	41.54	3	Vertical	278	1.35	-	41.39	13.27	31.03			
RMS	13.9862G	52.99	68.20	-15.21	29.28	3	Vertical	278	1.35	-	41.44	13.28	31.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT V_2TX
Setting 81
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97164G	65.84	88.20	-22.36	42.21	3	Horizontal	85	1.35	-	41.39	13.27	31.03			
RMS	13.9886G	53.02	68.20	-15.18	29.30	3	Horizontal	85	1.35	-	41.45	13.28	31.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_V_2TX
Setting 81
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95596G	47.35	83.54	-36.19	41.64	1	Vertical	72	1.56	-	37.79	16.82	48.90			
AV	20.95561G	34.43	63.54	-29.11	28.72	1	Vertical	72	1.56	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT V_2TX
Setting 81
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95275G	46.96	83.54	-36.58	41.25	1	Horizontal	263	1.58	-	37.79	16.82	48.90			
AV	20.95646G	34.32	63.54	-29.22	28.61	1	Horizontal	263	1.58	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_V_2TX
Setting 88
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9186G	94.03	Inf	-Inf	81.09	3	Vertical	331	1.88	-	35.26	9.26	31.58			
RMS	6.9106G	84.66	Inf	-Inf	71.71	3	Vertical	331	1.88	-	35.28	9.24	31.57			
PK	7.1314G	69.64	88.20	-18.56	56.29	3	Vertical	331	1.88	-	35.63	9.38	31.66			
RMS	7.1314G	59.05	68.20	-9.15	45.70	3	Vertical	331	1.88	-	35.63	9.38	31.66			
PK	7.2658G	54.58	74.00	-19.42	40.57	3	Vertical	331	1.88	-	36.26	9.37	31.62			
AV	7.2762G	44.93	54.00	-9.07	30.88	3	Vertical	331	1.88	-	36.30	9.37	31.62			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6985MHz_TX

EUT_V_2TX
Setting 88
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9162G	101.44	Inf	-Inf	88.50	3	Horizontal	360	2.94	-	35.27	9.25	31.58			
RMS	6.921G	91.55	Inf	-Inf	78.61	3	Horizontal	360	2.94	-	35.26	9.26	31.58			
PK	7.1442G	77.18	88.20	-11.02	63.77	3	Horizontal	360	2.94	-	35.68	9.38	31.65			
RMS	7.1266G	67.44	68.20	-0.76	54.11	3	Horizontal	360	2.94	-	35.61	9.38	31.66			
PK	7.2618G	60.90	74.00	-13.10	46.90	3	Horizontal	360	2.94	-	36.25	9.37	31.62			
AV	7.2594G	50.55	54.00	-3.45	36.56	3	Horizontal	360	2.94	-	36.24	9.37	31.62			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT V_2TX
Setting 88
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97356G	65.93	88.20	-22.27	42.30	3	Vertical	288	1.45	-	41.39	13.27	31.03			
RMS	13.98976G	52.95	68.20	-15.25	29.22	3	Vertical	288	1.45	-	41.46	13.28	31.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT V_2TX
Setting 88
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95568G	65.11	88.20	-23.09	41.58	3	Horizontal	6	1.65	-	41.32	13.27	31.06			
RMS	13.98952G	52.96	68.20	-15.24	29.23	3	Horizontal	6	1.65	-	41.46	13.28	31.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT V_2TX
Setting 88
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9527G	47.36	83.54	-36.18	41.65	1	Vertical	124	1.52	-	37.79	16.82	48.90			
AV	20.95689G	34.36	63.54	-29.18	28.65	1	Vertical	124	1.52	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6985MHz_TX

EUT_V_2TX
Setting 88
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95691G	47.81	83.54	-35.73	42.10	1	Horizontal	108	1.50	-	37.79	16.82	48.90			
AV	20.95695G	34.56	63.54	-28.98	28.85	1	Horizontal	108	1.50	-	37.79	16.82	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT_V_2TX
Setting 93
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	69.31	88.20	-18.89	57.45	3	Vertical	335	2.95	-	34.18	8.48	30.80			
RMS	5.925G	59.36	68.20	-8.84	47.48	3	Vertical	335	2.95	-	34.20	8.48	30.80			
PK	6.007G	93.64	Inf	-Inf	81.55	3	Vertical	335	2.95	-	34.31	8.57	30.79			
RMS	6.007G	83.76	Inf	-Inf	71.67	3	Vertical	335	2.95	-	34.31	8.57	30.79			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX


6105MHz_TX

EUT_Y_2TX
Setting 93
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.64	88.20	-9.56	66.78	3	Horizontal	7	2.53	-	34.18	8.48	30.80			
RMS	5.924G	67.92	68.20	-0.28	56.04	3	Horizontal	7	2.53	-	34.20	8.48	30.80			
PK	6.021G	98.42	Inf	-Inf	86.32	3	Horizontal	7	2.53	-	34.34	8.56	30.80			
RMS	6.139G	89.56	Inf	-Inf	77.51	3	Horizontal	7	2.53	-	34.48	8.42	30.85			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX


6105MHz_TX

EUT V_2TX
Setting 93
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21284G	57.71	74.00	-16.29	38.36	3	Vertical	256	1.43	-	38.80	12.73	32.18			
AV	12.19036G	45.09	54.00	-8.91	25.75	3	Vertical	256	1.43	-	38.80	12.73	32.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 93
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21576G	57.46	74.00	-16.54	38.09	3	Horizontal	78	1.60	-	38.80	12.74	32.17			
AV	12.20236G	45.11	54.00	-8.89	25.76	3	Horizontal	78	1.60	-	38.80	12.73	32.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 93
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3141G	46.26	83.54	-37.28	41.82	1	Vertical	194	1.57	-	37.36	15.61	48.53			
AV	18.31673G	33.49	63.54	-30.05	29.04	1	Vertical	194	1.57	-	37.37	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 93
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31469G	46.83	83.54	-36.71	42.39	1	Horizontal	256	1.52	-	37.36	15.61	48.53			
AV	18.31404G	33.51	63.54	-30.03	29.07	1	Horizontal	256	1.52	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX

EUT Y_2TX
Setting 93
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	72.29	88.20	-15.91	60.45	3	Vertical	324	2.91	-	34.17	8.47	30.80			
RMS	5.924G	62.30	68.20	-5.90	50.42	3	Vertical	324	2.91	-	34.20	8.48	30.80			
PK	6.052G	94.20	Inf	-Inf	82.09	3	Vertical	324	2.91	-	34.40	8.52	30.81			
RMS	6.054G	84.43	Inf	-Inf	72.32	3	Vertical	324	2.91	-	34.40	8.52	30.81			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX

EUT Y_2TX
Setting 93
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	76.64	88.20	-11.56	64.79	3	Horizontal	7	2.49	-	34.18	8.47	30.80			
RMS	5.924G	68.15	68.20	-0.05	56.27	3	Horizontal	7	2.49	-	34.20	8.48	30.80			
PK	6.054G	100.29	Inf	-Inf	88.18	3	Horizontal	7	2.49	-	34.40	8.52	30.81			
RMS	6.069G	90.83	Inf	-Inf	78.75	3	Horizontal	7	2.49	-	34.40	8.50	30.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX

EUT V_2TX
Setting 93
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.22432G	57.48	74.00	-16.52	38.11	3	Vertical	76	2.01	-	38.80	12.74	32.17			
AV	12.1916G	45.11	54.00	-8.89	25.77	3	Vertical	76	2.01	-	38.80	12.73	32.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX


6105MHz_TX

EUT V_2TX
Setting 93
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20336G	57.61	74.00	-16.39	38.26	3	Horizontal	199	1.48	-	38.80	12.73	32.18			
AV	12.20328G	45.19	54.00	-8.81	25.84	3	Horizontal	199	1.48	-	38.80	12.73	32.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 93
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31415G	46.70	83.54	-36.84	42.26	1	Vertical	92	1.52	-	37.36	15.61	48.53			
AV	18.31429G	33.52	63.54	-30.02	29.08	1	Vertical	92	1.52	-	37.36	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 93
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31429G	46.20	83.54	-37.34	41.76	1	Horizontal	191	1.56	-	37.36	15.61	48.53			
AV	18.31252G	33.33	63.54	-30.21	28.90	1	Horizontal	191	1.56	-	37.35	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_2TX


6105MHz_TX

EUT V_2TX
Setting 88
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	71.21	88.20	-16.99	59.33	3	Vertical	338	2.88	-	34.20	8.48	30.80			
RMS	5.925G	60.76	68.20	-7.44	48.88	3	Vertical	338	2.88	-	34.20	8.48	30.80			
PK	6.058G	95.29	Inf	-Inf	83.20	3	Vertical	338	2.88	-	34.40	8.51	30.82			
RMS	6.06G	84.60	Inf	-Inf	72.51	3	Vertical	338	2.88	-	34.40	8.51	30.82			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 88
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.22812G	57.47	74.00	-16.53	38.09	3	Vertical	302	2.09	-	38.80	12.74	32.16			
AV	12.22284G	45.17	54.00	-8.83	25.80	3	Vertical	302	2.09	-	38.80	12.74	32.17			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 88
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2032G	57.22	74.00	-16.78	37.87	3	Horizontal	272	1.57	-	38.80	12.73	32.18			
AV	12.22884G	45.12	54.00	-8.88	25.74	3	Horizontal	272	1.57	-	38.80	12.74	32.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_2TX

6105MHz_TX




EUT V_2TX
Setting 88
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31559G	46.17	83.54	-37.37	41.73	1	Vertical	153	1.53	-	37.36	15.61	48.53			
AV	18.31679G	33.54	63.54	-30.00	29.09	1	Vertical	153	1.53	-	37.37	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_2TX


6105MHz_TX

EUT_V_2TX
Setting 88
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31725G	46.19	83.54	-37.35	41.74	1	Horizontal	150	1.53	-	37.37	15.61	48.53			
AV	18.31559G	33.33	63.54	-30.21	28.89	1	Horizontal	150	1.53	-	37.36	15.61	48.53			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_V_2TX
Setting 70
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.813G	97.06	Inf	-Inf	84.22	3	Vertical	332	2.88	-	35.23	9.05	31.44			
RMS	6.7954G	88.34	Inf	-Inf	75.54	3	Vertical	332	2.88	-	35.20	9.02	31.42			
PK	7.2114G	60.80	88.20	-27.40	47.02	3	Vertical	332	2.88	-	36.05	9.37	31.64			
RMS	7.2314G	49.22	68.20	-18.98	35.35	3	Vertical	332	2.88	-	36.13	9.37	31.63			
PK	7.261G	58.27	74.00	-15.73	44.28	3	Vertical	332	2.88	-	36.24	9.37	31.62			
AV	7.261G	48.11	54.00	-5.89	34.12	3	Vertical	332	2.88	-	36.24	9.37	31.62			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_V_2TX
Setting 70
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7474G	103.76	Inf	-Inf	90.96	3	Horizontal	30	2.74	-	35.19	8.96	31.35			
RMS	6.765G	94.41	Inf	-Inf	81.61	3	Horizontal	30	2.74	-	35.20	8.98	31.38			
PK	7.1802G	68.74	88.20	-19.46	55.13	3	Horizontal	30	2.74	-	35.88	9.37	31.64			
RMS	7.2002G	55.29	68.20	-12.91	41.56	3	Horizontal	30	2.74	-	36.00	9.37	31.64			
AV	7.2506G	53.77	54.00	-0.23	39.82	3	Horizontal	30	2.74	-	36.20	9.37	31.62			
PK	7.2578G	62.94	74.00	-11.06	48.96	3	Horizontal	30	2.74	-	36.23	9.37	31.62			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT V_2TX
Setting 70
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81304G	63.48	88.20	-24.72	40.58	3	Vertical	108	1.59	-	40.95	13.22	31.27			
RMS	13.79364G	51.47	68.20	-16.73	28.65	3	Vertical	108	1.59	-	40.90	13.22	31.30			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_V_2TX
Setting 70
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.82816G	63.68	88.20	-24.52	40.68	3	Horizontal	52	1.80	-	41.01	13.23	31.24			
RMS	13.81996G	51.35	68.20	-16.85	28.40	3	Horizontal	52	1.80	-	40.98	13.23	31.26			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT V_2TX
Setting 70
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71359G	47.46	83.54	-36.08	42.07	1	Vertical	56	1.52	-	37.58	16.71	48.90			
AV	20.71606G	34.32	63.54	-29.22	28.91	1	Vertical	56	1.52	-	37.60	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_V_2TX
Setting 70
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71384G	46.89	83.54	-36.65	41.50	1	Horizontal	96	1.56	-	37.58	16.71	48.90			
AV	20.71523G	34.41	63.54	-29.13	29.01	1	Horizontal	96	1.56	-	37.59	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_V_2TX
Setting 68
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8146G	97.64	Inf	-Inf	84.79	3	Vertical	333	1.98	-	35.23	9.06	31.44			
RMS	6.8178G	88.64	Inf	-Inf	75.79	3	Vertical	333	1.98	-	35.24	9.06	31.45			
PK	7.1914G	61.16	88.20	-27.04	47.48	3	Vertical	333	1.98	-	35.95	9.37	31.64			
RMS	7.1834G	49.02	68.20	-19.18	35.39	3	Vertical	333	1.98	-	35.90	9.37	31.64			
PK	7.2506G	56.25	74.00	-17.75	42.30	3	Vertical	333	1.98	-	36.20	9.37	31.62			
AV	7.253G	46.94	54.00	-7.06	32.98	3	Vertical	333	1.98	-	36.21	9.37	31.62			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT V_2TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.937G	103.84	Inf	-Inf	90.93	3	Horizontal	28	2.30	-	35.23	9.29	31.61			
RMS	6.8098G	94.98	Inf	-Inf	82.15	3	Horizontal	28	2.30	-	35.22	9.05	31.44			
PK	7.2002G	67.79	88.20	-20.41	54.06	3	Horizontal	28	2.30	-	36.00	9.37	31.64			
RMS	7.1298G	56.02	68.20	-12.18	42.68	3	Horizontal	28	2.30	-	35.62	9.38	31.66			
PK	7.2834G	64.92	74.00	-9.08	50.84	3	Horizontal	28	2.30	-	36.33	9.37	31.62			
AV	7.2554G	53.83	54.00	-0.17	39.86	3	Horizontal	28	2.30	-	36.22	9.37	31.62			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT V_2TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81644G	63.63	88.20	-24.57	40.70	3	Vertical	330	1.80	-	40.97	13.22	31.26			
RMS	13.80876G	51.28	68.20	-16.92	28.39	3	Vertical	330	1.80	-	40.94	13.22	31.27			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT V_2TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8168G	64.03	88.20	-24.17	41.10	3	Horizontal	341	1.93	-	40.97	13.22	31.26			
RMS	13.8288G	51.36	68.20	-16.84	28.35	3	Horizontal	341	1.93	-	41.02	13.23	31.24			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT V_2TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71328G	47.30	83.54	-36.24	41.91	1	Vertical	99	1.53	-	37.58	16.71	48.90			
AV	20.71673G	34.35	63.54	-29.19	28.94	1	Vertical	99	1.53	-	37.60	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT V_2TX
Setting 68
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7134G	47.65	83.54	-35.89	42.26	1	Horizontal	242	1.50	-	37.58	16.71	48.90			
AV	20.7167G	34.21	63.54	-29.33	28.80	1	Horizontal	242	1.50	-	37.60	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_2TX


6905MHz_TX

EUT_V_2TX
Setting 74
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8402G	102.41	Inf	-Inf	89.50	3	Vertical	329	2.95	-	35.28	9.11	31.48
RMS	6.8378G	92.02	Inf	-Inf	79.11	3	Vertical	329	2.95	-	35.28	9.10	31.47
PK	7.1306G	67.57	88.20	-20.63	54.23	3	Vertical	329	2.95	-	35.62	9.38	31.66
RMS	7.133G	55.89	68.20	-12.31	42.54	3	Vertical	329	2.95	-	35.63	9.38	31.66
PK	7.2586G	57.74	74.00	-16.26	43.76	3	Vertical	329	2.95	-	36.23	9.37	31.62
AV	7.2586G	48.56	54.00	-5.44	34.58	3	Vertical	329	2.95	-	36.23	9.37	31.62

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_2TX

6905MHz_TX




EUT_V_2TX
Setting 74
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.8594G	105.22	Inf	-Inf	92.28	3	Horizontal	330	2.42	-	35.30	9.14	31.50
RMS	6.8594G	96.21	Inf	-Inf	83.27	3	Horizontal	330	2.42	-	35.30	9.14	31.50
PK	7.1786G	72.16	88.20	-16.04	58.56	3	Horizontal	330	2.42	-	35.87	9.37	31.64
RMS	7.1298G	61.64	68.20	-6.56	48.30	3	Horizontal	330	2.42	-	35.62	9.38	31.66
PK	7.2538G	64.18	74.00	-9.82	50.21	3	Horizontal	330	2.42	-	36.22	9.37	31.62
AV	7.2546G	53.30	54.00	-0.70	39.33	3	Horizontal	330	2.42	-	36.22	9.37	31.62

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_2TX

6905MHz_TX




EUT V_2TX
Setting 74
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80868G	63.83	88.20	-24.37	40.95	3	Vertical	238	2.08	-	40.93	13.22	31.27			
RMS	13.80268G	51.31	68.20	-16.89	28.46	3	Vertical	238	2.08	-	40.91	13.22	31.28			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_2TX

6905MHz_TX




EUT V_2TX
Setting 74
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80432G	63.68	88.20	-24.52	40.82	3	Horizontal	146	1.78	-	40.92	13.22	31.28			
RMS	13.79708G	51.33	68.20	-16.87	28.50	3	Horizontal	146	1.78	-	40.90	13.22	31.29			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_2TX


6905MHz_TX

EUT_Y_2TX
Setting 74
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71632G	46.74	83.54	-36.80	41.33	1	Vertical	347	1.54	-	37.60	16.71	48.90			
AV	20.71566G	34.32	63.54	-29.22	28.92	1	Vertical	347	1.54	-	37.59	16.71	48.90			
PK	20.71657G	47.91	83.54	-35.63	42.50	1	Vertical	352	1.50	-	37.60	16.71	48.90			
AV	20.7168G	34.45	63.54	-29.09	29.04	1	Vertical	352	1.50	-	37.60	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_2TX

6905MHz_TX

EUT_Y_2TX
Setting 74
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.71426G	47.31	83.54	-36.23	41.91	1	Horizontal	48	1.52	-	37.59	16.71	48.90				
AV	20.71507G	34.35	63.54	-29.19	28.95	1	Horizontal	48	1.52	-	37.59	16.71	48.90				
PK	20.71449G	47.71	83.54	-35.83	42.31	1	Horizontal	193	1.52	-	37.59	16.71	48.90				
AV	20.71685G	34.32	63.54	-29.22	28.91	1	Horizontal	193	1.52	-	37.60	16.71	48.90				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11be EHT80_Nss1.(MCS0)_1TX	Pass	RMS	5.9245G	68.16	68.20	-0.04	3	Vertical	339	3.00	93

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 95
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9247G	74.91	88.20	-13.29	67.00	3	Vertical	344	1.80	-	34.20	7.79	34.08			
RMS	5.9247G	62.69	68.20	-5.51	54.78	3	Vertical	344	1.80	-	34.20	7.79	34.08			
PK	5.9541G	111.63	Inf	-Inf	103.56	3	Vertical	344	1.80	-	34.28	7.84	34.05			
RMS	5.9538G	101.23	Inf	-Inf	93.16	3	Vertical	344	1.80	-	34.28	7.84	34.05			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 95
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.04	88.20	-7.16	73.13	3	Horizontal	36	1.80	-	34.20	7.79	34.08			
RMS	5.9244G	65.83	68.20	-2.37	57.92	3	Horizontal	36	1.80	-	34.20	7.79	34.08			
PK	5.9622G	115.39	Inf	-Inf	107.33	3	Horizontal	36	1.80	-	34.25	7.86	34.05			
RMS	5.9574G	105.16	Inf	-Inf	97.09	3	Horizontal	36	1.80	-	34.27	7.85	34.05			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 82
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	71.77	88.20	-16.43	63.87	3	Vertical	341	1.80	-	34.19	7.79	34.08			
RMS	5.9245G	60.09	68.20	-8.11	52.18	3	Vertical	341	1.80	-	34.20	7.79	34.08			
PK	5.974G	107.87	Inf	-Inf	99.82	3	Vertical	341	1.80	-	34.20	7.88	34.03			
RMS	5.98G	97.20	Inf	-Inf	89.16	3	Vertical	341	1.80	-	34.18	7.89	34.03			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 82
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	78.84	88.20	-9.36	70.94	3	Horizontal	48	2.71	-	34.19	7.79	34.08			
RMS	5.925G	67.50	68.20	-0.70	59.59	3	Horizontal	48	2.71	-	34.20	7.79	34.08			
PK	5.9701G	114.68	Inf	-Inf	106.63	3	Horizontal	48	2.71	-	34.22	7.87	34.04			
RMS	5.9764G	103.58	Inf	-Inf	95.54	3	Horizontal	48	2.71	-	34.19	7.88	34.03			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 93
108\68\107\88\97\93
-11.00\12.15\ -10.96\6.02\ -4.04\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.924G	77.63	88.20	-10.57	65.95	3	Vertical	339	3.00	93	34.10	10.12	32.54			
RMS	5.9245G	68.16	68.20	-0.04	56.48	3	Vertical	339	3.00	93	34.10	10.12	32.54			
PK	5.98G	105.66	Inf	-Inf	93.94	3	Vertical	339	3.00	93	34.10	10.17	32.55			
RMS	5.992G	94.80	Inf	-Inf	83.07	3	Vertical	339	3.00	93	34.10	10.18	32.55			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Y_1TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	72.33	88.20	-15.87	60.65	3	Horizontal	46	1.00	-	34.10	10.12	32.54			
RMS	5.925G	62.57	68.20	-5.63	50.89	3	Horizontal	46	1.00	-	34.10	10.12	32.54			
PK	5.9865G	110.29	Inf	-Inf	98.56	3	Horizontal	46	1.00	-	34.10	10.18	32.55			
RMS	5.9955G	99.07	Inf	-Inf	87.33	3	Horizontal	46	1.00	-	34.10	10.19	32.55			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 83
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	73.03	88.20	-15.17	63.98	3	Vertical	346	1.80	-	34.19	8.94	34.08			
RMS	5.925G	62.33	68.20	-5.87	53.27	3	Vertical	346	1.80	-	34.20	8.94	34.08			
PK	6.086G	99.81	Inf	-Inf	90.59	3	Vertical	346	1.80	-	34.07	9.07	33.92			
RMS	6.1G	90.26	Inf	-Inf	80.99	3	Vertical	346	1.80	-	34.10	9.07	33.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 83
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	77.53	88.20	-10.67	68.47	3	Horizontal	66	1.80	-	34.20	8.94	34.08			
RMS	5.924G	67.12	68.20	-1.08	58.06	3	Horizontal	66	1.80	-	34.20	8.94	34.08			
PK	6.0335G	106.25	Inf	-Inf	97.14	3	Horizontal	66	1.80	-	34.03	9.05	33.97			
RMS	6G	95.26	Inf	-Inf	86.14	3	Horizontal	66	1.80	-	34.10	9.03	34.01			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 94
108\84\107\96\91\93\94
-5.80\7.18\5.58\1.41\2.69\0.98\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	77.85	88.20	-10.35	66.17	3	Vertical	345	1.80	94	34.10	10.12	32.54			
RMS	5.922G	67.91	68.20	-0.29	56.23	3	Vertical	345	1.80	94	34.10	10.12	32.54			
PK	6.062G	100.32	Inf	-Inf	88.50	3	Vertical	345	1.80	94	34.10	10.25	32.53			
RMS	6.008G	88.56	Inf	-Inf	76.81	3	Vertical	345	1.80	94	34.10	10.20	32.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 85
94\66\93\80\86\83\84\85
-6.76\11.75\ -6.27\4.31\ -0.98\1.61\0.82\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	77.86	88.20	-10.34	66.18	3	Horizontal	68	3.00	85	34.10	10.12	32.54			
RMS	5.925G	68.05	68.20	-0.15	56.37	3	Horizontal	68	3.00	85	34.10	10.12	32.54			
PK	6.071G	104.69	Inf	-Inf	92.86	3	Horizontal	68	3.00	85	34.10	10.26	32.53			
RMS	6.01G	93.50	Inf	-Inf	81.75	3	Horizontal	68	3.00	85	34.10	10.20	32.55			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
Setting 85
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.797G	96.05	Inf	-Inf	95.18	3	Vertical	33	1.80	-	34.10	9.71	42.94			
AV	6.8G	86.49	Inf	-Inf	85.62	3	Vertical	33	1.80	-	34.10	9.71	42.94			
PK	7.262G	61.11	74.00	-12.89	57.33	3	Vertical	33	1.80	-	36.20	10.27	42.69			
AV	7.256G	50.81	54.00	-3.19	47.03	3	Vertical	33	1.80	-	36.20	10.27	42.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
Setting 85
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.851G	103.28	Inf	-Inf	102.13	3	Horizontal	39	2.51	-	34.31	9.76	42.92			
AV	6.7985G	91.74	Inf	-Inf	90.87	3	Horizontal	39	2.51	-	34.10	9.71	42.94			
PK	7.271G	65.31	74.00	-8.69	61.52	3	Horizontal	39	2.51	-	36.20	10.27	42.68			
AV	7.25G	53.60	54.00	-0.40	49.83	3	Horizontal	39	2.51	-	36.20	10.26	42.69			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
 Setting 87
 05-E-C-6-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9241G	65.62	88.20	-22.58	57.71	3	Vertical	343	1.80	-	34.20	7.79	34.08			
RMS	5.9241G	54.20	68.20	-14.00	46.29	3	Vertical	343	1.80	-	34.20	7.79	34.08			
PK	5.961G	110.64	Inf	-Inf	102.58	3	Vertical	343	1.80	-	34.26	7.85	34.05			
RMS	5.949G	100.11	Inf	-Inf	92.04	3	Vertical	343	1.80	-	34.30	7.83	34.06			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 87
05-E-C-6-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9232G	81.39	88.20	-6.81	73.49	3	Horizontal	34	2.95	-	34.19	7.79	34.08			
RMS	5.925G	68.12	68.20	-0.08	60.21	3	Horizontal	34	2.95	-	34.20	7.79	34.08			
PK	5.9628G	120.89	Inf	-Inf	112.83	3	Horizontal	34	2.95	-	34.25	7.86	34.05			
RMS	5.9601G	111.04	Inf	-Inf	102.98	3	Horizontal	34	2.95	-	34.26	7.85	34.05			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91702G	52.75	74.00	-21.25	48.82	3	Vertical	4	2.90	-	38.80	11.07	45.94			
AV	11.91099G	43.68	54.00	-10.32	39.75	3	Vertical	4	2.90	-	38.80	11.07	45.94			
PK	17.86446G	56.56	74.00	-17.44	39.76	3	Vertical	15	1.80	-	47.35	14.73	45.28			
AV	17.87577G	46.92	54.00	-7.08	29.68	3	Vertical	15	1.80	-	47.78	14.74	45.28			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91144G	50.60	74.00	-23.40	46.67	3	Horizontal	5	2.26	-	38.80	11.07	45.94			
AV	11.91141G	41.59	54.00	-12.41	37.66	3	Horizontal	5	2.26	-	38.80	11.07	45.94			
PK	17.86755G	57.63	74.00	-16.37	40.71	3	Horizontal	13	1.62	-	47.47	14.73	45.28			
AV	17.8734G	47.70	54.00	-6.30	30.55	3	Horizontal	13	1.62	-	47.69	14.74	45.28			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80566G	45.48	83.54	-38.06	36.37	1	Vertical	213	2.84	-	38.90	18.11	47.90			
AV	23.80668G	35.82	63.54	-27.72	26.71	1	Vertical	213	2.84	-	38.90	18.11	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80722G	45.52	83.54	-38.02	36.41	1	Horizontal	44	2.94	-	38.90	18.11	47.90			
AV	23.8074G	36.09	63.54	-27.45	26.98	1	Horizontal	44	2.94	-	38.90	18.11	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39099G	56.67	74.00	-17.33	41.51	3	Vertical	93	1.76	-	38.72	11.33	34.89			
AV	12.3939G	47.38	54.00	-6.62	32.23	3	Vertical	93	1.76	-	38.71	11.33	34.89			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39162G	56.33	74.00	-17.67	41.17	3	Horizontal	331	1.02	-	38.72	11.33	34.89			
AV	12.39147G	47.34	54.00	-6.66	32.18	3	Horizontal	331	1.02	-	38.72	11.33	34.89			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58416G	44.23	83.54	-39.31	39.50	1	Vertical	128	1.75	-	37.64	15.74	48.65			
AV	18.58626G	33.85	63.54	-29.69	29.11	1	Vertical	128	1.75	-	37.65	15.74	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59496G	42.70	83.54	-40.84	37.93	1	Horizontal	112	2.69	-	37.68	15.75	48.66			
AV	18.5847G	33.59	63.54	-29.95	28.86	1	Horizontal	112	2.69	-	37.64	15.74	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 108
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84245G	45.40	88.20	-42.80	40.09	3	Vertical	338	2.31	-	39.48	11.61	45.78			
RMS	12.83183G	36.30	68.20	-31.90	31.00	3	Vertical	338	2.31	-	39.46	11.61	45.77			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_V_2TX
Setting 108
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8414G	45.26	88.20	-42.94	39.94	3	Horizontal	228	2.79	-	39.48	11.61	45.77			
RMS	12.8258G	36.39	68.20	-31.81	31.10	3	Horizontal	228	2.79	-	39.45	11.60	45.76			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 108
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24902G	44.18	83.54	-39.36	39.09	1	Vertical	295	2.59	-	37.89	16.05	48.85			
AV	19.242G	34.34	63.54	-29.20	29.30	1	Vertical	295	2.59	-	37.85	16.04	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 108
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2435G	43.32	83.54	-40.22	38.27	1	Horizontal	214	1.58	-	37.86	16.04	48.85			
AV	19.25802G	34.13	63.54	-29.41	29.08	1	Horizontal	214	1.58	-	37.85	16.05	48.85			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07549G	46.57	88.20	-41.63	41.29	3	Vertical	0	2.45	-	39.30	11.76	45.78			
RMS	13.05974G	37.46	68.20	-30.74	32.22	3	Vertical	0	2.45	-	39.30	11.75	45.81			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07351G	47.09	88.20	-41.11	41.82	3	Horizontal	312	2.91	-	39.30	11.76	45.79			
RMS	13.05572G	37.67	68.20	-30.53	32.45	3	Horizontal	312	2.91	-	39.30	11.74	45.82			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61322G	43.21	83.54	-40.33	38.29	1	Vertical	351	2.78	-	37.57	16.20	48.85			
AV	19.61076G	33.17	63.54	-30.37	28.23	1	Vertical	351	2.78	-	37.58	16.20	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60986G	42.46	83.54	-41.08	37.52	1	Horizontal	205	1.00	-	37.58	16.20	48.84			
AV	19.60812G	33.08	63.54	-30.46	28.14	1	Horizontal	205	1.00	-	37.58	16.20	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37698G	57.95	74.00	-16.05	40.75	3	Vertical	126	2.51	-	40.05	11.94	34.79			
AV	13.38091G	48.11	54.00	-5.89	30.89	3	Vertical	126	2.51	-	40.06	11.95	34.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3873G	58.02	74.00	-15.98	40.78	3	Horizontal	157	1.74	-	40.07	11.95	34.78			
AV	13.37941G	48.59	54.00	-5.41	31.37	3	Horizontal	157	1.74	-	40.06	11.95	34.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09382G	42.37	83.54	-41.17	37.65	1	Vertical	325	2.66	-	37.29	16.41	48.98			
AV	20.07798G	32.66	63.54	-30.88	27.97	1	Vertical	325	2.66	-	37.26	16.41	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07606G	43.18	83.54	-40.36	38.50	1	Horizontal	63	1.78	-	37.25	16.41	48.98			
AV	20.07648G	32.80	63.54	-30.74	28.12	1	Horizontal	63	1.78	-	37.25	16.41	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71972G	49.05	88.20	-39.15	41.75	3	Vertical	113	2.37	-	40.20	12.16	45.06			
RMS	13.7172G	38.81	68.20	-29.39	31.52	3	Vertical	113	2.37	-	40.20	12.15	45.06			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71606G	49.08	88.20	-39.12	41.79	3	Horizontal	240	1.16	-	40.20	12.15	45.06			
RMS	13.70475G	38.94	68.20	-29.26	31.65	3	Horizontal	240	1.16	-	40.20	12.15	45.06			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55846G	43.69	83.54	-39.85	38.43	1	Vertical	356	1.80	-	37.53	16.63	48.90			
AV	20.57688G	33.31	63.54	-30.23	27.96	1	Vertical	356	1.80	-	37.61	16.64	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55786G	43.05	83.54	-40.49	37.79	1	Horizontal	194	1.37	-	37.53	16.63	48.90			
AV	20.57802G	33.34	63.54	-30.20	27.99	1	Horizontal	194	1.37	-	37.61	16.64	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75804G	58.40	88.20	-29.80	40.71	3	Vertical	258	2.33	-	40.22	12.18	34.71			
RMS	13.73776G	49.50	68.20	-18.70	31.85	3	Vertical	258	2.33	-	40.20	12.17	34.72			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74628G	59.02	88.20	-29.18	41.37	3	Horizontal	299	2.43	-	40.20	12.17	34.72			
RMS	13.74046G	49.51	68.20	-18.69	31.86	3	Horizontal	299	2.43	-	40.20	12.17	34.72			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT V_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61378G	43.14	83.54	-40.40	37.71	1	Vertical	126	2.80	-	37.67	16.66	48.90			
AV	20.6385G	33.32	63.54	-30.22	27.93	1	Vertical	126	2.80	-	37.62	16.67	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6875MHz_TX

EUT_V_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.62212G	43.36	83.54	-40.18	37.94	1	Horizontal	186	2.38	-	37.66	16.66	48.90			
AV	20.63352G	33.58	63.54	-29.96	28.18	1	Horizontal	186	2.38	-	37.63	16.67	48.90			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 85
80\108\76\92\84\88\86\85
7.77\11.24\10.93\7.00\2.44\2.36\0.09\1.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9233G	78.23	88.20	-9.97	66.55	3	Vertical	304	2.97	85	34.10	10.12	32.54			
RMS	5.9233G	67.10	68.20	-1.10	55.42	3	Vertical	304	2.97	85	34.10	10.12	32.54			
PK	5.9782G	111.99	Inf	-Inf	100.27	3	Vertical	304	2.97	85	34.10	10.17	32.55			
RMS	5.9782G	101.58	Inf	-Inf	89.86	3	Vertical	304	2.97	85	34.10	10.17	32.55			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 82
85\76\84\80\82\83\82
-2.17\9.95\1.36\5.27\0.83\1.15\1.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9239G	77.93	88.20	-10.27	66.25	3	Horizontal	298	1.80	82	34.10	10.12	32.54			
RMS	5.9239G	66.45	68.20	-1.75	54.77	3	Horizontal	298	1.80	82	34.10	10.12	32.54			
PK	5.974G	112.53	Inf	-Inf	100.81	3	Horizontal	298	1.80	82	34.10	10.17	32.55			
RMS	5.9713G	101.43	Inf	-Inf	89.72	3	Horizontal	298	1.80	82	34.10	10.16	32.55			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 86
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	70.88	88.20	-17.32	62.98	3	Vertical	328	1.00	-	34.19	7.79	34.08			
RMS	5.925G	60.28	68.20	-7.92	52.37	3	Vertical	328	1.00	-	34.20	7.79	34.08			
PK	6.013G	107.78	Inf	-Inf	99.79	3	Vertical	328	1.00	-	34.07	7.92	34.00			
RMS	6.02G	97.80	Inf	-Inf	89.82	3	Vertical	328	1.00	-	34.06	7.91	33.99			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 86
05-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.26	88.20	-10.94	69.35	3	Horizontal	34	1.80	-	34.20	7.79	34.08			
RMS	5.925G	67.02	68.20	-1.18	59.11	3	Horizontal	34	1.80	-	34.20	7.79	34.08			
PK	6G	113.89	Inf	-Inf	105.88	3	Horizontal	34	1.80	-	34.10	7.92	34.01			
RMS	6G	102.52	Inf	-Inf	94.51	3	Horizontal	34	1.80	-	34.10	7.92	34.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
SET 89
80\108\76\92\84\88\90\89
7.45\ -8.12\10.07\ -2.08\4.51\1.10\ -0.62\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	79.08	88.20	-9.12	67.40	3	Vertical	45	1.80	89	34.10	10.12	32.54				
RMS	5.923G	67.92	68.20	-0.28	56.24	3	Vertical	45	1.80	89	34.10	10.12	32.54				
PK	6.003G	103.52	Inf	-Inf	91.78	3	Vertical	45	1.80	89	34.10	10.19	32.55				
RMS	6.088G	92.58	Inf	-Inf	80.72	3	Vertical	45	1.80	89	34.10	10.28	32.52				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 76
89\49\88\69\78\74\76
-12.24\13.28\11.46\7.31\1.98\2.55\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	81.63	88.20	-6.57	69.95	3	Horizontal	26	2.98	76	34.10	10.12	32.54			
RMS	5.925G	67.75	68.20	-0.45	56.07	3	Horizontal	26	2.98	76	34.10	10.12	32.54			
PK	6.08G	111.59	Inf	-Inf	99.74	3	Horizontal	26	2.98	76	34.10	10.27	32.52			
RMS	6.0875G	100.38	Inf	-Inf	88.52	3	Horizontal	26	2.98	76	34.10	10.28	32.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 82
06-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	71.72	88.20	-16.48	65.65	3	Vertical	295	1.02	-	32.25	7.58	33.76			
RMS	5.925G	61.01	68.20	-7.19	54.94	3	Vertical	295	1.02	-	32.25	7.58	33.76			
PK	6.246G	100.08	Inf	-Inf	93.04	3	Vertical	295	1.02	-	32.98	7.65	33.59			
RMS	6.24G	89.98	Inf	-Inf	82.98	3	Vertical	295	1.02	-	32.96	7.64	33.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Y_2TX
Setting 82
06-X-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.15	88.20	-10.05	72.08	3	Horizontal	360	2.53	-	32.25	7.58	33.76			
RMS	5.925G	67.81	68.20	-0.39	61.74	3	Horizontal	360	2.53	-	32.25	7.58	33.76			
PK	6.148G	106.33	Inf	-Inf	99.69	3	Horizontal	360	2.53	-	32.69	7.61	33.66			
RMS	6.15G	96.44	Inf	-Inf	89.78	3	Horizontal	360	2.53	-	32.70	7.61	33.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT Y_2TX
Setting 74
04-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.929G	99.35	Inf	-Inf	97.58	3	Vertical	23	1.00	-	34.82	9.83	42.88			
AV	6.9575G	87.18	Inf	-Inf	85.27	3	Vertical	23	1.00	-	34.93	9.85	42.87			
PK	7.3025G	57.06	74.00	-16.94	53.23	3	Vertical	23	1.00	-	36.20	10.29	42.66			
AV	7.2905G	44.74	54.00	-9.26	40.93	3	Vertical	23	1.00	-	36.20	10.28	42.67			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_V_2TX
Setting 74
04-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9395G	104.62	Inf	-Inf	102.80	3	Horizontal	12	3.00	-	34.86	9.84	42.88			
AV	6.8765G	93.78	Inf	-Inf	92.39	3	Horizontal	12	3.00	-	34.51	9.78	42.90			
PK	7.256G	67.94	74.00	-6.06	64.16	3	Horizontal	12	3.00	-	36.20	10.27	42.69			
AV	7.25G	53.11	54.00	-0.89	49.34	3	Horizontal	12	3.00	-	36.20	10.26	42.69			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 86
05-E-C-6-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	64.07	88.20	-24.13	56.16	3	Vertical	345	1.80	-	34.20	7.79	34.08			
RMS	5.925G	52.93	68.20	-15.27	45.02	3	Vertical	345	1.80	-	34.20	7.79	34.08			
PK	5.9517G	109.41	Inf	-Inf	101.34	3	Vertical	345	1.80	-	34.29	7.84	34.06			
RMS	5.9487G	99.07	Inf	-Inf	91.01	3	Vertical	345	1.80	-	34.29	7.83	34.06			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 86
05-E-C-6-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9229G	81.99	88.20	-6.21	74.09	3	Horizontal	23	2.96	-	34.19	7.79	34.08			
RMS	5.9238G	67.23	68.20	-0.97	59.32	3	Horizontal	23	2.96	-	34.20	7.79	34.08			
PK	5.9538G	119.83	Inf	-Inf	111.76	3	Horizontal	23	2.96	-	34.28	7.84	34.05			
RMS	5.9598G	109.72	Inf	-Inf	101.66	3	Horizontal	23	2.96	-	34.26	7.85	34.05			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 82
05-E-C-6-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	71.87	88.20	-16.33	63.96	3	Vertical	342	1.80	-	34.20	7.79	34.08			
RMS	5.925G	60.98	68.20	-7.22	53.07	3	Vertical	342	1.80	-	34.20	7.79	34.08			
PK	5.9806G	107.33	Inf	-Inf	99.29	3	Vertical	342	1.80	-	34.18	7.89	34.03			
RMS	5.9826G	96.59	Inf	-Inf	88.56	3	Vertical	342	1.80	-	34.17	7.89	34.03			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 82
05-E-C-6-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.69	88.20	-7.51	72.78	3	Horizontal	34	1.80	-	34.20	7.79	34.08			
RMS	5.9246G	67.87	68.20	-0.33	59.96	3	Horizontal	34	1.80	-	34.20	7.79	34.08			
PK	5.9802G	114.47	Inf	-Inf	106.43	3	Horizontal	34	1.80	-	34.18	7.89	34.03			
RMS	5.9798G	102.47	Inf	-Inf	94.43	3	Horizontal	34	1.80	-	34.18	7.89	34.03			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 91
80\108\76\92\84\88\90\91
11.64\ -9.45\11.97\ -0.25\8.92\4.73\2.49\1.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	76.77	88.20	-11.43	65.10	3	Vertical	328	1.00	91	34.10	10.11	32.54			
RMS	5.919G	66.64	68.20	-1.56	54.97	3	Vertical	328	1.00	91	34.10	10.11	32.54			
PK	6.0055G	106.14	Inf	-Inf	94.39	3	Vertical	328	1.00	91	34.10	10.20	32.55			
RMS	6G	97.02	Inf	-Inf	85.28	3	Vertical	328	1.00	91	34.10	10.19	32.55			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 84
91\55\90\73\81\85\83\84
-8.97\12.14\7.31\11.64\5.82\0.06\2.76\1.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	76.61	88.20	-11.59	64.93	3	Horizontal	33	3.00	84	34.10	10.12	32.54			
RMS	5.9245G	66.82	68.20	-1.38	55.14	3	Horizontal	33	3.00	84	34.10	10.12	32.54			
PK	6.009G	113.33	Inf	-Inf	101.58	3	Horizontal	33	3.00	84	34.10	10.20	32.55			
RMS	6G	103.92	Inf	-Inf	92.18	3	Horizontal	33	3.00	84	34.10	10.19	32.55			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
SET 90
80\108\82\95\89\92\91\90
7.88\ -6.74\6.42\ -4.49\1.44\ -1.74\ -0.76\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	78.56	88.20	-9.64	66.89	3	Vertical	1	1.80	90	34.10	10.11	32.54			
RMS	5.9245G	68.16	68.20	-0.04	56.48	3	Vertical	1	1.80	90	34.10	10.12	32.54			
PK	6.002G	100.92	Inf	-Inf	89.18	3	Vertical	1	1.80	90	34.10	10.19	32.55			
RMS	6G	91.44	Inf	-Inf	79.70	3	Vertical	1	1.80	90	34.10	10.19	32.55			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 76
90\50\89\70\79\75\77\76
-11.80\11.71\10.87\5.54\2.92\1.16\0.58\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	83.66	88.20	-4.54	71.99	3	Horizontal	30	3.00	76	34.10	10.11	32.54			
RMS	5.9205G	68.11	68.20	-0.09	56.44	3	Horizontal	30	3.00	76	34.10	10.11	32.54			
PK	6.0485G	109.93	Inf	-Inf	98.12	3	Horizontal	30	3.00	76	34.10	10.24	32.53			
RMS	6.05G	100.38	Inf	-Inf	88.57	3	Horizontal	30	3.00	76	34.10	10.24	32.53			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_V_2TX
Setting 84
06-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	71.13	88.20	-17.07	65.06	3	Vertical	344	1.00	-	32.25	7.58	33.76			
RMS	5.925G	60.44	68.20	-7.76	54.37	3	Vertical	344	1.00	-	32.25	7.58	33.76			
PK	6.2382G	97.90	Inf	-Inf	90.91	3	Vertical	344	1.00	-	32.95	7.64	33.60			
RMS	6.0114G	88.25	Inf	-Inf	81.87	3	Vertical	344	1.00	-	32.42	7.70	33.74			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_V_2TX
Setting 84
06-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.37	88.20	-8.83	73.30	3	Horizontal	45	2.54	-	32.25	7.58	33.76			
RMS	5.925G	67.94	68.20	-0.26	61.87	3	Horizontal	45	2.54	-	32.25	7.58	33.76			
PK	6.1326G	105.28	Inf	-Inf	98.70	3	Horizontal	45	2.54	-	32.63	7.62	33.67			
RMS	6.15G	95.13	Inf	-Inf	88.47	3	Horizontal	45	2.54	-	32.70	7.61	33.65			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 72
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.7594G	97.82	Inf	-Inf	88.86	3	Vertical	21	3.00	-	34.32	8.05	33.41				
RMS	6.7626G	88.26	Inf	-Inf	79.28	3	Vertical	21	3.00	-	34.33	8.06	33.41				
PK	7.3178G	59.46	74.00	-14.54	47.68	3	Vertical	21	3.00	-	36.56	8.76	33.54				
AV	7.3034G	47.13	54.00	-6.87	35.35	3	Vertical	21	3.00	-	36.59	8.72	33.53				

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX



EUT_Y_2TX
Setting 72
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.8746G	102.60	Inf	-Inf	93.04	3	Horizontal	24	1.52	-	34.75	8.22	33.41				
RMS	6.8746G	93.26	Inf	-Inf	83.70	3	Horizontal	24	1.52	-	34.75	8.22	33.41				
PK	7.2938G	63.97	74.00	-10.03	52.22	3	Horizontal	24	1.52	-	36.58	8.70	33.53				
AV	7.25G	52.97	54.00	-1.03	41.50	3	Horizontal	24	1.52	-	36.40	8.58	33.51				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	RMS	5.924G	68.15	68.20	-0.05	3	Horizontal	7	2.49	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT Y_2TX
Setting 78
02-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	74.90	88.20	-13.30	63.03	3	Vertical	303	2.85	-	34.19	8.48	30.80			
RMS	5.9242G	60.37	68.20	-7.83	48.49	3	Vertical	303	2.85	-	34.20	8.48	30.80			
PK	5.9894G	107.87	Inf	-Inf	95.79	3	Vertical	303	2.85	-	34.30	8.57	30.79			
RMS	5.9962G	99.58	Inf	-Inf	87.49	3	Vertical	303	2.85	-	34.30	8.58	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX

EUT Y_2TX
Setting 78
02-D-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	79.32	88.20	-8.88	67.45	3	Horizontal	38	2.18	-	34.19	8.48	30.80			
RMS	5.925G	67.82	68.20	-0.38	55.94	3	Horizontal	38	2.18	-	34.20	8.48	30.80			
PK	5.997G	111.82	Inf	-Inf	99.73	3	Horizontal	38	2.18	-	34.30	8.58	30.79			
RMS	5.995G	102.57	Inf	-Inf	90.49	3	Horizontal	38	2.18	-	34.30	8.57	30.79			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97108G	59.17	74.00	-14.83	38.77	3	Vertical	11	1.54	-	39.16	12.65	31.41			
AV	11.95248G	46.42	54.00	-7.58	25.97	3	Vertical	11	1.54	-	39.20	12.64	31.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX


EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97844G	58.44	74.00	-15.56	38.94	3	Horizontal	127	1.58	-	39.14	12.66	32.30			
AV	11.97696G	45.73	54.00	-8.27	26.22	3	Horizontal	127	1.58	-	39.15	12.66	32.30			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94572G	50.42	83.54	-33.12	41.14	1	Vertical	10	1.72	-	38.99	18.19	47.90			
AV	23.93908G	37.82	63.54	-25.72	28.56	1	Vertical	10	1.72	-	38.98	18.18	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95956G	50.20	83.54	-33.34	40.92	1	Horizontal	63	2.04	-	38.98	18.20	47.90			
AV	23.94416G	37.86	63.54	-25.68	28.58	1	Horizontal	63	2.04	-	38.99	18.19	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX


6025MHz_TX

EUT Y_2TX
Setting 78
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	71.61	88.20	-16.59	59.75	3	Vertical	335	2.92	-	34.18	8.48	30.80			
RMS	5.92G	60.90	68.20	-7.30	49.04	3	Vertical	335	2.92	-	34.18	8.48	30.80			
PK	6.0425G	104.12	Inf	-Inf	92.02	3	Vertical	335	2.92	-	34.38	8.53	30.81			
RMS	6.0425G	95.48	Inf	-Inf	83.38	3	Vertical	335	2.92	-	34.38	8.53	30.81			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX


6025MHz_TX

EUT_Y_2TX
Setting 78
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.43	88.20	-9.77	66.57	3	Horizontal	8	2.48	-	34.18	8.48	30.80			
RMS	5.919G	67.29	68.20	-0.91	55.44	3	Horizontal	8	2.48	-	34.18	8.47	30.80			
PK	6.0815G	110.71	Inf	-Inf	98.65	3	Horizontal	8	2.48	-	34.40	8.49	30.83			
RMS	6.0865G	101.02	Inf	-Inf	88.97	3	Horizontal	8	2.48	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04696G	58.48	74.00	-15.52	38.99	3	Vertical	175	1.45	-	39.10	12.68	32.29			
AV	12.04004G	45.54	54.00	-8.46	26.05	3	Vertical	175	1.45	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0612G	58.15	74.00	-15.85	38.66	3	Horizontal	300	1.56	-	39.08	12.69	32.28			
AV	12.03544G	45.60	54.00	-8.40	26.12	3	Horizontal	300	1.56	-	39.10	12.68	32.30			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07571G	45.79	83.54	-37.75	41.47	1	Vertical	345	1.53	-	37.25	15.50	48.43			
AV	18.07689G	33.21	63.54	-30.33	28.89	1	Vertical	345	1.53	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT V_2TX
Setting 78
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07569G	46.17	83.54	-37.37	41.85	1	Horizontal	107	1.58	-	37.25	15.50	48.43			
AV	18.07408G	33.23	63.54	-30.31	28.91	1	Horizontal	107	1.58	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


6025MHz_TX

EUT Y_2TX
Setting 79
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	63.31	88.20	-24.89	51.43	3	Vertical	331	2.85	-	34.20	8.48	30.80			
RMS	5.925G	53.03	68.20	-15.17	41.15	3	Vertical	331	2.85	-	34.20	8.48	30.80			
PK	6.1015G	102.03	Inf	-Inf	90.01	3	Vertical	331	2.85	-	34.40	8.46	30.84			
RMS	6.083G	92.97	Inf	-Inf	80.92	3	Vertical	331	2.85	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


6025MHz_TX

EUT_Y_2TX
Setting 79
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	78.30	88.20	-9.90	66.43	3	Horizontal	12	2.47	-	34.19	8.48	30.80			
RMS	5.924G	67.37	68.20	-0.83	55.49	3	Horizontal	12	2.47	-	34.20	8.48	30.80			
PK	6.0815G	111.53	Inf	-Inf	99.47	3	Horizontal	12	2.47	-	34.40	8.49	30.83			
RMS	6.087G	102.16	Inf	-Inf	90.11	3	Horizontal	12	2.47	-	34.40	8.48	30.83			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

6025MHz_TX




EUT V_2TX
Setting 79
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04568G	57.88	74.00	-16.12	38.39	3	Vertical	91	1.81	-	39.10	12.68	32.29			
AV	12.04084G	45.60	54.00	-8.40	26.11	3	Vertical	91	1.81	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

6025MHz_TX




EUT_V_2TX
Setting 79
02-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05328G	58.10	74.00	-15.90	38.60	3	Horizontal	250	1.84	-	39.09	12.69	32.28			
AV	12.03928G	45.58	54.00	-8.42	26.09	3	Horizontal	250	1.84	-	39.10	12.68	32.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

6025MHz_TX

EUT V_2TX
Setting 79
02-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07554G	45.84	83.54	-37.70	41.52	1	Vertical	265	1.52	-	37.25	15.50	48.43			
AV	18.07409G	33.19	63.54	-30.35	28.87	1	Vertical	265	1.52	-	37.25	15.50	48.43			