



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.63	54.00	-10.37	0.65	3	Vertical	301	1.58	42.98	33.00	5.80	38.15
AV	5.46G	53.14	54.00	-0.86	0.69	3	Vertical	301	1.58	52.45	33.00	5.87	38.18
AV	5.52G	96.99	Inf	-Inf	0.75	3	Vertical	301	1.58	96.24	33.00	5.92	38.17
PK	5.314G	55.75	68.20	-12.45	0.56	3	Vertical	301	1.58	55.19	32.93	5.78	38.15
PK	5.46G	64.45	74.00	-9.55	0.69	3	Vertical	301	1.58	63.76	33.00	5.87	38.18
PK	5.47G	66.44	68.20	-1.76	0.70	3	Vertical	301	1.58	65.74	33.00	5.88	38.18
PK	5.524G	109.29	Inf	-Inf	0.75	3	Vertical	301	1.58	108.54	33.00	5.92	38.17
PK	5.732G	56.97	68.20	-11.23	1.71	3	Vertical	301	1.58	55.26	33.73	5.99	38.01

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0968G	40.58	54.00	-13.42	9.84	3	Vertical	72	1.35	30.74	38.99	8.54	37.69
PK	11.06416G	53.28	74.00	-20.72	9.78	3	Vertical	72	1.35	43.50	38.93	8.53	37.68


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.06	54.00	-10.94	0.69	3	Vertical	312	1.49	42.37	33.00	5.87	38.18
AV	5.7394G	100.40	Inf	-Inf	1.74	3	Vertical	312	1.49	98.66	33.76	5.99	38.01
PK	5.4958G	57.10	68.20	-11.10	0.71	3	Vertical	312	1.49	56.39	33.00	5.90	38.19
PK	5.7406G	112.96	Inf	-Inf	1.74	3	Vertical	312	1.49	111.22	33.76	5.99	38.01
PK	5.9662G	57.04	68.20	-11.16	2.53	3	Vertical	312	1.49	54.51	34.30	6.07	37.84

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51096G	40.55	54.00	-13.45	10.06	3	Vertical	107	1.50	30.49	39.23	8.62	37.79
PK	11.5184G	53.77	74.00	-20.23	10.02	3	Vertical	107	1.50	43.75	39.19	8.62	37.79


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.149G	44.40	54.00	-9.60	3	Vertical	342	1.78
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1392G	45.74	54.00	-8.26	3	Vertical	343	1.81
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	49.82	54.00	-4.18	3	Vertical	342	1.79
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	50.07	54.00	-3.93	3	Vertical	342	1.74
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	46.10	54.00	-7.90	3	Vertical	333	1.87
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	48.20	54.00	-5.80	3	Vertical	331	1.73
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.47	54.00	-0.53	3	Vertical	331	1.58
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	333	1.76
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3556G	52.97	54.00	-1.03	3	Vertical	331	1.66
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7296G	67.74	68.20	-0.46	3	Vertical	314	1.54
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.92	68.20	-0.28	3	Vertical	313	1.80
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	67.59	68.20	-0.61	3	Vertical	321	2.37
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	52.21	54.00	-1.79	3	Vertical	318	2.23
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	67.40	68.20	-0.80	3	Vertical	313	2.40
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.0222G	57.04	68.20	-11.16	3	Vertical	316	1.42
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.01482G	57.30	68.20	-10.90	3	Vertical	319	1.49
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	6.019G	57.56	68.20	-10.64	3	Vertical	315	1.39
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	58.23	68.20	-9.97	3	Vertical	320	1.49

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.149G	44.40	54.00	-9.60	3	Vertical	342	1.78
5180MHz	Pass	AV	5.184G	104.58	Inf	-Inf	3	Vertical	342	1.78
5180MHz	Pass	PK	5.1388G	60.55	74.00	-13.45	3	Vertical	342	1.78
5180MHz	Pass	PK	5.1842G	114.42	Inf	-Inf	3	Vertical	342	1.78
5180MHz	Pass	PK	10.35488G	52.98	68.20	-15.22	3	Vertical	101	2.67
5180MHz	Pass	PK	10.36196G	53.06	68.20	-15.14	3	Horizontal	60	1.50
5200MHz	Pass	AV	5.15G	43.08	54.00	-10.92	3	Vertical	342	1.89
5200MHz	Pass	AV	5.204G	104.13	Inf	-Inf	3	Vertical	342	1.89
5200MHz	Pass	PK	5.1484G	56.19	74.00	-17.81	3	Vertical	342	1.89
5200MHz	Pass	PK	5.2036G	113.98	Inf	-Inf	3	Vertical	342	1.89
5200MHz	Pass	PK	10.39652G	52.42	68.20	-15.78	3	Vertical	158	2.73
5200MHz	Pass	PK	10.40464G	52.82	68.20	-15.38	3	Horizontal	212	1.50
5240MHz	Pass	AV	5.1464G	42.31	54.00	-11.69	3	Vertical	329	2.00
5240MHz	Pass	AV	5.2466G	104.81	Inf	-Inf	3	Vertical	329	2.00
5240MHz	Pass	AV	5.3528G	42.67	54.00	-11.33	3	Vertical	329	2.00
5240MHz	Pass	PK	5.1434G	55.83	74.00	-18.17	3	Vertical	329	2.00
5240MHz	Pass	PK	5.246G	114.64	Inf	-Inf	3	Vertical	329	2.00
5240MHz	Pass	PK	5.3882G	56.12	74.00	-17.88	3	Vertical	329	2.00
5240MHz	Pass	PK	10.47816G	52.87	68.20	-15.33	3	Vertical	241	2.97
5240MHz	Pass	PK	10.48516G	52.35	68.20	-15.85	3	Horizontal	256	1.50
5260MHz	Pass	AV	5.1466G	42.02	54.00	-11.98	3	Vertical	332	2.03
5260MHz	Pass	AV	5.2558G	105.50	Inf	-Inf	3	Vertical	332	2.03
5260MHz	Pass	AV	5.35G	42.99	54.00	-11.01	3	Vertical	332	2.03
5260MHz	Pass	PK	5.134G	54.89	74.00	-19.11	3	Vertical	332	2.03
5260MHz	Pass	PK	5.2558G	115.45	Inf	-Inf	3	Vertical	332	2.03
5260MHz	Pass	PK	5.3614G	56.21	74.00	-17.79	3	Vertical	332	2.03
5260MHz	Pass	PK	10.52072G	52.91	68.20	-15.29	3	Vertical	139	1.50
5260MHz	Pass	PK	10.527G	52.95	68.20	-15.25	3	Horizontal	272	1.50
5300MHz	Pass	AV	5.296G	105.18	Inf	-Inf	3	Vertical	330	1.67
5300MHz	Pass	AV	5.3512G	43.26	54.00	-10.74	3	Vertical	330	1.67
5300MHz	Pass	PK	5.2952G	115.00	Inf	-Inf	3	Vertical	330	1.67
5300MHz	Pass	PK	5.3556G	56.17	74.00	-17.83	3	Vertical	330	1.67
5300MHz	Pass	AV	10.60956G	39.36	54.00	-14.64	3	Vertical	49	1.50
5300MHz	Pass	PK	10.59116G	53.16	68.20	-15.04	3	Vertical	49	1.50
5300MHz	Pass	AV	10.6054G	39.36	54.00	-14.64	3	Horizontal	24	2.03
5300MHz	Pass	PK	10.603G	53.35	74.00	-20.65	3	Horizontal	24	2.03
5320MHz	Pass	AV	5.3158G	105.00	Inf	-Inf	3	Vertical	333	1.87
5320MHz	Pass	AV	5.35G	46.10	54.00	-7.90	3	Vertical	333	1.87
5320MHz	Pass	PK	5.3154G	114.91	Inf	-Inf	3	Vertical	333	1.87
5320MHz	Pass	PK	5.3502G	62.46	74.00	-11.54	3	Vertical	333	1.87
5320MHz	Pass	AV	10.63864G	39.40	54.00	-14.60	3	Vertical	39	2.17
5320MHz	Pass	PK	10.631G	53.93	74.00	-20.07	3	Vertical	39	2.17
5320MHz	Pass	AV	10.63768G	39.49	54.00	-14.51	3	Horizontal	261	2.18
5320MHz	Pass	PK	10.63264G	53.67	74.00	-20.33	3	Horizontal	261	2.18
5500MHz	Pass	AV	5.4594G	44.59	54.00	-9.41	3	Vertical	322	2.36
5500MHz	Pass	AV	5.5042G	104.58	Inf	-Inf	3	Vertical	322	2.36
5500MHz	Pass	PK	5.459G	59.75	74.00	-14.25	3	Vertical	322	2.36
5500MHz	Pass	PK	5.4602G	59.30	68.20	-8.90	3	Vertical	322	2.36
5500MHz	Pass	PK	5.5034G	114.46	Inf	-Inf	3	Vertical	322	2.36
5500MHz	Pass	AV	10.99992G	39.19	54.00	-14.81	3	Vertical	74	1.50
5500MHz	Pass	PK	10.99976G	53.13	74.00	-20.87	3	Vertical	74	1.50
5500MHz	Pass	AV	11.00252G	39.14	54.00	-14.86	3	Horizontal	253	1.16
5500MHz	Pass	PK	11.00536G	52.93	74.00	-21.07	3	Horizontal	253	1.16
5580MHz	Pass	AV	5.4576G	42.15	54.00	-11.85	3	Vertical	313	2.34
5580MHz	Pass	AV	5.5758G	103.50	Inf	-Inf	3	Vertical	313	2.34
5580MHz	Pass	PK	5.4576G	55.17	74.00	-18.83	3	Vertical	313	2.34
5580MHz	Pass	PK	5.4624G	56.22	68.20	-11.98	3	Vertical	313	2.34
5580MHz	Pass	PK	5.5752G	113.06	Inf	-Inf	3	Vertical	313	2.34
5580MHz	Pass	PK	5.7282G	55.33	68.20	-12.87	3	Vertical	313	2.34
5580MHz	Pass	AV	11.16656G	39.44	54.00	-14.56	3	Vertical	180	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T1S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.16136G	53.90	74.00	-20.10	3	Vertical	180	1.50
5580MHz	Pass	AV	11.16112G	39.53	54.00	-14.47	3	Horizontal	28	1.32
5580MHz	Pass	PK	11.15532G	53.02	74.00	-20.98	3	Horizontal	28	1.32
5700MHz	Pass	AV	5.6948G	104.49	Inf	-Inf	3	Vertical	314	1.54
5700MHz	Pass	PK	5.6952G	114.34	Inf	-Inf	3	Vertical	314	1.54
5700MHz	Pass	PK	5.7296G	67.74	68.20	-0.46	3	Vertical	314	1.54
5700MHz	Pass	AV	11.40028G	39.28	54.00	-14.72	3	Vertical	235	1.50
5700MHz	Pass	PK	11.40932G	53.39	74.00	-20.61	3	Vertical	235	1.50
5700MHz	Pass	AV	11.40012G	39.32	54.00	-14.68	3	Horizontal	297	1.50
5700MHz	Pass	PK	11.40024G	53.59	74.00	-20.41	3	Horizontal	297	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	41.78	54.00	-12.22	3	Vertical	316	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	104.51	Inf	-Inf	3	Vertical	316	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	55.06	74.00	-18.94	3	Vertical	316	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.15	68.20	-14.05	3	Vertical	316	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	115.22	Inf	-Inf	3	Vertical	316	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9036G	57.25	68.20	-10.95	3	Vertical	316	1.45
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44636G	39.26	54.00	-14.74	3	Vertical	1	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44828G	53.47	74.00	-20.53	3	Vertical	1	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4474G	39.38	54.00	-14.62	3	Horizontal	3	2.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43856G	53.08	74.00	-20.92	3	Horizontal	3	2.81
5745MHz	Pass	AV	5.457G	41.80	54.00	-12.20	3	Vertical	316	1.42
5745MHz	Pass	AV	5.739G	105.35	Inf	-Inf	3	Vertical	316	1.42
5745MHz	Pass	PK	5.601G	55.87	68.20	-12.33	3	Vertical	316	1.42
5745MHz	Pass	PK	5.739G	115.26	Inf	-Inf	3	Vertical	316	1.42
5745MHz	Pass	PK	6.0222G	57.04	68.20	-11.16	3	Vertical	316	1.42
5745MHz	Pass	AV	11.49376G	39.64	54.00	-14.36	3	Vertical	334	1.50
5745MHz	Pass	PK	11.49828G	53.96	74.00	-20.04	3	Vertical	334	1.50
5745MHz	Pass	AV	11.49624G	39.69	54.00	-14.31	3	Horizontal	80	1.50
5745MHz	Pass	PK	11.49864G	53.54	74.00	-20.46	3	Horizontal	80	1.50
5785MHz	Pass	AV	5.77887G	105.05	Inf	-Inf	3	Vertical	319	1.50
5785MHz	Pass	PK	5.62399G	56.36	68.20	-11.84	3	Vertical	319	1.50
5785MHz	Pass	PK	5.78855G	115.25	Inf	-Inf	3	Vertical	319	1.50
5785MHz	Pass	PK	6.02329G	56.43	68.20	-11.77	3	Vertical	319	1.50
5785MHz	Pass	AV	11.57436G	39.42	54.00	-14.58	3	Vertical	192	1.50
5785MHz	Pass	PK	11.57688G	52.92	74.00	-21.08	3	Vertical	192	1.50
5785MHz	Pass	AV	11.56056G	39.39	54.00	-14.61	3	Horizontal	52	1.40
5785MHz	Pass	PK	11.56648G	53.44	74.00	-20.56	3	Horizontal	52	1.40
5825MHz	Pass	AV	5.819G	104.40	Inf	-Inf	3	Vertical	316	1.40
5825MHz	Pass	PK	5.5454G	55.61	68.20	-12.59	3	Vertical	316	1.40
5825MHz	Pass	PK	5.819G	114.11	Inf	-Inf	3	Vertical	316	1.40
5825MHz	Pass	PK	6.0866G	56.88	68.20	-11.32	3	Vertical	316	1.40
5825MHz	Pass	AV	11.64068G	39.03	54.00	-14.97	3	Vertical	292	1.50
5825MHz	Pass	PK	11.64752G	52.84	74.00	-21.16	3	Vertical	292	1.50
5825MHz	Pass	AV	11.65264G	39.03	54.00	-14.97	3	Horizontal	8	1.50
5825MHz	Pass	PK	11.65844G	53.10	74.00	-20.90	3	Horizontal	8	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	45.74	54.00	-8.26	3	Vertical	343	1.81
5180MHz	Pass	AV	5.1844G	103.94	Inf	-Inf	3	Vertical	343	1.81
5180MHz	Pass	PK	5.1394G	60.02	74.00	-13.98	3	Vertical	343	1.81
5180MHz	Pass	PK	5.182G	116.11	Inf	-Inf	3	Vertical	343	1.81
5180MHz	Pass	PK	10.35112G	53.11	68.20	-15.09	3	Vertical	307	2.88
5180MHz	Pass	PK	10.36464G	52.83	68.20	-15.37	3	Horizontal	87	2.78
5200MHz	Pass	AV	5.1488G	43.12	54.00	-10.88	3	Vertical	342	1.61
5200MHz	Pass	AV	5.2064G	103.04	Inf	-Inf	3	Vertical	342	1.61
5200MHz	Pass	PK	5.1488G	56.20	74.00	-17.80	3	Vertical	342	1.61
5200MHz	Pass	PK	5.192G	115.40	Inf	-Inf	3	Vertical	342	1.61
5200MHz	Pass	PK	10.39496G	52.89	68.20	-15.31	3	Vertical	170	2.67
5200MHz	Pass	PK	10.39436G	52.88	68.20	-15.32	3	Horizontal	325	1.50
5240MHz	Pass	AV	5.147G	42.47	54.00	-11.53	3	Vertical	319	2.11
5240MHz	Pass	AV	5.249G	103.79	Inf	-Inf	3	Vertical	319	2.11
5240MHz	Pass	AV	5.3546G	42.74	54.00	-11.26	3	Vertical	319	2.11
5240MHz	Pass	PK	5.1482G	54.85	74.00	-19.15	3	Vertical	319	2.11



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T1S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2442G	116.71	Inf	-Inf	3	Vertical	319	2.11
5240MHz	Pass	PK	5.3558G	57.56	74.00	-16.44	3	Vertical	319	2.11
5240MHz	Pass	PK	10.47148G	52.60	68.20	-15.60	3	Vertical	328	1.50
5240MHz	Pass	PK	10.48404G	52.80	68.20	-15.40	3	Horizontal	146	2.43
5260MHz	Pass	AV	5.1484G	42.24	54.00	-11.76	3	Vertical	333	1.65
5260MHz	Pass	AV	5.2576G	104.71	Inf	-Inf	3	Vertical	333	1.65
5260MHz	Pass	AV	5.3656G	43.02	54.00	-10.98	3	Vertical	333	1.65
5260MHz	Pass	PK	5.1442G	55.71	74.00	-18.29	3	Vertical	333	1.65
5260MHz	Pass	PK	5.2576G	117.10	Inf	-Inf	3	Vertical	333	1.65
5260MHz	Pass	PK	5.3764G	56.20	74.00	-17.80	3	Vertical	333	1.65
5260MHz	Pass	PK	10.51292G	52.81	68.20	-15.39	3	Vertical	282	2.41
5260MHz	Pass	PK	10.51832G	52.24	68.20	-15.96	3	Horizontal	186	1.62
5300MHz	Pass	AV	5.2928G	104.65	Inf	-Inf	3	Vertical	332	1.73
5300MHz	Pass	AV	5.3504G	43.52	54.00	-10.48	3	Vertical	332	1.73
5300MHz	Pass	PK	5.2928G	116.80	Inf	-Inf	3	Vertical	332	1.73
5300MHz	Pass	PK	5.3508G	56.94	74.00	-17.06	3	Vertical	332	1.73
5300MHz	Pass	AV	10.60708G	39.76	54.00	-14.24	3	Vertical	244	1.78
5300MHz	Pass	PK	10.60564G	53.20	74.00	-20.80	3	Vertical	244	1.78
5300MHz	Pass	AV	10.60936G	39.63	54.00	-14.37	3	Horizontal	10	1.86
5300MHz	Pass	PK	10.60764G	53.48	74.00	-20.52	3	Horizontal	10	1.86
5320MHz	Pass	AV	5.3228G	104.14	Inf	-Inf	3	Vertical	331	1.73
5320MHz	Pass	AV	5.3504G	48.20	54.00	-5.80	3	Vertical	331	1.73
5320MHz	Pass	PK	5.3128G	117.32	Inf	-Inf	3	Vertical	331	1.73
5320MHz	Pass	PK	5.3504G	63.77	74.00	-10.23	3	Vertical	331	1.73
5320MHz	Pass	AV	10.641G	39.80	54.00	-14.20	3	Vertical	175	3.00
5320MHz	Pass	PK	10.63056G	53.55	74.00	-20.45	3	Vertical	175	3.00
5320MHz	Pass	AV	10.63772G	39.78	54.00	-14.22	3	Horizontal	305	1.50
5320MHz	Pass	PK	10.63928G	53.48	74.00	-20.52	3	Horizontal	305	1.50
5500MHz	Pass	AV	5.4596G	45.85	54.00	-8.15	3	Vertical	315	2.39
5500MHz	Pass	AV	5.5074G	103.24	Inf	-Inf	3	Vertical	315	2.39
5500MHz	Pass	PK	5.46G	60.74	74.00	-13.26	3	Vertical	315	2.39
5500MHz	Pass	PK	5.4602G	59.04	68.20	-9.16	3	Vertical	315	2.39
5500MHz	Pass	PK	5.5074G	115.36	Inf	-Inf	3	Vertical	315	2.39
5500MHz	Pass	AV	10.99076G	39.47	54.00	-14.53	3	Vertical	352	1.50
5500MHz	Pass	PK	10.99664G	53.33	74.00	-20.67	3	Vertical	352	1.50
5500MHz	Pass	AV	11.00204G	39.55	54.00	-14.45	3	Horizontal	51	1.31
5500MHz	Pass	PK	11.00784G	52.70	74.00	-21.30	3	Horizontal	51	1.31
5580MHz	Pass	AV	5.4546G	42.03	54.00	-11.97	3	Vertical	314	2.42
5580MHz	Pass	AV	5.5776G	102.56	Inf	-Inf	3	Vertical	314	2.42
5580MHz	Pass	PK	5.457G	55.27	74.00	-18.73	3	Vertical	314	2.42
5580MHz	Pass	PK	5.4684G	55.93	68.20	-12.27	3	Vertical	314	2.42
5580MHz	Pass	PK	5.58G	114.22	Inf	-Inf	3	Vertical	314	2.42
5580MHz	Pass	PK	5.7294G	54.63	68.20	-13.57	3	Vertical	314	2.42
5580MHz	Pass	AV	11.16044G	39.79	54.00	-14.21	3	Vertical	131	1.50
5580MHz	Pass	PK	11.1554G	53.25	74.00	-20.75	3	Vertical	131	1.50
5580MHz	Pass	AV	11.16376G	39.79	54.00	-14.21	3	Horizontal	44	1.11
5580MHz	Pass	PK	11.15988G	53.02	74.00	-20.98	3	Horizontal	44	1.11
5700MHz	Pass	AV	5.6948G	102.67	Inf	-Inf	3	Vertical	313	1.80
5700MHz	Pass	PK	5.6976G	115.56	Inf	-Inf	3	Vertical	313	1.80
5700MHz	Pass	PK	5.7252G	67.92	68.20	-0.28	3	Vertical	313	1.80
5700MHz	Pass	AV	11.3988G	39.60	54.00	-14.40	3	Vertical	142	1.13
5700MHz	Pass	PK	11.40776G	52.99	74.00	-21.01	3	Vertical	142	1.13
5700MHz	Pass	AV	11.40024G	39.75	54.00	-14.25	3	Horizontal	43	1.50
5700MHz	Pass	PK	11.40036G	53.79	74.00	-20.21	3	Horizontal	43	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	42.03	54.00	-11.97	3	Vertical	314	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	104.04	Inf	-Inf	3	Vertical	314	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	55.01	74.00	-18.99	3	Vertical	314	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	54.51	68.20	-13.69	3	Vertical	314	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	115.72	Inf	-Inf	3	Vertical	314	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9324G	56.96	68.20	-11.24	3	Vertical	314	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44528G	39.79	54.00	-14.21	3	Vertical	48	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4308G	53.32	74.00	-20.68	3	Vertical	48	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T1S

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44804G	39.74	54.00	-14.26	3	Horizontal	192	2.10
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43684G	53.36	74.00	-20.64	3	Horizontal	192	2.10
5745MHz	Pass	AV	5.457G	41.95	54.00	-12.05	3	Vertical	313	1.29
5745MHz	Pass	AV	5.7426G	104.61	Inf	-Inf	3	Vertical	313	1.29
5745MHz	Pass	PK	5.499G	56.91	68.20	-11.29	3	Vertical	313	1.29
5745MHz	Pass	PK	5.7402G	117.48	Inf	-Inf	3	Vertical	313	1.29
5745MHz	Pass	PK	6.0186G	56.60	68.20	-11.60	3	Vertical	313	1.29
5745MHz	Pass	AV	11.4964G	40.19	54.00	-13.81	3	Vertical	245	1.50
5745MHz	Pass	PK	11.49736G	53.57	74.00	-20.43	3	Vertical	245	1.50
5745MHz	Pass	AV	11.48792G	39.97	54.00	-14.03	3	Horizontal	216	2.61
5745MHz	Pass	PK	11.4986G	53.81	74.00	-20.19	3	Horizontal	216	2.61
5785MHz	Pass	AV	5.77645G	104.39	Inf	-Inf	3	Vertical	319	1.49
5785MHz	Pass	PK	5.58164G	55.71	68.20	-12.49	3	Vertical	319	1.49
5785MHz	Pass	PK	5.7825G	116.16	Inf	-Inf	3	Vertical	319	1.49
5785MHz	Pass	PK	6.01482G	57.30	68.20	-10.90	3	Vertical	319	1.49
5785MHz	Pass	AV	11.561G	39.71	54.00	-14.29	3	Vertical	115	1.50
5785MHz	Pass	PK	11.56216G	53.23	74.00	-20.77	3	Vertical	115	1.50
5785MHz	Pass	AV	11.56388G	39.73	54.00	-14.27	3	Horizontal	315	1.40
5785MHz	Pass	PK	11.57108G	53.01	74.00	-20.99	3	Horizontal	315	1.40
5825MHz	Pass	AV	5.819G	103.90	Inf	-Inf	3	Vertical	319	1.04
5825MHz	Pass	PK	5.6498G	55.50	68.20	-12.70	3	Vertical	319	1.04
5825MHz	Pass	PK	5.8298G	115.67	Inf	-Inf	3	Vertical	319	1.04
5825MHz	Pass	PK	6.0722G	57.21	68.20	-10.99	3	Vertical	319	1.04
5825MHz	Pass	AV	11.65432G	39.31	54.00	-14.69	3	Vertical	42	2.93
5825MHz	Pass	PK	11.64076G	53.34	74.00	-20.66	3	Vertical	42	2.93
5825MHz	Pass	AV	11.65432G	39.23	54.00	-14.77	3	Horizontal	284	1.50
5825MHz	Pass	PK	11.6496G	53.29	74.00	-20.71	3	Horizontal	284	1.50
802.11be EHT40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	49.82	54.00	-4.18	3	Vertical	342	1.79
5190MHz	Pass	AV	5.1844G	100.67	Inf	-Inf	3	Vertical	342	1.79
5190MHz	Pass	PK	5.1488G	62.61	74.00	-11.39	3	Vertical	342	1.79
5190MHz	Pass	PK	5.2068G	113.17	Inf	-Inf	3	Vertical	342	1.79
5190MHz	Pass	PK	10.3612G	52.68	68.20	-15.52	3	Vertical	253	2.90
5190MHz	Pass	PK	10.36952G	53.43	68.20	-14.77	3	Horizontal	298	1.50
5230MHz	Pass	AV	5.1492G	44.21	54.00	-9.79	3	Vertical	342	1.72
5230MHz	Pass	AV	5.2196G	101.24	Inf	-Inf	3	Vertical	342	1.72
5230MHz	Pass	PK	5.1488G	56.81	74.00	-17.19	3	Vertical	342	1.72
5230MHz	Pass	PK	5.2244G	113.64	Inf	-Inf	3	Vertical	342	1.72
5230MHz	Pass	PK	10.44048G	53.13	68.20	-15.07	3	Vertical	220	1.50
5230MHz	Pass	PK	10.46264G	53.26	68.20	-14.94	3	Horizontal	247	1.66
5270MHz	Pass	AV	5.2552G	101.79	Inf	-Inf	3	Vertical	331	1.53
5270MHz	Pass	AV	5.3532G	44.56	54.00	-9.44	3	Vertical	331	1.53
5270MHz	Pass	PK	5.2528G	114.61	Inf	-Inf	3	Vertical	331	1.53
5270MHz	Pass	PK	5.356G	56.30	74.00	-17.70	3	Vertical	331	1.53
5270MHz	Pass	PK	10.52592G	52.87	68.20	-15.33	3	Vertical	271	2.04
5270MHz	Pass	PK	10.55384G	52.56	68.20	-15.64	3	Horizontal	223	1.50
5310MHz	Pass	AV	5.2976G	99.47	Inf	-Inf	3	Vertical	331	1.58
5310MHz	Pass	AV	5.3504G	53.47	54.00	-0.53	3	Vertical	331	1.58
5310MHz	Pass	PK	5.2928G	111.73	Inf	-Inf	3	Vertical	331	1.58
5310MHz	Pass	PK	5.3504G	66.64	74.00	-7.36	3	Vertical	331	1.58
5310MHz	Pass	AV	10.62064G	40.29	54.00	-13.71	3	Vertical	223	1.50
5310MHz	Pass	PK	10.62272G	53.48	74.00	-20.52	3	Vertical	223	1.50
5310MHz	Pass	AV	10.63696G	40.33	54.00	-13.67	3	Horizontal	171	1.31
5310MHz	Pass	PK	10.6132G	53.51	74.00	-20.49	3	Horizontal	171	1.31
5510MHz	Pass	AV	5.4596G	47.98	54.00	-6.02	3	Vertical	321	2.37
5510MHz	Pass	AV	5.5048G	100.92	Inf	-Inf	3	Vertical	321	2.37
5510MHz	Pass	PK	5.4596G	63.24	74.00	-10.76	3	Vertical	321	2.37
5510MHz	Pass	PK	5.4668G	67.59	68.20	-0.61	3	Vertical	321	2.37
5510MHz	Pass	PK	5.5052G	113.28	Inf	-Inf	3	Vertical	321	2.37
5510MHz	Pass	AV	11.03504G	40.06	54.00	-13.94	3	Vertical	107	1.50
5510MHz	Pass	PK	11.02768G	53.42	74.00	-20.58	3	Vertical	107	1.50
5510MHz	Pass	AV	11.01624G	40.09	54.00	-13.91	3	Horizontal	292	2.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	11.01784G	53.42	74.00	-20.58	3	Horizontal	292	2.26
5550MHz	Pass	AV	5.458G	43.62	54.00	-10.38	3	Vertical	312	2.21
5550MHz	Pass	AV	5.5452G	100.71	Inf	-Inf	3	Vertical	312	2.21
5550MHz	Pass	PK	5.46G	56.18	74.00	-17.82	3	Vertical	312	2.21
5550MHz	Pass	PK	5.47G	57.07	68.20	-11.13	3	Vertical	312	2.21
5550MHz	Pass	PK	5.5404G	112.98	Inf	-Inf	3	Vertical	312	2.21
5550MHz	Pass	AV	11.11312G	40.19	54.00	-13.81	3	Vertical	311	1.50
5550MHz	Pass	PK	11.09784G	53.85	74.00	-20.15	3	Vertical	311	1.50
5550MHz	Pass	AV	11.11232G	40.39	54.00	-13.61	3	Horizontal	79	1.27
5550MHz	Pass	PK	11.09768G	53.56	74.00	-20.44	3	Horizontal	79	1.27
5670MHz	Pass	AV	5.6622G	100.61	Inf	-Inf	3	Vertical	318	1.53
5670MHz	Pass	PK	5.667G	113.71	Inf	-Inf	3	Vertical	318	1.53
5670MHz	Pass	PK	5.7252G	66.83	68.20	-1.37	3	Vertical	318	1.53
5670MHz	Pass	AV	11.35104G	40.39	54.00	-13.61	3	Vertical	221	1.50
5670MHz	Pass	PK	11.32712G	52.97	74.00	-21.03	3	Vertical	221	1.50
5670MHz	Pass	AV	11.33968G	40.31	54.00	-13.69	3	Horizontal	68	1.50
5670MHz	Pass	PK	11.35392G	53.24	74.00	-20.76	3	Horizontal	68	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4436G	42.78	54.00	-11.22	3	Vertical	311	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	100.88	Inf	-Inf	3	Vertical	311	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4436G	54.99	74.00	-19.01	3	Vertical	311	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	55.76	68.20	-12.44	3	Vertical	311	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	113.81	Inf	-Inf	3	Vertical	311	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8936G	57.39	68.20	-10.81	3	Vertical	311	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41536G	40.43	54.00	-13.57	3	Vertical	169	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41624G	53.37	74.00	-20.63	3	Vertical	169	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42992G	40.19	54.00	-13.81	3	Horizontal	189	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42616G	53.13	74.00	-20.87	3	Horizontal	189	1.50
5755MHz	Pass	AV	5.4586G	42.37	54.00	-11.63	3	Vertical	315	1.39
5755MHz	Pass	AV	5.737G	101.92	Inf	-Inf	3	Vertical	315	1.39
5755MHz	Pass	PK	5.6434G	56.34	68.20	-11.86	3	Vertical	315	1.39
5755MHz	Pass	PK	5.737G	114.07	Inf	-Inf	3	Vertical	315	1.39
5755MHz	Pass	PK	6.019G	57.56	68.20	-10.64	3	Vertical	315	1.39
5755MHz	Pass	AV	11.526G	40.61	54.00	-13.39	3	Vertical	261	1.50
5755MHz	Pass	PK	11.52616G	54.12	74.00	-19.88	3	Vertical	261	1.50
5755MHz	Pass	AV	11.51448G	40.56	54.00	-13.44	3	Horizontal	148	1.50
5755MHz	Pass	PK	11.49576G	53.68	74.00	-20.32	3	Horizontal	148	1.50
5795MHz	Pass	AV	5.7974G	101.68	Inf	-Inf	3	Vertical	314	1.50
5795MHz	Pass	PK	5.645G	55.87	68.20	-12.33	3	Vertical	314	1.50
5795MHz	Pass	PK	5.7974G	114.05	Inf	-Inf	3	Vertical	314	1.50
5795MHz	Pass	PK	6.0278G	57.33	68.20	-10.87	3	Vertical	314	1.50
5795MHz	Pass	AV	11.57344G	40.10	54.00	-13.90	3	Vertical	134	1.02
5795MHz	Pass	PK	11.58744G	52.94	74.00	-21.06	3	Vertical	134	1.02
5795MHz	Pass	AV	11.57328G	40.25	54.00	-13.75	3	Horizontal	32	1.86
5795MHz	Pass	PK	11.602G	53.20	74.00	-20.80	3	Horizontal	32	1.86
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.07	54.00	-3.93	3	Vertical	342	1.74
5210MHz	Pass	AV	5.222G	98.42	Inf	-Inf	3	Vertical	342	1.74
5210MHz	Pass	AV	5.355G	44.12	54.00	-9.88	3	Vertical	342	1.74
5210MHz	Pass	PK	5.147G	62.80	74.00	-11.20	3	Vertical	342	1.74
5210MHz	Pass	PK	5.217G	109.90	Inf	-Inf	3	Vertical	342	1.74
5210MHz	Pass	PK	5.457G	56.74	74.00	-17.26	3	Vertical	342	1.74
5210MHz	Pass	PK	10.43424G	52.66	68.20	-15.54	3	Vertical	360	1.50
5210MHz	Pass	PK	10.452G	52.60	68.20	-15.60	3	Horizontal	264	2.17
5290MHz	Pass	AV	5.143G	43.05	54.00	-10.95	3	Vertical	333	1.76
5290MHz	Pass	AV	5.295G	96.08	Inf	-Inf	3	Vertical	333	1.76
5290MHz	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	333	1.76
5290MHz	Pass	PK	5.15G	55.12	74.00	-18.88	3	Vertical	333	1.76
5290MHz	Pass	PK	5.285G	108.96	Inf	-Inf	3	Vertical	333	1.76
5290MHz	Pass	PK	5.35G	65.31	74.00	-8.69	3	Vertical	333	1.76
5290MHz	Pass	PK	5.479G	56.15	68.20	-12.05	3	Vertical	333	1.76
5290MHz	Pass	AV	10.61104G	40.63	54.00	-13.37	3	Vertical	63	2.97
5290MHz	Pass	PK	10.61344G	53.38	74.00	-20.62	3	Vertical	63	2.97

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	10.61584G	40.36	54.00	-13.64	3	Horizontal	0	1.67
5290MHz	Pass	PK	10.55776G	53.29	68.20	-14.91	3	Horizontal	0	1.67
5530MHz	Pass	AV	5.35G	42.40	54.00	-11.60	3	Vertical	318	2.23
5530MHz	Pass	AV	5.46G	52.21	54.00	-1.79	3	Vertical	318	2.23
5530MHz	Pass	AV	5.515G	97.59	Inf	-Inf	3	Vertical	318	2.23
5530MHz	Pass	PK	5.301G	54.75	68.20	-13.45	3	Vertical	318	2.23
5530MHz	Pass	PK	5.46G	64.71	74.00	-9.29	3	Vertical	318	2.23
5530MHz	Pass	PK	5.464G	65.95	68.20	-2.25	3	Vertical	318	2.23
5530MHz	Pass	PK	5.5G	109.45	Inf	-Inf	3	Vertical	318	2.23
5530MHz	Pass	PK	5.766G	56.44	68.20	-11.76	3	Vertical	318	2.23
5530MHz	Pass	AV	11.0544G	40.59	54.00	-13.41	3	Vertical	148	2.03
5530MHz	Pass	PK	11.03472G	53.77	74.00	-20.23	3	Vertical	148	2.03
5530MHz	Pass	AV	11.08608G	40.55	54.00	-13.45	3	Horizontal	195	2.09
5530MHz	Pass	PK	11.072G	53.58	74.00	-20.42	3	Horizontal	195	2.09
5610MHz	Pass	AV	5.46G	45.64	54.00	-8.36	3	Vertical	314	2.35
5610MHz	Pass	AV	5.58G	98.39	Inf	-Inf	3	Vertical	314	2.35
5610MHz	Pass	PK	5.459G	57.55	74.00	-16.45	3	Vertical	314	2.35
5610MHz	Pass	PK	5.469G	58.28	68.20	-9.92	3	Vertical	314	2.35
5610MHz	Pass	PK	5.588G	110.97	Inf	-Inf	3	Vertical	314	2.35
5610MHz	Pass	PK	5.728G	58.94	68.20	-9.26	3	Vertical	314	2.35
5610MHz	Pass	AV	11.20816G	40.63	54.00	-13.37	3	Vertical	108	1.50
5610MHz	Pass	PK	11.21088G	53.37	74.00	-20.63	3	Vertical	108	1.50
5610MHz	Pass	AV	11.19312G	40.63	54.00	-13.37	3	Horizontal	343	1.06
5610MHz	Pass	PK	11.24096G	53.20	74.00	-20.80	3	Horizontal	343	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	43.38	54.00	-10.62	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	98.16	Inf	-Inf	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	55.35	74.00	-18.65	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	54.87	68.20	-13.33	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	110.76	Inf	-Inf	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	57.02	68.20	-11.18	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41456G	40.69	54.00	-13.31	3	Vertical	178	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41392G	53.41	74.00	-20.59	3	Vertical	178	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38256G	40.81	54.00	-13.19	3	Horizontal	90	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36528G	53.59	74.00	-20.41	3	Horizontal	90	1.00
5775MHz	Pass	AV	5.7714G	98.02	Inf	-Inf	3	Vertical	320	1.49
5775MHz	Pass	PK	5.649G	58.23	68.20	-9.97	3	Vertical	320	1.49
5775MHz	Pass	PK	5.805G	110.70	Inf	-Inf	3	Vertical	320	1.49
5775MHz	Pass	PK	6.0522G	56.61	68.20	-11.59	3	Vertical	320	1.49
5775MHz	Pass	AV	11.54136G	41.07	54.00	-12.93	3	Vertical	207	1.50
5775MHz	Pass	PK	11.5268G	53.05	74.00	-20.95	3	Vertical	207	1.50
5775MHz	Pass	AV	11.52456G	41.10	54.00	-12.90	3	Horizontal	21	1.50
5775MHz	Pass	PK	11.56344G	53.71	74.00	-20.29	3	Horizontal	21	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.19	54.00	-4.81	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2224G	93.61	Inf	-Inf	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	52.97	54.00	-1.03	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	67.30	74.00	-6.70	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2728G	105.08	Inf	-Inf	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	69.37	74.00	-4.63	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	58.32	68.20	-9.88	3	Vertical	331	1.66
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.476G	52.80	68.20	-15.40	3	Vertical	198	2.46
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4616G	53.11	68.20	-15.09	3	Horizontal	72	1.50
5570MHz	Pass	AV	5.4596G	47.39	54.00	-6.61	3	Vertical	313	2.40
5570MHz	Pass	AV	5.51G	92.58	Inf	-Inf	3	Vertical	313	2.40
5570MHz	Pass	PK	5.288G	54.46	68.20	-13.74	3	Vertical	313	2.40
5570MHz	Pass	PK	5.4584G	62.50	74.00	-11.50	3	Vertical	313	2.40
5570MHz	Pass	PK	5.4692G	67.40	68.20	-0.80	3	Vertical	313	2.40
5570MHz	Pass	PK	5.5424G	103.96	Inf	-Inf	3	Vertical	313	2.40
5570MHz	Pass	PK	5.8004G	56.10	68.20	-12.10	3	Vertical	313	2.40
5570MHz	Pass	AV	11.17008G	41.18	54.00	-12.82	3	Vertical	172	1.50
5570MHz	Pass	PK	11.06992G	53.19	74.00	-20.81	3	Vertical	172	1.50
5570MHz	Pass	AV	11.1912G	41.38	54.00	-12.62	3	Horizontal	248	1.50




***RSE TX above 1GHz _Non-Beamforming_Radio 2_Full
RU_2T1S***

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.14096G	53.52	74.00	-20.48	3	Horizontal	248	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.40	54.00	-11.60	0.65	3	Vertical	318	2.23	41.75	33.00	5.80	38.15
AV	5.46G	52.21	54.00	-1.79	0.69	3	Vertical	318	2.23	51.52	33.00	5.87	38.18
AV	5.515G	97.59	Inf	-Inf	0.74	3	Vertical	318	2.23	96.85	33.00	5.92	38.18
PK	5.301G	54.75	68.20	-13.45	0.53	3	Vertical	318	2.23	54.22	32.90	5.77	38.14
PK	5.46G	64.71	74.00	-9.29	0.69	3	Vertical	318	2.23	64.02	33.00	5.87	38.18
PK	5.464G	65.95	68.20	-2.25	0.70	3	Vertical	318	2.23	65.25	33.00	5.88	38.18
PK	5.5G	109.45	Inf	-Inf	0.72	3	Vertical	318	2.23	108.73	33.00	5.91	38.19
PK	5.766G	56.44	68.20	-11.76	1.91	3	Vertical	318	2.23	54.53	33.90	6.00	37.99

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0544G	40.59	54.00	-13.41	9.76	3	Vertical	148	2.03	30.83	38.91	8.53	37.68
PK	11.03472G	53.77	74.00	-20.23	9.78	3	Vertical	148	2.03	43.99	38.93	8.53	37.68


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	42.37	54.00	-11.63	0.69	3	Vertical	315	1.39	41.68	33.00	5.87	38.18
AV	5.737G	101.92	Inf	-Inf	1.73	3	Vertical	315	1.39	100.19	33.75	5.99	38.01
PK	5.6434G	56.34	68.20	-11.86	1.07	3	Vertical	315	1.39	55.27	33.17	5.98	38.08
PK	5.737G	114.07	Inf	-Inf	1.73	3	Vertical	315	1.39	112.34	33.75	5.99	38.01
PK	6.019G	57.56	68.20	-10.64	2.60	3	Vertical	315	1.39	54.96	34.30	6.10	37.80

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.526G	40.61	54.00	-13.39	9.97	3	Vertical	261	1.50	30.64	39.14	8.62	37.79
PK	11.52616G	54.12	74.00	-19.88	9.97	3	Vertical	261	1.50	44.15	39.14	8.62	37.79


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1392G	46.24	54.00	-7.76	3	Vertical	304	1.77
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	50.11	54.00	-3.89	3	Vertical	312	1.95
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	50.41	54.00	-3.59	3	Vertical	295	1.68
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	47.78	54.00	-6.22	3	Vertical	305	1.72
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.39	54.00	-0.61	3	Vertical	304	1.68
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	301	1.76
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.3592G	53.56	54.00	-0.44	3	Vertical	289	1.94
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7268G	67.32	68.20	-0.88	3	Vertical	311	1.57
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.47G	66.67	68.20	-1.53	3	Vertical	318	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.459G	53.33	54.00	-0.67	3	Vertical	318	1.26
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4692G	66.83	68.20	-1.37	3	Vertical	304	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.0194G	57.54	68.20	-10.66	3	Vertical	284	1.74
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	6.0466G	57.36	68.20	-10.84	3	Vertical	285	1.72
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6418G	59.05	68.20	-9.15	3	Vertical	297	1.75



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T2S

Appendix E.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	46.24	54.00	-7.76	3	Vertical	304	1.77
5180MHz	Pass	AV	5.1818G	102.88	Inf	-Inf	3	Vertical	304	1.77
5180MHz	Pass	PK	5.139G	59.20	74.00	-14.80	3	Vertical	304	1.77
5180MHz	Pass	PK	5.184G	115.97	Inf	-Inf	3	Vertical	304	1.77
5180MHz	Pass	PK	10.36664G	53.18	68.20	-15.02	3	Vertical	242	1.94
5180MHz	Pass	PK	10.35572G	53.43	68.20	-14.77	3	Horizontal	11	2.83
5200MHz	Pass	AV	5.1496G	44.08	54.00	-9.92	3	Vertical	308	1.77
5200MHz	Pass	AV	5.2072G	102.18	Inf	-Inf	3	Vertical	308	1.77
5200MHz	Pass	PK	5.1452G	56.63	74.00	-17.37	3	Vertical	308	1.77
5200MHz	Pass	PK	5.2084G	114.34	Inf	-Inf	3	Vertical	308	1.77
5200MHz	Pass	PK	10.39668G	52.82	68.20	-15.38	3	Vertical	290	1.69
5200MHz	Pass	PK	10.4042G	52.43	68.20	-15.77	3	Horizontal	209	2.03
5240MHz	Pass	AV	5.1494G	43.10	54.00	-10.90	3	Vertical	286	1.73
5240MHz	Pass	AV	5.2478G	102.86	Inf	-Inf	3	Vertical	286	1.73
5240MHz	Pass	AV	5.366G	43.21	54.00	-10.79	3	Vertical	286	1.73
5240MHz	Pass	PK	5.1464G	55.60	74.00	-18.40	3	Vertical	286	1.73
5240MHz	Pass	PK	5.2442G	116.19	Inf	-Inf	3	Vertical	286	1.73
5240MHz	Pass	PK	5.3678G	55.67	74.00	-18.33	3	Vertical	286	1.73
5240MHz	Pass	PK	10.48508G	53.07	68.20	-15.13	3	Vertical	62	1.50
5240MHz	Pass	PK	10.4832G	53.34	68.20	-14.86	3	Horizontal	179	2.94
5260MHz	Pass	AV	5.1496G	42.89	54.00	-11.11	3	Vertical	299	1.73
5260MHz	Pass	AV	5.2528G	103.78	Inf	-Inf	3	Vertical	299	1.73
5260MHz	Pass	AV	5.3554G	43.48	54.00	-10.52	3	Vertical	299	1.73
5260MHz	Pass	PK	5.146G	54.92	74.00	-19.08	3	Vertical	299	1.73
5260MHz	Pass	PK	5.2618G	116.16	Inf	-Inf	3	Vertical	299	1.73
5260MHz	Pass	PK	5.3644G	55.88	74.00	-18.12	3	Vertical	299	1.73
5260MHz	Pass	PK	10.51068G	52.74	68.20	-15.46	3	Vertical	136	1.50
5260MHz	Pass	PK	10.5114G	52.81	68.20	-15.39	3	Horizontal	163	1.72
5300MHz	Pass	AV	5.2924G	103.32	Inf	-Inf	3	Vertical	284	1.64
5300MHz	Pass	AV	5.3504G	43.77	54.00	-10.23	3	Vertical	284	1.64
5300MHz	Pass	PK	5.2944G	115.60	Inf	-Inf	3	Vertical	284	1.64
5300MHz	Pass	PK	5.3624G	56.53	74.00	-17.47	3	Vertical	284	1.64
5300MHz	Pass	AV	10.60992G	40.57	54.00	-13.43	3	Vertical	119	1.50
5300MHz	Pass	PK	10.6088G	53.25	74.00	-20.75	3	Vertical	119	1.50
5300MHz	Pass	AV	10.608G	40.21	54.00	-13.79	3	Horizontal	0	1.81
5300MHz	Pass	PK	10.59232G	53.31	68.20	-14.89	3	Horizontal	0	1.81
5320MHz	Pass	AV	5.322G	102.84	Inf	-Inf	3	Vertical	305	1.72
5320MHz	Pass	AV	5.35G	47.78	54.00	-6.22	3	Vertical	305	1.72
5320MHz	Pass	PK	5.3206G	115.49	Inf	-Inf	3	Vertical	305	1.72
5320MHz	Pass	PK	5.3502G	64.14	74.00	-9.86	3	Vertical	305	1.72
5320MHz	Pass	AV	10.64184G	40.35	54.00	-13.65	3	Vertical	210	2.52
5320MHz	Pass	PK	10.64568G	53.48	74.00	-20.52	3	Vertical	210	2.52
5320MHz	Pass	AV	10.63812G	40.36	54.00	-13.64	3	Horizontal	11	1.37
5320MHz	Pass	PK	10.63768G	53.30	74.00	-20.70	3	Horizontal	11	1.37
5500MHz	Pass	AV	5.4592G	45.49	54.00	-8.51	3	Vertical	319	1.50
5500MHz	Pass	AV	5.5026G	101.51	Inf	-Inf	3	Vertical	319	1.50
5500MHz	Pass	PK	5.46G	58.79	74.00	-15.21	3	Vertical	319	1.50
5500MHz	Pass	PK	5.4602G	57.95	68.20	-10.25	3	Vertical	319	1.50
5500MHz	Pass	PK	5.503G	115.27	Inf	-Inf	3	Vertical	319	1.50
5500MHz	Pass	AV	11.00068G	40.02	54.00	-13.98	3	Vertical	312	1.16
5500MHz	Pass	PK	10.99072G	53.41	74.00	-20.59	3	Vertical	312	1.16
5500MHz	Pass	AV	11.00516G	39.93	54.00	-14.07	3	Horizontal	360	1.65
5500MHz	Pass	PK	10.99864G	54.18	74.00	-19.82	3	Horizontal	360	1.65
5580MHz	Pass	AV	5.4414G	42.70	54.00	-11.30	3	Vertical	306	1.60
5580MHz	Pass	AV	5.5818G	101.63	Inf	-Inf	3	Vertical	306	1.60
5580MHz	Pass	PK	5.433G	55.08	74.00	-18.92	3	Vertical	306	1.60
5580MHz	Pass	PK	5.469G	55.87	68.20	-12.33	3	Vertical	306	1.60
5580MHz	Pass	PK	5.5884G	114.15	Inf	-Inf	3	Vertical	306	1.60
5580MHz	Pass	PK	5.7294G	55.66	68.20	-12.54	3	Vertical	306	1.60
5580MHz	Pass	AV	11.15904G	40.07	54.00	-13.93	3	Vertical	360	2.94



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15688G	53.56	74.00	-20.44	3	Vertical	360	2.94
5580MHz	Pass	AV	11.15404G	40.22	54.00	-13.78	3	Horizontal	8	1.95
5580MHz	Pass	PK	11.15688G	54.20	74.00	-19.80	3	Horizontal	8	1.95
5700MHz	Pass	AV	5.6928G	101.75	Inf	-Inf	3	Vertical	311	1.57
5700MHz	Pass	PK	5.6944G	114.62	Inf	-Inf	3	Vertical	311	1.57
5700MHz	Pass	PK	5.7268G	67.32	68.20	-0.88	3	Vertical	311	1.57
5700MHz	Pass	AV	11.39904G	40.13	54.00	-13.87	3	Vertical	261	2.62
5700MHz	Pass	PK	11.40104G	53.18	74.00	-20.82	3	Vertical	261	2.62
5700MHz	Pass	AV	11.40056G	40.14	54.00	-13.86	3	Horizontal	75	1.50
5700MHz	Pass	PK	11.39732G	53.13	74.00	-20.87	3	Horizontal	75	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	42.54	54.00	-11.46	3	Vertical	298	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	103.06	Inf	-Inf	3	Vertical	298	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	54.56	74.00	-19.44	3	Vertical	298	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	54.03	68.20	-14.17	3	Vertical	298	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	115.27	Inf	-Inf	3	Vertical	298	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9732G	56.85	68.20	-11.35	3	Vertical	298	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44364G	40.19	54.00	-13.81	3	Vertical	115	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4332G	53.16	74.00	-20.84	3	Vertical	115	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44664G	40.15	54.00	-13.85	3	Horizontal	170	1.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44592G	53.25	74.00	-20.75	3	Horizontal	170	1.08
5745MHz	Pass	AV	5.4498G	42.19	54.00	-11.81	3	Vertical	316	1.22
5745MHz	Pass	AV	5.7462G	103.43	Inf	-Inf	3	Vertical	316	1.22
5745MHz	Pass	PK	5.589G	56.10	68.20	-12.10	3	Vertical	316	1.22
5745MHz	Pass	PK	5.7426G	115.70	Inf	-Inf	3	Vertical	316	1.22
5745MHz	Pass	PK	5.9442G	56.94	68.20	-11.26	3	Vertical	316	1.22
5745MHz	Pass	AV	11.48972G	40.72	54.00	-13.28	3	Vertical	347	1.50
5745MHz	Pass	PK	11.49724G	54.03	74.00	-19.97	3	Vertical	347	1.50
5745MHz	Pass	AV	11.49304G	40.67	54.00	-13.33	3	Horizontal	238	1.50
5745MHz	Pass	PK	11.49904G	53.32	74.00	-20.68	3	Horizontal	238	1.50
5785MHz	Pass	AV	5.78613G	103.40	Inf	-Inf	3	Vertical	285	1.72
5785MHz	Pass	PK	5.62157G	55.78	68.20	-12.42	3	Vertical	285	1.72
5785MHz	Pass	PK	5.78008G	116.25	Inf	-Inf	3	Vertical	285	1.72
5785MHz	Pass	PK	5.95432G	56.93	68.20	-11.27	3	Vertical	285	1.72
5785MHz	Pass	AV	11.57684G	40.40	54.00	-13.60	3	Vertical	221	2.82
5785MHz	Pass	PK	11.56708G	53.05	74.00	-20.95	3	Vertical	221	2.82
5785MHz	Pass	AV	11.5624G	40.26	54.00	-13.74	3	Horizontal	253	2.76
5785MHz	Pass	PK	11.57572G	53.31	74.00	-20.69	3	Horizontal	253	2.76
5825MHz	Pass	AV	5.8178G	102.75	Inf	-Inf	3	Vertical	284	1.74
5825MHz	Pass	PK	5.6366G	55.70	68.20	-12.50	3	Vertical	284	1.74
5825MHz	Pass	PK	5.819G	115.79	Inf	-Inf	3	Vertical	284	1.74
5825MHz	Pass	PK	6.0194G	57.54	68.20	-10.66	3	Vertical	284	1.74
5825MHz	Pass	AV	11.64312G	39.93	54.00	-14.07	3	Vertical	21	1.50
5825MHz	Pass	PK	11.65752G	52.91	74.00	-21.09	3	Vertical	21	1.50
5825MHz	Pass	AV	11.64068G	39.69	54.00	-14.31	3	Horizontal	263	1.50
5825MHz	Pass	PK	11.65352G	52.99	74.00	-21.01	3	Horizontal	263	1.50
802.11be EHT40_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.11	54.00	-3.89	3	Vertical	312	1.95
5190MHz	Pass	AV	5.1816G	99.37	Inf	-Inf	3	Vertical	312	1.95
5190MHz	Pass	PK	5.14G	63.64	74.00	-10.36	3	Vertical	312	1.95
5190MHz	Pass	PK	5.194G	111.81	Inf	-Inf	3	Vertical	312	1.95
5190MHz	Pass	PK	10.36312G	53.37	68.20	-14.83	3	Vertical	107	2.73
5190MHz	Pass	PK	10.36008G	53.28	68.20	-14.92	3	Horizontal	39	2.64
5230MHz	Pass	AV	5.1488G	44.46	54.00	-9.54	3	Vertical	298	1.91
5230MHz	Pass	AV	5.2164G	99.91	Inf	-Inf	3	Vertical	298	1.91
5230MHz	Pass	PK	5.1408G	65.25	74.00	-8.75	3	Vertical	298	1.91
5230MHz	Pass	PK	5.2404G	112.82	Inf	-Inf	3	Vertical	298	1.91
5230MHz	Pass	PK	10.47176G	52.51	68.20	-15.69	3	Vertical	252	2.33
5230MHz	Pass	PK	10.4684G	53.43	68.20	-14.77	3	Horizontal	309	1.71
5270MHz	Pass	AV	5.2528G	100.70	Inf	-Inf	3	Vertical	319	2.14
5270MHz	Pass	AV	5.3548G	44.73	54.00	-9.27	3	Vertical	319	2.14
5270MHz	Pass	PK	5.2524G	112.88	Inf	-Inf	3	Vertical	319	2.14
5270MHz	Pass	PK	5.3588G	57.03	74.00	-16.97	3	Vertical	319	2.14



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.542G	52.58	68.20	-15.62	3	Vertical	216	1.39
5270MHz	Pass	PK	10.52168G	52.28	68.20	-15.92	3	Horizontal	266	1.50
5310MHz	Pass	AV	5.2972G	98.29	Inf	-Inf	3	Vertical	304	1.68
5310MHz	Pass	AV	5.35G	53.39	54.00	-0.61	3	Vertical	304	1.68
5310MHz	Pass	PK	5.2932G	111.39	Inf	-Inf	3	Vertical	304	1.68
5310MHz	Pass	PK	5.3516G	66.87	74.00	-7.13	3	Vertical	304	1.68
5310MHz	Pass	AV	10.62024G	40.49	54.00	-13.51	3	Vertical	123	1.50
5310MHz	Pass	PK	10.61432G	53.01	74.00	-20.99	3	Vertical	123	1.50
5310MHz	Pass	AV	10.63744G	40.70	54.00	-13.30	3	Horizontal	0	1.50
5310MHz	Pass	PK	10.63464G	53.40	74.00	-20.60	3	Horizontal	0	1.50
5510MHz	Pass	AV	5.46G	47.53	54.00	-6.47	3	Vertical	318	1.50
5510MHz	Pass	AV	5.504G	99.21	Inf	-Inf	3	Vertical	318	1.50
5510MHz	Pass	PK	5.458G	65.05	74.00	-8.95	3	Vertical	318	1.50
5510MHz	Pass	PK	5.47G	66.67	68.20	-1.53	3	Vertical	318	1.50
5510MHz	Pass	PK	5.5244G	111.54	Inf	-Inf	3	Vertical	318	1.50
5510MHz	Pass	AV	11.02928G	40.49	54.00	-13.51	3	Vertical	85	1.28
5510MHz	Pass	PK	11.03752G	53.15	74.00	-20.85	3	Vertical	85	1.28
5510MHz	Pass	AV	11.0344G	40.55	54.00	-13.45	3	Horizontal	305	1.50
5510MHz	Pass	PK	11.0356G	53.16	74.00	-20.84	3	Horizontal	305	1.50
5550MHz	Pass	AV	5.4576G	44.10	54.00	-9.90	3	Vertical	305	1.67
5550MHz	Pass	AV	5.54G	99.55	Inf	-Inf	3	Vertical	305	1.67
5550MHz	Pass	PK	5.46G	56.55	74.00	-17.45	3	Vertical	305	1.67
5550MHz	Pass	PK	5.4692G	57.91	68.20	-10.29	3	Vertical	305	1.67
5550MHz	Pass	PK	5.542G	112.60	Inf	-Inf	3	Vertical	305	1.67
5550MHz	Pass	AV	11.10368G	40.72	54.00	-13.28	3	Vertical	112	1.50
5550MHz	Pass	PK	11.09768G	53.14	74.00	-20.86	3	Vertical	112	1.50
5550MHz	Pass	AV	11.09728G	40.57	54.00	-13.43	3	Horizontal	242	2.36
5550MHz	Pass	PK	11.08192G	53.39	74.00	-20.61	3	Horizontal	242	2.36
5670MHz	Pass	AV	5.6652G	99.48	Inf	-Inf	3	Vertical	312	1.50
5670MHz	Pass	PK	5.6802G	111.67	Inf	-Inf	3	Vertical	312	1.50
5670MHz	Pass	PK	5.7258G	65.35	68.20	-2.85	3	Vertical	312	1.50
5670MHz	Pass	AV	11.34568G	40.60	54.00	-13.40	3	Vertical	40	2.80
5670MHz	Pass	PK	11.34248G	53.92	74.00	-20.08	3	Vertical	40	2.80
5670MHz	Pass	AV	11.32016G	40.70	54.00	-13.30	3	Horizontal	203	1.50
5670MHz	Pass	PK	11.35176G	53.68	74.00	-20.32	3	Horizontal	203	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4376G	42.93	54.00	-11.07	3	Vertical	311	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	99.88	Inf	-Inf	3	Vertical	311	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4556G	54.92	74.00	-19.08	3	Vertical	311	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	54.98	68.20	-13.22	3	Vertical	311	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	112.60	Inf	-Inf	3	Vertical	311	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9668G	56.61	68.20	-11.59	3	Vertical	311	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43168G	40.57	54.00	-13.43	3	Vertical	224	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41992G	54.07	74.00	-19.93	3	Vertical	224	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43272G	40.69	54.00	-13.31	3	Horizontal	246	1.73
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41664G	53.62	74.00	-20.38	3	Horizontal	246	1.73
5755MHz	Pass	AV	5.4598G	42.92	54.00	-11.08	3	Vertical	285	1.72
5755MHz	Pass	AV	5.7574G	100.67	Inf	-Inf	3	Vertical	285	1.72
5755MHz	Pass	PK	5.6494G	56.31	68.20	-11.89	3	Vertical	285	1.72
5755MHz	Pass	PK	5.7418G	113.03	Inf	-Inf	3	Vertical	285	1.72
5755MHz	Pass	PK	6.0466G	57.36	68.20	-10.84	3	Vertical	285	1.72
5755MHz	Pass	AV	11.50616G	41.22	54.00	-12.78	3	Vertical	138	1.50
5755MHz	Pass	PK	11.51152G	54.50	74.00	-19.50	3	Vertical	138	1.50
5755MHz	Pass	AV	11.50744G	40.89	54.00	-13.11	3	Horizontal	99	1.50
5755MHz	Pass	PK	11.52152G	53.50	74.00	-20.50	3	Horizontal	99	1.50
5795MHz	Pass	AV	5.801G	101.16	Inf	-Inf	3	Vertical	286	1.68
5795MHz	Pass	PK	5.639G	55.76	68.20	-12.44	3	Vertical	286	1.68
5795MHz	Pass	PK	5.7998G	113.89	Inf	-Inf	3	Vertical	286	1.68
5795MHz	Pass	PK	6.0026G	56.51	68.20	-11.69	3	Vertical	286	1.68
5795MHz	Pass	AV	11.57576G	40.59	54.00	-13.41	3	Vertical	325	2.15
5795MHz	Pass	PK	11.5848G	53.43	74.00	-20.57	3	Vertical	325	2.15
5795MHz	Pass	AV	11.57192G	40.55	54.00	-13.45	3	Horizontal	3	1.91
5795MHz	Pass	PK	11.58728G	53.48	74.00	-20.52	3	Horizontal	3	1.91



RSE TX above 1GHz_Non-Beamforming_Radio 2_Full RU_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	50.41	54.00	-3.59	3	Vertical	295	1.68
5210MHz	Pass	AV	5.221G	97.00	Inf	-Inf	3	Vertical	295	1.68
5210MHz	Pass	AV	5.361G	44.90	54.00	-9.10	3	Vertical	295	1.68
5210MHz	Pass	PK	5.15G	62.32	74.00	-11.68	3	Vertical	295	1.68
5210MHz	Pass	PK	5.223G	109.13	Inf	-Inf	3	Vertical	295	1.68
5210MHz	Pass	PK	5.45G	56.60	74.00	-17.40	3	Vertical	295	1.68
5210MHz	Pass	PK	10.42976G	52.35	68.20	-15.85	3	Vertical	123	1.50
5210MHz	Pass	PK	10.40128G	52.71	68.20	-15.49	3	Horizontal	338	1.50
5290MHz	Pass	AV	5.15G	44.32	54.00	-9.68	3	Vertical	301	1.76
5290MHz	Pass	AV	5.283G	95.60	Inf	-Inf	3	Vertical	301	1.76
5290MHz	Pass	AV	5.35G	53.82	54.00	-0.18	3	Vertical	301	1.76
5290MHz	Pass	PK	5.142G	56.83	74.00	-17.17	3	Vertical	301	1.76
5290MHz	Pass	PK	5.254G	107.60	Inf	-Inf	3	Vertical	301	1.76
5290MHz	Pass	PK	5.35G	65.83	74.00	-8.17	3	Vertical	301	1.76
5290MHz	Pass	PK	5.499G	56.62	68.20	-11.58	3	Vertical	301	1.76
5290MHz	Pass	AV	10.60704G	41.22	54.00	-12.78	3	Vertical	80	1.00
5290MHz	Pass	PK	10.5528G	52.99	68.20	-15.21	3	Vertical	80	1.00
5290MHz	Pass	AV	10.60384G	41.18	54.00	-12.82	3	Horizontal	72	2.38
5290MHz	Pass	PK	10.61696G	53.76	74.00	-20.24	3	Horizontal	72	2.38
5530MHz	Pass	AV	5.35G	42.59	54.00	-11.41	3	Vertical	318	1.26
5530MHz	Pass	AV	5.459G	53.33	54.00	-0.67	3	Vertical	318	1.26
5530MHz	Pass	AV	5.516G	97.00	Inf	-Inf	3	Vertical	318	1.26
5530MHz	Pass	PK	5.33G	55.56	68.20	-12.64	3	Vertical	318	1.26
5530MHz	Pass	PK	5.457G	66.41	74.00	-7.59	3	Vertical	318	1.26
5530MHz	Pass	PK	5.47G	67.52	68.20	-0.68	3	Vertical	318	1.26
5530MHz	Pass	PK	5.514G	108.44	Inf	-Inf	3	Vertical	318	1.26
5530MHz	Pass	PK	5.732G	56.12	68.20	-12.08	3	Vertical	318	1.26
5530MHz	Pass	AV	11.06272G	41.32	54.00	-12.68	3	Vertical	244	1.50
5530MHz	Pass	PK	11.0696G	53.10	74.00	-20.90	3	Vertical	244	1.50
5530MHz	Pass	AV	11.03264G	41.49	54.00	-12.51	3	Horizontal	256	2.98
5530MHz	Pass	PK	11.08672G	53.09	74.00	-20.91	3	Horizontal	256	2.98
5610MHz	Pass	AV	5.46G	45.66	54.00	-8.34	3	Vertical	312	1.74
5610MHz	Pass	AV	5.625G	97.19	Inf	-Inf	3	Vertical	312	1.74
5610MHz	Pass	PK	5.457G	56.94	74.00	-17.06	3	Vertical	312	1.74
5610MHz	Pass	PK	5.469G	57.53	68.20	-10.67	3	Vertical	312	1.74
5610MHz	Pass	PK	5.592G	109.12	Inf	-Inf	3	Vertical	312	1.74
5610MHz	Pass	PK	5.744G	60.16	68.20	-8.04	3	Vertical	312	1.74
5610MHz	Pass	AV	11.20928G	41.24	54.00	-12.76	3	Vertical	338	2.75
5610MHz	Pass	PK	11.20608G	53.82	74.00	-20.18	3	Vertical	338	2.75
5610MHz	Pass	AV	11.24096G	41.20	54.00	-12.80	3	Horizontal	175	1.13
5610MHz	Pass	PK	11.24016G	53.39	74.00	-20.61	3	Horizontal	175	1.13
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	43.66	54.00	-10.34	3	Vertical	296	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	97.66	Inf	-Inf	3	Vertical	296	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	55.54	74.00	-18.46	3	Vertical	296	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	55.82	68.20	-12.38	3	Vertical	296	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	109.62	Inf	-Inf	3	Vertical	296	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9192G	56.70	68.20	-11.50	3	Vertical	296	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3768G	41.39	54.00	-12.61	3	Vertical	132	2.07
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38384G	54.06	74.00	-19.94	3	Vertical	132	2.07
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35152G	41.35	54.00	-12.65	3	Horizontal	251	2.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3448G	53.55	74.00	-20.45	3	Horizontal	251	2.89
5775MHz	Pass	AV	5.7642G	97.31	Inf	-Inf	3	Vertical	297	1.75
5775MHz	Pass	PK	5.6418G	59.05	68.20	-9.15	3	Vertical	297	1.75
5775MHz	Pass	PK	5.8026G	109.40	Inf	-Inf	3	Vertical	297	1.75
5775MHz	Pass	PK	6.051G	57.33	68.20	-10.87	3	Vertical	297	1.75
5775MHz	Pass	AV	11.55224G	41.41	54.00	-12.59	3	Vertical	278	1.50
5775MHz	Pass	PK	11.5284G	53.40	74.00	-20.60	3	Vertical	278	1.50
5775MHz	Pass	AV	11.5404G	41.75	54.00	-12.25	3	Horizontal	104	1.50
5775MHz	Pass	PK	11.5652G	54.47	74.00	-19.53	3	Horizontal	104	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.62	54.00	-3.38	3	Vertical	289	1.94




**RSE TX above 1GHz _Non-Beamforming_Radio 2_Full
RU_2T2S**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.22G	93.27	Inf	-Inf	3	Vertical	289	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3592G	53.56	54.00	-0.44	3	Vertical	289	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	67.44	74.00	-6.56	3	Vertical	289	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3112G	104.62	Inf	-Inf	3	Vertical	289	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3616G	68.80	74.00	-5.20	3	Vertical	289	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4768G	58.40	68.20	-9.80	3	Vertical	289	1.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53104G	52.62	68.20	-15.58	3	Vertical	328	2.53
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.43344G	52.49	68.20	-15.71	3	Horizontal	140	1.40
5570MHz	Pass	AV	5.4548G	50.75	54.00	-3.25	3	Vertical	304	1.50
5570MHz	Pass	AV	5.5064G	92.60	Inf	-Inf	3	Vertical	304	1.50
5570MHz	Pass	PK	5.3228G	55.16	68.20	-13.04	3	Vertical	304	1.50
5570MHz	Pass	PK	5.4536G	64.48	74.00	-9.52	3	Vertical	304	1.50
5570MHz	Pass	PK	5.4692G	66.83	68.20	-1.37	3	Vertical	304	1.50
5570MHz	Pass	PK	5.54G	103.47	Inf	-Inf	3	Vertical	304	1.50
5570MHz	Pass	PK	5.726G	62.97	68.20	-5.23	3	Vertical	304	1.50
5570MHz	Pass	AV	11.19312G	42.49	54.00	-11.51	3	Vertical	17	1.53
5570MHz	Pass	PK	11.0904G	53.76	74.00	-20.24	3	Vertical	17	1.53
5570MHz	Pass	AV	11.20336G	42.49	54.00	-11.51	3	Horizontal	278	1.21
5570MHz	Pass	PK	11.14544G	53.78	74.00	-20.22	3	Horizontal	278	1.21


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	50.41	54.00	-3.59	0.79	3	Vertical	295	1.68	49.62	33.20	5.70	38.11
AV	5.221G	97.00	Inf	-Inf	0.76	3	Vertical	295	1.68	96.24	33.16	5.72	38.12
AV	5.361G	44.90	54.00	-9.10	0.63	3	Vertical	295	1.68	44.27	32.98	5.81	38.16
PK	5.15G	62.32	74.00	-11.68	0.79	3	Vertical	295	1.68	61.53	33.20	5.70	38.11
PK	5.223G	109.13	Inf	-Inf	0.75	3	Vertical	295	1.68	108.38	33.15	5.72	38.12
PK	5.45G	56.60	74.00	-17.40	0.69	3	Vertical	295	1.68	55.91	33.00	5.87	38.18

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	10.42976G	52.35	68.20	-15.85	9.56	3	Vertical	123	1.50	42.79	38.70	8.41	37.55


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	47.53	54.00	-6.47	0.69	3	Vertical	318	1.50	46.84	33.00	5.87	38.18				
AV	5.504G	99.21	Inf	-Inf	0.72	3	Vertical	318	1.50	98.49	33.00	5.91	38.19				
PK	5.458G	65.05	74.00	-8.95	0.69	3	Vertical	318	1.50	64.36	33.00	5.87	38.18				
PK	5.47G	66.67	68.20	-1.53	0.70	3	Vertical	318	1.50	65.97	33.00	5.88	38.18				
PK	5.5244G	111.54	Inf	-Inf	0.75	3	Vertical	318	1.50	110.79	33.00	5.92	38.17				

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	11.02928G	40.49	54.00	-13.51	9.79	3	Vertical	85	1.28	30.70	38.94	8.53	37.68				
PK	11.03752G	53.15	74.00	-20.85	9.77	3	Vertical	85	1.28	43.38	38.92	8.53	37.68				


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	42.92	54.00	-11.08	0.69	3	Vertical	285	1.72	42.23	33.00	5.87	38.18
AV	5.7574G	100.67	Inf	-Inf	1.85	3	Vertical	285	1.72	98.82	33.84	6.00	37.99
PK	5.6494G	56.31	68.20	-11.89	1.10	3	Vertical	285	1.72	55.21	33.20	5.98	38.08
PK	5.7418G	113.03	Inf	-Inf	1.75	3	Vertical	285	1.72	111.28	33.77	5.99	38.01
PK	6.0466G	57.36	68.20	-10.84	2.63	3	Vertical	285	1.72	54.73	34.30	6.11	37.78

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50616G	41.22	54.00	-12.78	10.10	3	Vertical	138	1.50	31.12	39.26	8.62	37.78
PK	11.51152G	54.50	74.00	-19.50	10.06	3	Vertical	138	1.50	44.44	39.23	8.62	37.79


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz _Non-Beamforming_Radio
2_Multi-RU_1T1S**

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.146G	71.31	74.00	-2.69	3	Vertical	282	1.80
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	AV	5.355G	52.21	54.00	-1.79	3	Vertical	306	1.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX	Pass	AV	5.35G	51.92	54.00	-2.08	3	Vertical	299	1.69
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.464G	66.54	68.20	-1.66	3	Vertical	288	1.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	Pass	PK	5.4692G	62.33	68.20	-5.87	3	Vertical	289	1.74
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.6502G	58.40	68.35	-9.95	3	Vertical	294	1.60



RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_1T1S

Appendix E.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	49.07	54.00	-4.93	3	Vertical	282	1.80
5210MHz	Pass	AV	5.239G	96.50	Inf	-Inf	3	Vertical	282	1.80
5210MHz	Pass	AV	5.351G	44.26	54.00	-9.74	3	Vertical	282	1.80
5210MHz	Pass	PK	5.146G	71.31	74.00	-2.69	3	Vertical	282	1.80
5210MHz	Pass	PK	5.238G	109.40	Inf	-Inf	3	Vertical	282	1.80
5210MHz	Pass	PK	5.459G	56.64	74.00	-17.36	3	Vertical	282	1.80
5210MHz	Pass	PK	10.43616G	52.60	68.20	-15.60	3	Vertical	319	1.50
5210MHz	Pass	PK	10.43872G	53.31	68.20	-14.89	3	Horizontal	328	2.74
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.144G	43.33	54.00	-10.67	3	Vertical	306	1.71
5290MHz	Pass	AV	5.261G	95.61	Inf	-Inf	3	Vertical	306	1.71
5290MHz	Pass	AV	5.355G	52.21	54.00	-1.79	3	Vertical	306	1.71
5290MHz	Pass	PK	5.104G	55.22	74.00	-18.78	3	Vertical	306	1.71
5290MHz	Pass	PK	5.26G	108.66	Inf	-Inf	3	Vertical	306	1.71
5290MHz	Pass	PK	5.365G	70.65	74.00	-3.35	3	Vertical	306	1.71
5290MHz	Pass	PK	5.54G	56.22	68.20	-11.98	3	Vertical	306	1.71
5290MHz	Pass	AV	10.608G	40.44	54.00	-13.56	3	Vertical	94	1.50
5290MHz	Pass	PK	10.59632G	53.13	68.20	-15.07	3	Vertical	94	1.50
5290MHz	Pass	AV	10.6024G	40.46	54.00	-13.54	3	Horizontal	59	1.67
5290MHz	Pass	PK	10.61232G	53.46	74.00	-20.54	3	Horizontal	59	1.67
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.47	54.00	-11.53	3	Vertical	288	1.68
5530MHz	Pass	AV	5.46G	46.50	54.00	-7.50	3	Vertical	288	1.68
5530MHz	Pass	AV	5.518G	95.24	Inf	-Inf	3	Vertical	288	1.68
5530MHz	Pass	PK	5.289G	55.23	68.20	-12.97	3	Vertical	288	1.68
5530MHz	Pass	PK	5.456G	65.22	74.00	-8.78	3	Vertical	288	1.68
5530MHz	Pass	PK	5.464G	66.54	68.20	-1.66	3	Vertical	288	1.68
5530MHz	Pass	PK	5.515G	107.72	Inf	-Inf	3	Vertical	288	1.68
5530MHz	Pass	PK	5.768G	57.10	68.20	-11.10	3	Vertical	288	1.68
5530MHz	Pass	AV	11.0208G	40.45	54.00	-13.55	3	Vertical	54	1.50
5530MHz	Pass	PK	11.08352G	53.53	74.00	-20.47	3	Vertical	54	1.50
5530MHz	Pass	AV	11.02336G	40.45	54.00	-13.55	3	Horizontal	346	1.94
5530MHz	Pass	PK	11.05504G	54.21	74.00	-19.79	3	Horizontal	346	1.94
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.457G	44.41	54.00	-9.59	3	Vertical	289	1.79
5610MHz	Pass	AV	5.619G	97.01	Inf	-Inf	3	Vertical	289	1.79
5610MHz	Pass	PK	5.46G	58.28	74.00	-15.72	3	Vertical	289	1.79
5610MHz	Pass	PK	5.464G	58.82	68.20	-9.38	3	Vertical	289	1.79
5610MHz	Pass	PK	5.631G	110.68	Inf	-Inf	3	Vertical	289	1.79
5610MHz	Pass	PK	5.748G	62.65	68.20	-5.55	3	Vertical	289	1.79
5610MHz	Pass	AV	11.22752G	39.98	54.00	-14.02	3	Vertical	286	1.50
5610MHz	Pass	PK	11.25072G	53.18	74.00	-20.82	3	Vertical	286	1.50
5610MHz	Pass	AV	11.25728G	40.17	54.00	-13.83	3	Horizontal	254	1.50
5610MHz	Pass	PK	11.2448G	53.11	74.00	-20.89	3	Horizontal	254	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	43.18	54.00	-10.82	3	Vertical	287	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	97.83	Inf	-Inf	3	Vertical	287	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	55.68	74.00	-18.32	3	Vertical	287	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	56.12	68.20	-12.08	3	Vertical	287	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.696G	110.08	Inf	-Inf	3	Vertical	287	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9348G	57.04	68.20	-11.16	3	Vertical	287	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38256G	41.13	54.00	-12.87	3	Vertical	127	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41072G	54.24	74.00	-19.76	3	Vertical	127	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3672G	41.05	54.00	-12.95	3	Horizontal	290	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35024G	54.14	74.00	-19.86	3	Horizontal	290	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.769G	96.62	Inf	-Inf	3	Vertical	294	1.60
5775MHz	Pass	PK	5.6502G	58.40	68.35	-9.95	3	Vertical	294	1.60
5775MHz	Pass	PK	5.799G	109.78	Inf	-Inf	3	Vertical	294	1.60
5775MHz	Pass	PK	5.9418G	57.20	68.20	-11.00	3	Vertical	294	1.60
5775MHz	Pass	AV	11.51896G	40.65	54.00	-13.35	3	Vertical	168	1.66




RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_1T1S

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	11.53016G	53.18	74.00	-20.82	3	Vertical	168	1.66
5775MHz	Pass	AV	11.51688G	40.46	54.00	-13.54	3	Horizontal	263	1.00
5775MHz	Pass	PK	11.52856G	53.36	74.00	-20.64	3	Horizontal	263	1.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.08	54.00	-5.92	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2668G	93.63	Inf	-Inf	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	51.92	54.00	-2.08	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	62.75	74.00	-11.25	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2704G	106.37	Inf	-Inf	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	66.19	74.00	-7.81	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	60.06	68.20	-8.14	3	Vertical	299	1.69
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.54768G	53.18	68.20	-15.02	3	Vertical	287	1.17
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.56464G	53.60	68.20	-14.60	3	Horizontal	5	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	46.91	54.00	-7.09	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2764G	93.48	Inf	-Inf	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	49.70	54.00	-4.30	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	61.84	74.00	-12.16	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2668G	105.73	Inf	-Inf	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	64.02	74.00	-9.98	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	58.66	68.20	-9.54	3	Vertical	307	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53392G	52.87	68.20	-15.33	3	Vertical	267	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57712G	52.90	68.20	-15.30	3	Horizontal	40	2.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	46.10	54.00	-7.90	3	Vertical	289	1.74
5570MHz	Pass	AV	5.5448G	92.74	Inf	-Inf	3	Vertical	289	1.74
5570MHz	Pass	PK	5.3252G	56.21	68.20	-11.99	3	Vertical	289	1.74
5570MHz	Pass	PK	5.4596G	60.34	74.00	-13.66	3	Vertical	289	1.74
5570MHz	Pass	PK	5.4692G	62.33	68.20	-5.87	3	Vertical	289	1.74
5570MHz	Pass	PK	5.5064G	104.83	Inf	-Inf	3	Vertical	289	1.74
5570MHz	Pass	PK	5.8028G	57.11	68.20	-11.09	3	Vertical	289	1.74
5570MHz	Pass	AV	11.06224G	40.91	54.00	-13.09	3	Vertical	0	2.34
5570MHz	Pass	PK	11.10032G	53.02	74.00	-20.98	3	Vertical	0	2.34
5570MHz	Pass	AV	11.21456G	40.89	54.00	-13.11	3	Horizontal	357	1.27
5570MHz	Pass	PK	11.15376G	53.28	74.00	-20.72	3	Horizontal	357	1.27
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	45.15	54.00	-8.85	3	Vertical	294	1.78
5570MHz	Pass	AV	5.5076G	92.52	Inf	-Inf	3	Vertical	294	1.78
5570MHz	Pass	PK	5.3252G	55.26	68.20	-12.94	3	Vertical	294	1.78
5570MHz	Pass	PK	5.45G	56.64	74.00	-17.36	3	Vertical	294	1.78
5570MHz	Pass	PK	5.4668G	56.06	68.20	-12.14	3	Vertical	294	1.78
5570MHz	Pass	PK	5.5028G	104.73	Inf	-Inf	3	Vertical	294	1.78
5570MHz	Pass	PK	5.8124G	57.18	68.20	-11.02	3	Vertical	294	1.78
5570MHz	Pass	AV	11.14448G	40.96	54.00	-13.04	3	Vertical	324	1.50
5570MHz	Pass	PK	11.08624G	52.94	74.00	-21.06	3	Vertical	324	1.50
5570MHz	Pass	AV	11.19536G	40.93	54.00	-13.07	3	Horizontal	58	1.15
5570MHz	Pass	PK	11.10096G	53.30	74.00	-20.70	3	Horizontal	58	1.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	49.07	54.00	-4.93	0.77	3	Vertical	282	1.80	48.30	33.19	5.69	38.11
AV	5.239G	96.50	Inf	-Inf	0.72	3	Vertical	282	1.80	95.78	33.12	5.73	38.13
AV	5.351G	44.26	54.00	-9.74	0.65	3	Vertical	282	1.80	43.61	33.00	5.80	38.15
PK	5.146G	71.31	74.00	-2.69	0.77	3	Vertical	282	1.80	70.54	33.19	5.69	38.11
PK	5.238G	109.40	Inf	-Inf	0.72	3	Vertical	282	1.80	108.68	33.12	5.73	38.13
PK	5.459G	56.64	74.00	-17.36	0.69	3	Vertical	282	1.80	55.95	33.00	5.87	38.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43616G	52.60	68.20	-15.60	9.56	3	Vertical	319	1.50	43.04	38.70	8.41	37.55


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.136G	72.60	74.00	-1.40	3	Vertical	349	1.64
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.353G	73.76	74.00	-0.24	3	Vertical	350	1.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX	Pass	AV	5.35G	53.07	54.00	-0.93	3	Vertical	347	1.75
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.462G	67.07	68.20	-1.13	3	Vertical	319	1.51
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	Pass	PK	5.4668G	67.92	68.20	-0.28	3	Vertical	319	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6382G	61.17	68.20	-7.03	3	Vertical	315	1.32



RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	49.23	54.00	-4.77	3	Vertical	349	1.64
5210MHz	Pass	AV	5.203G	97.60	Inf	-Inf	3	Vertical	349	1.64
5210MHz	Pass	AV	5.366G	43.75	54.00	-10.25	3	Vertical	349	1.64
5210MHz	Pass	PK	5.136G	72.60	74.00	-1.40	3	Vertical	349	1.64
5210MHz	Pass	PK	5.241G	109.51	Inf	-Inf	3	Vertical	349	1.64
5210MHz	Pass	PK	5.439G	57.23	74.00	-16.77	3	Vertical	349	1.64
5210MHz	Pass	PK	10.39792G	52.97	68.20	-15.23	3	Vertical	325	1.50
5210MHz	Pass	PK	10.38496G	52.71	68.20	-15.49	3	Horizontal	9	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.143G	43.15	54.00	-10.85	3	Vertical	350	1.69
5290MHz	Pass	AV	5.261G	95.33	Inf	-Inf	3	Vertical	350	1.69
5290MHz	Pass	AV	5.361G	50.75	54.00	-3.25	3	Vertical	350	1.69
5290MHz	Pass	PK	5.148G	55.63	74.00	-18.37	3	Vertical	350	1.69
5290MHz	Pass	PK	5.261G	107.21	Inf	-Inf	3	Vertical	350	1.69
5290MHz	Pass	PK	5.353G	73.76	74.00	-0.24	3	Vertical	350	1.69
5290MHz	Pass	PK	5.465G	56.71	68.20	-11.49	3	Vertical	350	1.69
5290MHz	Pass	AV	10.60976G	40.26	54.00	-13.74	3	Vertical	71	2.93
5290MHz	Pass	PK	10.58288G	53.94	68.20	-14.26	3	Vertical	71	2.93
5290MHz	Pass	AV	10.61328G	40.35	54.00	-13.65	3	Horizontal	0	1.50
5290MHz	Pass	PK	10.58368G	53.26	68.20	-14.94	3	Horizontal	0	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	42.54	54.00	-11.46	3	Vertical	319	1.51
5530MHz	Pass	AV	5.457G	46.59	54.00	-7.41	3	Vertical	319	1.51
5530MHz	Pass	AV	5.519G	96.28	Inf	-Inf	3	Vertical	319	1.51
5530MHz	Pass	PK	5.291G	55.40	68.20	-12.80	3	Vertical	319	1.51
5530MHz	Pass	PK	5.456G	66.87	74.00	-7.13	3	Vertical	319	1.51
5530MHz	Pass	PK	5.462G	67.07	68.20	-1.13	3	Vertical	319	1.51
5530MHz	Pass	PK	5.517G	108.32	Inf	-Inf	3	Vertical	319	1.51
5530MHz	Pass	PK	5.753G	56.43	68.20	-11.77	3	Vertical	319	1.51
5530MHz	Pass	AV	11.03616G	40.08	54.00	-13.92	3	Vertical	301	1.13
5530MHz	Pass	PK	11.06816G	54.35	74.00	-19.65	3	Vertical	301	1.13
5530MHz	Pass	AV	11.03968G	40.13	54.00	-13.87	3	Horizontal	39	1.50
5530MHz	Pass	PK	11.04256G	52.76	74.00	-21.24	3	Horizontal	39	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.457G	44.55	54.00	-9.45	3	Vertical	311	2.30
5610MHz	Pass	AV	5.578G	98.90	Inf	-Inf	3	Vertical	311	2.30
5610MHz	Pass	PK	5.459G	61.07	74.00	-12.93	3	Vertical	311	2.30
5610MHz	Pass	PK	5.463G	61.56	68.20	-6.64	3	Vertical	311	2.30
5610MHz	Pass	PK	5.585G	111.17	Inf	-Inf	3	Vertical	311	2.30
5610MHz	Pass	PK	5.732G	61.22	68.20	-6.98	3	Vertical	311	2.30
5610MHz	Pass	AV	11.25792G	39.98	54.00	-14.02	3	Vertical	348	2.31
5610MHz	Pass	PK	11.21456G	53.08	74.00	-20.92	3	Vertical	348	2.31
5610MHz	Pass	AV	11.25856G	39.96	54.00	-14.04	3	Horizontal	107	1.96
5610MHz	Pass	PK	11.22256G	52.91	74.00	-21.09	3	Horizontal	107	1.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	43.39	54.00	-10.61	3	Vertical	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	99.27	Inf	-Inf	3	Vertical	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	55.57	74.00	-18.43	3	Vertical	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	55.58	68.20	-12.62	3	Vertical	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	111.65	Inf	-Inf	3	Vertical	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	59.40	68.20	-8.80	3	Vertical	309	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37104G	40.93	54.00	-13.07	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41584G	54.12	74.00	-19.88	3	Vertical	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38528G	40.83	54.00	-13.17	3	Horizontal	172	2.52
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37168G	54.27	74.00	-19.73	3	Horizontal	172	2.52
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7618G	99.21	Inf	-Inf	3	Vertical	315	1.32
5775MHz	Pass	PK	5.6382G	61.17	68.20	-7.03	3	Vertical	315	1.32
5775MHz	Pass	PK	5.7438G	112.56	Inf	-Inf	3	Vertical	315	1.32
5775MHz	Pass	PK	5.9298G	57.82	68.20	-10.38	3	Vertical	315	1.32
5775MHz	Pass	AV	11.51352G	40.33	54.00	-13.67	3	Vertical	170	1.10




RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_2T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	PK	11.52168G	53.21	74.00	-20.79	3	Vertical	170	1.10
5775MHz	Pass	AV	11.5164G	40.27	54.00	-13.73	3	Horizontal	135	1.62
5775MHz	Pass	PK	11.54728G	53.29	74.00	-20.71	3	Horizontal	135	1.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.05	54.00	-4.95	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2284G	94.60	Inf	-Inf	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.07	54.00	-0.93	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1264G	62.73	74.00	-11.27	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2236G	106.23	Inf	-Inf	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	70.37	74.00	-3.63	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.472G	57.76	68.20	-10.44	3	Vertical	347	1.75
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53008G	52.91	68.20	-15.29	3	Vertical	150	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53744G	52.66	68.20	-15.54	3	Horizontal	113	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	48.34	54.00	-5.66	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2716G	94.91	Inf	-Inf	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	51.48	54.00	-2.52	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	65.83	74.00	-8.17	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	107.14	Inf	-Inf	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4084G	71.71	74.00	-2.29	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	59.31	68.20	-8.89	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.56496G	52.60	68.20	-15.60	3	Vertical	212	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.43856G	52.94	68.20	-15.26	3	Horizontal	56	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	47.29	54.00	-6.71	3	Vertical	312	2.31
5570MHz	Pass	AV	5.51G	94.13	Inf	-Inf	3	Vertical	312	2.31
5570MHz	Pass	PK	5.3192G	55.93	68.20	-12.27	3	Vertical	312	2.31
5570MHz	Pass	PK	5.4596G	63.50	74.00	-10.50	3	Vertical	312	2.31
5570MHz	Pass	PK	5.4692G	66.32	68.20	-1.88	3	Vertical	312	2.31
5570MHz	Pass	PK	5.5472G	105.74	Inf	-Inf	3	Vertical	312	2.31
5570MHz	Pass	PK	5.8196G	56.52	68.20	-11.68	3	Vertical	312	2.31
5570MHz	Pass	AV	11.10032G	40.81	54.00	-13.19	3	Vertical	185	1.50
5570MHz	Pass	PK	11.09136G	52.83	74.00	-21.17	3	Vertical	185	1.50
5570MHz	Pass	AV	11.0712G	40.68	54.00	-13.32	3	Horizontal	88	2.58
5570MHz	Pass	PK	11.06992G	52.71	74.00	-21.29	3	Horizontal	88	2.58
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4512G	45.54	54.00	-8.46	3	Vertical	319	1.50
5570MHz	Pass	AV	5.5136G	94.02	Inf	-Inf	3	Vertical	319	1.50
5570MHz	Pass	PK	5.348G	54.89	68.20	-13.31	3	Vertical	319	1.50
5570MHz	Pass	PK	5.4572G	65.08	74.00	-8.92	3	Vertical	319	1.50
5570MHz	Pass	PK	5.4668G	67.92	68.20	-0.28	3	Vertical	319	1.50
5570MHz	Pass	PK	5.5088G	105.76	Inf	-Inf	3	Vertical	319	1.50
5570MHz	Pass	PK	5.798G	56.46	68.20	-11.74	3	Vertical	319	1.50
5570MHz	Pass	AV	11.12144G	40.93	54.00	-13.07	3	Vertical	223	1.50
5570MHz	Pass	PK	11.19856G	52.78	74.00	-21.22	3	Vertical	223	1.50
5570MHz	Pass	AV	11.11952G	40.80	54.00	-13.20	3	Horizontal	350	2.57
5570MHz	Pass	PK	11.2088G	53.15	74.00	-20.85	3	Horizontal	350	2.57

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.23	54.00	-4.77	0.77	3	Vertical	349	1.64	69	48.46	33.19	5.69	38.11
AV	5.203G	97.60	Inf	-Inf	0.78	3	Vertical	349	1.64	69	96.82	33.19	5.71	38.12
AV	5.366G	43.75	54.00	-10.25	0.62	3	Vertical	349	1.64	69	43.13	32.97	5.81	38.16
PK	5.136G	72.60	74.00	-1.40	0.76	3	Vertical	349	1.64	69	71.84	33.17	5.69	38.10
PK	5.241G	109.51	Inf	-Inf	0.72	3	Vertical	349	1.64	69	108.79	33.12	5.73	38.13
PK	5.439G	57.23	74.00	-16.77	0.66	3	Vertical	349	1.64	69	56.57	32.98	5.86	38.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39792G	52.97	68.20	-15.23	9.56	3	Vertical	325	1.50	69	43.41	38.70	8.41	37.55


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.145G	53.07	54.00	-0.93	3	Vertical	293	1.83
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.361G	52.94	54.00	-1.06	3	Vertical	297	1.70
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.3664G	53.37	54.00	-0.63	3	Vertical	290	1.76
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.467G	67.34	68.20	-0.86	3	Vertical	320	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	PK	5.4692G	67.11	68.20	-1.09	3	Vertical	308	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6478G	60.49	68.20	-7.71	3	Vertical	314	1.44



RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_2T2S

Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	53.07	54.00	-0.93	3	Vertical	293	1.83
5210MHz	Pass	AV	5.235G	97.68	Inf	-Inf	3	Vertical	293	1.83
5210MHz	Pass	AV	5.353G	45.38	54.00	-8.62	3	Vertical	293	1.83
5210MHz	Pass	PK	5.139G	70.92	74.00	-3.08	3	Vertical	293	1.83
5210MHz	Pass	PK	5.245G	109.71	Inf	-Inf	3	Vertical	293	1.83
5210MHz	Pass	PK	5.377G	56.86	74.00	-17.14	3	Vertical	293	1.83
5210MHz	Pass	PK	10.39712G	52.50	68.20	-15.70	3	Vertical	70	2.57
5210MHz	Pass	PK	10.44208G	52.68	68.20	-15.52	3	Horizontal	179	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	43.78	54.00	-10.22	3	Vertical	297	1.70
5290MHz	Pass	AV	5.262G	95.26	Inf	-Inf	3	Vertical	297	1.70
5290MHz	Pass	AV	5.361G	52.94	54.00	-1.06	3	Vertical	297	1.70
5290MHz	Pass	PK	5.15G	55.35	74.00	-18.65	3	Vertical	297	1.70
5290MHz	Pass	PK	5.264G	107.25	Inf	-Inf	3	Vertical	297	1.70
5290MHz	Pass	PK	5.356G	69.86	74.00	-4.14	3	Vertical	297	1.70
5290MHz	Pass	PK	5.535G	57.19	68.20	-11.01	3	Vertical	297	1.70
5290MHz	Pass	AV	10.61616G	41.33	54.00	-12.67	3	Vertical	221	1.50
5290MHz	Pass	PK	10.54528G	53.75	68.20	-14.45	3	Vertical	221	1.50
5290MHz	Pass	AV	10.6096G	41.18	54.00	-12.82	3	Horizontal	128	1.50
5290MHz	Pass	PK	10.56192G	54.12	68.20	-14.08	3	Horizontal	128	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	43.00	54.00	-11.00	3	Vertical	320	1.50
5530MHz	Pass	AV	5.456G	50.27	54.00	-3.73	3	Vertical	320	1.50
5530MHz	Pass	AV	5.517G	96.60	Inf	-Inf	3	Vertical	320	1.50
5530MHz	Pass	PK	5.295G	55.65	68.20	-12.55	3	Vertical	320	1.50
5530MHz	Pass	PK	5.457G	68.64	74.00	-5.36	3	Vertical	320	1.50
5530MHz	Pass	PK	5.467G	67.34	68.20	-0.86	3	Vertical	320	1.50
5530MHz	Pass	PK	5.519G	108.18	Inf	-Inf	3	Vertical	320	1.50
5530MHz	Pass	PK	5.732G	56.37	68.20	-11.83	3	Vertical	320	1.50
5530MHz	Pass	AV	11.0224G	41.25	54.00	-12.75	3	Vertical	41	2.00
5530MHz	Pass	PK	11.02496G	53.34	74.00	-20.66	3	Vertical	41	2.00
5530MHz	Pass	AV	11.02208G	41.04	54.00	-12.96	3	Horizontal	360	1.50
5530MHz	Pass	PK	11.02688G	53.39	74.00	-20.61	3	Horizontal	360	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.46G	45.51	54.00	-8.49	3	Vertical	311	2.52
5610MHz	Pass	AV	5.573G	97.53	Inf	-Inf	3	Vertical	311	2.52
5610MHz	Pass	PK	5.447G	58.18	74.00	-15.82	3	Vertical	311	2.52
5610MHz	Pass	PK	5.47G	60.39	68.20	-7.81	3	Vertical	311	2.52
5610MHz	Pass	PK	5.573G	108.73	Inf	-Inf	3	Vertical	311	2.52
5610MHz	Pass	PK	5.727G	64.65	68.20	-3.55	3	Vertical	311	2.52
5610MHz	Pass	AV	11.24016G	41.27	54.00	-12.73	3	Vertical	131	1.50
5610MHz	Pass	PK	11.1928G	53.34	74.00	-20.66	3	Vertical	131	1.50
5610MHz	Pass	AV	11.25888G	40.91	54.00	-13.09	3	Horizontal	346	1.52
5610MHz	Pass	PK	11.23856G	52.50	74.00	-21.50	3	Horizontal	346	1.52
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	44.30	54.00	-9.70	3	Vertical	305	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.696G	98.88	Inf	-Inf	3	Vertical	305	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	55.96	74.00	-18.04	3	Vertical	305	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.31	68.20	-12.89	3	Vertical	305	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	110.54	Inf	-Inf	3	Vertical	305	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9816G	57.10	68.20	-11.10	3	Vertical	305	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41568G	41.90	54.00	-12.10	3	Vertical	71	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.416G	54.17	74.00	-19.83	3	Vertical	71	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38304G	41.91	54.00	-12.09	3	Horizontal	142	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36688G	53.95	74.00	-20.05	3	Horizontal	142	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.745G	98.46	Inf	-Inf	3	Vertical	314	1.44
5775MHz	Pass	PK	5.6478G	60.49	68.20	-7.71	3	Vertical	314	1.44
5775MHz	Pass	PK	5.7378G	110.97	Inf	-Inf	3	Vertical	314	1.44
5775MHz	Pass	PK	6.0198G	56.85	68.20	-11.35	3	Vertical	314	1.44




RSE TX above 1GHz _Non-Beamforming_Radio 2_Multi-RU_2T2S

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	11.51288G	41.50	54.00	-12.50	3	Vertical	192	1.50
5775MHz	Pass	PK	11.56456G	53.24	74.00	-20.76	3	Vertical	192	1.50
5775MHz	Pass	AV	11.51208G	41.46	54.00	-12.54	3	Horizontal	122	2.51
5775MHz	Pass	PK	11.52968G	53.31	74.00	-20.69	3	Horizontal	122	2.51
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.62	54.00	-4.38	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2332G	94.30	Inf	-Inf	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.31	54.00	-0.69	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	63.60	74.00	-10.40	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2536G	105.25	Inf	-Inf	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	67.39	74.00	-6.61	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	60.34	68.20	-7.86	3	Vertical	290	1.87
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5288G	52.92	68.20	-15.28	3	Vertical	147	2.64
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45104G	53.53	68.20	-14.67	3	Horizontal	56	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.69	54.00	-4.31	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2668G	94.81	Inf	-Inf	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3664G	53.37	54.00	-0.63	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	62.82	74.00	-11.18	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2728G	105.88	Inf	-Inf	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	68.18	74.00	-5.82	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	60.44	68.20	-7.76	3	Vertical	290	1.76
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4424G	52.69	68.20	-15.51	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.56784G	53.14	68.20	-15.06	3	Horizontal	275	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4584G	51.16	54.00	-2.84	3	Vertical	308	1.50
5570MHz	Pass	AV	5.5496G	94.68	Inf	-Inf	3	Vertical	308	1.50
5570MHz	Pass	PK	5.3108G	55.28	68.20	-12.92	3	Vertical	308	1.50
5570MHz	Pass	PK	5.4584G	65.54	74.00	-8.46	3	Vertical	308	1.50
5570MHz	Pass	PK	5.4692G	67.11	68.20	-1.09	3	Vertical	308	1.50
5570MHz	Pass	PK	5.516G	106.09	Inf	-Inf	3	Vertical	308	1.50
5570MHz	Pass	PK	5.7308G	58.66	68.20	-9.54	3	Vertical	308	1.50
5570MHz	Pass	AV	11.19216G	41.98	54.00	-12.02	3	Vertical	138	1.34
5570MHz	Pass	PK	11.21744G	53.28	74.00	-20.72	3	Vertical	138	1.34
5570MHz	Pass	AV	11.0952G	42.10	54.00	-11.90	3	Horizontal	32	2.73
5570MHz	Pass	PK	11.06736G	52.87	74.00	-21.13	3	Horizontal	32	2.73
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4572G	50.42	54.00	-3.58	3	Vertical	319	1.54
5570MHz	Pass	AV	5.5076G	94.68	Inf	-Inf	3	Vertical	319	1.54
5570MHz	Pass	PK	5.2928G	55.54	68.20	-12.66	3	Vertical	319	1.54
5570MHz	Pass	PK	5.4584G	62.20	74.00	-11.80	3	Vertical	319	1.54
5570MHz	Pass	PK	5.4668G	62.63	68.20	-5.57	3	Vertical	319	1.54
5570MHz	Pass	PK	5.5352G	106.25	Inf	-Inf	3	Vertical	319	1.54
5570MHz	Pass	PK	5.7512G	59.91	68.20	-8.29	3	Vertical	319	1.54
5570MHz	Pass	AV	11.06768G	42.00	54.00	-12.00	3	Vertical	43	1.50
5570MHz	Pass	PK	11.18096G	52.78	74.00	-21.22	3	Vertical	43	1.50
5570MHz	Pass	AV	11.06928G	42.02	54.00	-11.98	3	Horizontal	44	2.32
5570MHz	Pass	PK	11.09648G	52.72	74.00	-21.28	3	Horizontal	44	2.32

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	53.07	54.00	-0.93	0.78	3	Vertical	293	1.83	52.29	33.19	5.69	38.10
AV	5.235G	97.68	Inf	-Inf	0.73	3	Vertical	293	1.83	96.95	33.13	5.73	38.13
AV	5.353G	45.38	54.00	-8.62	0.64	3	Vertical	293	1.83	44.74	32.99	5.80	38.15
PK	5.139G	70.92	74.00	-3.08	0.77	3	Vertical	293	1.83	70.15	33.18	5.69	38.10
PK	5.245G	109.71	Inf	-Inf	0.72	3	Vertical	293	1.83	108.99	33.11	5.74	38.13
PK	5.377G	56.86	74.00	-17.14	0.61	3	Vertical	293	1.83	56.25	32.95	5.82	38.16

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39712G	52.50	68.20	-15.70	9.56	3	Vertical	70	2.57	42.94	38.70	8.41	37.55


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.92402G	47.79	54.00	-6.21	Horizontal
Mode 2	Pass	AV	11.14428G	39.87	54.00	-14.13	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.92398G	42.97	54.00	-11.03	3	Vertical	45	2.21
Mode 1	Pass	AV	4.96468G	28.98	54.00	-25.02	3	Vertical	154	1.50
Mode 1	Pass	AV	11.1411G	40.10	54.00	-13.90	3	Vertical	114	1.50
Mode 1	Pass	PK	4.92404G	48.04	74.00	-25.96	3	Vertical	45	2.21
Mode 1	Pass	PK	4.96347G	42.64	74.00	-31.36	3	Vertical	154	1.50
Mode 1	Pass	PK	11.13876G	53.49	74.00	-20.51	3	Vertical	114	1.50
Mode 1	Pass	AV	4.92402G	47.79	54.00	-6.21	3	Horizontal	311	1.54
Mode 1	Pass	AV	4.96416G	29.00	54.00	-25.00	3	Horizontal	0	1.50
Mode 1	Pass	AV	11.13819G	39.95	54.00	-14.05	3	Horizontal	89	1.50
Mode 1	Pass	PK	4.92394G	51.50	74.00	-22.50	3	Horizontal	311	1.54
Mode 1	Pass	PK	4.9639G	42.36	74.00	-31.64	3	Horizontal	0	1.50
Mode 1	Pass	PK	11.13741G	53.19	74.00	-20.81	3	Horizontal	89	1.50
Mode 2	Pass	AV	4.9648G	28.91	54.00	-25.09	3	Vertical	89	1.50
Mode 2	Pass	AV	11.14428G	39.87	54.00	-14.13	3	Vertical	71	2.56
Mode 2	Pass	AV	12.2125G	39.62	54.00	-14.38	3	Vertical	122	2.41
Mode 2	Pass	PK	4.95778G	42.10	74.00	-31.90	3	Vertical	89	1.50
Mode 2	Pass	PK	11.14024G	54.08	74.00	-19.92	3	Vertical	71	2.56
Mode 2	Pass	PK	12.2121G	52.79	74.00	-21.21	3	Vertical	122	2.41
Mode 2	Pass	AV	4.96385G	28.88	54.00	-25.12	3	Horizontal	1	1.50
Mode 2	Pass	AV	11.14252G	39.79	54.00	-14.21	3	Horizontal	165	1.50
Mode 2	Pass	AV	12.2146G	39.70	54.00	-14.30	3	Horizontal	229	2.43
Mode 2	Pass	PK	4.9631G	42.22	74.00	-31.78	3	Horizontal	1	1.50
Mode 2	Pass	PK	11.13959G	53.56	74.00	-20.44	3	Horizontal	165	1.50
Mode 2	Pass	PK	12.2053G	52.93	74.00	-21.07	3	Horizontal	229	2.43


Mode 1



Mode 1



Mode 2



Mode 2

