



RSE TX above 1GHz _Non-Beamforming_Radio 1_Full RU_2T1S

Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.3832G	39.31	54.00	-14.69	3	Horizontal	238	1.66
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.40012G	39.54	54.00	-14.46	3	Vertical	0	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.00088G	40.82	54.00	-13.18	3	Horizontal	341	2.32
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9225G	56.83	68.20	-11.37	3	Horizontal	302	2.06
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	12.11752G	42.68	54.00	-11.32	3	Horizontal	92	1.21
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38964G	41.98	54.00	-12.02	3	Vertical	342	1.72
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36424G	41.56	54.00	-12.44	3	Vertical	345	1.42
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.27784G	40.90	54.00	-13.10	3	Horizontal	174	1.19
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.29688G	41.22	54.00	-12.78	3	Vertical	341	1.70

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9118G	44.11	68.20	-24.09	3	Vertical	59	2.30
5955MHz	Pass	AV	5.9568G	95.28	Inf	-Inf	3	Vertical	59	2.30
5955MHz	Pass	PK	5.9142G	66.26	88.20	-21.94	3	Vertical	59	2.30
5955MHz	Pass	PK	5.9544G	107.55	Inf	-Inf	3	Vertical	59	2.30
5955MHz	Pass	AV	5.9148G	46.21	68.20	-21.99	3	Horizontal	300	2.11
5955MHz	Pass	AV	5.9634G	101.88	Inf	-Inf	3	Horizontal	300	2.11
5955MHz	Pass	PK	5.91G	66.57	88.20	-21.63	3	Horizontal	300	2.11
5955MHz	Pass	PK	5.9502G	113.85	Inf	-Inf	3	Horizontal	300	2.11
5955MHz	Pass	AV	11.90326G	39.26	54.00	-14.74	3	Vertical	324	2.31
5955MHz	Pass	PK	11.90726G	53.03	74.00	-20.97	3	Vertical	324	2.31
5955MHz	Pass	AV	11.9063G	39.08	54.00	-14.92	3	Horizontal	326	1.45
5955MHz	Pass	PK	11.90308G	52.36	74.00	-21.64	3	Horizontal	326	1.45
6195MHz	Pass	AV	12.38008G	39.24	54.00	-14.76	3	Vertical	350	2.64
6195MHz	Pass	PK	12.39804G	52.56	74.00	-21.44	3	Vertical	350	2.64
6195MHz	Pass	AV	12.3832G	39.31	54.00	-14.69	3	Horizontal	238	1.66
6195MHz	Pass	PK	12.38966G	53.70	74.00	-20.30	3	Horizontal	238	1.66
6415MHz	Pass	AV	12.83538G	40.41	68.20	-27.79	3	Vertical	0	2.71
6415MHz	Pass	PK	12.82556G	54.27	88.20	-33.93	3	Vertical	0	2.71
6415MHz	Pass	AV	12.83776G	40.40	68.20	-27.80	3	Horizontal	86	2.03
6415MHz	Pass	PK	12.82398G	54.34	88.20	-33.86	3	Horizontal	86	2.03
6535MHz	Pass	AV	13.072G	40.18	68.20	-28.02	3	Vertical	87	1.50
6535MHz	Pass	PK	13.07184G	54.05	88.20	-34.15	3	Vertical	87	1.50
6535MHz	Pass	AV	13.0687G	40.24	68.20	-27.96	3	Horizontal	307	1.50
6535MHz	Pass	PK	13.07052G	54.25	88.20	-33.95	3	Horizontal	307	1.50
6695MHz	Pass	AV	13.38964G	41.98	54.00	-12.02	3	Vertical	342	1.72
6695MHz	Pass	PK	13.39826G	55.44	74.00	-18.56	3	Vertical	342	1.72
6695MHz	Pass	AV	13.39282G	41.38	54.00	-12.62	3	Horizontal	305	1.92
6695MHz	Pass	PK	13.39562G	55.31	74.00	-18.69	3	Horizontal	305	1.92
6855MHz	Pass	AV	13.71004G	46.36	68.20	-21.84	3	Vertical	346	1.73
6855MHz	Pass	PK	13.70536G	60.01	88.20	-28.19	3	Vertical	346	1.73
6855MHz	Pass	AV	13.71036G	43.94	68.20	-24.26	3	Horizontal	301	1.82
6855MHz	Pass	PK	13.71038G	57.32	88.20	-30.88	3	Horizontal	301	1.82
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	46.25	68.20	-21.95	3	Vertical	56	2.08
5965MHz	Pass	AV	5.9716G	93.42	Inf	-Inf	3	Vertical	56	2.08
5965MHz	Pass	PK	5.9212G	58.59	88.20	-29.61	3	Vertical	56	2.08
5965MHz	Pass	PK	5.974G	105.65	Inf	-Inf	3	Vertical	56	2.08
5965MHz	Pass	AV	5.923G	49.78	68.20	-18.42	3	Horizontal	300	2.13
5965MHz	Pass	AV	5.968G	100.12	Inf	-Inf	3	Horizontal	300	2.13
5965MHz	Pass	PK	5.9224G	62.43	88.20	-25.77	3	Horizontal	300	2.13
5965MHz	Pass	PK	5.983G	112.63	Inf	-Inf	3	Horizontal	300	2.13
5965MHz	Pass	AV	11.94232G	39.10	54.00	-14.90	3	Vertical	183	1.50
5965MHz	Pass	PK	11.91516G	53.13	74.00	-20.87	3	Vertical	183	1.50
5965MHz	Pass	AV	11.9402G	39.15	54.00	-14.85	3	Horizontal	299	1.76
5965MHz	Pass	PK	11.94568G	53.36	74.00	-20.64	3	Horizontal	299	1.76
6205MHz	Pass	AV	12.40012G	39.54	54.00	-14.46	3	Vertical	0	1.50
6205MHz	Pass	PK	12.42148G	53.08	74.00	-20.92	3	Vertical	0	1.50
6205MHz	Pass	AV	12.396G	39.46	54.00	-14.54	3	Horizontal	283	2.09
6205MHz	Pass	PK	12.42604G	53.56	74.00	-20.44	3	Horizontal	283	2.09
6405MHz	Pass	AV	12.79896G	40.50	68.20	-27.70	3	Vertical	126	1.50
6405MHz	Pass	PK	12.82204G	54.57	88.20	-33.63	3	Vertical	126	1.50
6405MHz	Pass	AV	12.82832G	40.56	68.20	-27.64	3	Horizontal	94	1.50
6405MHz	Pass	PK	12.79604G	54.07	88.20	-34.13	3	Horizontal	94	1.50
6565MHz	Pass	AV	13.148G	40.65	68.20	-27.55	3	Vertical	193	1.92
6565MHz	Pass	PK	13.13576G	54.76	88.20	-33.44	3	Vertical	193	1.92
6565MHz	Pass	AV	13.14812G	40.63	68.20	-27.57	3	Horizontal	305	1.50
6565MHz	Pass	PK	13.14476G	54.26	88.20	-33.94	3	Horizontal	305	1.50
6685MHz	Pass	AV	13.36424G	41.56	54.00	-12.44	3	Vertical	345	1.42
6685MHz	Pass	PK	13.36112G	55.67	74.00	-18.33	3	Vertical	345	1.42
6685MHz	Pass	AV	13.35968G	41.24	54.00	-12.76	3	Horizontal	360	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.37384G	54.51	74.00	-19.49	3	Horizontal	360	1.50
6845MHz	Pass	AV	13.69064G	44.96	68.20	-23.24	3	Vertical	346	1.70
6845MHz	Pass	PK	13.68624G	58.27	88.20	-29.93	3	Vertical	346	1.70
6845MHz	Pass	AV	13.68516G	42.85	68.20	-25.35	3	Horizontal	299	1.92
6845MHz	Pass	PK	13.69548G	56.95	88.20	-31.25	3	Horizontal	299	1.92
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	46.59	68.20	-21.61	3	Vertical	52	2.25
5985MHz	Pass	AV	5.9785G	89.90	Inf	-Inf	3	Vertical	52	2.25
5985MHz	Pass	PK	5.9105G	57.70	88.20	-30.50	3	Vertical	52	2.25
5985MHz	Pass	PK	5.9765G	102.38	Inf	-Inf	3	Vertical	52	2.25
5985MHz	Pass	AV	5.9225G	52.16	68.20	-16.04	3	Horizontal	299	2.09
5985MHz	Pass	AV	6G	96.38	Inf	-Inf	3	Horizontal	299	2.09
5985MHz	Pass	PK	5.9225G	63.80	88.20	-24.40	3	Horizontal	299	2.09
5985MHz	Pass	PK	6.0155G	109.73	Inf	-Inf	3	Horizontal	299	2.09
5985MHz	Pass	AV	11.94768G	40.54	54.00	-13.46	3	Vertical	82	2.29
5985MHz	Pass	PK	11.96784G	53.78	74.00	-20.22	3	Vertical	82	2.29
5985MHz	Pass	AV	12.00088G	40.82	54.00	-13.18	3	Horizontal	341	2.32
5985MHz	Pass	PK	11.95248G	53.32	74.00	-20.68	3	Horizontal	341	2.32
6225MHz	Pass	AV	12.48144G	39.66	54.00	-14.34	3	Vertical	127	1.50
6225MHz	Pass	PK	12.48064G	53.50	74.00	-20.50	3	Vertical	127	1.50
6225MHz	Pass	AV	12.4784G	39.67	54.00	-14.33	3	Horizontal	212	1.50
6225MHz	Pass	PK	12.42856G	53.02	74.00	-20.98	3	Horizontal	212	1.50
6385MHz	Pass	AV	12.772G	40.27	68.20	-27.93	3	Vertical	310	1.71
6385MHz	Pass	PK	12.74456G	53.52	88.20	-34.68	3	Vertical	310	1.71
6385MHz	Pass	AV	12.75008G	40.29	68.20	-27.91	3	Horizontal	345	1.50
6385MHz	Pass	PK	12.76848G	54.19	88.20	-34.01	3	Horizontal	345	1.50
6625MHz	Pass	AV	13.26128G	40.84	54.00	-13.16	3	Vertical	268	2.06
6625MHz	Pass	PK	13.26104G	54.53	74.00	-19.47	3	Vertical	268	2.06
6625MHz	Pass	AV	13.27784G	40.90	54.00	-13.10	3	Horizontal	174	1.19
6625MHz	Pass	PK	13.21224G	54.74	88.20	-33.46	3	Horizontal	174	1.19
6705MHz	Pass	AV	13.44544G	41.36	68.20	-26.84	3	Vertical	360	1.50
6705MHz	Pass	PK	13.442G	54.83	88.20	-33.37	3	Vertical	360	1.50
6705MHz	Pass	AV	13.44928G	41.06	68.20	-27.14	3	Horizontal	172	1.50
6705MHz	Pass	PK	13.412G	54.66	88.20	-33.54	3	Horizontal	172	1.50
6785MHz	Pass	AV	13.56584G	42.94	68.20	-25.26	3	Vertical	344	1.83
6785MHz	Pass	PK	13.57064G	56.28	88.20	-31.92	3	Vertical	344	1.83
6785MHz	Pass	AV	13.5728G	41.75	68.20	-26.45	3	Horizontal	206	1.51
6785MHz	Pass	PK	13.53584G	55.57	88.20	-32.63	3	Horizontal	206	1.51
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	50.11	68.20	-18.09	3	Vertical	52	2.25
6025MHz	Pass	AV	6.056G	87.94	Inf	-Inf	3	Vertical	52	2.25
6025MHz	Pass	PK	5.9185G	64.55	88.20	-23.65	3	Vertical	52	2.25
6025MHz	Pass	PK	5.9785G	100.41	Inf	-Inf	3	Vertical	52	2.25
6025MHz	Pass	AV	5.9225G	56.83	68.20	-11.37	3	Horizontal	302	2.06
6025MHz	Pass	AV	6.0875G	95.55	Inf	-Inf	3	Horizontal	302	2.06
6025MHz	Pass	PK	5.9235G	71.23	88.20	-16.97	3	Horizontal	302	2.06
6025MHz	Pass	PK	6.057G	107.17	Inf	-Inf	3	Horizontal	302	2.06
6025MHz	Pass	AV	12.12536G	41.73	54.00	-12.27	3	Vertical	321	1.56
6025MHz	Pass	PK	12.09336G	53.71	74.00	-20.29	3	Vertical	321	1.56
6025MHz	Pass	AV	12.01672G	41.48	54.00	-12.52	3	Horizontal	154	2.89
6025MHz	Pass	PK	12.00376G	53.61	74.00	-20.39	3	Horizontal	154	2.89
6185MHz	Pass	AV	12.35576G	39.54	54.00	-14.46	3	Vertical	195	1.50
6185MHz	Pass	PK	12.31928G	53.60	74.00	-20.40	3	Vertical	195	1.50
6185MHz	Pass	AV	12.41528G	39.47	54.00	-14.53	3	Horizontal	146	2.10
6185MHz	Pass	PK	12.38408G	52.78	74.00	-21.22	3	Horizontal	146	2.10
6345MHz	Pass	AV	12.65352G	40.26	54.00	-13.74	3	Vertical	108	2.48
6345MHz	Pass	PK	12.72792G	53.80	88.20	-34.40	3	Vertical	108	2.48
6345MHz	Pass	AV	12.74024G	40.21	68.20	-27.99	3	Horizontal	165	1.59
6345MHz	Pass	PK	12.67096G	54.34	74.00	-19.66	3	Horizontal	165	1.59
6665MHz	Pass	AV	13.29688G	41.22	54.00	-12.78	3	Vertical	341	1.70
6665MHz	Pass	PK	13.31064G	54.57	74.00	-19.43	3	Vertical	341	1.70
6665MHz	Pass	AV	13.30536G	41.11	54.00	-12.89	3	Horizontal	224	1.50




**RSE TX above 1GHz _Non-Beamforming_Radio 1_Full
RU_2T1S**

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.28792G	55.35	74.00	-18.65	3	Horizontal	224	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	48.74	68.20	-19.46	3	Vertical	54	2.15
6105MHz	Pass	AV	6.076G	85.54	Inf	-Inf	3	Vertical	54	2.15
6105MHz	Pass	PK	5.913G	60.17	88.20	-28.03	3	Vertical	54	2.15
6105MHz	Pass	PK	6.074G	95.93	Inf	-Inf	3	Vertical	54	2.15
6105MHz	Pass	AV	5.922G	54.90	68.20	-13.30	3	Horizontal	301	2.15
6105MHz	Pass	AV	6.075G	92.47	Inf	-Inf	3	Horizontal	301	2.15
6105MHz	Pass	PK	5.922G	66.53	88.20	-21.67	3	Horizontal	301	2.15
6105MHz	Pass	PK	6.13G	104.43	Inf	-Inf	3	Horizontal	301	2.15
6105MHz	Pass	AV	12.10408G	42.34	54.00	-11.66	3	Vertical	287	1.50
6105MHz	Pass	PK	12.19752G	53.66	74.00	-20.34	3	Vertical	287	1.50
6105MHz	Pass	AV	12.11752G	42.68	54.00	-11.32	3	Horizontal	92	1.21
6105MHz	Pass	PK	12.09448G	54.18	74.00	-19.82	3	Horizontal	92	1.21
6265MHz	Pass	AV	12.68456G	40.26	54.00	-13.74	3	Vertical	237	1.50
6265MHz	Pass	PK	12.51176G	53.43	74.00	-20.57	3	Vertical	237	1.50
6265MHz	Pass	AV	12.66984G	40.16	54.00	-13.84	3	Horizontal	360	1.50
6265MHz	Pass	PK	12.66792G	54.45	74.00	-19.55	3	Horizontal	360	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio 1_Full RU_2T2S

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.9136G	75.39	88.20	-12.81	3	Horizontal	298	2.14
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.40084G	39.58	54.00	-14.42	3	Horizontal	360	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	11.98624G	41.22	54.00	-12.78	3	Vertical	112	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.916G	58.19	68.20	-10.01	3	Horizontal	299	2.15
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	12.11144G	42.72	54.00	-11.28	3	Vertical	100	2.81
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.38724G	41.94	54.00	-12.06	3	Vertical	340	1.75
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.36128G	41.50	54.00	-12.50	3	Vertical	310	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.27776G	41.54	54.00	-12.46	3	Horizontal	68	1.24
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.28184G	41.67	54.00	-12.33	3	Horizontal	82	2.24

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9112G	44.91	68.20	-23.29	3	Vertical	51	2.15
5955MHz	Pass	AV	5.9586G	93.81	Inf	-Inf	3	Vertical	51	2.15
5955MHz	Pass	PK	5.9118G	59.27	88.20	-28.93	3	Vertical	51	2.15
5955MHz	Pass	PK	5.9568G	106.24	Inf	-Inf	3	Vertical	51	2.15
5955MHz	Pass	AV	5.925G	47.07	68.20	-21.13	3	Horizontal	298	2.14
5955MHz	Pass	AV	5.9502G	101.97	Inf	-Inf	3	Horizontal	298	2.14
5955MHz	Pass	PK	5.9136G	75.39	88.20	-12.81	3	Horizontal	298	2.14
5955MHz	Pass	PK	5.9616G	114.45	Inf	-Inf	3	Horizontal	298	2.14
5955MHz	Pass	AV	11.9071G	39.01	54.00	-14.99	3	Vertical	183	1.44
5955MHz	Pass	PK	11.91208G	53.48	74.00	-20.52	3	Vertical	183	1.44
5955MHz	Pass	AV	11.90604G	39.13	54.00	-14.87	3	Horizontal	0	1.00
5955MHz	Pass	PK	11.9073G	52.38	74.00	-21.62	3	Horizontal	0	1.00
6195MHz	Pass	AV	12.38584G	39.24	54.00	-14.76	3	Vertical	36	2.07
6195MHz	Pass	PK	12.38618G	53.00	74.00	-21.00	3	Vertical	36	2.07
6195MHz	Pass	AV	12.38192G	39.21	54.00	-14.79	3	Horizontal	117	2.33
6195MHz	Pass	PK	12.39348G	52.58	74.00	-21.42	3	Horizontal	117	2.33
6415MHz	Pass	AV	12.82164G	40.42	68.20	-27.78	3	Vertical	24	1.50
6415MHz	Pass	PK	12.8369G	55.09	88.20	-33.11	3	Vertical	24	1.50
6415MHz	Pass	AV	12.83352G	40.35	68.20	-27.85	3	Horizontal	307	1.50
6415MHz	Pass	PK	12.82212G	53.84	88.20	-34.36	3	Horizontal	307	1.50
6535MHz	Pass	AV	13.06884G	40.49	68.20	-27.71	3	Vertical	343	1.75
6535MHz	Pass	PK	13.06214G	53.80	88.20	-34.40	3	Vertical	343	1.75
6535MHz	Pass	AV	13.06328G	40.33	68.20	-27.87	3	Horizontal	254	3.00
6535MHz	Pass	PK	13.07912G	54.50	88.20	-33.70	3	Horizontal	254	3.00
6695MHz	Pass	AV	13.38724G	41.94	54.00	-12.06	3	Vertical	340	1.75
6695MHz	Pass	PK	13.38608G	55.59	74.00	-18.41	3	Vertical	340	1.75
6695MHz	Pass	AV	13.38486G	41.35	54.00	-12.65	3	Horizontal	339	1.50
6695MHz	Pass	PK	13.39194G	54.33	74.00	-19.67	3	Horizontal	339	1.50
6855MHz	Pass	AV	13.71008G	46.33	68.20	-21.87	3	Vertical	346	1.65
6855MHz	Pass	PK	13.71124G	60.08	88.20	-28.12	3	Vertical	346	1.65
6855MHz	Pass	AV	13.7111G	42.96	68.20	-25.24	3	Horizontal	210	1.85
6855MHz	Pass	PK	13.7076G	56.57	88.20	-31.63	3	Horizontal	210	1.85
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.923G	46.14	68.20	-22.06	3	Vertical	51	2.10
5965MHz	Pass	AV	5.971G	91.77	Inf	-Inf	3	Vertical	51	2.10
5965MHz	Pass	PK	5.9182G	57.81	88.20	-30.39	3	Vertical	51	2.10
5965MHz	Pass	PK	5.9722G	104.28	Inf	-Inf	3	Vertical	51	2.10
5965MHz	Pass	AV	5.9248G	50.33	68.20	-17.87	3	Horizontal	298	2.24
5965MHz	Pass	AV	5.9698G	99.70	Inf	-Inf	3	Horizontal	298	2.24
5965MHz	Pass	PK	5.9248G	62.33	88.20	-25.87	3	Horizontal	298	2.24
5965MHz	Pass	PK	5.9698G	112.64	Inf	-Inf	3	Horizontal	298	2.24
5965MHz	Pass	AV	11.93528G	39.24	54.00	-14.76	3	Vertical	0	1.50
5965MHz	Pass	PK	11.9194G	52.64	74.00	-21.36	3	Vertical	0	1.50
5965MHz	Pass	AV	11.94832G	39.14	54.00	-14.86	3	Horizontal	282	2.26
5965MHz	Pass	PK	11.93696G	52.85	74.00	-21.15	3	Horizontal	282	2.26
6205MHz	Pass	AV	12.4076G	39.36	54.00	-14.64	3	Vertical	277	2.47
6205MHz	Pass	PK	12.41192G	53.02	74.00	-20.98	3	Vertical	277	2.47
6205MHz	Pass	AV	12.40084G	39.58	54.00	-14.42	3	Horizontal	360	1.50
6205MHz	Pass	PK	12.39776G	53.65	74.00	-20.35	3	Horizontal	360	1.50
6405MHz	Pass	AV	12.82796G	40.52	68.20	-27.68	3	Vertical	337	2.74
6405MHz	Pass	PK	12.80208G	54.70	88.20	-33.50	3	Vertical	337	2.74
6405MHz	Pass	AV	12.82928G	40.55	68.20	-27.65	3	Horizontal	207	1.78
6405MHz	Pass	PK	12.82372G	54.08	88.20	-34.12	3	Horizontal	207	1.78
6565MHz	Pass	AV	13.13232G	40.75	68.20	-27.45	3	Vertical	76	1.50
6565MHz	Pass	PK	13.13088G	54.37	88.20	-33.83	3	Vertical	76	1.50
6565MHz	Pass	AV	13.1328G	40.74	68.20	-27.46	3	Horizontal	240	2.50
6565MHz	Pass	PK	13.122G	54.27	88.20	-33.93	3	Horizontal	240	2.50
6685MHz	Pass	AV	13.36128G	41.50	54.00	-12.50	3	Vertical	310	1.50
6685MHz	Pass	PK	13.38592G	55.57	74.00	-18.43	3	Vertical	310	1.50
6685MHz	Pass	AV	13.3636G	41.37	54.00	-12.63	3	Horizontal	307	2.57



RSE TX above 1GHz_Non-Beamforming_Radio 1_Full RU_2T2S

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.38104G	54.77	74.00	-19.23	3	Horizontal	307	2.57
6845MHz	Pass	AV	13.68756G	44.23	68.20	-23.97	3	Vertical	345	1.63
6845MHz	Pass	PK	13.69208G	58.46	88.20	-29.74	3	Vertical	345	1.63
6845MHz	Pass	AV	13.68064G	42.73	68.20	-25.47	3	Horizontal	300	1.88
6845MHz	Pass	PK	13.68424G	56.83	88.20	-31.37	3	Horizontal	300	1.88
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	46.18	68.20	-22.02	3	Vertical	50	2.01
5985MHz	Pass	AV	5.9795G	88.66	Inf	-Inf	3	Vertical	50	2.01
5985MHz	Pass	PK	5.8965G	58.10	88.20	-30.10	3	Vertical	50	2.01
5985MHz	Pass	PK	5.9925G	99.84	Inf	-Inf	3	Vertical	50	2.01
5985MHz	Pass	AV	5.9235G	52.78	68.20	-15.42	3	Horizontal	298	2.20
5985MHz	Pass	AV	6.014G	96.88	Inf	-Inf	3	Horizontal	298	2.20
5985MHz	Pass	PK	5.9235G	63.99	88.20	-24.21	3	Horizontal	298	2.20
5985MHz	Pass	PK	5.993G	109.13	Inf	-Inf	3	Horizontal	298	2.20
5985MHz	Pass	AV	11.98624G	41.22	54.00	-12.78	3	Vertical	112	1.50
5985MHz	Pass	PK	12.0084G	53.22	74.00	-20.78	3	Vertical	112	1.50
5985MHz	Pass	AV	11.94624G	41.11	54.00	-12.89	3	Horizontal	241	1.99
5985MHz	Pass	PK	12.00048G	53.20	74.00	-20.80	3	Horizontal	241	1.99
6225MHz	Pass	AV	12.48408G	40.37	54.00	-13.63	3	Vertical	227	1.50
6225MHz	Pass	PK	12.46784G	53.00	74.00	-21.00	3	Vertical	227	1.50
6225MHz	Pass	AV	12.48232G	40.28	54.00	-13.72	3	Horizontal	350	1.50
6225MHz	Pass	PK	12.47784G	53.57	74.00	-20.43	3	Horizontal	350	1.50
6385MHz	Pass	AV	12.74104G	40.79	68.20	-27.41	3	Vertical	214	1.36
6385MHz	Pass	PK	12.73368G	53.51	88.20	-34.69	3	Vertical	214	1.36
6385MHz	Pass	AV	12.74152G	40.85	68.20	-27.35	3	Horizontal	356	1.50
6385MHz	Pass	PK	12.76704G	53.57	88.20	-34.63	3	Horizontal	356	1.50
6625MHz	Pass	AV	13.24952G	41.51	68.20	-26.69	3	Vertical	98	2.48
6625MHz	Pass	PK	13.21752G	54.38	88.20	-33.82	3	Vertical	98	2.48
6625MHz	Pass	AV	13.27776G	41.54	54.00	-12.46	3	Horizontal	68	1.24
6625MHz	Pass	PK	13.28256G	54.46	74.00	-19.54	3	Horizontal	68	1.24
6705MHz	Pass	AV	13.4476G	42.02	68.20	-26.18	3	Vertical	345	1.13
6705MHz	Pass	PK	13.3932G	55.06	74.00	-18.94	3	Vertical	345	1.13
6705MHz	Pass	AV	13.43808G	41.67	68.20	-26.53	3	Horizontal	341	1.50
6705MHz	Pass	PK	13.40936G	54.83	88.20	-33.37	3	Horizontal	341	1.50
6785MHz	Pass	AV	13.56152G	43.28	68.20	-24.92	3	Vertical	343	1.87
6785MHz	Pass	PK	13.58504G	56.41	88.20	-31.79	3	Vertical	343	1.87
6785MHz	Pass	AV	13.54928G	42.35	68.20	-25.85	3	Horizontal	293	1.49
6785MHz	Pass	PK	13.55168G	55.77	88.20	-32.43	3	Horizontal	293	1.49
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9215G	50.94	68.20	-17.26	3	Vertical	51	2.06
6025MHz	Pass	AV	6.0555G	87.36	Inf	-Inf	3	Vertical	51	2.06
6025MHz	Pass	PK	5.9175G	64.80	88.20	-23.40	3	Vertical	51	2.06
6025MHz	Pass	PK	6.0555G	98.66	Inf	-Inf	3	Vertical	51	2.06
6025MHz	Pass	AV	5.916G	58.19	68.20	-10.01	3	Horizontal	299	2.15
6025MHz	Pass	AV	6.1005G	95.95	Inf	-Inf	3	Horizontal	299	2.15
6025MHz	Pass	PK	5.921G	72.82	88.20	-15.38	3	Horizontal	299	2.15
6025MHz	Pass	PK	6.088G	108.38	Inf	-Inf	3	Horizontal	299	2.15
6025MHz	Pass	AV	12.11528G	42.78	54.00	-11.22	3	Vertical	140	1.50
6025MHz	Pass	PK	12.094G	53.57	74.00	-20.43	3	Vertical	140	1.50
6025MHz	Pass	AV	12.04712G	43.01	54.00	-10.99	3	Horizontal	325	2.57
6025MHz	Pass	PK	12.06056G	53.23	74.00	-20.77	3	Horizontal	325	2.57
6185MHz	Pass	AV	12.31512G	40.06	54.00	-13.94	3	Vertical	157	2.40
6185MHz	Pass	PK	12.35224G	53.56	74.00	-20.44	3	Vertical	157	2.40
6185MHz	Pass	AV	12.41592G	40.17	54.00	-13.83	3	Horizontal	288	2.78
6185MHz	Pass	PK	12.43992G	52.61	74.00	-21.39	3	Horizontal	288	2.78
6345MHz	Pass	AV	12.67688G	40.85	54.00	-13.15	3	Vertical	216	1.50
6345MHz	Pass	PK	12.72424G	54.06	88.20	-34.14	3	Vertical	216	1.50
6345MHz	Pass	AV	12.64312G	40.88	54.00	-13.12	3	Horizontal	211	1.50
6345MHz	Pass	PK	12.76184G	53.79	88.20	-34.41	3	Horizontal	211	1.50
6665MHz	Pass	AV	13.28888G	41.64	54.00	-12.36	3	Vertical	82	1.50
6665MHz	Pass	PK	13.34952G	54.56	74.00	-19.44	3	Vertical	82	1.50
6665MHz	Pass	AV	13.28184G	41.67	54.00	-12.33	3	Horizontal	82	2.24




RSE TX above 1GHz _Non-Beamforming_Radio 1_Full RU_2T2S

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.29496G	55.15	74.00	-18.85	3	Horizontal	82	2.24
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.922G	48.31	68.20	-19.89	3	Vertical	51	2.14
6105MHz	Pass	AV	6.071G	83.80	Inf	-Inf	3	Vertical	51	2.14
6105MHz	Pass	PK	5.922G	60.64	88.20	-27.56	3	Vertical	51	2.14
6105MHz	Pass	PK	6.101G	94.48	Inf	-Inf	3	Vertical	51	2.14
6105MHz	Pass	AV	5.919G	54.85	68.20	-13.35	3	Horizontal	299	2.06
6105MHz	Pass	AV	6.071G	92.61	Inf	-Inf	3	Horizontal	299	2.06
6105MHz	Pass	PK	5.923G	66.69	88.20	-21.51	3	Horizontal	299	2.06
6105MHz	Pass	PK	6.071G	104.02	Inf	-Inf	3	Horizontal	299	2.06
6105MHz	Pass	AV	12.11144G	42.72	54.00	-11.28	3	Vertical	100	2.81
6105MHz	Pass	PK	12.07752G	53.79	74.00	-20.21	3	Vertical	100	2.81
6105MHz	Pass	AV	12.16392G	42.42	54.00	-11.58	3	Horizontal	263	1.50
6105MHz	Pass	PK	12.0836G	53.79	74.00	-20.21	3	Horizontal	263	1.50
6265MHz	Pass	AV	12.68008G	40.75	54.00	-13.25	3	Vertical	302	3.00
6265MHz	Pass	PK	12.63784G	54.29	74.00	-19.71	3	Vertical	302	3.00
6265MHz	Pass	AV	12.65224G	40.81	54.00	-13.19	3	Horizontal	0	1.50
6265MHz	Pass	PK	12.68488G	53.41	74.00	-20.59	3	Horizontal	0	1.50


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	48.31	68.20	-19.89	2.54	3	Vertical	51	2.14	45.77	34.36	6.05	37.87
AV	6.071G	83.80	Inf	-Inf	2.66	3	Vertical	51	2.14	81.14	34.30	6.12	37.76
PK	5.922G	60.64	88.20	-27.56	2.54	3	Vertical	51	2.14	58.10	34.36	6.05	37.87
PK	6.101G	94.48	Inf	-Inf	2.69	3	Vertical	51	2.14	91.79	34.30	6.13	37.74

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	54.85	68.20	-13.35	2.54	3	Horizontal	299	2.06	52.31	34.36	6.05	37.87
AV	6.071G	92.61	Inf	-Inf	2.66	3	Horizontal	299	2.06	89.95	34.30	6.12	37.76
PK	5.923G	66.69	88.20	-21.51	2.54	3	Horizontal	299	2.06	64.15	34.35	6.06	37.87
PK	6.071G	104.02	Inf	-Inf	2.66	3	Horizontal	299	2.06	101.36	34.30	6.12	37.76


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio
1_Multi-RU_1T1S

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	AV	12.0032G	40.30	54.00	-13.70	3	Vertical	311	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	Pass	AV	12.08984G	41.91	54.00	-12.09	3	Horizontal	296	2.59
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_1TX	Pass	AV	12.1252G	42.62	54.00	-11.38	3	Vertical	64	2.90

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.916G	44.40	68.20	-23.80	3	Vertical	209	1.34
5985MHz	Pass	AV	5.988G	83.16	Inf	-Inf	3	Vertical	209	1.34
5985MHz	Pass	PK	5.923G	58.58	88.20	-29.62	3	Vertical	209	1.34
5985MHz	Pass	PK	5.99G	95.39	Inf	-Inf	3	Vertical	209	1.34
5985MHz	Pass	AV	5.925G	46.95	68.20	-21.25	3	Horizontal	136	1.37
5985MHz	Pass	AV	6G	92.99	Inf	-Inf	3	Horizontal	136	1.37
5985MHz	Pass	PK	5.924G	66.95	88.20	-21.25	3	Horizontal	136	1.37
5985MHz	Pass	PK	6.022G	105.58	Inf	-Inf	3	Horizontal	136	1.37
5985MHz	Pass	AV	12.0032G	40.30	54.00	-13.70	3	Vertical	311	1.50
5985MHz	Pass	PK	11.9544G	53.27	74.00	-20.73	3	Vertical	311	1.50
5985MHz	Pass	AV	11.99936G	40.21	54.00	-13.79	3	Horizontal	16	1.14
5985MHz	Pass	PK	11.93872G	54.21	74.00	-19.79	3	Horizontal	16	1.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.909G	45.33	68.20	-22.87	3	Vertical	216	1.31
6025MHz	Pass	AV	6.101G	82.23	Inf	-Inf	3	Vertical	216	1.31
6025MHz	Pass	PK	5.922G	58.02	88.20	-30.18	3	Vertical	216	1.31
6025MHz	Pass	PK	6.095G	93.68	Inf	-Inf	3	Vertical	216	1.31
6025MHz	Pass	AV	5.923G	51.49	68.20	-16.71	3	Horizontal	127	2.92
6025MHz	Pass	AV	6G	92.58	Inf	-Inf	3	Horizontal	127	2.92
6025MHz	Pass	PK	5.922G	71.03	88.20	-17.17	3	Horizontal	127	2.92
6025MHz	Pass	PK	5.997G	104.62	Inf	-Inf	3	Horizontal	127	2.92
6025MHz	Pass	AV	12.08312G	41.48	54.00	-12.52	3	Vertical	78	1.50
6025MHz	Pass	PK	12.08776G	53.54	74.00	-20.46	3	Vertical	78	1.50
6025MHz	Pass	AV	12.08984G	41.91	54.00	-12.09	3	Horizontal	296	2.59
6025MHz	Pass	PK	12.03128G	54.04	74.00	-19.96	3	Horizontal	296	2.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.919G	45.20	68.20	-23.00	3	Vertical	216	1.32
6025MHz	Pass	AV	6.101G	82.21	Inf	-Inf	3	Vertical	216	1.32
6025MHz	Pass	PK	5.881G	56.72	88.20	-31.48	3	Vertical	216	1.32
6025MHz	Pass	PK	6.102G	93.08	Inf	-Inf	3	Vertical	216	1.32
6025MHz	Pass	AV	5.916G	47.72	68.20	-20.48	3	Horizontal	133	1.29
6025MHz	Pass	AV	6.054G	91.48	Inf	-Inf	3	Horizontal	133	1.29
6025MHz	Pass	PK	5.925G	65.76	88.20	-22.44	3	Horizontal	133	1.29
6025MHz	Pass	PK	6.049G	103.92	Inf	-Inf	3	Horizontal	133	1.29
6025MHz	Pass	AV	12.07592G	41.64	54.00	-12.36	3	Vertical	347	1.17
6025MHz	Pass	PK	11.97432G	54.30	74.00	-19.70	3	Vertical	347	1.17
6025MHz	Pass	AV	12.08328G	41.83	54.00	-12.17	3	Horizontal	202	1.50
6025MHz	Pass	PK	12.0764G	53.52	74.00	-20.48	3	Horizontal	202	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	45.87	68.20	-22.33	3	Vertical	216	1.38
6105MHz	Pass	AV	6.243G	81.30	Inf	-Inf	3	Vertical	216	1.38
6105MHz	Pass	PK	5.807G	56.75	88.20	-31.45	3	Vertical	216	1.38
6105MHz	Pass	PK	6.211G	92.14	Inf	-Inf	3	Vertical	216	1.38
6105MHz	Pass	AV	5.925G	49.41	68.20	-18.79	3	Horizontal	134	1.45
6105MHz	Pass	AV	6.151G	89.73	Inf	-Inf	3	Horizontal	134	1.45
6105MHz	Pass	PK	5.925G	61.60	88.20	-26.60	3	Horizontal	134	1.45
6105MHz	Pass	PK	6.133G	101.06	Inf	-Inf	3	Horizontal	134	1.45
6105MHz	Pass	AV	12.22728G	42.48	54.00	-11.52	3	Vertical	39	1.50
6105MHz	Pass	PK	12.10504G	53.47	74.00	-20.53	3	Vertical	39	1.50
6105MHz	Pass	AV	12.06024G	42.36	54.00	-11.64	3	Horizontal	39	1.50
6105MHz	Pass	PK	12.07624G	53.40	74.00	-20.60	3	Horizontal	39	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	46.22	68.20	-21.98	3	Vertical	215	1.50
6105MHz	Pass	AV	6.151G	80.42	Inf	-Inf	3	Vertical	215	1.50
6105MHz	Pass	PK	5.901G	55.96	88.20	-32.24	3	Vertical	215	1.50
6105MHz	Pass	PK	6.143G	91.18	Inf	-Inf	3	Vertical	215	1.50
6105MHz	Pass	AV	5.923G	49.56	68.20	-18.64	3	Horizontal	134	1.43
6105MHz	Pass	AV	6.137G	89.39	Inf	-Inf	3	Horizontal	134	1.43
6105MHz	Pass	PK	5.925G	64.78	88.20	-23.42	3	Horizontal	134	1.43
6105MHz	Pass	PK	6.141G	101.24	Inf	-Inf	3	Horizontal	134	1.43




RSE TX above 1GHz _Non-Beamforming_Radio
1_Multi-RU_1T1S

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.06536G	42.45	54.00	-11.55	3	Vertical	200	2.95
6105MHz	Pass	PK	12.05128G	53.19	74.00	-20.81	3	Vertical	200	2.95
6105MHz	Pass	AV	12.1252G	42.45	54.00	-11.55	3	Horizontal	14	1.50
6105MHz	Pass	PK	12.15816G	53.66	74.00	-20.34	3	Horizontal	14	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.903G	46.00	68.20	-22.20	3	Vertical	215	1.50
6105MHz	Pass	AV	6.143G	80.50	Inf	-Inf	3	Vertical	215	1.50
6105MHz	Pass	PK	5.911G	56.52	88.20	-31.68	3	Vertical	215	1.50
6105MHz	Pass	PK	6.151G	91.92	Inf	-Inf	3	Vertical	215	1.50
6105MHz	Pass	AV	5.925G	47.94	68.20	-20.26	3	Horizontal	135	1.43
6105MHz	Pass	AV	6.151G	89.39	Inf	-Inf	3	Horizontal	135	1.43
6105MHz	Pass	PK	5.923G	60.61	88.20	-27.59	3	Horizontal	135	1.43
6105MHz	Pass	PK	6.139G	100.96	Inf	-Inf	3	Horizontal	135	1.43
6105MHz	Pass	AV	12.1252G	42.62	54.00	-11.38	3	Vertical	64	2.90
6105MHz	Pass	PK	12.27528G	53.37	74.00	-20.63	3	Vertical	64	2.90
6105MHz	Pass	AV	12.07048G	42.24	54.00	-11.76	3	Horizontal	360	1.50
6105MHz	Pass	PK	12.11112G	53.35	74.00	-20.65	3	Horizontal	360	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.903G	46.00	68.20	-22.20	2.56	3	Vertical	215	1.50	43.44	34.39	6.05	37.88
AV	6.143G	80.50	Inf	-Inf	2.75	3	Vertical	215	1.50	77.75	34.30	6.15	37.70
PK	5.911G	56.52	88.20	-31.68	2.55	3	Vertical	215	1.50	53.97	34.38	6.05	37.88
PK	6.151G	91.92	Inf	-Inf	2.75	3	Vertical	215	1.50	89.17	34.30	6.15	37.70

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	47.94	68.20	-20.26	2.54	3	Horizontal	135	1.43	45.40	34.35	6.06	37.87
AV	6.151G	89.39	Inf	-Inf	2.75	3	Horizontal	135	1.43	86.64	34.30	6.15	37.70
PK	5.923G	60.61	88.20	-27.59	2.54	3	Horizontal	135	1.43	58.07	34.35	6.06	37.87
PK	6.139G	100.96	Inf	-Inf	2.74	3	Horizontal	135	1.43	98.22	34.30	6.15	37.71


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_1TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 4_1TX

6105MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio
1_Multi-RU_2T1S

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	12.00088G	40.33	54.00	-13.67	3	Vertical	0	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	12.04072G	41.85	54.00	-12.15	3	Vertical	216	1.08
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX	Pass	AV	12.0772G	42.68	54.00	-11.32	3	Vertical	227	2.07



RSE TX above 1GHz _Non-Beamforming_Radio 1_Multi-RU_2T1S

Appendix E.12


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	45.56	68.20	-22.64	3	Vertical	53	2.22
5985MHz	Pass	AV	5.994G	88.72	Inf	-Inf	3	Vertical	53	2.22
5985MHz	Pass	PK	5.907G	65.12	88.20	-23.08	3	Vertical	53	2.22
5985MHz	Pass	PK	5.991G	101.87	Inf	-Inf	3	Vertical	53	2.22
5985MHz	Pass	AV	5.922G	49.67	68.20	-18.53	3	Horizontal	296	2.09
5985MHz	Pass	AV	5.995G	95.93	Inf	-Inf	3	Horizontal	296	2.09
5985MHz	Pass	PK	5.907G	72.10	88.20	-16.10	3	Horizontal	296	2.09
5985MHz	Pass	PK	6.007G	109.04	Inf	-Inf	3	Horizontal	296	2.09
5985MHz	Pass	AV	12.00088G	40.33	54.00	-13.67	3	Vertical	0	1.50
5985MHz	Pass	PK	11.99496G	53.87	74.00	-20.13	3	Vertical	0	1.50
5985MHz	Pass	AV	12.00616G	40.30	54.00	-13.70	3	Horizontal	191	1.13
5985MHz	Pass	PK	12.00688G	53.58	74.00	-20.42	3	Horizontal	191	1.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.908G	48.11	68.20	-20.09	3	Vertical	55	2.11
6025MHz	Pass	AV	6.086G	87.57	Inf	-Inf	3	Vertical	55	2.11
6025MHz	Pass	PK	5.908G	62.37	88.20	-25.83	3	Vertical	55	2.11
6025MHz	Pass	PK	6.052G	98.94	Inf	-Inf	3	Vertical	55	2.11
6025MHz	Pass	AV	5.911G	54.18	68.20	-14.02	3	Horizontal	297	2.09
6025MHz	Pass	AV	6.048G	95.08	Inf	-Inf	3	Horizontal	297	2.09
6025MHz	Pass	PK	5.908G	69.33	88.20	-18.87	3	Horizontal	297	2.09
6025MHz	Pass	PK	6.055G	107.45	Inf	-Inf	3	Horizontal	297	2.09
6025MHz	Pass	AV	12.0492G	41.63	54.00	-12.37	3	Vertical	35	1.44
6025MHz	Pass	PK	12.12424G	53.61	74.00	-20.39	3	Vertical	35	1.44
6025MHz	Pass	AV	12.10504G	41.84	54.00	-12.16	3	Horizontal	360	1.50
6025MHz	Pass	PK	11.99608G	53.94	74.00	-20.06	3	Horizontal	360	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	47.19	68.20	-21.01	3	Vertical	55	2.12
6025MHz	Pass	AV	6.052G	87.48	Inf	-Inf	3	Vertical	55	2.12
6025MHz	Pass	PK	5.922G	63.14	88.20	-25.06	3	Vertical	55	2.12
6025MHz	Pass	PK	5.966G	99.07	Inf	-Inf	3	Vertical	55	2.12
6025MHz	Pass	AV	5.921G	52.28	68.20	-15.92	3	Horizontal	303	2.26
6025MHz	Pass	AV	6.088G	95.54	Inf	-Inf	3	Horizontal	303	2.26
6025MHz	Pass	PK	5.925G	71.69	88.20	-16.51	3	Horizontal	303	2.26
6025MHz	Pass	PK	6.084G	107.42	Inf	-Inf	3	Horizontal	303	2.26
6025MHz	Pass	AV	12.04072G	41.85	54.00	-12.15	3	Vertical	216	1.08
6025MHz	Pass	PK	12.08728G	53.60	74.00	-20.40	3	Vertical	216	1.08
6025MHz	Pass	AV	12.06056G	41.48	54.00	-12.52	3	Horizontal	191	1.50
6025MHz	Pass	PK	12.014G	53.77	74.00	-20.23	3	Horizontal	191	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	46.20	68.20	-22.00	3	Vertical	216	1.50
6105MHz	Pass	AV	6.213G	83.53	Inf	-Inf	3	Vertical	216	1.50
6105MHz	Pass	PK	5.923G	57.52	88.20	-30.68	3	Vertical	216	1.50
6105MHz	Pass	PK	6.217G	94.66	Inf	-Inf	3	Vertical	216	1.50
6105MHz	Pass	AV	5.911G	52.55	68.20	-15.65	3	Horizontal	296	2.21
6105MHz	Pass	AV	6.067G	92.04	Inf	-Inf	3	Horizontal	296	2.21
6105MHz	Pass	PK	5.909G	64.34	88.20	-23.86	3	Horizontal	296	2.21
6105MHz	Pass	PK	6.063G	103.66	Inf	-Inf	3	Horizontal	296	2.21
6105MHz	Pass	AV	12.0948G	42.46	54.00	-11.54	3	Vertical	346	2.15
6105MHz	Pass	PK	12.07816G	53.07	74.00	-20.93	3	Vertical	346	2.15
6105MHz	Pass	AV	12.0516G	42.38	54.00	-11.62	3	Horizontal	46	2.36
6105MHz	Pass	PK	12.33192G	53.33	74.00	-20.67	3	Horizontal	46	2.36
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	47.27	68.20	-20.93	3	Vertical	215	2.92
6105MHz	Pass	AV	6.061G	84.05	Inf	-Inf	3	Vertical	215	2.92
6105MHz	Pass	PK	5.925G	61.94	88.20	-26.26	3	Vertical	215	2.92
6105MHz	Pass	PK	6.057G	94.10	Inf	-Inf	3	Vertical	215	2.92
6105MHz	Pass	AV	5.923G	50.05	68.20	-18.15	3	Horizontal	58	2.17
6105MHz	Pass	AV	6.205G	92.84	Inf	-Inf	3	Horizontal	58	2.17
6105MHz	Pass	PK	5.923G	65.86	88.20	-22.34	3	Horizontal	58	2.17
6105MHz	Pass	PK	6.221G	104.12	Inf	-Inf	3	Horizontal	58	2.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.06216G	42.48	54.00	-11.52	3	Vertical	83	1.50
6105MHz	Pass	PK	12.08168G	53.79	74.00	-20.21	3	Vertical	83	1.50
6105MHz	Pass	AV	12.11336G	42.56	54.00	-11.44	3	Horizontal	135	2.37
6105MHz	Pass	PK	12.07912G	53.13	74.00	-20.87	3	Horizontal	135	2.37
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	47.25	68.20	-20.95	3	Vertical	54	2.13
6105MHz	Pass	AV	6.061G	83.94	Inf	-Inf	3	Vertical	54	2.13
6105MHz	Pass	PK	5.907G	58.57	88.20	-29.63	3	Vertical	54	2.13
6105MHz	Pass	PK	6.069G	95.46	Inf	-Inf	3	Vertical	54	2.13
6105MHz	Pass	AV	5.925G	51.64	68.20	-16.56	3	Horizontal	299	2.26
6105MHz	Pass	AV	6.073G	92.35	Inf	-Inf	3	Horizontal	299	2.26
6105MHz	Pass	PK	5.919G	64.51	88.20	-23.69	3	Horizontal	299	2.26
6105MHz	Pass	PK	6.083G	102.71	Inf	-Inf	3	Horizontal	299	2.26
6105MHz	Pass	AV	12.0772G	42.68	54.00	-11.32	3	Vertical	227	2.07
6105MHz	Pass	PK	12.22184G	53.77	74.00	-20.23	3	Vertical	227	2.07
6105MHz	Pass	AV	12.24712G	42.59	54.00	-11.41	3	Horizontal	261	1.50
6105MHz	Pass	PK	12.19144G	53.87	74.00	-20.13	3	Horizontal	261	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	47.25	68.20	-20.95	2.54	3	Vertical	54	2.13	44.71	34.35	6.06	37.87
AV	6.061G	83.94	Inf	-Inf	2.65	3	Vertical	54	2.13	81.29	34.30	6.11	37.76
PK	5.907G	58.57	88.20	-29.63	2.56	3	Vertical	54	2.13	56.01	34.39	6.05	37.88
PK	6.069G	95.46	Inf	-Inf	2.66	3	Vertical	54	2.13	92.80	34.30	6.12	37.76

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	51.64	68.20	-16.56	2.54	3	Horizontal	299	2.26	49.10	34.35	6.06	37.87
AV	6.073G	92.35	Inf	-Inf	2.66	3	Horizontal	299	2.26	89.69	34.30	6.12	37.76
PK	5.919G	64.51	88.20	-23.69	2.54	3	Horizontal	299	2.26	61.97	34.36	6.05	37.87
PK	6.083G	102.71	Inf	-Inf	2.67	3	Horizontal	299	2.26	100.04	34.30	6.12	37.75


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX





RSE TX above 1GHz _Non-Beamforming_Radio
1_Multi-RU_2T2S

Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	11.95736G	41.31	54.00	-12.69	3	Vertical	126	2.99
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	Pass	AV	12.0884G	42.88	54.00	-11.12	3	Vertical	294	1.50
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 3_2TX	Pass	AV	12.05G	42.80	54.00	-11.20	3	Horizontal	321	1.24


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	46.54	68.20	-21.66	3	Vertical	52	2.22
5985MHz	Pass	AV	5.994G	87.58	Inf	-Inf	3	Vertical	52	2.22
5985MHz	Pass	PK	5.923G	64.51	88.20	-23.69	3	Vertical	52	2.22
5985MHz	Pass	PK	6.001G	99.20	Inf	-Inf	3	Vertical	52	2.22
5985MHz	Pass	AV	5.922G	50.83	68.20	-17.37	3	Horizontal	298	2.19
5985MHz	Pass	AV	6.001G	96.02	Inf	-Inf	3	Horizontal	298	2.19
5985MHz	Pass	PK	5.922G	70.67	88.20	-17.53	3	Horizontal	298	2.19
5985MHz	Pass	PK	6.001G	107.91	Inf	-Inf	3	Horizontal	298	2.19
5985MHz	Pass	AV	11.95736G	41.31	54.00	-12.69	3	Vertical	126	2.99
5985MHz	Pass	PK	12.0096G	53.53	74.00	-20.47	3	Vertical	126	2.99
5985MHz	Pass	AV	12.0004G	41.25	54.00	-12.75	3	Horizontal	93	1.50
5985MHz	Pass	PK	11.9904G	53.49	74.00	-20.51	3	Horizontal	93	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.915G	48.21	68.20	-19.99	3	Vertical	215	2.76
6025MHz	Pass	AV	6.089G	86.39	Inf	-Inf	3	Vertical	215	2.76
6025MHz	Pass	PK	5.922G	60.19	88.20	-28.01	3	Vertical	215	2.76
6025MHz	Pass	PK	6.079G	98.29	Inf	-Inf	3	Vertical	215	2.76
6025MHz	Pass	AV	5.925G	55.21	68.20	-12.99	3	Horizontal	302	2.27
6025MHz	Pass	AV	6.082G	94.78	Inf	-Inf	3	Horizontal	302	2.27
6025MHz	Pass	PK	5.923G	68.68	88.20	-19.52	3	Horizontal	302	2.27
6025MHz	Pass	PK	6.1G	106.57	Inf	-Inf	3	Horizontal	302	2.27
6025MHz	Pass	AV	12.12744G	42.74	54.00	-11.26	3	Vertical	285	1.50
6025MHz	Pass	PK	12.06024G	53.26	74.00	-20.74	3	Vertical	285	1.50
6025MHz	Pass	AV	12.05816G	42.62	54.00	-11.38	3	Horizontal	25	1.50
6025MHz	Pass	PK	11.99272G	53.62	74.00	-20.38	3	Horizontal	25	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	49.31	68.20	-18.89	3	Vertical	52	2.25
6025MHz	Pass	AV	6.054G	85.93	Inf	-Inf	3	Vertical	52	2.25
6025MHz	Pass	PK	5.917G	62.68	88.20	-25.52	3	Vertical	52	2.25
6025MHz	Pass	PK	6.056G	96.00	Inf	-Inf	3	Vertical	52	2.25
6025MHz	Pass	AV	5.92G	55.05	68.20	-13.15	3	Horizontal	299	2.11
6025MHz	Pass	AV	6.059G	94.45	Inf	-Inf	3	Horizontal	299	2.11
6025MHz	Pass	PK	5.921G	69.93	88.20	-18.27	3	Horizontal	299	2.11
6025MHz	Pass	PK	6.052G	106.23	Inf	-Inf	3	Horizontal	299	2.11
6025MHz	Pass	AV	12.0884G	42.88	54.00	-11.12	3	Vertical	294	1.50
6025MHz	Pass	PK	12.082G	53.18	74.00	-20.82	3	Vertical	294	1.50
6025MHz	Pass	AV	11.998G	42.60	54.00	-11.40	3	Horizontal	360	1.61
6025MHz	Pass	PK	12.01032G	53.19	74.00	-20.81	3	Horizontal	360	1.61
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	47.50	68.20	-20.70	3	Vertical	215	2.78
6105MHz	Pass	AV	6.057G	82.62	Inf	-Inf	3	Vertical	215	2.78
6105MHz	Pass	PK	5.909G	58.89	88.20	-29.31	3	Vertical	215	2.78
6105MHz	Pass	PK	6.057G	93.68	Inf	-Inf	3	Vertical	215	2.78
6105MHz	Pass	AV	5.919G	53.06	68.20	-15.14	3	Horizontal	297	2.11
6105MHz	Pass	AV	6.059G	91.30	Inf	-Inf	3	Horizontal	297	2.11
6105MHz	Pass	PK	5.911G	64.99	88.20	-23.21	3	Horizontal	297	2.11
6105MHz	Pass	PK	6.053G	102.67	Inf	-Inf	3	Horizontal	297	2.11
6105MHz	Pass	AV	12.10568G	42.66	54.00	-11.34	3	Vertical	254	1.50
6105MHz	Pass	PK	12.2564G	53.34	74.00	-20.66	3	Vertical	254	1.50
6105MHz	Pass	AV	12.1908G	42.40	54.00	-11.60	3	Horizontal	171	1.50
6105MHz	Pass	PK	12.1236G	53.28	74.00	-20.72	3	Horizontal	171	1.50
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.919G	46.86	68.20	-21.34	3	Vertical	215	2.88
6105MHz	Pass	AV	6.069G	83.53	Inf	-Inf	3	Vertical	215	2.88
6105MHz	Pass	PK	5.921G	59.23	88.20	-28.97	3	Vertical	215	2.88
6105MHz	Pass	PK	6.067G	95.32	Inf	-Inf	3	Vertical	215	2.88
6105MHz	Pass	AV	5.925G	51.77	68.20	-16.43	3	Horizontal	296	2.17
6105MHz	Pass	AV	6.063G	91.66	Inf	-Inf	3	Horizontal	296	2.17
6105MHz	Pass	PK	5.921G	66.06	88.20	-22.14	3	Horizontal	296	2.17
6105MHz	Pass	PK	6.069G	103.31	Inf	-Inf	3	Horizontal	296	2.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.0676G	42.58	54.00	-11.42	3	Vertical	314	1.50
6105MHz	Pass	PK	12.1924G	54.12	74.00	-19.88	3	Vertical	314	1.50
6105MHz	Pass	AV	12.05G	42.80	54.00	-11.20	3	Horizontal	321	1.24
6105MHz	Pass	PK	12.162G	53.71	74.00	-20.29	3	Horizontal	321	1.24
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 2_2_TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	46.61	68.20	-21.59	3	Vertical	215	2.74
6105MHz	Pass	AV	6.079G	83.52	Inf	-Inf	3	Vertical	215	2.74
6105MHz	Pass	PK	5.893G	56.77	88.20	-31.43	3	Vertical	215	2.74
6105MHz	Pass	PK	6.073G	94.97	Inf	-Inf	3	Vertical	215	2.74
6105MHz	Pass	AV	5.925G	49.54	68.20	-18.66	3	Horizontal	302	2.29
6105MHz	Pass	AV	6.071G	91.56	Inf	-Inf	3	Horizontal	302	2.29
6105MHz	Pass	PK	5.925G	61.01	88.20	-27.19	3	Horizontal	302	2.29
6105MHz	Pass	PK	6.095G	103.12	Inf	-Inf	3	Horizontal	302	2.29
6105MHz	Pass	AV	12.07016G	42.42	54.00	-11.58	3	Vertical	203	1.50
6105MHz	Pass	PK	12.06728G	54.04	74.00	-19.96	3	Vertical	203	1.50
6105MHz	Pass	AV	12.07496G	42.35	54.00	-11.65	3	Horizontal	136	1.50
6105MHz	Pass	PK	12.09448G	54.46	74.00	-19.54	3	Horizontal	136	1.50


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 3_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	46.86	68.20	-21.34	2.54	3	Vertical	215	2.88	44.32	34.36	6.05	37.87
AV	6.069G	83.53	Inf	-Inf	2.66	3	Vertical	215	2.88	80.87	34.30	6.12	37.76
PK	5.921G	59.23	88.20	-28.97	2.54	3	Vertical	215	2.88	56.69	34.36	6.05	37.87
PK	6.067G	95.32	Inf	-Inf	2.66	3	Vertical	215	2.88	92.66	34.30	6.12	37.76

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 3_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	51.77	68.20	-16.43	2.54	3	Horizontal	296	2.17	49.23	34.35	6.06	37.87
AV	6.063G	91.66	Inf	-Inf	2.66	3	Horizontal	296	2.17	89.00	34.30	6.12	37.76
PK	5.921G	66.06	88.20	-22.14	2.54	3	Horizontal	296	2.17	63.52	34.36	6.05	37.87
PK	6.069G	103.31	Inf	-Inf	2.66	3	Horizontal	296	2.17	100.65	34.30	6.12	37.76


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 3_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 3_2TX

6105MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.92402G	47.79	54.00	-6.21	Horizontal
Mode 2	Pass	AV	11.14428G	39.87	54.00	-14.13	Vertical


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.92398G	42.97	54.00	-11.03	3	Vertical	45	2.21
Mode 1	Pass	AV	4.96468G	28.98	54.00	-25.02	3	Vertical	154	1.50
Mode 1	Pass	AV	11.1411G	40.10	54.00	-13.90	3	Vertical	114	1.50
Mode 1	Pass	PK	4.92404G	48.04	74.00	-25.96	3	Vertical	45	2.21
Mode 1	Pass	PK	4.96347G	42.64	74.00	-31.36	3	Vertical	154	1.50
Mode 1	Pass	PK	11.13876G	53.49	74.00	-20.51	3	Vertical	114	1.50
Mode 1	Pass	AV	4.92402G	47.79	54.00	-6.21	3	Horizontal	311	1.54
Mode 1	Pass	AV	4.96416G	29.00	54.00	-25.00	3	Horizontal	0	1.50
Mode 1	Pass	AV	11.13819G	39.95	54.00	-14.05	3	Horizontal	89	1.50
Mode 1	Pass	PK	4.92394G	51.50	74.00	-22.50	3	Horizontal	311	1.54
Mode 1	Pass	PK	4.9639G	42.36	74.00	-31.64	3	Horizontal	0	1.50
Mode 1	Pass	PK	11.13741G	53.19	74.00	-20.81	3	Horizontal	89	1.50
Mode 2	Pass	AV	4.9648G	28.91	54.00	-25.09	3	Vertical	89	1.50
Mode 2	Pass	AV	11.14428G	39.87	54.00	-14.13	3	Vertical	71	2.56
Mode 2	Pass	AV	12.2125G	39.62	54.00	-14.38	3	Vertical	122	2.41
Mode 2	Pass	PK	4.95778G	42.10	74.00	-31.90	3	Vertical	89	1.50
Mode 2	Pass	PK	11.14024G	54.08	74.00	-19.92	3	Vertical	71	2.56
Mode 2	Pass	PK	12.2121G	52.79	74.00	-21.21	3	Vertical	122	2.41
Mode 2	Pass	AV	4.96385G	28.88	54.00	-25.12	3	Horizontal	1	1.50
Mode 2	Pass	AV	11.14252G	39.79	54.00	-14.21	3	Horizontal	165	1.50
Mode 2	Pass	AV	12.2146G	39.70	54.00	-14.30	3	Horizontal	229	2.43
Mode 2	Pass	PK	4.9631G	42.22	74.00	-31.78	3	Horizontal	1	1.50
Mode 2	Pass	PK	11.13959G	53.56	74.00	-20.44	3	Horizontal	165	1.50
Mode 2	Pass	PK	12.2053G	52.93	74.00	-21.07	3	Horizontal	229	2.43


Mode 1



Mode 1



Mode 2



Mode 2

