


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSEndB


2462MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2412MHz



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2437MHz

06/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43591G	11.91	-18.09	1.82294G	-52.12	2.39704G	-41.55	2.4G	-42.89	2.50398G	-53.22	21.62291G	-45.59	1
2.43591G	11.91	-18.09	48.64M	-52.38	2.39952G	-42.68	2.4G	-48.67	2.5227G	-53.10	21.41781G	-45.69	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2462MHz

06/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43591G	11.91	-18.09	2.15962G	-52.39	2.39944G	-51.92	2.4G	-54.79	2.50462G	-53.30	21.96848G	-45.34	1
2.43591G	11.91	-18.09	2.127G	-51.93	2.39984G	-52.11	2.4G	-54.00	2.50326G	-53.17	21.59762G	-45.49	2

2.4-2.4835GHz_802.11g_(6Mbps)_2TX


CSEndB

2412MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

06/07/2026

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	9.93	-20.07	40.49M	-52.54	2.39976G	-29.65	2.4G	-29.27	2.50998G	-53.34	6.4316G	-44.80	1
2.44208G	9.93	-20.07	1.7577G	-52.68	2.4G	-37.01	2.4G	-33.61	2.50998G	-52.73	21.43186G	-45.56	2

2.4-2.4835GHz_802.11g_(6Mbps)_2TX


CSEndB

2437MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

06/07/2026

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	9.93	-20.07	1.73906G	-52.95	2.39952G	-32.37	2.4G	-33.24	2.50662G	-53.25	21.56952G	-45.68	1
2.44208G	9.93	-20.07	1.75071G	-52.84	2.39976G	-38.44	2.4G	-39.10	2.5187G	-52.68	21.89543G	-45.10	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2462MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

06/07/2026

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	9.93	-20.07	1.8509G	-52.42	2.3988G	-52.40	2.4G	-54.67	2.5203G	-51.88	21.58357G	-46.40	1
2.44208G	9.93	-20.07	2.02565G	-52.79	2.39848G	-52.53	2.4G	-55.04	2.5191G	-53.32	21.96005G	-44.83	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

06/07/2026

Port 1
Port 2




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	8.61	-21.39	2.06642G	-53.07	2.39832G	-30.67	2.4G	-29.41	2.50886G	-53.61	21.58076G	-45.71	1
2.44192G	8.61	-21.39	1.82643G	-52.81	2.4G	-35.33	2.4G	-35.11	2.50054G	-53.80	21.54143G	-45.59	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSEndB

2437MHz

06/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	8.61	-21.39	2.1305G	-53.18	2.39976G	-33.87	2.4G	-33.94	2.5147G	-53.42	21.67629G	-45.32	1
2.44192G	8.61	-21.39	1.91963G	-52.56	2.39944G	-38.28	2.4G	-37.31	2.51318G	-53.40	21.62572G	-46.29	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSEndB

2462MHz

06/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	8.61	-21.39	2.19108G	-52.42	2.39904G	-51.68	2.4G	-53.19	2.50726G	-52.03	21.97129G	-45.80	1
2.44192G	8.61	-21.39	2.07807G	-53.08	2.39688G	-52.98	2.4G	-54.62	2.51814G	-53.01	21.54709G	-45.09	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


CSEndB

2412MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

06/07/2026

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	10.14	-19.86	2.14215G	-53.44	2.4G	-30.89	2.4G	-30.93	2.50694G	-53.19	22.0022G	-45.95	1
2.44208G	10.14	-19.86	2.06526G	-52.71	2.4G	-35.91	2.4G	-35.34	2.5195G	-53.32	21.98534G	-45.44	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


CSEndB

2437MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

06/07/2026

Port 1
Port 2




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	10.14	-19.86	2.11186G	-53.26	2.39904G	-29.62	2.4G	-30.42	2.51918G	-52.63	21.70438G	-44.93	1
2.44208G	10.14	-19.86	1.82993G	-53.02	2.4G	-36.75	2.4G	-38.35	2.50478G	-53.15	21.53862G	-44.33	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2462MHz

06/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	10.14	-19.86	1.95109G	-52.02	2.39712G	-51.85	2.4G	-53.61	2.50702G	-52.26	21.6791G	-45.21	1
2.44208G	10.14	-19.86	2.13283G	-52.92	2.39912G	-52.95	2.4G	-53.95	2.5195G	-52.18	21.99377G	-45.85	2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43758G	12.61	-17.39	33.5M	-52.58	2.4G	-23.68	2.4G	-23.85	2.51894G	-53.12	21.60324G	-46.28	1
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43641G	12.27	-17.73	2.18875G	-53.56	2.4G	-27.15	2.4G	-26.98	2.5179G	-52.18	21.57514G	-46.39	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.44192G	9.91	-20.09	1.8241G	-54.29	2.39824G	-23.30	2.4G	-25.12	2.5019G	-52.80	21.57795G	-47.23	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44208G	10.50	-19.50	1.79032G	-52.69	2.39984G	-27.06	2.4G	-27.01	2.52022G	-52.50	21.887G	-47.21	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.44192G	9.84	-20.16	1.71343G	-53.22	2.4G	-23.79	2.4G	-25.73	2.50502G	-53.07	21.45152G	-46.93	1
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.44192G	9.77	-20.23	66.12M	-53.98	2.4G	-28.55	2.4G	-27.91	2.52086G	-53.24	21.55548G	-47.22	1
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.44192G	10.71	-19.29	2.0839G	-52.55	2.39984G	-28.68	2.4G	-28.31	2.52342G	-53.15	21.58638G	-46.44	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43758G	12.61	-17.39	33.5M	-52.58	2.4G	-23.68	2.4G	-23.85	2.51894G	-53.12	21.60324G	-46.28	1
2437MHz	Pass	2.43758G	12.61	-17.39	2.1072G	-53.65	2.39952G	-38.52	2.4G	-39.92	2.52318G	-53.00	21.50209G	-46.82	1
2462MHz	Pass	2.43758G	12.61	-17.39	1.89866G	-53.38	2.39928G	-52.52	2.4G	-54.34	2.50918G	-52.05	21.81396G	-46.40	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.91	-20.09	1.8241G	-54.29	2.39824G	-23.30	2.4G	-25.12	2.5019G	-52.80	21.57795G	-47.23	1
2437MHz	Pass	2.44192G	9.91	-20.09	2.09788G	-53.43	2.39992G	-34.70	2.4G	-36.07	2.5179G	-52.36	21.63695G	-46.84	1
2462MHz	Pass	2.44192G	9.91	-20.09	1.85206G	-54.40	2.3928G	-53.09	2.4G	-54.34	2.50214G	-53.18	21.63976G	-45.99	1
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.84	-20.16	1.71343G	-53.22	2.4G	-23.79	2.4G	-25.73	2.50502G	-53.07	21.45152G	-46.93	1
2437MHz	Pass	2.44192G	9.84	-20.16	2.13283G	-53.61	2.39912G	-32.61	2.4G	-33.08	2.52126G	-53.00	21.98534G	-45.98	1
2462MHz	Pass	2.44192G	9.84	-20.16	1.74605G	-53.21	2.39864G	-49.06	2.4G	-50.66	2.51766G	-52.77	21.53581G	-47.41	1
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43641G	12.27	-17.73	2.18875G	-53.56	2.4G	-27.15	2.4G	-26.98	2.5179G	-52.18	21.57514G	-46.39	1
2412MHz	Pass	2.43641G	12.27	-17.73	69.61M	-53.69	2.39856G	-40.84	2.4G	-45.42	2.5195G	-52.80	21.54705G	-47.43	2
2437MHz	Pass	2.43641G	12.27	-17.73	33.5M	-53.62	2.4G	-41.19	2.4G	-42.79	2.51574G	-52.12	21.533G	-46.65	1
2437MHz	Pass	2.43641G	12.27	-17.73	1.83925G	-53.01	2.39952G	-40.42	2.4G	-45.25	2.52126G	-53.00	21.62291G	-46.88	2
2462MHz	Pass	2.43641G	12.27	-17.73	1.63304G	-53.80	2.39904G	-51.82	2.4G	-53.42	2.51742G	-52.82	21.55829G	-46.55	1
2462MHz	Pass	2.43641G	12.27	-17.73	84.76M	-53.28	2.39176G	-53.08	2.4G	-53.87	2.51918G	-53.38	21.85048G	-46.32	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44208G	10.50	-19.50	1.79032G	-52.69	2.39984G	-27.06	2.4G	-27.01	2.52022G	-52.50	21.887G	-47.21	1
2412MHz	Pass	2.44208G	10.50	-19.50	1.92196G	-54.05	2.39984G	-36.95	2.4G	-31.61	2.50254G	-53.09	21.67629G	-46.42	2
2437MHz	Pass	2.44208G	10.50	-19.50	1.84391G	-54.26	2.39952G	-30.85	2.4G	-32.29	2.5071G	-52.58	21.54424G	-46.34	1
2437MHz	Pass	2.44208G	10.50	-19.50	1.84624G	-53.92	2.39952G	-38.93	2.4G	-39.94	2.52214G	-52.81	21.92072G	-46.53	2
2462MHz	Pass	2.44208G	10.50	-19.50	2.16428G	-52.94	2.396G	-52.89	2.4G	-54.86	2.52206G	-52.61	21.49929G	-47.14	1
2462MHz	Pass	2.44208G	10.50	-19.50	2.02914G	-54.00	2.39648G	-53.07	2.4G	-55.43	2.50462G	-53.14	21.83643G	-46.04	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.77	-20.23	66.12M	-53.98	2.4G	-28.55	2.4G	-27.91	2.52086G	-53.24	21.55548G	-47.22	1
2412MHz	Pass	2.44192G	9.77	-20.23	1.97905G	-52.68	2.4G	-35.48	2.4G	-34.54	2.5011G	-52.79	21.86172G	-47.01	2
2437MHz	Pass	2.44192G	9.77	-20.23	1.95225G	-53.63	2.3996G	-30.00	2.4G	-30.95	2.52046G	-52.76	21.86453G	-45.96	1
2437MHz	Pass	2.44192G	9.77	-20.23	2.12118G	-53.94	2.39952G	-38.75	2.4G	-39.08	2.5123G	-53.17	21.52176G	-47.15	2
2462MHz	Pass	2.44192G	9.77	-20.23	1.81129G	-54.53	2.3992G	-50.16	2.4G	-52.12	2.50078G	-52.59	21.54143G	-46.88	1
2462MHz	Pass	2.44192G	9.77	-20.23	2.0804G	-53.96	2.398G	-52.68	2.4G	-54.63	2.5027G	-53.26	21.99096G	-47.31	2
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	10.71	-19.29	2.0839G	-52.55	2.39984G	-28.68	2.4G	-28.31	2.52342G	-53.15	21.58638G	-46.44	1
2412MHz	Pass	2.44192G	10.71	-19.29	1.96623G	-53.47	2.39984G	-37.04	2.4G	-34.72	2.50318G	-52.87	21.98815G	-46.53	2
2437MHz	Pass	2.44192G	10.71	-19.29	1.79498G	-52.48	2.39912G	-29.11	2.4G	-30.15	2.52022G	-52.88	21.54705G	-46.91	1
2437MHz	Pass	2.44192G	10.71	-19.29	2.19807G	-53.75	2.3988G	-35.73	2.4G	-37.75	2.50886G	-52.92	21.60324G	-46.74	2
2462MHz	Pass	2.44192G	10.71	-19.29	41.65M	-52.35	2.39896G	-50.53	2.4G	-53.04	2.51334G	-52.69	21.9432G	-47.17	1
2462MHz	Pass	2.44192G	10.71	-19.29	1.8474G	-53.17	2.39936G	-52.29	2.4G	-54.93	2.52238G	-52.27	21.54424G	-46.19	2


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2412MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43758G	12.61	-17.39	33.5M	-52.58	2.4G	-23.68	2.4G	-23.85	2.51894G	-53.12	21.60324G	-46.28	1


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2437MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43758G	12.61	-17.39	2.1072G	-53.65	2.39952G	-38.52	2.4G	-39.92	2.52318G	-53.00	21.50209G	-46.82	1

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2462MHz

14/07/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB

2412MHz

14/07/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB

2437MHz

14/07/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB

2462MHz

14/07/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSEndB

2412MHz

14/07/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSEndB

2437MHz

14/07/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSEndB

2462MHz

14/07/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2412MHz

14/07/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2437MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43641G	12.27	-17.73	33.5M	-53.62	2.4G	-41.19	2.4G	-42.79	2.51574G	-52.12	21.533G	-46.65	1
2.43641G	12.27	-17.73	1.83925G	-53.01	2.39952G	-40.42	2.4G	-45.25	2.52126G	-53.00	21.62291G	-46.88	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2462MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43641G	12.27	-17.73	1.63304G	-53.80	2.39904G	-51.82	2.4G	-53.42	2.51742G	-52.82	21.55829G	-46.55	1
2.43641G	12.27	-17.73	84.78M	-53.28	2.39176G	-53.08	2.4G	-53.87	2.51918G	-53.38	21.65048G	-46.32	2

2.4-2.4835GHz_802.11g_(6Mbps)_2TX


CSEndB

2412MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442086	10.50	-19.50	1.79032G	-52.69	2.39984G	-27.06	2.4G	-27.01	2.52022G	-52.50	21.887G	-47.21	1
2.442086	10.50	-19.50	1.92196G	-54.05	2.39984G	-36.95	2.4G	-31.61	2.50254G	-53.09	21.67629G	-46.42	2

2.4-2.4835GHz_802.11g_(6Mbps)_2TX


CSEndB

2437MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.442086	10.50	-19.50	1.84391G	-54.26	2.39952G	-30.85	2.4G	-32.29	2.5071G	-52.58	21.54424G	-46.34	1
2.442086	10.50	-19.50	1.84624G	-53.92	2.39952G	-38.93	2.4G	-39.94	2.52214G	-52.81	21.92072G	-46.53	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2462MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	10.50	-19.50	2.16428G	-52.94	2.396G	-52.89	2.4G	-54.86	2.52206G	-52.61	21.49929G	-47.14	1
2.44208G	10.50	-19.50	2.02914G	-54.00	2.39648G	-53.07	2.4G	-55.43	2.50462G	-53.14	21.83643G	-46.04	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	9.77	-20.23	66.12M	-53.98	2.4G	-28.55	2.4G	-27.91	2.52086G	-53.24	21.55548G	-47.22	1
2.44192G	9.77	-20.23	1.97905G	-52.68	2.4G	-35.48	2.4G	-34.54	2.5011G	-52.79	21.86172G	-47.01	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSEndB

2437MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	9.77	-20.23	1.95225G	-53.63	2.3996G	-30.00	2.4G	-30.95	2.52046G	-52.76	21.86453G	-45.96	1
2.44192G	9.77	-20.23	2.12118G	-53.94	2.39952G	-38.75	2.4G	-39.08	2.5123G	-53.17	21.52176G	-47.15	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

CSEndB

2462MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	9.77	-20.23	1.81129G	-54.53	2.3992G	-50.16	2.4G	-52.12	2.50078G	-52.59	21.54143G	-46.88	1
2.44192G	9.77	-20.23	2.0804G	-53.96	2.398G	-52.68	2.4G	-54.63	2.5027G	-53.26	21.99096G	-47.31	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2412MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	10.71	-19.29	2.0839G	-52.55	2.39984G	-28.68	2.4G	-28.31	2.52342G	-53.15	21.58638G	-46.44	1
2.44192G	10.71	-19.29	1.96623G	-53.47	2.39984G	-37.04	2.4G	-34.72	2.50318G	-52.87	21.98815G	-46.53	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2437MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	10.71	-19.29	1.79498G	-52.48	2.39912G	-29.11	2.4G	-30.15	2.52022G	-52.88	21.54705G	-46.91	1
2.44192G	10.71	-19.29	2.19807G	-53.75	2.3988G	-35.73	2.4G	-37.75	2.50886G	-52.92	21.60324G	-46.74	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


CSEndB

2462MHz

14/07/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	10.71	-19.29	41.69M	-52.35	2.39896G	-50.53	2.4G	-53.04	2.51334G	-52.69	21.9432G	-47.17	1
2.44192G	10.71	-19.29	1.8474G	-53.17	2.39936G	-52.29	2.4G	-54.93	2.52238G	-52.27	21.54424G	-46.19	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43607G	10.89	-19.11	2.13516G	-52.47	2.398G	-45.41	2.4G	-47.40	2.50046G	-53.17	21.86734G	-41.94	1
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43607G	10.29	-19.71	2.08856G	-53.37	2.39952G	-42.92	2.4G	-48.25	2.51158G	-52.69	21.92634G	-42.80	2
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43073G	7.25	-22.75	2.17943G	-53.57	2.39984G	-39.60	2.4G	-37.55	2.50326G	-52.85	21.95724G	-42.27	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.43073G	7.37	-22.63	2.19341G	-53.22	2.39984G	-39.31	2.4G	-34.84	2.50774G	-52.63	21.54143G	-42.96	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.43073G	6.24	-23.76	64.95M	-53.09	2.4G	-38.87	2.4G	-37.35	2.5027G	-52.54	21.93196G	-43.21	1
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.43073G	6.35	-23.65	1.28471G	-53.64	2.4G	-35.82	2.4G	-34.11	2.50086G	-52.41	22.0022G	-42.84	2
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.43073G	6.28	-23.72	2.12118G	-53.17	2.4G	-37.42	2.4G	-35.86	2.50062G	-53.01	21.98534G	-42.68	2

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43607G	10.89	-19.11	2.13516G	-52.47	2.398G	-45.41	2.4G	-47.40	2.50046G	-53.17	21.86734G	-41.94	1
2437MHz	Pass	2.43607G	10.89	-19.11	2.0839G	-52.54	2.39904G	-46.28	2.4G	-47.74	2.50526G	-52.91	21.97691G	-41.85	1
2462MHz	Pass	2.43607G	10.89	-19.11	2.16079G	-53.53	2.39976G	-52.87	2.4G	-54.55	2.51382G	-52.91	21.67348G	-42.13	1
802.11g_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	7.25	-22.75	2.17943G	-53.57	2.39984G	-39.60	2.4G	-37.55	2.50326G	-52.85	21.95724G	-42.27	1
2437MHz	Pass	2.43073G	7.25	-22.75	2.12933G	-53.44	2.4G	-48.50	2.4G	-48.39	2.52014G	-52.80	21.72405G	-42.89	1
2462MHz	Pass	2.43073G	7.25	-22.75	2.18991G	-52.42	2.39016G	-52.09	2.4G	-56.28	2.50806G	-52.96	21.90386G	-42.09	1
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	6.24	-23.76	64.95M	-53.09	2.4G	-38.87	2.4G	-37.35	2.5027G	-52.54	21.93196G	-43.21	1
2437MHz	Pass	2.43073G	6.24	-23.76	1.79032G	-52.62	2.39712G	-46.96	2.4G	-47.25	2.5115G	-53.02	21.42343G	-42.62	1
2462MHz	Pass	2.43073G	6.24	-23.76	2.14215G	-52.69	2.39792G	-51.64	2.4G	-55.42	2.50166G	-52.36	21.62291G	-43.04	1
802.11b_Nss1(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43607G	10.29	-19.71	1.97322G	-53.60	2.4G	-44.88	2.4G	-46.58	2.51142G	-52.71	21.85891G	-42.29	1
2412MHz	Pass	2.43607G	10.29	-19.71	2.08856G	-53.37	2.39952G	-42.92	2.4G	-48.25	2.51158G	-52.69	21.92634G	-42.80	2
2437MHz	Pass	2.43607G	10.29	-19.71	1.95342G	-52.82	2.3976G	-47.18	2.4G	-48.95	2.51206G	-53.08	21.97972G	-42.11	1
2437MHz	Pass	2.43607G	10.29	-19.71	2.04778G	-52.51	2.4G	-49.77	2.4G	-49.69	2.51926G	-53.21	21.96286G	-42.91	2
2462MHz	Pass	2.43607G	10.29	-19.71	2.12584G	-52.96	2.39288G	-52.34	2.4G	-54.96	2.52174G	-52.13	22.0022G	-42.20	1
2462MHz	Pass	2.43607G	10.29	-19.71	1.86837G	-53.26	2.3956G	-52.82	2.4G	-54.92	2.52302G	-52.64	21.6201G	-42.63	2
802.11g_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	7.37	-22.63	2.19341G	-53.22	2.39984G	-39.31	2.4G	-34.84	2.50774G	-52.63	21.54143G	-42.96	1
2412MHz	Pass	2.43073G	7.37	-22.63	2.18758G	-52.71	2.39984G	-37.66	2.4G	-35.59	2.50774G	-52.12	21.95443G	-42.73	2
2437MHz	Pass	2.43073G	7.37	-22.63	1.96973G	-53.10	2.3996G	-42.71	2.4G	-44.17	2.52342G	-52.46	21.60605G	-42.80	1
2437MHz	Pass	2.43073G	7.37	-22.63	2.30874G	-52.39	2.39952G	-46.74	2.4G	-46.35	2.50734G	-52.84	21.58357G	-42.85	2
2462MHz	Pass	2.43073G	7.37	-22.63	1.76119G	-53.25	2.39016G	-52.96	2.4G	-55.98	2.50718G	-52.77	21.93477G	-42.60	1
2462MHz	Pass	2.43073G	7.37	-22.63	1.7542G	-53.14	2.39232G	-52.48	2.4G	-56.88	2.50182G	-52.51	21.99377G	-41.79	2
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	6.35	-23.65	1.83226G	-53.50	2.39992G	-38.58	2.4G	-35.60	2.50438G	-51.57	21.70719G	-42.53	1
2412MHz	Pass	2.43073G	6.35	-23.65	1.28471G	-53.64	2.4G	-35.82	2.4G	-34.11	2.50086G	-52.41	22.0022G	-42.84	2
2437MHz	Pass	2.43073G	6.35	-23.65	1.63654G	-53.87	2.39976G	-44.18	2.4G	-44.64	2.5011G	-52.28	21.66224G	-42.68	1
2437MHz	Pass	2.43073G	6.35	-23.65	2.10021G	-53.12	2.39976G	-44.31	2.4G	-45.59	2.50446G	-52.71	21.65943G	-42.95	2
2462MHz	Pass	2.43073G	6.35	-23.65	2.30408G	-52.65	2.39984G	-53.14	2.4G	-55.51	2.50086G	-52.75	21.49367G	-42.23	1
2462MHz	Pass	2.43073G	6.35	-23.65	1.9639G	-53.37	2.394G	-52.85	2.4G	-53.70	2.5103G	-52.96	21.59762G	-41.85	2
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	6.28	-23.72	1.79731G	-53.41	2.4G	-38.76	2.4G	-37.35	2.5119G	-52.92	21.87858G	-42.78	1
2412MHz	Pass	2.43073G	6.28	-23.72	2.12118G	-53.17	2.4G	-37.42	2.4G	-35.86	2.50062G	-53.01	21.98534G	-42.68	2
2437MHz	Pass	2.43073G	6.28	-23.72	2.30641G	-52.85	2.39912G	-44.07	2.4G	-45.07	2.52286G	-53.26	21.49929G	-41.46	1
2437MHz	Pass	2.43073G	6.28	-23.72	2.14681G	-53.74	2.39984G	-43.97	2.4G	-45.27	2.5007G	-52.92	21.90105G	-42.80	2
2462MHz	Pass	2.43073G	6.28	-23.72	76.6M	-53.08	2.39768G	-52.26	2.4G	-55.86	2.51158G	-51.94	21.96848G	-42.31	1
2462MHz	Pass	2.43073G	6.28	-23.72	1.79498G	-53.35	2.39464G	-52.35	2.4G	-54.50	2.5187G	-52.35	21.94882G	-42.40	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2412MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak


Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	10.89	-19.11	2.13516G	-52.47	2.398G	-45.41	2.4G	-47.40	2.50046G	-53.17	21.86734G	-41.94	1

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2437MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	10.89	-19.11	2.0839G	-52.54	2.39904G	-46.28	2.4G	-47.74	2.50526G	-52.91	21.97891G	-41.85	1

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


CSEndB

2462MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	10.89	-19.11	2.16079G	-53.53	2.39976G	-52.87	2.4G	-54.55	2.51382G	-52.91	2.167348G	-42.13	1

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


CSEndB

2412MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	7.25	-22.75	2.17943G	-53.57	2.39984G	-39.60	2.4G	-37.55	2.50326G	-52.85	2.16724G	-42.27	1

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB

2437MHz

04/08/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB

2462MHz

04/08/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSEndB

2412MHz

04/08/2026




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

CSEndB

2437MHz

04/08/2026




2.4-2.4835GHz_802.11b EHT20_Nss1,(MCS0)_1TX

CSEndB

2462MHz

04/08/2026




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2412MHz

04/08/2026



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2437MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	10.29	-19.71	1.95342G	-52.82	2.3976G	-47.18	2.4G	-48.95	2.51206G	-53.08	21.97972G	-42.11	1
2.43607G	10.29	-19.71	2.04778G	-52.51	2.4G	-49.77	2.4G	-49.69	2.51926G	-53.21	21.96286G	-42.91	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2462MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	10.29	-19.71	2.12584G	-52.96	2.39288G	-52.34	2.4G	-54.96	2.52174G	-52.13	22.0022G	-42.20	1
2.43607G	10.29	-19.71	1.86837G	-53.26	2.3956G	-52.82	2.4G	-54.92	2.52302G	-52.64	21.6201G	-42.63	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2412MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4073G	7.37	-22.63	2.19341G	-53.22	2.39984G	-39.31	2.4G	-34.84	2.50774G	-52.63	2.54143G	-42.96	1
2.4073G	7.37	-22.63	2.18758G	-52.71	2.39984G	-37.66	2.4G	-35.59	2.50774G	-52.12	2.195443G	-42.73	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2437MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.4373G	7.37	-22.63	1.96973G	-53.10	2.3996G	-42.71	2.4G	-44.17	2.52342G	-52.46	2.160805G	-42.80	1
2.4373G	7.37	-22.63	2.30874G	-52.39	2.39952G	-46.74	2.4G	-46.35	2.50734G	-52.84	2.158357G	-42.85	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2462MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	7.37	-22.63	1.76119G	-53.25	2.39016G	-52.96	2.4G	-55.98	2.50718G	-52.77	21.93477G	-42.60	1
2.43073G	7.37	-22.63	1.7542G	-53.14	2.39232G	-52.48	2.4G	-56.88	2.50182G	-52.51	21.99377G	-41.79	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	6.35	-23.65	1.83226G	-53.50	2.39992G	-38.58	2.4G	-35.60	2.50438G	-51.57	21.70719G	-42.53	1
2.43073G	6.35	-23.65	1.28471G	-53.64	2.4G	-35.82	2.4G	-34.11	2.50086G	-52.41	22.0022G	-42.84	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2437MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	6.35	-23.65	1.63654G	-53.87	2.39976G	-44.18	2.4G	-44.64	2.5011G	-52.28	21.66224G	-42.68	1
2.43073G	6.35	-23.65	2.10021G	-53.12	2.39976G	-44.31	2.4G	-45.59	2.50446G	-52.71	21.65943G	-42.95	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2462MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	6.35	-23.65	2.30408G	-52.65	2.39984G	-53.14	2.4G	-55.51	2.50086G	-52.75	21.49367G	-42.23	1
2.43073G	6.35	-23.65	1.9639G	-53.37	2.394G	-52.85	2.4G	-53.70	2.5103G	-52.96	21.59762G	-41.85	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


CSEndB

2412MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	6.28	-23.72	1.79731G	-53.41	2.4G	-38.76	2.4G	-37.35	2.5119G	-52.92	21.87859G	-42.78	1
2.43073G	6.28	-23.72	2.12118G	-53.17	2.4G	-37.42	2.4G	-35.86	2.50062G	-53.01	21.98534G	-42.68	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


CSEndB

2437MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43073G	6.28	-23.72	2.30641G	-52.85	2.39912G	-44.07	2.4G	-45.07	2.52286G	-53.26	21.49929G	-41.46	1
2.43073G	6.28	-23.72	2.14681G	-53.74	2.39984G	-43.97	2.4G	-45.27	2.5007G	-52.92	21.90105G	-42.80	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2462MHz

04/08/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43079G	6.28	-23.72	76.6M	-53.08	2.39768G	-52.26	2.4G	-55.86	2.51158G	-51.94	21.96848G	-42.31	1
2.43079G	6.28	-23.72	1.79498G	-53.35	2.39464G	-52.35	2.4G	-54.50	2.5187G	-52.35	21.94882G	-42.40	2




Radiated Emissions below 1GHz

Appendix F.1


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	PK	77.53M	34.81	40.00	-5.19	Vertical

Mode 3



Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	56.19M	28.75	40.00	-11.25	-18.43	3	Horizontal	118	2.00	-	47.18	12.58	0.71	31.72		
PK	197.81M	33.66	43.50	-9.84	-15.58	3	Horizontal	281	1.00	"Worst"	49.24	14.97	1.37	31.92		
PK	201.69M	31.31	43.50	-12.19	-15.44	3	Horizontal	69	1.50	-	46.75	15.10	1.39	31.93		
PK	597.45M	34.52	46.00	-11.48	-5.67	3	Horizontal	211	1.25	-	40.19	24.23	2.48	32.38		
PK	629.46M	35.73	46.00	-10.27	-5.34	3	Horizontal	197	1.00	-	41.07	24.45	2.57	32.36		
PK	635.28M	33.54	46.00	-12.46	-5.22	3	Horizontal	212	1.00	-	38.76	24.56	2.58	32.36		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_1TX	Pass	AV	2.4841G	53.97	54.00	-0.03	3	Vertical	80	1.98	72

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 75
80\61\84\73\78\76\75
-4.51\8.84\ -5.12\2.28\ -5.21\ -1.52\4.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3872G	58.89	74.00	-15.11	26.28	3	Vertical	59	1.95	75	28.40	4.21	-			
AV	2.3883G	49.32	54.00	-4.68	16.71	3	Vertical	59	1.95	75	28.40	4.21	-			
PK	2.413G	111.53	Inf	-Inf	78.97	3	Vertical	59	1.95	75	28.33	4.23	-			
AV	2.4127G	107.62	Inf	-Inf	75.06	3	Vertical	59	1.95	75	28.33	4.23	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 75
75
8.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3741G	56.86	74.00	-17.14	24.27	3	Horizontal	342	1.50	75	28.40	4.19	-				
AV	2.3869G	45.30	54.00	-8.70	12.69	3	Horizontal	342	1.50	75	28.40	4.21	-				
PK	2.413G	101.98	Inf	-Inf	69.42	3	Horizontal	342	1.50	75	28.33	4.23	-				
AV	2.4113G	98.20	Inf	-Inf	65.66	3	Horizontal	342	1.50	75	28.31	4.23	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 75
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.834G	47.73	74.00	-26.27	42.44	3	Vertical	2	2.22	75	33.40	6.80	34.91			
AV	4.80512G	34.57	54.00	-19.43	29.29	3	Vertical	2	2.22	75	33.40	6.79	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 75
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.80508G	48.32	74.00	-25.68	43.04	3	Horizontal	162	1.58	75	33.40	6.79	34.91			
AV	4.814G	34.61	54.00	-19.39	29.32	3	Horizontal	162	1.58	75	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
75\100\108
6.26\6.80\6.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38852G	57.52	74.00	-16.48	24.91	3	Vertical	59	1.89	108	28.40	4.21	-				
AV	2.3882G	47.25	54.00	-6.75	14.64	3	Vertical	59	1.89	108	28.40	4.21	-				
PK	2.43604G	113.46	Inf	-Inf	80.81	3	Vertical	59	1.89	108	28.40	4.25	-				
AV	2.43636G	109.75	Inf	-Inf	77.10	3	Vertical	59	1.89	108	28.40	4.25	-				
PK	2.48596G	57.54	74.00	-16.46	24.70	3	Vertical	59	1.89	108	28.56	4.28	-				
AV	2.48596G	46.33	54.00	-7.67	13.49	3	Vertical	59	1.89	108	28.56	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
108
9.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.37236G	55.53	74.00	-18.47	22.94	3	Horizontal	79	1.80	108	28.40	4.19	-				
AV	2.38948G	44.59	54.00	-9.41	11.98	3	Horizontal	79	1.80	108	28.40	4.21	-				
PK	2.43604G	102.63	Inf	-Inf	69.98	3	Horizontal	79	1.80	108	28.40	4.25	-				
AV	2.4362G	98.95	Inf	-Inf	66.30	3	Horizontal	79	1.80	108	28.40	4.25	-				
PK	2.48484G	56.50	74.00	-17.50	23.67	3	Horizontal	79	1.80	108	28.55	4.28	-				
AV	2.4954G	45.00	54.00	-9.00	12.11	3	Horizontal	79	1.80	108	28.60	4.29	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 108
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8686G	48.06	74.00	-25.94	42.72	3	Vertical	329	2.81	108	33.44	6.82	34.92				
AV	4.86168G	34.31	54.00	-19.69	29.00	3	Vertical	329	2.81	108	33.42	6.81	34.92				
PK	7.31268G	53.07	74.00	-20.93	42.54	3	Vertical	268	1.96	108	36.95	8.56	34.98				
AV	7.31168G	41.29	54.00	-12.71	30.77	3	Vertical	268	1.96	108	36.95	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 108
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.86236G	47.86	74.00	-26.14	42.55	3	Horizontal	150	2.79	108	33.42	6.81	34.92				
AV	4.87408G	34.36	54.00	-19.64	29.01	3	Horizontal	150	2.79	108	33.45	6.82	34.92				
PK	7.30972G	53.72	74.00	-20.28	43.21	3	Horizontal	62	2.25	108	36.94	8.56	34.99				
AV	7.31008G	41.39	54.00	-12.61	30.88	3	Horizontal	62	2.25	108	36.94	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
SET 74
75\51\79\65\72\74
-5.77\8.88\6.56\8.19\5.62\1.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.458G	111.60	Inf	-Inf	78.86	3	Vertical	77	2.00	74	28.48	4.26	-				
AV	2.4563G	107.81	Inf	-Inf	75.09	3	Vertical	77	2.00	74	28.46	4.26	-				
PK	2.4835G	60.57	74.00	-13.43	27.75	3	Vertical	77	2.00	74	28.54	4.28	-				
AV	2.4868G	52.34	54.00	-1.66	19.48	3	Vertical	77	2.00	74	28.57	4.29	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
SET 74
74
8.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4561G	101.52	Inf	-Inf	68.80	3	Horizontal	112	1.61	74	28.46	4.26	-			
AV	2.4562G	97.87	Inf	-Inf	65.15	3	Horizontal	112	1.61	74	28.46	4.26	-			
PK	2.4861G	56.71	74.00	-17.29	23.87	3	Horizontal	112	1.61	74	28.56	4.28	-			
AV	2.4835G	45.34	54.00	-8.66	12.52	3	Horizontal	112	1.61	74	28.54	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 65
74\72\71\70\69\68\67\66\65
-0.43\ -0.47\ -0.49\ -0.31\ -0.35\ -0.24\ -0.34\ -0.24\ 1.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4629G	110.98	Inf	-Inf	78.21	3	Vertical	77	1.99	65	28.50	4.27	-				
AV	2.4613G	107.24	Inf	-Inf	74.47	3	Vertical	77	1.99	65	28.50	4.27	-				
PK	2.4841G	61.62	74.00	-12.38	28.80	3	Vertical	77	1.99	65	28.54	4.28	-				
AV	2.4848G	52.67	54.00	-1.33	19.84	3	Vertical	77	1.99	65	28.55	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 65
65
8.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4611G	99.28	Inf	-Inf	66.51	3	Horizontal	320	1.51	65	28.50	4.27	-				
AV	2.4612G	95.59	Inf	-Inf	62.82	3	Horizontal	320	1.51	65	28.50	4.27	-				
PK	2.4877G	57.42	74.00	-16.58	24.55	3	Horizontal	320	1.51	65	28.58	4.29	-				
AV	2.4849G	45.61	54.00	-8.39	12.78	3	Horizontal	320	1.51	65	28.55	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 65
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93524G	49.07	74.00	-24.93	43.53	3	Vertical	86	1.80	65	33.64	6.84	34.94				
AV	4.9288G	34.74	54.00	-19.26	29.22	3	Vertical	86	1.80	65	33.62	6.84	34.94				
PK	7.40092G	54.51	74.00	-19.49	43.71	3	Vertical	261	1.80	65	37.10	8.65	34.95				
AV	7.38676G	40.43	54.00	-13.57	29.65	3	Vertical	261	1.80	65	37.10	8.64	34.96				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 65
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.94012G	48.08	74.00	-25.92	42.51	3	Horizontal	286	2.02	65	33.66	6.85	34.94					
AV	4.92672G	34.73	54.00	-19.27	29.22	3	Horizontal	286	2.02	65	33.61	6.84	34.94					
PK	7.40596G	53.08	74.00	-20.92	42.28	3	Horizontal	34	2.70	65	37.10	8.65	34.95					
AV	7.38672G	40.49	54.00	-13.51	29.71	3	Horizontal	34	2.70	65	37.10	8.64	34.96					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
80\40\69\83\76\73\72
-11.93\7.40\6.21\11.11\12.22\0.01\1.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.39G	65.14	74.00	-8.86	32.53	3	Vertical	60	1.98	72	28.40	4.21	-				
AV	2.3897G	52.62	54.00	-1.38	20.01	3	Vertical	60	1.98	72	28.40	4.21	-				
PK	2.4167G	110.26	Inf	-Inf	77.66	3	Vertical	60	1.98	72	28.37	4.23	-				
AV	2.4186G	101.84	Inf	-Inf	69.22	3	Vertical	60	1.98	72	28.39	4.23	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
72
7.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	57.00	74.00	-17.00	24.39	3	Horizontal	110	1.92	72	28.40	4.21	-			
AV	2.3898G	46.99	54.00	-7.01	14.38	3	Horizontal	110	1.92	72	28.40	4.21	-			
PK	2.4182G	100.07	Inf	-Inf	67.46	3	Horizontal	110	1.92	72	28.38	4.23	-			
AV	2.4187G	91.59	Inf	-Inf	58.97	3	Horizontal	110	1.92	72	28.39	4.23	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 72
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81028G	48.37	74.00	-25.63	43.09	3	Vertical	153	1.80	72	33.40	6.79	34.91			
AV	4.84268G	37.38	54.00	-16.62	32.09	3	Vertical	153	1.80	72	33.40	6.81	34.92			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82324G	47.30	74.00	-26.70	42.01	3	Horizontal	182	1.05	72	33.40	6.80	34.91			
AV	4.80452G	36.92	54.00	-17.08	31.64	3	Horizontal	182	1.05	72	33.40	6.79	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
72\96\108
6.09\2.30\3.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38932G	61.90	74.00	-12.10	29.29	3	Vertical	56	2.00	108	28.40	4.21	-				
AV	2.3898G	50.47	54.00	-3.53	17.86	3	Vertical	56	2.00	108	28.40	4.21	-				
PK	2.43108G	112.49	Inf	-Inf	79.85	3	Vertical	56	2.00	108	28.40	4.24	-				
AV	2.4386G	103.94	Inf	-Inf	71.29	3	Vertical	56	2.00	108	28.40	4.25	-				
PK	2.48372G	62.42	74.00	-11.58	29.60	3	Vertical	56	2.00	108	28.54	4.28	-				
AV	2.4842G	50.94	54.00	-3.06	18.12	3	Vertical	56	2.00	108	28.54	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
108
7.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.37732G	55.94	74.00	-18.06	23.34	3	Horizontal	76	1.81	108	28.40	4.20	-				
AV	2.38884G	46.42	54.00	-7.58	13.81	3	Horizontal	76	1.81	108	28.40	4.21	-				
PK	2.43396G	103.07	Inf	-Inf	70.42	3	Horizontal	76	1.81	108	28.40	4.25	-				
AV	2.43556G	93.81	Inf	-Inf	61.16	3	Horizontal	76	1.81	108	28.40	4.25	-				
PK	2.4914G	56.66	74.00	-17.34	23.77	3	Horizontal	76	1.81	108	28.60	4.29	-				
AV	2.49188G	46.97	54.00	-7.03	14.08	3	Horizontal	76	1.81	108	28.60	4.29	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 108
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85528G	47.35	74.00	-26.65	42.05	3	Vertical	37	1.80	108	33.41	6.81	34.92				
AV	4.86412G	36.74	54.00	-17.26	31.41	3	Vertical	37	1.80	108	33.43	6.82	34.92				
PK	7.29992G	53.92	74.00	-20.08	43.47	3	Vertical	24	2.95	108	36.90	8.54	34.99				
AV	7.31408G	41.83	54.00	-12.17	31.29	3	Vertical	24	2.95	108	36.96	8.56	34.98				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 108
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88024G	47.64	74.00	-26.36	42.29	3	Horizontal	10	1.80	108	33.46	6.82	34.93				
AV	4.8556G	36.63	54.00	-17.37	31.33	3	Horizontal	10	1.80	108	33.41	6.81	34.92				
PK	7.29676G	52.82	74.00	-21.18	42.39	3	Horizontal	265	2.93	108	36.88	8.54	34.99				
AV	7.31368G	42.04	54.00	-11.96	31.51	3	Horizontal	265	2.93	108	36.95	8.56	34.98				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
SET 72
72\75\68\71\72
0.78\ -9.07\6.03\4.31\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4641G	110.28	Inf	-Inf	77.51	3	Vertical	80	1.98	72	28.50	4.27	-			
AV	2.4636G	101.32	Inf	-Inf	68.55	3	Vertical	80	1.98	72	28.50	4.27	-			
PK	2.486G	63.43	74.00	-10.57	30.59	3	Vertical	80	1.98	72	28.56	4.28	-			
AV	2.4841G	53.97	54.00	-0.03	21.15	3	Vertical	80	1.98	72	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
SET 72
72
7.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4573G	99.05	Inf	-Inf	66.32	3	Horizontal	108	1.61	72	28.47	4.26	-				
AV	2.4554G	90.80	Inf	-Inf	58.09	3	Horizontal	108	1.61	72	28.45	4.26	-				
PK	2.4938G	56.12	74.00	-17.88	23.23	3	Horizontal	108	1.61	72	28.60	4.29	-				
AV	2.4918G	46.77	54.00	-7.23	13.88	3	Horizontal	108	1.61	72	28.60	4.29	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 71
72\62\76\69\71
-2.32\6.64\ -16.50\2.33\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4658G	109.18	Inf	-Inf	76.41	3	Vertical	28	1.99	71	28.50	4.27	-			
AV	2.4638G	100.49	Inf	-Inf	67.72	3	Vertical	28	1.99	71	28.50	4.27	-			
PK	2.4835G	65.95	74.00	-8.05	33.13	3	Vertical	28	1.99	71	28.54	4.28	-			
AV	2.4835G	53.47	54.00	-0.53	20.65	3	Vertical	28	1.99	71	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 71
71
7.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4572G	98.46	Inf	-Inf	65.73	3	Horizontal	111	1.61	71	28.47	4.26	-				
AV	2.4583G	90.09	Inf	-Inf	57.35	3	Horizontal	111	1.61	71	28.48	4.26	-				
PK	2.4921G	56.10	74.00	-17.90	23.21	3	Horizontal	111	1.61	71	28.60	4.29	-				
AV	2.4952G	46.79	54.00	-7.21	13.90	3	Horizontal	111	1.61	71	28.60	4.29	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 71
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93616G	47.99	74.00	-26.01	42.45	3	Vertical	218	2.86	71	33.64	6.84	34.94				
AV	4.93556G	37.38	54.00	-16.62	31.84	3	Vertical	218	2.86	71	33.64	6.84	34.94				
PK	7.4038G	53.77	74.00	-20.23	42.97	3	Vertical	5	1.80	71	37.10	8.65	34.95				
AV	7.38968G	43.25	54.00	-10.75	32.46	3	Vertical	5	1.80	71	37.10	8.64	34.95				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 71
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90656G	48.01	74.00	-25.99	42.58	3	Horizontal	138	2.82	71	33.53	6.83	34.93				
AV	4.92692G	37.10	54.00	-16.90	31.59	3	Horizontal	138	2.82	71	33.61	6.84	34.94				
PK	7.3994G	53.41	74.00	-20.59	42.61	3	Horizontal	45	2.71	71	37.10	8.65	34.95				
AV	7.38936G	43.20	54.00	-10.80	32.41	3	Horizontal	45	2.71	71	37.10	8.64	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
80\40\74\57\65\69\71\72\73\72
-14.81\8.60\6.24\7.82\6.99\6.18\2.60\1.08\1.86\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.3899G	65.06	74.00	-8.94	32.45	3	Vertical	61	1.95	72	28.40	4.21	-					
AV	2.39G	53.17	54.00	-0.83	20.56	3	Vertical	61	1.95	72	28.40	4.21	-					
PK	2.4175G	111.19	Inf	-Inf	78.59	3	Vertical	61	1.95	72	28.37	4.23	-					
AV	2.4179G	99.99	Inf	-Inf	67.38	3	Vertical	61	1.95	72	28.38	4.23	-					

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
72
7.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	57.51	74.00	-16.49	24.90	3	Horizontal	78	1.50	72	28.40	4.21	-			
AV	2.3893G	46.25	54.00	-7.75	13.64	3	Horizontal	78	1.50	72	28.40	4.21	-			
PK	2.4173G	100.96	Inf	-Inf	68.36	3	Horizontal	78	1.50	72	28.37	4.23	-			
AV	2.4202G	89.57	Inf	-Inf	56.93	3	Horizontal	78	1.50	72	28.40	4.24	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82652G	48.64	74.00	-25.36	43.35	3	Vertical	120	1.80	72	33.40	6.80	34.91			
AV	4.80692G	35.58	54.00	-18.42	30.30	3	Vertical	120	1.80	72	33.40	6.79	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.80404G	47.91	74.00	-26.09	42.63	3	Horizontal	25	2.15	72	33.40	6.79	34.91			
AV	4.82032G	35.88	54.00	-18.12	30.59	3	Horizontal	25	2.15	72	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 107
72\97\108\103\105\106\107
6.46\0.72\0.15\0.68\0.51\0.55\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	72.77	74.00	-1.23	40.16	3	Vertical	57	2.00	107	28.40	4.21	-			
AV	2.3898G	52.53	54.00	-1.47	19.92	3	Vertical	57	2.00	107	28.40	4.21	-			
PK	2.43604G	114.27	Inf	-Inf	81.62	3	Vertical	57	2.00	107	28.40	4.25	-			
AV	2.433G	102.53	Inf	-Inf	69.89	3	Vertical	57	2.00	107	28.40	4.24	-			
PK	2.48532G	70.45	74.00	-3.55	37.62	3	Vertical	57	2.00	107	28.55	4.28	-			
AV	2.4835G	53.17	54.00	-0.83	20.35	3	Vertical	57	2.00	107	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 107
107
7.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38932G	60.10	74.00	-13.90	27.49	3	Horizontal	80	1.83	107	28.40	4.21	-				
AV	2.38884G	46.16	54.00	-7.84	13.55	3	Horizontal	80	1.83	107	28.40	4.21	-				
PK	2.43092G	103.35	Inf	-Inf	70.71	3	Horizontal	80	1.83	107	28.40	4.24	-				
AV	2.43412G	92.14	Inf	-Inf	59.49	3	Horizontal	80	1.83	107	28.40	4.25	-				
PK	2.4914G	56.13	74.00	-17.87	23.24	3	Horizontal	80	1.83	107	28.60	4.29	-				
AV	2.485G	45.73	54.00	-8.27	12.90	3	Horizontal	80	1.83	107	28.55	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 107
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86492G	47.69	74.00	-26.31	42.36	3	Vertical	255	1.80	107	33.43	6.82	34.92				
AV	4.86824G	35.17	54.00	-18.83	29.83	3	Vertical	255	1.80	107	33.44	6.82	34.92				
PK	7.32948G	53.40	74.00	-20.60	42.78	3	Vertical	132	2.36	107	37.02	8.58	34.98				
AV	7.32252G	40.62	54.00	-13.38	30.04	3	Vertical	132	2.36	107	36.99	8.57	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 107
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.86376G	47.34	74.00	-26.66	42.01	3	Horizontal	261	2.02	107	33.43	6.82	34.92				
AV	4.858G	35.23	54.00	-18.77	29.92	3	Horizontal	261	2.02	107	33.42	6.81	34.92				
PK	7.31364G	52.54	74.00	-21.46	42.01	3	Horizontal	266	1.80	107	36.95	8.56	34.98				
AV	7.31388G	40.42	54.00	-13.58	29.88	3	Horizontal	266	1.80	107	36.96	8.56	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Z_1TX
SET 72
72\81\68\74\71\72
2.33\11.57\6.28\7.78\4.23\2.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4552G	112.13	Inf	-Inf	79.42	3	Vertical	73	2.00	72	28.45	4.26	-				
AV	2.4611G	99.91	Inf	-Inf	67.14	3	Vertical	73	2.00	72	28.50	4.27	-				
PK	2.4843G	63.30	74.00	-10.70	30.48	3	Vertical	73	2.00	72	28.54	4.28	-				
AV	2.4835G	51.84	54.00	-2.16	19.02	3	Vertical	73	2.00	72	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Z_1TX
SET 72
72
8.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4548G	100.55	Inf	-Inf	67.84	3	Horizontal	112	1.62	72	28.45	4.26	-				
AV	2.4546G	89.83	Inf	-Inf	57.12	3	Horizontal	112	1.62	72	28.45	4.26	-				
PK	2.4917G	56.98	74.00	-17.02	24.09	3	Horizontal	112	1.62	72	28.60	4.29	-				
AV	2.4836G	45.91	54.00	-8.09	13.09	3	Horizontal	112	1.62	72	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 71
72\66\76\71
-1.33\4.53\ -17.70\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.466G	111.23	Inf	-Inf	78.46	3	Vertical	71	2.00	71	28.50	4.27	-				
AV	2.4612G	99.52	Inf	-Inf	66.75	3	Vertical	71	2.00	71	28.50	4.27	-				
PK	2.4835G	66.10	74.00	-7.90	33.28	3	Vertical	71	2.00	71	28.54	4.28	-				
AV	2.4836G	53.83	54.00	-0.17	21.01	3	Vertical	71	2.00	71	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 71
71
7.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4563G	99.78	Inf	-Inf	67.06	3	Horizontal	113	1.59	71	28.46	4.26	-				
AV	2.4582G	88.13	Inf	-Inf	55.39	3	Horizontal	113	1.59	71	28.48	4.26	-				
PK	2.4844G	58.15	74.00	-15.85	25.33	3	Horizontal	113	1.59	71	28.54	4.28	-				
AV	2.4835G	46.51	54.00	-7.49	13.69	3	Horizontal	113	1.59	71	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 71
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9196G	47.97	74.00	-26.03	42.49	3	Vertical	61	1.80	71	33.58	6.84	34.94				
AV	4.92804G	35.87	54.00	-18.13	30.36	3	Vertical	61	1.80	71	33.61	6.84	34.94				
PK	7.38924G	53.97	74.00	-20.03	43.18	3	Vertical	122	1.55	71	37.10	8.64	34.95				
AV	7.39808G	41.43	54.00	-12.57	30.63	3	Vertical	122	1.55	71	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
SET 71
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9264G	48.10	74.00	-25.90	42.59	3	Horizontal	86	2.90	71	33.61	6.84	34.94				
AV	4.92484G	35.74	54.00	-18.26	30.24	3	Horizontal	86	2.90	71	33.60	6.84	34.94				
PK	7.39476G	54.37	74.00	-19.63	43.58	3	Horizontal	336	1.80	71	37.10	8.64	34.95				
AV	7.39816G	41.48	54.00	-12.52	30.68	3	Horizontal	336	1.80	71	37.10	8.65	34.95				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 72
80\44\79\62\70\74\72\73\72
-8.79\9.23\ -8.25\7.79\3.28\ -5.79\3.07\ -1.20\3.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3895G	59.51	74.00	-14.49	26.90	3	Vertical	170	1.92	72	28.40	4.21	-				
AV	2.3896G	50.65	54.00	-3.35	18.04	3	Vertical	170	1.92	72	28.40	4.21	-				
PK	2.413G	113.51	Inf	-Inf	80.95	3	Vertical	170	1.92	72	28.33	4.23	-				
AV	2.4113G	109.58	Inf	-Inf	77.04	3	Vertical	170	1.92	72	28.31	4.23	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 72
72
8.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3857G	56.83	74.00	-17.17	24.22	3	Horizontal	332	1.50	72	28.40	4.21	-				
AV	2.3894G	45.78	54.00	-8.22	13.17	3	Horizontal	332	1.50	72	28.40	4.21	-				
PK	2.413G	104.93	Inf	-Inf	72.37	3	Horizontal	332	1.50	72	28.33	4.23	-				
AV	2.4127G	100.94	Inf	-Inf	68.38	3	Horizontal	332	1.50	72	28.33	4.23	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_1TX
SET 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82396G	48.39	74.00	-25.61	43.10	3	Vertical	185	1.41	72	33.40	6.80	34.91			
AV	4.82392G	35.38	54.00	-18.62	30.09	3	Vertical	185	1.41	72	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_1TX
SET 72
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.80416G	47.69	74.00	-26.31	42.41	3	Horizontal	123	1.80	72	33.40	6.79	34.91			
AV	4.82388G	34.62	54.00	-19.38	29.33	3	Horizontal	123	1.80	72	33.40	6.80	34.91			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
72\105\108
8.45\8.35\8.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.37188G	55.69	74.00	-18.31	23.10	3	Vertical	47	1.88	108	28.40	4.19	-				
AV	2.3898G	45.00	54.00	-9.00	12.39	3	Vertical	47	1.88	108	28.40	4.21	-				
PK	2.43604G	113.50	Inf	-Inf	80.85	3	Vertical	47	1.88	108	28.40	4.25	-				
AV	2.4362G	109.76	Inf	-Inf	77.11	3	Vertical	47	1.88	108	28.40	4.25	-				
PK	2.49588G	56.70	74.00	-17.30	23.81	3	Vertical	47	1.88	108	28.60	4.29	-				
AV	2.48564G	45.66	54.00	-8.34	12.82	3	Vertical	47	1.88	108	28.56	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
108
9.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3802G	55.37	74.00	-18.63	22.77	3	Horizontal	300	1.67	108	28.40	4.20	-				
AV	2.389G	44.59	54.00	-9.41	11.98	3	Horizontal	300	1.67	108	28.40	4.21	-				
PK	2.43604G	105.73	Inf	-Inf	73.08	3	Horizontal	300	1.67	108	28.40	4.25	-				
AV	2.4362G	101.96	Inf	-Inf	69.31	3	Horizontal	300	1.67	108	28.40	4.25	-				
PK	2.49556G	56.99	74.00	-17.01	24.10	3	Horizontal	300	1.67	108	28.60	4.29	-				
AV	2.48388G	44.95	54.00	-9.05	12.13	3	Horizontal	300	1.67	108	28.54	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_1TX
SET 108
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.874G	48.05	74.00	-25.95	42.70	3	Vertical	359	2.30	108	33.45	6.82	34.92				
AV	4.87392G	38.24	54.00	-15.76	32.89	3	Vertical	359	2.30	108	33.45	6.82	34.92				
PK	7.31188G	53.47	74.00	-20.53	42.95	3	Vertical	69	2.17	108	36.95	8.56	34.99				
AV	7.31016G	41.79	54.00	-12.21	31.28	3	Vertical	69	2.17	108	36.94	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_1TX
SET 108
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87396G	47.79	74.00	-26.21	42.44	3	Horizontal	143	2.46	108	33.45	6.82	34.92				
AV	4.874G	37.83	54.00	-16.17	32.48	3	Horizontal	143	2.46	108	33.45	6.82	34.92				
PK	7.3132G	53.58	74.00	-20.42	43.05	3	Horizontal	36	2.92	108	36.95	8.56	34.98				
AV	7.31012G	41.16	54.00	-12.84	30.65	3	Horizontal	36	2.92	108	36.94	8.56	34.99				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 71
72\71
-0.07\4.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4612G	111.57	Inf	-Inf	78.80	3	Vertical	29	1.99	71	28.50	4.27	-			
AV	2.4612G	107.78	Inf	-Inf	75.01	3	Vertical	29	1.99	71	28.50	4.27	-			
PK	2.4846G	59.50	74.00	-14.50	26.67	3	Vertical	29	1.99	71	28.55	4.28	-			
AV	2.4847G	49.41	54.00	-4.59	16.58	3	Vertical	29	1.99	71	28.55	4.28	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 71
71
8.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4611G	103.64	Inf	-Inf	70.87	3	Horizontal	336	1.65	71	28.50	4.27	-				
AV	2.4613G	99.85	Inf	-Inf	67.08	3	Horizontal	336	1.65	71	28.50	4.27	-				
PK	2.4867G	57.11	74.00	-16.89	24.25	3	Horizontal	336	1.65	71	28.57	4.29	-				
AV	2.4835G	45.01	54.00	-8.99	12.19	3	Horizontal	336	1.65	71	28.54	4.28	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_1TX
SET 71
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92416G	49.20	74.00	-24.80	43.70	3	Vertical	229	1.07	71	33.60	6.84	34.94				
AV	4.92396G	40.49	54.00	-13.51	34.99	3	Vertical	229	1.07	71	33.60	6.84	34.94				
PK	7.38744G	54.41	74.00	-19.59	43.63	3	Vertical	290	2.34	71	37.10	8.64	34.96				
AV	7.3868G	42.36	54.00	-11.64	31.58	3	Vertical	290	2.34	71	37.10	8.64	34.96				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_1TX
SET 71
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.9246G	48.13	74.00	-25.87	42.63	3	Horizontal	139	2.40	71	33.60	6.84	34.94					
AV	4.92388G	36.11	54.00	-17.89	30.61	3	Horizontal	139	2.40	71	33.60	6.84	34.94					
PK	7.38456G	54.07	74.00	-19.93	43.30	3	Horizontal	37	2.61	71	37.10	8.63	34.96					
AV	7.38672G	42.25	54.00	-11.75	31.47	3	Horizontal	37	2.61	71	37.10	8.64	34.96					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
80\40\69\83\76\73\72\71\70
-14.21\7.28\2.91\13.73\13.83\14.53\2.41\0.66\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.3895G	65.29	74.00	-8.71	32.68	3	Vertical	168	1.92	70	28.40	4.21	-					
AV	2.39G	53.33	54.00	-0.67	20.72	3	Vertical	168	1.92	70	28.40	4.21	-					
PK	2.4168G	111.73	Inf	-Inf	79.13	3	Vertical	168	1.92	70	28.37	4.23	-					
AV	2.4166G	103.32	Inf	-Inf	70.72	3	Vertical	168	1.92	70	28.37	4.23	-					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
70
7.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	56.42	74.00	-17.58	23.81	3	Horizontal	325	1.50	70	28.40	4.21	-			
AV	2.386G	46.26	54.00	-7.74	13.65	3	Horizontal	325	1.50	70	28.40	4.21	-			
PK	2.4158G	103.43	Inf	-Inf	70.84	3	Horizontal	325	1.50	70	28.36	4.23	-			
AV	2.4159G	95.43	Inf	-Inf	62.84	3	Horizontal	325	1.50	70	28.36	4.23	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_1TX
SET 70
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8408G	47.91	74.00	-26.09	42.62	3	Vertical	111	1.80	70	33.40	6.81	34.92			
AV	4.84252G	37.09	54.00	-16.91	31.80	3	Vertical	111	1.80	70	33.40	6.81	34.92			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_1TX
SET 70
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84304G	47.78	74.00	-26.22	42.49	3	Horizontal	196	1.80	70	33.40	6.81	34.92			
AV	4.80644G	37.10	54.00	-16.90	31.82	3	Horizontal	196	1.80	70	33.40	6.79	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 74
70\96\83\77\74\75\74
6.61\ -1.31\ -1.50\ -1.45\ 0.95\ -0.87\ 1.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.38996G	66.76	74.00	-7.24	34.15	3	Vertical	175	1.98	74	28.40	4.21	-				
AV	2.38996G	52.55	54.00	-1.45	19.94	3	Vertical	175	1.98	74	28.40	4.21	-				
PK	2.44052G	113.34	Inf	-Inf	80.69	3	Vertical	175	1.98	74	28.40	4.25	-				
AV	2.4354G	105.19	Inf	-Inf	72.54	3	Vertical	175	1.98	74	28.40	4.25	-				
PK	2.48532G	60.59	74.00	-13.41	27.76	3	Vertical	175	1.98	74	28.55	4.28	-				
AV	2.48484G	49.91	54.00	-4.09	17.08	3	Vertical	175	1.98	74	28.55	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 74
74
5.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38996G	56.74	74.00	-17.26	24.13	3	Horizontal	278	1.50	74	28.40	4.21	-				
AV	2.38932G	46.77	54.00	-7.23	14.16	3	Horizontal	278	1.50	74	28.40	4.21	-				
PK	2.43876G	105.96	Inf	-Inf	73.31	3	Horizontal	278	1.50	74	28.40	4.25	-				
AV	2.43908G	97.65	Inf	-Inf	65.00	3	Horizontal	278	1.50	74	28.40	4.25	-				
PK	2.48372G	56.71	74.00	-17.29	23.89	3	Horizontal	278	1.50	74	28.54	4.28	-				
AV	2.48372G	48.40	54.00	-5.60	15.58	3	Horizontal	278	1.50	74	28.54	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_1TX
SET 74
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86932G	47.67	74.00	-26.33	42.33	3	Vertical	25	1.80	74	33.44	6.82	34.92				
AV	4.8542G	36.58	54.00	-17.42	31.28	3	Vertical	25	1.80	74	33.41	6.81	34.92				
PK	7.32056G	52.69	74.00	-21.31	42.12	3	Vertical	176	2.95	74	36.98	8.57	34.98				
AV	7.31252G	42.00	54.00	-12.00	31.47	3	Vertical	176	2.95	74	36.95	8.56	34.98				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_1TX
SET 74
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8668G	48.12	74.00	-25.88	42.76	3	Horizontal	96	2.88	74	33.47	6.82	34.93				
AV	4.86628G	36.78	54.00	-17.22	31.45	3	Horizontal	96	2.88	74	33.43	6.82	34.92				
PK	7.31604G	52.77	74.00	-21.23	42.23	3	Horizontal	84	1.80	74	36.96	8.56	34.98				
AV	7.30772G	42.14	54.00	-11.86	31.65	3	Horizontal	84	1.80	74	36.93	8.55	34.99				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
SET 71
70\83\66\74\71\72\71
3.41\11.26\6.49\9.11\1.78\3.13\1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.46G	111.16	Inf	-Inf	78.40	3	Vertical	82	1.98	71	28.50	4.26	-				
AV	2.4597G	102.71	Inf	-Inf	69.95	3	Vertical	82	1.98	71	28.50	4.26	-				
PK	2.4836G	63.41	74.00	-10.59	30.59	3	Vertical	82	1.98	71	28.54	4.28	-				
AV	2.4842G	52.37	54.00	-1.63	19.55	3	Vertical	82	1.98	71	28.54	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
SET 71
71
5.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4542G	103.83	Inf	-Inf	71.13	3	Horizontal	315	1.89	71	28.44	4.26	-				
AV	2.45G	95.70	Inf	-Inf	63.04	3	Horizontal	315	1.89	71	28.40	4.26	-				
PK	2.4848G	58.10	74.00	-15.90	25.27	3	Horizontal	315	1.89	71	28.55	4.28	-				
AV	2.485G	48.48	54.00	-5.52	15.65	3	Horizontal	315	1.89	71	28.55	4.28	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
70\69
-0.08\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4648G	109.99	Inf	-Inf	77.22	3	Vertical	83	2.00	69	28.50	4.27	-			
AV	2.4644G	101.73	Inf	-Inf	68.96	3	Vertical	83	2.00	69	28.50	4.27	-			
PK	2.4846G	65.19	74.00	-8.81	32.36	3	Vertical	83	2.00	69	28.55	4.28	-			
AV	2.4837G	53.52	54.00	-0.48	20.70	3	Vertical	83	2.00	69	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
69
0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4548G	102.86	Inf	-Inf	70.15	3	Horizontal	317	1.89	69	28.45	4.26	-			
AV	2.4551G	94.32	Inf	-Inf	61.61	3	Horizontal	317	1.89	69	28.45	4.26	-			
PK	2.4842G	65.36	74.00	-8.64	32.54	3	Horizontal	317	1.89	69	28.54	4.28	-			
AV	2.4844G	53.23	54.00	-0.77	20.41	3	Horizontal	317	1.89	69	28.54	4.28	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92772G	48.32	74.00	-25.68	42.81	3	Vertical	60	2.94	69	33.61	6.84	34.94				
AV	4.93884G	37.35	54.00	-16.65	31.78	3	Vertical	60	2.94	69	33.66	6.85	34.94				
PK	7.38816G	53.62	74.00	-20.38	42.83	3	Vertical	78	1.80	69	37.10	8.64	34.95				
AV	7.38848G	42.76	54.00	-11.24	31.97	3	Vertical	78	1.80	69	37.10	8.64	34.95				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9166G	48.28	74.00	-25.72	42.81	3	Horizontal	95	1.80	69	33.57	6.84	34.94				
AV	4.93588G	37.34	54.00	-16.66	31.80	3	Horizontal	95	1.80	69	33.64	6.84	34.94				
PK	7.40276G	54.84	74.00	-19.16	44.04	3	Horizontal	203	1.05	69	37.10	8.65	34.95				
AV	7.39836G	42.81	54.00	-11.19	32.01	3	Horizontal	203	1.05	69	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
80\40\73\57\65\69\71\70
-18.37\8.34\11.36\6.81\4.58\1.39\1.16\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3896G	65.09	74.00	-8.91	32.48	3	Vertical	169	1.95	70	28.40	4.21	-				
AV	2.3893G	53.94	54.00	-0.06	21.33	3	Vertical	169	1.95	70	28.40	4.21	-				
PK	2.4139G	112.45	Inf	-Inf	79.88	3	Vertical	169	1.95	70	28.34	4.23	-				
AV	2.4167G	101.57	Inf	-Inf	68.97	3	Vertical	169	1.95	70	28.37	4.23	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
70
8.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3897G	58.17	74.00	-15.83	25.56	3	Horizontal	326	1.50	70	28.40	4.21	-				
AV	2.3892G	45.82	54.00	-8.18	13.21	3	Horizontal	326	1.50	70	28.40	4.21	-				
PK	2.4191G	105.96	Inf	-Inf	73.34	3	Horizontal	326	1.50	70	28.39	4.23	-				
AV	2.4164G	93.70	Inf	-Inf	61.11	3	Horizontal	326	1.50	70	28.36	4.23	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_1TX
SET 70
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81628G	47.79	74.00	-26.21	42.50	3	Vertical	1	1.80	70	33.40	6.80	34.91			
AV	4.82424G	35.55	54.00	-18.45	30.26	3	Vertical	1	1.80	70	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_1TX
SET 70
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82344G	47.47	74.00	-26.53	42.18	3	Horizontal	260	2.93	70	33.40	6.80	34.91			
AV	4.8332G	35.58	54.00	-18.42	30.29	3	Horizontal	260	2.93	70	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 73
70\93\82\77\75\74\73
5.76\ -0.60\ -0.49\ -0.33\ -0.36\ -0.01\ 1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38932G	70.06	74.00	-3.94	37.45	3	Vertical	29	2.00	73	28.40	4.21	-
AV	2.38852G	51.37	54.00	-2.63	18.76	3	Vertical	29	2.00	73	28.40	4.21	-
PK	2.43428G	114.19	Inf	-Inf	81.54	3	Vertical	29	2.00	73	28.40	4.25	-
AV	2.43876G	102.43	Inf	-Inf	69.78	3	Vertical	29	2.00	73	28.40	4.25	-
PK	2.48532G	68.95	74.00	-5.05	36.12	3	Vertical	29	2.00	73	28.55	4.28	-
AV	2.4835G	52.71	54.00	-1.29	19.89	3	Vertical	29	2.00	73	28.54	4.28	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 73
73
7.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38932G	58.16	74.00	-15.84	25.55	3	Horizontal	278	1.50	73	28.40	4.21	-			
AV	2.38996G	46.42	54.00	-7.58	13.81	3	Horizontal	278	1.50	73	28.40	4.21	-			
PK	2.44276G	105.77	Inf	-Inf	73.12	3	Horizontal	278	1.50	73	28.40	4.25	-			
AV	2.43316G	95.17	Inf	-Inf	62.53	3	Horizontal	278	1.50	73	28.40	4.24	-			
PK	2.48436G	59.26	74.00	-14.74	26.44	3	Horizontal	278	1.50	73	28.54	4.28	-			
AV	2.4835G	46.81	54.00	-7.19	13.99	3	Horizontal	278	1.50	73	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_1TX
SET 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85424G	47.48	74.00	-26.52	42.18	3	Vertical	358	2.26	73	33.41	6.81	34.92				
AV	4.85456G	35.39	54.00	-18.61	30.09	3	Vertical	358	2.26	73	33.41	6.81	34.92				
PK	7.3048G	52.98	74.00	-21.02	42.50	3	Vertical	207	2.58	73	36.92	8.55	34.99				
AV	7.3188G	40.86	54.00	-13.14	30.30	3	Vertical	207	2.58	73	36.98	8.56	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_1TX
SET 73
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8678G	47.55	74.00	-26.45	42.21	3	Horizontal	99	1.80	73	33.44	6.82	34.92				
AV	4.86316G	35.18	54.00	-18.82	29.85	3	Horizontal	99	1.80	73	33.43	6.82	34.92				
PK	7.31124G	53.06	74.00	-20.94	42.55	3	Horizontal	170	1.80	73	36.94	8.56	34.99				
AV	7.32424G	40.65	54.00	-13.35	30.06	3	Horizontal	170	1.80	73	37.00	8.57	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
70\67\68\69
-0.62\2.78\1.38\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4532G	110.74	Inf	-Inf	78.05	3	Vertical	86	2.00	69	28.43	4.26	-			
AV	2.4605G	99.66	Inf	-Inf	66.89	3	Vertical	86	2.00	69	28.50	4.27	-			
PK	2.4835G	64.98	74.00	-9.02	32.16	3	Vertical	86	2.00	69	28.54	4.28	-			
AV	2.4835G	53.21	54.00	-0.79	20.39	3	Vertical	86	2.00	69	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
69
6.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4589G	103.37	Inf	-Inf	70.62	3	Horizontal	323	1.91	69	28.49	4.26	-				
AV	2.4537G	92.17	Inf	-Inf	59.47	3	Horizontal	323	1.91	69	28.44	4.26	-				
PK	2.486G	59.15	74.00	-14.85	26.31	3	Horizontal	323	1.91	69	28.56	4.28	-				
AV	2.4837G	47.37	54.00	-6.63	14.55	3	Horizontal	323	1.91	69	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90912G	48.53	74.00	-25.47	43.09	3	Vertical	198	1.80	69	33.54	6.83	34.93				
AV	4.9218G	35.76	54.00	-18.24	30.27	3	Vertical	198	1.80	69	33.59	6.84	34.94				
PK	7.38912G	54.32	74.00	-19.68	43.53	3	Vertical	102	1.80	69	37.10	8.64	34.95				
AV	7.40004G	41.31	54.00	-12.69	30.51	3	Vertical	102	1.80	69	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_1TX
SET 69
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.93364G	47.92	74.00	-26.08	42.39	3	Horizontal	107	1.80	69	33.63	6.84	34.94				
AV	4.934G	36.03	54.00	-17.97	30.49	3	Horizontal	107	1.80	69	33.64	6.84	34.94				
PK	7.37564G	53.82	74.00	-20.18	43.06	3	Horizontal	91	1.05	69	37.10	8.62	34.96				
AV	7.403G	41.46	54.00	-12.54	30.66	3	Horizontal	91	1.05	69	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 69
80\40\74\57\65\69\71\70\69
-15.86\8.51\15.83\7.50\6.06\1.23\1.10\0.03\1.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3876G	65.70	74.00	-8.30	33.09	3	Vertical	168	1.94	69	28.40	4.21	-			
AV	2.39G	52.27	54.00	-1.73	19.66	3	Vertical	168	1.94	69	28.40	4.21	-			
PK	2.4109G	110.47	Inf	-Inf	77.93	3	Vertical	168	1.94	69	28.31	4.23	-			
AV	2.4195G	99.50	Inf	-Inf	66.88	3	Vertical	168	1.94	69	28.39	4.23	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 69
69
8.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3873G	56.44	74.00	-17.56	23.83	3	Horizontal	323	1.50	69	28.40	4.21	-			
AV	2.3897G	45.75	54.00	-8.25	13.14	3	Horizontal	323	1.50	69	28.40	4.21	-			
PK	2.4188G	103.10	Inf	-Inf	70.48	3	Horizontal	323	1.50	69	28.39	4.23	-			
AV	2.42G	91.40	Inf	-Inf	58.77	3	Horizontal	323	1.50	69	28.40	4.23	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82808G	47.90	74.00	-26.10	42.61	3	Vertical	274	2.61	69	33.40	6.80	34.91			
AV	4.82604G	35.57	54.00	-18.43	30.28	3	Vertical	274	2.61	69	33.40	6.80	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.80524G	47.87	74.00	-26.13	42.59	3	Horizontal	99	2.73	69	33.40	6.79	34.91			
AV	4.80796G	35.53	54.00	-18.47	30.25	3	Horizontal	99	2.73	69	33.40	6.79	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
SET 71
69\89\65\77\71\74\73\66\71
5.10\8.51\6.94\8.64\3.46\7.73\4.32\6.93\3.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3894G	63.56	74.00	-10.44	30.95	3	Vertical	168	1.92	71	28.40	4.21	-			
AV	2.3898G	50.77	54.00	-3.23	18.16	3	Vertical	168	1.92	71	28.40	4.21	-			
PK	2.4243G	111.94	Inf	-Inf	79.30	3	Vertical	168	1.92	71	28.40	4.24	-			
AV	2.4205G	100.09	Inf	-Inf	67.45	3	Vertical	168	1.92	71	28.40	4.24	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Z_2TX
SET 71
71
8.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3804G	55.87	74.00	-18.13	23.27	3	Horizontal	313	1.91	71	28.40	4.20	-			
AV	2.3898G	45.61	54.00	-8.39	13.00	3	Horizontal	313	1.91	71	28.40	4.21	-			
PK	2.4255G	103.26	Inf	-Inf	70.62	3	Horizontal	313	1.91	71	28.40	4.24	-			
AV	2.4244G	92.10	Inf	-Inf	59.46	3	Horizontal	313	1.91	71	28.40	4.24	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
69\96\108
6.86\1.10\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38852G	64.60	74.00	-9.40	31.99	3	Vertical	67	2.00	108	28.40	4.21	-			
AV	2.38996G	53.00	54.00	-1.00	20.39	3	Vertical	67	2.00	108	28.40	4.21	-			
PK	2.43396G	113.47	Inf	-Inf	80.82	3	Vertical	67	2.00	108	28.40	4.25	-			
AV	2.43604G	101.93	Inf	-Inf	69.28	3	Vertical	67	2.00	108	28.40	4.25	-			
PK	2.48388G	64.18	74.00	-9.82	31.36	3	Vertical	67	2.00	108	28.54	4.28	-			
AV	2.4835G	53.23	54.00	-0.77	20.41	3	Vertical	67	2.00	108	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 108
108
5.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38836G	58.66	74.00	-15.34	26.05	3	Horizontal	280	1.50	108	28.40	4.21	-				
AV	2.38948G	47.65	54.00	-6.35	15.04	3	Horizontal	280	1.50	108	28.40	4.21	-				
PK	2.43956G	106.12	Inf	-Inf	73.47	3	Horizontal	280	1.50	108	28.40	4.25	-				
AV	2.43348G	93.94	Inf	-Inf	61.29	3	Horizontal	280	1.50	108	28.40	4.25	-				
PK	2.485G	58.75	74.00	-15.25	25.92	3	Horizontal	280	1.50	108	28.55	4.28	-				
AV	2.48436G	48.38	54.00	-5.62	15.56	3	Horizontal	280	1.50	108	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_1TX
SET 108
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85692G	47.48	74.00	-26.52	42.18	3	Vertical	320	1.55	108	33.41	6.81	34.92				
AV	4.85432G	35.35	54.00	-18.65	30.05	3	Vertical	320	1.55	108	33.41	6.81	34.92				
PK	7.31936G	54.30	74.00	-19.70	43.73	3	Vertical	268	1.89	108	36.98	8.57	34.98				
AV	7.32196G	40.95	54.00	-13.05	30.37	3	Vertical	268	1.89	108	36.99	8.57	34.98				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_1TX
SET 108
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87396G	48.10	74.00	-25.90	42.75	3	Horizontal	9	1.80	108	33.45	6.82	34.92				
AV	4.86472G	35.27	54.00	-18.73	29.94	3	Horizontal	9	1.80	108	33.43	6.82	34.92				
PK	7.30664G	52.84	74.00	-21.16	42.35	3	Horizontal	254	2.95	108	36.93	8.55	34.99				
AV	7.30484G	40.47	54.00	-13.53	29.99	3	Horizontal	254	2.95	108	36.92	8.55	34.99				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
SET 71
69\86\65\75\70\72\71
4.29\10.98\6.49\10.79\4.09\5.76\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4538G	111.92	Inf	-Inf	79.22	3	Vertical	76	1.99	71	28.44	4.26	-			
AV	2.4631G	99.75	Inf	-Inf	66.98	3	Vertical	76	1.99	71	28.50	4.27	-			
PK	2.4837G	65.55	74.00	-8.45	32.73	3	Vertical	76	1.99	71	28.54	4.28	-			
AV	2.4841G	53.75	54.00	-0.25	20.93	3	Vertical	76	1.99	71	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Z_2TX
SET 71
71
3.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4501G	103.95	Inf	-Inf	71.29	3	Horizontal	314	1.89	71	28.40	4.26	-			
AV	2.4532G	92.24	Inf	-Inf	59.55	3	Horizontal	314	1.89	71	28.43	4.26	-			
PK	2.4835G	62.63	74.00	-11.37	29.81	3	Horizontal	314	1.89	71	28.54	4.28	-			
AV	2.4837G	50.12	54.00	-3.88	17.30	3	Horizontal	314	1.89	71	28.54	4.28	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_1TX
SET 69
69
0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4652G	110.56	Inf	-Inf	77.79	3	Vertical	73	1.98	69	28.50	4.27	-				
AV	2.4632G	98.92	Inf	-Inf	66.15	3	Vertical	73	1.98	69	28.50	4.27	-				
PK	2.4847G	64.50	74.00	-9.50	31.67	3	Vertical	73	1.98	69	28.55	4.28	-				
AV	2.4835G	53.54	54.00	-0.46	20.72	3	Vertical	73	1.98	69	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_1TX
SET 69
69
6.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4551G	102.73	Inf	-Inf	70.02	3	Horizontal	317	1.88	69	28.45	4.26	-				
AV	2.4546G	90.51	Inf	-Inf	57.80	3	Horizontal	317	1.88	69	28.45	4.26	-				
PK	2.4841G	58.05	74.00	-15.95	25.23	3	Horizontal	317	1.88	69	28.54	4.28	-				
AV	2.4835G	47.37	54.00	-6.63	14.55	3	Horizontal	317	1.88	69	28.54	4.28	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90784G	47.89	74.00	-26.11	42.46	3	Vertical	338	1.80	69	33.53	6.83	34.93				
AV	4.93604G	36.13	54.00	-17.87	30.59	3	Vertical	338	1.80	69	33.64	6.84	34.94				
PK	7.38716G	53.79	74.00	-20.21	43.01	3	Vertical	17	1.80	69	37.10	8.64	34.96				
AV	7.4054G	41.54	54.00	-12.46	30.74	3	Vertical	17	1.80	69	37.10	8.65	34.95				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



EUT_Y_1TX
SET 69
03-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92972G	48.32	74.00	-25.68	42.80	3	Horizontal	356	1.80	69	33.62	6.84	34.94				
AV	4.93036G	35.88	54.00	-18.12	30.36	3	Horizontal	356	1.80	69	33.62	6.84	34.94				
PK	7.3842G	53.71	74.00	-20.29	42.94	3	Horizontal	291	2.93	69	37.10	8.63	34.96				
AV	7.39964G	41.48	54.00	-12.52	30.68	3	Horizontal	291	2.93	69	37.10	8.65	34.95				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.38932G	53.98	54.00	-0.02	3	Vertical	0	1.94	74

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 79
73\92\69\80\75\77\78\79
4.97\ -7.72\7.41\ -4.27\1.80\1.42\1.18\2.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.39G	60.46	74.00	-13.54	27.52	3	Vertical	4	1.80	79	28.50	4.44	-				
AV	2.39G	51.52	54.00	-2.48	18.58	3	Vertical	4	1.80	79	28.50	4.44	-				
PK	2.413G	111.49	Inf	-Inf	78.62	3	Vertical	4	1.80	79	28.40	4.47	-				
AV	2.4113G	107.80	Inf	-Inf	74.93	3	Vertical	4	1.80	79	28.40	4.47	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 79
79
1.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3869G	59.59	74.00	-14.41	26.65	3	Horizontal	36	1.77	79	28.50	4.44	-				
AV	2.39G	52.49	54.00	-1.51	19.55	3	Horizontal	36	1.77	79	28.50	4.44	-				
PK	2.413G	113.32	Inf	-Inf	80.45	3	Horizontal	36	1.77	79	28.40	4.47	-				
AV	2.4113G	109.41	Inf	-Inf	76.54	3	Horizontal	36	1.77	79	28.40	4.47	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX

EUT_Y_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82184G	42.17	74.00	-31.83	66.42	3	Vertical	18	1.80	79	33.16	7.56	64.97			
AV	4.82404G	29.06	54.00	-24.94	53.32	3	Vertical	18	1.80	79	33.15	7.56	64.97			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81724G	42.09	74.00	-31.91	66.34	3	Horizontal	17	1.82	79	33.17	7.55	64.97			
AV	4.824G	31.16	54.00	-22.84	55.42	3	Horizontal	17	1.82	79	33.15	7.56	64.97			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3878G	62.93	74.00	-11.07	29.99	3	Vertical	0	1.95	-	28.50	4.44	-				
AV	2.3882G	53.60	54.00	-0.40	20.66	3	Vertical	0	1.95	-	28.50	4.44	-				
PK	2.4182G	113.78	Inf	-Inf	80.90	3	Vertical	0	1.95	-	28.40	4.48	-				
AV	2.4178G	109.42	Inf	-Inf	76.54	3	Vertical	0	1.95	-	28.40	4.48	-				
PK	2.4998G	60.05	74.00	-13.95	26.64	3	Vertical	0	1.95	-	28.80	4.61	-				
AV	2.4858G	47.61	54.00	-6.39	14.32	3	Vertical	0	1.95	-	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT_Z_1TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	63.45	74.00	-10.55	30.51	3	Horizontal	35	2.11	-	28.50	4.44	-			
AV	2.3898G	53.22	54.00	-0.78	20.28	3	Horizontal	35	2.11	-	28.50	4.44	-			
PK	2.4182G	115.29	Inf	-Inf	82.41	3	Horizontal	35	2.11	-	28.40	4.48	-			
AV	2.4162G	110.92	Inf	-Inf	78.04	3	Horizontal	35	2.11	-	28.40	4.48	-			
PK	2.4862G	59.08	74.00	-14.92	25.79	3	Horizontal	35	2.11	-	28.70	4.59	-			
AV	2.4835G	47.82	54.00	-6.18	14.54	3	Horizontal	35	2.11	-	28.70	4.58	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
73\96\108
5.76\4.45\4.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38868G	57.94	74.00	-16.06	25.00	3	Vertical	1	1.96	108	28.50	4.44	-				
AV	2.38836G	48.75	54.00	-5.25	15.81	3	Vertical	1	1.96	108	28.50	4.44	-				
PK	2.43604G	111.80	Inf	-Inf	78.89	3	Vertical	1	1.96	108	28.40	4.51	-				
AV	2.43636G	108.28	Inf	-Inf	75.37	3	Vertical	1	1.96	108	28.40	4.51	-				
PK	2.48564G	59.01	74.00	-14.99	25.72	3	Vertical	1	1.96	108	28.70	4.59	-				
AV	2.48532G	49.68	54.00	-4.32	16.39	3	Vertical	1	1.96	108	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 108
108
4.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38868G	59.61	74.00	-14.39	26.67	3	Horizontal	34	1.93	108	28.50	4.44	-				
AV	2.3882G	49.27	54.00	-4.73	16.33	3	Horizontal	34	1.93	108	28.50	4.44	-				
PK	2.43604G	113.09	Inf	-Inf	80.18	3	Horizontal	34	1.93	108	28.40	4.51	-				
AV	2.4362G	109.51	Inf	-Inf	76.60	3	Horizontal	34	1.93	108	28.40	4.51	-				
PK	2.48564G	59.60	74.00	-14.40	26.31	3	Horizontal	34	1.93	108	28.70	4.59	-				
AV	2.48532G	49.99	54.00	-4.01	16.70	3	Horizontal	34	1.93	108	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86556G	42.29	74.00	-31.71	66.58	3	Vertical	0	2.04	108	33.10	7.57	64.96				
AV	4.874G	30.50	54.00	-23.50	54.79	3	Vertical	0	2.04	108	33.10	7.57	64.96				
PK	7.31232G	48.12	74.00	-25.88	68.87	3	Vertical	277	1.80	108	36.42	9.36	66.53				
AV	7.31188G	38.95	54.00	-15.05	59.69	3	Vertical	277	1.80	108	36.42	9.36	66.52				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX

EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87372G	43.20	74.00	-30.80	67.49	3	Horizontal	10	1.92	108	33.10	7.57	64.96				
AV	4.87408G	30.90	54.00	-23.10	55.19	3	Horizontal	10	1.92	108	33.10	7.57	64.96				
PK	7.31232G	50.57	74.00	-23.43	71.32	3	Horizontal	280	1.80	108	36.42	9.36	66.53				
AV	7.3118G	43.50	54.00	-10.50	64.24	3	Horizontal	280	1.80	108	36.42	9.36	66.52				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3642G	59.06	74.00	-14.94	26.24	3	Vertical	3	2.39	-	28.40	4.42	-			
AV	2.387G	46.93	54.00	-7.07	13.99	3	Vertical	3	2.39	-	28.50	4.44	-			
PK	2.4582G	112.69	Inf	-Inf	79.57	3	Vertical	3	2.39	-	28.58	4.54	-			
AV	2.4578G	108.42	Inf	-Inf	75.30	3	Vertical	3	2.39	-	28.58	4.54	-			
PK	2.4846G	62.92	74.00	-11.08	29.63	3	Vertical	3	2.39	-	28.70	4.59	-			
AV	2.4835G	53.06	54.00	-0.94	19.78	3	Vertical	3	2.39	-	28.70	4.58	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Z_1TX
Setting 75
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	59.04	74.00	-14.96	26.10	3	Horizontal	34	1.87	-	28.50	4.44	-			
AV	2.3878G	47.21	54.00	-6.79	14.27	3	Horizontal	34	1.87	-	28.50	4.44	-			
PK	2.4582G	114.17	Inf	-Inf	81.05	3	Horizontal	34	1.87	-	28.58	4.54	-			
AV	2.4578G	109.87	Inf	-Inf	76.75	3	Horizontal	34	1.87	-	28.58	4.54	-			
PK	2.4835G	65.18	74.00	-8.82	31.90	3	Horizontal	34	1.87	-	28.70	4.58	-			
AV	2.4835G	53.47	54.00	-0.53	20.19	3	Horizontal	34	1.87	-	28.70	4.58	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 76
79\50\81\66\73\76\77\76
-10.70\7.92\13.47\7.21\1.93\1.40\4.19\1.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.463G	111.20	Inf	-Inf	78.02	3	Vertical	0	1.66	76	28.63	4.55	-			
AV	2.4613G	107.37	Inf	-Inf	74.21	3	Vertical	0	1.66	76	28.61	4.55	-			
PK	2.4862G	61.52	74.00	-12.48	28.23	3	Vertical	0	1.66	76	28.70	4.59	-			
AV	2.4863G	52.71	54.00	-1.29	19.42	3	Vertical	0	1.66	76	28.70	4.59	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 76
76
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.463G	113.58	Inf	-Inf	80.40	3	Horizontal	32	1.86	76	28.63	4.55	-				
AV	2.4627G	109.67	Inf	-Inf	76.49	3	Horizontal	32	1.86	76	28.63	4.55	-				
PK	2.4876G	63.09	74.00	-10.91	29.80	3	Horizontal	32	1.86	76	28.70	4.59	-				
AV	2.4872G	53.60	54.00	-0.40	20.31	3	Horizontal	32	1.86	76	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92568G	41.69	74.00	-32.31	65.85	3	Vertical	116	2.71	76	33.20	7.58	64.94				
AV	4.92388G	29.40	54.00	-24.60	53.56	3	Vertical	116	2.71	76	33.20	7.58	64.94				
PK	7.38496G	50.36	74.00	-23.64	71.19	3	Vertical	278	1.71	76	36.57	9.36	66.76				
AV	7.3868G	42.75	54.00	-11.25	63.59	3	Vertical	278	1.71	76	36.57	9.36	66.77				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90792G	42.01	74.00	-31.99	66.25	3	Horizontal	22	2.42	76	33.13	7.58	64.95				
AV	4.924G	28.88	54.00	-25.12	53.04	3	Horizontal	22	2.42	76	33.20	7.58	64.94				
PK	7.38464G	52.83	74.00	-21.17	73.66	3	Horizontal	277	1.80	76	36.57	9.36	66.76				
AV	7.38672G	46.15	54.00	-7.85	66.99	3	Horizontal	277	1.80	76	36.57	9.36	66.77				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
70\88\66\77\72\74\73\72
4.51\ -17.47\5.57\ -14.44\1.58\ -2.00\ -0.19\1.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.39G	64.55	74.00	-9.45	31.61	3	Vertical	360	2.00	72	28.50	4.44	-				
AV	2.39G	52.40	54.00	-1.60	19.46	3	Vertical	360	2.00	72	28.50	4.44	-				
PK	2.4185G	109.79	Inf	-Inf	76.91	3	Vertical	360	2.00	72	28.40	4.48	-				
AV	2.4188G	100.74	Inf	-Inf	67.86	3	Vertical	360	2.00	72	28.40	4.48	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
72
0.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.3896G	64.10	74.00	-9.90	31.16	3	Horizontal	32	1.92	72	28.50	4.44	-					
AV	2.3893G	53.30	54.00	-0.70	20.36	3	Horizontal	32	1.92	72	28.50	4.44	-					
PK	2.4165G	110.15	Inf	-Inf	77.27	3	Horizontal	32	1.92	72	28.40	4.48	-					
AV	2.4186G	102.12	Inf	-Inf	69.24	3	Horizontal	32	1.92	72	28.40	4.48	-					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81404G	41.50	74.00	-32.50	65.75	3	Vertical	256	1.80	72	33.17	7.55	64.97			
AV	4.8096G	29.95	54.00	-24.05	54.19	3	Vertical	256	1.80	72	33.18	7.55	64.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81352G	41.51	74.00	-32.49	65.76	3	Horizontal	116	2.92	72	33.17	7.55	64.97			
AV	4.81168G	30.20	54.00	-23.80	54.44	3	Horizontal	116	2.92	72	33.18	7.55	64.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 74
72\92\82\77\75\74
5.13\1.92\2.03\2.11\1.81\3.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38948G	59.48	74.00	-14.52	26.54	3	Vertical	358	1.80	74	28.50	4.44	-				
AV	2.3898G	50.09	54.00	-3.91	17.15	3	Vertical	358	1.80	74	28.50	4.44	-				
PK	2.44084G	109.76	Inf	-Inf	76.83	3	Vertical	358	1.80	74	28.41	4.52	-				
AV	2.43012G	101.72	Inf	-Inf	68.82	3	Vertical	358	1.80	74	28.40	4.50	-				
PK	2.4835G	60.17	74.00	-13.83	26.89	3	Vertical	358	1.80	74	28.70	4.58	-				
AV	2.48436G	50.88	54.00	-3.12	17.60	3	Vertical	358	1.80	74	28.70	4.58	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Z_1TX
SET 74
74
3.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3898G	60.12	74.00	-13.88	27.18	3	Horizontal	33	1.93	74	28.50	4.44	-				
AV	2.38932G	49.98	54.00	-4.02	17.04	3	Horizontal	33	1.93	74	28.50	4.44	-				
PK	2.43412G	111.98	Inf	-Inf	79.08	3	Horizontal	33	1.93	74	28.40	4.50	-				
AV	2.43204G	103.24	Inf	-Inf	70.34	3	Horizontal	33	1.93	74	28.40	4.50	-				
PK	2.48612G	61.25	74.00	-12.75	27.96	3	Horizontal	33	1.93	74	28.70	4.59	-				
AV	2.48596G	50.71	54.00	-3.29	17.42	3	Horizontal	33	1.93	74	28.70	4.59	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86376G	42.32	74.00	-31.68	66.61	3	Vertical	358	1.32	74	33.10	7.57	64.96				
AV	4.8728G	30.35	54.00	-23.65	54.64	3	Vertical	358	1.32	74	33.10	7.57	64.96				
PK	7.32248G	45.48	74.00	-28.52	66.24	3	Vertical	288	1.77	74	36.44	9.36	66.56				
AV	7.30716G	34.07	54.00	-19.93	54.81	3	Vertical	288	1.77	74	36.41	9.36	66.51				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX

EUT_Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.88404G	41.93	74.00	-32.07	66.21	3	Horizontal	169	1.80	74	33.10	7.57	64.95			
AV	4.87552G	30.28	54.00	-23.72	54.56	3	Horizontal	169	1.80	74	33.10	7.57	64.95			
PK	7.30996G	47.44	74.00	-26.56	68.18	3	Horizontal	275	1.80	74	36.42	9.36	66.52			
AV	7.31028G	36.12	54.00	-17.88	56.86	3	Horizontal	275	1.80	74	36.42	9.36	66.52			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 70
72\64\76\70\73\70
-1.90\6.07\16.20\2.99\4.80\3.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4659G	108.29	Inf	-Inf	75.07	3	Vertical	0	1.58	70	28.66	4.56	-			
AV	2.4687G	99.74	Inf	-Inf	66.49	3	Vertical	0	1.58	70	28.69	4.56	-			
PK	2.4839G	63.09	74.00	-10.91	29.81	3	Vertical	0	1.58	70	28.70	4.58	-			
AV	2.4835G	50.53	54.00	-3.47	17.25	3	Vertical	0	1.58	70	28.70	4.58	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Z_1TX
SET 70
70
3.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4657G	110.51	Inf	-Inf	77.29	3	Horizontal	31	1.87	70	28.66	4.56	-			
AV	2.4667G	101.86	Inf	-Inf	68.63	3	Horizontal	31	1.87	70	28.67	4.56	-			
PK	2.4835G	63.59	74.00	-10.41	30.31	3	Horizontal	31	1.87	70	28.70	4.58	-			
AV	2.4837G	50.98	54.00	-3.02	17.70	3	Horizontal	31	1.87	70	28.70	4.58	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX

EUT_Y_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.94108G	42.61	74.00	-31.39	66.70	3	Vertical	60	1.80	70	33.26	7.59	64.94				
AV	4.90644G	30.19	54.00	-23.81	54.43	3	Vertical	60	1.80	70	33.13	7.58	64.95				
PK	7.38428G	47.21	74.00	-26.79	68.04	3	Vertical	277	1.80	70	36.57	9.36	66.76				
AV	7.38644G	35.22	54.00	-18.78	56.05	3	Vertical	277	1.80	70	36.57	9.36	66.76				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX

EUT_Y_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9424G	41.45	74.00	-32.55	65.53	3	Horizontal	102	1.80	70	33.27	7.59	64.94			
AV	4.93632G	30.48	54.00	-23.52	54.59	3	Horizontal	102	1.80	70	33.25	7.58	64.94			
PK	7.38432G	48.57	74.00	-25.43	69.40	3	Horizontal	283	1.78	70	36.57	9.36	66.76			
AV	7.38524G	37.23	54.00	-16.77	58.06	3	Horizontal	283	1.78	70	36.57	9.36	66.76			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
70\85\66\75\71\73\72
3.93\22.33\5.66\6.78\3.68\0.77\1.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3894G	62.30	74.00	-11.70	29.36	3	Vertical	0	1.97	72	28.50	4.44	-				
AV	2.3897G	52.08	54.00	-1.92	19.14	3	Vertical	0	1.97	72	28.50	4.44	-				
PK	2.4206G	110.72	Inf	-Inf	77.84	3	Vertical	0	1.97	72	28.40	4.48	-				
AV	2.4199G	100.20	Inf	-Inf	67.32	3	Vertical	0	1.97	72	28.40	4.48	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Z_1TX
SET 72
72
1.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3886G	64.44	74.00	-9.56	31.50	3	Horizontal	33	1.93	72	28.50	4.44	-				
AV	2.3895G	52.58	54.00	-1.42	19.64	3	Horizontal	33	1.93	72	28.50	4.44	-				
PK	2.4187G	112.88	Inf	-Inf	80.00	3	Horizontal	33	1.93	72	28.40	4.48	-				
AV	2.4185G	101.30	Inf	-Inf	68.42	3	Horizontal	33	1.93	72	28.40	4.48	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.80772G	41.29	74.00	-32.71	65.53	3	Vertical	147	1.80	72	33.18	7.55	64.97			
AV	4.81156G	30.03	54.00	-23.97	54.27	3	Vertical	147	1.80	72	33.18	7.55	64.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8106G	41.51	74.00	-32.49	65.75	3	Horizontal	360	1.80	72	33.18	7.55	64.97			
AV	4.8424G	30.09	54.00	-23.91	54.37	3	Horizontal	360	1.80	72	33.12	7.56	64.96			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 74
72\91\69\80\75\73\74
4.85\5.60\5.64\6.06\6.84\3.44\3.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38964G	61.11	74.00	-12.89	28.17	3	Vertical	356	1.94	74	28.50	4.44	-				
AV	2.38836G	49.77	54.00	-4.23	16.83	3	Vertical	356	1.94	74	28.50	4.44	-				
PK	2.43412G	112.40	Inf	-Inf	79.50	3	Vertical	356	1.94	74	28.40	4.50	-				
AV	2.43388G	100.97	Inf	-Inf	68.07	3	Vertical	356	1.94	74	28.40	4.50	-				
PK	2.48388G	60.12	74.00	-13.88	26.84	3	Vertical	356	1.94	74	28.70	4.58	-				
AV	2.4835G	50.95	54.00	-3.05	17.67	3	Vertical	356	1.94	74	28.70	4.58	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Z_1TX
SET 74
74
2.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38932G	63.08	74.00	-10.92	30.14	3	Horizontal	34	1.91	74	28.50	4.44	-				
AV	2.3898G	50.64	54.00	-3.36	17.70	3	Horizontal	34	1.91	74	28.50	4.44	-				
PK	2.43172G	112.20	Inf	-Inf	79.30	3	Horizontal	34	1.91	74	28.40	4.50	-				
AV	2.43076G	102.56	Inf	-Inf	69.66	3	Horizontal	34	1.91	74	28.40	4.50	-				
PK	2.48388G	62.38	74.00	-11.62	29.10	3	Horizontal	34	1.91	74	28.70	4.58	-				
AV	2.4835G	51.74	54.00	-2.26	18.46	3	Horizontal	34	1.91	74	28.70	4.58	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.88824G	41.71	74.00	-32.29	65.99	3	Vertical	44	1.80	74	33.10	7.57	64.95			
AV	4.872G	30.29	54.00	-23.71	54.58	3	Vertical	44	1.80	74	33.10	7.57	64.96			
PK	7.3266G	45.32	74.00	-28.68	66.08	3	Vertical	278	1.80	74	36.45	9.36	66.57			
AV	7.3252G	34.24	54.00	-19.76	55.00	3	Vertical	278	1.80	74	36.45	9.36	66.57			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX


2437MHz_TX

EUT_Y_1TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87544G	42.02	74.00	-31.98	66.30	3	Horizontal	273	1.80	74	33.10	7.57	64.95			
AV	4.86404G	30.38	54.00	-23.62	54.67	3	Horizontal	273	1.80	74	33.10	7.57	64.96			
PK	7.33008G	48.26	74.00	-25.74	69.02	3	Horizontal	280	1.80	74	36.46	9.36	66.58			
AV	7.31216G	36.56	54.00	-17.44	57.31	3	Horizontal	280	1.80	74	36.42	9.36	66.53			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 72
72
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4629G	110.43	Inf	-Inf	77.25	3	Vertical	0	1.60	72	28.63	4.55	-			
AV	2.4693G	100.19	Inf	-Inf	66.94	3	Vertical	0	1.60	72	28.69	4.56	-			
PK	2.4835G	64.63	74.00	-9.37	31.35	3	Vertical	0	1.60	72	28.70	4.58	-			
AV	2.484G	53.60	54.00	-0.40	20.32	3	Vertical	0	1.60	72	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Z_1TX
SET 72
72
0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4696G	111.93	Inf	-Inf	78.67	3	Horizontal	6	1.83	72	28.70	4.56	-			
AV	2.4641G	101.32	Inf	-Inf	68.13	3	Horizontal	6	1.83	72	28.64	4.55	-			
PK	2.4835G	64.99	74.00	-9.01	31.71	3	Horizontal	6	1.83	72	28.70	4.58	-			
AV	2.4843G	53.31	54.00	-0.69	20.03	3	Horizontal	6	1.83	72	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX


2462MHz_TX

EUT_Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93888G	42.22	74.00	-31.78	66.32	3	Vertical	10	1.80	72	33.26	7.58	64.94				
AV	4.90864G	30.40	54.00	-23.60	54.64	3	Vertical	10	1.80	72	33.13	7.58	64.95				
PK	7.38892G	46.90	74.00	-27.10	67.73	3	Vertical	273	1.74	72	36.58	9.36	66.77				
AV	7.3832G	35.03	54.00	-18.97	55.85	3	Vertical	273	1.74	72	36.57	9.36	66.75				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX


2462MHz_TX

EUT_Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.94168G	42.13	74.00	-31.87	66.21	3	Horizontal	30	1.80	72	33.27	7.59	64.94				
AV	4.93996G	30.60	54.00	-23.40	54.70	3	Horizontal	30	1.80	72	33.26	7.58	64.94				
PK	7.39568G	48.97	74.00	-25.03	69.81	3	Horizontal	284	1.72	72	36.59	9.36	66.79				
AV	7.3858G	37.28	54.00	-16.72	58.11	3	Horizontal	284	1.72	72	36.57	9.36	66.76				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 71
70\86\66\76\71\73\72\71
4.10\14.58\5.99\9.84\4.72\3.33\3.82\3.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3878G	60.37	74.00	-13.63	27.43	3	Vertical	0	2.00	71	28.50	4.44	-				
AV	2.387G	50.53	54.00	-3.47	17.59	3	Vertical	0	2.00	71	28.50	4.44	-				
PK	2.413G	115.39	Inf	-Inf	82.52	3	Vertical	0	2.00	71	28.40	4.47	-				
AV	2.4113G	111.40	Inf	-Inf	78.53	3	Vertical	0	2.00	71	28.40	4.47	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 71
71
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	61.07	74.00	-12.93	28.13	3	Horizontal	324	1.96	71	28.50	4.44	-			
AV	2.3877G	52.21	54.00	-1.79	19.27	3	Horizontal	324	1.96	71	28.50	4.44	-			
PK	2.4129G	113.08	Inf	-Inf	80.21	3	Horizontal	324	1.96	71	28.40	4.47	-			
AV	2.4127G	109.07	Inf	-Inf	76.20	3	Horizontal	324	1.96	71	28.40	4.47	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.82068G	41.56	74.00	-32.44	65.81	3	Vertical	18	1.79	71	33.16	7.56	64.97				
AV	4.82416G	29.99	54.00	-24.01	54.25	3	Vertical	18	1.79	71	33.15	7.56	64.97				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX

EUT_Y_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.824G	42.50	74.00	-31.50	66.78	3	Horizontal	16	1.85	71	33.12	7.56	64.96			
AV	4.82404G	31.43	54.00	-22.57	55.69	3	Horizontal	16	1.85	71	33.15	7.56	64.97			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 79
71\98\85\79\82\81\80\79
6.76\ -0.44\ -0.26\ 1.16\ -0.48\ -0.41\ -0.58\ 1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38852G	60.71	74.00	-13.29	27.77	3	Vertical	360	1.95	79	28.50	4.44	-				
AV	2.38836G	52.80	54.00	-1.20	19.86	3	Vertical	360	1.95	79	28.50	4.44	-				
PK	2.43604G	116.76	Inf	-Inf	83.85	3	Vertical	360	1.95	79	28.40	4.51	-				
AV	2.4362G	113.12	Inf	-Inf	80.21	3	Vertical	360	1.95	79	28.40	4.51	-				
PK	2.48372G	59.80	74.00	-14.20	26.52	3	Vertical	360	1.95	79	28.70	4.58	-				
AV	2.4835G	50.29	54.00	-3.71	17.01	3	Vertical	360	1.95	79	28.70	4.58	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 79
79
2.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38788G	59.61	74.00	-14.39	26.67	3	Horizontal	42	1.60	79	28.50	4.44	-				
AV	2.38836G	51.61	54.00	-2.39	18.67	3	Horizontal	42	1.60	79	28.50	4.44	-				
PK	2.43604G	113.84	Inf	-Inf	80.93	3	Horizontal	42	1.60	79	28.40	4.51	-				
AV	2.4362G	110.22	Inf	-Inf	77.31	3	Horizontal	42	1.60	79	28.40	4.51	-				
PK	2.4835G	59.64	74.00	-14.36	26.36	3	Horizontal	42	1.60	79	28.70	4.58	-				
AV	2.48516G	49.91	54.00	-4.09	16.62	3	Horizontal	42	1.60	79	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87752G	42.49	74.00	-31.51	66.77	3	Vertical	217	1.80	79	33.10	7.57	64.95				
AV	4.87408G	30.84	54.00	-23.16	55.13	3	Vertical	217	1.80	79	33.10	7.57	64.96				
PK	7.30996G	49.60	74.00	-24.40	70.34	3	Vertical	290	1.43	79	36.42	9.36	66.52				
AV	7.31028G	41.28	54.00	-12.72	62.02	3	Vertical	290	1.43	79	36.42	9.36	66.52				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8738G	42.43	74.00	-31.57	66.72	3	Horizontal	14	1.06	79	33.10	7.57	64.96				
AV	4.87408G	32.63	54.00	-21.37	56.92	3	Horizontal	14	1.06	79	33.10	7.57	64.96				
PK	7.31228G	51.09	74.00	-22.91	71.84	3	Horizontal	282	1.73	79	36.42	9.36	66.53				
AV	7.31176G	43.59	54.00	-10.41	64.33	3	Horizontal	282	1.73	79	36.42	9.36	66.52				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 70
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3794G	58.91	74.00	-15.09	25.99	3	Vertical	4	2.14	-	28.49	4.43	-			
AV	2.3882G	47.24	54.00	-6.76	14.30	3	Vertical	4	2.14	-	28.50	4.44	-			
PK	2.4582G	116.94	Inf	-Inf	83.82	3	Vertical	4	2.14	-	28.58	4.54	-			
AV	2.4562G	112.68	Inf	-Inf	79.58	3	Vertical	4	2.14	-	28.56	4.54	-			
PK	2.4874G	62.14	74.00	-11.86	28.85	3	Vertical	4	2.14	-	28.70	4.59	-			
AV	2.4866G	50.84	54.00	-3.16	17.55	3	Vertical	4	2.14	-	28.70	4.59	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Z_2TX
Setting 70
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3718G	59.12	74.00	-14.88	26.27	3	Horizontal	328	1.89	-	28.42	4.43	-				
AV	2.3894G	47.34	54.00	-6.66	14.40	3	Horizontal	328	1.89	-	28.50	4.44	-				
PK	2.4578G	116.05	Inf	-Inf	82.93	3	Horizontal	328	1.89	-	28.58	4.54	-				
AV	2.4562G	111.98	Inf	-Inf	78.88	3	Horizontal	328	1.89	-	28.56	4.54	-				
PK	2.4838G	62.98	74.00	-11.02	29.70	3	Horizontal	328	1.89	-	28.70	4.58	-				
AV	2.4835G	53.49	54.00	-0.51	20.21	3	Horizontal	328	1.89	-	28.70	4.58	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 67
71\67\75\67
-0.97\4.53\ -6.69\4.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.461G	113.28	Inf	-Inf	80.12	3	Vertical	4	1.76	67	28.61	4.55	-				
AV	2.4627G	109.35	Inf	-Inf	76.17	3	Vertical	4	1.76	67	28.63	4.55	-				
PK	2.4838G	60.33	74.00	-13.67	27.05	3	Vertical	4	1.76	67	28.70	4.58	-				
AV	2.4838G	49.01	54.00	-4.99	15.73	3	Vertical	4	1.76	67	28.70	4.58	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 67
67
5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.461G	111.48	Inf	-Inf	78.32	3	Horizontal	330	1.89	67	28.61	4.55	-				
AV	2.4612G	107.60	Inf	-Inf	74.44	3	Horizontal	330	1.89	67	28.61	4.55	-				
PK	2.485G	58.76	74.00	-15.24	25.47	3	Horizontal	330	1.89	67	28.70	4.59	-				
AV	2.4869G	48.88	54.00	-5.12	15.59	3	Horizontal	330	1.89	67	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92992G	41.44	74.00	-32.56	65.58	3	Vertical	111	1.80	67	33.22	7.58	64.94				
AV	4.92392G	28.31	54.00	-25.69	52.47	3	Vertical	111	1.80	67	33.20	7.58	64.94				
PK	7.38692G	47.82	74.00	-26.18	68.66	3	Vertical	290	1.80	67	36.57	9.36	66.77				
AV	7.385G	36.60	54.00	-17.40	57.43	3	Vertical	290	1.80	67	36.57	9.36	66.76				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX

EUT_Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92392G	41.80	74.00	-32.20	65.96	3	Horizontal	141	1.80	67	33.20	7.58	64.94			
AV	4.92404G	29.26	54.00	-24.74	53.42	3	Horizontal	141	1.80	67	33.20	7.58	64.94			
PK	7.38476G	49.05	74.00	-24.95	69.88	3	Horizontal	283	1.78	67	36.57	9.36	66.76			
AV	7.38532G	39.96	54.00	-14.04	60.79	3	Horizontal	283	1.78	67	36.57	9.36	66.76			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 71
70\80\66\73\71\72\71
2.73\ -17.48\4.73\ -6.40\0.51\ -2.36\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3899G	66.60	74.00	-7.40	33.66	3	Vertical	2	2.00	71	28.50	4.44	-			
AV	2.39G	53.62	54.00	-0.38	20.68	3	Vertical	2	2.00	71	28.50	4.44	-			
PK	2.4168G	114.00	Inf	-Inf	81.12	3	Vertical	2	2.00	71	28.40	4.48	-			
AV	2.417G	105.24	Inf	-Inf	72.36	3	Vertical	2	2.00	71	28.40	4.48	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
71\59\70
-2.97\5.96\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3897G	63.94	74.00	-10.06	31.00	3	Horizontal	0	1.72	70	28.50	4.44	-			
AV	2.3899G	53.31	54.00	-0.69	20.37	3	Horizontal	0	1.72	70	28.50	4.44	-			
PK	2.4144G	113.54	Inf	-Inf	80.67	3	Horizontal	0	1.72	70	28.40	4.47	-			
AV	2.4147G	105.18	Inf	-Inf	72.31	3	Horizontal	0	1.72	70	28.40	4.47	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81856G	41.85	74.00	-32.15	66.11	3	Vertical	136	1.80	70	33.16	7.55	64.97			
AV	4.81308G	29.90	54.00	-24.10	54.15	3	Vertical	136	1.80	70	33.17	7.55	64.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83564G	41.41	74.00	-32.59	65.69	3	Horizontal	15	1.80	70	33.13	7.56	64.97			
AV	4.83524G	30.08	54.00	-23.92	54.36	3	Horizontal	15	1.80	70	33.13	7.56	64.97			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 74
70\92\67\79\73\76\75\74
5.70\6.26\6.30\6.43\3.72\2.77\1.74\2.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38692G	60.65	74.00	-13.35	27.71	3	Vertical	9	1.80	74	28.50	4.44	-			
AV	2.38996G	51.01	54.00	-2.99	18.07	3	Vertical	9	1.80	74	28.50	4.44	-			
PK	2.4418G	114.95	Inf	-Inf	82.01	3	Vertical	9	1.80	74	28.42	4.52	-			
AV	2.4418G	106.34	Inf	-Inf	73.40	3	Vertical	9	1.80	74	28.42	4.52	-			
PK	2.48388G	62.04	74.00	-11.96	28.76	3	Vertical	9	1.80	74	28.70	4.58	-			
AV	2.48676G	51.21	54.00	-2.79	17.92	3	Vertical	9	1.80	74	28.70	4.59	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Z_2TX
SET 74
74
1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38916G	61.90	74.00	-12.10	28.96	3	Horizontal	0	1.86	74	28.50	4.44	-				
AV	2.38996G	52.17	54.00	-1.83	19.23	3	Horizontal	0	1.86	74	28.50	4.44	-				
PK	2.4394G	115.61	Inf	-Inf	82.70	3	Horizontal	0	1.86	74	28.40	4.51	-				
AV	2.44436G	107.33	Inf	-Inf	74.37	3	Horizontal	0	1.86	74	28.44	4.52	-				
PK	2.48404G	61.59	74.00	-12.41	28.31	3	Horizontal	0	1.86	74	28.70	4.58	-				
AV	2.48468G	52.22	54.00	-1.78	18.93	3	Horizontal	0	1.86	74	28.70	4.59	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX

EUT Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86884G	42.10	74.00	-31.90	66.39	3	Vertical	290	1.80	74	33.10	7.57	64.96				
AV	4.87596G	30.44	54.00	-23.56	54.72	3	Vertical	290	1.80	74	33.10	7.57	64.95				
PK	7.3224G	46.85	74.00	-27.15	67.61	3	Vertical	276	1.79	74	36.44	9.36	66.56				
AV	7.31252G	35.83	54.00	-18.17	56.57	3	Vertical	276	1.79	74	36.43	9.36	66.53				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX

EUT Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8616G	42.20	74.00	-31.80	66.49	3	Horizontal	350	1.80	74	33.10	7.57	64.96				
AV	4.87408G	30.55	54.00	-23.45	54.84	3	Horizontal	350	1.80	74	33.10	7.57	64.96				
PK	7.30376G	48.69	74.00	-25.31	69.42	3	Horizontal	271	1.80	74	36.41	9.36	66.50				
AV	7.314G	37.59	54.00	-16.41	58.33	3	Horizontal	271	1.80	74	36.43	9.36	66.53				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 70
70
0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.4571G	112.92	Inf	-Inf	79.81	3	Vertical	2	1.76	70	28.57	4.54	-					
AV	2.4573G	104.17	Inf	-Inf	71.06	3	Vertical	2	1.76	70	28.57	4.54	-					
PK	2.4835G	63.73	74.00	-10.27	30.45	3	Vertical	2	1.76	70	28.70	4.58	-					
AV	2.4835G	53.66	54.00	-0.34	20.38	3	Vertical	2	1.76	70	28.70	4.58	-					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
70\67\68\69
-0.52\2.83\2.15\1.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4546G	113.77	Inf	-Inf	80.68	3	Horizontal	0	1.86	69	28.55	4.54	-			
AV	2.4547G	105.22	Inf	-Inf	72.13	3	Horizontal	0	1.86	69	28.55	4.54	-			
PK	2.484G	62.96	74.00	-11.04	29.68	3	Horizontal	0	1.86	69	28.70	4.58	-			
AV	2.4842G	52.86	54.00	-1.14	19.58	3	Horizontal	0	1.86	69	28.70	4.58	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX

EUT_Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90956G	41.30	74.00	-32.70	65.53	3	Vertical	345	1.05	69	33.14	7.58	64.95				
AV	4.93536G	30.12	54.00	-23.88	54.24	3	Vertical	345	1.05	69	33.24	7.58	64.94				
PK	7.39324G	46.68	74.00	-27.32	67.52	3	Vertical	265	1.80	69	36.59	9.36	66.79				
AV	7.37864G	35.12	54.00	-18.88	55.94	3	Vertical	265	1.80	69	36.56	9.36	66.74				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX

EUT_Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9398G	41.60	74.00	-32.40	65.70	3	Horizontal	219	1.72	69	33.26	7.58	64.94			
AV	4.92376G	30.56	54.00	-23.44	54.72	3	Horizontal	219	1.72	69	33.20	7.58	64.94			
PK	7.38952G	48.97	74.00	-25.03	69.80	3	Horizontal	279	1.80	69	36.58	9.36	66.77			
AV	7.38476G	37.25	54.00	-16.75	58.08	3	Horizontal	279	1.80	69	36.57	9.36	66.76			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
70\75\66\70
1.28\ -21.97\3.83\0.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3897G	62.48	74.00	-11.52	29.54	3	Vertical	1	2.00	70	28.50	4.44	-				
AV	2.3894G	53.03	54.00	-0.97	20.09	3	Vertical	1	2.00	70	28.50	4.44	-				
PK	2.4146G	113.92	Inf	-Inf	81.05	3	Vertical	1	2.00	70	28.40	4.47	-				
AV	2.4144G	104.00	Inf	-Inf	71.13	3	Vertical	1	2.00	70	28.40	4.47	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
70
1.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3878G	61.78	74.00	-12.22	28.84	3	Horizontal	1	1.73	70	28.50	4.44	-				
AV	2.3879G	52.96	54.00	-1.04	20.02	3	Horizontal	1	1.73	70	28.50	4.44	-				
PK	2.4112G	114.85	Inf	-Inf	81.98	3	Horizontal	1	1.73	70	28.40	4.47	-				
AV	2.4107G	104.45	Inf	-Inf	71.58	3	Horizontal	1	1.73	70	28.40	4.47	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.81756G	41.83	74.00	-32.17	66.09	3	Vertical	185	1.34	70	33.16	7.55	64.97				
AV	4.8428G	29.99	54.00	-24.01	54.28	3	Vertical	185	1.34	70	33.11	7.56	64.96				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83956G	41.61	74.00	-32.39	65.89	3	Horizontal	10	1.80	70	33.12	7.56	64.96			
AV	4.81464G	30.27	54.00	-23.73	54.52	3	Horizontal	10	1.80	70	33.17	7.55	64.97			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX



EUT_Z_2TX
SET 74
70\85\66\75\71\73\74
3.89\ -9.34\5.57\ -4.24\3.49\1.06\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38884G	65.22	74.00	-8.78	32.28	3	Vertical	0	1.94	74	28.50	4.44	-			
AV	2.38932G	53.98	54.00	-0.02	21.04	3	Vertical	0	1.94	74	28.50	4.44	-			
PK	2.44212G	114.97	Inf	-Inf	82.03	3	Vertical	0	1.94	74	28.42	4.52	-			
AV	2.43956G	105.65	Inf	-Inf	72.74	3	Vertical	0	1.94	74	28.40	4.51	-			
PK	2.48468G	63.27	74.00	-10.73	29.98	3	Vertical	0	1.94	74	28.70	4.59	-			
AV	2.48468G	53.51	54.00	-0.49	20.22	3	Vertical	0	1.94	74	28.70	4.59	-			