


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 73
74\73
-0.01\1.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38804G	61.39	74.00	-12.61	28.45	3	Horizontal	0	1.67	73	28.50	4.44	-				
AV	2.38788G	51.39	54.00	-2.61	18.45	3	Horizontal	0	1.67	73	28.50	4.44	-				
PK	2.4434G	117.75	Inf	-Inf	84.80	3	Horizontal	0	1.67	73	28.43	4.52	-				
AV	2.44324G	106.02	Inf	-Inf	73.07	3	Horizontal	0	1.67	73	28.43	4.52	-				
PK	2.48516G	62.39	74.00	-11.61	29.10	3	Horizontal	0	1.67	73	28.70	4.59	-				
AV	2.4835G	52.38	54.00	-1.62	19.10	3	Horizontal	0	1.67	73	28.70	4.58	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2437MHz_TX

EUT_Y_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8776G	41.75	74.00	-32.25	66.03	3	Vertical	237	1.80	73	33.10	7.57	64.95				
AV	4.87828G	30.36	54.00	-23.64	54.64	3	Vertical	237	1.80	73	33.10	7.57	64.95				
PK	7.32148G	45.89	74.00	-28.11	66.65	3	Vertical	274	1.80	73	36.44	9.36	66.56				
AV	7.32744G	34.23	54.00	-19.77	54.99	3	Vertical	274	1.80	73	36.45	9.36	66.57				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2437MHz_TX

EUT_Y_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85584G	41.79	74.00	-32.21	66.09	3	Horizontal	0	1.80	73	33.10	7.56	64.96				
AV	4.86296G	30.46	54.00	-23.54	54.75	3	Horizontal	0	1.80	73	33.10	7.57	64.96				
PK	7.32748G	47.02	74.00	-26.98	67.78	3	Horizontal	278	1.79	73	36.45	9.36	66.57				
AV	7.30492G	36.39	54.00	-17.61	57.12	3	Horizontal	278	1.79	73	36.41	9.36	66.50				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 70
70
0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4546G	113.49	Inf	-Inf	80.40	3	Vertical	0	1.65	70	28.55	4.54	-				
AV	2.4598G	103.84	Inf	-Inf	70.69	3	Vertical	0	1.65	70	28.60	4.55	-				
PK	2.4841G	63.74	74.00	-10.26	30.46	3	Vertical	0	1.65	70	28.70	4.58	-				
AV	2.4845G	53.91	54.00	-0.09	20.62	3	Vertical	0	1.65	70	28.70	4.59	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 70
70
0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4657G	114.32	Inf	-Inf	81.10	3	Horizontal	1	1.88	70	28.66	4.56	-			
AV	2.4533G	104.75	Inf	-Inf	71.68	3	Horizontal	1	1.88	70	28.53	4.54	-			
PK	2.4857G	64.66	74.00	-9.34	31.37	3	Horizontal	1	1.88	70	28.70	4.59	-			
AV	2.4835G	53.98	54.00	-0.02	20.70	3	Horizontal	1	1.88	70	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92832G	41.62	74.00	-32.38	65.77	3	Vertical	7	2.22	70	33.21	7.58	64.94				
AV	4.94116G	30.33	54.00	-23.67	54.42	3	Vertical	7	2.22	70	33.26	7.59	64.94				
PK	7.38496G	46.99	74.00	-27.01	67.82	3	Vertical	272	1.79	70	36.57	9.36	66.76				
AV	7.38716G	35.12	54.00	-18.88	55.96	3	Vertical	272	1.79	70	36.57	9.36	66.77				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91748G	41.92	74.00	-32.08	66.11	3	Horizontal	0	1.80	70	33.17	7.58	64.94			
AV	4.9374G	30.38	54.00	-23.62	54.49	3	Horizontal	0	1.80	70	33.25	7.58	64.94			
PK	7.38272G	48.06	74.00	-25.94	68.88	3	Horizontal	285	1.82	70	36.57	9.36	66.75			
AV	7.38308G	36.68	54.00	-17.32	57.50	3	Horizontal	285	1.82	70	36.57	9.36	66.75			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
70\73\66\69\70
0.83\11.03\3.95\2.57\1.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3862G	63.04	74.00	-10.96	30.10	3	Vertical	0	1.98	70	28.50	4.44	-				
AV	2.3899G	52.56	54.00	-1.44	19.62	3	Vertical	0	1.98	70	28.50	4.44	-				
PK	2.417G	113.17	Inf	-Inf	80.29	3	Vertical	0	1.98	70	28.40	4.48	-				
AV	2.4133G	102.76	Inf	-Inf	69.89	3	Vertical	0	1.98	70	28.40	4.47	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Z_2TX
SET 70
70
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.389G	63.94	74.00	-10.06	31.00	3	Horizontal	0	1.74	70	28.50	4.44	-				
AV	2.39G	53.51	54.00	-0.49	20.57	3	Horizontal	0	1.74	70	28.50	4.44	-				
PK	2.4106G	113.38	Inf	-Inf	80.51	3	Horizontal	0	1.74	70	28.40	4.47	-				
AV	2.4146G	103.10	Inf	-Inf	70.23	3	Horizontal	0	1.74	70	28.40	4.47	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.809G	41.52	74.00	-32.48	65.76	3	Vertical	166	1.80	70	33.18	7.55	64.97			
AV	4.81752G	30.02	54.00	-23.98	54.28	3	Vertical	166	1.80	70	33.16	7.55	64.97			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2412MHz_TX

EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.813G	41.44	74.00	-32.56	65.69	3	Horizontal	31	1.06	70	33.17	7.55	64.97			
AV	4.83724G	30.09	54.00	-23.91	54.37	3	Horizontal	31	1.06	70	33.13	7.56	64.97			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_2TX
SET 74
70\88\66\77\72\74\75\74
4.67\ -7.93\5.58\ -7.99\3.55\1.17\ -2.67\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38996G	63.12	74.00	-10.88	30.18	3	Vertical	10	1.81	74	28.50	4.44	-			
AV	2.38964G	53.17	54.00	-0.83	20.23	3	Vertical	10	1.81	74	28.50	4.44	-			
PK	2.43588G	114.31	Inf	-Inf	81.40	3	Vertical	10	1.81	74	28.40	4.51	-			
AV	2.44404G	103.68	Inf	-Inf	70.72	3	Vertical	10	1.81	74	28.44	4.52	-			
PK	2.4842G	62.68	74.00	-11.32	29.40	3	Vertical	10	1.81	74	28.70	4.58	-			
AV	2.48468G	52.87	54.00	-1.13	19.58	3	Vertical	10	1.81	74	28.70	4.59	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Z_TX
SET 74
74
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38996G	62.84	74.00	-11.16	29.90	3	Horizontal	360	1.65	74	28.50	4.44	-			
AV	2.3898G	52.75	54.00	-1.25	19.81	3	Horizontal	360	1.65	74	28.50	4.44	-			
PK	2.43956G	116.14	Inf	-Inf	83.23	3	Horizontal	360	1.65	74	28.40	4.51	-			
AV	2.4418G	105.19	Inf	-Inf	72.25	3	Horizontal	360	1.65	74	28.42	4.52	-			
PK	2.48404G	62.98	74.00	-11.02	29.70	3	Horizontal	360	1.65	74	28.70	4.58	-			
AV	2.48484G	53.03	54.00	-0.97	19.74	3	Horizontal	360	1.65	74	28.70	4.59	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_TX

EUT_Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.85456G	42.01	74.00	-31.99	66.31	3	Vertical	222	1.80	74	33.10	7.56	64.96			
AV	4.87248G	30.53	54.00	-23.47	54.82	3	Vertical	222	1.80	74	33.10	7.57	64.96			
PK	7.30796G	46.44	74.00	-27.56	67.17	3	Vertical	276	1.78	74	36.42	9.36	66.51			
AV	7.32168G	34.65	54.00	-19.35	55.41	3	Vertical	276	1.78	74	36.44	9.36	66.56			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87328G	42.48	74.00	-31.52	66.77	3	Horizontal	15	1.80	74	33.10	7.57	64.96			
AV	4.87232G	31.17	54.00	-22.83	55.46	3	Horizontal	15	1.80	74	33.10	7.57	64.96			
PK	7.31388G	47.96	74.00	-26.04	68.70	3	Horizontal	273	1.49	74	36.43	9.36	66.53			
AV	7.31388G	37.26	54.00	-16.74	58.00	3	Horizontal	273	1.49	74	36.43	9.36	66.53			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
70\68\69
-0.31\1.80\1.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4698G	112.42	Inf	-Inf	79.16	3	Vertical	0	1.80	69	28.70	4.56	-			
AV	2.4696G	101.16	Inf	-Inf	67.90	3	Vertical	0	1.80	69	28.70	4.56	-			
PK	2.484G	63.02	74.00	-10.98	29.74	3	Vertical	0	1.80	69	28.70	4.58	-			
AV	2.4847G	52.40	54.00	-1.60	19.11	3	Vertical	0	1.80	69	28.70	4.59	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Z_2TX
SET 69
69
0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4659G	113.04	Inf	-Inf	79.82	3	Horizontal	360	1.80	69	28.66	4.56	-			
AV	2.4657G	102.63	Inf	-Inf	69.41	3	Horizontal	360	1.80	69	28.66	4.56	-			
PK	2.4836G	64.25	74.00	-9.75	30.97	3	Horizontal	360	1.80	69	28.70	4.58	-			
AV	2.4843G	53.31	54.00	-0.69	20.03	3	Horizontal	360	1.80	69	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2462MHz_TX

EUT_Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.94388G	42.11	74.00	-31.89	66.18	3	Vertical	0	1.80	69	33.28	7.59	64.94				
AV	4.9158G	30.17	54.00	-23.83	54.37	3	Vertical	0	1.80	69	33.16	7.58	64.94				
PK	7.38412G	47.01	74.00	-26.99	67.84	3	Vertical	272	1.80	69	36.57	9.36	66.76				
AV	7.38356G	34.95	54.00	-19.05	55.78	3	Vertical	272	1.80	69	36.57	9.36	66.76				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX

EUT_Y_2TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92404G	41.79	74.00	-32.21	65.95	3	Horizontal	18	1.80	69	33.20	7.58	64.94			
AV	4.93304G	30.24	54.00	-23.76	54.37	3	Horizontal	18	1.80	69	33.23	7.58	64.94			
PK	7.39124G	47.69	74.00	-26.31	68.53	3	Horizontal	276	1.80	69	36.58	9.36	66.78			
AV	7.3888G	36.47	54.00	-17.53	57.30	3	Horizontal	276	1.80	69	36.58	9.36	66.77			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.3895G	53.99	54.00	-0.01	3	Vertical	0	1.51	67

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 70
60\85\56\70
6.32\15.28\6.69\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3895G	62.18	74.00	-11.82	29.24	3	Vertical	0	1.68	70	28.50	4.44	-				
AV	2.3872G	53.94	54.00	-0.06	21.00	3	Vertical	0	1.68	70	28.50	4.44	-				
PK	2.413G	116.68	Inf	-Inf	83.81	3	Vertical	0	1.68	70	28.40	4.47	-				
AV	2.4128G	112.44	Inf	-Inf	79.57	3	Vertical	0	1.68	70	28.40	4.47	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 70
70
8.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3714G	56.86	74.00	-17.14	24.02	3	Horizontal	20	1.73	70	28.41	4.43	-				
AV	2.3877G	45.76	54.00	-8.24	12.82	3	Horizontal	20	1.73	70	28.50	4.44	-				
PK	2.413G	98.01	Inf	-Inf	65.14	3	Horizontal	20	1.73	70	28.40	4.47	-				
AV	2.4127G	93.99	Inf	-Inf	61.12	3	Horizontal	20	1.73	70	28.40	4.47	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.80988G	48.03	74.00	-25.97	38.39	3	Vertical	246	2.72	70	33.18	7.55	31.09				
AV	4.81756G	34.37	54.00	-19.63	24.74	3	Vertical	246	2.72	70	33.16	7.55	31.08				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81548G	47.81	74.00	-26.19	38.18	3	Horizontal	24	1.80	70	33.17	7.55	31.09			
AV	4.83008G	34.34	54.00	-19.66	24.72	3	Horizontal	24	1.80	70	33.14	7.56	31.08			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 73
70\85\66\75\71\73
3.94\5.81\5.21\1.62\2.16\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.3898G	61.32	74.00	-12.68	28.38	3	Vertical	360	1.80	73	28.50	4.44	-					
AV	2.38884G	51.78	54.00	-2.22	18.84	3	Vertical	360	1.80	73	28.50	4.44	-					
PK	2.43796G	118.95	Inf	-Inf	86.04	3	Vertical	360	1.80	73	28.40	4.51	-					
AV	2.4362G	115.23	Inf	-Inf	82.32	3	Vertical	360	1.80	73	28.40	4.51	-					
PK	2.485G	63.94	74.00	-10.06	30.65	3	Vertical	360	1.80	73	28.70	4.59	-					
AV	2.48484G	53.76	54.00	-0.24	20.47	3	Vertical	360	1.80	73	28.70	4.59	-					

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 73
73
7.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.389G	56.69	74.00	-17.31	23.75	3	Horizontal	20	1.66	73	28.50	4.44	-				
AV	2.3882G	45.71	54.00	-8.29	12.77	3	Horizontal	20	1.66	73	28.50	4.44	-				
PK	2.43604G	99.37	Inf	-Inf	66.46	3	Horizontal	20	1.66	73	28.40	4.51	-				
AV	2.4362G	95.79	Inf	-Inf	62.88	3	Horizontal	20	1.66	73	28.40	4.51	-				
PK	2.48788G	57.12	74.00	-16.88	23.83	3	Horizontal	20	1.66	73	28.70	4.59	-				
AV	2.48484G	46.10	54.00	-7.90	12.81	3	Horizontal	20	1.66	73	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.8936G	48.17	74.00	-25.83	38.55	3	Vertical	47	1.18	73	33.10	7.57	31.05				
AV	4.88464G	34.37	54.00	-19.63	24.75	3	Vertical	47	1.18	73	33.10	7.57	31.05				
PK	7.3112G	54.40	74.00	-19.60	40.23	3	Vertical	309	2.77	73	36.42	9.36	31.61				
AV	7.31012G	41.58	54.00	-12.42	27.41	3	Vertical	309	2.77	73	36.42	9.36	31.61				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88624G	47.17	74.00	-26.83	37.55	3	Horizontal	360	1.80	73	33.10	7.57	31.05				
AV	4.88192G	34.17	54.00	-19.83	24.55	3	Horizontal	360	1.80	73	33.10	7.57	31.05				
PK	7.32896G	54.03	74.00	-19.97	39.81	3	Horizontal	283	1.27	73	36.46	9.36	31.60				
AV	7.31032G	41.79	54.00	-12.21	27.62	3	Horizontal	283	1.27	73	36.42	9.36	31.61				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 69
70\69
-0.05\1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.463G	116.83	Inf	-Inf	83.65	3	Vertical	0	1.84	69	28.63	4.55	-			
AV	2.4628G	112.82	Inf	-Inf	79.64	3	Vertical	0	1.84	69	28.63	4.55	-			
PK	2.4836G	63.43	74.00	-10.57	30.15	3	Vertical	0	1.84	69	28.70	4.58	-			
AV	2.4836G	52.57	54.00	-1.43	19.29	3	Vertical	0	1.84	69	28.70	4.58	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 69
69
7.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.463G	99.59	Inf	-Inf	66.41	3	Horizontal	17	1.79	69	28.63	4.55	-				
AV	2.4613G	95.41	Inf	-Inf	62.25	3	Horizontal	17	1.79	69	28.61	4.55	-				
PK	2.4885G	57.53	74.00	-16.47	24.24	3	Horizontal	17	1.79	69	28.70	4.59	-				
AV	2.4846G	46.11	54.00	-7.89	12.82	3	Horizontal	17	1.79	69	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX

EUT_Y_1TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91308G	47.32	74.00	-26.68	37.63	3	Vertical	139	1.80	69	33.15	7.58	31.04				
AV	4.91136G	33.85	54.00	-20.15	24.16	3	Vertical	139	1.80	69	33.15	7.58	31.04				
PK	7.37344G	53.82	74.00	-20.18	39.50	3	Vertical	274	1.80	69	36.55	9.36	31.59				
AV	7.38748G	40.83	54.00	-13.17	26.49	3	Vertical	274	1.80	69	36.57	9.36	31.59				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.94136G	47.55	74.00	-26.45	37.71	3	Horizontal	243	1.80	69	33.27	7.59	31.02				
AV	4.9044G	33.84	54.00	-20.16	24.18	3	Horizontal	243	1.80	69	33.12	7.58	31.04				
PK	7.38652G	54.04	74.00	-19.96	39.70	3	Horizontal	284	1.66	69	36.57	9.36	31.59				
AV	7.38532G	41.00	54.00	-13.00	26.66	3	Horizontal	284	1.66	69	36.57	9.36	31.59				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 69
60\74\56\65\69\71\70\69
3.64\ -9.12\3.74\1.76\0.92\ -2.23\ -0.62\0.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3898G	63.89	74.00	-10.11	30.95	3	Vertical	359	1.51	69	28.50	4.44	-			
AV	2.3898G	53.27	54.00	-0.73	20.33	3	Vertical	359	1.51	69	28.50	4.44	-			
PK	2.4162G	116.13	Inf	-Inf	83.25	3	Vertical	359	1.51	69	28.40	4.48	-			
AV	2.4191G	107.45	Inf	-Inf	74.57	3	Vertical	359	1.51	69	28.40	4.48	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 69
69
6.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3803G	56.87	74.00	-17.13	23.94	3	Horizontal	14	1.60	69	28.50	4.43	-				
AV	2.3863G	47.37	54.00	-6.63	14.43	3	Horizontal	14	1.60	69	28.50	4.44	-				
PK	2.4184G	97.77	Inf	-Inf	64.89	3	Horizontal	14	1.60	69	28.40	4.48	-				
AV	2.4179G	88.32	Inf	-Inf	55.44	3	Horizontal	14	1.60	69	28.40	4.48	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.84252G	46.88	74.00	-27.12	37.28	3	Vertical	311	1.28	69	33.11	7.56	31.07			
AV	4.81872G	36.28	54.00	-17.72	26.65	3	Vertical	311	1.28	69	33.16	7.55	31.08			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82008G	47.07	74.00	-26.93	37.43	3	Horizontal	258	1.64	69	33.16	7.56	31.08			
AV	4.80932G	36.33	54.00	-17.67	26.69	3	Horizontal	258	1.64	69	33.18	7.55	31.09			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 72
69\80\65\72
2.98\ -10.82\4.28\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38932G	63.28	74.00	-10.72	30.34	3	Vertical	0	1.70	72	28.50	4.44	-				
AV	2.38836G	51.44	54.00	-2.56	18.50	3	Vertical	0	1.70	72	28.50	4.44	-				
PK	2.4306G	117.59	Inf	-Inf	84.69	3	Vertical	0	1.70	72	28.40	4.50	-				
AV	2.4298G	109.20	Inf	-Inf	76.30	3	Vertical	0	1.70	72	28.40	4.50	-				
PK	2.48612G	64.06	74.00	-9.94	30.77	3	Vertical	0	1.70	72	28.70	4.59	-				
AV	2.4835G	53.64	54.00	-0.36	20.36	3	Vertical	0	1.70	72	28.70	4.58	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 72
72
6.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.38196G	57.81	74.00	-16.19	24.87	3	Horizontal	23	1.50	72	28.50	4.44	-					
AV	2.3786G	47.36	54.00	-6.64	14.44	3	Horizontal	23	1.50	72	28.49	4.43	-					
PK	2.43124G	97.96	Inf	-Inf	65.06	3	Horizontal	23	1.50	72	28.40	4.50	-					
AV	2.43044G	90.10	Inf	-Inf	57.20	3	Horizontal	23	1.50	72	28.40	4.50	-					
PK	2.4994G	57.12	74.00	-16.88	23.72	3	Horizontal	23	1.50	72	28.79	4.61	-					
AV	2.49764G	47.58	54.00	-6.42	14.19	3	Horizontal	23	1.50	72	28.78	4.61	-					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87244G	47.34	74.00	-26.66	37.73	3	Vertical	225	1.10	72	33.10	7.57	31.06				
AV	4.89276G	36.43	54.00	-17.57	26.81	3	Vertical	225	1.10	72	33.10	7.57	31.05				
PK	7.29172G	52.84	74.00	-21.16	38.71	3	Vertical	167	1.12	72	36.37	9.37	31.61				
AV	7.32624G	42.09	54.00	-11.91	27.89	3	Vertical	167	1.12	72	36.45	9.36	31.61				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87008G	47.27	74.00	-26.73	37.66	3	Horizontal	43	1.80	72	33.10	7.57	31.06				
AV	4.87568G	36.63	54.00	-17.37	27.01	3	Horizontal	43	1.80	72	33.10	7.57	31.05				
PK	7.32652G	52.72	74.00	-21.28	38.52	3	Horizontal	333	1.80	72	36.45	9.36	31.61				
AV	7.32856G	42.01	54.00	-11.99	27.79	3	Horizontal	333	1.80	72	36.46	9.36	31.60				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 67
69\65\67
-0.84\1.95\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4659G	116.47	Inf	-Inf	83.25	3	Vertical	0	1.65	67	28.66	4.56	-				
AV	2.4688G	107.83	Inf	-Inf	74.58	3	Vertical	0	1.65	67	28.69	4.56	-				
PK	2.4835G	63.58	74.00	-10.42	30.30	3	Vertical	0	1.65	67	28.70	4.58	-				
AV	2.4837G	53.64	54.00	-0.36	20.36	3	Vertical	0	1.65	67	28.70	4.58	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 67
67
6.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4663G	98.32	Inf	-Inf	65.10	3	Horizontal	23	1.76	67	28.66	4.56	-				
AV	2.4628G	89.47	Inf	-Inf	56.29	3	Horizontal	23	1.76	67	28.63	4.55	-				
PK	2.4899G	57.01	74.00	-16.99	23.72	3	Horizontal	23	1.76	67	28.70	4.59	-				
AV	2.4967G	47.64	54.00	-6.36	14.27	3	Horizontal	23	1.76	67	28.77	4.60	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX

EUT_Y_1TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91344G	47.02	74.00	-26.98	37.33	3	Vertical	237	1.80	67	33.15	7.58	31.04				
AV	4.94292G	36.69	54.00	-17.31	26.85	3	Vertical	237	1.80	67	33.27	7.59	31.02				
PK	7.40288G	53.60	74.00	-20.40	39.24	3	Vertical	35	1.80	67	36.59	9.36	31.59				
AV	7.39048G	42.65	54.00	-11.35	28.30	3	Vertical	35	1.80	67	36.58	9.36	31.59				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX

EUT_Y_1TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91516G	46.97	74.00	-27.03	37.26	3	Horizontal	298	1.80	67	33.16	7.58	31.03				
AV	4.93452G	36.34	54.00	-17.66	26.54	3	Horizontal	298	1.80	67	33.24	7.58	31.02				
PK	7.40372G	53.61	74.00	-20.39	39.25	3	Horizontal	57	2.08	67	36.59	9.36	31.59				
AV	7.3716G	42.87	54.00	-11.13	28.56	3	Horizontal	57	2.08	67	36.54	9.36	31.59				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 68
60\68
2.10\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3882G	63.16	74.00	-10.84	30.22	3	Vertical	0	1.80	68	28.50	4.44	-				
AV	2.39G	53.70	54.00	-0.30	20.76	3	Vertical	0	1.80	68	28.50	4.44	-				
PK	2.4171G	116.52	Inf	-Inf	83.64	3	Vertical	0	1.80	68	28.40	4.48	-				
AV	2.4211G	106.64	Inf	-Inf	73.76	3	Vertical	0	1.80	68	28.40	4.48	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 68
68
6.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3731G	57.71	74.00	-16.29	24.85	3	Horizontal	18	1.62	68	28.43	4.43	-				
AV	2.3884G	47.44	54.00	-6.56	14.50	3	Horizontal	18	1.62	68	28.50	4.44	-				
PK	2.4201G	98.41	Inf	-Inf	65.53	3	Horizontal	18	1.62	68	28.40	4.48	-				
AV	2.4195G	88.20	Inf	-Inf	55.32	3	Horizontal	18	1.62	68	28.40	4.48	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
SET 68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.83468G	47.71	74.00	-26.29	38.10	3	Vertical	356	1.56	68	33.13	7.56	31.08			
AV	4.80692G	36.26	54.00	-17.74	26.61	3	Vertical	356	1.56	68	33.19	7.55	31.09			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT_Y_1TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81572G	47.27	74.00	-26.73	37.64	3	Horizontal	144	1.80	68	33.17	7.55	31.09			
AV	4.81712G	36.42	54.00	-17.58	26.79	3	Horizontal	144	1.80	68	33.17	7.55	31.09			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 71
68\73\71
1.48\~2.53\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38836G	62.85	74.00	-11.15	29.91	3	Vertical	360	1.80	71	28.50	4.44	-			
AV	2.38916G	51.82	54.00	-2.18	18.88	3	Vertical	360	1.80	71	28.50	4.44	-			
PK	2.4442G	117.86	Inf	-Inf	84.90	3	Vertical	360	1.80	71	28.44	4.52	-			
AV	2.42852G	108.15	Inf	-Inf	75.25	3	Vertical	360	1.80	71	28.40	4.50	-			
PK	2.48404G	64.17	74.00	-9.83	30.89	3	Vertical	360	1.80	71	28.70	4.58	-			
AV	2.4835G	53.70	54.00	-0.30	20.42	3	Vertical	360	1.80	71	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 71
71
6.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.37684G	56.84	74.00	-17.16	23.94	3	Horizontal	21	1.50	71	28.47	4.43	-			
AV	2.36708G	47.68	54.00	-6.32	14.86	3	Horizontal	21	1.50	71	28.40	4.42	-			
PK	2.43172G	98.95	Inf	-Inf	66.05	3	Horizontal	21	1.50	71	28.40	4.50	-			
AV	2.4282G	89.81	Inf	-Inf	56.91	3	Horizontal	21	1.50	71	28.40	4.50	-			
PK	2.4954G	56.65	74.00	-17.35	23.30	3	Horizontal	21	1.50	71	28.75	4.60	-			
AV	2.4866G	47.52	54.00	-6.48	14.23	3	Horizontal	21	1.50	71	28.70	4.59	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT Y_1TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85884G	46.59	74.00	-27.41	36.99	3	Vertical	188	1.80	71	33.10	7.56	31.06				
AV	4.87268G	36.53	54.00	-17.47	26.92	3	Vertical	188	1.80	71	33.10	7.57	31.06				
PK	7.31776G	52.30	74.00	-21.70	38.11	3	Vertical	118	2.95	71	36.44	9.36	31.61				
AV	7.29588G	41.95	54.00	-12.05	27.81	3	Vertical	118	2.95	71	36.38	9.37	31.61				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86228G	47.18	74.00	-26.82	37.57	3	Horizontal	326	1.92	71	33.10	7.57	31.06				
AV	4.88548G	36.36	54.00	-17.64	26.74	3	Horizontal	326	1.92	71	33.10	7.57	31.05				
PK	7.29544G	52.30	74.00	-21.70	38.16	3	Horizontal	36	1.80	71	36.38	9.37	31.61				
AV	7.2976G	41.96	54.00	-12.04	27.81	3	Horizontal	36	1.80	71	36.39	9.37	31.61				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 67
68\63\65\66\67
-1.02\1.26\1.38\0.91\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4664G	117.40	Inf	-Inf	84.18	3	Vertical	0	1.85	67	28.66	4.56	-			
AV	2.4698G	106.91	Inf	-Inf	73.65	3	Vertical	0	1.85	67	28.70	4.56	-			
PK	2.4835G	64.03	74.00	-9.97	30.75	3	Vertical	0	1.85	67	28.70	4.58	-			
AV	2.4841G	53.83	54.00	-0.17	20.55	3	Vertical	0	1.85	67	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 67
67
6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4613G	100.31	Inf	-Inf	67.15	3	Horizontal	22	1.78	67	28.61	4.55	-				
AV	2.4647G	89.26	Inf	-Inf	56.06	3	Horizontal	22	1.78	67	28.65	4.55	-				
PK	2.4964G	57.01	74.00	-16.99	23.65	3	Horizontal	22	1.78	67	28.76	4.60	-				
AV	2.4866G	47.57	54.00	-6.43	14.28	3	Horizontal	22	1.78	67	28.70	4.59	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX


2462MHz_TX

EUT_Y_1TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93412G	46.52	74.00	-27.48	36.72	3	Vertical	360	1.80	67	33.24	7.58	31.02				
AV	4.91512G	36.01	54.00	-17.99	26.30	3	Vertical	360	1.80	67	33.16	7.58	31.03				
PK	7.40424G	53.27	74.00	-20.73	38.91	3	Vertical	274	1.98	67	36.58	9.36	31.58				
AV	7.39004G	42.34	54.00	-11.66	27.99	3	Vertical	274	1.98	67	36.58	9.36	31.59				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.9192G	46.96	74.00	-27.04	37.23	3	Horizontal	308	1.80	67	33.18	7.58	31.03				
AV	4.9094G	35.92	54.00	-18.08	26.24	3	Horizontal	308	1.80	67	33.14	7.58	31.04				
PK	7.37372G	52.98	74.00	-21.02	38.66	3	Horizontal	106	1.65	67	36.55	9.36	31.59				
AV	7.3944G	42.57	54.00	-11.43	28.21	3	Horizontal	106	1.65	67	36.59	9.36	31.59				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68
60\80\56\68\74\71\70\69\68
5.17\ -16.35\6.14\1.43\ -0.63\ -1.40\ -0.20\ -0.57\1.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3875G	60.90	74.00	-13.10	27.96	3	Vertical	1	1.67	68	28.50	4.44	-			
AV	2.3873G	52.53	54.00	-1.47	19.59	3	Vertical	1	1.67	68	28.50	4.44	-			
PK	2.413G	116.06	Inf	-Inf	83.19	3	Vertical	1	1.67	68	28.40	4.47	-			
AV	2.4127G	111.99	Inf	-Inf	79.12	3	Vertical	1	1.67	68	28.40	4.47	-			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68
68
0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.387G	62.07	74.00	-11.93	29.13	3	Horizontal	356	1.93	68	28.50	4.44	-				
AV	2.3871G	53.12	54.00	-0.88	20.18	3	Horizontal	356	1.93	68	28.50	4.44	-				
PK	2.4111G	116.10	Inf	-Inf	83.23	3	Horizontal	356	1.93	68	28.40	4.47	-				
AV	2.4113G	112.23	Inf	-Inf	79.36	3	Horizontal	356	1.93	68	28.40	4.47	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82764G	47.46	74.00	-26.54	37.84	3	Vertical	218	1.31	68	33.14	7.56	31.08			
AV	4.84032G	33.98	54.00	-20.02	24.37	3	Vertical	218	1.31	68	33.12	7.56	31.07			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82876G	47.52	74.00	-26.48	37.90	3	Horizontal	245	1.80	68	33.14	7.56	31.08			
AV	4.8176G	33.81	54.00	-20.19	24.18	3	Horizontal	245	1.80	68	33.16	7.55	31.08			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72
68\81\64\72
3.49\4.49\6.40\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38964G	62.15	74.00	-11.85	29.21	3	Vertical	0	1.80	72	28.50	4.44	-				
AV	2.38996G	53.06	54.00	-0.94	20.12	3	Vertical	0	1.80	72	28.50	4.44	-				
PK	2.43796G	118.76	Inf	-Inf	85.85	3	Vertical	0	1.80	72	28.40	4.51	-				
AV	2.4362G	114.96	Inf	-Inf	82.05	3	Vertical	0	1.80	72	28.40	4.51	-				
PK	2.48484G	63.31	74.00	-10.69	30.02	3	Vertical	0	1.80	72	28.70	4.59	-				
AV	2.4842G	53.91	54.00	-0.09	20.63	3	Vertical	0	1.80	72	28.70	4.58	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72
72
4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38772G	59.08	74.00	-14.92	26.14	3	Horizontal	12	1.60	72	28.50	4.44	-				
AV	2.38996G	48.32	54.00	-5.68	15.38	3	Horizontal	12	1.60	72	28.50	4.44	-				
PK	2.43796G	116.87	Inf	-Inf	83.96	3	Horizontal	12	1.60	72	28.40	4.51	-				
AV	2.4378G	112.94	Inf	-Inf	80.03	3	Horizontal	12	1.60	72	28.40	4.51	-				
PK	2.48372G	61.13	74.00	-12.87	27.85	3	Horizontal	12	1.60	72	28.70	4.58	-				
AV	2.48372G	49.60	54.00	-4.40	16.32	3	Horizontal	12	1.60	72	28.70	4.58	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.89024G	48.23	74.00	-25.77	38.61	3	Vertical	99	2.32	72	33.10	7.57	31.05				
AV	4.89344G	34.10	54.00	-19.90	24.48	3	Vertical	99	2.32	72	33.10	7.57	31.05				
PK	7.31168G	53.34	74.00	-20.66	39.17	3	Vertical	294	1.48	72	36.42	9.36	31.61				
AV	7.31268G	41.40	54.00	-12.60	27.22	3	Vertical	294	1.48	72	36.43	9.36	31.61				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87044G	47.44	74.00	-26.56	37.83	3	Horizontal	56	2.65	72	33.10	7.57	31.06				
AV	4.87488G	34.07	54.00	-19.93	24.46	3	Horizontal	56	2.65	72	33.10	7.57	31.06				
PK	7.31112G	52.57	74.00	-21.43	38.40	3	Horizontal	314	1.97	72	36.42	9.36	31.61				
AV	7.31032G	40.53	54.00	-13.47	26.36	3	Horizontal	314	1.97	72	36.42	9.36	31.61				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 68
68\72\64\68
1.19\ -4.69\0.76\1.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.463G	116.44	Inf	-Inf	83.26	3	Vertical	357	1.64	68	28.63	4.55	-				
AV	2.4628G	112.46	Inf	-Inf	79.28	3	Vertical	357	1.64	68	28.63	4.55	-				
PK	2.4864G	62.61	74.00	-11.39	29.32	3	Vertical	357	1.64	68	28.70	4.59	-				
AV	2.4848G	52.99	54.00	-1.01	19.70	3	Vertical	357	1.64	68	28.70	4.59	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 68
68
0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.463G	116.46	Inf	-Inf	83.28	3	Horizontal	351	1.84	68	28.63	4.55	-				
AV	2.4613G	112.63	Inf	-Inf	79.47	3	Horizontal	351	1.84	68	28.61	4.55	-				
PK	2.4835G	63.43	74.00	-10.57	30.15	3	Horizontal	351	1.84	68	28.70	4.58	-				
AV	2.4836G	53.57	54.00	-0.43	20.29	3	Horizontal	351	1.84	68	28.70	4.58	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9284G	46.95	74.00	-27.05	37.19	3	Vertical	32	1.78	68	33.21	7.58	31.03				
AV	4.91108G	33.75	54.00	-20.25	24.07	3	Vertical	32	1.78	68	33.14	7.58	31.04				
PK	7.38448G	54.42	74.00	-19.58	40.08	3	Vertical	296	1.56	68	36.57	9.36	31.59				
AV	7.38488G	41.47	54.00	-12.53	27.13	3	Vertical	296	1.56	68	36.57	9.36	31.59				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.9172G	47.09	74.00	-26.91	37.37	3	Horizontal	0	1.80	68	33.17	7.58	31.03					
AV	4.90496G	33.80	54.00	-20.20	24.14	3	Horizontal	0	1.80	68	33.12	7.58	31.04					
PK	7.38536G	53.79	74.00	-20.21	39.45	3	Horizontal	288	1.80	68	36.57	9.36	31.59					
AV	7.38532G	41.31	54.00	-12.69	26.97	3	Horizontal	288	1.80	68	36.57	9.36	31.59					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 69
60\71\66\68\69\70\69
2.88\2.42\1.74\1.20\1.12\0.51\1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3897G	63.96	74.00	-10.04	31.02	3	Vertical	357	1.90	69	28.50	4.44	-				
AV	2.3887G	52.75	54.00	-1.25	19.81	3	Vertical	357	1.90	69	28.50	4.44	-				
PK	2.4183G	117.34	Inf	-Inf	84.46	3	Vertical	357	1.90	69	28.40	4.48	-				
AV	2.4183G	107.66	Inf	-Inf	74.78	3	Vertical	357	1.90	69	28.40	4.48	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68
69\64\66\67\68
-1.02\3.93\3.44\1.41\0.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3899G	64.71	74.00	-9.29	31.77	3	Horizontal	0	1.80	68	28.50	4.44	-			
AV	2.3897G	53.06	54.00	-0.94	20.12	3	Horizontal	0	1.80	68	28.50	4.44	-			
PK	2.4107G	115.92	Inf	-Inf	83.05	3	Horizontal	0	1.80	68	28.40	4.47	-			
AV	2.4146G	106.39	Inf	-Inf	73.52	3	Horizontal	0	1.80	68	28.40	4.47	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8224G	47.16	74.00	-26.84	37.52	3	Vertical	116	2.08	68	33.16	7.56	31.08			
AV	4.81056G	36.28	54.00	-17.72	26.64	3	Vertical	116	2.08	68	33.18	7.55	31.09			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.829G	48.25	74.00	-25.75	38.63	3	Horizontal	187	1.95	68	33.14	7.56	31.08			
AV	4.82604G	36.57	54.00	-17.43	26.94	3	Horizontal	187	1.95	68	33.15	7.56	31.08			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72
68\80\64\72
3.22\11.05\4.90\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38964G	61.55	74.00	-12.45	28.61	3	Vertical	0	1.53	72	28.50	4.44	-				
AV	2.38996G	52.27	54.00	-1.73	19.33	3	Vertical	0	1.53	72	28.50	4.44	-				
PK	2.4322G	117.52	Inf	-Inf	84.62	3	Vertical	0	1.53	72	28.40	4.50	-				
AV	2.43204G	109.23	Inf	-Inf	76.33	3	Vertical	0	1.53	72	28.40	4.50	-				
PK	2.48452G	64.21	74.00	-9.79	30.92	3	Vertical	0	1.53	72	28.70	4.59	-				
AV	2.4835G	53.68	54.00	-0.32	20.40	3	Vertical	0	1.53	72	28.70	4.58	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72
72
2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38804G	61.69	74.00	-12.31	28.75	3	Horizontal	354	1.83	72	28.50	4.44	-				
AV	2.38996G	51.51	54.00	-2.49	18.57	3	Horizontal	354	1.83	72	28.50	4.44	-				
PK	2.4354G	117.06	Inf	-Inf	84.15	3	Horizontal	354	1.83	72	28.40	4.51	-				
AV	2.42964G	107.39	Inf	-Inf	74.49	3	Horizontal	354	1.83	72	28.40	4.50	-				
PK	2.48484G	61.65	74.00	-12.35	28.36	3	Horizontal	354	1.83	72	28.70	4.59	-				
AV	2.48404G	51.09	54.00	-2.91	17.81	3	Horizontal	354	1.83	72	28.70	4.58	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
SET 72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.88512G	46.89	74.00	-27.11	37.27	3	Vertical	0	1.80	72	33.10	7.57	31.05				
AV	4.88492G	36.48	54.00	-17.52	26.86	3	Vertical	0	1.80	72	33.10	7.57	31.05				
PK	7.3094G	52.78	74.00	-21.22	38.61	3	Vertical	228	1.80	72	36.42	9.36	31.61				
AV	7.31848G	41.92	54.00	-12.08	27.73	3	Vertical	228	1.80	72	36.44	9.36	31.61				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX

EUT_Y_2TX
SET 72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.86196G	47.56	74.00	-26.44	37.95	3	Horizontal	6	1.80	72	33.10	7.57	31.06				
AV	4.8654G	36.70	54.00	-17.30	27.09	3	Horizontal	6	1.80	72	33.10	7.57	31.06				
PK	7.2966G	52.77	74.00	-21.23	38.62	3	Horizontal	292	1.37	72	36.39	9.37	31.61				
AV	7.3062G	42.05	54.00	-11.95	27.89	3	Horizontal	292	1.37	72	36.41	9.36	31.61				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 65
68\60\64\66\65
-1.78\3.29\2.15\0.18\1.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4682G	116.62	Inf	-Inf	83.38	3	Vertical	357	1.64	65	28.68	4.56	-			
AV	2.4682G	107.11	Inf	-Inf	73.87	3	Vertical	357	1.64	65	28.68	4.56	-			
PK	2.4843G	62.48	74.00	-11.52	29.20	3	Vertical	357	1.64	65	28.70	4.58	-			
AV	2.4844G	52.21	54.00	-1.79	18.92	3	Vertical	357	1.64	65	28.70	4.59	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 65
65
1.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4571G	115.08	Inf	-Inf	81.97	3	Horizontal	357	1.77	65	28.57	4.54	-				
AV	2.4559G	106.11	Inf	-Inf	73.01	3	Horizontal	357	1.77	65	28.56	4.54	-				
PK	2.4835G	62.88	74.00	-11.12	29.60	3	Horizontal	357	1.77	65	28.70	4.58	-				
AV	2.4835G	52.18	54.00	-1.82	18.90	3	Horizontal	357	1.77	65	28.70	4.58	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90944G	47.24	74.00	-26.76	37.56	3	Vertical	249	1.38	65	33.14	7.58	31.04				
AV	4.9244G	36.15	54.00	-17.85	26.40	3	Vertical	249	1.38	65	33.20	7.58	31.03				
PK	7.38552G	53.19	74.00	-20.81	38.85	3	Vertical	213	1.80	65	36.57	9.36	31.59				
AV	7.3702G	42.71	54.00	-11.29	28.40	3	Vertical	213	1.80	65	36.54	9.36	31.59				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX

EUT_Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.90572G	47.17	74.00	-26.83	37.51	3	Horizontal	0	1.80	65	33.12	7.58	31.04				
AV	4.9408G	36.43	54.00	-17.57	26.60	3	Horizontal	0	1.80	65	33.26	7.59	31.02				
PK	7.37036G	53.06	74.00	-20.94	38.75	3	Horizontal	14	1.52	65	36.54	9.36	31.59				
AV	7.37792G	43.19	54.00	-10.81	28.86	3	Horizontal	14	1.52	65	36.56	9.36	31.59				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 67
60\66\69\68\67
1.54\0.52\0.42\0.62\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3889G	64.01	74.00	-9.99	31.07	3	Vertical	0	1.51	67	28.50	4.44	-			
AV	2.3895G	53.99	54.00	-0.01	21.05	3	Vertical	0	1.51	67	28.50	4.44	-			
PK	2.4183G	116.86	Inf	-Inf	83.98	3	Vertical	0	1.51	67	28.40	4.48	-			
AV	2.4192G	106.84	Inf	-Inf	73.96	3	Vertical	0	1.51	67	28.40	4.48	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 67
67
0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3894G	63.15	74.00	-10.85	30.21	3	Horizontal	2	1.86	67	28.50	4.44	-				
AV	2.3895G	53.68	54.00	-0.32	20.74	3	Horizontal	2	1.86	67	28.50	4.44	-				
PK	2.4084G	116.29	Inf	-Inf	83.43	3	Horizontal	2	1.86	67	28.40	4.46	-				
AV	2.4164G	105.86	Inf	-Inf	72.98	3	Horizontal	2	1.86	67	28.40	4.48	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8402G	46.70	74.00	-27.30	37.09	3	Vertical	101	2.92	67	33.12	7.56	31.07			
AV	4.84048G	36.19	54.00	-17.81	26.58	3	Vertical	101	2.92	67	33.12	7.56	31.07			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2412MHz_TX

EUT_Y_2TX
SET 67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.84076G	46.32	74.00	-27.68	36.71	3	Horizontal	122	1.55	67	33.12	7.56	31.07			
AV	4.81384G	36.12	54.00	-17.88	26.49	3	Horizontal	122	1.55	67	33.17	7.55	31.09			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 70
67\80\63\71\68\69\70
3.32\ -14.23\3.40\ -0.48\1.83\1.97\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.38996G	62.85	74.00	-11.15	29.91	3	Vertical	3	1.76	70	28.50	4.44	-				
AV	2.3898G	51.89	54.00	-2.11	18.95	3	Vertical	3	1.76	70	28.50	4.44	-				
PK	2.43492G	118.57	Inf	-Inf	85.66	3	Vertical	3	1.76	70	28.40	4.51	-				
AV	2.42932G	107.72	Inf	-Inf	74.82	3	Vertical	3	1.76	70	28.40	4.50	-				
PK	2.48564G	64.18	74.00	-9.82	30.89	3	Vertical	3	1.76	70	28.70	4.59	-				
AV	2.4835G	53.60	54.00	-0.40	20.32	3	Vertical	3	1.76	70	28.70	4.58	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 70
70
2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	61.93	74.00	-12.07	28.99	3	Horizontal	1	1.50	70	28.50	4.44	-			
AV	2.3898G	51.66	54.00	-2.34	18.72	3	Horizontal	1	1.50	70	28.50	4.44	-			
PK	2.44356G	117.75	Inf	-Inf	84.79	3	Horizontal	1	1.50	70	28.44	4.52	-			
AV	2.44612G	107.18	Inf	-Inf	74.20	3	Horizontal	1	1.50	70	28.46	4.52	-			
PK	2.48372G	61.85	74.00	-12.15	28.57	3	Horizontal	1	1.50	70	28.70	4.58	-			
AV	2.48404G	51.23	54.00	-2.77	17.95	3	Horizontal	1	1.50	70	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2437MHz_TX

EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87868G	47.00	74.00	-27.00	37.38	3	Vertical	144	1.18	70	33.10	7.57	31.05				
AV	4.85448G	35.94	54.00	-18.06	26.35	3	Vertical	144	1.18	70	33.10	7.56	31.07				
PK	7.29868G	52.59	74.00	-21.41	38.44	3	Vertical	0	2.80	70	36.39	9.37	31.61				
AV	7.29216G	41.37	54.00	-12.63	27.24	3	Vertical	0	2.80	70	36.37	9.37	31.61				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87804G	47.37	74.00	-26.63	37.75	3	Horizontal	73	2.80	70	33.10	7.57	31.05				
AV	4.85516G	36.61	54.00	-17.39	27.02	3	Horizontal	73	2.80	70	33.10	7.56	31.07				
PK	7.32048G	53.00	74.00	-21.00	38.81	3	Horizontal	275	1.80	70	36.44	9.36	31.61				
AV	7.29292G	41.48	54.00	-12.52	27.35	3	Horizontal	275	1.80	70	36.37	9.37	31.61				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
SET 65
67\64\65\66\65
-0.69\0.78\0.51\0.24\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4686G	117.23	Inf	-Inf	83.98	3	Vertical	0	1.89	65	28.69	4.56	-			
AV	2.4699G	106.58	Inf	-Inf	73.32	3	Vertical	0	1.89	65	28.70	4.56	-			
PK	2.4845G	64.23	74.00	-9.77	30.94	3	Vertical	0	1.89	65	28.70	4.59	-			
AV	2.4835G	53.63	54.00	-0.37	20.35	3	Vertical	0	1.89	65	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
SET 65
65
1.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.454G	116.50	Inf	-Inf	83.42	3	Horizontal	360	1.80	65	28.54	4.54	-				
AV	2.4562G	105.59	Inf	-Inf	72.49	3	Horizontal	360	1.80	65	28.56	4.54	-				
PK	2.4836G	62.86	74.00	-11.14	29.58	3	Horizontal	360	1.80	65	28.70	4.58	-				
AV	2.4835G	52.66	54.00	-1.34	19.38	3	Horizontal	360	1.80	65	28.70	4.58	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT_Y_2TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9168G	47.23	74.00	-26.77	37.51	3	Vertical	175	2.67	65	33.17	7.58	31.03				
AV	4.91784G	35.87	54.00	-18.13	26.15	3	Vertical	175	2.67	65	33.17	7.58	31.03				
PK	7.3978G	53.10	74.00	-20.90	38.73	3	Vertical	108	1.80	65	36.60	9.36	31.59				
AV	7.38392G	42.35	54.00	-11.65	28.01	3	Vertical	108	1.80	65	36.57	9.36	31.59				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT_Y_2TX
SET 65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.94148G	46.99	74.00	-27.01	37.15	3	Horizontal	102	1.80	65	33.27	7.59	31.02				
AV	4.90724G	35.93	54.00	-18.07	26.26	3	Horizontal	102	1.80	65	33.13	7.58	31.04				
PK	7.39132G	53.09	74.00	-20.91	38.74	3	Horizontal	106	1.80	65	36.58	9.36	31.59				
AV	7.39332G	42.37	54.00	-11.63	28.01	3	Horizontal	106	1.80	65	36.59	9.36	31.59				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 67
60\72\56\64\68\66\67
3.11\ -6.82\3.22\1.89\ -0.29\0.80\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.389G	63.57	74.00	-10.43	30.63	3	Vertical	358	1.90	67	28.50	4.44	-			
AV	2.39G	53.65	54.00	-0.35	20.71	3	Vertical	358	1.90	67	28.50	4.44	-			
PK	2.4205G	118.15	Inf	-Inf	85.27	3	Vertical	358	1.90	67	28.40	4.48	-			
AV	2.4211G	106.80	Inf	-Inf	73.92	3	Vertical	358	1.90	67	28.40	4.48	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 66
67.66
-0.04\0.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.389G	63.11	74.00	-10.89	30.17	3	Horizontal	1	1.80	66	28.50	4.44	-				
AV	2.39G	53.16	54.00	-0.84	20.22	3	Horizontal	1	1.80	66	28.50	4.44	-				
PK	2.411G	115.43	Inf	-Inf	82.56	3	Horizontal	1	1.80	66	28.40	4.47	-				
AV	2.4113G	104.82	Inf	-Inf	71.95	3	Horizontal	1	1.80	66	28.40	4.47	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81144G	47.23	74.00	-26.77	37.59	3	Vertical	201	1.80	66	33.18	7.55	31.09			
AV	4.84244G	35.81	54.00	-18.19	26.20	3	Vertical	201	1.80	66	33.12	7.56	31.07			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83332G	47.09	74.00	-26.91	37.48	3	Horizontal	295	1.80	66	33.13	7.56	31.08			
AV	4.83648G	35.86	54.00	-18.14	26.25	3	Horizontal	295	1.80	66	33.13	7.56	31.08			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 70
66\79\62\70
3.32\13.75\3.73\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.38852G	62.72	74.00	-11.28	29.78	3	Vertical	1	1.58	70	28.50	4.44	-					
AV	2.38964G	51.77	54.00	-2.23	18.83	3	Vertical	1	1.58	70	28.50	4.44	-					
PK	2.42788G	119.02	Inf	-Inf	86.13	3	Vertical	1	1.58	70	28.40	4.49	-					
AV	2.42868G	107.78	Inf	-Inf	74.88	3	Vertical	1	1.58	70	28.40	4.50	-					
PK	2.48452G	64.14	74.00	-9.86	30.85	3	Vertical	1	1.58	70	28.70	4.59	-					
AV	2.48452G	53.82	54.00	-0.18	20.53	3	Vertical	1	1.58	70	28.70	4.59	-					

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 70
70
2.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38884G	62.52	74.00	-11.48	29.58	3	Horizontal	0	1.50	70	28.50	4.44	-			
AV	2.3898G	51.69	54.00	-2.31	18.75	3	Horizontal	0	1.50	70	28.50	4.44	-			
PK	2.44612G	117.69	Inf	-Inf	84.71	3	Horizontal	0	1.50	70	28.46	4.52	-			
AV	2.44468G	106.77	Inf	-Inf	73.80	3	Horizontal	0	1.50	70	28.45	4.52	-			
PK	2.48404G	60.52	74.00	-13.48	27.24	3	Horizontal	0	1.50	70	28.70	4.58	-			
AV	2.48596G	50.75	54.00	-3.25	17.46	3	Horizontal	0	1.50	70	28.70	4.59	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_TX

EUT_Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8704G	46.45	74.00	-27.55	36.84	3	Vertical	101	1.80	70	33.10	7.57	31.06				
AV	4.86912G	36.16	54.00	-17.84	26.55	3	Vertical	101	1.80	70	33.10	7.57	31.06				
PK	7.31412G	52.67	74.00	-21.33	38.49	3	Vertical	174	1.06	70	36.43	9.36	31.61				
AV	7.29184G	41.75	54.00	-12.25	27.62	3	Vertical	174	1.06	70	36.37	9.37	31.61				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.87448G	47.32	74.00	-26.68	37.71	3	Horizontal	357	1.80	70	33.10	7.57	31.06				
AV	4.8568G	36.08	54.00	-17.92	26.48	3	Horizontal	357	1.80	70	33.10	7.56	31.06				
PK	7.3308G	52.47	74.00	-21.53	38.25	3	Horizontal	220	1.80	70	36.46	9.36	31.60				
AV	7.32528G	41.91	54.00	-12.09	27.71	3	Horizontal	220	1.80	70	36.45	9.36	31.61				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 66
66
0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4709G	117.91	Inf	-Inf	84.65	3	Vertical	0	1.64	66	28.70	4.56	-			
AV	2.4688G	106.78	Inf	-Inf	73.53	3	Vertical	0	1.64	66	28.69	4.56	-			
PK	2.4858G	63.22	74.00	-10.78	29.93	3	Vertical	0	1.64	66	28.70	4.59	-			
AV	2.4836G	53.94	54.00	-0.06	20.66	3	Vertical	0	1.64	66	28.70	4.58	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
SET 66
66
0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4587G	115.96	Inf	-Inf	82.83	3	Horizontal	0	1.63	66	28.59	4.54	-				
AV	2.4538G	105.32	Inf	-Inf	72.24	3	Horizontal	0	1.63	66	28.54	4.54	-				
PK	2.4843G	63.25	74.00	-10.75	29.97	3	Horizontal	0	1.63	66	28.70	4.58	-				
AV	2.4848G	53.05	54.00	-0.95	19.76	3	Horizontal	0	1.63	66	28.70	4.59	-				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
SET 66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91784G	46.26	74.00	-27.74	36.54	3	Vertical	195	1.47	66	33.17	7.58	31.03				
AV	4.9046G	35.56	54.00	-18.44	25.90	3	Vertical	195	1.47	66	33.12	7.58	31.04				
PK	7.38108G	52.94	74.00	-21.06	38.61	3	Vertical	177	1.80	66	36.56	9.36	31.59				
AV	7.38312G	42.39	54.00	-11.61	28.05	3	Vertical	177	1.80	66	36.57	9.36	31.59				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX

EUT_Y_2TX
SET 66


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.90912G	46.61	74.00	-27.39	36.93	3	Horizontal	241	1.80	66	33.14	7.58	31.04			
AV	4.91924G	35.91	54.00	-18.09	26.18	3	Horizontal	241	1.80	66	33.18	7.58	31.03			
PK	7.39932G	53.41	74.00	-20.59	39.04	3	Horizontal	97	1.80	66	36.60	9.36	31.59			
AV	7.40588G	42.19	54.00	-11.81	27.83	3	Horizontal	97	1.80	66	36.58	9.36	31.58			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	AV	8.00068G	43.04	54.00	-10.96	Horizontal

Mode 3



Mode 3

