


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 57
60\54\64\59\57
-1.39\4.53\2.75\1.17\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6916G	115.60	Inf	-Inf	104.35	3	Vertical	359	1.60	57	33.90	8.20	30.85			
AV	5.6936G	104.10	Inf	-Inf	92.85	3	Vertical	359	1.60	57	33.90	8.20	30.85			
PK	5.7252G	67.94	68.20	-0.26	56.64	3	Vertical	359	1.60	57	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 53
57\50\56\53\54\53
-1.69\6.41\ -1.63\2.60\ -1.78\3.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6934G	116.12	Inf	-Inf	104.87	3	Horizontal	360	1.77	53	33.90	8.20	30.85			
AV	5.6964G	103.38	Inf	-Inf	92.11	3	Horizontal	360	1.77	53	33.90	8.21	30.84			
PK	5.7254G	65.11	68.20	-3.09	53.81	3	Horizontal	360	1.77	53	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
60\84\104\108
6.19\5.04\4.17\1.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	59.69	74.00	-14.31	48.50	3	Vertical	360	1.58	108	34.03	8.05	30.89
AV	5.426G	49.37	54.00	-4.63	38.17	3	Vertical	360	1.58	108	34.05	8.05	30.90
PK	5.4644G	60.23	68.20	-7.97	49.06	3	Vertical	360	1.58	108	34.00	8.06	30.89
PK	5.7242G	125.70	Inf	-Inf	114.40	3	Vertical	360	1.58	108	33.90	8.24	30.84
AV	5.726G	114.57	Inf	-Inf	103.27	3	Vertical	360	1.58	108	33.90	8.24	30.84
PK	5.8592G	66.45	68.20	-1.75	54.93	3	Vertical	360	1.58	108	33.94	8.40	30.82

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 107
108\107
-0.22\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	60.10	74.00	-13.90	48.93	3	Horizontal	360	1.73	107	34.00	8.06	30.89			
AV	5.4206G	49.83	54.00	-4.17	38.62	3	Horizontal	360	1.73	107	34.06	8.05	30.90			
PK	5.468G	59.98	68.20	-8.22	48.81	3	Horizontal	360	1.73	107	34.00	8.06	30.89			
PK	5.7206G	125.53	Inf	-Inf	114.24	3	Horizontal	360	1.73	107	33.90	8.23	30.84			
AV	5.7224G	115.01	Inf	-Inf	103.72	3	Horizontal	360	1.73	107	33.90	8.23	30.84			
PK	5.8538G	67.83	68.20	-0.37	56.34	3	Horizontal	360	1.73	107	33.92	8.39	30.82			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 100
60\85\104\95\99\101\100
6.48\4.97\6.20\4.86\4.69\2.08\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.454G	48.96	54.00	-5.04	37.79	3	Vertical	0	1.80	100	34.00	8.06	30.89			
PK	5.64G	67.77	68.20	-0.43	56.54	3	Vertical	0	1.80	100	33.94	8.14	30.85			
PK	5.7408G	123.90	Inf	-Inf	112.59	3	Vertical	0	1.80	100	33.90	8.25	30.84			
AV	5.7396G	113.74	Inf	-Inf	102.43	3	Vertical	0	1.80	100	33.90	8.25	30.84			
PK	5.949G	58.83	68.20	-9.37	46.82	3	Vertical	0	1.80	100	34.30	8.51	30.80			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 99
100\77\98\88\93\95\96\99
-5.57\5.35\0.59\4.12\3.74\3.56\3.84\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4528G	49.78	54.00	-4.22	38.61	3	Horizontal	359	1.80	99	34.00	8.06	30.89			
PK	5.6454G	68.02	68.20	-0.18	56.80	3	Horizontal	359	1.80	99	33.92	8.15	30.85			
PK	5.7498G	124.82	Inf	-Inf	113.50	3	Horizontal	359	1.80	99	33.90	8.26	30.84			
AV	5.7438G	114.13	Inf	-Inf	102.81	3	Horizontal	359	1.80	99	33.90	8.26	30.84			
PK	5.9316G	58.98	68.20	-9.22	47.06	3	Horizontal	359	1.80	99	34.23	8.49	30.80			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
60\95\108
8.87\6.36\4.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.60342G	63.41	68.20	-4.79	52.08	3	Vertical	359	1.63	108	34.09	8.10	30.86			
PK	5.78008G	125.98	Inf	-Inf	114.61	3	Vertical	359	1.63	108	33.90	8.30	30.83			
AV	5.7819G	114.23	Inf	-Inf	102.86	3	Vertical	359	1.63	108	33.90	8.30	30.83			
PK	6.01966G	59.72	68.20	-8.48	47.62	3	Vertical	359	1.63	108	34.34	8.56	30.80			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
108
4.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.56652G	63.82	68.20	-4.38	52.43	3	Horizontal	2	1.80	108	34.17	8.09	30.87			
PK	5.78613G	125.27	Inf	-Inf	113.90	3	Horizontal	2	1.80	108	33.90	8.30	30.83			
AV	5.7819G	114.99	Inf	-Inf	103.62	3	Horizontal	2	1.80	108	33.90	8.30	30.83			
PK	5.98518G	58.57	68.20	-9.63	46.50	3	Horizontal	2	1.80	108	34.30	8.56	30.79			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
60\94\108
8.70\6.66\7.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5784G	61.19	68.20	-7.01	49.83	3	Vertical	359	1.61	108	34.14	8.09	30.87				
PK	5.8232G	122.65	Inf	-Inf	111.22	3	Vertical	359	1.61	108	33.90	8.35	30.82				
AV	5.8262G	112.54	Inf	-Inf	101.11	3	Vertical	359	1.61	108	33.90	8.35	30.82				
PK	6.0872G	59.11	68.20	-9.09	47.06	3	Vertical	359	1.61	108	34.40	8.48	30.83				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
6.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6306G	61.71	68.20	-6.49	50.46	3	Horizontal	360	1.80	108	33.98	8.13	30.86				
PK	5.8208G	124.04	Inf	-Inf	112.61	3	Horizontal	360	1.80	108	33.90	8.35	30.82				
AV	5.8196G	113.70	Inf	-Inf	102.27	3	Horizontal	360	1.80	108	33.90	8.35	30.82				
PK	5.9804G	58.96	68.20	-9.24	46.90	3	Horizontal	360	1.80	108	34.30	8.55	30.79				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 58
60\58\59\58
-0.49\1.14\0.34\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	64.71	74.00	-9.29	54.27	3	Vertical	359	1.80	58	33.70	7.70	30.96			
AV	5.15G	53.28	54.00	-0.72	42.84	3	Vertical	359	1.80	58	33.70	7.70	30.96			
PK	5.2006G	114.06	Inf	-Inf	103.48	3	Vertical	359	1.80	58	33.80	7.73	30.95			
AV	5.1956G	102.18	Inf	-Inf	91.61	3	Vertical	359	1.80	58	33.79	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 58
58
0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1432G	67.14	74.00	-6.86	56.74	3	Horizontal	360	1.64	58	33.67	7.69	30.96				
AV	5.1494G	53.58	54.00	-0.42	43.14	3	Horizontal	360	1.64	58	33.70	7.70	30.96				
PK	5.2018G	114.62	Inf	-Inf	104.04	3	Horizontal	360	1.64	58	33.80	7.73	30.95				
AV	5.183G	103.11	Inf	-Inf	92.57	3	Horizontal	360	1.64	58	33.77	7.72	30.95				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 81
60\77\85\81
4.43\0.95\~2.53\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	64.89	74.00	-9.11	54.46	3	Vertical	360	1.80	81	33.69	7.70	30.96
AV	5.1476G	53.95	54.00	-0.05	43.52	3	Vertical	360	1.80	81	33.69	7.70	30.96
PK	5.2284G	119.98	Inf	-Inf	109.35	3	Vertical	360	1.80	81	33.80	7.77	30.94
AV	5.2246G	108.60	Inf	-Inf	97.97	3	Vertical	360	1.80	81	33.80	7.77	30.94

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 81
81
0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1464G	64.86	74.00	-9.14	54.43	3	Horizontal	1	1.80	81	33.69	7.70	30.96			
AV	5.1484G	53.82	54.00	-0.18	43.39	3	Horizontal	1	1.80	81	33.69	7.70	30.96			
PK	5.2384G	121.05	Inf	-Inf	110.40	3	Horizontal	1	1.80	81	33.80	7.79	30.94			
AV	5.2382G	109.00	Inf	-Inf	98.35	3	Horizontal	1	1.80	81	33.80	7.79	30.94			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 82
60\79\88\84\82\83\82
4.83\1.61\3.64\0.22\0.72\0.01\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2734G	117.94	Inf	-Inf	107.23	3	Vertical	360	1.79	82	33.80	7.84	30.93			
AV	5.2556G	106.59	Inf	-Inf	95.90	3	Vertical	360	1.79	82	33.80	7.82	30.93			
PK	5.3512G	64.37	74.00	-9.63	53.42	3	Vertical	360	1.79	82	33.90	7.96	30.91			
AV	5.3504G	53.28	54.00	-0.72	42.33	3	Vertical	360	1.79	82	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 81
82\81
-0.11\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2652G	120.17	Inf	-Inf	109.47	3	Horizontal	360	1.80	81	33.80	7.83	30.93				
AV	5.2654G	108.95	Inf	-Inf	98.25	3	Horizontal	360	1.80	81	33.80	7.83	30.93				
PK	5.3604G	63.71	74.00	-10.29	52.70	3	Horizontal	360	1.80	81	33.94	7.98	30.91				
AV	5.3556G	53.66	54.00	-0.34	42.68	3	Horizontal	360	1.80	81	33.92	7.97	30.91				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 62
60\64\62
1.07\1.25\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2964G	113.22	Inf	-Inf	102.46	3	Vertical	357	1.68	62	33.80	7.88	30.92			
AV	5.3276G	101.39	Inf	-Inf	90.52	3	Vertical	357	1.68	62	33.86	7.93	30.92			
PK	5.3518G	65.67	74.00	-8.33	54.70	3	Vertical	357	1.68	62	33.91	7.97	30.91			
AV	5.3508G	53.81	54.00	-0.19	42.86	3	Vertical	357	1.68	62	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 58
62\56\59\58
-1.30\1.10\0.02\0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3228G	113.19	Inf	-Inf	102.34	3	Horizontal	1	1.80	58	33.85	7.92	30.92			
AV	5.3024G	101.97	Inf	-Inf	91.20	3	Horizontal	1	1.80	58	33.80	7.89	30.92			
PK	5.3518G	65.43	74.00	-8.57	54.46	3	Horizontal	1	1.80	58	33.91	7.97	30.91			
AV	5.3508G	53.23	54.00	-0.77	42.28	3	Horizontal	1	1.80	58	33.90	7.96	30.91			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 71
60\76\68\72\70\71
4.08\1.20\1.51\0.23\0.53\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	64.76	74.00	-9.24	53.59	3	Vertical	360	1.60	71	34.00	8.06	30.89			
AV	5.46G	52.71	54.00	-1.29	41.54	3	Vertical	360	1.60	71	34.00	8.06	30.89			
PK	5.47G	67.89	68.20	-0.31	56.72	3	Vertical	360	1.60	71	34.00	8.06	30.89			
PK	5.5142G	116.20	Inf	-Inf	104.95	3	Vertical	360	1.60	71	34.06	8.07	30.88			
AV	5.5168G	103.84	Inf	-Inf	92.57	3	Vertical	360	1.60	71	34.07	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 70
71\63\67\69\70
-1.87\2.80\2.53\1.22\1.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	64.83	74.00	-9.17	53.66	3	Horizontal	357	1.74	70	34.00	8.06	30.89			
AV	5.4596G	52.60	54.00	-1.40	41.43	3	Horizontal	357	1.74	70	34.00	8.06	30.89			
PK	5.469G	66.49	68.20	-1.71	55.32	3	Horizontal	357	1.74	70	34.00	8.06	30.89			
PK	5.515G	116.53	Inf	-Inf	105.28	3	Horizontal	357	1.74	70	34.06	8.07	30.88			
AV	5.5152G	103.95	Inf	-Inf	92.70	3	Horizontal	357	1.74	70	34.06	8.07	30.88			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 87
60\81\91\86\88\87
5.41\2.47\ -1.16\1.37\ -0.85\0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	63.33	74.00	-10.67	52.16	3	Vertical	357	1.80	87	34.00	8.06	30.89			
AV	5.4598G	53.34	54.00	-0.66	42.17	3	Vertical	357	1.80	87	34.00	8.06	30.89			
PK	5.4674G	64.63	68.20	-3.57	53.46	3	Vertical	357	1.80	87	34.00	8.06	30.89			
PK	5.5578G	119.64	Inf	-Inf	108.24	3	Vertical	357	1.80	87	34.18	8.09	30.87			
AV	5.554G	108.05	Inf	-Inf	96.64	3	Vertical	357	1.80	87	34.19	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 87
87
0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	64.18	74.00	-9.82	53.01	3	Horizontal	1	1.80	87	34.00	8.06	30.89			
AV	5.459G	53.34	54.00	-0.66	42.17	3	Horizontal	1	1.80	87	34.00	8.06	30.89			
PK	5.4668G	64.93	68.20	-3.27	53.76	3	Horizontal	1	1.80	87	34.00	8.06	30.89			
PK	5.5454G	120.39	Inf	-Inf	109.00	3	Horizontal	1	1.80	87	34.18	8.08	30.87			
AV	5.545G	108.51	Inf	-Inf	97.12	3	Horizontal	1	1.80	87	34.18	8.08	30.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 75
60\79\70\74\76\77\76\75
4.92\ -0.73\2.48\1.65\1.53\ -0.02\ -0.61\0.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6772G	116.40	Inf	-Inf	105.17	3	Vertical	1	1.61	75	33.90	8.18	30.85			
AV	5.6808G	104.36	Inf	-Inf	93.12	3	Vertical	1	1.61	75	33.90	8.19	30.85			
PK	5.7252G	67.57	68.20	-0.63	56.27	3	Vertical	1	1.61	75	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 74
75\74
-0.12\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6787G	116.82	Inf	-Inf	105.58	3	Horizontal	2	1.76	74	33.90	8.19	30.85			
AV	5.6733G	105.07	Inf	-Inf	93.84	3	Horizontal	2	1.76	74	33.90	8.18	30.85			
PK	5.7252G	68.14	68.20	-0.06	56.84	3	Horizontal	2	1.76	74	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 99
60\83\102\93\97\99\100\99
5.93\4.83\4.91\3.71\3.80\2.55\3.32\1.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.25	74.00	-12.75	50.08	3	Vertical	357	1.74	99	34.00	8.06	30.89
AV	5.458G	50.04	54.00	-3.96	38.87	3	Vertical	357	1.74	99	34.00	8.06	30.89
PK	5.47G	60.39	68.20	-7.81	49.22	3	Vertical	357	1.74	99	34.00	8.06	30.89
PK	5.698G	120.87	Inf	-Inf	109.60	3	Vertical	357	1.74	99	33.90	8.21	30.84
AV	5.7136G	110.55	Inf	-Inf	99.27	3	Vertical	357	1.74	99	33.90	8.22	30.84
PK	5.8678G	66.32	68.20	-1.88	54.75	3	Vertical	357	1.74	99	33.97	8.41	30.81

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET99
99
3.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.425G	60.89	74.00	-13.11	49.69	3	Horizontal	2	1.80	99	34.05	8.05	30.90			
AV	5.422G	50.78	54.00	-3.22	39.57	3	Horizontal	2	1.80	99	34.06	8.05	30.90			
PK	5.464G	60.85	68.20	-7.35	49.68	3	Horizontal	2	1.80	99	34.00	8.06	30.89			
PK	5.7082G	121.75	Inf	-Inf	110.47	3	Horizontal	2	1.80	99	33.90	8.22	30.84			
AV	5.7238G	110.38	Inf	-Inf	99.08	3	Horizontal	2	1.80	99	33.90	8.24	30.84			
PK	5.8546G	63.14	68.20	-5.06	51.65	3	Horizontal	2	1.80	99	33.92	8.39	30.82			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 92
60\85\103\94\90\92
6.42\4.59\15.46\0.41\3.30\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4562G	50.12	54.00	-3.88	38.95	3	Vertical	1	1.80	92	34.00	8.06	30.89			
PK	5.6392G	67.74	68.20	-0.46	56.51	3	Vertical	1	1.80	92	33.94	8.14	30.85			
PK	5.7448G	120.96	Inf	-Inf	109.64	3	Vertical	1	1.80	92	33.90	8.26	30.84			
AV	5.7592G	110.64	Inf	-Inf	99.29	3	Vertical	1	1.80	92	33.90	8.28	30.83			
PK	6.0484G	58.79	68.20	-9.41	46.68	3	Vertical	1	1.80	92	34.40	8.52	30.81			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 92
92
2.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4574G	50.25	54.00	-3.75	39.08	3	Horizontal	2	1.57	92	34.00	8.06	30.89			
PK	5.6482G	65.82	68.20	-2.38	54.61	3	Horizontal	2	1.57	92	33.91	8.15	30.85			
PK	5.758G	121.41	Inf	-Inf	110.07	3	Horizontal	2	1.57	92	33.90	8.27	30.83			
AV	5.749G	110.19	Inf	-Inf	98.87	3	Horizontal	2	1.57	92	33.90	8.26	30.84			
PK	6.0472G	59.35	68.20	-8.85	47.24	3	Horizontal	2	1.57	92	34.39	8.53	30.81			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 92
60\94\77\85\89\91\92\104\98\95\92
8.53\ -0.20\7.19\6.12\5.44\4.49\5.25\ -5.60\ -3.33\ -0.01\5.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.639G	62.73	68.20	-5.47	51.50	3	Vertical	1	1.70	92	33.94	8.14	30.85			
PK	5.7764G	120.48	Inf	-Inf	109.12	3	Vertical	1	1.70	92	33.90	8.29	30.83			
AV	5.7818G	110.13	Inf	-Inf	98.76	3	Vertical	1	1.70	92	33.90	8.30	30.83			
PK	5.9378G	59.32	68.20	-8.88	47.37	3	Vertical	1	1.70	92	34.25	8.50	30.80			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 92
92
5.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6192G	62.59	68.20	-5.61	51.31	3	Horizontal	2	1.81	92	34.02	8.12	30.86			
PK	5.783G	121.92	Inf	-Inf	110.55	3	Horizontal	2	1.81	92	33.90	8.30	30.83			
AV	5.7788G	110.18	Inf	-Inf	98.81	3	Horizontal	2	1.81	92	33.90	8.30	30.83			
PK	6.0902G	59.17	68.20	-9.03	47.12	3	Horizontal	2	1.81	92	34.40	8.48	30.83			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 65
60\68\64\66\65
2.00\ -2.05\0.62\ -1.06\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.18	74.00	-9.82	53.74	3	Vertical	360	1.79	65	33.70	7.70	30.96
AV	5.15G	53.82	54.00	-0.18	43.38	3	Vertical	360	1.79	65	33.70	7.70	30.96
PK	5.239G	112.25	Inf	-Inf	101.60	3	Vertical	360	1.79	65	33.80	7.79	30.94
AV	5.199G	100.80	Inf	-Inf	90.22	3	Vertical	360	1.79	65	33.80	7.73	30.95
PK	5.369G	60.72	74.00	-13.28	49.66	3	Vertical	360	1.79	65	33.98	7.99	30.91
AV	5.3765G	50.39	54.00	-3.61	39.29	3	Vertical	360	1.79	65	34.01	8.00	30.91

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 60
65\56\60
-2.07\2.22\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	63.69	74.00	-10.31	53.25	3	Horizontal	360	1.80	60	33.70	7.70	30.96			
AV	5.15G	53.80	54.00	-0.20	43.36	3	Horizontal	360	1.80	60	33.70	7.70	30.96			
PK	5.172G	111.97	Inf	-Inf	101.47	3	Horizontal	360	1.80	60	33.74	7.71	30.95			
AV	5.2395G	100.83	Inf	-Inf	90.18	3	Horizontal	360	1.80	60	33.80	7.79	30.94			
PK	5.368G	60.81	74.00	-13.19	49.76	3	Horizontal	360	1.80	60	33.97	7.99	30.91			
AV	5.36G	50.36	54.00	-3.64	39.35	3	Horizontal	360	1.80	60	33.94	7.98	30.91			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 60
60
0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1445G	59.44	74.00	-14.56	49.03	3	Vertical	360	1.64	60	33.68	7.69	30.96				
AV	5.145G	48.98	54.00	-5.02	38.57	3	Vertical	360	1.64	60	33.68	7.69	30.96				
PK	5.262G	109.28	Inf	-Inf	98.58	3	Vertical	360	1.64	60	33.80	7.83	30.93				
AV	5.2625G	97.92	Inf	-Inf	87.22	3	Vertical	360	1.64	60	33.80	7.83	30.93				
PK	5.3525G	62.52	74.00	-11.48	51.55	3	Vertical	360	1.64	60	33.91	7.97	30.91				
AV	5.35G	53.96	54.00	-0.04	43.01	3	Vertical	360	1.64	60	33.90	7.96	30.91				
PK	5.4785G	59.34	68.20	-8.86	48.16	3	Vertical	360	1.64	60	34.00	8.06	30.88				

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 56
60\56
-0.82\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.126G	58.99	74.00	-15.01	48.67	3	Horizontal	360	1.79	56	33.60	7.68	30.96					
AV	5.146G	48.33	54.00	-5.67	37.92	3	Horizontal	360	1.79	56	33.68	7.69	30.96					
PK	5.2525G	110.39	Inf	-Inf	99.71	3	Horizontal	360	1.79	56	33.80	7.81	30.93					
AV	5.285G	99.36	Inf	-Inf	88.63	3	Horizontal	360	1.79	56	33.80	7.86	30.93					
PK	5.352G	63.42	74.00	-10.58	52.45	3	Horizontal	360	1.79	56	33.91	7.97	30.91					
AV	5.35G	53.80	54.00	-0.20	42.85	3	Horizontal	360	1.79	56	33.90	7.96	30.91					
PK	5.4625G	59.07	68.20	-9.13	47.90	3	Horizontal	360	1.79	56	34.00	8.06	30.89					

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 71
60\76\68\72\70\71
4.02\1.69\1.54\0.19\0.70\0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.335G	59.67	68.20	-8.53	48.78	3	Vertical	0	1.69	71	33.87	7.94	30.92			
AV	5.35G	48.74	54.00	-5.26	37.79	3	Vertical	0	1.69	71	33.90	7.96	30.91			
PK	5.4545G	63.13	74.00	-10.87	51.96	3	Vertical	0	1.69	71	34.00	8.06	30.89			
AV	5.456G	53.36	54.00	-0.64	42.19	3	Vertical	0	1.69	71	34.00	8.06	30.89			
PK	5.4695G	64.64	68.20	-3.56	53.47	3	Vertical	0	1.69	71	34.00	8.06	30.89			
PK	5.548G	112.39	Inf	-Inf	100.99	3	Vertical	0	1.69	71	34.19	8.08	30.87			
AV	5.543G	101.13	Inf	-Inf	89.75	3	Vertical	0	1.69	71	34.17	8.08	30.87			
PK	5.7465G	59.35	68.20	-8.85	48.03	3	Vertical	0	1.69	71	33.90	8.26	30.84			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 67
71\63\67
-1.98\2.21\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.334G	59.58	68.20	-8.62	48.69	3	Horizontal	359	1.80	67	33.87	7.94	30.92			
AV	5.35G	48.40	54.00	-5.60	37.45	3	Horizontal	359	1.80	67	33.90	7.96	30.91			
PK	5.4545G	63.99	74.00	-10.01	52.82	3	Horizontal	359	1.80	67	34.00	8.06	30.89			
AV	5.4595G	53.71	54.00	-0.29	42.54	3	Horizontal	359	1.80	67	34.00	8.06	30.89			
PK	5.4655G	65.59	68.20	-2.61	54.42	3	Horizontal	359	1.80	67	34.00	8.06	30.89			
PK	5.529G	113.32	Inf	-Inf	101.99	3	Horizontal	359	1.80	67	34.12	8.08	30.87			
AV	5.5425G	101.22	Inf	-Inf	89.84	3	Horizontal	359	1.80	67	34.17	8.08	30.87			
PK	5.759G	59.14	68.20	-9.06	47.80	3	Horizontal	359	1.80	67	33.90	8.27	30.83			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 85
60\80\90\85
5.09\2.79\4.36\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	64.89	74.00	-9.11	53.72	3	Vertical	359	1.65	85	34.00	8.06	30.89			
AV	5.46G	53.65	54.00	-0.35	42.48	3	Vertical	359	1.65	85	34.00	8.06	30.89			
PK	5.4675G	64.97	68.20	-3.23	53.80	3	Vertical	359	1.65	85	34.00	8.06	30.89			
PK	5.5905G	115.71	Inf	-Inf	104.35	3	Vertical	359	1.65	85	34.12	8.10	30.86			
AV	5.621G	104.68	Inf	-Inf	93.40	3	Vertical	359	1.65	85	34.02	8.12	30.86			
PK	5.732G	68.07	68.20	-0.13	56.76	3	Vertical	359	1.65	85	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 83
85\82\83
-0.74\0.68\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	63.95	74.00	-10.05	52.78	3	Horizontal	360	1.80	83	34.00	8.06	30.89
AV	5.459G	53.53	54.00	-0.47	42.36	3	Horizontal	360	1.80	83	34.00	8.06	30.89
PK	5.467G	66.73	68.20	-1.47	55.56	3	Horizontal	360	1.80	83	34.00	8.06	30.89
PK	5.618G	116.11	Inf	-Inf	104.82	3	Horizontal	360	1.80	83	34.03	8.12	30.86
AV	5.6155G	105.34	Inf	-Inf	94.04	3	Horizontal	360	1.80	83	34.04	8.12	30.86
PK	5.725G	67.85	68.20	-0.35	56.55	3	Horizontal	360	1.80	83	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 92
60\83\94\89\91\92\93\92
5.76\2.72\0.19\1.25\0.75\0.88\0.43\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.71	74.00	-10.29	52.54	3	Vertical	358	1.59	92	34.00	8.06	30.89
PK	5.4608G	64.25	68.20	-3.95	53.08	3	Vertical	358	1.59	92	34.00	8.06	30.89
AV	5.4596G	53.64	54.00	-0.36	42.47	3	Vertical	358	1.59	92	34.00	8.06	30.89
PK	5.6858G	117.33	Inf	-Inf	106.09	3	Vertical	358	1.59	92	33.90	8.19	30.85
AV	5.6978G	106.02	Inf	-Inf	94.75	3	Vertical	358	1.59	92	33.90	8.21	30.84
PK	5.85G	65.87	68.20	-2.33	54.41	3	Vertical	358	1.59	92	33.90	8.38	30.82

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 92
92
0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4068G	63.14	74.00	-10.86	51.91	3	Horizontal	360	1.77	92	34.09	8.04	30.90			
PK	5.465G	64.43	68.20	-3.77	53.26	3	Horizontal	360	1.77	92	34.00	8.06	30.89			
AV	5.456G	53.73	54.00	-0.27	42.56	3	Horizontal	360	1.77	92	34.00	8.06	30.89			
PK	5.6972G	117.85	Inf	-Inf	106.58	3	Horizontal	360	1.77	92	33.90	8.21	30.84			
AV	5.6744G	106.39	Inf	-Inf	95.16	3	Horizontal	360	1.77	92	33.90	8.18	30.85			
PK	5.85G	66.11	68.20	-2.09	54.65	3	Horizontal	360	1.77	92	33.90	8.38	30.82			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 86
60\91\76\83\86
7.86\1.67\4.98\2.50\0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.646G	68.09	68.20	-0.11	56.87	3	Vertical	0	1.80	86	33.92	8.15	30.85				
PK	5.772G	116.16	Inf	-Inf	104.80	3	Vertical	0	1.80	86	33.90	8.29	30.83				
AV	5.7738G	105.33	Inf	-Inf	93.97	3	Vertical	0	1.80	86	33.90	8.29	30.83				
PK	5.9904G	59.19	68.20	-9.01	47.11	3	Vertical	0	1.80	86	34.30	8.57	30.79				

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 86
86
0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	67.39	68.20	-0.81	56.19	3	Horizontal	0	1.75	86	33.90	8.15	30.85			
PK	5.7684G	117.37	Inf	-Inf	106.01	3	Horizontal	0	1.75	86	33.90	8.29	30.83			
AV	5.7648G	105.57	Inf	-Inf	94.22	3	Horizontal	0	1.75	86	33.90	8.28	30.83			
PK	5.9622G	58.87	68.20	-9.33	46.84	3	Horizontal	0	1.75	86	34.30	8.53	30.80			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 59
60\54\57\58\59
-1.32\2.62\1.41\1.04\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1336G	65.27	74.00	-8.73	54.91	3	Vertical	359	1.76	59	33.63	7.69	30.96				
AV	5.1474G	51.09	54.00	-2.91	40.66	3	Vertical	359	1.76	59	33.69	7.70	30.96				
PK	5.244G	107.51	Inf	-Inf	96.85	3	Vertical	359	1.76	59	33.80	7.80	30.94				
AV	5.274G	96.13	Inf	-Inf	85.42	3	Vertical	359	1.76	59	33.80	7.84	30.93				
PK	5.3736G	69.43	74.00	-4.57	58.35	3	Vertical	359	1.76	59	33.99	8.00	30.91				
AV	5.3586G	53.78	54.00	-0.22	42.78	3	Vertical	359	1.76	59	33.93	7.98	30.91				
PK	5.4606G	60.28	68.20	-7.92	49.11	3	Vertical	359	1.76	59	34.00	8.06	30.89				

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 56
59\53\56\57\56
-1.39\1.71\0.69\0.07\0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1462G	60.21	74.00	-13.79	49.79	3	Horizontal	360	1.80	56	33.68	7.70	30.96				
AV	5.148G	50.47	54.00	-3.53	40.04	3	Horizontal	360	1.80	56	33.69	7.70	30.96				
PK	5.2668G	109.08	Inf	-Inf	98.38	3	Horizontal	360	1.80	56	33.80	7.83	30.93				
AV	5.2692G	97.32	Inf	-Inf	86.61	3	Horizontal	360	1.80	56	33.80	7.84	30.93				
PK	5.3628G	65.27	74.00	-8.73	54.25	3	Horizontal	360	1.80	56	33.95	7.98	30.91				
AV	5.3544G	53.26	54.00	-0.74	42.28	3	Horizontal	360	1.80	56	33.92	7.97	30.91				
PK	5.4612G	59.85	68.20	-8.35	48.68	3	Horizontal	360	1.80	56	34.00	8.06	30.89				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 65
60\68\64\66\65
2.11\ -3.49\1.40\ -0.41\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3486G	59.96	68.20	-8.24	49.01	3	Vertical	359	1.80	65	33.90	7.96	30.91				
PK	5.3966G	64.53	74.00	-9.47	53.31	3	Vertical	359	1.80	65	34.09	8.03	30.90				
AV	5.399G	52.76	54.00	-1.24	41.52	3	Vertical	359	1.80	65	34.10	8.04	30.90				
PK	5.4674G	65.52	68.20	-2.68	54.35	3	Vertical	359	1.80	65	34.00	8.06	30.89				
PK	5.5532G	109.05	Inf	-Inf	97.64	3	Vertical	359	1.80	65	34.19	8.09	30.87				
AV	5.5472G	96.30	Inf	-Inf	84.90	3	Vertical	359	1.80	65	34.19	8.08	30.87				
PK	5.729G	67.61	68.20	-0.59	56.31	3	Vertical	359	1.80	65	33.90	8.24	30.84				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
SET 64
65\64
-0.13\1.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3498G	60.31	68.20	-7.89	49.36	3	Horizontal	360	1.77	64	33.90	7.96	30.91					
PK	5.4464G	64.71	74.00	-9.29	53.54	3	Horizontal	360	1.77	64	34.01	8.05	30.89					
AV	5.4518G	52.28	54.00	-1.72	41.11	3	Horizontal	360	1.77	64	34.00	8.06	30.89					
PK	5.462G	64.57	68.20	-3.63	53.40	3	Horizontal	360	1.77	64	34.00	8.06	30.89					
PK	5.546G	109.07	Inf	-Inf	97.68	3	Horizontal	360	1.77	64	34.18	8.08	30.87					
AV	5.5442G	97.49	Inf	-Inf	86.10	3	Horizontal	360	1.77	64	34.18	8.08	30.87					
PK	5.7356G	65.65	68.20	-2.55	54.34	3	Horizontal	360	1.77	64	33.90	8.25	30.84					




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.354G	73.64	74.00	-0.36	3	Horizontal	208	2.88	75

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
SET 63
40\62\73\68\66\65\64\63
5.54\1.85\5.95\2.91\1.57\0.66\0.13\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	73.55	74.00	-0.45	63.54	3	Vertical	309	1.80	63	32.89	9.71	32.59
AV	5.1475G	52.69	54.00	-1.31	42.68	3	Vertical	309	1.80	63	32.89	9.71	32.59
PK	5.2455G	111.50	Inf	-Inf	101.27	3	Vertical	309	1.80	63	33.08	9.72	32.57
AV	5.2385G	100.93	Inf	-Inf	90.73	3	Vertical	309	1.80	63	33.05	9.72	32.57
PK	5.3535G	60.77	74.00	-13.23	50.32	3	Vertical	309	1.80	63	33.31	9.68	32.54
AV	5.3535G	48.89	54.00	-5.11	38.44	3	Vertical	309	1.80	63	33.31	9.68	32.54

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
SET 81
63\85\74\79\81\82\81
5.56\2.25\3.84\1.55\0.80\0.13\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.144G	72.09	74.00	-1.91	62.08	3	Horizontal	194	1.02	81	32.89	9.71	32.59
AV	5.139G	53.40	54.00	-0.60	43.40	3	Horizontal	194	1.02	81	32.88	9.71	32.59
PK	5.247G	102.66	Inf	-Inf	92.42	3	Horizontal	194	1.02	81	33.09	9.72	32.57
AV	5.237G	91.06	Inf	-Inf	80.85	3	Horizontal	194	1.02	81	33.05	9.73	32.57
PK	5.355G	59.62	74.00	-14.38	49.17	3	Horizontal	194	1.02	81	33.31	9.68	32.54
AV	5.4595G	48.41	54.00	-5.59	37.49	3	Horizontal	194	1.02	81	33.66	9.77	32.51

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42719G	55.73	68.20	-12.47	69.45	3	Vertical	226	1.80	108	38.90	14.15	66.77			
PK	15.61737G	55.94	74.00	-18.06	66.12	3	Vertical	76	2.49	108	38.40	15.36	63.94			
AV	15.59164G	44.98	54.00	-9.02	55.03	3	Vertical	76	2.49	108	38.53	15.36	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40258G	56.27	68.20	-11.93	70.04	3	Horizontal	131	1.78	108	38.90	14.14	66.81			
PK	15.59963G	55.82	74.00	-18.18	65.90	3	Horizontal	1	1.79	108	38.50	15.36	63.94			
AV	15.59196G	44.79	54.00	-9.21	54.84	3	Horizontal	1	1.79	108	38.53	15.36	63.94			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_Z_2TX
SET 57
80\40\61\51\56\58\57
-14.88\5.27\2.91\3.55\1.57\0.27\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1455G	60.80	74.00	-13.20	50.79	3	Vertical	134	1.80	57	32.89	9.71	32.59				
AV	5.132G	48.48	54.00	-5.52	38.51	3	Vertical	134	1.80	57	32.86	9.71	32.60				
PK	5.2635G	110.63	Inf	-Inf	100.35	3	Vertical	134	1.80	57	33.13	9.71	32.56				
AV	5.2605G	99.48	Inf	-Inf	89.20	3	Vertical	134	1.80	57	33.12	9.72	32.56				
PK	5.3565G	73.63	74.00	-0.37	63.18	3	Vertical	134	1.80	57	33.31	9.68	32.54				
AV	5.356G	52.13	54.00	-1.87	41.68	3	Vertical	134	1.80	57	33.31	9.68	32.54				
PK	5.5335G	60.63	68.20	-7.57	49.25	3	Vertical	134	1.80	57	33.97	9.91	32.50				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_Z_2TX
SET 75
57\79\68\73\75
5.64\1.58\3.98\1.39\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0955G	59.27	74.00	-14.73	49.37	3	Horizontal	208	2.88	75	32.82	9.69	32.61			
AV	5.071G	48.15	54.00	-5.85	38.16	3	Horizontal	208	2.88	75	32.92	9.68	32.61			
PK	5.259G	104.07	Inf	-Inf	93.79	3	Horizontal	208	2.88	75	33.12	9.72	32.56			
AV	5.2595G	92.02	Inf	-Inf	81.74	3	Horizontal	208	2.88	75	33.12	9.72	32.56			
PK	5.354G	73.64	74.00	-0.36	63.19	3	Horizontal	208	2.88	75	33.31	9.68	32.54			
AV	5.3595G	53.34	54.00	-0.66	42.88	3	Horizontal	208	2.88	75	33.32	9.68	32.54			
PK	5.485G	60.48	68.20	-7.72	49.35	3	Horizontal	208	2.88	75	33.81	9.82	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61708G	56.81	74.00	-17.19	69.87	3	Vertical	149	1.80	108	39.23	14.26	66.55			
PK	15.94321G	56.12	74.00	-17.88	66.08	3	Vertical	273	2.38	108	38.63	15.38	63.97			
AV	15.89877G	45.31	54.00	-8.69	55.11	3	Vertical	273	2.38	108	38.79	15.37	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX

EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5557G	55.85	68.20	-12.35	69.03	3	Horizontal	137	2.07	108	39.20	14.23	66.61			
PK	15.90836G	57.02	74.00	-16.98	66.83	3	Horizontal	51	2.46	108	38.77	15.38	63.96			
AV	15.90229G	45.43	54.00	-8.57	55.22	3	Horizontal	51	2.46	108	38.79	15.38	63.96			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.145G	53.95	54.00	-0.05	3	Vertical	344	2.94	66

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
SET 66
58\75\54\64\69\67\66
4.27\7.35\5.37\0.80\2.39\0.65\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1445G	72.22	74.00	-1.78	62.21	3	Vertical	344	2.94	66	32.89	9.71	32.59			
AV	5.145G	53.95	54.00	-0.05	43.94	3	Vertical	344	2.94	66	32.89	9.71	32.59			
PK	5.195G	104.90	Inf	-Inf	94.84	3	Vertical	344	2.94	66	32.90	9.74	32.58			
AV	5.2395G	94.35	Inf	-Inf	84.14	3	Vertical	344	2.94	66	33.06	9.72	32.57			
PK	5.353G	60.09	74.00	-13.91	49.64	3	Vertical	344	2.94	66	33.31	9.68	32.54			
AV	5.354G	48.55	54.00	-5.45	38.10	3	Vertical	344	2.94	66	33.31	9.68	32.54			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
SET 57
66\42\63\53\58\56\57
-5.89\5.37~-3.60\3.17~-0.04\1.52\0.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1445G	72.63	74.00	-1.37	62.62	3	Horizontal	82	2.98	57	32.89	9.71	32.59
AV	5.145G	53.20	54.00	-0.80	43.19	3	Horizontal	82	2.98	57	32.89	9.71	32.59
PK	5.205G	110.61	Inf	-Inf	100.53	3	Horizontal	82	2.98	57	32.92	9.74	32.58
AV	5.195G	99.09	Inf	-Inf	89.03	3	Horizontal	82	2.98	57	32.90	9.74	32.58
PK	5.375G	60.21	74.00	-13.79	49.72	3	Horizontal	82	2.98	57	33.35	9.67	32.53
AV	5.385G	48.77	54.00	-5.23	38.26	3	Horizontal	82	2.98	57	33.37	9.67	32.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42511G	56.32	68.20	-11.88	70.04	3	Vertical	184	1.80	108	38.90	14.15	66.77			
PK	15.57006G	56.00	74.00	-18.00	65.96	3	Vertical	132	1.80	108	38.62	15.36	63.94			
AV	15.5886G	44.84	54.00	-9.16	54.87	3	Vertical	132	1.80	108	38.55	15.36	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45724G	56.27	68.20	-11.93	69.89	3	Horizontal	90	1.05	108	38.93	14.17	66.72			
PK	15.63815G	55.38	74.00	-18.62	65.69	3	Horizontal	360	1.80	108	38.27	15.36	63.94			
AV	15.59531G	44.81	54.00	-9.19	54.87	3	Horizontal	360	1.80	108	38.52	15.36	63.94			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 71
80\49\72\61\66\68\69\70\71
-7.70\5.81\0.12\5.13\4.21\3.04\2.61\1.65\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.14668G	65.07	74.00	-8.93	55.06	3	Vertical	329	2.98	71	32.89	9.71	32.59					
AV	5.1408G	49.87	54.00	-4.13	39.87	3	Vertical	329	2.98	71	32.88	9.71	32.59					
PK	5.31048G	100.93	Inf	-Inf	90.56	3	Vertical	329	2.98	71	33.22	9.70	32.55					
AV	5.3256G	89.65	Inf	-Inf	79.26	3	Vertical	329	2.98	71	33.25	9.69	32.55					
AV	5.3508G	53.91	54.00	-0.09	43.47	3	Vertical	329	2.98	71	33.30	9.68	32.54					
PK	5.40204G	69.66	74.00	-4.34	59.12	3	Vertical	329	2.98	71	33.41	9.66	32.53					
PK	5.46588G	61.78	68.20	-6.42	50.81	3	Vertical	329	2.98	71	33.70	9.78	32.51					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX



EUT_Y_2TX

SET 61


71\40\62\51\56\58\59\60\61

-8.06\5.62\0.17\4.60\3.48\2.82\2.14\1.25\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	69.51	74.00	-4.49	59.49	3	Horizontal	88	2.96	61	32.90	9.71	32.59			
AV	5.14416G	50.16	54.00	-3.84	40.15	3	Horizontal	88	2.96	61	32.89	9.71	32.59			
PK	5.30544G	107.30	Inf	-Inf	96.94	3	Horizontal	88	2.96	61	33.21	9.70	32.55			
AV	5.28024G	96.73	Inf	-Inf	86.42	3	Horizontal	88	2.96	61	33.16	9.71	32.56			
PK	5.41128G	73.54	74.00	-0.46	62.93	3	Horizontal	88	2.96	61	33.45	9.68	32.52			
AV	5.4054G	52.59	54.00	-1.41	42.02	3	Horizontal	88	2.96	61	33.42	9.67	32.52			
PK	5.46588G	63.17	68.20	-5.03	52.20	3	Horizontal	88	2.96	61	33.70	9.78	32.51			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.44885G	56.89	68.20	-11.31	70.56	3	Vertical	79	1.80	108	38.90	14.17	66.74				
PK	15.86988G	56.43	74.00	-17.57	66.40	3	Vertical	2	2.46	108	38.62	15.37	63.96				
AV	15.61701G	44.52	54.00	-9.48	54.70	3	Vertical	2	2.46	108	38.40	15.36	63.94				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40026G	56.07	68.20	-12.13	69.84	3	Horizontal	346	1.80	108	38.90	14.14	66.81			
PK	15.62724G	55.93	74.00	-18.07	66.17	3	Horizontal	213	1.80	108	38.34	15.36	63.94			
AV	15.89162G	45.07	54.00	-8.93	54.91	3	Horizontal	213	1.80	108	38.75	15.37	63.96			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 73
62\83\58\70\76\73
5.30\9.45\5.49\2.39\3.08\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.145G	61.68	74.00	-12.32	51.67	3	Vertical	328	1.80	73	32.89	9.71	32.59					
AV	5.15G	49.57	54.00	-4.43	39.55	3	Vertical	328	1.80	73	32.90	9.71	32.59					
PK	5.2504G	98.96	Inf	-Inf	88.69	3	Vertical	328	1.80	73	33.11	9.72	32.56					
AV	5.31048G	87.61	Inf	-Inf	77.24	3	Vertical	328	1.80	73	33.22	9.70	32.55					
PK	5.42976G	67.30	74.00	-6.70	56.58	3	Vertical	328	1.80	73	33.52	9.72	32.52					
AV	5.40036G	53.51	54.00	-0.49	42.98	3	Vertical	328	1.80	73	33.40	9.66	32.53					
PK	5.46588G	62.63	68.20	-5.57	51.66	3	Vertical	328	1.80	73	33.70	9.78	32.51					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 62
73\40\61\71\66\64\63\62
-10.14\5.40\1.21\ -7.38\ -2.90\ -0.75\ -0.04\0.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.12736G	62.50	74.00	-11.50	52.55	3	Horizontal	89	2.96	62	32.85	9.70	32.60			
AV	5.145G	49.98	54.00	-4.02	39.97	3	Horizontal	89	2.96	62	32.89	9.71	32.59			
PK	5.28528G	108.90	Inf	-Inf	98.58	3	Horizontal	89	2.96	62	33.17	9.71	32.56			
AV	5.28024G	97.88	Inf	-Inf	87.57	3	Horizontal	89	2.96	62	33.16	9.71	32.56			
PK	5.35G	67.99	74.00	-6.01	57.55	3	Horizontal	89	2.96	62	33.30	9.68	32.54			
AV	5.39028G	53.14	54.00	-0.86	42.63	3	Horizontal	89	2.96	62	33.38	9.66	32.53			
PK	5.46084G	61.59	68.20	-6.61	50.66	3	Horizontal	89	2.96	62	33.67	9.77	32.51			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5016G	56.29	68.20	-11.91	69.65	3	Vertical	196	1.80	108	39.10	14.20	66.66			
PK	15.71036G	56.03	74.00	-17.97	66.29	3	Vertical	358	1.41	108	38.32	15.37	63.95			
AV	15.88618G	44.95	54.00	-9.05	54.82	3	Vertical	358	1.41	108	38.72	15.37	63.96			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38172G	55.41	68.20	-12.79	69.22	3	Horizontal	312	1.80	108	38.90	14.13	66.84			
PK	15.84367G	56.44	74.00	-17.56	66.54	3	Horizontal	252	1.80	108	38.49	15.37	63.96			
AV	15.633G	44.55	54.00	-9.45	54.83	3	Horizontal	252	1.80	108	38.30	15.36	63.94			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_V_2TX
SET 66
80\40\62\73\68\66
-11.39\5.71\2.49\5.08\0.55\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0715G	58.96	74.00	-15.04	48.98	3	Vertical	186	2.96	66	32.91	9.68	32.61			
AV	5.081G	48.03	54.00	-5.97	38.08	3	Vertical	186	2.96	66	32.88	9.68	32.61			
PK	5.282G	103.65	Inf	-Inf	93.34	3	Vertical	186	2.96	66	33.16	9.71	32.56			
AV	5.2725G	92.33	Inf	-Inf	82.03	3	Vertical	186	2.96	66	33.15	9.71	32.56			
PK	5.35G	69.70	74.00	-4.30	59.26	3	Vertical	186	2.96	66	33.30	9.68	32.54			
AV	5.35G	53.52	54.00	-0.48	43.08	3	Vertical	186	2.96	66	33.30	9.68	32.54			
PK	5.532G	60.14	68.20	-8.06	48.78	3	Vertical	186	2.96	66	33.96	9.90	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_V_2TX
SET 56
66\40\60\50\55\57\56
-7.81\5.11\2.81\3.15\0.58\0.55\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.08G	59.49	74.00	-14.51	49.54	3	Horizontal	86	2.98	56	32.88	9.68	32.61			
AV	5.0835G	48.23	54.00	-5.77	38.29	3	Horizontal	86	2.98	56	32.87	9.68	32.61			
PK	5.303G	110.84	Inf	-Inf	100.48	3	Horizontal	86	2.98	56	33.21	9.70	32.55			
AV	5.3G	99.31	Inf	-Inf	88.96	3	Horizontal	86	2.98	56	33.20	9.70	32.55			
PK	5.356G	72.36	74.00	-1.64	61.91	3	Horizontal	86	2.98	56	33.31	9.68	32.54			
AV	5.3505G	53.82	54.00	-0.18	43.38	3	Horizontal	86	2.98	56	33.30	9.68	32.54			
PK	5.532G	60.35	68.20	-7.85	48.99	3	Horizontal	86	2.98	56	33.96	9.90	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56561G	55.63	68.20	-12.57	68.80	3	Vertical	102	1.94	108	39.20	14.23	66.60			
PK	15.8724G	56.51	74.00	-17.49	66.47	3	Vertical	294	1.41	108	38.63	15.37	63.96			
AV	15.91204G	45.38	54.00	-8.62	55.21	3	Vertical	294	1.41	108	38.75	15.38	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58192G	56.68	68.20	-11.52	69.82	3	Horizontal	287	1.80	108	39.20	14.24	66.58			
PK	15.94832G	55.85	74.00	-18.15	65.83	3	Horizontal	360	1.20	108	38.61	15.38	63.97			
AV	15.94624G	45.15	54.00	-8.85	55.12	3	Horizontal	360	1.20	108	38.62	15.38	63.97			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 75
61\82\57\69\75
5.46\7.43\5.62\4.20\0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	63.61	74.00	-10.39	53.60	3	Vertical	48	1.80	75	32.89	9.71	32.59			
AV	5.1492G	50.02	54.00	-3.98	40.00	3	Vertical	48	1.80	75	32.90	9.71	32.59			
PK	5.2818G	97.66	Inf	-Inf	87.35	3	Vertical	48	1.80	75	33.16	9.71	32.56			
AV	5.2818G	86.47	Inf	-Inf	76.16	3	Vertical	48	1.80	75	33.16	9.71	32.56			
PK	5.4084G	67.40	74.00	-6.60	56.81	3	Vertical	48	1.80	75	33.43	9.68	32.52			
AV	5.355G	53.92	54.00	-0.08	43.47	3	Vertical	48	1.80	75	33.31	9.68	32.54			
PK	5.4618G	63.39	68.20	-4.81	52.46	3	Vertical	48	1.80	75	33.67	9.77	32.51			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 61
75\40\61\71\66\64\63\62\61
-13.70\5.38\0.60\ -8.11\ -2.84\ -1.80\ -1.48\ -0.34\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	68.97	74.00	-5.03	58.95	3	Horizontal	86	2.95	61	32.90	9.71	32.59			
AV	5.1438G	50.16	54.00	-3.84	40.15	3	Horizontal	86	2.95	61	32.89	9.71	32.59			
PK	5.2824G	108.20	Inf	-Inf	97.89	3	Horizontal	86	2.95	61	33.16	9.71	32.56			
AV	5.325G	96.70	Inf	-Inf	86.31	3	Horizontal	86	2.95	61	33.25	9.69	32.55			
PK	5.4108G	73.82	74.00	-0.18	63.22	3	Horizontal	86	2.95	61	33.44	9.68	32.52			
AV	5.35G	53.01	54.00	-0.99	42.57	3	Horizontal	86	2.95	61	33.30	9.68	32.54			
PK	5.481G	64.07	68.20	-4.13	52.97	3	Horizontal	86	2.95	61	33.79	9.81	32.50			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40921G	56.03	68.20	-12.17	69.78	3	Vertical	5	1.80	108	38.90	14.15	66.80			
PK	15.87851G	56.60	74.00	-17.40	66.52	3	Vertical	358	1.80	108	38.67	15.37	63.96			
AV	15.86892G	44.80	54.00	-9.20	54.78	3	Vertical	358	1.80	108	38.61	15.37	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42935G	56.20	68.20	-12.00	69.91	3	Horizontal	306	1.80	108	38.90	14.16	66.77			
PK	15.875G	56.95	74.00	-17.05	66.89	3	Horizontal	360	1.80	108	38.65	15.37	63.96			
AV	15.88331G	44.96	54.00	-9.04	54.85	3	Horizontal	360	1.80	108	38.70	15.37	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 68
80\40\62\73\68\70\69\68
-11.22\5.71\4.79\3.89\0.67\0.80\0.03\0.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1294G	62.42	74.00	-11.58	52.46	3	Vertical	338	2.76	68	32.86	9.70	32.60					
AV	5.1492G	49.73	54.00	-4.27	39.71	3	Vertical	338	2.76	68	32.90	9.71	32.59					
PK	5.2788G	102.50	Inf	-Inf	92.19	3	Vertical	338	2.76	68	33.16	9.71	32.56					
AV	5.2692G	91.02	Inf	-Inf	80.73	3	Vertical	338	2.76	68	33.14	9.71	32.56					
PK	5.403G	66.93	74.00	-7.07	56.38	3	Vertical	338	2.76	68	33.41	9.67	32.53					
AV	5.3988G	53.12	54.00	-0.88	42.59	3	Vertical	338	2.76	68	33.40	9.66	32.53					
PK	5.463G	62.06	68.20	-6.14	51.11	3	Vertical	338	2.76	68	33.68	9.78	32.51					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 62
68\48\67\58\62\64\63\62
-4.82\4.95\3.98\3.15\0.84\1.60\0.57\0.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1444G	62.20	74.00	-11.80	52.19	3	Horizontal	86	2.98	62	32.89	9.71	32.59				
AV	5.145G	50.16	54.00	-3.84	40.15	3	Horizontal	86	2.98	62	32.89	9.71	32.59				
PK	5.3046G	108.71	Inf	-Inf	98.35	3	Horizontal	86	2.98	62	33.21	9.70	32.55				
AV	5.2776G	97.15	Inf	-Inf	86.84	3	Horizontal	86	2.98	62	33.16	9.71	32.56				
PK	5.3958G	69.38	74.00	-4.62	58.86	3	Horizontal	86	2.98	62	33.39	9.66	32.53				
AV	5.3904G	53.26	54.00	-0.74	42.75	3	Horizontal	86	2.98	62	33.38	9.66	32.53				
PK	5.4606G	63.31	68.20	-4.89	52.39	3	Horizontal	86	2.98	62	33.66	9.77	32.51				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65313G	56.57	74.00	-17.43	69.50	3	Vertical	57	1.80	108	39.30	14.28	66.51			
PK	15.63779G	55.53	74.00	-18.47	65.84	3	Vertical	101	1.80	108	38.27	15.36	63.94			
AV	15.87595G	44.97	54.00	-9.03	54.90	3	Vertical	101	1.80	108	38.66	15.37	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45748G	55.82	68.20	-12.38	69.44	3	Horizontal	202	1.80	108	38.93	14.17	66.72			
PK	15.88171G	56.43	74.00	-17.57	66.33	3	Horizontal	141	1.80	108	38.69	15.37	63.96			
AV	15.90153G	45.00	54.00	-9.00	54.79	3	Horizontal	141	1.80	108	38.79	15.38	63.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
SET 62
80\40\62
-12.01\5.71\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3085G	60.08	68.20	-8.12	49.71	3	Vertical	162	2.91	62	33.22	9.70	32.55			
AV	5.35G	47.60	54.00	-6.40	37.16	3	Vertical	162	2.91	62	33.30	9.68	32.54			
PK	5.459G	65.30	74.00	-8.70	54.39	3	Vertical	162	2.91	62	33.65	9.77	32.51			
AV	5.4595G	49.46	54.00	-4.54	38.54	3	Vertical	162	2.91	62	33.66	9.77	32.51			
PK	5.465G	68.06	68.20	-0.14	57.10	3	Vertical	162	2.91	62	33.69	9.78	32.51			
PK	5.5605G	100.68	Inf	-Inf	89.23	3	Vertical	162	2.91	62	34.00	9.96	32.51			
AV	5.5605G	89.80	Inf	-Inf	78.35	3	Vertical	162	2.91	62	34.00	9.96	32.51			
PK	5.743G	61.51	68.20	-6.69	49.82	3	Vertical	162	2.91	62	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
SET 55
62\40\60\50\55\57\56\55
-7.59\5.22\6.09\4.71\1.17\2.39\0.57\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	59.66	68.20	-8.54	49.33	3	Horizontal	75	2.98	55	33.18	9.70	32.55
AV	5.35G	48.17	54.00	-5.83	37.73	3	Horizontal	75	2.98	55	33.30	9.68	32.54
PK	5.4555G	65.74	74.00	-8.26	54.86	3	Horizontal	75	2.98	55	33.63	9.76	32.51
AV	5.4575G	50.08	54.00	-3.92	39.17	3	Horizontal	75	2.98	55	33.65	9.77	32.51
PK	5.47G	67.58	68.20	-0.62	56.58	3	Horizontal	75	2.98	55	33.72	9.79	32.51
PK	5.5155G	110.45	Inf	-Inf	99.15	3	Horizontal	75	2.98	55	33.93	9.87	32.50
AV	5.5225G	99.57	Inf	-Inf	88.23	3	Horizontal	75	2.98	55	33.95	9.89	32.50
PK	5.76G	60.41	68.20	-7.79	48.71	3	Horizontal	75	2.98	55	34.22	10.01	32.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12138G	55.72	74.00	-18.28	68.39	3	Vertical	350	2.38	108	39.01	14.54	66.22			
AV	11.08478G	44.97	54.00	-9.03	57.53	3	Vertical	350	2.38	108	39.13	14.52	66.21			
PK	16.55819G	58.27	68.20	-9.93	66.54	3	Vertical	104	1.80	108	39.70	15.53	63.50			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98535G	55.63	74.00	-18.37	68.13	3	Horizontal	196	1.80	108	39.23	14.46	66.19			
AV	11.08238G	44.75	54.00	-9.25	57.30	3	Horizontal	196	1.80	108	39.14	14.52	66.21			
PK	16.60614G	58.38	68.20	-9.82	66.64	3	Horizontal	96	1.77	108	39.71	15.54	63.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_V_2TX
SET 89
55\77\98\88\93\91\90\89
5.66\5.42\5.98\0.85\1.91\1.39\0.07\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4385G	62.17	74.00	-11.83	51.41	3	Vertical	50	1.80	89	33.55	9.73	32.52			
AV	5.4385G	50.02	54.00	-3.98	39.26	3	Vertical	50	1.80	89	33.55	9.73	32.52			
PK	5.4695G	63.08	68.20	-5.12	52.08	3	Vertical	50	1.80	89	33.72	9.79	32.51			
PK	5.598G	103.79	Inf	-Inf	92.27	3	Vertical	50	1.80	89	34.00	10.03	32.51			
AV	5.5965G	93.01	Inf	-Inf	81.50	3	Vertical	50	1.80	89	34.00	10.02	32.51			
PK	5.738G	67.88	68.20	-0.32	56.19	3	Vertical	50	1.80	89	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
SET 68
89\49\69\59\64\66\67\68
-10.65\5.15\ -1.19\3.91\4.54\3.50\2.07\2.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.45G	64.55	74.00	-9.45	53.71	3	Horizontal	74	2.98	68	33.60	9.75	32.51
AV	5.4595G	50.24	54.00	-3.76	39.32	3	Horizontal	74	2.98	68	33.66	9.77	32.51
PK	5.47G	62.66	68.20	-5.54	51.66	3	Horizontal	74	2.98	68	33.72	9.79	32.51
PK	5.6G	114.15	Inf	-Inf	102.63	3	Horizontal	74	2.98	68	34.00	10.03	32.51
AV	5.5955G	102.49	Inf	-Inf	90.98	3	Horizontal	74	2.98	68	34.00	10.02	32.51
PK	5.736G	65.58	68.20	-2.62	53.89	3	Horizontal	74	2.98	68	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17109G	56.59	74.00	-17.41	69.36	3	Vertical	244	1.80	108	38.90	14.56	66.23			
AV	11.23694G	44.59	54.00	-9.41	57.28	3	Vertical	244	1.80	108	38.97	14.60	66.26			
PK	16.85254G	58.99	68.20	-9.21	66.46	3	Vertical	252	1.80	108	40.51	15.61	63.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.18819G	55.95	74.00	-18.05	68.72	3	Horizontal	12	1.80	108	38.90	14.57	66.24			
AV	11.15207G	44.39	54.00	-9.61	57.17	3	Horizontal	12	1.80	108	38.90	14.55	66.23			
PK	16.81338G	58.30	68.20	-9.90	65.92	3	Horizontal	294	1.80	108	40.35	15.60	63.57			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
80\103\108
5.77\3.78\3.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	61.61	74.00	-12.39	50.76	3	Vertical	318	1.80	108	33.61	9.75	32.51			
PK	5.465G	61.56	68.20	-6.64	50.60	3	Vertical	318	1.80	108	33.69	9.78	32.51			
AV	5.4596G	49.29	54.00	-4.71	38.37	3	Vertical	318	1.80	108	33.66	9.77	32.51			
PK	5.6822G	105.24	Inf	-Inf	93.58	3	Vertical	318	1.80	108	34.16	10.02	32.52			
AV	5.6768G	94.85	Inf	-Inf	83.20	3	Vertical	318	1.80	108	34.15	10.02	32.52			
PK	5.8556G	64.87	68.20	-3.33	52.72	3	Vertical	318	1.80	108	34.64	10.05	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 89
108\68\89
-10.67\5.29\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4566G	63.30	74.00	-10.70	52.41	3	Horizontal	71	2.98	89	33.64	9.76	32.51			
AV	5.408G	51.04	54.00	-2.96	40.46	3	Horizontal	71	2.98	89	33.43	9.67	32.52			
PK	5.4608G	64.66	68.20	-3.54	53.74	3	Horizontal	71	2.98	89	33.66	9.77	32.51			
PK	5.6756G	118.15	Inf	-Inf	106.50	3	Horizontal	71	2.98	89	34.15	10.02	32.52			
AV	5.6756G	107.15	Inf	-Inf	95.50	3	Horizontal	71	2.98	89	34.15	10.02	32.52			
PK	5.8568G	68.00	68.20	-0.20	55.84	3	Horizontal	71	2.98	89	34.65	10.05	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3824G	55.64	74.00	-18.36	68.12	3	Vertical	148	1.80	108	39.14	14.68	66.30			
AV	11.30072G	44.62	54.00	-9.38	57.16	3	Vertical	148	1.80	108	39.10	14.64	66.28			
PK	17.09637G	58.79	68.20	-9.41	65.70	3	Vertical	211	2.95	108	41.19	15.67	63.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.31239G	56.20	74.00	-17.80	68.72	3	Horizontal	296	1.80	108	39.12	14.64	66.28			
AV	11.30088G	44.51	54.00	-9.49	57.05	3	Horizontal	296	1.80	108	39.10	14.64	66.28			
PK	16.9904G	58.87	68.20	-9.33	66.08	3	Horizontal	120	1.80	108	40.78	15.64	63.63			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT Y_2TX
SET 74
80\69\74
-2.70\2.72\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3252G	59.83	68.20	-8.37	49.44	3	Vertical	189	2.98	74	33.25	9.69	32.55					
PK	5.399G	65.10	74.00	-8.90	54.57	3	Vertical	189	2.98	74	33.40	9.66	32.53					
PK	5.4674G	68.06	68.20	-0.14	57.09	3	Vertical	189	2.98	74	33.70	9.78	32.51					
AV	5.4596G	49.94	54.00	-4.06	39.02	3	Vertical	189	2.98	74	33.66	9.77	32.51					
PK	5.5394G	98.56	Inf	-Inf	87.16	3	Vertical	189	2.98	74	33.98	9.92	32.50					
AV	5.5448G	88.39	Inf	-Inf	76.97	3	Vertical	189	2.98	74	33.99	9.93	32.50					
PK	5.7338G	66.26	68.20	-1.94	54.57	3	Vertical	189	2.98	74	34.20	10.01	32.52					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Y_2TX
SET 57
74\40\61\51\56\58\57
-10.03\5.33\2.51\5.22\2.51\0.28\1.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3234G	60.38	68.20	-7.82	49.99	3	Horizontal	71	1.80	57	33.25	9.69	32.55					
PK	5.4554G	62.38	74.00	-11.62	51.50	3	Horizontal	71	1.80	57	33.63	9.76	32.51					
AV	5.4254G	49.30	54.00	-4.70	38.61	3	Horizontal	71	1.80	57	33.50	9.71	32.52					
PK	5.465G	64.06	68.20	-4.14	53.10	3	Horizontal	71	1.80	57	33.69	9.78	32.51					
AV	5.5484G	93.66	Inf	-Inf	82.23	3	Horizontal	71	1.80	57	34.00	9.93	32.50					
PK	5.6438G	104.77	Inf	-Inf	93.17	3	Horizontal	71	1.80	57	34.09	10.02	32.51					
PK	5.7428G	66.98	68.20	-1.22	55.29	3	Horizontal	71	1.80	57	34.20	10.01	32.52					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.19882G	56.20	74.00	-17.80	68.96	3	Vertical	194	1.80	108	38.90	14.58	66.24			
AV	11.08565G	45.04	54.00	-8.96	57.60	3	Vertical	194	1.80	108	39.13	14.52	66.21			
PK	16.68251G	57.95	68.20	-10.25	66.05	3	Vertical	60	1.80	108	39.87	15.56	63.53			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2407G	55.97	74.00	-18.03	68.65	3	Horizontal	108	1.80	108	38.98	14.60	66.26			
AV	11.08533G	44.99	54.00	-9.01	57.55	3	Horizontal	108	1.80	108	39.13	14.52	66.21			
PK	16.86568G	58.78	68.20	-9.42	66.20	3	Horizontal	212	1.80	108	40.56	15.61	63.59			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT V_2TX
SET 78
80\79\78
-0.22\ -0.36\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3324G	60.87	68.20	-7.33	50.46	3	Vertical	187	2.98	78	33.26	9.69	32.54			
PK	5.4188G	68.02	74.00	-5.98	57.37	3	Vertical	187	2.98	78	33.48	9.69	32.52			
AV	5.4344G	53.80	54.00	-0.20	43.06	3	Vertical	187	2.98	78	33.54	9.72	32.52			
PK	5.4698G	67.70	68.20	-0.50	56.70	3	Vertical	187	2.98	78	33.72	9.79	32.51			
PK	5.552G	101.06	Inf	-Inf	89.63	3	Vertical	187	2.98	78	34.00	9.94	32.51			
AV	5.5448G	90.75	Inf	-Inf	79.33	3	Vertical	187	2.98	78	33.99	9.93	32.50			
PK	5.735G	66.96	68.20	-1.24	55.27	3	Vertical	187	2.98	78	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_V_2TX
SET 59
78\40\61\51\56\58\59
-12.62\5.32\2.04\4.46\2.30\1.40\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3048G	60.60	68.20	-7.60	50.24	3	Horizontal	72	2.98	59	33.21	9.70	32.55				
PK	5.4044G	66.34	74.00	-7.66	55.77	3	Horizontal	72	2.98	59	33.42	9.67	32.52				
AV	5.3948G	50.40	54.00	-3.60	39.88	3	Horizontal	72	2.98	59	33.39	9.66	32.53				
PK	5.4644G	62.85	68.20	-5.35	51.89	3	Horizontal	72	2.98	59	33.69	9.78	32.51				
PK	5.5352G	107.37	Inf	-Inf	95.99	3	Horizontal	72	2.98	59	33.97	9.91	32.50				
AV	5.5454G	96.53	Inf	-Inf	85.11	3	Horizontal	72	2.98	59	33.99	9.93	32.50				
PK	5.7614G	67.82	68.20	-0.38	56.12	3	Horizontal	72	2.98	59	34.22	10.01	32.53				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09876G	56.47	74.00	-17.53	69.06	3	Vertical	229	1.79	108	39.10	14.52	66.21			
AV	11.07958G	45.00	54.00	-9.00	57.56	3	Vertical	229	1.79	108	39.14	14.51	66.21			
PK	16.59204G	57.82	68.20	-10.38	66.09	3	Vertical	19	1.80	108	39.70	15.54	63.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.27522G	56.34	74.00	-17.66	68.94	3	Horizontal	325	2.95	108	39.05	14.62	66.27			
AV	11.09556G	44.87	54.00	-9.13	57.45	3	Horizontal	325	2.95	108	39.11	14.52	66.21			
PK	16.59332G	57.97	68.20	-10.23	66.24	3	Horizontal	304	1.33	108	39.70	15.54	63.51			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
SET 97
80\104\87\95\99\97\98\97
6.05\ -4.25\4.75\0.77\ -2.11\0.88\ -0.67\0.93

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.643G	67.27	68.20	-0.93	55.67	3	Vertical	54	1.80	97	34.09	10.02	32.51			
PK	5.7456G	105.18	Inf	-Inf	93.49	3	Vertical	54	1.80	97	34.20	10.01	32.52			
AV	5.745G	93.53	Inf	-Inf	81.84	3	Vertical	54	1.80	97	34.20	10.01	32.52			
PK	6.0726G	62.29	68.20	-5.91	49.11	3	Vertical	54	1.80	97	35.45	10.26	32.53			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
SET 71
97\57\78\68\73\71
-14.04\5.40\2.16\0.64\0.62\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6412G	68.08	68.20	-0.12	56.49	3	Horizontal	76	2.96	71	34.08	10.02	32.51			
PK	5.8062G	112.68	Inf	-Inf	100.86	3	Horizontal	76	2.96	71	34.34	10.01	32.53			
AV	5.7636G	102.51	Inf	-Inf	90.80	3	Horizontal	76	2.96	71	34.23	10.01	32.53			
PK	5.9916G	62.30	68.20	-5.90	49.39	3	Horizontal	76	2.96	71	35.28	10.18	32.55			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.478555G	56.35	74.00	-17.65	68.85	3	Vertical	285	1.80	108	39.10	14.73	66.33			
AV	11.47136G	44.77	54.00	-9.23	57.27	3	Vertical	285	1.80	108	39.10	14.73	66.33			
PK	17.24972G	59.67	68.20	-8.53	66.26	3	Vertical	179	1.56	108	41.70	15.71	64.00			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62752G	55.65	74.00	-18.35	68.20	3	Horizontal	344	1.80	108	39.04	14.82	66.41			
AV	11.47264G	44.66	54.00	-9.34	57.16	3	Horizontal	344	1.80	108	39.10	14.73	66.33			
PK	17.29735G	59.22	68.20	-8.98	65.68	3	Horizontal	2	1.80	108	41.89	15.72	64.07			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	Pass	AV	5.4048G	53.98	54.00	-0.02	3	Horizontal	340	1.80	67

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
SET 62
60\67\64\63\62
1.87\2.37\0.69\0.23\0.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1445G	71.71	74.00	-2.29	61.70	3	Vertical	332	1.02	62	32.89	9.71	32.59			
AV	5.145G	53.24	54.00	-0.76	43.23	3	Vertical	332	1.02	62	32.89	9.71	32.59			
PK	5.2045G	104.55	Inf	-Inf	94.47	3	Vertical	332	1.02	62	32.92	9.74	32.58			
AV	5.2025G	93.76	Inf	-Inf	83.69	3	Vertical	332	1.02	62	32.91	9.74	32.58			
PK	5.3815G	59.99	74.00	-14.01	49.49	3	Vertical	332	1.02	62	33.36	9.67	32.53			
AV	5.415G	48.50	54.00	-5.50	37.87	3	Vertical	332	1.02	62	33.46	9.69	32.52			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
SET 62
62\64\63\62
0.55\ -1.28\ -0.69\ 0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	72.83	74.00	-1.17	62.85	3	Horizontal	341	1.80	62	32.87	9.71	32.60			
AV	5.1445G	53.55	54.00	-0.45	43.54	3	Horizontal	341	1.80	62	32.89	9.71	32.59			
PK	5.197G	107.69	Inf	-Inf	97.63	3	Horizontal	341	1.80	62	32.90	9.74	32.58			
AV	5.2395G	96.26	Inf	-Inf	86.05	3	Horizontal	341	1.80	62	33.06	9.72	32.57			
PK	5.4385G	59.96	74.00	-14.04	49.20	3	Horizontal	341	1.80	62	33.55	9.73	32.52			
AV	5.4175G	48.49	54.00	-5.51	37.85	3	Horizontal	341	1.80	62	33.47	9.69	32.52			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38292G	55.61	68.20	-12.59	69.42	3	Vertical	176	2.95	108	38.90	14.13	66.84			
PK	15.60954G	55.38	74.00	-18.62	65.52	3	Vertical	353	1.80	108	38.44	15.36	63.94			
AV	15.5886G	44.56	54.00	-9.44	54.59	3	Vertical	353	1.80	108	38.55	15.36	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.36214G	56.11	68.20	-12.09	69.96	3	Horizontal	205	2.88	108	38.90	14.12	66.87				
PK	15.64439G	54.84	74.00	-19.16	65.19	3	Horizontal	282	1.80	108	38.23	15.36	63.94				
AV	15.60762G	44.39	54.00	-9.61	54.52	3	Horizontal	282	1.80	108	38.45	15.36	63.94				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 67
61\77\60\68\64\66\67
4.20\8.17\4.20\0.11\2.77\1.78\1.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.38	74.00	-5.62	58.36	3	Vertical	330	1.02	67	32.90	9.71	32.59
AV	5.15G	50.19	54.00	-3.81	40.17	3	Vertical	330	1.02	67	32.90	9.71	32.59
PK	5.32476G	104.42	Inf	-Inf	94.03	3	Vertical	330	1.02	67	33.25	9.69	32.55
AV	5.32476G	91.26	Inf	-Inf	80.87	3	Vertical	330	1.02	67	33.25	9.69	32.55
PK	5.4054G	71.77	74.00	-2.23	61.20	3	Vertical	330	1.02	67	33.42	9.67	32.52
AV	5.40792G	52.96	54.00	-1.04	42.38	3	Vertical	330	1.02	67	33.43	9.67	32.52
PK	5.49108G	61.13	68.20	-7.07	49.95	3	Vertical	330	1.02	67	33.85	9.83	32.50

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 67
67\71\69\68\67
1.02\ -2.99\ -1.57\ -0.47\ 0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.60	74.00	-5.40	58.58	3	Horizontal	15	1.80	67	32.90	9.71	32.59
AV	5.1408G	50.38	54.00	-3.62	40.38	3	Horizontal	15	1.80	67	32.88	9.71	32.59
PK	5.29536G	103.93	Inf	-Inf	93.59	3	Horizontal	15	1.80	67	33.19	9.70	32.55
AV	5.30544G	93.10	Inf	-Inf	82.74	3	Horizontal	15	1.80	67	33.21	9.70	32.55
PK	5.41128G	73.56	74.00	-0.44	62.95	3	Horizontal	15	1.80	67	33.45	9.68	32.52
AV	5.41128G	53.56	54.00	-0.44	42.95	3	Horizontal	15	1.80	67	33.45	9.68	32.52
PK	5.4684G	62.54	68.20	-5.66	51.55	3	Horizontal	15	1.80	67	33.71	9.79	32.51

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.53612G	55.94	68.20	-12.26	69.19	3	Vertical	221	1.50	108	39.17	14.21	66.63			
PK	15.87947G	56.19	74.00	-17.81	66.10	3	Vertical	8	1.80	108	38.68	15.37	63.96			
AV	15.87915G	44.54	54.00	-9.46	54.46	3	Vertical	8	1.80	108	38.67	15.37	63.96			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41465G	56.05	68.20	-12.15	69.79	3	Horizontal	22	1.37	108	38.90	14.15	66.79			
PK	15.867G	55.59	74.00	-18.41	65.58	3	Horizontal	354	1.80	108	38.60	15.37	63.96			
AV	15.86061G	44.46	54.00	-9.54	54.49	3	Horizontal	354	1.80	108	38.56	15.37	63.96			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
SET 66
62\74\60\67\64\65\66
3.05\ -7.76\4.03\ -0.31\1.65\1.27\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	61.73	74.00	-12.27	51.71	3	Vertical	327	1.80	66	32.90	9.71	32.59			
AV	5.15G	48.73	54.00	-5.27	38.71	3	Vertical	327	1.80	66	32.90	9.71	32.59			
PK	5.28024G	102.35	Inf	-Inf	92.04	3	Vertical	327	1.80	66	33.16	9.71	32.56			
AV	5.28024G	91.32	Inf	-Inf	81.01	3	Vertical	327	1.80	66	33.16	9.71	32.56			
PK	5.41044G	68.03	74.00	-5.97	57.43	3	Vertical	327	1.80	66	33.44	9.68	32.52			
AV	5.41044G	53.67	54.00	-0.33	43.07	3	Vertical	327	1.80	66	33.44	9.68	32.52			
PK	5.46504G	63.13	68.20	-5.07	52.17	3	Vertical	327	1.80	66	33.69	9.78	32.51			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
SET 65
66\63\64\65
-0.61\1.65\1.20\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.14416G	61.86	74.00	-12.14	51.85	3	Horizontal	341	1.80	65	32.89	9.71	32.59					
AV	5.145G	49.83	54.00	-4.17	39.82	3	Horizontal	341	1.80	65	32.89	9.71	32.59					
PK	5.32476G	104.19	Inf	-Inf	93.80	3	Horizontal	341	1.80	65	33.25	9.69	32.55					
AV	5.30712G	93.41	Inf	-Inf	83.05	3	Horizontal	341	1.80	65	33.21	9.70	32.55					
PK	5.42976G	69.27	74.00	-4.73	58.55	3	Horizontal	341	1.80	65	33.52	9.72	32.52					
AV	5.41968G	53.78	54.00	-0.22	43.12	3	Horizontal	341	1.80	65	33.48	9.70	32.52					
PK	5.46588G	61.29	68.20	-6.91	50.32	3	Horizontal	341	1.80	65	33.70	9.78	32.51					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38939G	55.22	68.20	-12.98	69.02	3	Vertical	4	1.25	108	38.90	14.13	66.83			
PK	15.71484G	55.09	74.00	-18.91	65.34	3	Vertical	188	1.80	108	38.33	15.37	63.95			
AV	15.62373G	44.21	54.00	-9.79	54.43	3	Vertical	188	1.80	108	38.36	15.36	63.94			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44757G	56.06	68.20	-12.14	69.73	3	Horizontal	51	1.80	108	38.90	14.17	66.74			
PK	15.88331G	55.99	74.00	-18.01	65.88	3	Horizontal	355	1.80	108	38.70	15.37	63.96			
AV	15.89194G	44.61	54.00	-9.39	54.45	3	Horizontal	355	1.80	108	38.75	15.37	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Y_2TX
SET 63
60\67\64\63
1.75\ -2.69\ -0.66\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.05G	58.55	74.00	-15.45	48.50	3	Vertical	322	1.80	63	33.00	9.67	32.62			
AV	5.0425G	47.69	54.00	-6.31	37.65	3	Vertical	322	1.80	63	33.00	9.66	32.62			
PK	5.2995G	105.04	Inf	-Inf	94.69	3	Vertical	322	1.80	63	33.20	9.70	32.55			
AV	5.3G	93.67	Inf	-Inf	83.32	3	Vertical	322	1.80	63	33.20	9.70	32.55			
PK	5.35G	71.47	74.00	-2.53	61.03	3	Vertical	322	1.80	63	33.30	9.68	32.54			
AV	5.35G	53.86	54.00	-0.14	43.42	3	Vertical	322	1.80	63	33.30	9.68	32.54			
PK	5.4935G	61.45	68.20	-6.75	50.26	3	Vertical	322	1.80	63	33.86	9.83	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_V_2TX
SET 59
63\60\59
-1.98\0.56\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0815G	57.59	74.00	-16.41	47.65	3	Horizontal	340	1.80	60	32.87	9.68	32.61			
AV	5.1485G	47.08	54.00	-6.92	37.06	3	Horizontal	340	1.80	60	32.90	9.71	32.59			
PK	5.2745G	106.12	Inf	-Inf	95.82	3	Horizontal	340	1.80	60	33.15	9.71	32.56			
AV	5.302G	95.32	Inf	-Inf	84.97	3	Horizontal	340	1.80	60	33.20	9.70	32.55			
PK	5.35G	71.59	74.00	-2.41	61.15	3	Horizontal	340	1.80	60	33.30	9.68	32.54			
PK	5.5295G	58.87	68.20	-9.33	47.51	3	Horizontal	340	1.80	60	33.96	9.90	32.50			
AV	5.35G	53.95	54.00	-0.05	43.51	3	Horizontal	340	1.80	60	33.30	9.68	32.54			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55043G	56.09	68.20	-12.11	69.28	3	Vertical	285	1.80	108	39.20	14.22	66.61			
AV	10.61293G	45.16	54.00	-8.84	58.22	3	Vertical	285	1.80	108	39.23	14.26	66.55			
PK	15.86489G	56.06	74.00	-17.94	66.06	3	Vertical	193	1.80	108	38.59	15.37	63.96			
AV	15.89478G	45.05	54.00	-8.95	54.87	3	Vertical	193	1.80	108	38.77	15.37	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54627G	55.82	68.20	-12.38	69.03	3	Horizontal	25	1.27	108	39.19	14.22	66.62			
PK	15.87751G	56.06	74.00	-17.94	65.98	3	Horizontal	266	1.80	108	38.67	15.37	63.96			
AV	15.90804G	45.13	54.00	-8.87	54.94	3	Horizontal	266	1.80	108	38.77	15.38	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 67
61\76\60\68\64\66\67
3.87\6.72\4.21\0.19\2.33\1.53\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1498G	66.43	74.00	-7.57	56.41	3	Vertical	331	1.80	67	32.90	9.71	32.59
AV	5.1474G	49.37	54.00	-4.63	39.36	3	Vertical	331	1.80	67	32.89	9.71	32.59
PK	5.2794G	101.93	Inf	-Inf	91.62	3	Vertical	331	1.80	67	33.16	9.71	32.56
AV	5.2794G	90.90	Inf	-Inf	80.59	3	Vertical	331	1.80	67	33.16	9.71	32.56
PK	5.4048G	72.47	74.00	-1.53	61.90	3	Vertical	331	1.80	67	33.42	9.67	32.52
AV	5.4048G	53.08	54.00	-0.92	42.51	3	Vertical	331	1.80	67	33.42	9.67	32.52
PK	5.475G	62.62	68.20	-5.58	51.58	3	Vertical	331	1.80	67	33.75	9.80	32.51

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 67
67
0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	68.36	74.00	-5.64	58.34	3	Horizontal	340	1.80	67	32.90	9.71	32.59
AV	5.1438G	50.42	54.00	-3.58	40.41	3	Horizontal	340	1.80	67	32.89	9.71	32.59
PK	5.31G	103.47	Inf	-Inf	93.10	3	Horizontal	340	1.80	67	33.22	9.70	32.55
AV	5.3076G	92.70	Inf	-Inf	82.33	3	Horizontal	340	1.80	67	33.22	9.70	32.55
PK	5.4054G	73.31	74.00	-0.69	62.74	3	Horizontal	340	1.80	67	33.42	9.67	32.52
AV	5.4048G	53.98	54.00	-0.02	43.41	3	Horizontal	340	1.80	67	33.42	9.67	32.52
PK	5.4624G	62.01	68.20	-6.19	51.07	3	Horizontal	340	1.80	67	33.67	9.78	32.51

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36893G	56.23	68.20	-11.97	70.07	3	Vertical	349	2.95	108	38.90	14.12	66.86			
PK	15.87723G	55.05	74.00	-18.95	64.98	3	Vertical	297	1.80	108	38.66	15.37	63.96			
AV	15.88171G	44.55	54.00	-9.45	54.45	3	Vertical	297	1.80	108	38.69	15.37	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39035G	56.14	68.20	-12.06	69.93	3	Horizontal	141	1.80	108	38.90	14.13	66.82			
PK	15.84686G	55.77	74.00	-18.23	65.87	3	Horizontal	257	1.80	108	38.49	15.37	63.96			
AV	15.86636G	44.39	54.00	-9.61	54.38	3	Horizontal	257	1.80	108	38.60	15.37	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 66
62\76\60\68\64\66\67\66
3.52\ -9.06\4.03\ -1.38\2.18\0.79\ -0.32\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	61.27	74.00	-12.73	51.25	3	Vertical	329	1.80	66	32.90	9.71	32.59
AV	5.1498G	48.90	54.00	-5.10	38.88	3	Vertical	329	1.80	66	32.90	9.71	32.59
PK	5.2788G	102.83	Inf	-Inf	92.52	3	Vertical	329	1.80	66	33.16	9.71	32.56
AV	5.28G	91.32	Inf	-Inf	81.01	3	Vertical	329	1.80	66	33.16	9.71	32.56
PK	5.43G	68.90	74.00	-5.10	58.18	3	Vertical	329	1.80	66	33.52	9.72	32.52
AV	5.4102G	53.67	54.00	-0.33	43.07	3	Vertical	329	1.80	66	33.44	9.68	32.52
PK	5.4636G	62.06	68.20	-6.14	51.11	3	Vertical	329	1.80	66	33.68	9.78	32.51

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_V_2TX
SET 65
66\65
-0.01\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1294G	63.04	74.00	-10.96	53.08	3	Horizontal	341	1.80	65	32.86	9.70	32.60			
AV	5.1498G	49.73	54.00	-4.27	39.71	3	Horizontal	341	1.80	65	32.90	9.71	32.59			
PK	5.2776G	104.89	Inf	-Inf	94.59	3	Horizontal	341	1.80	65	33.15	9.71	32.56			
AV	5.3076G	93.43	Inf	-Inf	83.06	3	Horizontal	341	1.80	65	33.22	9.70	32.55			
PK	5.4096G	69.51	74.00	-4.49	58.91	3	Horizontal	341	1.80	65	33.44	9.68	32.52			
AV	5.4198G	53.67	54.00	-0.33	43.01	3	Horizontal	341	1.80	65	33.48	9.70	32.52			
PK	5.463G	61.89	68.20	-6.31	50.94	3	Horizontal	341	1.80	65	33.68	9.78	32.51			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45493G	55.85	68.20	-12.35	69.49	3	Vertical	345	2.94	108	38.92	14.17	66.73			
PK	15.86029G	55.58	74.00	-18.42	65.61	3	Vertical	355	1.80	108	38.56	15.37	63.96			
AV	15.89801G	44.70	54.00	-9.30	54.50	3	Vertical	355	1.80	108	38.79	15.37	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59239G	55.93	68.20	-12.27	69.05	3	Horizontal	360	1.80	108	39.20	14.25	66.57			
PK	15.86317G	55.53	74.00	-18.47	65.54	3	Horizontal	39	1.80	108	38.58	15.37	63.96			
AV	15.88011G	44.80	54.00	-9.20	54.71	3	Horizontal	39	1.80	108	38.68	15.37	63.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT Y_2TX
SET 60
60\66\61\60
1.52\4.20\0.05\1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	59.19	68.20	-9.01	48.85	3	Vertical	356	1.80	60	33.19	9.70	32.55
AV	5.35G	47.73	54.00	-6.27	37.29	3	Vertical	356	1.80	60	33.30	9.68	32.54
PK	5.458G	65.49	74.00	-8.51	54.58	3	Vertical	356	1.80	60	33.65	9.77	32.51
AV	5.458G	49.52	54.00	-4.48	38.61	3	Vertical	356	1.80	60	33.65	9.77	32.51
PK	5.4675G	66.81	68.20	-1.39	55.84	3	Vertical	356	1.80	60	33.70	9.78	32.51
PK	5.5515G	105.56	Inf	-Inf	94.13	3	Vertical	356	1.80	60	34.00	9.94	32.51
AV	5.559G	93.77	Inf	-Inf	82.33	3	Vertical	356	1.80	60	34.00	9.95	32.51
PK	5.734G	60.80	68.20	-7.40	49.11	3	Vertical	356	1.80	60	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT Y_2TX
SET 61
60\69\61
2.38\6.31\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.295G	59.13	68.20	-9.07	48.79	3	Horizontal	2	1.80	61	33.19	9.70	32.55
AV	5.35G	47.73	54.00	-6.27	37.29	3	Horizontal	2	1.80	61	33.30	9.68	32.54
PK	5.456G	66.47	74.00	-7.53	55.58	3	Horizontal	2	1.80	61	33.64	9.76	32.51
AV	5.4555G	50.36	54.00	-3.64	39.48	3	Horizontal	2	1.80	61	33.63	9.76	32.51
PK	5.47G	67.81	68.20	-0.39	56.81	3	Horizontal	2	1.80	61	33.72	9.79	32.51
PK	5.563G	104.83	Inf	-Inf	93.38	3	Horizontal	2	1.80	61	34.00	9.96	32.51
AV	5.5605G	94.24	Inf	-Inf	82.79	3	Horizontal	2	1.80	61	34.00	9.96	32.51
PK	5.769G	61.00	68.20	-7.20	49.29	3	Horizontal	2	1.80	61	34.24	10.00	32.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12234G	55.79	74.00	-18.21	68.46	3	Vertical	95	1.80	108	39.01	14.54	66.22			
AV	11.08238G	44.95	54.00	-9.05	57.50	3	Vertical	95	1.80	108	39.14	14.52	66.21			
PK	16.586G	58.03	68.20	-10.17	66.30	3	Vertical	179	1.80	108	39.70	15.54	63.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06879G	56.45	74.00	-17.55	68.98	3	Horizontal	117	1.80	108	39.16	14.51	66.20			
AV	11.08174G	44.97	54.00	-9.03	57.53	3	Horizontal	117	1.80	108	39.14	14.51	66.21			
PK	16.58057G	57.47	68.20	-10.73	65.74	3	Horizontal	1	1.80	108	39.70	15.53	63.50			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT Y_2TX
SET 74
68\88\64\76\70\73\74
5.12\6.26\5.27\0.98\3.79\0.91\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4355G	62.50	74.00	-11.50	51.75	3	Vertical	324	1.80	74	33.54	9.73	32.52			
PK	5.47G	61.57	68.20	-6.63	50.57	3	Vertical	324	1.80	74	33.72	9.79	32.51			
AV	5.455G	49.68	54.00	-4.32	38.80	3	Vertical	324	1.80	74	33.63	9.76	32.51			
PK	5.608G	109.67	Inf	-Inf	98.13	3	Vertical	324	1.80	74	34.02	10.03	32.51			
AV	5.603G	98.91	Inf	-Inf	87.38	3	Vertical	324	1.80	74	34.01	10.03	32.51			
PK	5.7305G	67.96	68.20	-0.24	56.27	3	Vertical	324	1.80	74	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
SET 76
74\82\78\76
2.01\ -1.92\ -1.21\ 0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.415G	60.60	74.00	-13.40	49.97	3	Horizontal	359	1.80	76	33.46	9.69	32.52			
PK	5.465G	61.37	68.20	-6.83	50.41	3	Horizontal	359	1.80	76	33.69	9.78	32.51			
AV	5.46G	49.35	54.00	-4.65	38.43	3	Horizontal	359	1.80	76	33.66	9.77	32.51			
PK	5.603G	110.16	Inf	-Inf	98.63	3	Horizontal	359	1.80	76	34.01	10.03	32.51			
AV	5.6005G	99.08	Inf	-Inf	87.56	3	Horizontal	359	1.80	76	34.00	10.03	32.51			
PK	5.7305G	67.88	68.20	-0.32	56.19	3	Horizontal	359	1.80	76	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.19602G	56.01	74.00	-17.99	68.77	3	Vertical	241	1.80	108	38.90	14.58	66.24			
AV	11.18627G	44.47	54.00	-9.53	57.24	3	Vertical	241	1.80	108	38.90	14.57	66.24			
PK	16.85973G	58.31	68.20	-9.89	65.75	3	Vertical	67	1.80	108	40.54	15.61	63.59			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.26428G	56.58	74.00	-17.42	69.19	3	Horizontal	240	1.80	108	39.03	14.62	66.26			
AV	11.23391G	44.70	54.00	-9.30	57.38	3	Horizontal	240	1.80	108	38.97	14.60	66.25			
PK	16.8268G	58.31	68.20	-9.89	65.88	3	Horizontal	110	1.80	108	40.41	15.60	63.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 94
89\105\85\95\90\92\93\94
4.17\7.46\4.85\0.59\4.27\0.84\1.70\1.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	61.51	74.00	-12.49	50.62	3	Vertical	322	1.80	94	33.64	9.76	32.51
AV	5.4572G	49.87	54.00	-4.13	38.97	3	Vertical	322	1.80	94	33.64	9.77	32.51
PK	5.4668G	63.11	68.20	-5.09	52.14	3	Vertical	322	1.80	94	33.70	9.78	32.51
PK	5.7002G	115.36	Inf	-Inf	103.67	3	Vertical	322	1.80	94	34.20	10.01	32.52
AV	5.675G	103.97	Inf	-Inf	92.32	3	Vertical	322	1.80	94	34.15	10.02	32.52
PK	5.8538G	66.28	68.20	-1.92	54.14	3	Vertical	322	1.80	94	34.63	10.05	32.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 92
94\92\93\92
-0.45\1.11\0.34\0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4224G	60.78	74.00	-13.22	50.11	3	Horizontal	359	1.80	92	33.49	9.70	32.52
AV	5.426G	49.06	54.00	-4.94	38.37	3	Horizontal	359	1.80	92	33.50	9.71	32.52
PK	5.4638G	61.02	68.20	-7.18	50.07	3	Horizontal	359	1.80	92	33.68	9.78	32.51
PK	5.6954G	114.11	Inf	-Inf	102.42	3	Horizontal	359	1.80	92	34.19	10.02	32.52
AV	5.7032G	102.98	Inf	-Inf	91.29	3	Horizontal	359	1.80	92	34.20	10.01	32.52
PK	5.8712G	67.43	68.20	-0.77	55.13	3	Horizontal	359	1.80	92	34.77	10.07	32.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.384G	56.01	74.00	-17.99	68.50	3	Vertical	262	1.80	108	39.13	14.68	66.30			
AV	11.3004G	44.79	54.00	-9.21	57.33	3	Vertical	262	1.80	108	39.10	14.64	66.28			
PK	17.04411G	58.56	68.20	-9.64	65.62	3	Vertical	80	1.80	108	40.98	15.66	63.70			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33365G	56.64	74.00	-17.36	69.11	3	Horizontal	128	1.80	108	39.17	14.65	66.29			
AV	11.3012G	44.67	54.00	-9.33	57.21	3	Horizontal	128	1.80	108	39.10	14.64	66.28			
PK	17.04027G	58.46	68.20	-9.74	65.53	3	Horizontal	197	1.80	108	40.96	15.66	63.69			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_V_2TX
SET 63
60\67\64\63
1.95\3.36\0.96\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3426G	59.40	68.20	-8.80	48.97	3	Vertical	322	1.79	63	33.29	9.68	32.54
PK	5.459G	63.99	74.00	-10.01	53.08	3	Vertical	322	1.79	63	33.65	9.77	32.51
AV	5.435G	48.86	54.00	-5.14	38.12	3	Vertical	322	1.79	63	33.54	9.72	32.52
PK	5.465G	66.25	68.20	-1.95	55.29	3	Vertical	322	1.79	63	33.69	9.78	32.51
PK	5.597G	102.47	Inf	-Inf	90.96	3	Vertical	322	1.79	63	34.00	10.02	32.51
AV	5.5424G	91.26	Inf	-Inf	79.86	3	Vertical	322	1.79	63	33.98	9.92	32.50
PK	5.7254G	68.01	68.20	-0.19	56.32	3	Vertical	322	1.79	63	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Y_2TX
SET 61
63\60\61
-0.52\1.48\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.276G	59.06	68.20	-9.14	48.76	3	Horizontal	2	1.80	61	33.15	9.71	32.56
PK	5.456G	62.73	74.00	-11.27	51.84	3	Horizontal	2	1.80	61	33.64	9.76	32.51
AV	5.3726G	48.93	54.00	-5.07	38.44	3	Horizontal	2	1.80	61	33.35	9.67	32.53
PK	5.465G	63.17	68.20	-5.03	52.21	3	Horizontal	2	1.80	61	33.69	9.78	32.51
PK	5.591G	101.80	Inf	-Inf	90.30	3	Horizontal	2	1.80	61	34.00	10.01	32.51
AV	5.5982G	91.17	Inf	-Inf	79.65	3	Horizontal	2	1.80	61	34.00	10.03	32.51
PK	5.7314G	67.74	68.20	-0.46	56.05	3	Horizontal	2	1.80	61	34.20	10.01	32.52

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.25189G	56.33	74.00	-17.67	68.98	3	Vertical	22	1.80	108	39.00	14.61	66.26			
AV	11.08533G	45.22	54.00	-8.78	57.78	3	Vertical	22	1.80	108	39.13	14.52	66.21			
PK	16.58021G	57.28	68.20	-10.92	65.55	3	Vertical	336	1.97	108	39.70	15.53	63.50			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01564G	56.47	74.00	-17.53	68.98	3	Horizontal	312	2.54	108	39.20	14.48	66.19			
AV	11.09876G	45.49	54.00	-8.51	58.08	3	Horizontal	312	2.54	108	39.10	14.52	66.21			
PK	16.62816G	58.35	68.20	-9.85	66.56	3	Horizontal	96	1.18	108	39.76	15.55	63.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_Y_2TX
SET 66
60\81\61\71\66
5.32\9.13\3.91\2.91\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3414G	59.81	68.20	-8.39	49.39	3	Vertical	3	1.80	66	33.28	9.68	32.54			
PK	5.4284G	65.92	74.00	-8.08	55.22	3	Vertical	3	1.80	66	33.51	9.71	32.52			
PK	5.4692G	64.81	68.20	-3.39	53.81	3	Vertical	3	1.80	66	33.72	9.79	32.51			
AV	5.4542G	49.68	54.00	-4.32	38.80	3	Vertical	3	1.80	66	33.63	9.76	32.51			
PK	5.5442G	102.96	Inf	-Inf	91.54	3	Vertical	3	1.80	66	33.99	9.93	32.50			
AV	5.627G	91.56	Inf	-Inf	79.99	3	Vertical	3	1.80	66	34.05	10.03	32.51			
PK	5.7452G	67.93	68.20	-0.27	56.24	3	Vertical	3	1.80	66	34.20	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_Y_2TX
SET 63
66\61\63\64\65\64\63
-1.04\2.91\1.86\0.63\0.68\0.54\1.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3324G	58.98	68.20	-9.22	48.57	3	Horizontal	359	1.80	63	33.26	9.69	32.54					
PK	5.4146G	64.45	74.00	-9.55	53.82	3	Horizontal	359	1.80	63	33.46	9.69	32.52					
AV	5.4104G	49.27	54.00	-4.73	38.67	3	Horizontal	359	1.80	63	33.44	9.68	32.52					
PK	5.4656G	61.18	68.20	-7.02	50.22	3	Horizontal	359	1.80	63	33.69	9.78	32.51					
PK	5.633G	103.00	Inf	-Inf	91.41	3	Horizontal	359	1.80	63	34.07	10.03	32.51					
AV	5.6252G	92.26	Inf	-Inf	80.69	3	Horizontal	359	1.80	63	34.05	10.03	32.51					
PK	5.7416G	66.72	68.20	-1.48	55.03	3	Horizontal	359	1.80	63	34.20	10.01	32.52					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05624G	56.85	74.00	-17.15	69.36	3	Vertical	339	1.05	108	39.19	14.50	66.20			
AV	11.08438G	45.36	54.00	-8.64	57.92	3	Vertical	339	1.05	108	39.13	14.52	66.21			
PK	16.60898G	57.68	68.20	-10.52	65.93	3	Vertical	178	1.69	108	39.72	15.54	63.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13616G	56.65	74.00	-17.35	69.37	3	Horizontal	41	2.41	108	38.96	14.54	66.22			
AV	11.08885G	45.55	54.00	-8.45	58.12	3	Horizontal	41	2.41	108	39.12	14.52	66.21			
PK	16.62497G	57.68	68.20	-10.52	65.90	3	Horizontal	250	1.80	108	39.75	15.55	63.52			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
SET 82
71\89\72\80\84\82\83\82
4.58\ -4.32\4.65\3.17\ -0.25\2.13\ -0.16\1.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6484G	66.42	68.20	-1.78	54.81	3	Vertical	2	1.80	82	34.10	10.02	32.51			
PK	5.7498G	111.18	Inf	-Inf	99.49	3	Vertical	2	1.80	82	34.20	10.01	32.52			
AV	5.7624G	99.60	Inf	-Inf	87.90	3	Vertical	2	1.80	82	34.22	10.01	32.53			
PK	6.0672G	63.85	68.20	-4.35	50.65	3	Vertical	2	1.80	82	35.47	10.26	32.53			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Y_2TX
SET 83
82\86\84\83
1.05\ -1.99\ -0.53\ 0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6406G	68.03	68.20	-0.17	56.44	3	Horizontal	358	1.80	83	34.08	10.02	32.51			
PK	5.7582G	111.73	Inf	-Inf	100.03	3	Horizontal	358	1.80	83	34.22	10.01	32.53			
AV	5.763G	100.44	Inf	-Inf	88.73	3	Horizontal	358	1.80	83	34.23	10.01	32.53			
PK	6.0474G	63.60	68.20	-4.60	50.40	3	Horizontal	358	1.80	83	35.49	10.24	32.53			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.62992G	55.81	74.00	-18.19	68.36	3	Vertical	346	1.05	108	39.04	14.82	66.41			
AV	11.47296G	44.76	54.00	-9.24	57.26	3	Vertical	346	1.05	108	39.10	14.73	66.33			
PK	17.31269G	58.60	68.20	-9.60	65.06	3	Vertical	178	1.80	108	41.90	15.73	64.09			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX

EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49773G	56.23	74.00	-17.77	68.73	3	Horizontal	153	1.80	108	39.10	14.74	66.34			
AV	11.4728G	44.73	54.00	-9.27	57.23	3	Horizontal	153	1.80	108	39.10	14.73	66.33			
PK	17.26762G	58.84	68.20	-9.36	65.38	3	Horizontal	31	1.80	108	41.77	15.72	64.03			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.15G	53.95	54.00	-0.05	3	Horizontal	359	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 54
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	70.51	74.00	-3.49	60.48	3	Vertical	356	1.80	-	32.91	9.71	32.59
AV	5.147G	51.46	54.00	-2.54	41.43	3	Vertical	356	1.80	-	32.91	9.71	32.59
PK	5.1995G	109.29	Inf	-Inf	99.03	3	Vertical	356	1.80	-	33.10	9.74	32.58
AV	5.199G	97.52	Inf	-Inf	87.26	3	Vertical	356	1.80	-	33.10	9.74	32.58
PK	5.388G	61.84	74.00	-12.16	51.83	3	Vertical	356	1.80	-	32.88	9.66	32.53
AV	5.4315G	49.75	54.00	-4.25	39.71	3	Vertical	356	1.80	-	32.84	9.72	32.52

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1445G	72.92	74.00	-1.08	62.89	3	Horizontal	359	1.80	-	32.91	9.71	32.59
AV	5.15G	53.95	54.00	-0.05	43.93	3	Horizontal	359	1.80	-	32.90	9.71	32.59
PK	5.2325G	115.40	Inf	-Inf	105.21	3	Horizontal	359	1.80	-	33.03	9.73	32.57
AV	5.198G	102.77	Inf	-Inf	92.52	3	Horizontal	359	1.80	-	33.09	9.74	32.58
PK	5.357G	62.17	74.00	-11.83	52.22	3	Horizontal	359	1.80	-	32.81	9.68	32.54
AV	5.3705G	50.39	54.00	-3.61	40.41	3	Horizontal	359	1.80	-	32.84	9.67	32.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40683G	53.73	68.20	-14.47	33.22	3	Vertical	79	1.94	-	38.51	14.14	32.14			
PK	15.62097G	56.52	74.00	-17.48	35.85	3	Vertical	54	1.80	-	37.79	15.36	32.48			
AV	15.61845G	45.20	54.00	-8.80	24.50	3	Vertical	54	1.80	-	37.82	15.36	32.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 54
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43098G	54.08	68.20	-14.12	33.48	3	Horizontal	322	2.70	-	38.56	14.16	32.12			
PK	15.62355G	57.77	74.00	-16.23	37.13	3	Horizontal	0	1.80	-	37.76	15.36	32.48			
AV	15.6216G	47.11	54.00	-6.89	26.45	3	Horizontal	0	1.80	-	37.78	15.36	32.48			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 45
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1005G	60.54	74.00	-13.46	50.45	3	Vertical	356	1.80	-	33.00	9.69	32.60			
AV	5.1325G	48.85	54.00	-5.15	38.81	3	Vertical	356	1.80	-	32.93	9.71	32.60			
PK	5.297G	106.97	Inf	-Inf	96.82	3	Vertical	356	1.80	-	33.00	9.70	32.55			
AV	5.2995G	94.70	Inf	-Inf	84.55	3	Vertical	356	1.80	-	33.00	9.70	32.55			
PK	5.426G	61.22	74.00	-12.78	51.18	3	Vertical	356	1.80	-	32.85	9.71	32.52			
AV	5.4385G	49.72	54.00	-4.28	39.69	3	Vertical	356	1.80	-	32.82	9.73	32.52			
PK	5.509G	61.39	68.20	-6.81	51.33	3	Vertical	356	1.80	-	32.70	9.86	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX


5290MHz_TX

EUT_Z_2TX
Setting 45
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	60.85	74.00	-13.15	50.81	3	Horizontal	0	1.80	-	32.92	9.71	32.59			
AV	5.0885G	49.09	54.00	-4.91	39.02	3	Horizontal	0	1.80	-	33.00	9.68	32.61			
PK	5.3G	111.80	Inf	-Inf	101.65	3	Horizontal	0	1.80	-	33.00	9.70	32.55			
AV	5.3G	98.95	Inf	-Inf	88.80	3	Horizontal	0	1.80	-	33.00	9.70	32.55			
PK	5.353G	62.73	74.00	-11.27	52.78	3	Horizontal	0	1.80	-	32.81	9.68	32.54			
AV	5.35G	51.03	54.00	-2.97	41.09	3	Horizontal	0	1.80	-	32.80	9.68	32.54			
PK	5.485G	61.02	68.20	-7.18	50.97	3	Horizontal	0	1.80	-	32.73	9.82	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 45
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58666G	53.27	68.20	-14.93	32.29	3	Vertical	358	2.40	-	38.75	14.24	32.01			
PK	15.87744G	55.25	74.00	-18.75	34.70	3	Vertical	294	1.80	-	37.75	15.37	32.57			
AV	15.87846G	45.11	54.00	-8.89	24.55	3	Vertical	294	1.80	-	37.76	15.37	32.57			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




EUT_Z_2TX
Setting 45
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58711G	52.82	68.20	-15.38	31.84	3	Horizontal	352	1.80	-	38.75	14.24	32.01			
PK	15.88047G	55.57	74.00	-18.43	35.01	3	Horizontal	130	3.00	-	37.76	15.37	32.57			
AV	15.88353G	45.91	54.00	-8.09	25.35	3	Horizontal	130	3.00	-	37.77	15.37	32.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 45
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3365G	61.02	68.20	-7.18	51.02	3	Vertical	359	1.80	-	32.85	9.69	32.54			
AV	5.35G	47.94	54.00	-6.06	38.00	3	Vertical	359	1.80	-	32.80	9.68	32.54			
PK	5.451G	61.58	74.00	-12.42	51.54	3	Vertical	359	1.80	-	32.80	9.75	32.51			
AV	5.4475G	49.62	54.00	-4.38	39.58	3	Vertical	359	1.80	-	32.80	9.75	32.51			
PK	5.4685G	62.64	68.20	-5.56	52.60	3	Vertical	359	1.80	-	32.76	9.79	32.51			
PK	5.5165G	108.21	Inf	-Inf	98.13	3	Vertical	359	1.80	-	32.70	9.88	32.50			
AV	5.5215G	95.96	Inf	-Inf	85.88	3	Vertical	359	1.80	-	32.70	9.88	32.50			
PK	5.7555G	62.27	68.20	-5.93	51.26	3	Vertical	359	1.80	-	33.53	10.01	32.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 45
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3335G	60.82	68.20	-7.38	50.80	3	Horizontal	1	1.80	-	32.87	9.69	32.54
AV	5.35G	47.64	54.00	-6.36	37.70	3	Horizontal	1	1.80	-	32.80	9.68	32.54
PK	5.456G	61.75	74.00	-12.25	51.71	3	Horizontal	1	1.80	-	32.79	9.76	32.51
AV	5.4475G	50.45	54.00	-3.55	40.41	3	Horizontal	1	1.80	-	32.80	9.75	32.51
PK	5.466G	62.77	68.20	-5.43	52.73	3	Horizontal	1	1.80	-	32.77	9.78	32.51
PK	5.5235G	110.01	Inf	-Inf	99.92	3	Horizontal	1	1.80	-	32.70	9.89	32.50
AV	5.5205G	97.59	Inf	-Inf	87.51	3	Horizontal	1	1.80	-	32.70	9.88	32.50
PK	5.74G	62.45	68.20	-5.75	51.50	3	Horizontal	1	1.80	-	33.46	10.01	32.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT_Z_2TX
Setting 45
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0471G	52.88	74.00	-21.12	31.57	3	Vertical	360	1.80	-	38.70	14.50	31.89			
AV	11.04689G	42.79	54.00	-11.21	21.48	3	Vertical	360	1.80	-	38.70	14.50	31.89			
PK	16.5777G	58.01	68.20	-10.19	36.03	3	Vertical	360	1.00	-	38.40	15.53	31.95			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 45
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05556G	52.97	74.00	-21.03	31.64	3	Horizontal	282	2.78	-	38.72	14.50	31.89			
AV	11.05673G	42.59	54.00	-11.41	21.25	3	Horizontal	282	2.78	-	38.73	14.50	31.89			
PK	16.57707G	58.61	68.20	-9.59	36.63	3	Horizontal	226	1.00	-	38.40	15.53	31.95			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 44
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4265G	61.81	74.00	-12.19	51.77	3	Vertical	360	1.80	-	32.85	9.71	32.52			
AV	5.437G	49.14	54.00	-4.86	39.10	3	Vertical	360	1.80	-	32.83	9.73	32.52			
PK	5.465G	60.48	68.20	-7.72	50.44	3	Vertical	360	1.80	-	32.77	9.78	32.51			
PK	5.5925G	108.93	Inf	-Inf	98.55	3	Vertical	360	1.80	-	32.87	10.02	32.51			
AV	5.6015G	96.64	Inf	-Inf	86.22	3	Vertical	360	1.80	-	32.90	10.03	32.51			
PK	5.849G	64.37	68.20	-3.83	52.76	3	Vertical	360	1.80	-	34.09	10.05	32.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 44
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	60.78	74.00	-13.22	50.79	3	Horizontal	0	1.80	-	32.85	9.67	32.53
PK	5.4625G	60.42	68.20	-7.78	50.38	3	Horizontal	0	1.80	-	32.77	9.78	32.51
AV	5.4365G	49.57	54.00	-4.43	39.53	3	Horizontal	0	1.80	-	32.83	9.73	32.52
PK	5.581G	109.30	Inf	-Inf	99.00	3	Horizontal	0	1.80	-	32.82	9.99	32.51
AV	5.598G	96.98	Inf	-Inf	86.57	3	Horizontal	0	1.80	-	32.89	10.03	32.51
PK	5.8525G	63.47	68.20	-4.73	51.86	3	Horizontal	0	1.80	-	34.10	10.05	32.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Z_2TX
Setting 44
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21286G	53.32	74.00	-20.68	31.66	3	Vertical	89	1.80	-	39.00	14.59	31.93			
AV	11.22555G	44.29	54.00	-9.71	22.63	3	Vertical	89	1.80	-	39.00	14.59	31.93			
PK	16.82778G	57.38	68.20	-10.82	35.38	3	Vertical	279	1.80	-	38.10	15.60	31.70			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5610MHz_TX

EUT_Z_2TX
Setting 44
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21775G	55.63	74.00	-18.37	33.97	3	Horizontal	355	1.80	-	39.00	14.59	31.93			
AV	11.21571G	46.16	54.00	-7.84	24.50	3	Horizontal	355	1.80	-	39.00	14.59	31.93			
PK	16.81617G	58.43	68.20	-9.77	36.44	3	Horizontal	308	1.19	-	38.10	15.60	31.71			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 42
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.452G	60.27	74.00	-13.73	50.22	3	Vertical	358	1.80	-	32.80	9.76	32.51			
AV	5.456G	49.17	54.00	-4.83	39.13	3	Vertical	358	1.80	-	32.79	9.76	32.51			
PK	5.47G	60.68	68.20	-7.52	50.64	3	Vertical	358	1.80	-	32.76	9.79	32.51			
PK	5.6795G	108.69	Inf	-Inf	98.05	3	Vertical	358	1.80	-	33.14	10.02	32.52			
AV	5.6995G	96.03	Inf	-Inf	85.23	3	Vertical	358	1.80	-	33.30	10.02	32.52			
PK	5.911G	63.23	68.20	-4.97	51.52	3	Vertical	358	1.80	-	34.14	10.11	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 42
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.99	74.00	-13.01	50.95	3	Horizontal	0	1.80	-	32.79	9.76	32.51
AV	5.457G	49.40	54.00	-4.60	39.35	3	Horizontal	0	1.80	-	32.79	9.77	32.51
PK	5.463G	60.72	68.20	-7.48	50.68	3	Horizontal	0	1.80	-	32.77	9.78	32.51
PK	5.699G	109.59	Inf	-Inf	98.80	3	Horizontal	0	1.80	-	33.29	10.02	32.52
AV	5.6855G	96.92	Inf	-Inf	86.24	3	Horizontal	0	1.80	-	33.18	10.02	32.52
PK	5.9365G	63.93	68.20	-4.27	52.09	3	Horizontal	0	1.80	-	34.25	10.13	32.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 42
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38009G	53.98	74.00	-20.02	32.20	3	Vertical	189	1.80	-	39.06	14.68	31.96			
AV	11.38141G	43.23	54.00	-10.77	21.45	3	Vertical	189	1.80	-	39.06	14.68	31.96			
PK	17.06007G	57.33	68.20	-10.87	34.88	3	Vertical	8	1.80	-	38.28	15.66	31.49			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 42
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38399G	53.01	74.00	-20.99	31.22	3	Horizontal	3	1.80	-	39.07	14.68	31.96			
AV	11.39338G	43.18	54.00	-10.82	21.37	3	Horizontal	3	1.80	-	39.09	14.69	31.97			
PK	17.07699G	57.85	68.20	-10.35	35.41	3	Horizontal	258	2.45	-	38.25	15.67	31.48			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 71
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6155G	66.45	68.20	-1.75	56.03	3	Vertical	354	1.80	-	32.90	10.03	32.51			
PK	5.76G	114.63	Inf	-Inf	103.59	3	Vertical	354	1.80	-	33.56	10.01	32.53			
AV	5.7655G	102.66	Inf	-Inf	91.59	3	Vertical	354	1.80	-	33.59	10.01	32.53			
PK	5.9465G	64.24	68.20	-3.96	52.35	3	Vertical	354	1.80	-	34.29	10.14	32.54			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 71
01-R-A-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.651G	68.80	68.94	-0.14	58.39	3	Horizontal	0	1.80	-	32.91	10.02	32.52			
PK	5.771G	115.51	Inf	-Inf	104.41	3	Horizontal	0	1.80	-	33.63	10.00	32.53			
AV	5.766G	103.15	Inf	-Inf	92.07	3	Horizontal	0	1.80	-	33.60	10.01	32.53			
PK	5.9435G	64.68	68.20	-3.52	52.81	3	Horizontal	0	1.80	-	34.27	10.14	32.54			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 71
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55837G	55.99	74.00	-18.01	34.40	3	Vertical	44	1.80	-	38.80	14.78	31.99			
AV	11.5641G	45.34	54.00	-8.66	23.76	3	Vertical	44	1.80	-	38.80	14.78	32.00			
PK	17.32911G	57.24	68.20	-10.96	33.92	3	Vertical	269	2.95	-	38.92	15.73	31.33			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 71
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53749G	53.57	74.00	-20.43	31.96	3	Horizontal	231	2.70	-	38.83	14.77	31.99			
AV	11.55237G	43.32	54.00	-10.68	21.74	3	Horizontal	231	2.70	-	38.80	14.77	31.99			
PK	17.32455G	59.20	68.20	-9.00	35.90	3	Horizontal	245	1.00	-	38.90	15.73	31.33			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_2TX
Setting 57
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.126G	63.19	74.00	-10.81	53.14	3	Vertical	357	1.80	-	32.95	9.70	32.60
AV	5.122G	50.31	54.00	-3.69	40.25	3	Vertical	357	1.80	-	32.96	9.70	32.60
PK	5.2748G	106.94	Inf	-Inf	96.79	3	Vertical	357	1.80	-	33.00	9.71	32.56
AV	5.3268G	95.29	Inf	-Inf	85.26	3	Vertical	357	1.80	-	32.89	9.69	32.55
PK	5.3836G	67.84	74.00	-6.16	57.83	3	Vertical	357	1.80	-	32.87	9.67	32.53
AV	5.4348G	52.75	54.00	-1.25	42.72	3	Vertical	357	1.80	-	32.83	9.72	32.52
PK	5.4972G	62.63	68.20	-5.57	52.58	3	Vertical	357	1.80	-	32.71	9.84	32.50

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT_Z_2TX
Setting 57
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	66.33	74.00	-7.67	56.28	3	Horizontal	0	1.80	-	32.93	9.71	32.59
AV	5.1468G	51.89	54.00	-2.11	41.86	3	Horizontal	0	1.80	-	32.91	9.71	32.59
PK	5.278G	110.96	Inf	-Inf	100.81	3	Horizontal	0	1.80	-	33.00	9.71	32.56
AV	5.3076G	99.18	Inf	-Inf	89.06	3	Horizontal	0	1.80	-	32.97	9.70	32.55
PK	5.3804G	67.20	74.00	-6.80	57.20	3	Horizontal	0	1.80	-	32.86	9.67	32.53
AV	5.3508G	53.71	54.00	-0.29	43.77	3	Horizontal	0	1.80	-	32.80	9.68	32.54
PK	5.4948G	61.93	68.20	-6.27	51.88	3	Horizontal	0	1.80	-	32.71	9.84	32.50

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 56
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1244G	64.22	74.00	-9.78	54.17	3	Vertical	358	1.80	-	32.95	9.70	32.60			
AV	5.1372G	50.18	54.00	-3.82	40.13	3	Vertical	358	1.80	-	32.93	9.71	32.59			
PK	5.3116G	107.05	Inf	-Inf	96.95	3	Vertical	358	1.80	-	32.95	9.70	32.55			
AV	5.3116G	95.40	Inf	-Inf	85.30	3	Vertical	358	1.80	-	32.95	9.70	32.55			
PK	5.3508G	68.68	74.00	-5.32	58.74	3	Vertical	358	1.80	-	32.80	9.68	32.54			
PK	5.4604G	65.08	68.20	-3.12	55.04	3	Vertical	358	1.80	-	32.78	9.77	32.51			
AV	5.434G	53.14	54.00	-0.86	43.11	3	Vertical	358	1.80	-	32.83	9.72	32.52			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 56
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	63.74	74.00	-10.26	53.70	3	Horizontal	358	1.80	-	32.92	9.71	32.59			
AV	5.15G	50.95	54.00	-3.05	40.93	3	Horizontal	358	1.80	-	32.90	9.71	32.59			
PK	5.2972G	110.61	Inf	-Inf	100.46	3	Horizontal	358	1.80	-	33.00	9.70	32.55			
AV	5.306G	98.60	Inf	-Inf	88.47	3	Horizontal	358	1.80	-	32.98	9.70	32.55			
PK	5.3564G	68.59	74.00	-5.41	58.64	3	Horizontal	358	1.80	-	32.81	9.68	32.54			
AV	5.3516G	52.47	54.00	-1.53	42.53	3	Horizontal	358	1.80	-	32.80	9.68	32.54			
PK	5.5892G	63.00	68.20	-5.20	52.64	3	Horizontal	358	1.80	-	32.86	10.01	32.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Z_2TX
Setting 49
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2428G	61.00	68.20	-7.20	50.84	3	Vertical	356	1.80	-	33.01	9.72	32.57
PK	5.4476G	62.08	74.00	-11.92	52.04	3	Vertical	356	1.80	-	32.80	9.75	32.51
AV	5.35G	47.43	54.00	-6.57	37.49	3	Vertical	356	1.80	-	32.80	9.68	32.54
AV	5.4444G	49.97	54.00	-4.03	39.93	3	Vertical	356	1.80	-	32.81	9.74	32.51
PK	5.4644G	61.88	68.20	-6.32	51.84	3	Vertical	356	1.80	-	32.77	9.78	32.51
AV	5.5444G	94.81	Inf	-Inf	84.68	3	Vertical	356	1.80	-	32.70	9.93	32.50
PK	5.6348G	107.29	Inf	-Inf	96.88	3	Vertical	356	1.80	-	32.90	10.02	32.51
PK	5.8468G	63.32	68.20	-4.88	51.73	3	Vertical	356	1.80	-	34.08	10.04	32.53

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Z_2TX
Setting 49
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3292G	62.04	68.20	-6.16	52.01	3	Horizontal	1	1.80	-	32.88	9.69	32.54			
AV	5.35G	48.09	54.00	-5.91	38.15	3	Horizontal	1	1.80	-	32.80	9.68	32.54			
PK	5.4356G	61.67	74.00	-12.33	51.63	3	Horizontal	1	1.80	-	32.83	9.73	32.52			
AV	5.4124G	50.05	54.00	-3.95	40.01	3	Horizontal	1	1.80	-	32.88	9.68	32.52			
PK	5.4652G	61.41	68.20	-6.79	51.37	3	Horizontal	1	1.80	-	32.77	9.78	32.51			
PK	5.5956G	106.35	Inf	-Inf	95.96	3	Horizontal	1	1.80	-	32.88	10.02	32.51			
AV	5.5452G	94.59	Inf	-Inf	84.46	3	Horizontal	1	1.80	-	32.70	9.93	32.50			
PK	5.8468G	63.76	68.20	-4.44	52.17	3	Horizontal	1	1.80	-	34.08	10.04	32.53			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_Z_2TX
Setting 47
01-R-A-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2156G	60.27	68.20	-7.93	50.04	3	Vertical	1	1.80	-	33.07	9.73	32.57			
PK	5.4356G	62.03	74.00	-11.97	51.99	3	Vertical	1	1.80	-	32.83	9.73	32.52			
AV	5.35G	47.54	54.00	-6.46	37.60	3	Vertical	1	1.80	-	32.80	9.68	32.54			
AV	5.3972G	49.90	54.00	-4.10	39.88	3	Vertical	1	1.80	-	32.89	9.66	32.53			
PK	5.4628G	60.95	68.20	-7.25	50.91	3	Vertical	1	1.80	-	32.77	9.78	32.51			
AV	5.5412G	94.64	Inf	-Inf	84.52	3	Vertical	1	1.80	-	32.70	9.92	32.50			
PK	5.6276G	106.85	Inf	-Inf	96.43	3	Vertical	1	1.80	-	32.90	10.03	32.51			
PK	5.8764G	64.71	68.20	-3.49	53.08	3	Vertical	1	1.80	-	34.10	10.07	32.54			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX

EUT_Z_2TX
Setting 47
01-R-A-4-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2988G	61.44	68.20	-6.76	51.29	3	Horizontal	360	1.80	-	33.00	9.70	32.55			
PK	5.3756G	62.85	74.00	-11.15	52.86	3	Horizontal	360	1.80	-	32.85	9.67	32.53			
AV	5.35G	47.90	54.00	-6.10	37.96	3	Horizontal	360	1.80	-	32.80	9.68	32.54			
AV	5.3852G	50.80	54.00	-3.20	40.79	3	Horizontal	360	1.80	-	32.87	9.67	32.53			
PK	5.4644G	61.18	68.20	-7.02	51.14	3	Horizontal	360	1.80	-	32.77	9.78	32.51			
PK	5.546G	107.59	Inf	-Inf	97.46	3	Horizontal	360	1.80	-	32.70	9.93	32.50			
AV	5.5412G	95.36	Inf	-Inf	85.24	3	Horizontal	360	1.80	-	32.70	9.92	32.50			
PK	5.6636G	63.70	68.20	-4.50	52.08	3	Horizontal	360	1.80	-	34.10	10.06	32.54			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	AV	8.00068G	43.04	54.00	-10.96	Horizontal

Mode 3



Mode 3

