

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	3.80	19.38	19.84	22.63	30.00
5200MHz	Pass	3.80	21.81	22.25	25.05	30.00
5240MHz	Pass	3.80	22.59	22.95	25.78	30.00
5260MHz	Pass	3.57	20.42	20.81	23.63	23.98
5300MHz	Pass	3.57	20.15	20.57	23.38	23.98
5320MHz	Pass	3.57	20.13	20.27	23.21	23.98
5500MHz	Pass	4.46	19.86	19.71	22.80	23.98
5580MHz	Pass	4.46	19.68	19.39	22.55	23.98
5700MHz	Pass	4.46	17.84	17.61	20.74	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.46	18.61	18.55	21.59	23.26
5720MHz Straddle 5.725-5.85GHz	Pass	4.46	12.51	12.41	15.47	30.00
5745MHz	Pass	4.46	25.72	25.34	28.54	30.00
5785MHz	Pass	4.46	25.35	25.15	28.26	30.00
5825MHz	Pass	4.46	24.39	24.28	27.35	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.80	19.74	20.11	22.94	30.00
5200MHz	Pass	3.80	21.49	21.84	24.68	30.00
5240MHz	Pass	3.80	22.43	22.65	25.55	30.00
5260MHz	Pass	3.57	20.67	21.09	23.90	23.98
5300MHz	Pass	3.57	20.75	21.12	23.95	23.98
5320MHz	Pass	3.57	18.48	18.63	21.57	23.98
5500MHz	Pass	4.46	20.52	20.37	23.46	23.98
5580MHz	Pass	4.46	20.59	20.48	23.55	23.98
5700MHz	Pass	4.46	16.14	16.08	19.12	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.46	19.03	18.97	22.01	23.92
5720MHz Straddle 5.725-5.85GHz	Pass	4.46	13.82	13.79	16.82	30.00
5745MHz	Pass	4.46	24.98	24.87	27.94	30.00
5785MHz	Pass	4.46	25.32	25.14	28.24	30.00
5825MHz	Pass	4.46	24.27	24.16	27.23	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.80	15.43	16.19	18.84	30.00
5230MHz	Pass	3.80	21.34	21.79	24.58	30.00
5270MHz	Pass	3.57	20.67	20.75	23.72	23.98
5310MHz	Pass	3.57	15.86	15.75	18.82	23.98
5510MHz	Pass	4.46	18.63	18.71	21.68	23.98
5550MHz	Pass	4.46	20.86	20.76	23.82	23.98
5670MHz	Pass	4.46	20.31	20.42	23.38	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	4.46	20.76	21.07	23.93	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	4.46	10.88	11.19	14.05	30.00
5755MHz	Pass	4.46	23.23	23.54	26.40	30.00
5795MHz	Pass	4.46	23.56	23.62	26.60	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.80	15.95	16.07	19.02	30.00
5290MHz	Pass	3.57	15.92	15.77	18.86	23.98
5530MHz	Pass	4.46	17.87	17.61	20.75	23.98
5610MHz	Pass	4.46	21.27	20.43	23.88	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	4.46	21.1	20.5	23.82	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	4.46	7.32	6.63	10.00	30.00
5775MHz	Pass	4.46	21.21	21.16	24.20	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.80	10.71	11.23	13.99	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.57	11.52	11.96	14.76	23.98
5570MHz	Pass	4.46	16.75	16.62	19.70	23.98
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.46	19.75	20.07	22.92	30.00
5200MHz	Pass	3.46	21.82	21.88	24.86	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5240MHz	Pass	3.46	22.31	22.58	25.46	30.00
5260MHz	Pass	3.23	20.69	20.96	23.84	23.98
5300MHz	Pass	3.23	20.78	20.98	23.89	23.98
5320MHz	Pass	3.23	19.11	19.45	22.29	23.98
5500MHz	Pass	4.12	20.86	20.91	23.90	23.98
5580MHz	Pass	4.12	20.84	20.75	23.81	23.98
5700MHz	Pass	4.12	17.14	16.85	20.01	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.12	20.3	20.04	23.18	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	4.12	14.98	14.82	17.91	30.00
5745MHz	Pass	4.12	24.67	24.73	27.71	30.00
5785MHz	Pass	4.12	25.13	24.91	28.03	30.00
5825MHz	Pass	4.12	24.07	23.95	27.02	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.46	17.67	18.35	21.03	30.00
5230MHz	Pass	3.46	21.64	22.06	24.87	30.00
5270MHz	Pass	3.23	20.86	20.81	23.85	23.98
5310MHz	Pass	3.23	16.63	16.74	19.70	23.98
5510MHz	Pass	4.12	19.12	19.21	22.18	23.98
5550MHz	Pass	4.12	20.82	20.76	23.80	23.98
5670MHz	Pass	4.12	20.46	20.63	23.56	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	4.12	20.71	21.02	23.88	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	4.12	10.99	11.09	14.05	30.00
5755MHz	Pass	4.12	23.54	23.75	26.66	30.00
5795MHz	Pass	4.12	23.68	23.72	26.71	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.46	17.43	17.78	20.62	30.00
5290MHz	Pass	3.23	16.86	16.64	19.76	23.98
5530MHz	Pass	4.12	19.41	18.92	22.18	23.98
5610MHz	Pass	4.12	21.26	20.58	23.94	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	4.12	21.11	20.43	23.79	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	4.12	7.22	6.59	9.93	30.00
5775MHz	Pass	4.12	21.46	21.39	24.44	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.46	11.52	11.83	14.69	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.23	12.28	12.54	15.42	23.98
5570MHz	Pass	4.12	17.34	17.19	20.28	23.98
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.47	19.74	20.11	22.94	29.53
5200MHz	Pass	6.47	21.49	21.84	24.68	29.53
5240MHz	Pass	6.47	22.43	22.65	25.55	29.53
5260MHz	Pass	6.24	20.45	20.78	23.63	23.74
5300MHz	Pass	6.24	20.52	20.86	23.70	23.74
5320MHz	Pass	6.24	18.48	18.63	21.57	23.74
5500MHz	Pass	7.13	19.73	19.69	22.72	22.85
5580MHz	Pass	7.13	19.81	19.76	22.80	22.85
5700MHz	Pass	7.13	16.14	16.08	19.12	22.85
5720MHz Straddle 5.47-5.725GHz	Pass	7.13	19.03	18.97	22.01	22.79
5720MHz Straddle 5.725-5.85GHz	Pass	7.13	13.82	13.79	16.82	28.87
5745MHz	Pass	7.13	24.98	24.87	27.94	28.87
5785MHz	Pass	7.13	25.32	25.14	28.24	28.87
5825MHz	Pass	7.13	24.27	24.16	27.23	28.87
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	6.47	15.43	16.19	18.84	29.53
5230MHz	Pass	6.47	21.34	21.79	24.58	29.53
5270MHz	Pass	6.24	20.67	20.75	23.72	23.74
5310MHz	Pass	6.24	15.86	15.75	18.82	23.74



Average Power_Mode 2

Appendix C.2


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5510MHz	Pass	7.13	18.63	18.71	21.68	22.85
5550MHz	Pass	7.13	19.85	19.78	22.83	22.85
5670MHz	Pass	7.13	19.71	19.90	22.82	22.85
5710MHz Straddle 5.47-5.725GHz	Pass	7.13	19.50	19.81	22.67	22.85
5710MHz Straddle 5.725-5.85GHz	Pass	7.13	9.77	10.11	12.95	28.87
5755MHz	Pass	7.13	23.23	23.54	26.40	28.87
5795MHz	Pass	7.13	23.56	23.62	26.60	28.87
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	6.47	15.95	16.07	19.02	29.53
5290MHz	Pass	6.24	15.92	15.77	18.86	23.74
5530MHz	Pass	7.13	17.87	17.61	20.75	22.85
5610MHz	Pass	7.13	19.98	19.32	22.67	22.85
5690MHz Straddle 5.47-5.725GHz	Pass	7.13	19.91	19.38	22.66	22.85
5690MHz Straddle 5.725-5.85GHz	Pass	7.13	6.07	5.48	8.80	28.87
5775MHz	Pass	7.13	21.21	21.16	24.20	28.87
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.47	10.71	11.23	13.99	29.53
5250MHz Straddle 5.25-5.35GHz	Pass	6.24	11.52	11.96	14.76	23.74
5570MHz	Pass	7.13	16.75	16.62	19.70	22.85

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

07/07/2026



Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
12.63	12.63

5250~5350MHz


Sum(dBm)	P1(dBm)
13.41	13.41

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

07/07/2026




Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
21.59	18.61	18.55

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

07/07/2026



Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
14.69	11.52	11.83

5250~5350MHz


Sum(dBm)	P1(dBm)	P2(dBm)
15.42	12.28	12.54

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

07/07/2026




Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
22.67	19.50	19.81

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX







Average Power_Mode 3

Appendix C.3

Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	22.38	0.17298
802.11a_Nss1,(6Mbps)_2TX	25.36	0.34356
802.11be EHT20_Nss1,(MCS0)_1TX	22.80	0.19055
802.11be EHT20_Nss1,(MCS0)_2TX	25.62	0.36475
802.11be EHT20_Nss2,(MCS0)_2TX	25.89	0.38815
802.11be EHT20-BF_Nss1,(MCS0)_2TX	25.62	0.36475
802.11be EHT40_Nss1,(MCS0)_1TX	21.59	0.14421
802.11be EHT40_Nss1,(MCS0)_2TX	24.97	0.31405
802.11be EHT40_Nss2,(MCS0)_2TX	25.53	0.35727
802.11be EHT40-BF_Nss1,(MCS0)_2TX	24.97	0.31405
802.11be EHT80_Nss1,(MCS0)_1TX	18.41	0.06934
802.11be EHT80_Nss1,(MCS0)_2TX	21.49	0.14093
802.11be EHT80_Nss2,(MCS0)_2TX	22.02	0.15922
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.49	0.14093
802.11be EHT160_Nss1,(MCS0)_1TX	13.25	0.02113
802.11be EHT160_Nss1,(MCS0)_2TX	16.47	0.04436
802.11be EHT160_Nss2,(MCS0)_2TX	16.33	0.04295
802.11be EHT160-BF_Nss1,(MCS0)_2TX	16.47	0.04436
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.70	0.11749
802.11a_Nss1,(6Mbps)_2TX	21.00	0.12589
802.11be EHT20_Nss1,(MCS0)_1TX	22.15	0.16406
802.11be EHT20_Nss1,(MCS0)_2TX	22.28	0.16904
802.11be EHT20_Nss2,(MCS0)_2TX	23.24	0.21086
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.28	0.16904
802.11be EHT40_Nss1,(MCS0)_1TX	21.22	0.13243
802.11be EHT40_Nss1,(MCS0)_2TX	22.81	0.19099
802.11be EHT40_Nss2,(MCS0)_2TX	23.29	0.21330
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.81	0.19099
802.11be EHT80_Nss1,(MCS0)_1TX	17.90	0.06166
802.11be EHT80_Nss1,(MCS0)_2TX	20.46	0.11117
802.11be EHT80_Nss2,(MCS0)_2TX	21.07	0.12794
802.11be EHT80-BF_Nss1,(MCS0)_2TX	20.46	0.11117
802.11be EHT160_Nss1,(MCS0)_1TX	14.15	0.02600
802.11be EHT160_Nss1,(MCS0)_2TX	17.29	0.05358
802.11be EHT160_Nss2,(MCS0)_2TX	17.14	0.05176
802.11be EHT160-BF_Nss1,(MCS0)_2TX	17.29	0.05358
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.08	0.12823
802.11a_Nss1,(6Mbps)_2TX	21.37	0.13709
802.11be EHT20_Nss1,(MCS0)_1TX	22.20	0.16596
802.11be EHT20_Nss1,(MCS0)_2TX	22.32	0.17061
802.11be EHT20_Nss2,(MCS0)_2TX	23.20	0.20893
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.32	0.17061
802.11be EHT40_Nss1,(MCS0)_1TX	22.78	0.18967
802.11be EHT40_Nss1,(MCS0)_2TX	22.96	0.19770
802.11be EHT40_Nss2,(MCS0)_2TX	23.29	0.21330
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.96	0.19770
802.11be EHT80_Nss1,(MCS0)_1TX	22.82	0.19143
802.11be EHT80_Nss1,(MCS0)_2TX	22.96	0.19770
802.11be EHT80_Nss2,(MCS0)_2TX	23.26	0.21184
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.96	0.19770
802.11be EHT160_Nss1,(MCS0)_1TX	17.03	0.05047
802.11be EHT160_Nss1,(MCS0)_2TX	20.05	0.10116

Mode	Total Power (dBm)	Total Power (W)
802.11be EHT160_Nss2,(MCS0)_2TX	20.56	0.11376
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.05	0.10116
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	25.53	0.35727
802.11a_Nss1,(6Mbps)_2TX	27.99	0.62951
802.11be EHT20_Nss1,(MCS0)_1TX	25.44	0.34995
802.11be EHT20_Nss1,(MCS0)_2TX	27.81	0.60395
802.11be EHT20_Nss2,(MCS0)_2TX	28.15	0.65313
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.81	0.60395
802.11be EHT40_Nss1,(MCS0)_1TX	24.74	0.29785
802.11be EHT40_Nss1,(MCS0)_2TX	27.38	0.54702
802.11be EHT40_Nss2,(MCS0)_2TX	27.71	0.59020
802.11be EHT40-BF_Nss1,(MCS0)_2TX	27.38	0.54702
802.11be EHT80_Nss1,(MCS0)_1TX	22.58	0.18113
802.11be EHT80_Nss1,(MCS0)_2TX	26.00	0.39811
802.11be EHT80_Nss2,(MCS0)_2TX	26.46	0.44259
802.11be EHT80-BF_Nss1,(MCS0)_2TX	26.00	0.39811

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	7.00	18.46		18.46	29.00
5200MHz	Pass	7.00	21.91		21.91	29.00
5240MHz	Pass	7.00	22.38		22.38	29.00
5260MHz	Pass	7.00	20.56		20.56	22.98
5300MHz	Pass	7.00	20.70		20.70	22.98
5320MHz	Pass	7.00	19.54		19.54	22.98
5500MHz	Pass	7.00	20.84		20.84	22.98
5580MHz	Pass	7.00	20.86		20.86	22.98
5700MHz	Pass	7.00	17.29		17.29	22.98
5720MHz Straddle 5.47-5.725GHz	Pass	7.00	21.08		21.08	22.36
5720MHz Straddle 5.725-5.85GHz	Pass	7.00	15.05		15.05	29.00
5745MHz	Pass	7.00	25.53		25.53	29.00
5785MHz	Pass	7.00	25.03		25.03	29.00
5825MHz	Pass	7.00	24.09		24.09	29.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	7.00	19.54		19.54	29.00
5200MHz	Pass	7.00	22.34		22.34	29.00
5240MHz	Pass	7.00	22.80		22.80	29.00
5260MHz	Pass	7.00	22.15		22.15	22.98
5300MHz	Pass	7.00	22.05		22.05	22.98
5320MHz	Pass	7.00	20.37		20.37	22.98
5500MHz	Pass	7.00	21.86		21.86	22.98
5580MHz	Pass	7.00	22.20		22.20	22.98
5700MHz	Pass	7.00	16.30		16.30	22.98
5720MHz Straddle 5.47-5.725GHz	Pass	7.00	22.08		22.08	22.98
5720MHz Straddle 5.725-5.85GHz	Pass	7.00	17.05		17.05	29.00
5745MHz	Pass	7.00	24.68		24.68	29.00
5785MHz	Pass	7.00	25.44		25.44	29.00
5825MHz	Pass	7.00	24.67		24.67	29.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	7.00	16.74		16.74	29.00
5230MHz	Pass	7.00	21.59		21.59	29.00
5270MHz	Pass	7.00	21.22		21.22	22.98
5310MHz	Pass	7.00	17.81		17.81	22.98
5510MHz	Pass	7.00	19.60		19.60	22.98
5550MHz	Pass	7.00	22.78		22.78	22.98
5670MHz	Pass	7.00	20.54		20.54	22.98
5710MHz Straddle 5.47-5.725GHz	Pass	7.00	22.74		22.74	22.98
5710MHz Straddle 5.725-5.85GHz	Pass	7.00	13.10		13.10	29.00
5755MHz	Pass	7.00	23.19		23.19	29.00
5795MHz	Pass	7.00	24.74		24.74	29.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	7.00	18.41		18.41	29.00
5290MHz	Pass	7.00	17.90		17.90	22.98
5530MHz	Pass	7.00	19.69		19.69	22.98
5610MHz	Pass	7.00	22.52		22.52	22.98
5690MHz Straddle 5.47-5.725GHz	Pass	7.00	22.82		22.82	22.98
5690MHz Straddle 5.725-5.85GHz	Pass	7.00	9.22		9.22	29.00
5775MHz	Pass	7.00	22.58		22.58	29.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.00	13.25		13.25	29.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	14.15		14.15	22.98
5570MHz	Pass	7.00	17.03		17.03	22.98
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	7.00	19.28	19.83	22.57	29.00
5200MHz	Pass	7.00	22.24	22.46	25.36	29.00
5240MHz	Pass	7.00	21.50	21.86	24.69	29.00
5260MHz	Pass	7.00	17.67	18.28	21.00	22.98
5300MHz	Pass	7.00	17.50	18.11	20.83	22.98
5320MHz	Pass	7.00	17.45	18.04	20.77	22.98
5500MHz	Pass	7.00	17.99	17.77	20.89	22.98
5580MHz	Pass	7.00	17.99	17.84	20.93	22.98
5700MHz	Pass	7.00	17.61	17.56	20.60	22.98
5720MHz Straddle 5.47-5.725GHz	Pass	7.00	18.35	18.36	21.37	22.04
5720MHz Straddle 5.725-5.85GHz	Pass	7.00	12.45	12.21	15.34	29.00
5745MHz	Pass	7.00	25.22	24.73	27.99	29.00
5785MHz	Pass	7.00	24.63	24.60	27.63	29.00
5825MHz	Pass	7.00	23.86	23.62	26.75	29.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	7.00	19.48	19.86	22.68	29.00
5200MHz	Pass	7.00	22.45	22.76	25.62	29.00
5240MHz	Pass	7.00	21.93	22.10	25.03	29.00
5260MHz	Pass	7.00	18.91	19.30	22.12	22.98
5300MHz	Pass	7.00	19.07	19.26	22.18	22.98
5320MHz	Pass	7.00	19.02	19.51	22.28	22.98
5500MHz	Pass	7.00	19.15	19.06	22.12	22.98
5580MHz	Pass	7.00	19.22	19.07	22.16	22.98
5700MHz	Pass	7.00	15.76	15.70	18.74	22.98
5720MHz Straddle 5.47-5.725GHz	Pass	7.00	19.34	19.27	22.32	22.84
5720MHz Straddle 5.725-5.85GHz	Pass	7.00	14.04	14.04	17.05	29.00
5745MHz	Pass	7.00	24.65	24.48	27.58	29.00
5785MHz	Pass	7.00	24.82	24.77	27.81	29.00
5825MHz	Pass	7.00	23.97	23.64	26.82	29.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	7.00	17.18	17.62	20.42	29.00
5230MHz	Pass	7.00	21.65	22.24	24.97	29.00
5270MHz	Pass	7.00	19.75	19.84	22.81	22.98
5310MHz	Pass	7.00	17.78	18.05	20.93	22.98
5510MHz	Pass	7.00	19.77	19.90	22.85	22.98
5550MHz	Pass	7.00	19.88	19.84	22.87	22.98
5670MHz	Pass	7.00	19.89	19.96	22.94	22.98
5710MHz Straddle 5.47-5.725GHz	Pass	7.00	19.75	20.15	22.96	22.98
5710MHz Straddle 5.725-5.85GHz	Pass	7.00	10.13	10.52	13.34	29.00
5755MHz	Pass	7.00	23.44	23.68	26.57	29.00
5795MHz	Pass	7.00	24.39	24.35	27.38	29.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	7.00	18.28	18.67	21.49	29.00
5290MHz	Pass	7.00	17.47	17.42	20.46	22.98
5530MHz	Pass	7.00	19.57	19.30	22.45	22.98
5610MHz	Pass	7.00	20.26	19.58	22.94	22.98
5690MHz Straddle 5.47-5.725GHz	Pass	7.00	20.28	19.60	22.96	22.98
5690MHz Straddle 5.725-5.85GHz	Pass	7.00	6.51	5.91	9.23	29.00
5775MHz	Pass	7.00	23.03	22.95	26.00	29.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.00	13.19	13.72	16.47	29.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	14.08	14.47	17.29	22.98
5570MHz	Pass	7.00	17.09	16.99	20.05	22.98
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.66	19.73	20.05	22.90	29.34
5200MHz	Pass	6.66	22.79	22.97	25.89	29.34

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5240MHz	Pass	6.66	22.68	22.43	25.57	29.34
5260MHz	Pass	6.66	20.47	19.92	23.21	23.32
5300MHz	Pass	6.66	20.43	19.89	23.18	23.32
5320MHz	Pass	6.66	20.37	20.09	23.24	23.32
5500MHz	Pass	6.66	19.97	20.21	23.10	23.32
5580MHz	Pass	6.66	20.00	20.37	23.20	23.32
5700MHz	Pass	6.66	16.82	16.96	19.90	23.32
5720MHz Straddle 5.47-5.725GHz	Pass	6.66	19.22	19.44	22.34	22.49
5720MHz Straddle 5.725-5.85GHz	Pass	6.66	13.90	14.22	17.07	29.34
5745MHz	Pass	6.66	24.89	25.10	28.01	29.34
5785MHz	Pass	6.66	24.90	25.36	28.15	29.34
5825MHz	Pass	6.66	24.13	24.36	27.26	29.34
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	6.66	18.21	17.75	21.00	29.34
5230MHz	Pass	6.66	22.79	22.23	25.53	29.34
5270MHz	Pass	6.66	20.26	20.29	23.29	23.32
5310MHz	Pass	6.66	18.03	17.89	20.97	23.32
5510MHz	Pass	6.66	19.90	19.89	22.91	23.32
5550MHz	Pass	6.66	20.15	20.10	23.14	23.32
5670MHz	Pass	6.66	20.19	20.24	23.23	23.32
5710MHz Straddle 5.47-5.725GHz	Pass	6.66	20.41	20.15	23.29	23.32
5710MHz Straddle 5.725-5.85GHz	Pass	6.66	10.64	10.54	13.60	29.34
5755MHz	Pass	6.66	23.53	23.36	26.46	29.34
5795MHz	Pass	6.66	24.61	24.79	27.71	29.34
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	6.66	19.14	18.88	22.02	29.34
5290MHz	Pass	6.66	17.90	18.21	21.07	23.32
5530MHz	Pass	6.66	19.49	19.96	22.74	23.32
5610MHz	Pass	6.66	19.86	20.61	23.26	23.32
5690MHz Straddle 5.47-5.725GHz	Pass	6.66	19.87	20.57	23.24	23.32
5690MHz Straddle 5.725-5.85GHz	Pass	6.66	6.06	6.85	9.48	29.34
5775MHz	Pass	6.66	23.43	23.46	26.46	29.34
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.66	13.46	13.18	16.33	29.34
5250MHz Straddle 5.25-5.35GHz	Pass	6.66	14.22	14.03	17.14	23.32
5570MHz	Pass	6.66	17.48	17.61	20.56	23.32
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	7.00	19.48	19.86	22.68	29.00
5200MHz	Pass	7.00	22.45	22.76	25.62	29.00
5240MHz	Pass	7.00	21.93	22.10	25.03	29.00
5260MHz	Pass	7.00	18.91	19.30	22.12	22.98
5300MHz	Pass	7.00	19.07	19.26	22.18	22.98
5320MHz	Pass	7.00	19.02	19.51	22.28	22.98
5500MHz	Pass	7.00	19.15	19.06	22.12	22.98
5580MHz	Pass	7.00	19.22	19.07	22.16	22.98
5700MHz	Pass	7.00	15.76	15.70	18.74	22.98
5720MHz Straddle 5.47-5.725GHz	Pass	7.00	19.34	19.27	22.32	22.98
5720MHz Straddle 5.725-5.85GHz	Pass	7.00	14.04	14.04	17.05	29.00
5745MHz	Pass	7.00	24.65	24.48	27.58	29.00
5785MHz	Pass	7.00	24.82	24.77	27.81	29.00
5825MHz	Pass	7.00	23.97	23.64	26.82	29.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	7.00	17.18	17.62	20.42	29.00
5230MHz	Pass	7.00	21.65	22.24	24.97	29.00
5270MHz	Pass	7.00	19.75	19.84	22.81	22.98
5310MHz	Pass	7.00	17.78	18.05	20.93	22.98


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5510MHz	Pass	7.00	19.77	19.90	22.85	22.98
5550MHz	Pass	7.00	19.88	19.84	22.87	22.98
5670MHz	Pass	7.00	19.89	19.96	22.94	22.98
5710MHz Straddle 5.47-5.725GHz	Pass	7.00	19.75	20.15	22.96	22.98
5710MHz Straddle 5.725-5.85GHz	Pass	7.00	10.13	10.52	13.34	29.00
5755MHz	Pass	7.00	23.44	23.68	26.57	29.00
5795MHz	Pass	7.00	24.39	24.35	27.38	29.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	7.00	18.28	18.67	21.49	29.00
5290MHz	Pass	7.00	17.47	17.42	20.46	22.98
5530MHz	Pass	7.00	19.57	19.30	22.45	22.98
5610MHz	Pass	7.00	20.26	19.58	22.94	22.98
5690MHz Straddle 5.47-5.725GHz	Pass	7.00	20.28	19.60	22.96	22.98
5690MHz Straddle 5.725-5.85GHz	Pass	7.00	6.51	5.91	9.23	29.00
5775MHz	Pass	7.00	23.03	22.95	26.00	29.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.00	13.19	13.72	16.47	29.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	14.08	14.47	17.29	22.98
5570MHz	Pass	7.00	17.09	16.99	20.05	22.98

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

14/07/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX


14/07/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX







Average Power_Mode 4

Appendix C.4

Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	19.87	0.09705
802.11a_Nss1,(6Mbps)_2TX	20.30	0.10715
802.11be EHT20_Nss1,(MCS0)_1TX	21.04	0.12706
802.11be EHT20_Nss1,(MCS0)_2TX	21.37	0.13709
802.11be EHT20_Nss2,(MCS0)_2TX	21.75	0.14962
802.11be EHT20-BF_Nss1,(MCS0)_2TX	21.37	0.13709
802.11be EHT40_Nss1,(MCS0)_1TX	19.45	0.08810
802.11be EHT40_Nss1,(MCS0)_2TX	21.44	0.13932
802.11be EHT40_Nss2,(MCS0)_2TX	21.69	0.14757
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.44	0.13932
802.11be EHT80_Nss1,(MCS0)_1TX	15.38	0.03451
802.11be EHT80_Nss1,(MCS0)_2TX	18.31	0.06776
802.11be EHT80_Nss2,(MCS0)_2TX	18.01	0.06324
802.11be EHT80-BF_Nss1,(MCS0)_2TX	18.31	0.06776
802.11be EHT160_Nss1,(MCS0)_1TX	11.18	0.01312
802.11be EHT160_Nss1,(MCS0)_2TX	14.32	0.02704
802.11be EHT160_Nss2,(MCS0)_2TX	14.51	0.02825
802.11be EHT160-BF_Nss1,(MCS0)_2TX	14.32	0.02704
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	14.06	0.02547
802.11a_Nss1,(6Mbps)_2TX	14.21	0.02636
802.11be EHT20_Nss1,(MCS0)_1TX	15.22	0.03327
802.11be EHT20_Nss1,(MCS0)_2TX	15.30	0.03388
802.11be EHT20_Nss2,(MCS0)_2TX	15.77	0.03776
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.30	0.03388
802.11be EHT40_Nss1,(MCS0)_1TX	15.28	0.03373
802.11be EHT40_Nss1,(MCS0)_2TX	15.34	0.03420
802.11be EHT40_Nss2,(MCS0)_2TX	15.72	0.03733
802.11be EHT40-BF_Nss1,(MCS0)_2TX	15.34	0.03420
802.11be EHT80_Nss1,(MCS0)_1TX	15.06	0.03206
802.11be EHT80_Nss1,(MCS0)_2TX	15.46	0.03516
802.11be EHT80_Nss2,(MCS0)_2TX	15.78	0.03784
802.11be EHT80-BF_Nss1,(MCS0)_2TX	15.46	0.03516
802.11be EHT160_Nss1,(MCS0)_1TX	12.07	0.01611
802.11be EHT160_Nss1,(MCS0)_2TX	15.20	0.03311
802.11be EHT160_Nss2,(MCS0)_2TX	15.41	0.03475
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.20	0.03311
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	14.24	0.02655
802.11a_Nss1,(6Mbps)_2TX	14.28	0.02679
802.11be EHT20_Nss1,(MCS0)_1TX	15.19	0.03304
802.11be EHT20_Nss1,(MCS0)_2TX	15.28	0.03373
802.11be EHT20_Nss2,(MCS0)_2TX	15.78	0.03784
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.28	0.03373
802.11be EHT40_Nss1,(MCS0)_1TX	15.45	0.03508
802.11be EHT40_Nss1,(MCS0)_2TX	15.42	0.03483
802.11be EHT40_Nss2,(MCS0)_2TX	15.72	0.03733
802.11be EHT40-BF_Nss1,(MCS0)_2TX	15.42	0.03483
802.11be EHT80_Nss1,(MCS0)_1TX	15.46	0.03516
802.11be EHT80_Nss1,(MCS0)_2TX	15.41	0.03475
802.11be EHT80_Nss2,(MCS0)_2TX	15.67	0.03690
802.11be EHT80-BF_Nss1,(MCS0)_2TX	15.41	0.03475
802.11be EHT160_Nss1,(MCS0)_1TX	15.33	0.03412
802.11be EHT160_Nss1,(MCS0)_2TX	15.42	0.03483

Mode	Total Power (dBm)	Total Power (W)
802.11be EHT160_Nss2,(MCS0)_2TX	15.69	0.03707
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.42	0.03483
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.48	0.14060
802.11a_Nss1,(6Mbps)_2TX	21.47	0.14028
802.11be EHT20_Nss1,(MCS0)_1TX	21.41	0.13836
802.11be EHT20_Nss1,(MCS0)_2TX	21.43	0.13900
802.11be EHT20_Nss2,(MCS0)_2TX	21.78	0.15066
802.11be EHT20-BF_Nss1,(MCS0)_2TX	21.43	0.13900
802.11be EHT40_Nss1,(MCS0)_1TX	21.35	0.13646
802.11be EHT40_Nss1,(MCS0)_2TX	21.47	0.14028
802.11be EHT40_Nss2,(MCS0)_2TX	21.79	0.15101
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.47	0.14028
802.11be EHT80_Nss1,(MCS0)_1TX	20.04	0.10093
802.11be EHT80_Nss1,(MCS0)_2TX	21.33	0.13583
802.11be EHT80_Nss2,(MCS0)_2TX	21.71	0.14825
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.33	0.13583



Average Power_Mode 4

Appendix C.4

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	14.50	18.72		18.72	21.50
5200MHz	Pass	14.50	19.67		19.67	21.50
5240MHz	Pass	14.50	19.87		19.87	21.50
5260MHz	Pass	14.50	13.99		13.99	15.48
5300MHz	Pass	14.50	14.06		14.06	15.48
5320MHz	Pass	14.50	13.97		13.97	15.48
5500MHz	Pass	14.50	14.14		14.14	15.48
5580MHz	Pass	14.50	13.83		13.83	15.48
5700MHz	Pass	14.50	14.24		14.24	15.48
5720MHz Straddle 5.47-5.725GHz	Pass	14.50	13.48		13.48	14.77
5720MHz Straddle 5.725-5.85GHz	Pass	14.50	7.15		7.15	21.50
5745MHz	Pass	14.50	21.48		21.48	21.50
5785MHz	Pass	14.50	21.37		21.37	21.50
5825MHz	Pass	14.50	21.34		21.34	21.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	14.50	18.14		18.14	21.50
5200MHz	Pass	14.50	20.19		20.19	21.50
5240MHz	Pass	14.50	21.04		21.04	21.50
5260MHz	Pass	14.50	15.22		15.22	15.48
5300MHz	Pass	14.50	15.22		15.22	15.48
5320MHz	Pass	14.50	15.12		15.12	15.48
5500MHz	Pass	14.50	15.19		15.19	15.48
5580MHz	Pass	14.50	15.10		15.10	15.48
5700MHz	Pass	14.50	15.06		15.06	15.48
5720MHz Straddle 5.47-5.725GHz	Pass	14.50	14.55		14.55	14.64
5720MHz Straddle 5.725-5.85GHz	Pass	14.50	9.31		9.31	21.50
5745MHz	Pass	14.50	21.41		21.41	21.50
5785MHz	Pass	14.50	21.27		21.27	21.50
5825MHz	Pass	14.50	21.39		21.39	21.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	14.50	14.27		14.27	21.50
5230MHz	Pass	14.50	19.45		19.45	21.50
5270MHz	Pass	14.50	15.28		15.28	15.48
5310MHz	Pass	14.50	14.48		14.48	15.48
5510MHz	Pass	14.50	15.41		15.41	15.48
5550MHz	Pass	14.50	15.35		15.35	15.48
5670MHz	Pass	14.50	15.45		15.45	15.48
5710MHz Straddle 5.47-5.725GHz	Pass	14.50	15.33		15.33	15.48
5710MHz Straddle 5.725-5.85GHz	Pass	14.50	5.53		5.53	21.50
5755MHz	Pass	14.50	21.35		21.35	21.50
5795MHz	Pass	14.50	21.31		21.31	21.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	14.50	15.38		15.38	21.50
5290MHz	Pass	14.50	15.06		15.06	15.48
5530MHz	Pass	14.50	15.35		15.35	15.48
5610MHz	Pass	14.50	15.46		15.46	15.48
5690MHz Straddle 5.47-5.725GHz	Pass	14.50	15.23		15.23	15.48
5690MHz Straddle 5.725-5.85GHz	Pass	14.50	1.47		1.47	21.50
5775MHz	Pass	14.50	20.04		20.04	21.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	14.50	11.18		11.18	21.50
5250MHz Straddle 5.25-5.35GHz	Pass	14.50	12.07		12.07	15.48
5570MHz	Pass	14.50	15.33		15.33	15.48
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-



Average Power_Mode 4

Appendix C.4

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	14.50	16.69	17.47	20.11	21.50
5200MHz	Pass	14.50	16.69	17.58	20.17	21.50
5240MHz	Pass	14.50	16.67	17.83	20.30	21.50
5260MHz	Pass	14.50	10.99	11.36	14.19	15.48
5300MHz	Pass	14.50	11.06	11.33	14.21	15.48
5320MHz	Pass	14.50	10.84	11.44	14.16	15.48
5500MHz	Pass	14.50	11.49	11.04	14.28	15.48
5580MHz	Pass	14.50	11.23	10.85	14.05	15.48
5700MHz	Pass	14.50	11.31	10.96	14.15	15.48
5720MHz Straddle 5.47-5.725GHz	Pass	14.50	11.26	10.79	14.04	14.54
5720MHz Straddle 5.725-5.85GHz	Pass	14.50	5.16	4.82	8.00	21.50
5745MHz	Pass	14.50	18.39	18.53	21.47	21.50
5785MHz	Pass	14.50	18.41	18.30	21.37	21.50
5825MHz	Pass	14.50	18.46	18.36	21.42	21.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	14.50	17.37	18.21	20.82	21.50
5200MHz	Pass	14.50	17.96	18.72	21.37	21.50
5240MHz	Pass	14.50	17.87	18.64	21.28	21.50
5260MHz	Pass	14.50	12.06	12.50	15.30	15.48
5300MHz	Pass	14.50	12.01	12.44	15.24	15.48
5320MHz	Pass	14.50	11.77	12.37	15.09	15.48
5500MHz	Pass	14.50	12.20	12.11	15.17	15.48
5580MHz	Pass	14.50	12.37	12.17	15.28	15.48
5700MHz	Pass	14.50	12.41	12.08	15.26	15.48
5720MHz Straddle 5.47-5.725GHz	Pass	14.50	12.11	11.53	14.84	14.99
5720MHz Straddle 5.725-5.85GHz	Pass	14.50	6.86	6.47	9.68	21.50
5745MHz	Pass	14.50	18.45	18.19	21.33	21.50
5785MHz	Pass	14.50	18.50	18.34	21.43	21.50
5825MHz	Pass	14.50	18.40	18.30	21.36	21.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	14.50	14.77	15.88	18.37	21.50
5230MHz	Pass	14.50	17.76	19.01	21.44	21.50
5270MHz	Pass	14.50	12.28	12.31	15.31	15.48
5310MHz	Pass	14.50	12.22	12.43	15.34	15.48
5510MHz	Pass	14.50	12.25	12.57	15.42	15.48
5550MHz	Pass	14.50	12.17	12.45	15.32	15.48
5670MHz	Pass	14.50	12.41	12.31	15.37	15.48
5710MHz Straddle 5.47-5.725GHz	Pass	14.50	12.38	12.21	15.31	15.48
5710MHz Straddle 5.725-5.85GHz	Pass	14.50	2.51	2.53	5.53	21.50
5755MHz	Pass	14.50	18.18	18.73	21.47	21.50
5795MHz	Pass	14.50	18.09	18.79	21.46	21.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	14.50	14.90	15.66	18.31	21.50
5290MHz	Pass	14.50	12.46	12.43	15.46	15.48
5530MHz	Pass	14.50	12.58	12.22	15.41	15.48
5610MHz	Pass	14.50	12.52	12.07	15.31	15.48
5690MHz Straddle 5.47-5.725GHz	Pass	14.50	12.55	12.05	15.32	15.48
5690MHz Straddle 5.725-5.85GHz	Pass	14.50	-1.24	-1.62	1.58	21.50
5775MHz	Pass	14.50	18.21	18.43	21.33	21.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	14.50	11.08	11.52	14.32	21.50
5250MHz Straddle 5.25-5.35GHz	Pass	14.50	11.92	12.45	15.20	15.48
5570MHz	Pass	14.50	12.55	12.27	15.42	15.48
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	14.16	17.41	18.34	20.91	21.84
5200MHz	Pass	14.16	18.22	19.20	21.75	21.84

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5240MHz	Pass	14.16	18.14	19.10	21.66	21.84
5260MHz	Pass	14.16	12.56	12.70	15.64	15.82
5300MHz	Pass	14.16	12.44	12.71	15.59	15.82
5320MHz	Pass	14.16	12.42	13.08	15.77	15.82
5500MHz	Pass	14.16	12.87	12.59	15.74	15.82
5580MHz	Pass	14.16	12.84	12.69	15.78	15.82
5700MHz	Pass	14.16	12.95	12.38	15.68	15.82
5720MHz Straddle 5.47-5.725GHz	Pass	14.16	12.07	11.63	14.87	14.98
5720MHz Straddle 5.725-5.85GHz	Pass	14.16	6.74	6.49	9.63	21.84
5745MHz	Pass	14.16	18.77	18.77	21.78	21.84
5785MHz	Pass	14.16	18.71	18.80	21.77	21.84
5825MHz	Pass	14.16	18.51	18.69	21.61	21.84
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	14.16	14.18	15.24	17.75	21.84
5230MHz	Pass	14.16	17.98	19.28	21.69	21.84
5270MHz	Pass	14.16	12.55	12.87	15.72	15.82
5310MHz	Pass	14.16	12.58	12.75	15.68	15.82
5510MHz	Pass	14.16	12.60	12.80	15.71	15.82
5550MHz	Pass	14.16	12.59	12.82	15.72	15.82
5670MHz	Pass	14.16	12.51	12.62	15.58	15.82
5710MHz Straddle 5.47-5.725GHz	Pass	14.16	12.72	12.54	15.64	15.82
5710MHz Straddle 5.725-5.85GHz	Pass	14.16	2.97	2.90	5.95	21.84
5755MHz	Pass	14.16	18.24	19.18	21.75	21.84
5795MHz	Pass	14.16	18.46	19.08	21.79	21.84
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	14.16	14.68	15.30	18.01	21.84
5290MHz	Pass	14.16	12.80	12.74	15.78	15.82
5530MHz	Pass	14.16	12.90	12.41	15.67	15.82
5610MHz	Pass	14.16	12.84	12.34	15.61	15.82
5690MHz Straddle 5.47-5.725GHz	Pass	14.16	12.81	12.37	15.61	15.82
5690MHz Straddle 5.725-5.85GHz	Pass	14.16	-0.93	-1.25	1.92	21.84
5775MHz	Pass	14.16	18.58	18.82	21.71	21.84
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	14.16	11.32	11.68	14.51	21.84
5250MHz Straddle 5.25-5.35GHz	Pass	14.16	12.19	12.60	15.41	15.82
5570MHz	Pass	14.16	12.89	12.46	15.69	15.82
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	14.50	17.37	18.21	20.82	21.50
5200MHz	Pass	14.50	17.96	18.72	21.37	21.50
5240MHz	Pass	14.50	17.87	18.64	21.28	21.50
5260MHz	Pass	14.50	12.06	12.50	15.30	15.48
5300MHz	Pass	14.50	12.01	12.44	15.24	15.48
5320MHz	Pass	14.50	11.77	12.37	15.09	15.48
5500MHz	Pass	14.50	12.20	12.11	15.17	15.48
5580MHz	Pass	14.50	12.37	12.17	15.28	15.48
5700MHz	Pass	14.50	12.41	12.08	15.26	15.48
5720MHz Straddle 5.47-5.725GHz	Pass	14.50	12.11	11.53	14.84	15.48
5720MHz Straddle 5.725-5.85GHz	Pass	14.50	6.86	6.47	9.68	21.50
5745MHz	Pass	14.50	18.45	18.19	21.33	21.50
5785MHz	Pass	14.50	18.50	18.34	21.43	21.50
5825MHz	Pass	14.50	18.40	18.30	21.36	21.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	14.50	14.77	15.88	18.37	21.50
5230MHz	Pass	14.50	17.76	19.01	21.44	21.50
5270MHz	Pass	14.50	12.28	12.31	15.31	15.48
5310MHz	Pass	14.50	12.22	12.43	15.34	15.48



Average Power_Mode 4

Appendix C.4


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)
5510MHz	Pass	14.50	12.25	12.57	15.42	15.48
5550MHz	Pass	14.50	12.17	12.45	15.32	15.48
5670MHz	Pass	14.50	12.41	12.31	15.37	15.48
5710MHz Straddle 5.47-5.725GHz	Pass	14.50	12.38	12.21	15.31	15.48
5710MHz Straddle 5.725-5.85GHz	Pass	14.50	2.51	2.53	5.53	21.50
5755MHz	Pass	14.50	18.18	18.73	21.47	21.50
5795MHz	Pass	14.50	18.09	18.79	21.46	21.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	14.50	14.90	15.66	18.31	21.50
5290MHz	Pass	14.50	12.46	12.43	15.46	15.48
5530MHz	Pass	14.50	12.58	12.22	15.41	15.48
5610MHz	Pass	14.50	12.52	12.07	15.31	15.48
5690MHz Straddle 5.47-5.725GHz	Pass	14.50	12.55	12.05	15.32	15.48
5690MHz Straddle 5.725-5.85GHz	Pass	14.50	-1.24	-1.62	1.58	21.50
5775MHz	Pass	14.50	18.21	18.43	21.33	21.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	14.50	11.08	11.52	14.32	21.50
5250MHz Straddle 5.25-5.35GHz	Pass	14.50	11.92	12.45	15.20	15.48
5570MHz	Pass	14.50	12.55	12.27	15.42	15.48

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

06/08/2026




Sum= Total Power
PX=Port X

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

06/08/2026




Sum= Total Power
PX=Port X

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

06/08/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX


06/08/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	12.47
802.11a_Nss1,(6Mbps)_2TX	15.19
802.11be EHT20_Nss1,(MCS0)_1TX	11.43
802.11be EHT20_Nss1,(MCS0)_2TX	13.88
802.11be EHT20_Nss2,(MCS0)_2TX	13.86
802.11be EHT40_Nss1,(MCS0)_1TX	7.25
802.11be EHT40_Nss1,(MCS0)_2TX	9.21
802.11be EHT40_Nss2,(MCS0)_2TX	9.20
802.11be EHT80_Nss1,(MCS0)_1TX	1.28
802.11be EHT80_Nss1,(MCS0)_2TX	2.96
802.11be EHT80_Nss2,(MCS0)_2TX	3.19
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.97
802.11a_Nss1,(6Mbps)_2TX	9.44
802.11be EHT20_Nss1,(MCS0)_1TX	10.51
802.11be EHT20_Nss1,(MCS0)_2TX	9.46
802.11be EHT20_Nss2,(MCS0)_2TX	10.16
802.11be EHT40_Nss1,(MCS0)_1TX	6.75
802.11be EHT40_Nss1,(MCS0)_2TX	7.51
802.11be EHT40_Nss2,(MCS0)_2TX	7.36
802.11be EHT80_Nss1,(MCS0)_1TX	1.63
802.11be EHT80_Nss1,(MCS0)_2TX	1.20
802.11be EHT80_Nss2,(MCS0)_2TX	3.00

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	4.47	9.43		9.43	17.00
5200MHz	Pass	4.47	11.72		11.72	17.00
5240MHz	Pass	4.47	12.47		12.47	17.00
5260MHz	Pass	4.47	10.79		10.79	11.00
5300MHz	Pass	4.47	10.97		10.97	11.00
5320MHz	Pass	4.47	9.68		9.68	11.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	4.47	7.93		7.93	17.00
5200MHz	Pass	4.47	9.97		9.97	17.00
5240MHz	Pass	4.47	11.43		11.43	17.00
5260MHz	Pass	4.47	10.51		10.51	11.00
5300MHz	Pass	4.47	10.36		10.36	11.00
5320MHz	Pass	4.47	8.56		8.56	11.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	4.47	1.94		1.94	17.00
5230MHz	Pass	4.47	7.25		7.25	17.00
5270MHz	Pass	4.47	6.75		6.75	11.00
5310MHz	Pass	4.47	4.09		4.09	11.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	4.47	1.28		1.28	17.00
5290MHz	Pass	4.47	1.63		1.63	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	7.50	8.24	9.19	11.64	15.50
5200MHz	Pass	7.50	11.51	11.17	13.94	15.50
5240MHz	Pass	7.50	12.16	12.67	15.19	15.50
5260MHz	Pass	7.50	6.94	6.52	9.31	9.50
5300MHz	Pass	7.50	7.09	6.54	9.44	9.50
5320MHz	Pass	7.50	6.47	6.3	9.34	9.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	7.50	6.99	7.28	10.14	15.50
5200MHz	Pass	7.50	8.89	9.29	11.93	15.50
5240MHz	Pass	7.50	11.07	11.02	13.88	15.50
5260MHz	Pass	7.50	6.55	6.43	9.40	9.50
5300MHz	Pass	7.50	6.43	6.61	9.46	9.50
5320MHz	Pass	7.50	6.53	5.82	9.13	9.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	7.50	1.27	1.61	4.42	15.50
5230MHz	Pass	7.50	6.25	6.23	9.21	15.50
5270MHz	Pass	7.50	4.79	4.19	7.51	9.50
5310MHz	Pass	7.50	1.75	1.65	4.55	9.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	7.50	0.08	-0.05	2.96	15.50
5290MHz	Pass	7.50	-1.65	-1.81	1.20	9.50
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.49	6.7	7.01	9.78	17.00
5200MHz	Pass	4.49	9.14	9.45	12.21	17.00
5240MHz	Pass	4.49	10.98	10.94	13.86	17.00
5260MHz	Pass	4.49	7.4	7.09	10.16	11.00
5300MHz	Pass	4.49	7.17	7.2	10.13	11.00
5320MHz	Pass	4.49	7.2	6.9	10.05	11.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.49	1.71	1.7	4.66	17.00
5230MHz	Pass	4.49	6.2	6.21	9.20	17.00
5270MHz	Pass	4.49	4.59	4.14	7.36	11.00



PSD_Mode 1


Appendix D.1

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5310MHz	Pass	4.49	2.29	2.22	5.17	11.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.49	0.16	0.29	3.19	17.00
5290MHz	Pass	4.49	0.08	0.06	3.00	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

08/07/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.47	12.47	12.47

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

08/07/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.79	10.79	10.79

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

08/07/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.97	10.97	10.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

08/07/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.68	9.68	9.68

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

08/07/2026




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

08/07/2026




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

08/07/2026




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5260MHz

08/07/2026




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

08/07/2026




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

08/07/2026



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

08/07/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.94	1.94	1.94

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

08/07/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.25	7.25	7.25


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5270MHz

08/07/2026

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.75	6.75	6.75


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

08/07/2026

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.09	4.09	4.09

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

08/07/2026




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

08/07/2026



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

08/07/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.64	11.64	8.24	9.19

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

08/07/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.94	13.94	11.51	11.17

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

08/07/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
15.19	15.19	12.16	12.67

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

08/07/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.31	9.31	6.94	6.52

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

08/07/2026




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

08/07/2026



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

08/07/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.14	10.14	6.99	7.28

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

08/07/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.93	11.93	8.89	9.29

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

08/07/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.88	13.88	11.07	11.02

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

08/07/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.40	9.40	6.55	6.43

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

08/07/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.46	9.46	6.43	6.61

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

08/07/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.13	9.13	6.53	5.82

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

08/07/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.42	4.42	1.27	1.61

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

08/07/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.21	9.21	6.25	6.23


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

08/07/2026

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.51	7.51	4.79	4.19

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

08/07/2026

CF (Hz)
5.31G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
4.55	4.55	1.75	1.65


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

08/07/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.96	2.96	0.08	-0.05

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

08/07/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.20	1.20	-1.65	-1.81

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

08/07/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.78	9.78	6.70	7.01

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

08/07/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.21	12.21	9.14	9.45

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

08/07/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.86	13.86	10.98	10.94

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

08/07/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.16	10.16	7.40	7.09

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5300MHz

08/07/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.13	10.13	7.17	7.20

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5320MHz

08/07/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.05	10.05	7.20	6.90

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

08/07/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.66	4.66	1.71	1.70

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

08/07/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.20	9.20	6.20	6.21

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

08/07/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.36	7.36	4.59	4.14

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

08/07/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.17	5.17	2.29	2.22

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

08/07/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.19	3.19	0.16	0.29

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

08/07/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.00	3.00	0.08	0.06

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	11.18
802.11a_Nss1,(6Mbps)_2TX	12.99
802.11be EHT20_Nss1,(MCS0)_1TX	9.59
802.11be EHT20_Nss1,(MCS0)_2TX	11.97
802.11be EHT20_Nss2,(MCS0)_2TX	11.63
802.11be EHT40_Nss1,(MCS0)_1TX	5.34
802.11be EHT40_Nss1,(MCS0)_2TX	7.93
802.11be EHT40_Nss2,(MCS0)_2TX	8.18
802.11be EHT80_Nss1,(MCS0)_1TX	-0.61
802.11be EHT80_Nss1,(MCS0)_2TX	-0.43
802.11be EHT80_Nss2,(MCS0)_2TX	1.14
802.11be EHT160_Nss1,(MCS0)_1TX	-6.47
802.11be EHT160_Nss1,(MCS0)_2TX	-5.07
802.11be EHT160_Nss2,(MCS0)_2TX	-4.50
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.46
802.11a_Nss1,(6Mbps)_2TX	10.70
802.11be EHT20_Nss1,(MCS0)_1TX	9.37
802.11be EHT20_Nss1,(MCS0)_2TX	10.21
802.11be EHT20_Nss2,(MCS0)_2TX	10.32
802.11be EHT40_Nss1,(MCS0)_1TX	5.21
802.11be EHT40_Nss1,(MCS0)_2TX	6.87
802.11be EHT40_Nss2,(MCS0)_2TX	6.88
802.11be EHT80_Nss1,(MCS0)_1TX	-1.70
802.11be EHT80_Nss1,(MCS0)_2TX	-0.88
802.11be EHT80_Nss2,(MCS0)_2TX	0.21
802.11be EHT160_Nss1,(MCS0)_1TX	-5.53
802.11be EHT160_Nss1,(MCS0)_2TX	-4.42
802.11be EHT160_Nss2,(MCS0)_2TX	-3.76
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.77
802.11a_Nss1,(6Mbps)_2TX	9.79
802.11be EHT20_Nss1,(MCS0)_1TX	9.81
802.11be EHT20_Nss1,(MCS0)_2TX	9.76
802.11be EHT20_Nss2,(MCS0)_2TX	10.87
802.11be EHT40_Nss1,(MCS0)_1TX	6.26
802.11be EHT40_Nss1,(MCS0)_2TX	7.89
802.11be EHT40_Nss2,(MCS0)_2TX	7.88
802.11be EHT80_Nss1,(MCS0)_1TX	4.25
802.11be EHT80_Nss1,(MCS0)_2TX	4.99
802.11be EHT80_Nss2,(MCS0)_2TX	4.94
802.11be EHT160_Nss1,(MCS0)_1TX	-5.66
802.11be EHT160_Nss1,(MCS0)_2TX	-2.97
802.11be EHT160_Nss2,(MCS0)_2TX	-2.32
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	12.31
802.11a_Nss1,(6Mbps)_2TX	14.02
802.11be EHT20_Nss1,(MCS0)_1TX	10.25
802.11be EHT20_Nss1,(MCS0)_2TX	12.95
802.11be EHT20_Nss2,(MCS0)_2TX	12.62
802.11be EHT40_Nss1,(MCS0)_1TX	5.59
802.11be EHT40_Nss1,(MCS0)_2TX	8.21
802.11be EHT40_Nss2,(MCS0)_2TX	8.45
802.11be EHT80_Nss1,(MCS0)_1TX	1.94



PSD_Mode 2

Appendix D.2

Mode	PD (dBm/RBW)
802.11be EHT80_Nss1,(MCS0)_2TX	3.18
802.11be EHT80_Nss2,(MCS0)_2TX	3.41

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-
5180MHz	Pass	3.80	7.28		7.28	17.00
5200MHz	Pass	3.80	9.95		9.95	17.00
5240MHz	Pass	3.80	11.18		11.18	17.00
5260MHz	Pass	3.57	10.46		10.46	11.00
5300MHz	Pass	3.57	9.87		9.87	11.00
5320MHz	Pass	3.57	7.83		7.83	11.00
5500MHz	Pass	4.46	8.90		8.90	11.00
5580MHz	Pass	4.46	10.77		10.77	11.00
5700MHz	Pass	4.46	5.11		5.11	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.46	10.35		10.35	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.46	8.65		8.65	30.00
5745MHz	Pass	4.46	12.31		12.31	30.00
5785MHz	Pass	4.46	8.56		8.56	30.00
5825MHz	Pass	4.46	7.75		7.75	30.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5180MHz	Pass	3.80	6.85		6.85	17.00
5200MHz	Pass	3.80	9.28		9.28	17.00
5240MHz	Pass	3.80	9.59		9.59	17.00
5260MHz	Pass	3.57	9.37		9.37	11.00
5300MHz	Pass	3.57	8.37		8.37	11.00
5320MHz	Pass	3.57	6.94		6.94	11.00
5500MHz	Pass	4.46	8.27		8.27	11.00
5580MHz	Pass	4.46	9.81		9.81	11.00
5700MHz	Pass	4.46	3.33		3.33	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.46	8.87		8.87	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.46	7.28		7.28	30.00
5745MHz	Pass	4.46	9.54		9.54	30.00
5785MHz	Pass	4.46	10.25		10.25	30.00
5825MHz	Pass	4.46	9.34		9.34	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5190MHz	Pass	3.80	0.88		0.88	17.00
5230MHz	Pass	3.80	5.34		5.34	17.00
5270MHz	Pass	3.57	5.21		5.21	11.00
5310MHz	Pass	3.57	0.92		0.92	11.00
5510MHz	Pass	4.46	2.82		2.82	11.00
5550MHz	Pass	4.46	6.13		6.13	11.00
5670MHz	Pass	4.46	3.68		3.68	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.46	6.26		6.26	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.46	4.04		4.04	30.00
5755MHz	Pass	4.46	5.59		5.59	30.00
5795MHz	Pass	4.46	5.59		5.59	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5210MHz	Pass	3.80	-0.61		-0.61	17.00
5290MHz	Pass	3.57	-1.70		-1.70	11.00
5530MHz	Pass	4.46	-0.36		-0.36	11.00
5610MHz	Pass	4.46	4.25		4.25	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.46	3.49		3.49	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.46	0.38		0.38	30.00
5775MHz	Pass	4.46	1.94		1.94	30.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.80	-6.47		-6.47	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.57	-5.53		-5.53	11.00
5570MHz	Pass	4.46	-5.66		-5.66	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5180MHz	Pass	6.47	6.79	6.80	9.69	16.53
5200MHz	Pass	6.47	9.22	9.59	12.26	16.53
5240MHz	Pass	6.47	10.36	10.47	12.99	16.53
5260MHz	Pass	6.24	7.88	8.09	10.70	10.76
5300MHz	Pass	6.24	7.43	7.73	10.53	10.76
5320MHz	Pass	6.24	7.61	7.82	10.29	10.76
5500MHz	Pass	7.13	7.09	6.90	9.79	9.87
5580MHz	Pass	7.13	6.86	6.78	9.74	9.87
5700MHz	Pass	7.13	5.18	4.97	7.68	9.87
5720MHz Straddle 5.47-5.725GHz	Pass	7.13	7.23	6.94	9.73	9.87
5720MHz Straddle 5.725-5.85GHz	Pass	7.13	5.84	5.60	8.73	28.87
5745MHz	Pass	7.13	11.46	11.03	14.02	28.87
5785MHz	Pass	7.13	11.47	11.09	14.02	28.87
5825MHz	Pass	7.13	10.90	9.98	13.30	28.87
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.47	6.12	6.19	9.08	16.53
5200MHz	Pass	6.47	7.93	8.06	10.95	16.53
5240MHz	Pass	6.47	8.84	9.31	11.97	16.53
5260MHz	Pass	6.24	7.08	7.32	10.17	10.76
5300MHz	Pass	6.24	7.05	7.54	10.21	10.76
5320MHz	Pass	6.24	4.83	5.42	8.07	10.76
5500MHz	Pass	7.13	7.02	6.64	9.76	9.87
5580MHz	Pass	7.13	6.89	6.54	9.73	9.87
5700MHz	Pass	7.13	2.37	2.32	5.29	9.87
5720MHz Straddle 5.47-5.725GHz	Pass	7.13	6.88	6.67	9.72	9.87
5720MHz Straddle 5.725-5.85GHz	Pass	7.13	5.11	5.12	8.08	28.87
5745MHz	Pass	7.13	9.86	9.61	12.63	28.87
5785MHz	Pass	7.13	10.21	9.85	12.95	28.87
5825MHz	Pass	7.13	8.96	8.80	11.75	28.87
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	6.47	-1.30	-0.69	1.91	16.53
5230MHz	Pass	6.47	4.83	5.16	7.93	16.53
5270MHz	Pass	6.24	4.00	3.95	6.87	10.76
5310MHz	Pass	6.24	-0.91	-0.76	2.13	10.76
5510MHz	Pass	7.13	1.76	1.86	4.75	9.87
5550MHz	Pass	7.13	4.06	4.14	7.04	9.87
5670MHz	Pass	7.13	3.63	3.62	6.53	9.87
5710MHz Straddle 5.47-5.725GHz	Pass	7.13	4.87	5.23	7.89	9.87
5710MHz Straddle 5.725-5.85GHz	Pass	7.13	2.57	2.97	5.70	28.87
5755MHz	Pass	7.13	4.98	5.28	8.05	28.87
5795MHz	Pass	7.13	5.34	5.36	8.21	28.87
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	6.47	-3.69	-3.11	-0.43	16.53
5290MHz	Pass	6.24	-3.81	-3.92	-0.88	10.76
5530MHz	Pass	7.13	-1.60	-2.04	1.11	9.87
5610MHz	Pass	7.13	1.74	1.04	4.32	9.87
5690MHz Straddle 5.47-5.725GHz	Pass	7.13	2.35	1.60	4.99	9.87
5690MHz Straddle 5.725-5.85GHz	Pass	7.13	-0.93	-1.35	1.81	28.87
5775MHz	Pass	7.13	0.31	0.22	3.18	28.87
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.47	-8.23	-7.93	-5.07	16.53
5250MHz Straddle 5.25-5.35GHz	Pass	6.24	-7.45	-7.38	-4.42	10.76
5570MHz	Pass	7.13	-5.81	-6.13	-2.97	9.87
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.46	6.09	6.43	9.18	17.00
5200MHz	Pass	3.46	8.03	8.26	11.06	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5240MHz	Pass	3.46	8.58	8.82	11.63	17.00
5260MHz	Pass	3.23	7.11	7.43	10.21	11.00
5300MHz	Pass	3.23	7.14	7.62	10.32	11.00
5320MHz	Pass	3.23	5.31	5.60	8.44	11.00
5500MHz	Pass	4.12	7.33	7.40	10.23	11.00
5580MHz	Pass	4.12	7.39	7.26	10.20	11.00
5700MHz	Pass	4.12	3.28	3.20	6.14	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.12	8.03	7.79	10.87	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.12	6.32	6.08	9.15	30.00
5745MHz	Pass	4.12	9.58	9.28	12.36	30.00
5785MHz	Pass	4.12	9.76	9.63	12.62	30.00
5825MHz	Pass	4.12	8.75	8.59	11.53	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.46	0.87	1.59	4.18	17.00
5230MHz	Pass	3.46	4.92	5.43	8.18	17.00
5270MHz	Pass	3.23	4.06	3.90	6.88	11.00
5310MHz	Pass	3.23	-0.17	-0.02	2.89	11.00
5510MHz	Pass	4.12	2.43	2.34	5.30	11.00
5550MHz	Pass	4.12	4.10	4.11	7.02	11.00
5670MHz	Pass	4.12	3.80	3.73	6.70	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.12	4.83	4.99	7.88	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.12	2.67	2.81	5.74	30.00
5755MHz	Pass	4.12	5.30	5.63	8.39	30.00
5795MHz	Pass	4.12	5.61	5.47	8.45	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.46	-2.04	-1.71	1.14	17.00
5290MHz	Pass	3.23	-2.62	-2.98	0.21	11.00
5530MHz	Pass	4.12	-0.20	-0.78	2.48	11.00
5610MHz	Pass	4.12	1.75	0.99	4.31	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.12	2.28	1.68	4.94	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.12	-0.80	-1.63	1.81	30.00
5775MHz	Pass	4.12	0.47	0.41	3.41	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.46	-7.56	-7.22	-4.50	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.23	-6.90	-6.59	-3.76	11.00
5570MHz	Pass	4.12	-5.18	-5.45	-2.32	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

07/07/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.28	7.28	7.28

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

07/07/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.95	9.95	9.95

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

07/07/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.18	11.18	11.18

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5260MHz

07/07/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.46	10.46	10.46

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

07/07/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.87	9.87	9.87

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5320MHz

07/07/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.83	7.83	7.83

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

07/07/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

07/07/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

07/07/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

07/07/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

07/07/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.65	8.65	8.65

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

07/07/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.31	12.31	12.31

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

07/07/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.56	8.56	8.56

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

07/07/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.75	7.75	7.75

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

07/07/2026




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

07/07/2026



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

07/07/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.59	9.59	9.59

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5260MHz

07/07/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.37	9.37	9.37

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

07/07/2026



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

07/07/2026

