

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

06/08/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.36	2.36	-0.74	-0.37

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

06/08/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.44	2.44	-1.04	0.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

06/08/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.49	2.49	0.00	-0.32

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

06/08/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.38	2.38	-0.43	-0.58

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

06/08/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.41	2.41	-0.32	-0.87

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

06/08/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.44	2.44	-0.03	-0.64

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

06/08/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

06/08/2026



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

06/08/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.26	8.26	5.49	5.43

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

06/08/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.37	8.37	5.65	5.29

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

05/08/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.83	7.83	4.44	5.44

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

05/08/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.49	8.49	5.12	5.97

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

05/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.46	8.46	5.01	5.84

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

05/08/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.42	2.42	-0.71	-0.17

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

05/08/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.38	2.38	-0.76	-0.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

06/08/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.29	2.29	-0.94	-0.40

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

06/08/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.28	2.28	-0.57	-0.80

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

06/08/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.23	2.23	-0.58	-0.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

06/08/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.33	2.33	-0.37	-0.82

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

06/08/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.49	2.49	-0.13	-0.78

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

06/08/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

06/08/2026



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

06/08/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.32	7.32	4.46	4.29

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

06/08/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.24	7.24	4.55	3.98

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

06/08/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.60	2.60	-0.85	0.27

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

06/08/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.57	5.57	1.99	3.27

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

06/08/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.49	-0.49	-3.40	-3.41

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

06/08/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.60	-0.60	-3.71	-3.52

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

06/08/2026

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.51	-0.51	-3.62	-3.32

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

06/08/2026

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.58	-0.58	-3.61	-3.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

06/08/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.47	-0.47	-3.31	-3.47

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

06/08/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.69	-0.69	-3.56	-3.78

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.72	-2.72	-5.66	-5.63

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

06/08/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.36	4.36	1.06	1.62

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

06/08/2026

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.29	4.29	1.08	1.81

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

06/08/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.23	-0.23	-3.59	-2.78

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

06/08/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.19	-3.19	-6.16	-6.19

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

06/08/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.20	-3.20	-5.94	-6.36

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.38	-3.38	-6.09	-6.55

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.68	-3.68	-6.38	-6.94

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/08/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

06/08/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

06/08/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.87	-4.87	-8.17	-7.51

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.92	-3.92	-7.12	-6.56

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

06/08/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.18	-6.18	-8.98	-9.22

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

06/08/2026

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.96	7.96	4.82	5.33

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

06/08/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.79	8.79	5.33	6.36

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

06/08/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.70	8.70	5.31	6.27

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

06/08/2026

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.62	2.62	-0.46	-0.18

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5300MHz

06/08/2026

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.50	2.50	-0.41	-0.24

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5320MHz

06/08/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.75	2.75	-0.54	-0.00

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5500MHz

06/08/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.67	2.67	-0.05	-0.23

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5580MHz

06/08/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.57	2.57	-0.27	-0.47

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5700MHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.69	2.69	-0.10	-0.47

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.47	2.47	-0.25	-0.67

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.96	0.96	-1.91	-2.19

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5745MHz

06/08/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.39	7.39	4.62	4.49

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5785MHz

06/08/2026

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.38	7.38	4.61	4.47

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5825MHz

06/08/2026

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.33	7.33	4.47	4.35

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

06/08/2026

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.01	2.01	-1.45	-0.51

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

06/08/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.78	5.78	2.20	3.43

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

06/08/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.12	-0.12	-3.31	-2.92

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

06/08/2026

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.17	-0.17	-3.31	-2.92

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5510MHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.14	-0.14	-3.15	-3.10

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5550MHz

06/08/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.24	-0.24	-3.21	-3.10

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5670MHz

06/08/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.22	-0.22	-3.12	-3.21

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

06/08/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.53	-0.53	-3.27	-3.53

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.18	-2.18	-5.28	-5.09

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5755MHz

06/08/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.71	4.71	1.57	2.01

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

06/08/2026

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.64	4.64	1.35	2.02

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

06/08/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.50	-0.50	-3.67	-3.19

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

06/08/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.79	-2.79	-5.77	-5.83

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5530MHz

06/08/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.01	-3.01	-5.69	-5.99

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5610MHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.97	-2.97	-5.79	-6.07

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/08/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.33	-3.33	-6.09	-6.54

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/08/2026




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

06/08/2026




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

06/08/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.66	-4.66	-7.74	-7.33

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.85	-3.85	-6.95	-6.55

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5570MHz

06/08/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.91	-5.91	-8.73	-8.99



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	1.26
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	0.45

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	7.50	-1.35	-1.73	1.26	15.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-
5290MHz	Pass	7.50	-2.40	-2.62	0.45	9.50

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/07/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.26	1.26	-1.35	-1.73

Sum ☒

Port 1 ☐

Port 2 ☐

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5290MHz

24/07/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.45	0.45	-2.40	-2.62

Sum ☒

Port 1 ☐

Port 2 ☐

Summary

Mode	PD
	(dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-0.52
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-5.36
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-0.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-4.43
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	4.92
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-3.09
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	1.76

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	6.47	-3.73	-3.29	-0.52	16.53
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	6.24	-3.83	-3.88	-0.89	10.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	7.13	-3.22	-3.45	-0.34	9.87
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5610MHz	Pass	7.13	0.76	0.32	3.52	9.87
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.13	2.19	1.74	4.92	9.87
5690MHz Straddle 5.725-5.85GHz	Pass	7.13	-0.99	-1.48	1.76	28.87
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5775MHz	Pass	7.13	-1.31	-1.24	1.68	28.87
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.47	-8.48	-8.22	-5.36	16.53
5250MHz Straddle 5.25-5.35GHz	Pass	6.24	-7.53	-7.31	-4.43	10.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.47	-9.11	-9.03	-6.11	16.53
5250MHz Straddle 5.25-5.35GHz	Pass	6.24	-7.52	-7.57	-4.58	10.76
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-	-	-	-
5570MHz	Pass	7.13	-6.66	-7.04	-3.84	9.87
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-
5570MHz	Pass	7.13	-5.99	-6.18	-3.09	9.87

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/07/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.52	-0.52	-3.73	-3.29

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5290MHz

24/07/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.89	-0.89	-3.83	-3.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

24/07/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.34	-0.34	-3.22	-3.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

24/07/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.52	3.52	0.76	0.32

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/07/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/07/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

24/07/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.68	1.68	-1.31	-1.24

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/07/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.36	-5.36	-8.48	-8.22

5250-5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.43	-4.43	-7.53	-7.31

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/07/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.11	-6.11	-9.11	-9.03

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.58	-4.58	-7.52	-7.57

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

PSD

5570MHz

24/07/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.84	-3.84	-6.66	-7.04

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5570MHz

24/07/2026



Summary

Mode	PD
	(dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	0.15
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-2.81
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	0.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-1.87
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	5.02
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-1.91
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	4.28

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	7.00	-3.01	-2.64	0.15	16.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	7.00	-2.41	-2.58	0.49	10.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	7.00	-1.98	-2.14	0.90	10.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5610MHz	Pass	7.00	2.33	1.78	5.02	10.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.00	1.22	0.50	3.85	10.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.00	-2.09	-2.62	0.66	29.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5775MHz	Pass	7.00	1.22	1.40	4.28	29.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.00	-5.95	-5.61	-2.81	16.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	-5.01	-4.76	-1.87	10.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.00	-6.62	-6.39	-3.49	16.00
5250MHz Straddle 5.25-5.35GHz	Pass	7.00	-5.22	-4.87	-2.04	10.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-	-	-	-
5570MHz	Pass	7.00	-5.70	-5.92	-2.90	10.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-
5570MHz	Pass	7.00	-4.84	-4.89	-1.91	10.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

24/07/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	-3.01	-2.64

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5290MHz

24/07/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.49	0.49	-2.41	-2.58

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

24/07/2026



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.90	0.90	-1.98	-2.14

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

24/07/2026



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.02	5.02	2.33	1.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

24/07/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

24/07/2026



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

24/07/2026

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.28	4.28	1.22	1.40

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/07/2026

CF (Hz)
5.25G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

5150-5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.81	-2.81	-5.95	-5.61

5250-5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.87	-1.87	-5.01	-4.76

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

24/07/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.49	-3.49	-6.62	-6.39

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.04	-2.04	-5.22	-4.87

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

PSD

5570MHz

24/07/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.90	-2.90	-5.70	-5.92


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5570MHz

24/07/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.91	-1.91	-4.84	-4.89

Sum
Port 1
Port 2

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-1.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-4.90
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-5.62
5.25-5.35GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-3.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-4.07
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-4.18
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-3.27
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-3.49
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-3.75
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-6.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-6.38
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-6.85
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	1.49

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5210MHz	Pass	14.50	-4.11	-3.99	-1.14	8.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5290MHz	Pass	14.50	-6.10	-6.37	-3.26	2.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5530MHz	Pass	14.50	-6.13	-6.34	-3.27	2.50
5610MHz	Pass	14.50	-6.25	-6.59	-3.49	2.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	14.50	-6.68	-6.79	-3.75	2.50
5690MHz Straddle 5.725-5.85GHz	Pass	14.50	-9.83	-9.88	-6.85	21.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5775MHz	Pass	14.50	-1.59	-1.36	1.49	21.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	14.50	-8.01	-7.73	-4.90	8.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	14.50	-8.71	-8.47	-5.62	8.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	14.50	-7.23	-6.84	-4.07	2.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	14.50	-7.36	-6.92	-4.18	2.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-	-	-	-
5570MHz	Pass	14.50	-9.21	-9.51	-6.35	2.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-
5570MHz	Pass	14.50	-9.13	-9.52	-6.38	2.50

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5210MHz

14/08/2026

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.14	-1.14	-4.11	-3.99

Sum ☒

Port 1 ☐

Port 2 ☐

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5290MHz

14/08/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.26	-3.26	-6.10	-6.37

Sum ☒

Port 1 ☐

Port 2 ☐

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

14/08/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.27	-3.27	-6.13	-6.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

14/08/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.49	-3.49	-6.25	-6.59

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

14/08/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

14/08/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

14/08/2026




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/08/2026



5250-5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.07	-4.07	-7.23	-6.84

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

14/08/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.62	-5.62	-8.71	-8.47

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.18	-4.18	-7.36	-6.92

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

PSD

5570MHz

14/08/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.35	-6.35	-9.21	-9.51


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

PSD

5570MHz

14/08/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.38	-6.38	-9.13	-9.52




Radiated Emissions below 1GHz

Appendix E.1


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	PK	77.53M	34.81	40.00	-5.19	Vertical

Mode 3



Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	56.19M	28.75	40.00	-11.25	-18.43	3	Horizontal	118	2.00	-	47.18	12.58	0.71	31.72		
PK	197.81M	33.66	43.50	-9.84	-15.58	3	Horizontal	281	1.00	"Worst"	49.24	14.97	1.37	31.92		
PK	201.69M	31.31	43.50	-12.19	-15.44	3	Horizontal	69	1.50	-	46.75	15.10	1.39	31.93		
PK	597.45M	34.52	46.00	-11.48	-5.67	3	Horizontal	211	1.25	-	40.19	24.23	2.48	32.38		
PK	629.46M	35.73	46.00	-10.27	-5.34	3	Horizontal	197	1.00	-	41.07	24.45	2.57	32.36		
PK	635.28M	33.54	46.00	-12.46	-5.22	3	Horizontal	212	1.00	-	38.76	24.56	2.58	32.36		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	AV	5.1498G	53.99	54.00	-0.01	3	Vertical	132	2.20	99

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 88
50\90\70\80\85\87\88
10.38\2.43\7.37\4.36\2.85\1.67\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	65.86	74.00	-8.14	59.47	3	Vertical	130	2.06	88	34.10	7.01	34.72			
AV	5.1498G	53.93	54.00	-0.07	47.54	3	Vertical	130	2.06	88	34.10	7.01	34.72			
PK	5.1787G	115.50	Inf	-Inf	109.09	3	Vertical	130	2.06	88	34.10	7.04	34.73			
AV	5.1815G	107.51	Inf	-Inf	101.10	3	Vertical	130	2.06	88	34.10	7.04	34.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 99
88\108\84\96\102\99
9.38\10.94\10.98\2.23\2.51\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1489G	65.61	74.00	-8.39	59.22	3	Horizontal	241	2.51	99	34.10	7.01	34.72			
AV	5.1491G	53.91	54.00	-0.09	47.52	3	Horizontal	241	2.51	99	34.10	7.01	34.72			
PK	5.1837G	106.22	Inf	-Inf	99.81	3	Horizontal	241	2.51	99	34.10	7.04	34.73			
AV	5.174G	97.16	Inf	-Inf	90.75	3	Horizontal	241	2.51	99	34.10	7.04	34.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 99
80\106\93\99
6.59\ -3.24\4.13\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	65.22	74.00	-8.78	58.83	3	Vertical	132	2.20	99	34.10	7.01	34.72				
AV	5.1498G	53.99	54.00	-0.01	47.60	3	Vertical	132	2.20	99	34.10	7.01	34.72				
PK	5.197G	115.88	Inf	-Inf	109.45	3	Vertical	132	2.20	99	34.10	7.06	34.73				
AV	5.203G	109.50	Inf	-Inf	103.06	3	Vertical	132	2.20	99	34.11	7.06	34.73				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
99\108
10.70\6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	61.09	74.00	-12.91	54.70	3	Horizontal	242	2.47	108	34.10	7.01	34.72			
AV	5.1496G	47.77	54.00	-6.23	41.38	3	Horizontal	242	2.47	108	34.10	7.01	34.72			
PK	5.204G	109.08	Inf	-Inf	102.63	3	Horizontal	242	2.47	108	34.12	7.06	34.73			
AV	5.1992G	99.97	Inf	-Inf	93.54	3	Horizontal	242	2.47	108	34.10	7.06	34.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
108
4.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1437G	59.54	74.00	-14.46	53.15	3	Vertical	144	1.99	108	34.10	7.01	34.72			
AV	5.1485G	49.14	54.00	-4.86	42.75	3	Vertical	144	1.99	108	34.10	7.01	34.72			
PK	5.2439G	116.29	Inf	-Inf	109.66	3	Vertical	144	1.99	108	34.28	7.09	34.74			
AV	5.2349G	111.96	Inf	-Inf	105.38	3	Vertical	144	1.99	108	34.24	7.08	34.74			
PK	5.3507G	58.72	74.00	-15.28	51.71	3	Vertical	144	1.99	108	34.60	7.17	34.76			
AV	5.3531G	46.85	54.00	-7.15	39.83	3	Vertical	144	1.99	108	34.61	7.17	34.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
108
11.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1143G	53.25	74.00	-20.75	46.89	3	Horizontal	254	2.22	108	34.10	6.98	34.72				
AV	5.1452G	43.00	54.00	-11.00	36.61	3	Horizontal	254	2.22	108	34.10	7.01	34.72				
PK	5.237G	110.27	Inf	-Inf	103.67	3	Horizontal	254	2.22	108	34.25	7.09	34.74				
AV	5.2415G	101.62	Inf	-Inf	95.00	3	Horizontal	254	2.22	108	34.27	7.09	34.74				
PK	5.3798G	53.06	74.00	-20.94	45.97	3	Horizontal	254	2.22	108	34.66	7.19	34.76				
AV	5.3864G	42.30	54.00	-11.70	35.20	3	Horizontal	254	2.22	108	34.67	7.19	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
80\108
8.94\1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1427G	60.28	74.00	-13.72	53.89	3	Vertical	140	1.80	108	34.10	7.01	34.72				
AV	5.1496G	48.58	54.00	-5.42	42.19	3	Vertical	140	1.80	108	34.10	7.01	34.72				
PK	5.2612G	116.42	Inf	-Inf	109.69	3	Vertical	140	1.80	108	34.37	7.10	34.74				
AV	5.2561G	111.71	Inf	-Inf	105.01	3	Vertical	140	1.80	108	34.34	7.10	34.74				
PK	5.3503G	69.25	74.00	-4.75	62.24	3	Vertical	140	1.80	108	34.60	7.17	34.76				
AV	5.3512G	52.73	54.00	-1.27	45.72	3	Vertical	140	1.80	108	34.60	7.17	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
108
10.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	53.65	74.00	-20.35	47.28	3	Horizontal	252	2.54	108	34.10	6.99	34.72
AV	5.146G	42.95	54.00	-11.05	36.56	3	Horizontal	252	2.54	108	34.10	7.01	34.72
PK	5.266G	110.92	Inf	-Inf	104.15	3	Horizontal	252	2.54	108	34.40	7.11	34.74
AV	5.2648G	101.86	Inf	-Inf	95.10	3	Horizontal	252	2.54	108	34.39	7.11	34.74
PK	5.368G	54.71	74.00	-19.29	47.65	3	Horizontal	252	2.54	108	34.64	7.18	34.76
AV	5.3524G	43.07	54.00	-10.93	36.06	3	Horizontal	252	2.54	108	34.60	7.17	34.76

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
SET 98
80\108\76\92\100\96\98\99\98
7.93\ -9.11\8.52\3.93\ -0.68\1.40\1.22\ -0.71\0.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3038G	116.43	Inf	-Inf	109.45	3	Vertical	142	2.10	98	34.60	7.13	34.75			
AV	5.3016G	110.38	Inf	-Inf	103.40	3	Vertical	142	2.10	98	34.60	7.13	34.75			
PK	5.35G	68.55	74.00	-5.45	61.54	3	Vertical	142	2.10	98	34.60	7.17	34.76			
AV	5.3506G	53.27	54.00	-0.73	46.26	3	Vertical	142	2.10	98	34.60	7.17	34.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
98\108
9.96\2.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2972G	110.86	Inf	-Inf	103.90	3	Horizontal	271	2.23	108	34.58	7.13	34.75				
AV	5.2932G	101.31	Inf	-Inf	94.37	3	Horizontal	271	2.23	108	34.56	7.13	34.75				
PK	5.354G	63.80	74.00	-10.20	56.78	3	Horizontal	271	2.23	108	34.61	7.17	34.76				
AV	5.3506G	51.72	54.00	-2.28	44.71	3	Horizontal	271	2.23	108	34.60	7.17	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
SET 88
80\99\76\87\92\90\89\88
4.98\ -9.61\6.41\1.55\ -3.19\ -1.35\ -0.01\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3272G	115.97	Inf	-Inf	108.97	3	Vertical	143	1.98	88	34.60	7.15	34.75			
AV	5.3219G	107.57	Inf	-Inf	100.57	3	Vertical	143	1.98	88	34.60	7.15	34.75			
PK	5.3509G	64.68	74.00	-9.32	57.67	3	Vertical	143	1.98	88	34.60	7.17	34.76			
AV	5.35G	53.35	54.00	-0.65	46.34	3	Vertical	143	1.98	88	34.60	7.17	34.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
SET 100
88\108\84\96\102\99\100
9.80\ -6.89\10.94\2.77\ -1.37\1.28\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3237G	108.94	Inf	-Inf	101.94	3	Horizontal	270	2.20	100	34.60	7.15	34.75			
AV	5.3267G	99.32	Inf	-Inf	92.32	3	Horizontal	270	2.20	100	34.60	7.15	34.75			
PK	5.357G	66.26	74.00	-7.74	59.24	3	Horizontal	270	2.20	100	34.61	7.17	34.76			
AV	5.3502G	53.71	54.00	-0.29	46.70	3	Horizontal	270	2.20	100	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 87
80\92\86\89\88\87
3.05\ -3.93\1.28\ -1.18\ -0.58\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1377G	66.63	74.00	-7.37	60.25	3	Vertical	145	2.15	87	34.10	7.00	34.72			
AV	5.1497G	53.34	54.00	-0.66	46.95	3	Vertical	145	2.15	87	34.10	7.01	34.72			
PK	5.1758G	115.70	Inf	-Inf	109.29	3	Vertical	145	2.15	87	34.10	7.04	34.73			
AV	5.1737G	106.43	Inf	-Inf	100.02	3	Vertical	145	2.15	87	34.10	7.04	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 99
87\108\83\95\101\98\99
9.98\ -15.54\10.53\3.06\ -1.95\0.59\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	67.16	74.00	-6.84	60.77	3	Horizontal	270	2.19	99	34.10	7.01	34.72			
AV	5.1486G	53.66	54.00	-0.34	47.27	3	Horizontal	270	2.19	99	34.10	7.01	34.72			
PK	5.174G	108.71	Inf	-Inf	102.30	3	Horizontal	270	2.19	99	34.10	7.04	34.73			
AV	5.1727G	97.28	Inf	-Inf	90.88	3	Horizontal	270	2.19	99	34.10	7.03	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 95
80\105\84\94\99\97\96\95
6.36\ -5.34\5.08\1.55\ -1.43\ -0.20\ -0.76\1.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	66.11	74.00	-7.89	59.72	3	Vertical	140	2.12	95	34.10	7.01	34.72			
AV	5.1492G	52.79	54.00	-1.21	46.40	3	Vertical	140	2.12	95	34.10	7.01	34.72			
PK	5.2026G	115.82	Inf	-Inf	109.38	3	Vertical	140	2.12	95	34.11	7.06	34.73			
AV	5.2068G	108.25	Inf	-Inf	101.79	3	Vertical	140	2.12	95	34.13	7.06	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
95\108
9.27\2.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	63.36	74.00	-10.64	56.97	3	Horizontal	252	2.57	108	34.10	7.01	34.72			
AV	5.15G	51.28	54.00	-2.72	44.89	3	Horizontal	252	2.57	108	34.10	7.01	34.72			
PK	5.2016G	110.65	Inf	-Inf	104.21	3	Horizontal	252	2.57	108	34.11	7.06	34.73			
AV	5.2064G	100.14	Inf	-Inf	93.68	3	Horizontal	252	2.57	108	34.13	7.06	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
80\108
9.02\3.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1473G	62.12	74.00	-11.88	55.73	3	Vertical	143	2.04	108	34.10	7.01	34.72				
AV	5.1497G	50.75	54.00	-3.25	44.36	3	Vertical	143	2.04	108	34.10	7.01	34.72				
PK	5.2466G	116.34	Inf	-Inf	109.70	3	Vertical	143	2.04	108	34.29	7.09	34.74				
AV	5.2445G	112.27	Inf	-Inf	105.64	3	Vertical	143	2.04	108	34.28	7.09	34.74				
PK	5.35G	59.25	74.00	-14.75	52.24	3	Vertical	143	2.04	108	34.60	7.17	34.76				
AV	5.351G	48.23	54.00	-5.77	41.22	3	Vertical	143	2.04	108	34.60	7.17	34.76				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
108
10.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	53.78	74.00	-20.22	47.39	3	Horizontal	271	2.28	108	34.10	7.01	34.72
AV	5.1329G	43.03	54.00	-10.97	36.65	3	Horizontal	271	2.28	108	34.10	7.00	34.72
PK	5.2391G	110.85	Inf	-Inf	104.24	3	Horizontal	271	2.28	108	34.26	7.09	34.74
AV	5.2424G	100.40	Inf	-Inf	93.78	3	Horizontal	271	2.28	108	34.27	7.09	34.74
PK	5.354G	52.77	74.00	-21.23	45.75	3	Horizontal	271	2.28	108	34.61	7.17	34.76
AV	5.3636G	42.54	54.00	-11.46	35.50	3	Horizontal	271	2.28	108	34.63	7.17	34.76

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
80\108
10.77\4.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1493G	67.61	74.00	-6.39	61.22	3	Vertical	142	2.95	108	34.10	7.01	34.72				
AV	5.1499G	47.14	54.00	-6.86	40.75	3	Vertical	142	2.95	108	34.10	7.01	34.72				
PK	5.2627G	116.02	Inf	-Inf	109.28	3	Vertical	142	2.95	108	34.38	7.10	34.74				
AV	5.2627G	107.13	Inf	-Inf	100.39	3	Vertical	142	2.95	108	34.38	7.10	34.74				
PK	5.3533G	69.96	74.00	-4.04	62.94	3	Vertical	142	2.95	108	34.61	7.17	34.76				
AV	5.35G	49.04	54.00	-4.96	42.03	3	Vertical	142	2.95	108	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
108
8.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1436G	61.11	74.00	-12.89	54.72	3	Horizontal	251	2.29	108	34.10	7.01	34.72				
AV	5.1445G	43.34	54.00	-10.66	36.95	3	Horizontal	251	2.29	108	34.10	7.01	34.72				
PK	5.2669G	111.38	Inf	-Inf	104.61	3	Horizontal	251	2.29	108	34.40	7.11	34.74				
AV	5.263G	100.64	Inf	-Inf	93.90	3	Horizontal	251	2.29	108	34.38	7.10	34.74				
PK	5.3575G	64.98	74.00	-9.02	57.95	3	Horizontal	251	2.29	108	34.62	7.17	34.76				
AV	5.3512G	45.83	54.00	-8.17	38.82	3	Horizontal	251	2.29	108	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 95
80\108\76\92\100\96\94\95
7.07\ -13.84\7.81\1.60\ -4.35\ -0.75\0.75\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2958G	116.45	Inf	-Inf	109.50	3	Vertical	141	1.91	95	34.57	7.13	34.75			
AV	5.2962G	108.88	Inf	-Inf	101.92	3	Vertical	141	1.91	95	34.58	7.13	34.75			
PK	5.352G	67.44	74.00	-6.56	60.43	3	Vertical	141	1.91	95	34.60	7.17	34.76			
AV	5.3512G	53.61	54.00	-0.39	46.60	3	Vertical	141	1.91	95	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
95\108
9.90\0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.294G	112.19	Inf	-Inf	105.25	3	Horizontal	272	2.22	108	34.56	7.13	34.75			
AV	5.2996G	100.79	Inf	-Inf	93.81	3	Horizontal	272	2.22	108	34.60	7.13	34.75			
PK	5.3602G	73.22	74.00	-0.78	66.19	3	Horizontal	272	2.22	108	34.62	7.17	34.76			
AV	5.3506G	52.88	54.00	-1.12	45.87	3	Horizontal	272	2.22	108	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 87
80\90\85\87\88\87
2.53\ -0.60\1.30\0.80\ -0.20\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3122G	116.22	Inf	-Inf	109.23	3	Vertical	142	1.99	87	34.60	7.14	34.75			
AV	5.3219G	106.65	Inf	-Inf	99.65	3	Vertical	142	1.99	87	34.60	7.15	34.75			
PK	5.3603G	66.35	74.00	-7.65	59.32	3	Vertical	142	1.99	87	34.62	7.17	34.76			
AV	5.3607G	53.54	54.00	-0.46	46.51	3	Vertical	142	1.99	87	34.62	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 99
87\108\83\95\101\98\99
9.85\11.15\10.60\3.55\1.92\1.46\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3274G	110.14	Inf	-Inf	103.14	3	Horizontal	268	1.13	99	34.60	7.15	34.75			
AV	5.3245G	98.75	Inf	-Inf	91.75	3	Horizontal	268	1.13	99	34.60	7.15	34.75			
PK	5.3519G	65.62	74.00	-8.38	58.61	3	Horizontal	268	1.13	99	34.60	7.17	34.76			
AV	5.3515G	53.86	54.00	-0.14	46.85	3	Horizontal	268	1.13	99	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 74
80\72\76\74
-1.98\1.42\0.72\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	64.58	74.00	-9.42	58.19	3	Vertical	141	2.16	74	34.10	7.01	34.72			
AV	5.15G	53.50	54.00	-0.50	47.11	3	Vertical	141	2.16	74	34.10	7.01	34.72			
PK	5.1798G	111.98	Inf	-Inf	105.57	3	Vertical	141	2.16	74	34.10	7.04	34.73			
AV	5.1762G	100.72	Inf	-Inf	94.31	3	Vertical	141	2.16	74	34.10	7.04	34.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 90
74\108\70\89\98\94\92\91\90
9.92\ -21.91\10.55\2.47\ -13.72\ -7.06\ -4.22\ -1.48\1.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	66.47	74.00	-7.53	60.08	3	Horizontal	253	2.26	90	34.10	7.01	34.72			
AV	5.1492G	52.45	54.00	-1.55	46.06	3	Horizontal	253	2.26	90	34.10	7.01	34.72			
PK	5.181G	104.80	Inf	-Inf	98.39	3	Horizontal	253	2.26	90	34.10	7.04	34.73			
AV	5.1748G	93.21	Inf	-Inf	86.80	3	Horizontal	253	2.26	90	34.10	7.04	34.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 93
80\98\89\93
4.55\3.57\2.03\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	65.67	74.00	-8.33	59.28	3	Vertical	141	2.20	93	34.10	7.01	34.72			
AV	5.1476G	53.71	54.00	-0.29	47.32	3	Vertical	141	2.20	93	34.10	7.01	34.72			
PK	5.2372G	115.76	Inf	-Inf	109.16	3	Vertical	141	2.20	93	34.25	7.09	34.74			
AV	5.2454G	106.00	Inf	-Inf	99.37	3	Vertical	141	2.20	93	34.28	7.09	34.74			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 108
93\108
9.63\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	71.84	74.00	-2.16	65.45	3	Horizontal	270	2.27	108	34.10	7.01	34.72			
AV	5.1498G	53.97	54.00	-0.03	47.58	3	Horizontal	270	2.27	108	34.10	7.01	34.72			
PK	5.2402G	109.11	Inf	-Inf	102.50	3	Horizontal	270	2.27	108	34.26	7.09	34.74			
AV	5.2366G	98.12	Inf	-Inf	91.52	3	Horizontal	270	2.27	108	34.25	7.09	34.74			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 89
80\104\76\90\83\86\87\88\89
6.05\15.04\7.21\1.13\4.73\3.58\2.79\2.43\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.273G	115.96	Inf	-Inf	109.15	3	Vertical	140	2.02	89	34.44	7.11	34.74				
AV	5.2606G	105.85	Inf	-Inf	99.13	3	Vertical	140	2.02	89	34.36	7.10	34.74				
PK	5.35G	66.98	74.00	-7.02	59.97	3	Vertical	140	2.02	89	34.60	7.17	34.76				
AV	5.356G	53.66	54.00	-0.34	46.64	3	Vertical	140	2.02	89	34.61	7.17	34.76				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 108
89\108
10.30\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.261G	109.53	Inf	-Inf	102.80	3	Horizontal	252	2.55	108	34.37	7.10	34.74				
AV	5.2654G	98.00	Inf	-Inf	91.24	3	Horizontal	252	2.55	108	34.39	7.11	34.74				
PK	5.35G	70.20	74.00	-3.80	63.19	3	Horizontal	252	2.55	108	34.60	7.17	34.76				
AV	5.3502G	53.51	54.00	-0.49	46.50	3	Horizontal	252	2.55	108	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 82
80\85\83\82
1.48\0.34\0.03\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.301G	114.29	Inf	-Inf	107.31	3	Vertical	146	2.10	82	34.60	7.13	34.75			
AV	5.3012G	102.81	Inf	-Inf	95.83	3	Vertical	146	2.10	82	34.60	7.13	34.75			
PK	5.358G	63.78	74.00	-10.22	56.75	3	Vertical	146	2.10	82	34.62	7.17	34.76			
AV	5.352G	53.74	54.00	-0.26	46.73	3	Vertical	146	2.10	82	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX



EUT_Z_1TX

SET 90


82\108\78\93\86\89\90\102\96\90

10.10\ -19.73\10.63\ -0.68\9.29\7.01\5.57\ -13.58\ -4.80\5.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.301G	104.56	Inf	-Inf	97.58	3	Horizontal	273	2.24	90	34.60	7.13	34.75			
AV	5.298G	92.93	Inf	-Inf	85.96	3	Horizontal	273	2.24	90	34.59	7.13	34.75			
PK	5.3522G	60.56	74.00	-13.44	53.55	3	Horizontal	273	2.24	90	34.60	7.17	34.76			
AV	5.3512G	48.52	54.00	-5.48	41.51	3	Horizontal	273	2.24	90	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 82
80\85\83\82
1.27\2.47\0.01\0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1455G	63.69	74.00	-10.31	57.30	3	Vertical	142	1.98	82	34.10	7.01	34.72			
AV	5.148G	53.90	54.00	-0.10	47.51	3	Vertical	142	1.98	82	34.10	7.01	34.72			
PK	5.2325G	111.10	Inf	-Inf	104.53	3	Vertical	142	1.98	82	34.23	7.08	34.74			
AV	5.2395G	99.89	Inf	-Inf	93.28	3	Vertical	142	1.98	82	34.26	7.09	34.74			
PK	5.358G	56.71	74.00	-17.29	49.68	3	Vertical	142	1.98	82	34.62	7.17	34.76			
AV	5.3545G	46.92	54.00	-7.08	39.90	3	Vertical	142	1.98	82	34.61	7.17	34.76			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



EUT_Z_1TX

SET 90


82\108\78\93\86\89\90\102\96\90

9.15\ -22.62\9.99\ -0.98\7.29\5.16\4.11\ -15.08\ -6.91\4.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1195G	60.29	74.00	-13.71	53.93	3	Horizontal	252	2.82	90	34.10	6.98	34.72			
AV	5.1325G	49.58	54.00	-4.42	43.20	3	Horizontal	252	2.82	90	34.10	7.00	34.72			
PK	5.244G	101.70	Inf	-Inf	95.07	3	Horizontal	252	2.82	90	34.28	7.09	34.74			
AV	5.241G	90.07	Inf	-Inf	83.46	3	Horizontal	252	2.82	90	34.26	7.09	34.74			
PK	5.3555G	53.04	74.00	-20.96	46.02	3	Horizontal	252	2.82	90	34.61	7.17	34.76			
AV	5.367G	43.65	54.00	-10.35	36.60	3	Horizontal	252	2.82	90	34.63	7.18	34.76			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 83
80\85\83
1.30\1.25\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.03	74.00	-14.97	52.64	3	Vertical	143	2.11	83	34.10	7.01	34.72
AV	5.149G	48.05	54.00	-5.95	41.66	3	Vertical	143	2.11	83	34.10	7.01	34.72
PK	5.259G	112.47	Inf	-Inf	105.76	3	Vertical	143	2.11	83	34.35	7.10	34.74
AV	5.26G	101.10	Inf	-Inf	94.38	3	Vertical	143	2.11	83	34.36	7.10	34.74
PK	5.3545G	63.06	74.00	-10.94	56.04	3	Vertical	143	2.11	83	34.61	7.17	34.76
AV	5.35G	53.67	54.00	-0.33	46.66	3	Vertical	143	2.11	83	34.60	7.17	34.76
PK	5.514G	53.21	68.20	-14.99	46.06	3	Vertical	143	2.11	83	34.64	7.29	34.78

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 91
83\108\79\93\86\89\90\91\92\91
9.24\ -22.23\10.27\ -2.35\6.54\4.17\2.15\0.76\ -0.30\1.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1435G	54.39	74.00	-19.61	48.00	3	Horizontal	271	2.14	91	34.10	7.01	34.72			
AV	5.145G	44.20	54.00	-9.80	37.81	3	Horizontal	271	2.14	91	34.10	7.01	34.72			
PK	5.2665G	101.88	Inf	-Inf	95.11	3	Horizontal	271	2.14	91	34.40	7.11	34.74			
AV	5.259G	90.81	Inf	-Inf	84.10	3	Horizontal	271	2.14	91	34.35	7.10	34.74			
PK	5.3525G	63.48	74.00	-10.52	56.46	3	Horizontal	271	2.14	91	34.61	7.17	34.76			
AV	5.3505G	52.65	54.00	-1.35	45.64	3	Horizontal	271	2.14	91	34.60	7.17	34.76			
PK	5.503G	53.10	68.20	-15.10	45.91	3	Horizontal	271	2.14	91	34.69	7.28	34.78			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 86
80\88\84\86\87\86
2.18\ -1.03\2.04\0.88\ -0.18\0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	67.98	74.00	-6.02	61.60	3	Vertical	141	2.17	86	34.10	7.00	34.72			
AV	5.15G	53.33	54.00	-0.67	46.94	3	Vertical	141	2.17	86	34.10	7.01	34.72			
PK	5.1862G	115.95	Inf	-Inf	109.53	3	Vertical	141	2.17	86	34.10	7.05	34.73			
AV	5.1811G	110.88	Inf	-Inf	104.47	3	Vertical	141	2.17	86	34.10	7.04	34.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 96
86\108\82\95\101\98\99\98\97\96
10.00\ -11.86\10.55\2.05\ -2.43\1.00\ -0.12\ -1.11\ -0.55\2.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	65.43	74.00	-8.57	59.04	3	Horizontal	282	2.34	96	34.10	7.01	34.72			
AV	5.148G	51.12	54.00	-2.88	44.73	3	Horizontal	282	2.34	96	34.10	7.01	34.72			
PK	5.1726G	106.98	Inf	-Inf	100.58	3	Horizontal	282	2.34	96	34.10	7.03	34.73			
AV	5.1727G	98.40	Inf	-Inf	92.00	3	Horizontal	282	2.34	96	34.10	7.03	34.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35658G	51.07	68.20	-17.13	46.10	3	Vertical	331	1.00	-	39.63	10.68	45.34			
PK	15.53745G	52.07	74.00	-21.93	42.61	3	Vertical	151	1.80	-	38.85	13.56	42.95			
AV	15.54252G	44.09	54.00	-9.91	34.66	3	Vertical	151	1.80	-	38.83	13.56	42.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36684G	49.02	68.20	-19.18	44.01	3	Horizontal	278	1.42	-	39.67	10.68	45.34			
PK	15.54444G	54.01	74.00	-19.99	44.58	3	Horizontal	214	1.97	-	38.82	13.57	42.96			
AV	15.53922G	44.98	54.00	-9.02	35.53	3	Horizontal	214	1.97	-	38.84	13.56	42.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 94
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.71316G	73.38	83.54	-10.16	67.23	1	Vertical	287	1.58	-	37.78	17.47	49.10				
AV	20.71736G	63.17	63.54	-0.37	57.00	1	Vertical	287	1.58	-	37.80	17.47	49.10				
PK	25.91212G	53.07	77.74	-24.67	39.83	1	Vertical	276	1.59	-	39.08	20.22	46.06				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 94
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71976G	67.33	83.54	-16.21	61.14	1	Horizontal	280	1.56	-	37.82	17.47	49.10			
AV	20.71892G	56.43	63.54	-7.11	50.25	1	Horizontal	280	1.56	-	37.81	17.47	49.10			
PK	25.88824G	54.56	77.74	-23.18	41.30	1	Horizontal	254	1.63	-	39.12	20.21	46.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 96
80\104\85\94\98\96
6.21\ -4.77\4.67\0.92\ -0.53\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.145G	65.45	74.00	-8.55	59.06	3	Vertical	142	2.06	96	34.10	7.01	34.72				
AV	5.15G	53.68	54.00	-0.32	47.29	3	Vertical	142	2.06	96	34.10	7.01	34.72				
PK	5.2056G	116.14	Inf	-Inf	109.69	3	Vertical	142	2.06	96	34.12	7.06	34.73				
AV	5.2064G	112.69	Inf	-Inf	106.23	3	Vertical	142	2.06	96	34.13	7.06	34.73				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 108
96\108
11.25\6.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1478G	60.71	74.00	-13.29	54.32	3	Horizontal	317	2.23	108	34.10	7.01	34.72				
AV	5.1474G	47.24	54.00	-6.76	40.85	3	Horizontal	317	2.23	108	34.10	7.01	34.72				
PK	5.203G	110.31	Inf	-Inf	103.87	3	Horizontal	317	2.23	108	34.11	7.06	34.73				
AV	5.2076G	101.87	Inf	-Inf	95.40	3	Horizontal	317	2.23	108	34.13	7.07	34.73				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38641G	46.99	68.20	-21.21	43.89	3	Vertical	277	2.62	-	38.05	10.39	45.34			
PK	15.59397G	50.45	74.00	-23.55	43.19	3	Vertical	158	2.51	-	38.11	12.22	43.07			
AV	15.59949G	42.92	54.00	-11.08	35.68	3	Vertical	158	2.51	-	38.10	12.22	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39844G	46.76	68.20	-21.44	43.69	3	Horizontal	258	2.13	-	38.01	10.39	45.33			
PK	15.59397G	51.02	74.00	-22.98	43.76	3	Horizontal	209	1.92	-	38.11	12.22	43.07			
AV	15.5991G	43.62	54.00	-10.38	36.38	3	Horizontal	209	1.92	-	38.10	12.22	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.78674G	70.88	83.54	-12.66	64.69	1	Vertical	287	1.56	-	37.78	17.48	49.07				
AV	20.79514G	61.46	63.54	-2.08	55.31	1	Vertical	287	1.56	-	37.73	17.48	49.06				
PK	26.0057G	60.23	77.74	-17.51	47.18	1	Vertical	276	1.61	-	38.81	20.28	46.04				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Z_2TX
Setting 108
06-X-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79298G	64.83	83.54	-18.71	58.67	1	Horizontal	295	1.53	-	37.74	17.48	49.06			
AV	20.79622G	55.09	63.54	-8.45	48.95	1	Horizontal	295	1.53	-	37.72	17.48	49.06			
PK	26.00732G	61.10	77.74	-16.64	48.05	1	Horizontal	256	1.62	-	38.81	20.28	46.04			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
80\108
8.35\2.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1482G	63.40	74.00	-10.60	57.01	3	Vertical	144	1.99	108	34.10	7.01	34.72					
AV	5.1494G	51.43	54.00	-2.57	45.04	3	Vertical	144	1.99	108	34.10	7.01	34.72					
PK	5.2457G	116.33	Inf	-Inf	109.70	3	Vertical	144	1.99	108	34.28	7.09	34.74					
AV	5.2469G	113.86	Inf	-Inf	107.22	3	Vertical	144	1.99	108	34.29	7.09	34.74					
PK	5.35G	60.44	74.00	-13.56	53.43	3	Vertical	144	1.99	108	34.60	7.17	34.76					
AV	5.35G	48.29	54.00	-5.71	41.28	3	Vertical	144	1.99	108	34.60	7.17	34.76					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
108
10.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.0966G	53.11	74.00	-20.89	46.79	3	Horizontal	319	2.15	108	34.08	6.96	34.72				
AV	5.1008G	43.16	54.00	-10.84	36.81	3	Horizontal	319	2.15	108	34.10	6.97	34.72				
PK	5.2427G	111.32	Inf	-Inf	104.70	3	Horizontal	319	2.15	108	34.27	7.09	34.74				
AV	5.2415G	102.28	Inf	-Inf	95.66	3	Horizontal	319	2.15	108	34.27	7.09	34.74				
PK	5.3507G	52.66	74.00	-21.34	45.65	3	Horizontal	319	2.15	108	34.60	7.17	34.76				
AV	5.3504G	42.81	54.00	-11.19	35.80	3	Horizontal	319	2.15	108	34.60	7.17	34.76				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47079G	48.16	68.20	-20.04	42.87	3	Vertical	240	2.22	-	39.90	10.71	45.32			
PK	15.72678G	53.97	74.00	-20.03	45.05	3	Vertical	300	2.01	-	38.55	13.71	43.34			
AV	15.7215G	46.27	54.00	-7.73	37.35	3	Vertical	300	2.01	-	38.54	13.71	43.33			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49218G	47.99	68.20	-20.21	42.69	3	Horizontal	179	1.43	-	39.90	10.71	45.31			
PK	15.71916G	52.94	74.00	-21.06	44.02	3	Horizontal	61	1.94	-	38.54	13.71	43.33			
AV	15.71913G	44.80	54.00	-9.20	35.88	3	Horizontal	61	1.94	-	38.54	13.71	43.33			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94998G	59.34	83.54	-24.20	52.92	1	Vertical	281	1.71	-	37.90	17.50	48.98			
AV	20.95958G	51.20	63.54	-12.34	44.75	1	Vertical	281	1.71	-	37.92	17.50	48.97			
PK	26.18836G	61.23	77.74	-16.51	47.53	1	Vertical	239	1.62	-	39.33	20.30	45.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9531G	64.09	83.54	-19.45	57.66	1	Horizontal	280	1.64	-	37.91	17.50	48.98			
AV	20.95796G	55.28	63.54	-8.26	48.83	1	Horizontal	280	1.64	-	37.92	17.50	48.97			
PK	26.18806G	59.14	77.74	-18.60	45.44	1	Horizontal	261	1.62	-	39.33	20.30	45.93			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 104
80\108\94\101\104\105\104
7.87\ -0.54\5.38\4.19\1.24\ -0.58\1.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1457G	60.67	74.00	-13.33	54.28	3	Vertical	144	2.05	104	34.10	7.01	34.72				
AV	5.1457G	48.90	54.00	-5.10	42.51	3	Vertical	144	2.05	104	34.10	7.01	34.72				
PK	5.2651G	116.48	Inf	-Inf	109.72	3	Vertical	144	2.05	104	34.39	7.11	34.74				
AV	5.2657G	114.16	Inf	-Inf	107.40	3	Vertical	144	2.05	104	34.39	7.11	34.74				
PK	5.3506G	68.15	74.00	-5.85	61.14	3	Vertical	144	2.05	104	34.60	7.17	34.76				
AV	5.3515G	52.99	54.00	-1.01	45.98	3	Vertical	144	2.05	104	34.60	7.17	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
104\108
10.50\9.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1298G	54.08	74.00	-19.92	47.71	3	Horizontal	316	2.18	108	34.10	6.99	34.72				
AV	5.1475G	42.29	54.00	-11.71	35.90	3	Horizontal	316	2.18	108	34.10	7.01	34.72				
PK	5.2567G	112.50	Inf	-Inf	105.80	3	Horizontal	316	2.18	108	34.34	7.10	34.74				
AV	5.257G	102.82	Inf	-Inf	96.12	3	Horizontal	316	2.18	108	34.34	7.10	34.74				
PK	5.3509G	56.61	74.00	-17.39	49.60	3	Horizontal	316	2.18	108	34.60	7.17	34.76				
AV	5.3521G	44.16	54.00	-9.84	37.15	3	Horizontal	316	2.18	108	34.60	7.17	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50623G	47.67	68.20	-20.53	42.38	3	Vertical	4	1.70	-	39.89	10.72	45.32			
PK	15.77922G	55.50	74.00	-18.50	46.83	3	Vertical	309	1.96	-	38.37	13.75	43.45			
AV	15.77895G	48.66	54.00	-5.34	39.99	3	Vertical	309	1.96	-	38.37	13.75	43.45			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51802G	47.81	68.20	-20.39	42.57	3	Horizontal	317	1.88	-	39.86	10.72	45.34			
PK	15.78339G	52.52	74.00	-21.48	43.89	3	Horizontal	88	1.84	-	38.33	13.76	43.46			
AV	15.77907G	44.54	54.00	-9.46	35.87	3	Horizontal	88	1.84	-	38.37	13.75	43.45			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	21.03748G	61.26	83.54	-22.28	54.67	1	Vertical	213	1.59	-	38.00	17.52	48.93				
AV	21.03748G	51.59	63.54	-11.95	45.00	1	Vertical	213	1.59	-	38.00	17.52	48.93				
PK	26.3015G	64.00	77.74	-13.74	50.08	1	Vertical	268	1.63	-	39.49	20.30	45.87				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0349G	58.20	83.54	-25.34	51.61	1	Horizontal	326	1.64	-	38.00	17.52	48.93			
AV	21.03952G	50.59	63.54	-12.95	44.00	1	Horizontal	326	1.64	-	38.00	17.52	48.93			
PK	26.30312G	61.90	77.74	-15.84	47.99	1	Horizontal	268	1.63	-	39.48	20.30	45.87			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 93
80\104\76\90\97\94\93
6.10\ -8.87\6.95\2.53\ -1.78\ -0.19\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.306G	116.67	Inf	-Inf	109.69	3	Vertical	140	1.92	93	34.60	7.13	34.75				
AV	5.301G	112.81	Inf	-Inf	105.83	3	Vertical	140	1.92	93	34.60	7.13	34.75				
PK	5.3506G	65.05	74.00	-8.95	58.04	3	Vertical	140	1.92	93	34.60	7.17	34.76				
AV	5.3514G	53.35	54.00	-0.65	46.34	3	Vertical	140	1.92	93	34.60	7.17	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
93\108
10.75\2.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2984G	112.00	Inf	-Inf	105.03	3	Horizontal	274	2.03	108	34.59	7.13	34.75				
AV	5.294G	102.47	Inf	-Inf	95.53	3	Horizontal	274	2.03	108	34.56	7.13	34.75				
PK	5.35G	64.17	74.00	-9.83	57.16	3	Horizontal	274	2.03	108	34.60	7.17	34.76				
AV	5.3534G	51.67	54.00	-2.33	44.65	3	Horizontal	274	2.03	108	34.61	7.17	34.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.60774G	48.84	74.00	-25.16	43.71	3	Vertical	278	1.09	-	39.90	10.74	45.51				
PK	15.89913G	53.56	74.00	-20.44	45.31	3	Vertical	255	2.12	-	38.10	13.85	43.70				
AV	15.89898G	46.62	54.00	-7.38	38.37	3	Vertical	255	2.12	-	38.10	13.85	43.70				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60909G	48.16	74.00	-25.84	43.04	3	Horizontal	80	1.80	-	39.90	10.74	45.52				
AV	10.60279G	39.29	54.00	-14.71	34.15	3	Horizontal	80	1.80	-	39.90	10.74	45.50				
PK	15.90732G	50.77	74.00	-23.23	42.56	3	Horizontal	221	1.80	-	38.07	13.86	43.72				
AV	15.90219G	42.49	54.00	-11.51	34.26	3	Horizontal	221	1.80	-	38.09	13.85	43.71				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	21.2027G	60.97	83.54	-22.57	54.35	1	Vertical	152	1.78	-	37.90	17.58	48.86				
AV	21.19796G	51.64	63.54	-11.90	45.02	1	Vertical	152	1.78	-	37.90	17.58	48.86				
PK	26.4946G	60.41	77.74	-17.33	45.88	1	Vertical	275	1.62	-	39.97	20.32	45.76				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 108
06-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.19586G	60.16	83.54	-23.38	53.53	1	Horizontal	234	1.68	-	37.91	17.58	48.86			
AV	21.19502G	51.87	63.54	-11.67	45.24	1	Horizontal	234	1.68	-	37.91	17.58	48.86			
PK	26.49814G	59.44	77.74	-18.30	44.89	1	Horizontal	250	1.61	-	39.99	20.32	45.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 84
80\89\76\82\85\84
2.28\ -4.11\4.35\1.77\ -0.39\1.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3157G	116.48	Inf	-Inf	109.49	3	Vertical	144	1.96	84	34.60	7.14	34.75					
AV	5.3159G	110.66	Inf	-Inf	103.67	3	Vertical	144	1.96	84	34.60	7.14	34.75					
PK	5.3603G	67.90	74.00	-6.10	60.87	3	Vertical	144	1.96	84	34.62	7.17	34.76					
AV	5.351G	52.67	54.00	-1.33	45.66	3	Vertical	144	1.96	84	34.60	7.17	34.76					

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 98
84\108\80\94\101\98
10.84\~8.84\11.51\4.50\~2.29\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3264G	109.36	Inf	-Inf	102.36	3	Horizontal	317	2.07	98	34.60	7.15	34.75			
AV	5.3266G	100.91	Inf	-Inf	93.91	3	Horizontal	317	2.07	98	34.60	7.15	34.75			
PK	5.3569G	66.00	74.00	-8.00	58.98	3	Horizontal	317	2.07	98	34.61	7.17	34.76			
AV	5.3515G	53.72	54.00	-0.28	46.71	3	Horizontal	317	2.07	98	34.60	7.17	34.76			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62521G	46.98	74.00	-27.02	41.88	3	Vertical	245	2.16	-	39.90	10.75	45.55				
AV	10.62578G	38.56	54.00	-15.44	33.46	3	Vertical	245	2.16	-	39.90	10.75	45.55				
PK	15.96237G	50.56	74.00	-23.44	42.61	3	Vertical	52	1.80	-	37.88	13.90	43.83				
AV	15.96285G	40.94	54.00	-13.06	33.00	3	Vertical	52	1.80	-	37.87	13.90	43.83				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62932G	48.55	74.00	-25.45	43.45	3	Horizontal	183	1.80	-	39.90	10.75	45.55				
AV	10.64966G	38.74	54.00	-15.26	33.68	3	Horizontal	183	1.80	-	39.90	10.75	45.59				
PK	15.96318G	55.82	74.00	-18.18	47.88	3	Horizontal	28	1.90	-	37.87	13.90	43.83				
AV	15.96432G	46.87	54.00	-7.13	38.94	3	Horizontal	28	1.90	-	37.87	13.90	43.84				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2914G	57.93	83.54	-25.61	51.16	1	Vertical	278	1.56	-	37.98	17.61	48.82			
AV	21.2812G	50.37	63.54	-13.17	43.63	1	Vertical	278	1.56	-	37.96	17.61	48.83			
PK	26.59988G	67.63	77.74	-10.11	53.08	1	Vertical	270	1.61	-	40.00	20.33	45.78			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2818G	61.37	83.54	-22.17	54.63	1	Horizontal	230	1.58	-	37.96	17.61	48.83			
AV	21.27646G	52.23	63.54	-11.31	45.50	1	Horizontal	230	1.58	-	37.95	17.61	48.83			
PK	26.60786G	64.77	77.74	-12.97	50.24	1	Horizontal	248	1.58	-	39.98	20.33	45.78			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 83
80\87\84\83
1.76\ -1.80\ -0.14\ 0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1404G	66.21	74.00	-7.79	59.83	3	Vertical	137	1.80	83	34.10	7.00	34.72			
AV	5.1402G	53.89	54.00	-0.11	47.51	3	Vertical	137	1.80	83	34.10	7.00	34.72			
PK	5.185G	115.91	Inf	-Inf	109.49	3	Vertical	137	1.80	83	34.10	7.05	34.73			
AV	5.1857G	108.96	Inf	-Inf	102.54	3	Vertical	137	1.80	83	34.10	7.05	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 97
83\108\79\93\100\97
10.42\17.07\10.94\4.11\2.15\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1464G	65.41	74.00	-8.59	59.02	3	Horizontal	286	2.08	97	34.10	7.01	34.72			
AV	5.1489G	53.96	54.00	-0.04	47.57	3	Horizontal	286	2.08	97	34.10	7.01	34.72			
PK	5.1763G	109.43	Inf	-Inf	103.02	3	Horizontal	286	2.08	97	34.10	7.04	34.73			
AV	5.1736G	98.58	Inf	-Inf	92.18	3	Horizontal	286	2.08	97	34.10	7.03	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 91
80\102\76\89\95\92\91
5.50\ -7.27\5.64\1.49\ -1.07\ -0.03\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	64.09	74.00	-9.91	57.70	3	Vertical	144	2.06	91	34.10	7.01	34.72			
AV	5.15G	53.15	54.00	-0.85	46.76	3	Vertical	144	2.06	91	34.10	7.01	34.72			
PK	5.2064G	116.07	Inf	-Inf	109.61	3	Vertical	144	2.06	91	34.13	7.06	34.73			
AV	5.2056G	111.10	Inf	-Inf	104.65	3	Vertical	144	2.06	91	34.12	7.06	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 108
91\108
11.21\4.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	66.35	74.00	-7.65	59.96	3	Horizontal	318	2.23	108	34.10	7.01	34.72			
AV	5.1464G	49.77	54.00	-4.23	43.38	3	Horizontal	318	2.23	108	34.10	7.01	34.72			
PK	5.2038G	111.08	Inf	-Inf	104.63	3	Horizontal	318	2.23	108	34.12	7.06	34.73			
AV	5.199G	100.61	Inf	-Inf	94.18	3	Horizontal	318	2.23	108	34.10	7.06	34.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
80\108
7.72\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.138G	72.20	74.00	-1.80	65.82	3	Vertical	140	2.03	108	34.10	7.00	34.72				
AV	5.1479G	53.17	54.00	-0.83	46.78	3	Vertical	140	2.03	108	34.10	7.01	34.72				
PK	5.2358G	116.32	Inf	-Inf	109.73	3	Vertical	140	2.03	108	34.24	7.09	34.74				
AV	5.2379G	113.80	Inf	-Inf	107.20	3	Vertical	140	2.03	108	34.25	7.09	34.74				
PK	5.3516G	69.48	74.00	-4.52	62.47	3	Vertical	140	2.03	108	34.60	7.17	34.76				
AV	5.3582G	49.72	54.00	-4.28	42.69	3	Vertical	140	2.03	108	34.62	7.17	34.76				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
108
10.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	57.91	74.00	-16.09	51.52	3	Horizontal	317	2.20	108	34.10	7.01	34.72			
AV	5.1491G	43.75	54.00	-10.25	37.36	3	Horizontal	317	2.20	108	34.10	7.01	34.72			
PK	5.2439G	112.48	Inf	-Inf	105.85	3	Horizontal	317	2.20	108	34.28	7.09	34.74			
AV	5.2337G	101.66	Inf	-Inf	95.09	3	Horizontal	317	2.20	108	34.23	7.08	34.74			
PK	5.35G	56.64	74.00	-17.36	49.63	3	Horizontal	317	2.20	108	34.60	7.17	34.76			
AV	5.351G	43.06	54.00	-10.94	36.05	3	Horizontal	317	2.20	108	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 102
80\108\86\97\102\104\103\102
7.45\5.74\6.59\5.10\0.70\4.07\0.30\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1457G	61.07	74.00	-12.93	54.68	3	Vertical	141	2.04	102	34.10	7.01	34.72					
AV	5.1412G	49.59	54.00	-4.41	43.21	3	Vertical	141	2.04	102	34.10	7.00	34.72					
PK	5.2609G	116.39	Inf	-Inf	109.66	3	Vertical	141	2.04	102	34.37	7.10	34.74					
AV	5.2681G	113.58	Inf	-Inf	106.80	3	Vertical	141	2.04	102	34.41	7.11	34.74					
PK	5.3506G	70.04	74.00	-3.96	63.03	3	Vertical	141	2.04	102	34.60	7.17	34.76					
AV	5.3506G	53.21	54.00	-0.79	46.20	3	Vertical	141	2.04	102	34.60	7.17	34.76					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
102\108
10.60\8.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	59.81	74.00	-14.19	53.42	3	Horizontal	317	2.10	108	34.10	7.01	34.72			
AV	5.1487G	42.75	54.00	-11.25	36.36	3	Horizontal	317	2.10	108	34.10	7.01	34.72			
PK	5.2537G	111.75	Inf	-Inf	105.07	3	Horizontal	317	2.10	108	34.32	7.10	34.74			
AV	5.2585G	102.02	Inf	-Inf	95.31	3	Horizontal	317	2.10	108	34.35	7.10	34.74			
PK	5.3509G	65.31	74.00	-8.69	58.30	3	Horizontal	317	2.10	108	34.60	7.17	34.76			
AV	5.3509G	45.05	54.00	-8.95	38.04	3	Horizontal	317	2.10	108	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 92
80\104\76\90\97\94\93\92
6.14\ -9.91\6.84\1.43\ -3.72\ -1.21\ -0.63\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3012G	116.64	Inf	-Inf	109.66	3	Vertical	147	2.00	92	34.60	7.13	34.75				
AV	5.2978G	112.06	Inf	-Inf	105.09	3	Vertical	147	2.00	92	34.59	7.13	34.75				
PK	5.3502G	66.92	74.00	-7.08	59.91	3	Vertical	147	2.00	92	34.60	7.17	34.76				
AV	5.3506G	53.53	54.00	-0.47	46.52	3	Vertical	147	2.00	92	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 105
92\108\100\104\106\105
9.73\1.16\5.74\1.56\0.93\0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3058G	113.58	Inf	-Inf	106.60	3	Horizontal	317	2.19	105	34.60	7.13	34.75				
AV	5.3008G	101.86	Inf	-Inf	94.88	3	Horizontal	317	2.19	105	34.60	7.13	34.75				
PK	5.3514G	70.62	74.00	-3.38	63.61	3	Horizontal	317	2.19	105	34.60	7.17	34.76				
AV	5.3506G	53.18	54.00	-0.82	46.17	3	Horizontal	317	2.19	105	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 79
80\79
-0.07\0.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3155G	116.37	Inf	-Inf	109.38	3	Vertical	139	1.96	79	34.60	7.14	34.75				
AV	5.3229G	109.30	Inf	-Inf	102.30	3	Vertical	139	1.96	79	34.60	7.15	34.75				
PK	5.3603G	66.27	74.00	-7.73	59.24	3	Vertical	139	1.96	79	34.62	7.17	34.76				
AV	5.3506G	53.19	54.00	-0.81	46.18	3	Vertical	139	1.96	79	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 97
79\108\75\91\99\95\97
10.69\14.22\10.99\6.09\1.75\2.23\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3158G	110.65	Inf	-Inf	103.66	3	Horizontal	317	2.06	97	34.60	7.14	34.75			
AV	5.3257G	100.24	Inf	-Inf	93.24	3	Horizontal	317	2.06	97	34.60	7.15	34.75			
PK	5.3508G	65.75	74.00	-8.25	58.74	3	Horizontal	317	2.06	97	34.60	7.17	34.76			
AV	5.351G	53.82	54.00	-0.18	46.81	3	Horizontal	317	2.06	97	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 72
80\72
-1.89\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	65.20	74.00	-8.80	58.81	3	Vertical	140	1.79	72	34.10	7.01	34.72			
AV	5.148G	53.68	54.00	-0.32	47.29	3	Vertical	140	1.79	72	34.10	7.01	34.72			
PK	5.1882G	115.05	Inf	-Inf	108.63	3	Vertical	140	1.79	72	34.10	7.05	34.73			
AV	5.188G	103.72	Inf	-Inf	97.30	3	Vertical	140	1.79	72	34.10	7.05	34.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 92
72\108\68\88\98\93\91\92
10.66\ -20.17\10.60\8.44\ -8.77\ -1.21\2.23\0.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.149G	64.96	74.00	-9.04	58.57	3	Horizontal	320	1.80	92	34.10	7.01	34.72			
AV	5.1492G	53.06	54.00	-0.94	46.67	3	Horizontal	320	1.80	92	34.10	7.01	34.72			
PK	5.2062G	103.63	Inf	-Inf	97.18	3	Horizontal	320	1.80	92	34.12	7.06	34.73			
AV	5.2036G	92.69	Inf	-Inf	86.25	3	Horizontal	320	1.80	92	34.11	7.06	34.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 89
80\94\87\90\89
3.54\ -2.74\1.33\ -1.14\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	65.44	74.00	-8.56	59.05	3	Vertical	144	2.00	89	34.10	7.01	34.72				
AV	5.15G	53.83	54.00	-0.17	47.44	3	Vertical	144	2.00	89	34.10	7.01	34.72				
PK	5.2456G	115.95	Inf	-Inf	109.32	3	Vertical	144	2.00	89	34.28	7.09	34.74				
AV	5.2404G	109.00	Inf	-Inf	102.39	3	Vertical	144	2.00	89	34.26	7.09	34.74				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 107
89\108\99\103\105\106\107
11.13\ -0.49\6.54\4.46\2.48\0.87\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	67.58	74.00	-6.42	61.19	3	Horizontal	319	2.22	107	34.10	7.01	34.72			
AV	5.1328G	53.52	54.00	-0.48	47.14	3	Horizontal	319	2.22	107	34.10	7.00	34.72			
PK	5.2264G	109.29	Inf	-Inf	102.74	3	Horizontal	319	2.22	107	34.21	7.08	34.74			
AV	5.236G	98.82	Inf	-Inf	92.23	3	Horizontal	319	2.22	107	34.24	7.09	34.74			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 88
80\99\76\87\92\90\89\88
4.76\ -11.63\6.27\0.98\ -4.58\ -2.08\ -1.37\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2754G	116.12	Inf	-Inf	109.30	3	Vertical	142	2.11	88	34.45	7.11	34.74				
AV	5.2656G	109.12	Inf	-Inf	102.36	3	Vertical	142	2.11	88	34.39	7.11	34.74				
PK	5.3502G	65.46	74.00	-8.54	58.45	3	Vertical	142	2.11	88	34.60	7.17	34.76				
AV	5.3508G	53.95	54.00	-0.05	46.94	3	Vertical	142	2.11	88	34.60	7.17	34.76				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 101
88\108\98\103\101\102\101
10.25\~2.85\2.10\~2.37\0.94\~0.41\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2686G	108.77	Inf	-Inf	101.99	3	Horizontal	315	2.08	101	34.41	7.11	34.74			
AV	5.266G	99.33	Inf	-Inf	92.56	3	Horizontal	315	2.08	101	34.40	7.11	34.74			
PK	5.35G	67.93	74.00	-6.07	60.92	3	Horizontal	315	2.08	101	34.60	7.17	34.76			
AV	5.3508G	53.93	54.00	-0.07	46.92	3	Horizontal	315	2.08	101	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 74
80\69\74
-2.67\1.93\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3256G	115.73	Inf	-Inf	108.73	3	Vertical	141	1.93	74	34.60	7.15	34.75			
AV	5.3006G	104.93	Inf	-Inf	97.95	3	Vertical	141	1.93	74	34.60	7.13	34.75			
PK	5.3528G	64.96	74.00	-9.04	57.94	3	Vertical	141	1.93	74	34.61	7.17	34.76			
AV	5.3506G	53.64	54.00	-0.36	46.63	3	Vertical	141	1.93	74	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 91
74\108\70\89\98\94\92\91
10.50\ -22.00\10.76\4.63\ -12.57\ -4.96\ -2.28\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3084G	106.20	Inf	-Inf	99.21	3	Horizontal	318	2.14	91	34.60	7.14	34.75			
AV	5.3008G	95.56	Inf	-Inf	88.58	3	Horizontal	318	2.14	91	34.60	7.13	34.75			
PK	5.3558G	65.41	74.00	-8.59	58.39	3	Horizontal	318	2.14	91	34.61	7.17	34.76			
AV	5.3508G	53.66	54.00	-0.34	46.65	3	Horizontal	318	2.14	91	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 78
80\78\79\78
-0.34\1.34\0.15\1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	62.95	74.00	-11.05	56.56	3	Vertical	144	1.92	78	34.10	7.01	34.72			
AV	5.138G	52.37	54.00	-1.63	45.99	3	Vertical	144	1.92	78	34.10	7.00	34.72			
PK	5.238G	112.90	Inf	-Inf	106.30	3	Vertical	144	1.92	78	34.25	7.09	34.74			
AV	5.238G	102.93	Inf	-Inf	96.33	3	Vertical	144	1.92	78	34.25	7.09	34.74			
PK	5.3505G	57.79	74.00	-16.21	50.78	3	Vertical	144	1.92	78	34.60	7.17	34.76			
AV	5.3535G	47.13	54.00	-6.87	40.11	3	Vertical	144	1.92	78	34.61	7.17	34.76			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 93
78\108\74\91\99\95\93
10.89\22.06\11.33\3.84\10.88\4.33\0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1385G	64.35	74.00	-9.65	57.97	3	Horizontal	318	2.12	93	34.10	7.00	34.72			
AV	5.1465G	53.90	54.00	-0.10	47.51	3	Horizontal	318	2.12	93	34.10	7.01	34.72			
PK	5.2085G	102.82	Inf	-Inf	96.35	3	Horizontal	318	2.12	93	34.13	7.07	34.73			
AV	5.2415G	91.75	Inf	-Inf	85.13	3	Horizontal	318	2.12	93	34.27	7.09	34.74			
PK	5.351G	55.10	74.00	-18.90	48.09	3	Horizontal	318	2.12	93	34.60	7.17	34.76			
AV	5.364G	44.75	54.00	-9.25	37.71	3	Horizontal	318	2.12	93	34.63	7.17	34.76			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 70
80\70
-2.44\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	56.86	74.00	-17.14	50.47	3	Vertical	141	2.01	70	34.10	7.01	34.72				
AV	5.1295G	47.10	54.00	-6.90	40.73	3	Vertical	141	2.01	70	34.10	6.99	34.72				
PK	5.273G	112.17	Inf	-Inf	105.36	3	Vertical	141	2.01	70	34.44	7.11	34.74				
AV	5.2605G	101.45	Inf	-Inf	94.73	3	Vertical	141	2.01	70	34.36	7.10	34.74				
PK	5.353G	62.55	74.00	-11.45	55.53	3	Vertical	141	2.01	70	34.61	7.17	34.76				
AV	5.3505G	53.60	54.00	-0.40	46.59	3	Vertical	141	2.01	70	34.60	7.17	34.76				
PK	5.467G	53.03	68.20	-15.17	45.85	3	Vertical	141	2.01	70	34.70	7.25	34.77				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 90
70\108\66\87\97\92\90
11.13\~23.39\11.14\5.84\~10.03\~2.19\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	53.97	74.00	-20.03	47.58	3	Horizontal	316	1.99	90	34.10	7.01	34.72
AV	5.146G	44.00	54.00	-10.00	37.61	3	Horizontal	316	1.99	90	34.10	7.01	34.72
PK	5.2985G	103.04	Inf	-Inf	96.07	3	Horizontal	316	1.99	90	34.59	7.13	34.75
AV	5.261G	92.63	Inf	-Inf	85.90	3	Horizontal	316	1.99	90	34.37	7.10	34.74
PK	5.3505G	63.85	74.00	-10.15	56.84	3	Horizontal	316	1.99	90	34.60	7.17	34.76
AV	5.3505G	53.89	54.00	-0.11	46.88	3	Horizontal	316	1.99	90	34.60	7.17	34.76
PK	5.492G	54.24	68.20	-13.96	47.05	3	Horizontal	316	1.99	90	34.70	7.27	34.78

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 82
80\85\83\82
1.38\0.81\2.81\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1406G	65.22	74.00	-8.78	58.84	3	Vertical	140	2.17	82	34.10	7.00	34.72				
AV	5.1499G	53.58	54.00	-0.42	47.19	3	Vertical	140	2.17	82	34.10	7.01	34.72				
PK	5.1865G	115.88	Inf	-Inf	109.46	3	Vertical	140	2.17	82	34.10	7.05	34.73				
AV	5.1778G	108.06	Inf	-Inf	101.65	3	Vertical	140	2.17	82	34.10	7.04	34.73				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 97
82\108\78\93\100\97
9.70\17.15\10.76\3.44\2.66\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	66.59	74.00	-7.41	60.20	3	Horizontal	283	2.10	97	34.10	7.01	34.72			
AV	5.1492G	53.76	54.00	-0.24	47.37	3	Horizontal	283	2.10	97	34.10	7.01	34.72			
PK	5.1837G	108.69	Inf	-Inf	102.28	3	Horizontal	283	2.10	97	34.10	7.04	34.73			
AV	5.181G	97.60	Inf	-Inf	91.19	3	Horizontal	283	2.10	97	34.10	7.04	34.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 92
80\100\90\95\93\92
5.09\ -3.26\2.16\ -0.65\ -0.12\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	64.20	74.00	-9.80	57.81	3	Vertical	143	2.04	92	34.10	7.01	34.72			
AV	5.1498G	53.38	54.00	-0.62	46.99	3	Vertical	143	2.04	92	34.10	7.01	34.72			
PK	5.2052G	116.08	Inf	-Inf	109.63	3	Vertical	143	2.04	92	34.12	7.06	34.73			
AV	5.1986G	109.95	Inf	-Inf	103.52	3	Vertical	143	2.04	92	34.10	7.06	34.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 108
92\108
11.31\4.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	66.62	74.00	-7.38	60.24	3	Horizontal	318	2.24	108	34.10	7.00	34.72
AV	5.1498G	49.13	54.00	-4.87	42.74	3	Horizontal	318	2.24	108	34.10	7.01	34.72
PK	5.2024G	109.45	Inf	-Inf	103.01	3	Horizontal	318	2.24	108	34.11	7.06	34.73
AV	5.199G	99.18	Inf	-Inf	92.75	3	Horizontal	318	2.24	108	34.10	7.06	34.73

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
80\108
8.07\1.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	71.28	74.00	-2.72	64.89	3	Vertical	144	1.95	108	34.10	7.01	34.72			
AV	5.1461G	52.40	54.00	-1.60	46.01	3	Vertical	144	1.95	108	34.10	7.01	34.72			
PK	5.243G	116.31	Inf	-Inf	109.69	3	Vertical	144	1.95	108	34.27	7.09	34.74			
AV	5.2442G	113.20	Inf	-Inf	106.57	3	Vertical	144	1.95	108	34.28	7.09	34.74			
PK	5.35G	68.42	74.00	-5.58	61.41	3	Vertical	144	1.95	108	34.60	7.17	34.76			
AV	5.35G	49.85	54.00	-4.15	42.84	3	Vertical	144	1.95	108	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
108
10.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	56.86	74.00	-17.14	50.47	3	Horizontal	316	2.00	108	34.10	7.01	34.72			
AV	5.1374G	43.16	54.00	-10.84	36.78	3	Horizontal	316	2.00	108	34.10	7.00	34.72			
PK	5.2424G	110.26	Inf	-Inf	103.64	3	Horizontal	316	2.00	108	34.27	7.09	34.74			
AV	5.2421G	99.75	Inf	-Inf	93.13	3	Horizontal	316	2.00	108	34.27	7.09	34.74			
PK	5.35G	54.71	74.00	-19.29	47.70	3	Horizontal	316	2.00	108	34.60	7.17	34.76			
AV	5.3555G	42.91	54.00	-11.09	35.89	3	Horizontal	316	2.00	108	34.61	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 103
80\108\94\101\104\103
7.98\ -2.59\5.89\2.45\ -3.20\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1439G	64.61	74.00	-9.39	58.22	3	Vertical	140	2.07	103	34.10	7.01	34.72
AV	5.1487G	49.81	54.00	-4.19	43.42	3	Vertical	140	2.07	103	34.10	7.01	34.72
PK	5.2666G	116.41	Inf	-Inf	109.64	3	Vertical	140	2.07	103	34.40	7.11	34.74
AV	5.2633G	112.45	Inf	-Inf	105.71	3	Vertical	140	2.07	103	34.38	7.10	34.74
PK	5.3563G	71.18	74.00	-2.82	64.16	3	Vertical	140	2.07	103	34.61	7.17	34.76
AV	5.35G	53.84	54.00	-0.16	46.83	3	Vertical	140	2.07	103	34.60	7.17	34.76

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
103\108
10.32\9.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	56.27	74.00	-17.73	49.88	3	Horizontal	317	2.09	108	34.10	7.01	34.72			
AV	5.1448G	42.45	54.00	-11.55	36.06	3	Horizontal	317	2.09	108	34.10	7.01	34.72			
PK	5.2624G	110.60	Inf	-Inf	103.87	3	Horizontal	317	2.09	108	34.37	7.10	34.74			
AV	5.2636G	100.54	Inf	-Inf	93.80	3	Horizontal	317	2.09	108	34.38	7.10	34.74			
PK	5.3545G	61.38	74.00	-12.62	54.36	3	Horizontal	317	2.09	108	34.61	7.17	34.76			
AV	5.3512G	44.45	54.00	-9.55	37.44	3	Horizontal	317	2.09	108	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 93
80\102\76\89\95\92\93
5.69\ -7.34\7.00\2.52\ -1.88\0.51\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3012G	116.66	Inf	-Inf	109.68	3	Vertical	142	1.84	93	34.60	7.13	34.75			
AV	5.3028G	111.25	Inf	-Inf	104.27	3	Vertical	142	1.84	93	34.60	7.13	34.75			
PK	5.351G	68.12	74.00	-5.88	61.11	3	Vertical	142	1.84	93	34.60	7.17	34.76			
AV	5.3518G	53.81	54.00	-0.19	46.80	3	Vertical	142	1.84	93	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
93\108
9.58\0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3024G	110.74	Inf	-Inf	103.76	3	Horizontal	315	2.14	108	34.60	7.13	34.75			
AV	5.2984G	100.41	Inf	-Inf	93.44	3	Horizontal	315	2.14	108	34.59	7.13	34.75			
PK	5.3594G	72.11	74.00	-1.89	65.08	3	Horizontal	315	2.14	108	34.62	7.17	34.76			
AV	5.3502G	53.36	54.00	-0.64	46.35	3	Horizontal	315	2.14	108	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 84
80\84
1.07\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3264G	116.47	Inf	-Inf	109.47	3	Vertical	143	1.96	84	34.60	7.15	34.75			
AV	5.3268G	108.56	Inf	-Inf	101.56	3	Vertical	143	1.96	84	34.60	7.15	34.75			
PK	5.3616G	65.34	74.00	-8.66	58.31	3	Vertical	143	1.96	84	34.62	7.17	34.76			
AV	5.3601G	53.91	54.00	-0.09	46.88	3	Vertical	143	1.96	84	34.62	7.17	34.76			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 98
84\108\80\94\101\98
9.98\12.76\10.62\3.67\3.55\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3222G	109.95	Inf	-Inf	102.95	3	Horizontal	317	2.05	98	34.60	7.15	34.75			
AV	5.3233G	98.76	Inf	-Inf	91.76	3	Horizontal	317	2.05	98	34.60	7.15	34.75			
PK	5.3558G	65.34	74.00	-8.66	58.32	3	Horizontal	317	2.05	98	34.61	7.17	34.76			
AV	5.3504G	53.57	54.00	-0.43	46.56	3	Horizontal	317	2.05	98	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 73
80\70\75\73
-2.47\1.63\0.43\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	65.17	74.00	-8.83	58.78	3	Vertical	141	1.91	73	34.10	7.01	34.72			
AV	5.15G	53.53	54.00	-0.47	47.14	3	Vertical	141	1.91	73	34.10	7.01	34.72			
PK	5.1982G	113.53	Inf	-Inf	107.10	3	Vertical	141	1.91	73	34.10	7.06	34.73			
AV	5.1752G	102.39	Inf	-Inf	95.98	3	Vertical	141	1.91	73	34.10	7.04	34.73			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 91
73\108\69\88\97\93\91\92\91
11.16\ -20.10\11.18\5.84\ -8.60\ -3.24\0.75\ -0.89\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	65.60	74.00	-8.40	59.21	3	Horizontal	316	2.24	91	34.10	7.01	34.72			
AV	5.1484G	53.79	54.00	-0.21	47.40	3	Horizontal	316	2.24	91	34.10	7.01	34.72			
PK	5.2064G	103.90	Inf	-Inf	97.44	3	Horizontal	316	2.24	91	34.13	7.06	34.73			
AV	5.2014G	92.65	Inf	-Inf	86.21	3	Horizontal	316	2.24	91	34.11	7.06	34.73			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 89
80\94\87\90\89
3.66\ -2.53\1.24\ -0.53\0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1404G	65.09	74.00	-8.91	58.71	3	Vertical	144	1.97	89	34.10	7.00	34.72			
AV	5.15G	53.25	54.00	-0.75	46.86	3	Vertical	144	1.97	89	34.10	7.01	34.72			
PK	5.2356G	116.01	Inf	-Inf	109.43	3	Vertical	144	1.97	89	34.24	7.08	34.74			
AV	5.242G	107.84	Inf	-Inf	101.22	3	Vertical	144	1.97	89	34.27	7.09	34.74			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 107
89\108\99\103\105\106\107
10.68\ -0.37\5.01\4.07\1.41\1.33\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	70.87	74.00	-3.13	64.48	3	Horizontal	273	2.27	107	34.10	7.01	34.72			
AV	5.1346G	52.93	54.00	-1.07	46.55	3	Horizontal	273	2.27	107	34.10	7.00	34.72			
PK	5.2418G	109.27	Inf	-Inf	102.65	3	Horizontal	273	2.27	107	34.27	7.09	34.74			
AV	5.2354G	98.28	Inf	-Inf	91.70	3	Horizontal	273	2.27	107	34.24	7.08	34.74			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 88
80\103\76\89\83\86\87\88
5.95\ -15.10\6.84\ -0.43\4.50\2.83\2.44\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2656G	116.11	Inf	-Inf	109.35	3	Vertical	146	2.06	88	34.39	7.11	34.74			
AV	5.2668G	107.73	Inf	-Inf	100.96	3	Vertical	146	2.06	88	34.40	7.11	34.74			
PK	5.35G	63.66	74.00	-10.34	56.65	3	Vertical	146	2.06	88	34.60	7.17	34.76			
AV	5.3504G	53.21	54.00	-0.79	46.20	3	Vertical	146	2.06	88	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 102
88\108\98\103\101\102
9.56\ -1.03\3.90\ -0.84\1.21\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2762G	107.90	Inf	-Inf	101.07	3	Horizontal	317	2.10	102	34.46	7.11	34.74			
AV	5.2652G	97.25	Inf	-Inf	90.49	3	Horizontal	317	2.10	102	34.39	7.11	34.74			
PK	5.3504G	69.83	74.00	-4.17	62.82	3	Horizontal	317	2.10	102	34.60	7.17	34.76			
AV	5.35G	53.86	54.00	-0.14	46.85	3	Horizontal	317	2.10	102	34.60	7.17	34.76			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 76
80\74\77\76
-1.33\0.78\0.57\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	115.73	Inf	-Inf	108.73	3	Vertical	140	1.93	76	34.60	7.15	34.75
AV	5.3056G	103.87	Inf	-Inf	96.89	3	Vertical	140	1.93	76	34.60	7.13	34.75
PK	5.3532G	64.67	74.00	-9.33	57.65	3	Vertical	140	1.93	76	34.61	7.17	34.76
AV	5.3516G	53.97	54.00	-0.03	46.96	3	Vertical	140	1.93	76	34.60	7.17	34.76

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 92
76\108\72\90\99\95\93\92
10.66\ -18.86\11.41\3.46\ -10.81\ -4.86\ -1.80\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3086G	104.65	Inf	-Inf	97.66	3	Horizontal	321	1.95	92	34.60	7.14	34.75			
AV	5.3046G	93.72	Inf	-Inf	86.74	3	Horizontal	321	1.95	92	34.60	7.13	34.75			
PK	5.3508G	65.94	74.00	-8.06	58.93	3	Horizontal	321	1.95	92	34.60	7.17	34.76			
AV	5.3522G	53.83	54.00	-0.17	46.82	3	Horizontal	321	1.95	92	34.60	7.17	34.76			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 78
80\78
-0.45\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1495G	63.31	74.00	-10.69	56.92	3	Vertical	136	2.03	78	34.10	7.01	34.72
AV	5.1495G	53.73	54.00	-0.27	47.34	3	Vertical	136	2.03	78	34.10	7.01	34.72
PK	5.1975G	111.88	Inf	-Inf	105.45	3	Vertical	136	2.03	78	34.10	7.06	34.73
AV	5.2425G	100.86	Inf	-Inf	94.24	3	Vertical	136	2.03	78	34.27	7.09	34.74
PK	5.3685G	56.45	74.00	-17.55	49.39	3	Vertical	136	2.03	78	34.64	7.18	34.76
AV	5.369G	46.72	54.00	-7.28	39.66	3	Vertical	136	2.03	78	34.64	7.18	34.76

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 93
78\108\74\91\99\95\93\94\93
10.87\19.45\10.81\5.19\8.85\2.23\1.77\0.93\1.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.133G	63.42	74.00	-10.58	57.04	3	Horizontal	317	2.20	93	34.10	7.00	34.72			
AV	5.1335G	52.16	54.00	-1.84	45.78	3	Horizontal	317	2.20	93	34.10	7.00	34.72			
PK	5.2415G	101.94	Inf	-Inf	95.32	3	Horizontal	317	2.20	93	34.27	7.09	34.74			
AV	5.2415G	90.96	Inf	-Inf	84.34	3	Horizontal	317	2.20	93	34.27	7.09	34.74			
PK	5.351G	54.94	74.00	-19.06	47.93	3	Horizontal	317	2.20	93	34.60	7.17	34.76			
AV	5.367G	45.01	54.00	-8.99	37.96	3	Horizontal	317	2.20	93	34.63	7.18	34.76			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 77
80\77
-0.69\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1375G	57.41	74.00	-16.59	51.03	3	Vertical	318	1.93	77	34.10	7.00	34.72			
AV	5.1315G	47.49	54.00	-6.51	41.12	3	Vertical	318	1.93	77	34.10	6.99	34.72			
PK	5.2745G	112.65	Inf	-Inf	105.83	3	Vertical	318	1.93	77	34.45	7.11	34.74			
AV	5.28G	101.59	Inf	-Inf	94.73	3	Vertical	318	1.93	77	34.48	7.12	34.74			
PK	5.35G	63.99	74.00	-10.01	56.98	3	Vertical	318	1.93	77	34.60	7.17	34.76			
AV	5.35G	53.86	54.00	-0.14	46.85	3	Vertical	318	1.93	77	34.60	7.17	34.76			
PK	5.4785G	54.49	68.20	-13.71	47.31	3	Vertical	318	1.93	77	34.70	7.26	34.78			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



EUT_Z_2TX
SET 90
77\108\73\90
10.29\~21.49\10.80\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.144G	53.55	74.00	-20.45	47.16	3	Horizontal	318	2.04	90	34.10	7.01	34.72			
AV	5.147G	43.65	54.00	-10.35	37.26	3	Horizontal	318	2.04	90	34.10	7.01	34.72			
PK	5.2775G	101.84	Inf	-Inf	95.00	3	Horizontal	318	2.04	90	34.47	7.11	34.74			
AV	5.2815G	91.28	Inf	-Inf	84.42	3	Horizontal	318	2.04	90	34.49	7.12	34.75			
PK	5.356G	63.04	74.00	-10.96	56.02	3	Horizontal	318	2.04	90	34.61	7.17	34.76			
AV	5.3565G	53.85	54.00	-0.15	46.83	3	Horizontal	318	2.04	90	34.61	7.17	34.76			
PK	5.503G	53.37	68.20	-14.83	46.18	3	Horizontal	318	2.04	90	34.69	7.28	34.78			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_1TX	Pass	PK	5.4699G	68.18	68.20	-0.02	3	Horizontal	87	1.05	91

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 87
80\85\87\88\87
5.34\2.50\0.56\0.86\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1493G	65.86	74.00	-8.14	55.64	3	Vertical	345	2.95	87	33.10	9.71	32.59			
AV	5.148G	53.67	54.00	-0.33	43.46	3	Vertical	345	2.95	87	33.09	9.71	32.59			
PK	5.1856G	113.77	Inf	-Inf	103.59	3	Vertical	345	2.95	87	33.03	9.73	32.58			
AV	5.175G	104.57	Inf	-Inf	94.37	3	Vertical	345	2.95	87	33.05	9.73	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
SET 85
87.85
-1.84\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1497G	66.31	74.00	-7.69	56.09	3	Horizontal	85	2.88	85	33.10	9.71	32.59					
AV	5.1499G	53.86	54.00	-0.14	43.64	3	Horizontal	85	2.88	85	33.10	9.71	32.59					
PK	5.1859G	116.38	Inf	-Inf	106.20	3	Horizontal	85	2.88	85	33.03	9.73	32.58					
AV	5.1827G	107.00	Inf	-Inf	96.82	3	Horizontal	85	2.88	85	33.03	9.73	32.58					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 100
80\87\108\98\103\101\100
7.33\6.52\3.12\2.18\2.80\0.58\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1482G	65.07	74.00	-8.93	54.86	3	Vertical	344	2.91	100	33.09	9.71	32.59			
AV	5.1496G	53.66	54.00	-0.34	43.44	3	Vertical	344	2.91	100	33.10	9.71	32.59			
PK	5.1972G	116.52	Inf	-Inf	106.35	3	Vertical	344	2.91	100	33.01	9.74	32.58			
AV	5.1946G	107.37	Inf	-Inf	97.20	3	Vertical	344	2.91	100	33.01	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET 95
100\96\94\95
-3.12\ -0.01\1.93\1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	66.30	74.00	-7.70	56.08	3	Horizontal	83	2.87	95	33.10	9.71	32.59			
AV	5.149G	52.77	54.00	-1.23	42.55	3	Horizontal	83	2.87	95	33.10	9.71	32.59			
PK	5.2056G	118.37	Inf	-Inf	108.22	3	Horizontal	83	2.87	95	32.99	9.74	32.58			
AV	5.2066G	108.75	Inf	-Inf	98.60	3	Horizontal	83	2.87	95	32.99	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
80\87\108
7.70\7.36\6.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1473G	60.17	74.00	-13.83	49.96	3	Vertical	343	2.86	108	33.09	9.71	32.59				
AV	5.1482G	47.97	54.00	-6.03	37.76	3	Vertical	343	2.86	108	33.09	9.71	32.59				
PK	5.2373G	117.26	Inf	-Inf	107.17	3	Vertical	343	2.86	108	32.93	9.73	32.57				
AV	5.2448G	108.06	Inf	-Inf	98.00	3	Vertical	343	2.86	108	32.91	9.72	32.57				
PK	5.3519G	59.61	74.00	-14.39	49.67	3	Vertical	343	2.86	108	32.80	9.68	32.54				
AV	5.3519G	47.99	54.00	-6.01	38.05	3	Vertical	343	2.86	108	32.80	9.68	32.54				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
108
4.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	61.90	74.00	-12.10	51.68	3	Horizontal	81	2.95	108	33.10	9.71	32.59			
AV	5.15G	49.98	54.00	-4.02	39.76	3	Horizontal	81	2.95	108	33.10	9.71	32.59			
PK	5.2373G	120.60	Inf	-Inf	110.51	3	Horizontal	81	2.95	108	32.93	9.73	32.57			
AV	5.2394G	111.46	Inf	-Inf	101.39	3	Horizontal	81	2.95	108	32.92	9.72	32.57			
PK	5.35G	62.88	74.00	-11.12	52.94	3	Horizontal	81	2.95	108	32.80	9.68	32.54			
AV	5.3555G	48.98	54.00	-5.02	39.05	3	Horizontal	81	2.95	108	32.79	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
80\87\108
7.25\7.32\3.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	57.05	74.00	-16.95	46.85	3	Vertical	340	2.85	108	33.08	9.71	32.59
AV	5.1496G	46.27	54.00	-7.73	36.05	3	Vertical	340	2.85	108	33.10	9.71	32.59
PK	5.257G	117.82	Inf	-Inf	107.77	3	Vertical	340	2.85	108	32.89	9.72	32.56
AV	5.2636G	108.41	Inf	-Inf	98.39	3	Vertical	340	2.85	108	32.87	9.71	32.56
PK	5.3572G	64.84	74.00	-9.16	54.91	3	Vertical	340	2.85	108	32.79	9.68	32.54
AV	5.3509G	50.52	54.00	-3.48	40.58	3	Vertical	340	2.85	108	32.80	9.68	32.54

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
108
1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	58.61	74.00	-15.39	48.39	3	Horizontal	82	2.95	108	33.10	9.71	32.59			
AV	5.1487G	47.44	54.00	-6.56	37.23	3	Horizontal	82	2.95	108	33.09	9.71	32.59			
PK	5.2588G	121.12	Inf	-Inf	111.08	3	Horizontal	82	2.95	108	32.88	9.72	32.56			
AV	5.2639G	112.10	Inf	-Inf	102.08	3	Horizontal	82	2.95	108	32.87	9.71	32.56			
PK	5.3578G	67.67	74.00	-6.33	57.75	3	Horizontal	82	2.95	108	32.78	9.68	32.54			
AV	5.3503G	52.67	54.00	-1.33	42.73	3	Horizontal	82	2.95	108	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 99
80\87\108\98\103\101\100\99
7.03\6.41\10.01\1.71\3.29\2.03\0.52\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3058G	117.01	Inf	-Inf	107.06	3	Vertical	344	2.93	99	32.80	9.70	32.55			
AV	5.3026G	107.83	Inf	-Inf	97.88	3	Vertical	344	2.93	99	32.80	9.70	32.55			
PK	5.3524G	68.64	74.00	-5.36	58.70	3	Vertical	344	2.93	99	32.80	9.68	32.54			
AV	5.3516G	53.34	54.00	-0.66	43.40	3	Vertical	344	2.93	99	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 97
99\97
-1.60\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3058G	118.30	Inf	-Inf	108.35	3	Horizontal	83	2.92	97	32.80	9.70	32.55			
AV	5.3026G	109.09	Inf	-Inf	99.14	3	Horizontal	83	2.92	97	32.80	9.70	32.55			
PK	5.3514G	68.77	74.00	-5.23	58.83	3	Horizontal	83	2.92	97	32.80	9.68	32.54			
AV	5.3508G	53.59	54.00	-0.41	43.65	3	Horizontal	83	2.92	97	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 88
80\86\89\88
6.11\2.94\ -1.55\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3257G	114.26	Inf	-Inf	104.32	3	Vertical	340	2.95	88	32.80	9.69	32.55			
AV	5.3149G	104.93	Inf	-Inf	94.99	3	Vertical	340	2.95	88	32.80	9.69	32.55			
PK	5.3509G	66.89	74.00	-7.11	56.95	3	Vertical	340	2.95	88	32.80	9.68	32.54			
AV	5.3505G	53.70	54.00	-0.30	43.76	3	Vertical	340	2.95	88	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 87
88\87
-0.83\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3257G	114.99	Inf	-Inf	105.05	3	Horizontal	90	1.05	87	32.80	9.69	32.55				
AV	5.3226G	105.36	Inf	-Inf	95.42	3	Horizontal	90	1.05	87	32.80	9.69	32.55				
PK	5.3503G	68.32	74.00	-5.68	58.38	3	Horizontal	90	1.05	87	32.80	9.68	32.54				
AV	5.35G	53.95	54.00	-0.05	44.01	3	Horizontal	90	1.05	87	32.80	9.68	32.54				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 98
80\87\108\98
7.43\7.22\ -16.82\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4559G	62.18	74.00	-11.82	52.22	3	Vertical	149	2.95	98	32.71	9.76	32.51			
AV	5.4595G	50.47	54.00	-3.53	40.49	3	Vertical	149	2.95	98	32.72	9.77	32.51			
PK	5.47G	68.14	68.20	-0.06	58.12	3	Vertical	149	2.95	98	32.74	9.79	32.51			
PK	5.5057G	111.43	Inf	-Inf	101.28	3	Vertical	149	2.95	98	32.79	9.86	32.50			
AV	5.4945G	102.24	Inf	-Inf	92.12	3	Vertical	149	2.95	98	32.79	9.83	32.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 91
98\91
-6.48\0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	62.80	74.00	-11.20	52.82	3	Horizontal	87	1.05	91	32.72	9.77	32.51			
AV	5.4599G	50.88	54.00	-3.12	40.90	3	Horizontal	87	1.05	91	32.72	9.77	32.51			
PK	5.4699G	68.18	68.20	-0.02	58.16	3	Horizontal	87	1.05	91	32.74	9.79	32.51			
PK	5.5057G	116.85	Inf	-Inf	106.70	3	Horizontal	87	1.05	91	32.79	9.86	32.50			
AV	5.5026G	107.08	Inf	-Inf	96.94	3	Horizontal	87	1.05	91	32.79	9.85	32.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
80\87\108
7.14\7.31\6.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4345G	57.81	74.00	-16.19	47.91	3	Vertical	337	2.86	108	32.70	9.72	32.52			
PK	5.469G	57.57	68.20	-10.63	47.55	3	Vertical	337	2.86	108	32.74	9.79	32.51			
AV	5.4546G	47.36	54.00	-6.64	37.40	3	Vertical	337	2.86	108	32.71	9.76	32.51			
PK	5.5857G	118.49	Inf	-Inf	108.30	3	Vertical	337	2.86	108	32.70	10.00	32.51			
AV	5.5827G	108.84	Inf	-Inf	98.65	3	Vertical	337	2.86	108	32.70	10.00	32.51			
PK	5.7255G	57.95	68.20	-10.25	47.16	3	Vertical	337	2.86	108	33.30	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
108
5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	59.21	74.00	-14.79	49.23	3	Horizontal	89	1.05	108	32.72	9.77	32.51			
AV	5.4555G	48.34	54.00	-5.66	38.38	3	Horizontal	89	1.05	108	32.71	9.76	32.51			
PK	5.4666G	59.04	68.20	-9.16	49.04	3	Horizontal	89	1.05	108	32.73	9.78	32.51			
PK	5.5833G	119.39	Inf	-Inf	109.20	3	Horizontal	89	1.05	108	32.70	10.00	32.51			
AV	5.5746G	110.39	Inf	-Inf	100.22	3	Horizontal	89	1.05	108	32.70	9.98	32.51			
PK	5.73G	58.58	68.20	-9.62	47.77	3	Horizontal	89	1.05	108	33.32	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 78
80\78
-1.61\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6946G	110.21	Inf	-Inf	99.54	3	Vertical	335	2.95	78	33.17	10.02	32.52				
AV	5.6972G	102.01	Inf	-Inf	91.33	3	Vertical	335	2.95	78	33.18	10.02	32.52				
PK	5.7266G	68.02	68.20	-0.18	57.22	3	Vertical	335	2.95	78	33.31	10.01	32.52				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 73
78\75\74\73
-2.29\ -0.01\ -0.13\ 2.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7058G	111.94	Inf	-Inf	101.23	3	Horizontal	77	1.05	73	33.22	10.01	32.52			
AV	5.6972G	103.00	Inf	-Inf	92.32	3	Horizontal	77	1.05	73	33.18	10.02	32.52			
PK	5.7292G	65.83	68.20	-2.37	55.02	3	Horizontal	77	1.05	73	33.32	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
80\87\108
7.79\7.84\7.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.441G	57.21	74.00	-16.79	47.29	3	Vertical	336	2.91	108	32.70	9.74	32.52			
AV	5.4392G	46.73	54.00	-7.27	36.82	3	Vertical	336	2.91	108	32.70	9.73	32.52			
PK	5.4686G	56.99	68.20	-11.21	46.97	3	Vertical	336	2.91	108	32.74	9.79	32.51			
PK	5.7236G	116.33	Inf	-Inf	105.55	3	Vertical	336	2.91	108	33.29	10.01	32.52			
AV	5.7218G	107.16	Inf	-Inf	96.38	3	Vertical	336	2.91	108	33.29	10.01	32.52			
PK	5.9318G	59.33	68.20	-8.87	47.64	3	Vertical	336	2.91	108	34.10	10.13	32.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
108
6.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4308G	57.11	74.00	-16.89	47.21	3	Horizontal	77	1.05	108	32.70	9.72	32.52			
PK	5.4662G	57.59	68.20	-10.61	47.59	3	Horizontal	77	1.05	108	32.73	9.78	32.51			
AV	5.4578G	47.50	54.00	-6.50	37.52	3	Horizontal	77	1.05	108	32.72	9.77	32.51			
PK	5.726G	119.08	Inf	-Inf	108.29	3	Horizontal	77	1.05	108	33.30	10.01	32.52			
AV	5.7218G	109.49	Inf	-Inf	98.71	3	Horizontal	77	1.05	108	33.29	10.01	32.52			
PK	5.8742G	59.61	68.20	-8.59	48.08	3	Horizontal	77	1.05	108	34.00	10.07	32.54			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_2TX
SET 108
80\90\108
11.68\11.83\11.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.592G	54.37	68.20	-13.83	47.25	3	Vertical	320	2.95	108	34.58	7.34	34.80			
AV	5.4504G	42.52	54.00	-11.48	35.35	3	Vertical	320	2.95	108	34.70	7.24	34.77			
PK	5.7486G	109.42	Inf	-Inf	102.48	3	Vertical	320	2.95	108	34.30	7.47	34.83			
AV	5.7462G	99.99	Inf	-Inf	93.05	3	Vertical	320	2.95	108	34.30	7.47	34.83			
PK	5.9544G	53.37	68.20	-14.83	46.00	3	Vertical	320	2.95	108	34.71	7.53	34.87			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_2TX
SET 108
95\104\108
9.54\8.57\5.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.652G	64.40	69.68	-5.28	57.33	3	Horizontal	79	2.65	-	34.49	7.39	34.81				
PK	5.7475G	123.02	Inf	-Inf	116.08	3	Horizontal	79	2.65	-	34.30	7.47	34.83				
AV	5.7475G	115.31	Inf	-Inf	108.37	3	Horizontal	79	2.65	-	34.30	7.47	34.83				
PK	5.9255G	53.13	68.20	-15.07	45.83	3	Horizontal	79	2.65	-	34.65	7.52	34.87				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_V_2TX
SET 95
50\60\95
14.38\13.93\13.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64638G	54.49	68.20	-13.71	47.40	3	Vertical	322	2.80	95	34.51	7.39	34.81			
PK	5.79037G	108.28	Inf	-Inf	101.40	3	Vertical	322	2.80	95	34.22	7.50	34.84			
AV	5.78613G	99.01	Inf	-Inf	92.12	3	Vertical	322	2.80	95	34.23	7.50	34.84			
PK	6.08198G	54.18	68.20	-14.02	46.38	3	Vertical	322	2.80	95	35.06	7.62	34.88			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_2TX
SET 108
95\105\108
10.88\10.60\10.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.62762G	57.73	68.20	-10.47	50.63	3	Horizontal	80	2.82	108	34.54	7.37	34.81			
PK	5.78855G	116.25	Inf	-Inf	109.37	3	Horizontal	80	2.82	108	34.22	7.50	34.84			
AV	5.77948G	110.46	Inf	-Inf	103.57	3	Horizontal	80	2.82	108	34.24	7.49	34.84			
PK	6.08077G	53.56	68.20	-14.64	45.76	3	Horizontal	80	2.82	108	35.06	7.62	34.88			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_V_2TX
SET 95
50\60\95
14.37\13.97\13.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6012G	53.62	68.20	-14.58	46.47	3	Vertical	318	1.88	95	34.60	7.35	34.80				
PK	5.8208G	104.36	Inf	-Inf	97.37	3	Vertical	318	1.88	95	34.32	7.51	34.84				
AV	5.8178G	96.25	Inf	-Inf	89.27	3	Vertical	318	1.88	95	34.31	7.51	34.84				
PK	6.0938G	54.66	68.20	-13.54	46.82	3	Vertical	318	1.88	95	35.09	7.63	34.88				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_2TX
SET 108
95\105\108
11.58\11.35\11.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6006G	56.32	68.20	-11.88	49.17	3	Horizontal	78	2.95	108	34.60	7.35	34.80			
PK	5.8316G	116.44	Inf	-Inf	109.39	3	Horizontal	78	2.95	108	34.39	7.51	34.85			
AV	5.8268G	110.43	Inf	-Inf	103.41	3	Horizontal	78	2.95	108	34.36	7.51	34.85			
PK	6.098G	54.23	68.20	-13.97	46.37	3	Horizontal	78	2.95	108	35.10	7.64	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 86
80\86\89\88\87\86
6.46\1.67\ -1.40\ -0.39\ -0.33\1.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	67.05	74.00	-6.95	56.83	3	Vertical	345	2.95	86	33.10	9.71	32.59			
AV	5.1483G	52.71	54.00	-1.29	42.50	3	Vertical	345	2.95	86	33.09	9.71	32.59			
PK	5.1766G	114.97	Inf	-Inf	104.77	3	Vertical	345	2.95	86	33.05	9.73	32.58			
AV	5.1769G	103.45	Inf	-Inf	93.25	3	Vertical	345	2.95	86	33.05	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 85
86\84\85
-1.32\2.38\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	67.19	74.00	-6.81	56.97	3	Horizontal	87	2.86	85	33.10	9.71	32.59			
AV	5.1497G	53.59	54.00	-0.41	43.37	3	Horizontal	87	2.86	85	33.10	9.71	32.59			
PK	5.186G	118.31	Inf	-Inf	108.13	3	Horizontal	87	2.86	85	33.03	9.73	32.58			
AV	5.1829G	105.83	Inf	-Inf	95.65	3	Horizontal	87	2.86	85	33.03	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 98
80\87\108\98
7.97\6.30\7.29\0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1484G	68.23	74.00	-5.77	58.02	3	Vertical	346	2.95	98	33.09	9.71	32.59				
AV	5.1498G	53.90	54.00	-0.10	43.68	3	Vertical	346	2.95	98	33.10	9.71	32.59				
PK	5.1956G	116.50	Inf	-Inf	106.33	3	Vertical	346	2.95	98	33.01	9.74	32.58				
AV	5.1916G	104.81	Inf	-Inf	94.63	3	Vertical	346	2.95	98	33.02	9.74	32.58				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET 94
98\94\96\95\94
-3.34\0.59\0.95\0.17\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	67.75	74.00	-6.25	57.53	3	Horizontal	83	2.88	94	33.10	9.71	32.59			
AV	5.149G	53.44	54.00	-0.56	43.22	3	Horizontal	83	2.88	94	33.10	9.71	32.59			
PK	5.1916G	118.91	Inf	-Inf	108.73	3	Horizontal	83	2.88	94	33.02	9.74	32.58			
AV	5.2032G	107.23	Inf	-Inf	97.08	3	Horizontal	83	2.88	94	32.99	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
80\88\108
8.64\8.14\1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1431G	71.55	74.00	-2.45	61.36	3	Vertical	340	2.86	108	33.07	9.71	32.59			
AV	5.1467G	48.12	54.00	-5.88	37.91	3	Vertical	340	2.86	108	33.09	9.71	32.59			
PK	5.2391G	118.30	Inf	-Inf	108.23	3	Vertical	340	2.86	108	32.92	9.72	32.57			
AV	5.2376G	106.74	Inf	-Inf	96.67	3	Vertical	340	2.86	108	32.92	9.72	32.57			
PK	5.3561G	72.32	74.00	-1.68	62.39	3	Vertical	340	2.86	108	32.79	9.68	32.54			
AV	5.3507G	47.90	54.00	-6.10	37.96	3	Vertical	340	2.86	108	32.80	9.68	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 102
108\106\105\104\92\98\101\102\103\102
-1.43\ -3.04\ -2.97\ -3.59\ 6.97\ 6.57\ 4.73\ 0.73\ -1.98\ 0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	73.42	74.00	-0.58	63.22	3	Horizontal	81	2.95	102	33.08	9.71	32.59
AV	5.1482G	49.63	54.00	-4.37	39.42	3	Horizontal	81	2.95	102	33.09	9.71	32.59
PK	5.2394G	121.61	Inf	-Inf	111.54	3	Horizontal	81	2.95	102	32.92	9.72	32.57
AV	5.243G	110.13	Inf	-Inf	100.07	3	Horizontal	81	2.95	102	32.91	9.72	32.57
PK	5.3513G	73.07	74.00	-0.93	63.13	3	Horizontal	81	2.95	102	32.80	9.68	32.54
AV	5.3513G	48.88	54.00	-5.12	38.94	3	Horizontal	81	2.95	102	32.80	9.68	32.54

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 105
80\88\108\98\103\105\106\105
8.31\8.06\1.64\7.40\6.27\2.31\0.30\2.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.99	74.00	-10.01	53.77	3	Vertical	341	2.86	105	33.10	9.71	32.59
AV	5.1418G	46.07	54.00	-7.93	35.88	3	Vertical	341	2.86	105	33.07	9.71	32.59
PK	5.266G	119.65	Inf	-Inf	109.63	3	Vertical	341	2.86	105	32.87	9.71	32.56
AV	5.263G	107.06	Inf	-Inf	97.04	3	Vertical	341	2.86	105	32.87	9.71	32.56
PK	5.3632G	71.72	74.00	-2.28	61.82	3	Vertical	341	2.86	105	32.77	9.67	32.54
AV	5.3536G	49.76	54.00	-4.24	39.83	3	Vertical	341	2.86	105	32.79	9.68	32.54

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 105
105
0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	67.06	74.00	-6.94	56.84	3	Horizontal	79	2.95	105	33.10	9.71	32.59			
AV	5.1478G	47.37	54.00	-6.63	37.16	3	Horizontal	79	2.95	105	33.09	9.71	32.59			
PK	5.2633G	121.74	Inf	-Inf	111.72	3	Horizontal	79	2.95	105	32.87	9.71	32.56			
AV	5.2561G	110.08	Inf	-Inf	100.03	3	Horizontal	79	2.95	105	32.89	9.72	32.56			
PK	5.35G	73.78	74.00	-0.22	63.84	3	Horizontal	79	2.95	105	32.80	9.68	32.54			
AV	5.3515G	51.30	54.00	-2.70	41.36	3	Horizontal	79	2.95	105	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 98
80\88\108\98
8.10\6.67\11.98\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3034G	116.88	Inf	-Inf	106.93	3	Vertical	344	2.80	98	32.80	9.70	32.55			
AV	5.3034G	105.14	Inf	-Inf	95.19	3	Vertical	344	2.80	98	32.80	9.70	32.55			
PK	5.3568G	67.90	74.00	-6.10	57.97	3	Vertical	344	2.80	98	32.79	9.68	32.54			
AV	5.3512G	53.60	54.00	-0.40	43.66	3	Vertical	344	2.80	98	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 94
98\95\94
-2.81\ -0.03\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	119.56	Inf	-Inf	109.61	3	Horizontal	85	2.95	94	32.80	9.70	32.55			
AV	5.3046G	106.91	Inf	-Inf	96.96	3	Horizontal	85	2.95	94	32.80	9.70	32.55			
PK	5.3502G	69.87	74.00	-4.13	59.93	3	Horizontal	85	2.95	94	32.80	9.68	32.54			
AV	5.3508G	53.65	54.00	-0.35	43.71	3	Horizontal	85	2.95	94	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 88
80\86\89\88
6.16\3.30\2.09\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3182G	115.80	Inf	-Inf	105.86	3	Vertical	340	2.95	88	32.80	9.69	32.55			
AV	5.3188G	103.77	Inf	-Inf	93.83	3	Vertical	340	2.95	88	32.80	9.69	32.55			
PK	5.352G	70.10	74.00	-3.90	60.16	3	Vertical	340	2.95	88	32.80	9.68	32.54			
AV	5.3504G	53.58	54.00	-0.42	43.64	3	Vertical	340	2.95	88	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX



EUT_Y_1TX
SET 86
88\85\86\87\86
-2.04\1.28\0.74\1.28\1.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.326G	117.86	Inf	-Inf	107.92	3	Horizontal	86	2.95	86	32.80	9.69	32.55				
AV	5.3225G	105.10	Inf	-Inf	95.16	3	Horizontal	86	2.95	86	32.80	9.69	32.55				
PK	5.3507G	71.21	74.00	-2.79	61.27	3	Horizontal	86	2.95	86	32.80	9.68	32.54				
AV	5.3502G	53.00	54.00	-1.00	43.06	3	Horizontal	86	2.95	86	32.80	9.68	32.54				