


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_V_1TX
SET 95
80\87\108\98\93\95\96\95
7.95\7.27\19.86\3.47\4.72\2.97\1.06\1.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4583G	60.29	74.00	-13.71	50.31	3	Vertical	151	2.94	95	32.72	9.77	32.51			
AV	5.46G	48.13	54.00	-5.87	38.15	3	Vertical	151	2.94	95	32.72	9.77	32.51			
PK	5.4699G	66.25	68.20	-1.95	56.23	3	Vertical	151	2.94	95	32.74	9.79	32.51			
PK	5.4948G	112.42	Inf	-Inf	102.29	3	Vertical	151	2.94	95	32.79	9.84	32.50			
AV	5.4944G	100.32	Inf	-Inf	90.20	3	Vertical	151	2.94	95	32.79	9.83	32.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_V_1TX
SET 90
95\89\92\91\90
-5.98\2.41\1.93\1.37\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4599G	66.65	74.00	-7.35	56.67	3	Horizontal	89	1.05	90	32.72	9.77	32.51			
AV	5.4597G	52.11	54.00	-1.89	42.13	3	Horizontal	89	1.05	90	32.72	9.77	32.51			
PK	5.4694G	67.98	68.20	-0.22	57.96	3	Horizontal	89	1.05	90	32.74	9.79	32.51			
PK	5.4958G	118.27	Inf	-Inf	108.14	3	Horizontal	89	1.05	90	32.79	9.84	32.50			
AV	5.4921G	105.76	Inf	-Inf	95.65	3	Horizontal	89	1.05	90	32.78	9.83	32.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
80\88\108
8.59\8.54\8.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4465G	58.03	74.00	-15.97	48.09	3	Vertical	334	2.95	-	32.70	9.75	32.51				
PK	5.4696G	58.74	68.20	-9.46	48.72	3	Vertical	334	2.95	-	32.74	9.79	32.51				
PK	5.7258G	58.76	68.20	-9.44	47.97	3	Vertical	334	2.95	-	33.30	10.01	32.52				
AV	5.4567G	46.29	54.00	-7.71	36.33	3	Vertical	334	2.95	-	32.71	9.76	32.51				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
108
8.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4309G	56.73	74.00	-17.27	46.83	3	Horizontal	360	1.80	108	32.70	9.72	32.52			
PK	5.4654G	56.26	68.20	-11.94	46.26	3	Horizontal	360	1.80	108	32.73	9.78	32.51			
AV	5.4483G	45.11	54.00	-8.89	35.17	3	Horizontal	360	1.80	108	32.70	9.75	32.51			
PK	5.5839G	102.69	Inf	-Inf	92.50	3	Horizontal	360	1.80	108	32.70	10.00	32.51			
AV	5.583G	92.01	Inf	-Inf	81.82	3	Horizontal	360	1.80	108	32.70	10.00	32.51			
PK	5.7276G	58.45	68.20	-9.75	47.65	3	Horizontal	360	1.80	108	33.31	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
SET 71
80\71
-8.68\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6958G	112.26	Inf	-Inf	101.59	3	Vertical	337	2.93	71	33.17	10.02	32.52			
AV	5.6936G	100.32	Inf	-Inf	89.66	3	Vertical	337	2.93	71	33.16	10.02	32.52			
PK	5.7252G	67.86	68.20	-0.34	57.07	3	Vertical	337	2.93	71	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
SET 67
71\65\68\67
-5.28\0.74\0.12\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6914G	112.55	Inf	-Inf	101.90	3	Horizontal	83	1.05	67	33.15	10.02	32.52			
AV	5.6982G	100.90	Inf	-Inf	90.21	3	Horizontal	83	1.05	67	33.19	10.02	32.52			
PK	5.725G	67.73	68.20	-0.47	56.94	3	Horizontal	83	1.05	67	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
80\88\108
8.52\8.21\7.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4248G	56.81	74.00	-17.19	46.92	3	Vertical	334	2.90	108	32.70	9.71	32.52			
PK	5.4644G	56.02	68.20	-12.18	46.02	3	Vertical	334	2.90	108	32.73	9.78	32.51			
AV	5.4512G	46.32	54.00	-7.68	36.38	3	Vertical	334	2.90	108	32.70	9.75	32.51			
PK	5.7254G	118.82	Inf	-Inf	108.03	3	Vertical	334	2.90	108	33.30	10.01	32.52			
AV	5.7122G	107.93	Inf	-Inf	97.19	3	Vertical	334	2.90	108	33.25	10.01	32.52			
PK	5.9648G	58.69	68.20	-9.51	46.98	3	Vertical	334	2.90	108	34.10	10.16	32.55			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
SET 108
108
7.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4314G	56.79	74.00	-17.21	46.89	3	Horizontal	76	1.05	108	32.70	9.72	32.52			
PK	5.4662G	57.08	68.20	-11.12	47.08	3	Horizontal	76	1.05	108	32.73	9.78	32.51			
AV	5.456G	46.79	54.00	-7.21	36.83	3	Horizontal	76	1.05	108	32.71	9.76	32.51			
PK	5.7248G	119.63	Inf	-Inf	108.84	3	Horizontal	76	1.05	108	33.30	10.01	32.52			
AV	5.7194G	109.20	Inf	-Inf	98.43	3	Horizontal	76	1.05	108	33.28	10.01	32.52			
PK	5.8964G	58.13	68.20	-10.07	46.49	3	Horizontal	76	1.05	108	34.09	10.09	32.54			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 108
80\90\108
13.02\12.98\4.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.46G	41.04	54.00	-12.96	33.86	3	Vertical	324	2.70	108	34.70	7.25	34.77			
PK	5.6472G	64.18	68.20	-4.02	57.09	3	Vertical	324	2.70	108	34.51	7.39	34.81			
PK	5.7444G	112.56	Inf	-Inf	105.62	3	Vertical	324	2.70	108	34.30	7.47	34.83			
AV	5.7444G	100.08	Inf	-Inf	93.14	3	Vertical	324	2.70	108	34.30	7.47	34.83			
PK	5.9394G	53.03	68.20	-15.17	45.70	3	Vertical	324	2.70	108	34.68	7.52	34.87			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 102
108\102\107\105\104\103\102
-5.63\9.75\ -5.81\ -3.21\ -2.85\ -1.29\9.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4462G	43.07	54.00	-10.93	35.91	3	Horizontal	81	2.94	102	34.70	7.23	34.77			
PK	5.6466G	59.05	68.20	-9.15	51.96	3	Horizontal	81	2.94	102	34.51	7.39	34.81			
PK	5.7402G	116.20	Inf	-Inf	109.27	3	Horizontal	81	2.94	102	34.30	7.46	34.83			
AV	5.739G	108.85	Inf	-Inf	101.92	3	Horizontal	81	2.94	102	34.30	7.46	34.83			
PK	5.9646G	53.32	68.20	-14.88	45.93	3	Horizontal	81	2.94	102	34.73	7.53	34.87			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
80\90\108
13.92\13.52\14.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.64759G	53.63	68.20	-14.57	46.55	3	Vertical	319	1.94	108	34.50	7.39	34.81				
PK	5.78855G	109.58	Inf	-Inf	102.70	3	Vertical	319	1.94	108	34.22	7.50	34.84				
AV	5.7819G	98.39	Inf	-Inf	91.49	3	Vertical	319	1.94	108	34.24	7.50	34.84				
PK	6.05899G	53.50	68.20	-14.70	45.77	3	Vertical	319	1.94	108	35.02	7.59	34.88				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 108
108
7.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63065G	60.78	68.20	-7.42	53.68	3	Horizontal	82	2.85	108	34.54	7.37	34.81			
PK	5.78734G	116.05	Inf	-Inf	109.16	3	Horizontal	82	2.85	108	34.23	7.50	34.84			
AV	5.78734G	107.53	Inf	-Inf	100.64	3	Horizontal	82	2.85	108	34.23	7.50	34.84			
PK	6.06262G	53.18	68.20	-15.02	45.43	3	Horizontal	82	2.85	108	35.03	7.60	34.88			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
80\90\108
14.55\14.25\13.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5628G	54.36	68.20	-13.84	47.30	3	Vertical	318	1.80	108	34.53	7.32	34.79			
PK	5.8298G	108.45	Inf	-Inf	101.41	3	Vertical	318	1.80	108	34.38	7.51	34.85			
AV	5.822G	96.53	Inf	-Inf	89.53	3	Vertical	318	1.80	108	34.33	7.51	34.84			
PK	6.0986G	53.88	68.20	-14.32	46.02	3	Vertical	318	1.80	108	35.10	7.64	34.88			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
108
10.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6012G	57.34	68.20	-10.86	50.19	3	Horizontal	81	2.95	108	34.60	7.35	34.80
PK	5.8298G	116.21	Inf	-Inf	109.17	3	Horizontal	81	2.95	108	34.38	7.51	34.85
AV	5.8292G	107.80	Inf	-Inf	100.76	3	Horizontal	81	2.95	108	34.38	7.51	34.85
PK	6.0896G	54.10	68.20	-14.10	46.27	3	Horizontal	81	2.95	108	35.08	7.63	34.88

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 78
80\77\78\79\78
-2.51\1.54\0.58\0.71\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	67.00	74.00	-7.00	56.78	3	Vertical	344	2.91	78	33.10	9.71	32.59			
AV	5.1496G	53.41	54.00	-0.59	43.19	3	Vertical	344	2.91	78	33.10	9.71	32.59			
PK	5.183G	111.01	Inf	-Inf	100.83	3	Vertical	344	2.91	78	33.03	9.73	32.58			
AV	5.1862G	98.56	Inf	-Inf	88.38	3	Vertical	344	2.91	78	33.03	9.73	32.58			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 73
78\74\72\73
-3.44\ -1.18\0.93\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	66.40	74.00	-7.60	56.18	3	Horizontal	85	2.88	73	33.10	9.71	32.59				
AV	5.1498G	53.96	54.00	-0.04	43.74	3	Horizontal	85	2.88	73	33.10	9.71	32.59				
PK	5.1768G	112.40	Inf	-Inf	102.20	3	Horizontal	85	2.88	73	33.05	9.73	32.58				
AV	5.182G	100.35	Inf	-Inf	90.16	3	Horizontal	85	2.88	73	33.04	9.73	32.58				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 95
80\87\108\98\93\95\96\95
7.83\6.33\8.18\3.22\2.31\0.81\0.06\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	67.13	74.00	-6.87	56.91	3	Vertical	340	2.87	95	33.10	9.71	32.59			
AV	5.1486G	53.64	54.00	-0.36	43.43	3	Vertical	340	2.87	95	33.09	9.71	32.59			
PK	5.223G	115.40	Inf	-Inf	105.29	3	Vertical	340	2.87	95	32.95	9.73	32.57			
AV	5.2266G	102.67	Inf	-Inf	92.56	3	Vertical	340	2.87	95	32.95	9.73	32.57			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 90
95\91\89\90
-3.26\ -0.11\1.78\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.149G	65.40	74.00	-8.60	55.18	3	Horizontal	84	2.93	90	33.10	9.71	32.59				
AV	5.1498G	53.52	54.00	-0.48	43.30	3	Horizontal	84	2.93	90	33.10	9.71	32.59				
PK	5.2416G	116.63	Inf	-Inf	106.56	3	Horizontal	84	2.93	90	32.92	9.72	32.57				
AV	5.2382G	104.74	Inf	-Inf	94.67	3	Horizontal	84	2.93	90	32.92	9.72	32.57				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 94
80\87\108\98\93\95\94
7.51\6.07\13.19\2.37\2.30\0.02\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2626G	113.90	Inf	-Inf	103.88	3	Vertical	344	2.83	94	32.87	9.71	32.56			
AV	5.266G	101.60	Inf	-Inf	91.58	3	Vertical	344	2.83	94	32.87	9.71	32.56			
PK	5.3522G	65.11	74.00	-8.89	55.17	3	Vertical	344	2.83	94	32.80	9.68	32.54			
AV	5.351G	53.15	54.00	-0.85	43.21	3	Vertical	344	2.83	94	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 92
94\92
-1.07\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2562G	116.23	Inf	-Inf	106.18	3	Horizontal	83	2.95	92	32.89	9.72	32.56
AV	5.2572G	104.69	Inf	-Inf	94.64	3	Horizontal	83	2.95	92	32.89	9.72	32.56
PK	5.3524G	66.44	74.00	-7.56	56.50	3	Horizontal	83	2.95	92	32.80	9.68	32.54
AV	5.3518G	53.55	54.00	-0.45	43.61	3	Horizontal	83	2.95	92	32.80	9.68	32.54

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 77
80\77
-2.29\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3028G	110.84	Inf	-Inf	100.89	3	Vertical	344	2.95	77	32.80	9.70	32.55			
AV	5.3012G	98.54	Inf	-Inf	88.59	3	Vertical	344	2.95	77	32.80	9.70	32.55			
PK	5.3536G	66.83	74.00	-7.17	56.90	3	Vertical	344	2.95	77	32.79	9.68	32.54			
AV	5.3504G	53.50	54.00	-0.50	43.56	3	Vertical	344	2.95	77	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 73
77\74\73
-2.07\ -0.29\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.313G	112.72	Inf	-Inf	102.78	3	Horizontal	83	2.90	73	32.80	9.69	32.55			
AV	5.3024G	99.99	Inf	-Inf	90.04	3	Horizontal	83	2.90	73	32.80	9.70	32.55			
PK	5.355G	66.85	74.00	-7.15	56.92	3	Horizontal	83	2.90	73	32.79	9.68	32.54			
AV	5.3506G	53.73	54.00	-0.27	43.79	3	Horizontal	83	2.90	73	32.80	9.68	32.54			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 81
80\82\81
2.05\0.05\0.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	62.86	74.00	-11.14	52.88	3	Vertical	343	2.93	81	32.72	9.77	32.51			
AV	5.46G	51.05	54.00	-2.95	41.07	3	Vertical	343	2.93	81	32.72	9.77	32.51			
PK	5.4634G	67.46	68.20	-0.74	57.46	3	Vertical	343	2.93	81	32.73	9.78	32.51			
PK	5.4978G	110.80	Inf	-Inf	100.66	3	Vertical	343	2.93	81	32.80	9.84	32.50			
AV	5.5004G	100.11	Inf	-Inf	89.96	3	Vertical	343	2.93	81	32.80	9.85	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 79
81\79
-1.12\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.456G	65.34	74.00	-8.66	55.38	3	Horizontal	87	1.05	79	32.71	9.76	32.51			
AV	5.46G	52.33	54.00	-1.67	42.35	3	Horizontal	87	1.05	79	32.72	9.77	32.51			
PK	5.4688G	67.84	68.20	-0.36	57.82	3	Horizontal	87	1.05	79	32.74	9.79	32.51			
PK	5.5172G	112.49	Inf	-Inf	102.34	3	Horizontal	87	1.05	79	32.77	9.88	32.50			
AV	5.5152G	101.41	Inf	-Inf	91.27	3	Horizontal	87	1.05	79	32.77	9.87	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 96
80\86\108\97\92\94\95\96
6.96\6.26\ -15.79\ -0.69\3.95\2.45\2.05\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	64.50	74.00	-9.50	54.52	3	Vertical	338	2.95	96	32.72	9.77	32.51			
AV	5.4594G	53.04	54.00	-0.96	43.06	3	Vertical	338	2.95	96	32.72	9.77	32.51			
PK	5.47G	67.71	68.20	-0.49	57.69	3	Vertical	338	2.95	96	32.74	9.79	32.51			
PK	5.5466G	114.18	Inf	-Inf	104.04	3	Vertical	338	2.95	96	32.71	9.93	32.50			
AV	5.541G	103.55	Inf	-Inf	93.41	3	Vertical	338	2.95	96	32.72	9.92	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 94
96\94\95\94
-1.47\0.69\ -0.55\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4568G	65.86	74.00	-8.14	55.89	3	Horizontal	83	2.95	94	32.71	9.77	32.51			
AV	5.4598G	53.70	54.00	-0.30	43.72	3	Horizontal	83	2.95	94	32.72	9.77	32.51			
PK	5.4698G	67.77	68.20	-0.43	57.75	3	Horizontal	83	2.95	94	32.74	9.79	32.51			
PK	5.5534G	117.85	Inf	-Inf	107.71	3	Horizontal	83	2.95	94	32.70	9.95	32.51			
AV	5.5344G	106.43	Inf	-Inf	96.29	3	Horizontal	83	2.95	94	32.73	9.91	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 86
80\84\86
4.89\3.31\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6799G	112.29	Inf	-Inf	101.71	3	Vertical	336	2.95	86	33.08	10.02	32.52			
AV	5.6556G	101.46	Inf	-Inf	91.03	3	Vertical	336	2.95	86	32.93	10.02	32.52			
PK	5.7255G	67.83	68.20	-0.37	57.04	3	Vertical	336	2.95	86	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 84
86\76\88\82\85\84
-10.20\4.79\1.44\2.27\1.10\1.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.679G	113.95	Inf	-Inf	103.38	3	Horizontal	80	1.05	84	33.07	10.02	32.52			
AV	5.6643G	102.35	Inf	-Inf	91.86	3	Horizontal	80	1.05	84	32.99	10.02	32.52			
PK	5.7252G	66.84	68.20	-1.36	56.05	3	Horizontal	80	1.05	84	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 108
80\88\108
8.41\7.98\1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4436G	58.83	74.00	-15.17	48.90	3	Vertical	335	2.95	108	32.70	9.74	32.51			
AV	5.4544G	46.92	54.00	-7.08	36.96	3	Vertical	335	2.95	108	32.71	9.76	32.51			
PK	5.47G	57.16	68.20	-11.04	47.14	3	Vertical	335	2.95	108	32.74	9.79	32.51			
PK	5.7148G	115.75	Inf	-Inf	105.00	3	Vertical	335	2.95	108	33.26	10.01	32.52			
AV	5.716G	104.59	Inf	-Inf	93.84	3	Vertical	335	2.95	108	33.26	10.01	32.52			
PK	5.8528G	66.89	68.20	-1.31	55.47	3	Vertical	335	2.95	108	33.91	10.05	32.54			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 105
108\106\105
-1.29\ -0.20\0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4208G	57.62	74.00	-16.38	47.74	3	Horizontal	76	1.05	105	32.70	9.70	32.52			
PK	5.4664G	57.25	68.20	-10.95	47.25	3	Horizontal	76	1.05	105	32.73	9.78	32.51			
AV	5.4598G	47.09	54.00	-6.91	37.11	3	Horizontal	76	1.05	105	32.72	9.77	32.51			
PK	5.7202G	116.71	Inf	-Inf	105.94	3	Horizontal	76	1.05	105	33.28	10.01	32.52			
AV	5.6956G	105.95	Inf	-Inf	95.28	3	Horizontal	76	1.05	105	33.17	10.02	32.52			
PK	5.85G	67.67	68.20	-0.53	56.25	3	Horizontal	76	1.05	105	33.90	10.05	32.53			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 100
80\90\108\99\103\101\100
13.12\13.08\2.32\3.69\2.25\0.37\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4568G	41.09	54.00	-12.91	33.92	3	Vertical	320	2.69	100	34.70	7.24	34.77			
PK	5.6452G	67.64	68.20	-0.56	60.55	3	Vertical	320	2.69	100	34.51	7.39	34.81			
PK	5.7508G	108.55	Inf	-Inf	101.61	3	Vertical	320	2.69	100	34.30	7.47	34.83			
AV	5.7508G	96.75	Inf	-Inf	89.81	3	Vertical	320	2.69	100	34.30	7.47	34.83			
PK	6.0136G	53.35	68.20	-14.85	45.84	3	Vertical	320	2.69	100	34.85	7.54	34.88			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 98
100\91\102\97\99\98
-8.90\8.87\11.16\2.75\5.20\1.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4574G	42.66	54.00	-11.34	35.49	3	Horizontal	80	2.90	98	34.70	7.24	34.77			
PK	5.6422G	66.47	68.20	-1.73	59.38	3	Horizontal	80	2.90	98	34.52	7.38	34.81			
PK	5.758G	116.04	Inf	-Inf	109.11	3	Horizontal	80	2.90	98	34.28	7.48	34.83			
AV	5.7436G	105.02	Inf	-Inf	98.09	3	Horizontal	80	2.90	98	34.30	7.46	34.83			
PK	5.9524G	53.13	68.20	-15.07	45.77	3	Horizontal	80	2.90	98	34.70	7.53	34.87			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT Y_1TX
SET 108
80\90\108
13.83\14.07\7.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6498G	60.37	68.20	-7.83	53.29	3	Vertical	317	1.95	108	34.50	7.39	34.81			
PK	5.7944G	106.25	Inf	-Inf	99.37	3	Vertical	317	1.95	108	34.21	7.51	34.84			
AV	5.7878G	94.85	Inf	-Inf	87.97	3	Vertical	317	1.95	108	34.22	7.50	34.84			
PK	6.0476G	53.69	68.20	-14.51	46.00	3	Vertical	317	1.95	108	34.99	7.58	34.88			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 100
108\105\104\103\102\101\100
-2.26\ -2.30\ -2.37\ -2.18\ -1.66\ -1.28\ 0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6498G	67.96	68.20	-0.24	60.88	3	Horizontal	81	2.60	100	34.50	7.39	34.81				
PK	5.8022G	115.81	Inf	-Inf	108.93	3	Horizontal	81	2.60	100	34.21	7.51	34.84				
AV	5.7902G	104.46	Inf	-Inf	97.58	3	Horizontal	81	2.60	100	34.22	7.50	34.84				
PK	6.068G	53.68	68.20	-14.52	45.92	3	Horizontal	81	2.60	100	35.04	7.60	34.88				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 81
80\81
1.36\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1465G	64.88	74.00	-9.12	54.67	3	Vertical	343	2.86	81	33.09	9.71	32.59			
AV	5.15G	53.85	54.00	-0.15	43.63	3	Vertical	343	2.86	81	33.10	9.71	32.59			
PK	5.2265G	107.93	Inf	-Inf	97.82	3	Vertical	343	2.86	81	32.95	9.73	32.57			
AV	5.223G	95.51	Inf	-Inf	85.40	3	Vertical	343	2.86	81	32.95	9.73	32.57			
PK	5.36G	57.96	74.00	-16.04	48.04	3	Vertical	343	2.86	81	32.78	9.68	32.54			
AV	5.3555G	46.39	54.00	-7.61	36.46	3	Vertical	343	2.86	81	32.79	9.68	32.54			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 77
81\78\77
-2.21\ -0.01\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	64.83	74.00	-9.17	54.61	3	Horizontal	78	2.94	77	33.10	9.71	32.59				
AV	5.1495G	53.68	54.00	-0.32	43.46	3	Horizontal	78	2.94	77	33.10	9.71	32.59				
PK	5.236G	109.61	Inf	-Inf	99.52	3	Horizontal	78	2.94	77	32.93	9.73	32.57				
AV	5.239G	97.64	Inf	-Inf	87.57	3	Horizontal	78	2.94	77	32.92	9.72	32.57				
PK	5.36G	58.56	74.00	-15.44	48.64	3	Horizontal	78	2.94	77	32.78	9.68	32.54				
AV	5.3705G	47.08	54.00	-6.92	37.18	3	Horizontal	78	2.94	77	32.76	9.67	32.53				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 78
80\78\79\78
-1.57\0.83\0.19\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1475G	57.51	74.00	-16.49	47.30	3	Vertical	344	2.95	78	33.09	9.71	32.59			
AV	5.117G	45.58	54.00	-8.42	35.51	3	Vertical	344	2.95	78	32.97	9.70	32.60			
PK	5.2985G	108.08	Inf	-Inf	98.13	3	Vertical	344	2.95	78	32.80	9.70	32.55			
AV	5.303G	95.88	Inf	-Inf	85.93	3	Vertical	344	2.95	78	32.80	9.70	32.55			
PK	5.35G	64.67	74.00	-9.33	54.73	3	Vertical	344	2.95	78	32.80	9.68	32.54			
AV	5.35G	53.15	54.00	-0.85	43.21	3	Vertical	344	2.95	78	32.80	9.68	32.54			
PK	5.4695G	57.85	68.20	-10.35	47.83	3	Vertical	344	2.95	78	32.74	9.79	32.51			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 73
78\75\74\73
-2.22\ -0.01\ -0.28\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1495G	58.11	74.00	-15.89	47.89	3	Horizontal	85	2.95	73	33.10	9.71	32.59
AV	5.1355G	46.05	54.00	-7.95	35.89	3	Horizontal	85	2.95	73	33.04	9.71	32.59
PK	5.2605G	108.58	Inf	-Inf	98.54	3	Horizontal	85	2.95	73	32.88	9.72	32.56
AV	5.259G	96.83	Inf	-Inf	86.79	3	Horizontal	85	2.95	73	32.88	9.72	32.56
PK	5.356G	64.52	74.00	-9.48	54.59	3	Horizontal	85	2.95	73	32.79	9.68	32.54
AV	5.35G	53.96	54.00	-0.04	44.02	3	Horizontal	85	2.95	73	32.80	9.68	32.54
PK	5.4765G	58.48	68.20	-9.72	48.44	3	Horizontal	85	2.95	73	32.75	9.80	32.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 81
80\81\82\81
1.74\1.02\0.01\0.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3485G	57.01	68.20	-11.19	47.07	3	Vertical	338	2.93	81	32.80	9.68	32.54			
AV	5.35G	46.43	54.00	-7.57	36.49	3	Vertical	338	2.93	81	32.80	9.68	32.54			
PK	5.456G	63.39	74.00	-10.61	53.43	3	Vertical	338	2.93	81	32.71	9.76	32.51			
AV	5.458G	53.37	54.00	-0.63	43.39	3	Vertical	338	2.93	81	32.72	9.77	32.51			
PK	5.47G	65.12	68.20	-3.08	55.10	3	Vertical	338	2.93	81	32.74	9.79	32.51			
PK	5.5315G	108.95	Inf	-Inf	98.81	3	Vertical	338	2.93	81	32.74	9.90	32.50			
AV	5.5435G	97.24	Inf	-Inf	87.10	3	Vertical	338	2.93	81	32.71	9.93	32.50			
PK	5.7745G	57.76	68.20	-10.44	46.74	3	Vertical	338	2.93	81	33.55	10.00	32.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
SET 78
81\79\78
-1.11\0.13\0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3395G	57.43	68.20	-10.77	47.49	3	Horizontal	85	2.95	78	32.80	9.68	32.54
AV	5.35G	46.73	54.00	-7.27	36.79	3	Horizontal	85	2.95	78	32.80	9.68	32.54
PK	5.4585G	62.82	74.00	-11.18	52.84	3	Horizontal	85	2.95	78	32.72	9.77	32.51
AV	5.46G	53.18	54.00	-0.82	43.20	3	Horizontal	85	2.95	78	32.72	9.77	32.51
PK	5.47G	63.93	68.20	-4.27	53.91	3	Horizontal	85	2.95	78	32.74	9.79	32.51
PK	5.521G	109.90	Inf	-Inf	99.76	3	Horizontal	85	2.95	78	32.76	9.88	32.50
AV	5.535G	98.77	Inf	-Inf	88.63	3	Horizontal	85	2.95	78	32.73	9.91	32.50
PK	5.738G	57.74	68.20	-10.46	46.90	3	Horizontal	85	2.95	78	33.35	10.01	32.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 97
80\87\108\98\93\95\96\97
7.04\6.01\15.84\1.61\4.04\2.61\0.53\0.96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.441G	62.98	74.00	-11.02	53.06	3	Vertical	338	2.95	97	32.70	9.74	32.52			
PK	5.4685G	63.67	68.20	-4.53	53.65	3	Vertical	338	2.95	97	32.74	9.79	32.51			
AV	5.4585G	53.04	54.00	-0.96	43.06	3	Vertical	338	2.95	97	32.72	9.77	32.51			
PK	5.585G	112.03	Inf	-Inf	101.84	3	Vertical	338	2.95	97	32.70	10.00	32.51			
AV	5.624G	101.68	Inf	-Inf	91.36	3	Vertical	338	2.95	97	32.80	10.03	32.51			
PK	5.743G	66.99	68.20	-1.21	56.13	3	Vertical	338	2.95	97	33.37	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 95
97\95
-1.58\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4515G	63.22	74.00	-10.78	53.27	3	Horizontal	78	1.05	95	32.70	9.76	32.51			
AV	5.4565G	52.60	54.00	-1.40	42.64	3	Horizontal	78	1.05	95	32.71	9.76	32.51			
PK	5.4635G	64.39	68.20	-3.81	54.39	3	Horizontal	78	1.05	95	32.73	9.78	32.51			
PK	5.588G	112.40	Inf	-Inf	102.20	3	Horizontal	78	1.05	95	32.70	10.01	32.51			
AV	5.5995G	101.24	Inf	-Inf	91.02	3	Horizontal	78	1.05	95	32.70	10.03	32.51			
PK	5.725G	68.12	68.20	-0.08	57.33	3	Horizontal	78	1.05	95	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 106
80\87\108\98\103\105\106
7.61\7.56\4.65\5.66\2.52\1.30\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	63.89	74.00	-10.11	53.93	3	Vertical	339	2.95	106	32.71	9.76	32.51
AV	5.46G	53.95	54.00	-0.05	43.97	3	Vertical	339	2.95	106	32.72	9.77	32.51
PK	5.4656G	64.51	68.20	-3.69	54.51	3	Vertical	339	2.95	106	32.73	9.78	32.51
PK	5.6768G	112.00	Inf	-Inf	101.44	3	Vertical	339	2.95	106	33.06	10.02	32.52
AV	5.6582G	101.81	Inf	-Inf	91.36	3	Vertical	339	2.95	106	32.95	10.02	32.52
PK	5.8526G	66.67	68.20	-1.53	55.25	3	Vertical	339	2.95	106	33.91	10.05	32.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 104
106\103\104\105\104
-2.59\1.70\0.69\0.34\0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	64.07	74.00	-9.93	54.09	3	Horizontal	86	1.05	104	32.72	9.77	32.51			
AV	5.459G	53.11	54.00	-0.89	43.13	3	Horizontal	86	1.05	104	32.72	9.77	32.51			
PK	5.468G	64.35	68.20	-3.85	54.33	3	Horizontal	86	1.05	104	32.74	9.79	32.51			
PK	5.6618G	113.29	Inf	-Inf	102.82	3	Horizontal	86	1.05	104	32.97	10.02	32.52			
AV	5.6618G	102.98	Inf	-Inf	92.51	3	Horizontal	86	1.05	104	32.97	10.02	32.52			
PK	5.85G	66.96	68.20	-1.24	55.54	3	Horizontal	86	1.05	104	33.90	10.05	32.53			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 102
80\90\108\99\103\101\102
13.02\10.43\5.23\5.53\0.13\3.60\0.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6382G	67.33	68.20	-0.87	60.24	3	Vertical	338	2.89	102	34.52	7.38	34.81			
PK	5.76G	106.27	Inf	-Inf	99.34	3	Vertical	338	2.89	102	34.28	7.48	34.83			
AV	5.763G	94.59	Inf	-Inf	87.67	3	Vertical	338	2.89	102	34.27	7.48	34.83			
PK	6.0702G	54.00	68.20	-14.20	46.23	3	Vertical	338	2.89	102	35.04	7.61	34.88			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 97
102\98\96\97
-3.88\ -0.68\0.58\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6472G	67.94	68.20	-0.26	60.85	3	Horizontal	82	2.11	97	34.51	7.39	34.81			
PK	5.7804G	113.03	Inf	-Inf	106.14	3	Horizontal	82	2.11	97	34.24	7.49	34.84			
AV	5.7462G	101.03	Inf	-Inf	94.09	3	Horizontal	82	2.11	97	34.30	7.47	34.83			
PK	6.0726G	53.78	68.20	-14.42	46.00	3	Horizontal	82	2.11	97	35.05	7.61	34.88			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 70
80\70
-10.87\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	66.97	74.00	-7.03	56.75	3	Vertical	342	2.95	70	33.10	9.71	32.59			
AV	5.1498G	49.78	54.00	-4.22	39.56	3	Vertical	342	2.95	70	33.10	9.71	32.59			
PK	5.304G	103.76	Inf	-Inf	93.81	3	Vertical	342	2.95	70	32.80	9.70	32.55			
AV	5.3064G	91.10	Inf	-Inf	81.15	3	Vertical	342	2.95	70	32.80	9.70	32.55			
PK	5.35G	71.74	74.00	-2.26	61.80	3	Vertical	342	2.95	70	32.80	9.68	32.54			
AV	5.3508G	53.66	54.00	-0.34	43.72	3	Vertical	342	2.95	70	32.80	9.68	32.54			
PK	5.463G	59.75	68.20	-8.45	49.75	3	Vertical	342	2.95	70	32.73	9.78	32.51			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 67
70\67\68\67
-2.30\0.99\0.34\0.71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	68.13	74.00	-5.87	57.91	3	Horizontal	82	2.95	67	33.10	9.71	32.59			
AV	5.1492G	49.24	54.00	-4.76	39.02	3	Horizontal	82	2.95	67	33.10	9.71	32.59			
PK	5.2626G	105.57	Inf	-Inf	95.55	3	Horizontal	82	2.95	67	32.87	9.71	32.56			
AV	5.2662G	93.33	Inf	-Inf	83.31	3	Horizontal	82	2.95	67	32.87	9.71	32.56			
PK	5.35G	73.17	74.00	-0.83	63.23	3	Horizontal	82	2.95	67	32.80	9.68	32.54			
AV	5.35G	53.29	54.00	-0.71	43.35	3	Horizontal	82	2.95	67	32.80	9.68	32.54			
PK	5.4642G	60.06	68.20	-8.14	50.06	3	Horizontal	82	2.95	67	32.73	9.78	32.51			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 71
80\74\71
-5.13\ -1.14\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.336G	57.26	68.20	-10.94	47.31	3	Vertical	335	2.93	71	32.80	9.69	32.54			
PK	5.46G	65.06	74.00	-8.94	55.08	3	Vertical	335	2.93	71	32.72	9.77	32.51			
AV	5.456G	48.30	54.00	-5.70	38.34	3	Vertical	335	2.93	71	32.71	9.76	32.51			
PK	5.4698G	67.70	68.20	-0.50	57.68	3	Vertical	335	2.93	71	32.74	9.79	32.51			
PK	5.6276G	103.30	Inf	-Inf	92.97	3	Vertical	335	2.93	71	32.81	10.03	32.51			
AV	5.6312G	91.56	Inf	-Inf	81.22	3	Vertical	335	2.93	71	32.82	10.03	32.51			
PK	5.7314G	62.89	68.20	-5.31	52.07	3	Vertical	335	2.93	71	33.33	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_V_1TX
SET 68
71\69\68
-1.55\ -0.59\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3438G	57.11	68.20	-11.09	47.17	3	Horizontal	92	1.05	68	32.80	9.68	32.54				
PK	5.459G	65.66	74.00	-8.34	55.68	3	Horizontal	92	1.05	68	32.72	9.77	32.51				
AV	5.4548G	48.99	54.00	-5.01	39.03	3	Horizontal	92	1.05	68	32.71	9.76	32.51				
PK	5.4698G	68.17	68.20	-0.03	58.15	3	Horizontal	92	1.05	68	32.74	9.79	32.51				
PK	5.4932G	103.74	Inf	-Inf	93.62	3	Horizontal	92	1.05	68	32.79	9.83	32.50				
AV	5.51G	91.45	Inf	-Inf	81.31	3	Horizontal	92	1.05	68	32.78	9.86	32.50				
PK	5.7254G	61.21	68.20	-6.99	50.42	3	Horizontal	92	1.05	68	33.30	10.01	32.52				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 83
42\48\73\85\79\82\83\84\83
6.71\6.32\4.74\1.99\3.82\1.92\0.89\0.18\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1452G	64.96	74.00	-9.04	54.76	3	Vertical	346	2.95	83	33.08	9.71	32.59			
AV	5.1499G	53.62	54.00	-0.38	43.40	3	Vertical	346	2.95	83	33.10	9.71	32.59			
PK	5.1745G	115.20	Inf	-Inf	105.00	3	Vertical	346	2.95	83	33.05	9.73	32.58			
AV	5.1846G	107.56	Inf	-Inf	97.38	3	Vertical	346	2.95	83	33.03	9.73	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 81
83\81\82\81
-1.98\0.65\ -0.32\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1477G	64.85	74.00	-9.15	54.64	3	Horizontal	86	2.87	81	33.09	9.71	32.59				
AV	5.1471G	53.77	54.00	-0.23	43.56	3	Horizontal	86	2.87	81	33.09	9.71	32.59				
PK	5.1863G	119.51	Inf	-Inf	109.33	3	Horizontal	86	2.87	81	33.03	9.73	32.58				
AV	5.1766G	112.11	Inf	-Inf	101.91	3	Horizontal	86	2.87	81	33.05	9.73	32.58				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
01-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37044G	49.08	68.20	-19.12	44.06	3	Vertical	357	2.61	-	39.68	10.68	45.34			
PK	15.52905G	55.10	74.00	-18.90	45.60	3	Vertical	325	1.94	-	38.88	13.55	42.93			
AV	15.54267G	47.36	54.00	-6.64	37.93	3	Vertical	325	1.94	-	38.83	13.56	42.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
01-X-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36216G	49.51	68.20	-18.69	44.52	3	Horizontal	329	1.81	-	39.65	10.68	45.34			
PK	15.54147G	55.01	74.00	-18.99	45.58	3	Horizontal	351	2.56	-	38.83	13.56	42.96			
AV	15.5427G	47.13	54.00	-6.87	37.70	3	Horizontal	351	2.56	-	38.83	13.56	42.96			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7132G	67.44	83.54	-16.10	62.05	1	Vertical	46	1.50	-	37.58	16.71	48.90			
AV	20.7238G	57.96	63.54	-5.58	52.51	1	Vertical	46	1.50	-	37.64	16.71	48.90			
PK	25.9002G	57.82	77.74	-19.92	47.85	1	Vertical	20	1.65	-	38.70	18.75	47.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7132G	68.34	83.54	-15.20	62.95	1	Horizontal	24	1.54	-	37.58	16.71	48.90			
AV	20.7182G	59.16	63.54	-4.38	53.74	1	Horizontal	24	1.54	-	37.61	16.71	48.90			
PK	25.9096G	59.50	77.74	-18.24	49.53	1	Horizontal	312	1.94	-	38.70	18.75	47.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_V_2TX
SET 95
80\85\104\95
5.54\4.96\7.29\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	66.32	74.00	-7.68	56.10	3	Vertical	344	2.92	95	33.10	9.71	32.59				
AV	5.15G	53.70	54.00	-0.30	43.48	3	Vertical	344	2.92	95	33.10	9.71	32.59				
PK	5.194G	117.36	Inf	-Inf	107.19	3	Vertical	344	2.92	95	33.01	9.74	32.58				
AV	5.1938G	109.76	Inf	-Inf	99.59	3	Vertical	344	2.92	95	33.01	9.74	32.58				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 91
95\92\91
-2.24\ -0.10\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	67.63	74.00	-6.37	57.42	3	Horizontal	87	2.95	91	33.09	9.71	32.59			
AV	5.1474G	53.44	54.00	-0.56	43.23	3	Horizontal	87	2.95	91	33.09	9.71	32.59			
PK	5.201G	120.44	Inf	-Inf	110.28	3	Horizontal	87	2.95	91	33.00	9.74	32.58			
AV	5.206G	113.18	Inf	-Inf	103.03	3	Horizontal	87	2.95	91	32.99	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36968G	48.80	68.20	-19.40	43.78	3	Vertical	298	1.80	-	39.68	10.68	45.34			
PK	15.60328G	57.79	74.00	-16.21	48.68	3	Vertical	333	1.80	-	38.58	13.61	43.08			
AV	15.59912G	48.39	54.00	-5.61	39.26	3	Vertical	333	1.80	-	38.60	13.61	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3988G	48.74	68.20	-19.46	43.58	3	Horizontal	0	1.80	-	39.80	10.69	45.33			
PK	15.6024G	60.93	74.00	-13.07	51.81	3	Horizontal	8	2.37	-	38.59	13.61	43.08			
AV	15.60248G	50.93	54.00	-3.07	41.81	3	Horizontal	8	2.37	-	38.59	13.61	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7932G	66.00	83.54	-17.54	60.53	1	Vertical	44	1.50	-	37.63	16.74	48.90			
AV	20.7996G	56.94	63.54	-6.60	51.49	1	Vertical	44	1.50	-	37.60	16.75	48.90			
PK	25.998G	59.11	77.74	-18.63	49.31	1	Vertical	356	1.97	-	38.51	18.79	47.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7932G	68.82	83.54	-14.72	63.35	1	Horizontal	311	1.74	-	37.63	16.74	48.90			
AV	20.8038G	59.66	63.54	-3.88	54.21	1	Horizontal	311	1.74	-	37.60	16.75	48.90			
PK	26.003G	61.42	77.74	-16.32	51.62	1	Horizontal	61	1.55	-	38.51	18.79	47.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
80\86\108
6.22\6.08\2.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	64.18	74.00	-9.82	53.96	3	Vertical	346	2.81	108	33.10	9.71	32.59			
AV	5.1497G	51.78	54.00	-2.22	41.56	3	Vertical	346	2.81	108	33.10	9.71	32.59			
PK	5.2445G	119.79	Inf	-Inf	109.73	3	Vertical	346	2.81	108	32.91	9.72	32.57			
AV	5.2448G	112.21	Inf	-Inf	102.15	3	Vertical	346	2.81	108	32.91	9.72	32.57			
PK	5.354G	60.82	74.00	-13.18	50.89	3	Vertical	346	2.81	108	32.79	9.68	32.54			
AV	5.3504G	49.39	54.00	-4.61	39.45	3	Vertical	346	2.81	108	32.80	9.68	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 107
108\107
-0.83\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.147G	65.40	74.00	-8.60	55.19	3	Horizontal	89	2.83	107	33.09	9.71	32.59				
AV	5.1464G	53.77	54.00	-0.23	43.56	3	Horizontal	89	2.83	107	33.09	9.71	32.59				
PK	5.237G	125.23	Inf	-Inf	115.14	3	Horizontal	89	2.83	107	32.93	9.73	32.57				
AV	5.2367G	117.26	Inf	-Inf	107.17	3	Horizontal	89	2.83	107	32.93	9.73	32.57				
PK	5.3573G	64.79	74.00	-9.21	54.86	3	Horizontal	89	2.83	107	32.79	9.68	32.54				
AV	5.3519G	53.56	54.00	-0.44	43.62	3	Horizontal	89	2.83	107	32.80	9.68	32.54				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.48064G	48.37	68.20	-19.83	43.07	3	Vertical	18	1.80	-	39.90	10.71	45.31				
PK	15.72312G	56.34	74.00	-17.66	47.41	3	Vertical	337	1.80	-	38.55	13.71	43.33				
AV	15.72224G	47.36	54.00	-6.64	38.44	3	Vertical	337	1.80	-	38.54	13.71	43.33				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44016G	48.25	68.20	-19.95	42.99	3	Horizontal	120	1.80	-	39.88	10.70	45.32			
PK	15.72264G	56.75	74.00	-17.25	47.82	3	Horizontal	0	2.07	-	38.55	13.71	43.33			
AV	15.71784G	48.46	54.00	-5.54	39.54	3	Horizontal	0	2.07	-	38.54	13.70	43.32			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9606G	64.02	83.54	-19.52	58.32	1	Vertical	310	1.92	-	37.78	16.82	48.90			
AV	20.9596G	55.52	63.54	-8.02	49.82	1	Vertical	310	1.92	-	37.78	16.82	48.90			
PK	26.189G	54.97	77.74	-22.77	44.54	1	Vertical	291	1.49	-	39.01	18.88	47.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9532G	65.09	83.54	-18.45	59.38	1	Horizontal	318	1.63	-	37.79	16.82	48.90			
AV	20.9576G	54.81	63.54	-8.73	49.11	1	Horizontal	318	1.63	-	37.78	16.82	48.90			
PK	26.1994G	58.33	77.74	-19.41	47.80	1	Horizontal	28	1.50	-	39.10	18.89	47.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 108
80\86\108
6.38\5.82\1.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1289G	57.61	74.00	-16.39	47.49	3	Vertical	345	2.86	108	33.02	9.70	32.60				
AV	5.149G	48.46	54.00	-5.54	38.24	3	Vertical	345	2.86	108	33.10	9.71	32.59				
PK	5.2585G	119.70	Inf	-Inf	109.66	3	Vertical	345	2.86	108	32.88	9.72	32.56				
AV	5.2636G	112.00	Inf	-Inf	101.98	3	Vertical	345	2.86	108	32.87	9.71	32.56				
PK	5.35G	64.50	74.00	-9.50	54.56	3	Vertical	345	2.86	108	32.80	9.68	32.54				
AV	5.35G	52.31	54.00	-1.69	42.37	3	Vertical	345	2.86	108	32.80	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 103
108\104\102\103
-3.70\ -0.27\0.85\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1403G	59.48	74.00	-14.52	49.30	3	Horizontal	84	2.95	103	33.06	9.71	32.59
AV	5.1472G	50.08	54.00	-3.92	39.87	3	Horizontal	84	2.95	103	33.09	9.71	32.59
PK	5.257G	124.49	Inf	-Inf	114.44	3	Horizontal	84	2.95	103	32.89	9.72	32.56
AV	5.2615G	117.05	Inf	-Inf	107.01	3	Horizontal	84	2.95	103	32.88	9.72	32.56
PK	5.3572G	63.60	74.00	-10.40	53.67	3	Horizontal	84	2.95	103	32.79	9.68	32.54
AV	5.3518G	53.48	54.00	-0.52	43.54	3	Horizontal	84	2.95	103	32.80	9.68	32.54

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5172G	48.70	68.20	-19.50	43.45	3	Vertical	39	1.80	-	39.87	10.72	45.34			
PK	15.7824G	52.06	74.00	-21.94	43.42	3	Vertical	337	1.80	-	38.34	13.76	43.46			
AV	15.78176G	43.89	54.00	-10.11	35.24	3	Vertical	337	1.80	-	38.35	13.76	43.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50072G	48.21	68.20	-19.99	42.90	3	Horizontal	87	1.80	-	39.90	10.72	45.31			
PK	15.78256G	56.13	74.00	-17.87	47.49	3	Horizontal	42	2.91	-	38.34	13.76	43.46			
AV	15.78664G	46.58	54.00	-7.42	37.98	3	Horizontal	42	2.91	-	38.31	13.76	43.47			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0344G	62.79	83.54	-20.75	57.06	1	Vertical	307	1.63	-	37.77	16.85	48.89			
AV	21.0398G	54.47	63.54	-9.07	48.72	1	Vertical	307	1.63	-	37.78	16.85	48.88			
PK	26.3048G	55.87	77.74	-21.87	45.11	1	Vertical	20	1.62	-	39.26	18.94	47.44			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0348G	62.15	83.54	-21.39	56.42	1	Horizontal	303	1.63	-	37.77	16.85	48.89			
AV	21.0398G	53.22	63.54	-10.32	47.47	1	Horizontal	303	1.63	-	37.78	16.85	48.88			
PK	26.3076G	60.01	77.74	-17.73	49.27	1	Horizontal	308	1.68	-	39.24	18.94	47.44			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
SET 96
80\85\104\95\99\97\96
5.02\4.88\ -7.77\0.95\ -2.89\ -0.36\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2982G	117.52	Inf	-Inf	107.57	3	Vertical	340	2.84	96	32.80	9.70	32.55			
AV	5.3026G	109.73	Inf	-Inf	99.78	3	Vertical	340	2.84	96	32.80	9.70	32.55			
PK	5.352G	67.22	74.00	-6.78	57.28	3	Vertical	340	2.84	96	32.80	9.68	32.54			
AV	5.3526G	53.31	54.00	-0.69	43.38	3	Vertical	340	2.84	96	32.79	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
SET 90
96\93\92\91\90
-2.55\ -0.72\ -1.14\ -0.12\ 0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	119.95	Inf	-Inf	109.99	3	Horizontal	88	2.95	90	32.81	9.70	32.55			
AV	5.3012G	112.47	Inf	-Inf	102.52	3	Horizontal	88	2.95	90	32.80	9.70	32.55			
PK	5.3514G	63.73	74.00	-10.27	53.79	3	Horizontal	88	2.95	90	32.80	9.68	32.54			
AV	5.3512G	53.14	54.00	-0.86	43.20	3	Horizontal	88	2.95	90	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58456G	48.27	68.20	-19.93	43.13	3	Vertical	0	2.82	-	39.87	10.74	45.47			
PK	15.90248G	52.79	74.00	-21.21	44.56	3	Vertical	332	1.80	-	38.09	13.85	43.71			
AV	15.8976G	44.10	54.00	-9.90	35.85	3	Vertical	332	1.80	-	38.10	13.85	43.70			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57632G	48.77	68.20	-19.43	43.64	3	Horizontal	187.6	1.80	-	39.85	10.73	45.45			
PK	15.90256G	58.08	74.00	-15.92	49.85	3	Horizontal	12	2.73	-	38.09	13.85	43.71			
AV	15.90272G	49.57	54.00	-4.43	41.34	3	Horizontal	12	2.73	-	38.09	13.85	43.71			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2142G	59.11	83.54	-24.43	53.32	1	Vertical	298	1.42	-	37.69	16.91	48.81			
AV	21.1996G	50.62	63.54	-12.92	44.93	1	Vertical	298	1.42	-	37.60	16.91	48.82			
PK	26.497G	55.60	77.74	-22.14	44.49	1	Vertical	320	1.50	-	39.48	19.03	47.40			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2022G	58.59	83.54	-24.95	52.89	1	Horizontal	297	1.50	-	37.61	16.91	48.82			
AV	21.2016G	50.04	63.54	-13.50	44.34	1	Horizontal	297	1.50	-	37.61	16.91	48.82			
PK	26.4982G	64.11	77.74	-13.63	52.99	1	Horizontal	9	1.72	-	39.49	19.03	47.40			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 86
80\83\84\85\86
3.96\3.02\1.58\1.31\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3226G	115.16	Inf	-Inf	105.22	3	Vertical	340	2.93	86	32.80	9.69	32.55			
AV	5.3274G	107.61	Inf	-Inf	97.66	3	Vertical	340	2.93	86	32.80	9.69	32.54			
PK	5.3521G	64.52	74.00	-9.48	54.58	3	Vertical	340	2.93	86	32.80	9.68	32.54			
AV	5.3518G	53.97	54.00	-0.03	44.03	3	Vertical	340	2.93	86	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
SET 84
86\85\84
-0.79\ -0.04\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3225G	117.43	Inf	-Inf	107.49	3	Horizontal	87	1.79	84	32.80	9.69	32.55				
AV	5.3227G	109.88	Inf	-Inf	99.94	3	Horizontal	87	1.79	84	32.80	9.69	32.55				
PK	5.3572G	62.95	74.00	-11.05	53.02	3	Horizontal	87	1.79	84	32.79	9.68	32.54				
AV	5.3527G	53.14	54.00	-0.86	43.21	3	Horizontal	87	1.79	84	32.79	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64096G	48.05	74.00	-25.95	42.98	3	Vertical	350	1.64	-	39.90	10.75	45.58			
AV	10.65344G	39.13	54.00	-14.87	34.08	3	Vertical	350	1.64	-	39.90	10.75	45.60			
PK	15.97208G	51.70	74.00	-22.30	43.78	3	Vertical	327	1.86	-	37.86	13.91	43.85			
AV	15.96656G	44.34	54.00	-9.66	36.41	3	Vertical	327	1.86	-	37.87	13.90	43.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.66856G	48.05	74.00	-25.95	43.02	3	Horizontal	245	1.80	-	39.90	10.76	45.63				
AV	10.67736G	39.16	54.00	-14.84	34.14	3	Horizontal	245	1.80	-	39.90	10.76	45.64				
PK	15.96264G	53.40	74.00	-20.60	45.46	3	Horizontal	8	2.96	-	37.87	13.90	43.83				
AV	15.96136G	45.17	54.00	-8.83	37.22	3	Horizontal	8	2.96	-	37.88	13.90	43.83				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2844G	58.25	83.54	-25.29	52.41	1	Vertical	295	1.43	-	37.69	16.94	48.79			
AV	21.2796G	50.36	63.54	-13.18	44.49	1	Vertical	295	1.43	-	37.72	16.94	48.79			
PK	26.5968G	64.52	77.74	-13.22	53.28	1	Vertical	2	1.64	-	39.58	19.08	47.42			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2732G	59.66	83.54	-23.88	53.76	1	Horizontal	299	1.67	-	37.76	16.93	48.79			
AV	21.2776G	50.01	63.54	-13.53	44.14	1	Horizontal	299	1.67	-	37.73	16.93	48.79			
PK	26.5976G	61.39	77.74	-16.35	50.14	1	Horizontal	344	1.85	-	39.59	19.08	47.42			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 89
80\83\84\96\90\87\88\89
3.69\3.07\3.56\4.67\0.60\2.95\2.37\1.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	62.31	74.00	-11.69	52.33	3	Vertical	340	2.95	89	32.72	9.77	32.51			
AV	5.4576G	52.27	54.00	-1.73	42.29	3	Vertical	340	2.95	89	32.72	9.77	32.51			
PK	5.4669G	66.38	68.20	-1.82	56.38	3	Vertical	340	2.95	89	32.73	9.78	32.51			
PK	5.5026G	116.50	Inf	-Inf	106.36	3	Vertical	340	2.95	89	32.79	9.85	32.50			
AV	5.4925G	108.94	Inf	-Inf	98.83	3	Vertical	340	2.95	89	32.78	9.83	32.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 88
89\88
-0.16\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	62.16	74.00	-11.84	52.20	3	Horizontal	72	2.95	88	32.71	9.76	32.51			
AV	5.4598G	52.77	54.00	-1.23	42.79	3	Horizontal	72	2.95	88	32.72	9.77	32.51			
PK	5.4669G	67.92	68.20	-0.28	57.92	3	Horizontal	72	2.95	88	32.73	9.78	32.51			
PK	5.5063G	119.89	Inf	-Inf	109.74	3	Horizontal	72	2.95	88	32.79	9.86	32.50			
AV	5.4967G	112.49	Inf	-Inf	102.36	3	Horizontal	72	2.95	88	32.79	9.84	32.50			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99656G	50.95	74.00	-23.05	46.14	3	Vertical	322	1.79	-	40.21	10.84	46.24			
AV	10.99896G	41.24	54.00	-12.76	36.45	3	Vertical	322	1.79	-	40.20	10.84	46.25			
PK	16.50136G	57.80	68.20	-10.40	48.21	3	Vertical	331	1.84	-	39.99	14.15	44.55			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.99856G	50.38	74.00	-23.62	45.59	3	Horizontal	46	1.05	-	40.20	10.84	46.25				
AV	10.99888G	41.33	54.00	-12.67	36.54	3	Horizontal	46	1.05	-	40.20	10.84	46.25				
PK	16.50152G	54.60	68.20	-13.60	45.01	3	Horizontal	271	1.80	-	39.99	14.15	44.55				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.996G	58.67	77.74	-19.07	52.03	1	Vertical	311	1.50	-	38.06	17.18	48.60			
PK	27.4968G	60.30	77.74	-17.44	48.79	1	Vertical	333	1.98	-	39.48	19.43	47.40			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.0004G	59.81	77.74	-17.93	53.13	1	Horizontal	304	1.71	-	38.10	17.18	48.60			
PK	27.497G	58.37	77.74	-19.37	46.86	1	Horizontal	22	1.50	-	39.48	19.43	47.40			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 108
80\86\108
6.07\5.89\4.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	57.94	74.00	-16.06	47.96	3	Vertical	338	2.83	108	32.72	9.77	32.51			
AV	5.4588G	49.05	54.00	-4.95	39.07	3	Vertical	338	2.83	108	32.72	9.77	32.51			
PK	5.4675G	58.95	68.20	-9.25	48.95	3	Vertical	338	2.83	108	32.73	9.78	32.51			
PK	5.5827G	121.16	Inf	-Inf	110.97	3	Vertical	338	2.83	108	32.70	10.00	32.51			
AV	5.5875G	113.25	Inf	-Inf	103.05	3	Vertical	338	2.83	108	32.70	10.01	32.51			
PK	5.7261G	58.56	68.20	-9.64	47.77	3	Vertical	338	2.83	108	33.30	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 108
108
3.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.46G	61.35	74.00	-12.65	51.37	3	Horizontal	85	2.95	108	32.72	9.77	32.51				
AV	5.4561G	50.67	54.00	-3.33	40.71	3	Horizontal	85	2.95	108	32.71	9.76	32.51				
PK	5.4666G	61.60	68.20	-6.60	51.60	3	Horizontal	85	2.95	108	32.73	9.78	32.51				
PK	5.5773G	124.97	Inf	-Inf	114.79	3	Horizontal	85	2.95	108	32.70	9.99	32.51				
AV	5.5827G	116.88	Inf	-Inf	106.69	3	Horizontal	85	2.95	108	32.70	10.00	32.51				
PK	5.7252G	58.79	68.20	-9.41	48.00	3	Horizontal	85	2.95	108	33.30	10.01	32.52				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13328G	47.86	74.00	-26.14	43.55	3	Vertical	221	1.94	-	39.57	10.87	46.13			
AV	11.16976G	38.52	54.00	-15.48	34.28	3	Vertical	221	1.94	-	39.46	10.88	46.10			
PK	16.7548G	50.06	68.20	-18.14	40.20	3	Vertical	238	1.06	-	40.34	14.25	44.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13368G	47.32	74.00	-26.68	43.01	3	Horizontal	96	1.00	-	39.57	10.87	46.13			
AV	11.1416G	38.72	54.00	-15.28	34.43	3	Horizontal	96	1.00	-	39.53	10.88	46.12			
PK	16.72424G	48.57	68.20	-19.63	38.89	3	Horizontal	67	1.80	-	40.15	14.24	44.71			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	22.3132G	60.23	83.54	-23.31	53.07	1	Vertical	295	1.81	-	38.25	17.32	48.41				
AV	22.3224G	51.27	63.54	-12.27	44.14	1	Vertical	295	1.81	-	38.21	17.33	48.41				
PK	27.8996G	59.89	77.74	-17.85	48.19	1	Vertical	332.1	1.94	-	39.70	19.56	47.56				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	22.316G	58.47	83.54	-25.07	51.31	1	Horizontal	51	1.50	-	38.24	17.33	48.41				
AV	22.3212G	49.87	63.54	-13.67	42.73	1	Horizontal	51	1.50	-	38.22	17.33	48.41				
PK	27.886G	56.37	77.74	-21.37	44.74	1	Horizontal	48	1.50	-	39.63	19.56	47.56				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 74
80\74\77\76\75\74
-5.64\1.07\2.69\1.79\0.36\0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7008G	113.23	Inf	-Inf	102.54	3	Vertical	334	2.89	74	33.20	10.01	32.52			
AV	5.6962G	105.73	Inf	-Inf	95.05	3	Vertical	334	2.89	74	33.18	10.02	32.52			
PK	5.7264G	67.66	68.20	-0.54	56.86	3	Vertical	334	2.89	74	33.31	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 72
74\72\73\72
-1.28\0.63\0.96\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.703G	115.91	Inf	-Inf	105.21	3	Horizontal	86	2.95	72	33.21	10.01	32.52			
AV	5.6978G	108.97	Inf	-Inf	98.28	3	Horizontal	86	2.95	72	33.19	10.02	32.52			
PK	5.7284G	67.49	68.20	-0.71	56.69	3	Horizontal	86	2.95	72	33.31	10.01	32.52			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39664G	49.57	74.00	-24.43	44.72	3	Vertical	20	1.82	-	39.80	10.94	45.89			
AV	11.39736G	39.74	54.00	-14.26	34.89	3	Vertical	20	1.82	-	39.80	10.94	45.89			
PK	17.10336G	58.94	68.20	-9.26	49.22	3	Vertical	340	1.80	-	40.31	14.40	44.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39808G	48.21	74.00	-25.79	43.36	3	Horizontal	50	2.86	-	39.80	10.94	45.89			
AV	11.40392G	40.36	54.00	-13.64	35.51	3	Horizontal	50	2.86	-	39.80	10.94	45.89			
PK	17.10328G	61.08	68.20	-7.12	51.36	3	Horizontal	333	1.80	-	40.31	14.40	44.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.793G	58.51	83.54	-25.03	50.64	1	Vertical	351	1.80	-	38.57	17.54	48.24			
AV	22.7984G	48.36	63.54	-15.18	40.46	1	Vertical	351	1.80	-	38.59	17.55	48.24			
PK	28.515G	56.35	77.74	-21.39	44.47	1	Vertical	296	1.71	-	39.53	19.86	47.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.7934G	56.53	83.54	-27.01	48.66	1	Horizontal	277	1.55	-	38.57	17.54	48.24			
AV	22.8036G	47.02	63.54	-16.52	39.11	1	Horizontal	277	1.55	-	38.60	17.55	48.24			
PK	28.515G	59.02	77.74	-18.72	47.14	1	Horizontal	334	1.50	-	39.53	19.86	47.51			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
80\86\108
6.58\6.50\5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	57.20	74.00	-16.80	47.23	3	Vertical	332	2.87	108	32.71	9.77	32.51			
AV	5.4224G	48.18	54.00	-5.82	38.30	3	Vertical	332	2.87	108	32.70	9.70	32.52			
PK	5.4608G	56.97	68.20	-11.23	46.99	3	Vertical	332	2.87	108	32.72	9.77	32.51			
PK	5.7164G	120.42	Inf	-Inf	109.66	3	Vertical	332	2.87	108	33.27	10.01	32.52			
AV	5.7164G	112.44	Inf	-Inf	101.68	3	Vertical	332	2.87	108	33.27	10.01	32.52			
PK	5.9108G	59.67	68.20	-8.53	48.00	3	Vertical	332	2.87	108	34.10	10.11	32.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
108
5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.447G	57.57	74.00	-16.43	47.63	3	Horizontal	71	1.05	108	32.70	9.75	32.51			
AV	5.4524G	48.88	54.00	-5.12	38.93	3	Horizontal	71	1.05	108	32.70	9.76	32.51			
PK	5.4656G	58.05	68.20	-10.15	48.05	3	Horizontal	71	1.05	108	32.73	9.78	32.51			
PK	5.726G	122.15	Inf	-Inf	111.36	3	Horizontal	71	1.05	108	33.30	10.01	32.52			
AV	5.7218G	114.55	Inf	-Inf	103.77	3	Horizontal	71	1.05	108	33.29	10.01	32.52			
PK	5.8598G	59.72	68.20	-8.48	48.26	3	Horizontal	71	1.05	108	33.94	10.06	32.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.438864G	49.86	74.00	-24.14	44.97	3	Vertical	360	1.61	-	39.80	10.95	45.86			
AV	11.43888G	40.79	54.00	-13.21	35.90	3	Vertical	360	1.61	-	39.80	10.95	45.86			
PK	17.16312G	55.01	68.20	-13.19	45.17	3	Vertical	340	2.96	-	40.45	14.43	45.04			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4424G	48.51	74.00	-25.49	43.61	3	Horizontal	276	1.66	-	39.80	10.95	45.85			
AV	11.42912G	39.40	54.00	-14.60	34.51	3	Horizontal	276	1.66	-	39.80	10.95	45.86			
PK	17.16656G	61.36	68.20	-6.84	51.50	3	Horizontal	38	1.86	-	40.47	14.43	45.04			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.8732G	56.56	83.54	-26.98	48.66	1	Vertical	350	1.71	-	38.55	17.58	48.23			
AV	22.8838G	46.17	63.54	-17.37	38.27	1	Vertical	350	1.71	-	38.53	17.59	48.22			
PK	28.5996G	57.84	77.74	-19.90	45.89	1	Vertical	324	1.64	-	39.60	19.91	47.56			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	22.8912G	53.75	83.54	-29.79	45.86	1	Horizontal	41	1.49	-	38.52	17.59	48.22				
AV	22.8812G	45.40	63.54	-18.14	37.49	1	Horizontal	41	1.49	-	38.54	17.59	48.22				
PK	28.6054G	56.59	77.74	-21.15	44.63	1	Horizontal	19	1.50	-	39.61	19.91	47.56				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 108
108
8.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6094G	57.32	68.20	-10.88	47.06	3	Vertical	257	1.34	108	32.74	10.03	32.51			
AV	5.457G	45.01	54.00	-8.99	35.04	3	Vertical	257	1.34	108	32.71	9.77	32.51			
PK	5.751G	114.96	Inf	-Inf	104.07	3	Vertical	257	1.34	108	33.41	10.01	32.53			
AV	5.7504G	106.60	Inf	-Inf	95.72	3	Vertical	257	1.34	108	33.40	10.01	32.53			
PK	5.9706G	57.49	68.20	-10.71	45.78	3	Vertical	257	1.34	108	34.10	10.16	32.55			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 108
108
1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.4588G	47.27	54.00	-6.73	37.29	3	Horizontal	76	2.87	108	32.72	9.77	32.51			
PK	5.6502G	67.09	68.35	-1.26	56.69	3	Horizontal	76	2.87	108	32.90	10.02	32.52			
PK	5.751G	120.37	Inf	-Inf	109.48	3	Horizontal	76	2.87	108	33.41	10.01	32.53			
AV	5.7462G	117.69	Inf	-Inf	106.82	3	Horizontal	76	2.87	108	33.38	10.01	32.52			
PK	6.0438G	57.46	68.20	-10.74	45.67	3	Horizontal	76	2.87	108	34.10	10.23	32.54			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48648G	49.27	74.00	-24.73	44.32	3	Vertical	1	1.80	-	39.80	10.96	45.81			
AV	11.49224G	40.50	54.00	-13.50	35.55	3	Vertical	1	1.80	-	39.80	10.96	45.81			
PK	17.233G	55.49	68.20	-12.71	45.40	3	Vertical	29	1.70	-	40.73	14.46	45.10			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48728G	49.76	74.00	-24.24	44.81	3	Horizontal	294	1.93	-	39.80	10.96	45.81			
AV	11.49272G	40.73	54.00	-13.27	35.78	3	Horizontal	294	1.93	-	39.80	10.96	45.81			
PK	17.22756G	57.53	68.20	-10.67	47.45	3	Horizontal	32	1.83	-	40.71	14.46	45.09			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.9732G	57.72	83.54	-25.82	49.60	1	Vertical	39	1.53	-	38.70	17.63	48.21			
AV	22.9836G	48.39	63.54	-15.15	40.26	1	Vertical	39	1.53	-	38.70	17.63	48.20			
PK	28.7298G	55.33	77.74	-22.41	43.27	1	Vertical	320	1.53	-	39.72	19.98	47.64			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.9726G	57.97	83.54	-25.57	49.85	1	Horizontal	42	1.50	-	38.70	17.63	48.21			
AV	22.9822G	49.63	63.54	-13.91	41.50	1	Horizontal	42	1.50	-	38.70	17.63	48.20			
PK	28.7298G	57.56	77.74	-20.18	45.50	1	Horizontal	19	1.51	-	39.72	19.98	47.64			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
10.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.64093G	57.72	68.20	-10.48	47.35	3	Vertical	321	2.67	108	32.86	10.02	32.51				
PK	5.78069G	116.05	Inf	-Inf	105.00	3	Vertical	321	2.67	108	33.58	10.00	32.53				
AV	5.78069G	107.41	Inf	-Inf	96.36	3	Vertical	321	2.67	108	33.58	10.00	32.53				
PK	6.0481G	57.60	68.20	-10.60	45.79	3	Vertical	321	2.67	108	34.10	10.24	32.53				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
5.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62036G	62.89	68.20	-5.31	52.59	3	Horizontal	78	2.06	108	32.78	10.03	32.51				
PK	5.78613G	120.57	Inf	-Inf	109.48	3	Horizontal	78	2.06	108	33.62	10.00	32.53				
AV	5.78613G	117.53	Inf	-Inf	106.44	3	Horizontal	78	2.06	108	33.62	10.00	32.53				
PK	6.05112G	57.93	68.20	-10.27	46.12	3	Horizontal	78	2.06	108	34.10	10.24	32.53				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56632G	50.44	74.00	-23.56	45.65	3	Vertical	20	1.79	-	39.63	10.98	45.82			
AV	11.57112G	40.82	54.00	-13.18	36.04	3	Vertical	20	1.79	-	39.62	10.98	45.82			
PK	17.3586G	56.51	68.20	-11.69	45.73	3	Vertical	34	1.84	-	41.47	14.51	45.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56768G	48.17	74.00	-25.83	43.38	3	Horizontal	300	1.82	-	39.63	10.98	45.82			
AV	11.57272G	39.40	54.00	-14.60	34.63	3	Horizontal	300	1.82	-	39.61	10.98	45.82			
PK	17.35764G	57.95	68.20	-10.25	47.18	3	Horizontal	33	1.80	-	41.46	14.51	45.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.1332G	55.70	77.74	-22.04	47.27	1	Vertical	38	1.54	-	38.83	17.72	48.12			
PK	28.9132G	54.37	77.74	-23.37	42.22	1	Vertical	228	1.50	-	39.83	20.07	47.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.1378G	60.36	77.74	-17.38	51.91	1	Horizontal	24	1.50	-	38.85	17.72	48.12			
PK	28.925G	59.21	77.74	-18.53	47.03	1	Horizontal	26	1.95	-	39.85	20.08	47.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
10.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6162G	57.61	68.20	-10.59	47.33	3	Vertical	318	2.63	108	32.76	10.03	32.51				
PK	5.8202G	114.19	Inf	-Inf	102.92	3	Vertical	318	2.63	108	33.78	10.02	32.53				
AV	5.8208G	105.63	Inf	-Inf	94.36	3	Vertical	318	2.63	108	33.78	10.02	32.53				
PK	6.1028G	58.13	68.20	-10.07	46.25	3	Vertical	318	2.63	108	34.11	10.29	32.52				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
6.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6282G	61.41	68.20	-6.79	51.08	3	Horizontal	79	2.73	108	32.81	10.03	32.51				
PK	5.8226G	120.79	Inf	-Inf	109.51	3	Horizontal	79	2.73	108	33.79	10.02	32.53				
AV	5.8274G	117.16	Inf	-Inf	105.85	3	Horizontal	79	2.73	108	33.81	10.03	32.53				
PK	6.1154G	58.21	68.20	-9.99	46.28	3	Horizontal	79	2.73	108	34.13	10.31	32.51				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.656G	48.28	74.00	-25.72	43.94	3	Vertical	20	1.80	-	39.19	11.00	45.85			
AV	11.65112G	39.18	54.00	-14.82	34.83	3	Vertical	20	1.80	-	39.20	11.00	45.85			
PK	17.46764G	56.57	68.20	-11.63	45.08	3	Vertical	34	1.80	-	42.21	14.56	45.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64696G	47.97	74.00	-26.03	43.60	3	Horizontal	300	1.93	-	39.22	11.00	45.85			
AV	11.64712G	39.29	54.00	-14.71	34.92	3	Horizontal	300	1.93	-	39.22	11.00	45.85			
PK	17.4738G	54.98	68.20	-13.22	43.47	3	Horizontal	60	1.80	-	42.24	14.56	45.29			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.3108G	59.35	77.74	-18.39	50.64	1	Vertical	352	1.59	-	38.90	17.82	48.01			
PK	29.133G	57.65	77.74	-20.09	45.35	1	Vertical	318	1.54	-	39.93	20.14	47.77			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
06-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.3002G	57.27	77.74	-20.47	48.58	1	Horizontal	40	1.53	-	38.90	17.81	48.02			
PK	29.1298G	56.06	77.74	-21.68	43.77	1	Horizontal	325	1.50	-	39.92	20.14	47.77			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 83
80\82\83\84\83
2.68\1.82\1.07\0.18\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1473G	66.40	74.00	-7.60	56.19	3	Vertical	345	2.95	83	33.09	9.71	32.59			
AV	5.15G	52.84	54.00	-1.16	42.62	3	Vertical	345	2.95	83	33.10	9.71	32.59			
PK	5.177G	116.72	Inf	-Inf	106.52	3	Vertical	345	2.95	83	33.05	9.73	32.58			
AV	5.177G	106.32	Inf	-Inf	96.12	3	Vertical	345	2.95	83	33.05	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 81
83\81\82\81
-1.19\0.51\0.98\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1404G	66.94	74.00	-7.06	56.76	3	Horizontal	86	2.85	81	33.06	9.71	32.59			
AV	5.1485G	53.44	54.00	-0.56	43.23	3	Horizontal	86	2.85	81	33.09	9.71	32.59			
PK	5.1759G	121.83	Inf	-Inf	111.63	3	Horizontal	86	2.85	81	33.05	9.73	32.58			
AV	5.1808G	110.87	Inf	-Inf	100.68	3	Horizontal	86	2.85	81	33.04	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 92
80\86\104\95\91\93\92
6.16\4.55\ -10.92\ -1.67\1.44\ -0.10\1.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	64.99	74.00	-9.01	54.78	3	Vertical	344	2.92	92	33.09	9.71	32.59			
AV	5.1498G	52.93	54.00	-1.07	42.71	3	Vertical	344	2.92	92	33.10	9.71	32.59			
PK	5.1946G	118.26	Inf	-Inf	108.09	3	Vertical	344	2.92	92	33.01	9.74	32.58			
AV	5.1972G	107.55	Inf	-Inf	97.38	3	Vertical	344	2.92	92	33.01	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 88
92\89\88
-2.42\ -0.47\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1478G	65.08	74.00	-8.92	54.87	3	Horizontal	88	2.95	88	33.09	9.71	32.59			
AV	5.15G	53.28	54.00	-0.72	43.06	3	Horizontal	88	2.95	88	33.10	9.71	32.59			
PK	5.2058G	122.47	Inf	-Inf	112.32	3	Horizontal	88	2.95	88	32.99	9.74	32.58			
AV	5.2082G	111.16	Inf	-Inf	101.02	3	Horizontal	88	2.95	88	32.98	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 103
80\86\108\97\102\104\103
6.78\6.51\2.57\6.06\2.66\0.97\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	72.14	74.00	-1.86	61.93	3	Vertical	342	2.87	103	33.09	9.71	32.59			
AV	5.1407G	51.74	54.00	-2.26	41.56	3	Vertical	342	2.87	103	33.06	9.71	32.59			
PK	5.2466G	120.36	Inf	-Inf	110.30	3	Vertical	342	2.87	103	32.91	9.72	32.57			
AV	5.2442G	109.58	Inf	-Inf	99.52	3	Vertical	342	2.87	103	32.91	9.72	32.57			
PK	5.3558G	73.67	74.00	-0.33	63.74	3	Vertical	342	2.87	103	32.79	9.68	32.54			
AV	5.3531G	52.22	54.00	-1.78	42.29	3	Vertical	342	2.87	103	32.79	9.68	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 101
103\100\101\102\101
-2.68\3.02\2.32\ -0.68\2.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1437G	70.34	74.00	-3.66	60.15	3	Horizontal	84	2.95	101	33.07	9.71	32.59			
AV	5.1491G	51.57	54.00	-2.43	41.35	3	Horizontal	84	2.95	101	33.10	9.71	32.59			
PK	5.246G	126.73	Inf	-Inf	116.67	3	Horizontal	84	2.95	101	32.91	9.72	32.57			
AV	5.2481G	115.01	Inf	-Inf	104.96	3	Horizontal	84	2.95	101	32.90	9.72	32.57			
PK	5.35G	70.82	74.00	-3.18	60.88	3	Horizontal	84	2.95	101	32.80	9.68	32.54			
AV	5.3558G	51.22	54.00	-2.78	41.29	3	Horizontal	84	2.95	101	32.79	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 105
80\87\108\98\103\105\106\105
7.18\6.87\0.39\6.36\4.87\0.61\1.64\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1493G	64.40	74.00	-9.60	54.18	3	Vertical	348	2.86	105	33.10	9.71	32.59			
AV	5.1466G	48.15	54.00	-5.85	37.94	3	Vertical	348	2.86	105	33.09	9.71	32.59			
PK	5.2576G	119.61	Inf	-Inf	109.57	3	Vertical	348	2.86	105	32.88	9.72	32.56			
AV	5.2621G	110.19	Inf	-Inf	100.15	3	Vertical	348	2.86	105	32.88	9.72	32.56			
PK	5.3506G	72.47	74.00	-1.53	62.53	3	Vertical	348	2.86	105	32.80	9.68	32.54			
AV	5.3512G	53.80	54.00	-0.20	43.86	3	Vertical	348	2.86	105	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 103
105\100\102\103\104\103
-4.85\2.37\1.32\0.70\0.86\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1478G	60.07	74.00	-13.93	49.86	3	Horizontal	84	2.93	103	33.09	9.71	32.59				
AV	5.1409G	49.54	54.00	-4.46	39.36	3	Horizontal	84	2.93	103	33.06	9.71	32.59				
PK	5.2558G	126.26	Inf	-Inf	116.21	3	Horizontal	84	2.93	103	32.89	9.72	32.56				
AV	5.2633G	115.38	Inf	-Inf	105.36	3	Horizontal	84	2.93	103	32.87	9.71	32.56				
PK	5.3533G	67.57	74.00	-6.43	57.64	3	Horizontal	84	2.93	103	32.79	9.68	32.54				
AV	5.3506G	53.47	54.00	-0.53	43.53	3	Horizontal	84	2.93	103	32.80	9.68	32.54				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 92
80\86\106\96\91\93\94\93\92
6.21\5.01\13.82\1.81\2.59\0.78\1.14\0.05\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2918G	117.99	Inf	-Inf	108.02	3	Vertical	341	2.83	92	32.82	9.70	32.55				
AV	5.2966G	107.45	Inf	-Inf	97.49	3	Vertical	341	2.83	92	32.81	9.70	32.55				
PK	5.3508G	67.35	74.00	-6.65	57.41	3	Vertical	341	2.83	92	32.80	9.68	32.54				
AV	5.3514G	52.51	54.00	-1.49	42.57	3	Vertical	341	2.83	92	32.80	9.68	32.54				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 91
92\91
-0.65\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2988G	120.23	Inf	-Inf	110.28	3	Horizontal	88	1.80	91	32.80	9.70	32.55			
AV	5.3062G	110.15	Inf	-Inf	100.20	3	Horizontal	88	1.80	91	32.80	9.70	32.55			
PK	5.351G	66.05	74.00	-7.95	56.11	3	Horizontal	88	1.80	91	32.80	9.68	32.54			
AV	5.3514G	53.96	54.00	-0.04	44.02	3	Horizontal	88	1.80	91	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
SET 85
80\83\84\85
3.09\1.68\1.31\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3291G	117.16	Inf	-Inf	107.21	3	Vertical	340	2.93	85	32.80	9.69	32.54			
AV	5.3262G	106.51	Inf	-Inf	96.57	3	Vertical	340	2.93	85	32.80	9.69	32.55			
PK	5.3512G	70.21	74.00	-3.79	60.27	3	Vertical	340	2.93	85	32.80	9.68	32.54			
AV	5.3515G	53.64	54.00	-0.36	43.70	3	Vertical	340	2.93	85	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 77
85\82\81\80\79\78\77
-2.71\ -0.97\ -1.46\ -0.54\ -0.16\ -0.31\ 0.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3181G	119.58	Inf	-Inf	109.64	3	Horizontal	86	2.95	77	32.80	9.69	32.55				
AV	5.3258G	108.64	Inf	-Inf	98.70	3	Horizontal	86	2.95	77	32.80	9.69	32.55				
PK	5.3605G	66.41	74.00	-7.59	56.49	3	Horizontal	86	2.95	77	32.78	9.68	32.54				
AV	5.3611G	53.43	54.00	-0.57	43.51	3	Horizontal	86	2.95	77	32.78	9.68	32.54				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 94
80\85\104\95\91\93\94
5.73\4.95\ -14.30\ -2.00\3.15\2.25\0.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	62.99	74.00	-11.01	53.01	3	Vertical	151	2.95	94	32.72	9.77	32.51			
AV	5.46G	52.16	54.00	-1.84	42.18	3	Vertical	151	2.95	94	32.72	9.77	32.51			
PK	5.47G	67.44	68.20	-0.76	57.42	3	Vertical	151	2.95	94	32.74	9.79	32.51			
PK	5.4947G	114.95	Inf	-Inf	104.82	3	Vertical	151	2.95	94	32.79	9.84	32.50			
AV	5.4948G	104.24	Inf	-Inf	94.11	3	Vertical	151	2.95	94	32.79	9.84	32.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 83
94\87\84\83
-6.31\ -0.85\ -0.45\ 0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	64.97	74.00	-9.03	54.99	3	Horizontal	73	2.95	83	32.72	9.77	32.51			
AV	5.4584G	53.78	54.00	-0.22	43.80	3	Horizontal	73	2.95	83	32.72	9.77	32.51			
PK	5.4607G	64.47	68.20	-3.73	54.49	3	Horizontal	73	2.95	83	32.72	9.77	32.51			
PK	5.4983G	120.88	Inf	-Inf	110.74	3	Horizontal	73	2.95	83	32.80	9.84	32.50			
AV	5.4984G	110.05	Inf	-Inf	99.91	3	Horizontal	73	2.95	83	32.80	9.84	32.50			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
80\86\108
6.97\6.66\5.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4453G	58.25	74.00	-15.75	48.32	3	Vertical	335	2.88	108	32.70	9.74	32.51			
PK	5.4651G	59.42	68.20	-8.78	49.42	3	Vertical	335	2.88	108	32.73	9.78	32.51			
AV	5.4579G	48.27	54.00	-5.73	38.29	3	Vertical	335	2.88	108	32.72	9.77	32.51			
PK	5.5758G	121.98	Inf	-Inf	111.80	3	Vertical	335	2.88	108	32.70	9.99	32.51			
AV	5.5857G	111.51	Inf	-Inf	101.32	3	Vertical	335	2.88	108	32.70	10.00	32.51			
PK	5.7261G	58.74	68.20	-9.46	47.95	3	Vertical	335	2.88	108	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 107
108\101\104\105\107
-6.87\3.83\3.84\3.32\3.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4516G	61.90	74.00	-12.10	51.95	3	Horizontal	79	2.86	107	32.70	9.76	32.51			
AV	5.4588G	50.81	54.00	-3.19	40.83	3	Horizontal	79	2.86	107	32.72	9.77	32.51			
PK	5.4663G	64.04	68.20	-4.16	54.04	3	Horizontal	79	2.86	107	32.73	9.78	32.51			
PK	5.5866G	127.10	Inf	-Inf	116.90	3	Horizontal	79	2.86	107	32.70	10.01	32.51			
AV	5.5815G	117.04	Inf	-Inf	106.85	3	Horizontal	79	2.86	107	32.70	10.00	32.51			
PK	5.7297G	59.43	68.20	-8.77	48.62	3	Horizontal	79	2.86	107	33.32	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 65
80\70\65
-12.75\ -1.68\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6958G	114.00	Inf	-Inf	103.33	3	Vertical	334	2.90	65	33.17	10.02	32.52			
AV	5.6956G	102.53	Inf	-Inf	91.86	3	Vertical	334	2.90	65	33.17	10.02	32.52			
PK	5.7252G	68.14	68.20	-0.06	57.35	3	Vertical	334	2.90	65	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 63
65\64\63
-0.87\ -0.14\ 0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6962G	116.41	Inf	-Inf	105.73	3	Horizontal	82	2.93	63	33.18	10.02	32.52			
AV	5.6964G	106.22	Inf	-Inf	95.54	3	Horizontal	82	2.93	63	33.18	10.02	32.52			
PK	5.7282G	68.18	68.20	-0.02	57.38	3	Horizontal	82	2.93	63	33.31	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
80\87\108
7.09\7.16\6.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	57.26	74.00	-16.74	47.29	3	Vertical	334	2.87	108	32.71	9.77	32.51			
AV	5.4428G	47.34	54.00	-6.66	37.41	3	Vertical	334	2.87	108	32.70	9.74	32.51			
PK	5.4644G	57.27	68.20	-10.93	47.27	3	Vertical	334	2.87	108	32.73	9.78	32.51			
PK	5.723G	121.05	Inf	-Inf	110.27	3	Vertical	334	2.87	108	33.29	10.01	32.52			
AV	5.7206G	111.00	Inf	-Inf	100.23	3	Vertical	334	2.87	108	33.28	10.01	32.52			
PK	5.8808G	58.93	68.20	-9.27	47.37	3	Vertical	334	2.87	108	34.02	10.08	32.54			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 108
108
5.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4518G	57.76	74.00	-16.24	47.81	3	Horizontal	70	2.95	108	32.70	9.76	32.51			
AV	5.4572G	48.10	54.00	-5.90	38.13	3	Horizontal	70	2.95	108	32.71	9.77	32.51			
PK	5.468G	58.47	68.20	-9.73	48.45	3	Horizontal	70	2.95	108	32.74	9.79	32.51			
PK	5.7236G	125.12	Inf	-Inf	114.34	3	Horizontal	70	2.95	108	33.29	10.01	32.52			
AV	5.7236G	114.27	Inf	-Inf	103.49	3	Horizontal	70	2.95	108	33.29	10.01	32.52			
PK	5.8508G	59.96	68.20	-8.24	48.55	3	Horizontal	70	2.95	108	33.90	10.05	32.54			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 103
80\86\108\97\102\104\103
6.79\6.79\9.56\6.63\6.60\2.00\4.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4582G	47.23	54.00	-6.77	37.25	3	Vertical	334	2.95	103	32.72	9.77	32.51			
PK	5.649G	63.76	68.20	-4.44	53.35	3	Vertical	334	2.95	103	32.90	10.02	32.51			
PK	5.7432G	120.66	Inf	-Inf	109.80	3	Vertical	334	2.95	103	33.37	10.01	32.52			
AV	5.748G	111.07	Inf	-Inf	100.19	3	Vertical	334	2.95	103	33.39	10.01	32.52			
PK	5.9784G	59.39	68.20	-8.81	47.67	3	Vertical	334	2.95	103	34.10	10.17	32.55			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 102
103\97\105\101\102
-5.94\5.91\11.54\5.73\3.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4474G	48.24	54.00	-5.76	38.30	3	Horizontal	70	2.95	102	32.70	9.75	32.51			
PK	5.6532G	66.63	70.57	-3.94	56.21	3	Horizontal	70	2.95	102	32.92	10.02	32.52			
PK	5.754G	123.82	Inf	-Inf	112.92	3	Horizontal	70	2.95	102	33.42	10.01	32.53			
AV	5.7462G	114.29	Inf	-Inf	103.42	3	Horizontal	70	2.95	102	33.38	10.01	32.52			
PK	5.9298G	59.16	68.20	-9.04	47.48	3	Horizontal	70	2.95	102	34.10	10.12	32.54			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
80\88\108
8.52\8.81\4.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64638G	63.57	68.20	-4.63	53.17	3	Vertical	337	2.95	108	32.89	10.02	32.51			
PK	5.78371G	120.49	Inf	-Inf	109.42	3	Vertical	337	2.95	108	33.60	10.00	32.53			
AV	5.78613G	110.23	Inf	-Inf	99.14	3	Vertical	337	2.95	108	33.62	10.00	32.53			
PK	6.04749G	59.88	68.20	-8.32	48.07	3	Vertical	337	2.95	108	34.10	10.24	32.53			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
4.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64819G	63.53	68.20	-4.67	53.13	3	Horizontal	68	1.79	108	32.89	10.02	32.51				
PK	5.79218G	121.43	Inf	-Inf	110.31	3	Horizontal	68	1.79	108	33.65	10.00	32.53				
AV	5.78674G	111.91	Inf	-Inf	100.82	3	Horizontal	68	1.79	108	33.62	10.00	32.53				
PK	6.02571G	59.43	68.20	-8.77	47.65	3	Horizontal	68	1.79	108	34.10	10.22	32.54				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
80\88\108
8.73\8.60\8.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5946G	58.79	68.20	-9.41	48.58	3	Vertical	337	2.89	108	32.70	10.02	32.51				
PK	5.8184G	119.54	Inf	-Inf	108.28	3	Vertical	337	2.89	108	33.77	10.02	32.53				
AV	5.8208G	109.13	Inf	-Inf	97.86	3	Vertical	337	2.89	108	33.78	10.02	32.53				
PK	6.0944G	59.50	68.20	-8.70	47.64	3	Vertical	337	2.89	108	34.10	10.28	32.52				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
7.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5964G	60.58	68.20	-7.62	50.37	3	Horizontal	72	2.95	108	32.70	10.02	32.51			
PK	5.8316G	123.11	Inf	-Inf	111.78	3	Horizontal	72	2.95	108	33.83	10.03	32.53			
AV	5.8214G	113.27	Inf	-Inf	101.99	3	Horizontal	72	2.95	108	33.79	10.02	32.53			
PK	6.0602G	60.06	68.20	-8.14	48.24	3	Horizontal	72	2.95	108	34.10	10.25	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 71
80\73\70\71\72\71
-6.65\ -0.70\1.35\0.64\ -0.25\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	64.62	74.00	-9.38	54.42	3	Vertical	345	2.92	71	33.08	9.71	32.59			
AV	5.1496G	53.86	54.00	-0.14	43.64	3	Vertical	345	2.92	71	33.10	9.71	32.59			
PK	5.1722G	110.77	Inf	-Inf	100.57	3	Vertical	345	2.92	71	33.06	9.73	32.59			
AV	5.172G	100.49	Inf	-Inf	90.29	3	Vertical	345	2.92	71	33.06	9.73	32.59			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 64
71\68\67\66\65\64
-2.60\ -1.12\ -0.91\ -0.40\ -0.01\ 0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.148G	65.17	74.00	-8.83	54.96	3	Horizontal	88	2.88	64	33.09	9.71	32.59				
AV	5.1482G	53.52	54.00	-0.48	43.31	3	Horizontal	88	2.88	64	33.09	9.71	32.59				
PK	5.1782G	113.56	Inf	-Inf	103.37	3	Horizontal	88	2.88	64	33.04	9.73	32.58				
AV	5.1856G	103.39	Inf	-Inf	93.21	3	Horizontal	88	2.88	64	33.03	9.73	32.58				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 93
80\85\101\93
5.84\4.21\~8.50\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	65.76	74.00	-8.24	55.54	3	Vertical	340	2.86	93	33.10	9.71	32.59				
AV	5.1496G	53.86	54.00	-0.14	43.64	3	Vertical	340	2.86	93	33.10	9.71	32.59				
PK	5.2362G	115.59	Inf	-Inf	105.50	3	Vertical	340	2.86	93	32.93	9.73	32.57				
AV	5.2362G	104.88	Inf	-Inf	94.79	3	Vertical	340	2.86	93	32.93	9.73	32.57				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 87
93\88\86\87
-4.25\ -0.40\0.57\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	65.02	74.00	-8.98	54.80	3	Horizontal	84	2.95	87	33.10	9.71	32.59				
AV	5.148G	53.35	54.00	-0.65	43.14	3	Horizontal	84	2.95	87	33.09	9.71	32.59				
PK	5.2454G	120.49	Inf	-Inf	110.43	3	Horizontal	84	2.95	87	32.91	9.72	32.57				
AV	5.2456G	109.04	Inf	-Inf	98.98	3	Horizontal	84	2.95	87	32.91	9.72	32.57				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 90
80\85\101\93\89\91\90
5.30\4.21\10.96\1.94\0.95\0.35\0.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2766G	114.61	Inf	-Inf	104.61	3	Vertical	343	2.87	90	32.85	9.71	32.56			
AV	5.2642G	103.78	Inf	-Inf	93.76	3	Vertical	343	2.87	90	32.87	9.71	32.56			
PK	5.3612G	69.14	74.00	-4.86	59.22	3	Vertical	343	2.87	90	32.78	9.68	32.54			
AV	5.3516G	53.39	54.00	-0.61	43.45	3	Vertical	343	2.87	90	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 86
90\86
-3.38\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2756G	119.15	Inf	-Inf	109.15	3	Horizontal	85	2.95	86	32.85	9.71	32.56			
AV	5.263G	108.35	Inf	-Inf	98.33	3	Horizontal	85	2.95	86	32.87	9.71	32.56			
PK	5.3528G	64.18	74.00	-9.82	54.25	3	Horizontal	85	2.95	86	32.79	9.68	32.54			
AV	5.351G	53.64	54.00	-0.36	43.70	3	Horizontal	85	2.95	86	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 71
80\73\70\71\72\71
-6.02\ -0.28\0.69\0.86\ -0.35\0.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3062G	110.11	Inf	-Inf	100.16	3	Vertical	339	2.91	71	32.80	9.70	32.55				
AV	5.324G	99.88	Inf	-Inf	89.94	3	Vertical	339	2.91	71	32.80	9.69	32.55				
PK	5.3542G	64.23	74.00	-9.77	54.30	3	Vertical	339	2.91	71	32.79	9.68	32.54				
AV	5.351G	53.22	54.00	-0.78	43.28	3	Vertical	339	2.91	71	32.80	9.68	32.54				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_V_2TX
SET 65
71\67\65
-3.33\ -0.93\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3008G	114.53	Inf	-Inf	104.58	3	Horizontal	81	2.88	65	32.80	9.70	32.55			
AV	5.3034G	103.43	Inf	-Inf	93.48	3	Horizontal	81	2.88	65	32.80	9.70	32.55			
PK	5.3534G	65.14	74.00	-8.86	55.21	3	Horizontal	81	2.88	65	32.79	9.68	32.54			
AV	5.3508G	53.88	54.00	-0.12	43.94	3	Horizontal	81	2.88	65	32.80	9.68	32.54			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 78
80\79\78
-0.94\ -0.73\1.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	62.66	74.00	-11.34	52.68	3	Vertical	339	2.90	78	32.72	9.77	32.51			
AV	5.4584G	51.17	54.00	-2.83	41.19	3	Vertical	339	2.90	78	32.72	9.77	32.51			
PK	5.466G	67.10	68.20	-1.10	57.10	3	Vertical	339	2.90	78	32.73	9.78	32.51			
PK	5.5114G	114.28	Inf	-Inf	104.13	3	Vertical	339	2.90	78	32.78	9.87	32.50			
AV	5.5136G	103.72	Inf	-Inf	93.58	3	Vertical	339	2.90	78	32.77	9.87	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 75
78\76\75
-1.34\ -0.26\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4582G	65.68	74.00	-8.32	55.70	3	Horizontal	71	2.95	75	32.72	9.77	32.51			
AV	5.4578G	52.77	54.00	-1.23	42.79	3	Horizontal	71	2.95	75	32.72	9.77	32.51			
PK	5.468G	68.07	68.20	-0.13	58.05	3	Horizontal	71	2.95	75	32.74	9.79	32.51			
PK	5.503G	116.23	Inf	-Inf	106.09	3	Horizontal	71	2.95	75	32.79	9.85	32.50			
AV	5.5184G	105.75	Inf	-Inf	95.61	3	Horizontal	71	2.95	75	32.76	9.88	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 95
80\85\105\95
5.90\5.11\12.98\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4568G	66.19	74.00	-7.81	56.22	3	Vertical	337	2.89	95	32.71	9.77	32.51			
AV	5.4572G	53.51	54.00	-0.49	43.54	3	Vertical	337	2.89	95	32.71	9.77	32.51			
PK	5.4684G	66.53	68.20	-1.67	56.51	3	Vertical	337	2.89	95	32.74	9.79	32.51			
PK	5.541G	118.15	Inf	-Inf	108.01	3	Vertical	337	2.89	95	32.72	9.92	32.50			
AV	5.5486G	107.16	Inf	-Inf	97.03	3	Vertical	337	2.89	95	32.70	9.93	32.50			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 93
95\93
-1.15\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4572G	66.69	74.00	-7.31	56.72	3	Horizontal	72	1.78	93	32.71	9.77	32.51			
AV	5.4584G	53.96	54.00	-0.04	43.98	3	Horizontal	72	1.78	93	32.72	9.77	32.51			
PK	5.4682G	66.17	68.20	-2.03	56.15	3	Horizontal	72	1.78	93	32.74	9.79	32.51			
PK	5.559G	118.73	Inf	-Inf	108.59	3	Horizontal	72	1.78	93	32.70	9.95	32.51			
AV	5.5562G	107.88	Inf	-Inf	97.74	3	Horizontal	72	1.78	93	32.70	9.95	32.51			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 86
80\81\82\83\95\89\86
1.29\1.56\2.76\3.60\10.21\2.24\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6736G	115.24	Inf	-Inf	104.70	3	Vertical	336	2.91	86	33.04	10.02	32.52			
AV	5.6634G	104.83	Inf	-Inf	94.35	3	Vertical	336	2.91	86	32.98	10.02	32.52			
PK	5.7258G	68.14	68.20	-0.06	57.35	3	Vertical	336	2.91	86	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 83
86\84\83
-1.17\3.84\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6685G	117.63	Inf	-Inf	107.12	3	Horizontal	74	2.95	83	33.01	10.02	32.52			
AV	5.6637G	107.72	Inf	-Inf	97.24	3	Horizontal	74	2.95	83	32.98	10.02	32.52			
PK	5.7258G	68.04	68.20	-0.16	57.25	3	Horizontal	74	2.95	83	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 105
80\87\108\98\103\105\106\105
7.21\6.65\3.00\5.91\5.02\1.66\0.30\1.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	58.47	74.00	-15.53	48.53	3	Vertical	335	2.89	105	32.70	9.75	32.51
PK	5.4658G	57.67	68.20	-10.53	47.67	3	Vertical	335	2.89	105	32.73	9.78	32.51
AV	5.458G	47.76	54.00	-6.24	37.78	3	Vertical	335	2.89	105	32.72	9.77	32.51
PK	5.713G	118.78	Inf	-Inf	108.04	3	Vertical	335	2.89	105	33.25	10.01	32.52
AV	5.6932G	108.27	Inf	-Inf	97.61	3	Vertical	335	2.89	105	33.16	10.02	32.52
PK	5.851G	66.59	68.20	-1.61	55.18	3	Vertical	335	2.89	105	33.90	10.05	32.54

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 103
105\104\103
-0.67\ -0.63\0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4442G	60.25	74.00	-13.75	50.32	3	Horizontal	89	2.95	103	32.70	9.74	32.51			
PK	5.461G	59.76	68.20	-8.44	49.78	3	Horizontal	89	2.95	103	32.72	9.77	32.51			
AV	5.458G	49.35	54.00	-4.65	39.37	3	Horizontal	89	2.95	103	32.72	9.77	32.51			
PK	5.7166G	121.09	Inf	-Inf	110.33	3	Horizontal	89	2.95	103	33.27	10.01	32.52			
AV	5.7064G	111.10	Inf	-Inf	100.38	3	Horizontal	89	2.95	103	33.23	10.01	32.52			
PK	5.8504G	67.62	68.20	-0.58	56.21	3	Horizontal	89	2.95	103	33.90	10.05	32.54			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



EUT_V_2TX

SET 96


80\87\108\98\93\95\96\107\102\100\99\88\96

7.35\6.59\14.63\0.48\5.89\0.58\3.11\14.78\13.62\8.84\5.63\6.78\2.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.458G	47.41	54.00	-6.59	37.43	3	Vertical	337	2.95	96	32.72	9.77	32.51			
PK	5.6404G	65.96	68.20	-2.24	55.59	3	Vertical	337	2.95	96	32.86	10.02	32.51			
PK	5.7484G	117.03	Inf	-Inf	106.15	3	Vertical	337	2.95	96	33.39	10.01	32.52			
AV	5.7562G	106.35	Inf	-Inf	95.43	3	Vertical	337	2.95	96	33.44	10.01	32.53			
PK	6.022G	59.89	68.20	-8.31	48.12	3	Vertical	337	2.95	96	34.10	10.21	32.54			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_V_2TX
SET 96
96
0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	5.4568G	48.10	54.00	-5.90	38.13	3	Horizontal	72	2.94	96	32.71	9.77	32.51				
PK	5.6422G	68.12	68.20	-0.08	57.74	3	Horizontal	72	2.94	96	32.87	10.02	32.51				
PK	5.7634G	120.26	Inf	-Inf	109.30	3	Horizontal	72	2.94	96	33.48	10.01	32.53				
AV	5.761G	109.87	Inf	-Inf	98.92	3	Horizontal	72	2.94	96	33.47	10.01	32.53				
PK	5.98G	59.86	68.20	-8.34	48.14	3	Horizontal	72	2.94	96	34.10	10.17	32.55				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 108
80\88\108
8.44\8.95\6.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6486G	61.53	68.20	-6.67	51.13	3	Vertical	350	1.80	108	32.89	10.02	32.51			
PK	5.798G	107.51	Inf	-Inf	96.35	3	Vertical	350	1.80	108	33.69	10.00	32.53			
AV	5.7824G	97.61	Inf	-Inf	86.55	3	Vertical	350	1.80	108	33.59	10.00	32.53			
PK	6.0812G	59.43	68.20	-8.77	47.58	3	Vertical	350	1.80	108	34.10	10.27	32.52			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_V_2TX
SET 99
108\101\98\99\107\103\99
-6.51\ -0.89\3.30\3.16\ -6.94\ -5.72\1.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6372G	66.40	68.20	-1.80	56.04	3	Horizontal	71	2.95	99	32.85	10.02	32.51				
PK	5.786G	120.80	Inf	-Inf	109.71	3	Horizontal	71	2.95	99	33.62	10.00	32.53				
AV	5.7866G	110.30	Inf	-Inf	99.21	3	Horizontal	71	2.95	99	33.62	10.00	32.53				
PK	6.0026G	59.96	68.20	-8.24	48.22	3	Horizontal	71	2.95	99	34.10	10.19	32.55				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 76
80\78\77,76
-1.86\ -0.85\ -0.02\ 0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.00	74.00	-12.00	51.78	3	Vertical	345	2.84	76	33.10	9.71	32.59
AV	5.1495G	53.36	54.00	-0.64	43.14	3	Vertical	345	2.84	76	33.10	9.71	32.59
PK	5.225G	108.75	Inf	-Inf	98.64	3	Vertical	345	2.84	76	32.95	9.73	32.57
AV	5.222G	98.08	Inf	-Inf	87.96	3	Vertical	345	2.84	76	32.96	9.73	32.57
PK	5.3515G	58.06	74.00	-15.94	48.12	3	Vertical	345	2.84	76	32.80	9.68	32.54
AV	5.3525G	47.62	54.00	-6.38	37.69	3	Vertical	345	2.84	76	32.79	9.68	32.54

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 65
76\72\70\69\68\67\66\65
-3.95\ -2.42\ -1.47\ -1.47\ -0.85\ -0.70\ -0.10\ 0.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.15G	62.64	74.00	-11.36	52.42	3	Horizontal	88	2.95	65	33.10	9.71	32.59
AV	5.15G	53.45	54.00	-0.55	43.23	3	Horizontal	88	2.95	65	33.10	9.71	32.59
PK	5.218G	111.04	Inf	-Inf	100.92	3	Horizontal	88	2.95	65	32.96	9.73	32.57
AV	5.2255G	100.52	Inf	-Inf	90.41	3	Horizontal	88	2.95	65	32.95	9.73	32.57
PK	5.361G	59.71	74.00	-14.29	49.79	3	Horizontal	88	2.95	65	32.78	9.68	32.54
AV	5.3705G	48.78	54.00	-5.22	38.88	3	Horizontal	88	2.95	65	32.76	9.67	32.53

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 74
80\75\73\74
-4.44\ -0.04\1.21\0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1325G	57.53	74.00	-16.47	47.39	3	Vertical	341	2.85	74	33.03	9.71	32.60			
AV	5.1475G	47.33	54.00	-6.67	37.12	3	Vertical	341	2.85	74	33.09	9.71	32.59			
PK	5.324G	107.56	Inf	-Inf	97.62	3	Vertical	341	2.85	74	32.80	9.69	32.55			
AV	5.319G	97.25	Inf	-Inf	87.31	3	Vertical	341	2.85	74	32.80	9.69	32.55			
PK	5.3585G	63.50	74.00	-10.50	53.58	3	Vertical	341	2.85	74	32.78	9.68	32.54			
AV	5.3565G	53.42	54.00	-0.58	43.49	3	Vertical	341	2.85	74	32.79	9.68	32.54			
PK	5.5325G	57.79	68.20	-10.41	47.65	3	Vertical	341	2.85	74	32.73	9.91	32.50			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 64
74\68\65\64
-5.20\ -2.12\ -0.12\ 0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.118G	57.30	74.00	-16.70	47.23	3	Horizontal	84	2.95	64	32.97	9.70	32.60				
AV	5.148G	47.50	54.00	-6.50	37.29	3	Horizontal	84	2.95	64	33.09	9.71	32.59				
PK	5.295G	110.90	Inf	-Inf	100.94	3	Horizontal	84	2.95	64	32.81	9.70	32.55				
AV	5.260G	100.00	Inf	-Inf	89.96	3	Horizontal	84	2.95	64	32.88	9.72	32.56				
PK	5.351G	63.63	74.00	-10.37	53.69	3	Horizontal	84	2.95	64	32.80	9.68	32.54				
AV	5.353G	53.40	54.00	-0.60	43.47	3	Horizontal	84	2.95	64	32.79	9.68	32.54				
PK	5.497G	59.10	68.20	-9.10	48.97	3	Horizontal	84	2.95	64	32.79	9.84	32.50				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 78
80\79\78
-0.37\ -0.12\ 0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.35	68.20	-10.85	47.41	3	Vertical	339	2.92	78	32.80	9.68	32.54
AV	5.35G	46.94	54.00	-7.06	37.00	3	Vertical	339	2.92	78	32.80	9.68	32.54
PK	5.447G	63.31	74.00	-10.69	53.37	3	Vertical	339	2.92	78	32.70	9.75	32.51
PK	5.463G	64.41	68.20	-3.79	54.41	3	Vertical	339	2.92	78	32.73	9.78	32.51
AV	5.456G	53.50	54.00	-0.50	43.54	3	Vertical	339	2.92	78	32.71	9.76	32.51
PK	5.536G	110.53	Inf	-Inf	100.39	3	Vertical	339	2.92	78	32.73	9.91	32.50
AV	5.521G	99.68	Inf	-Inf	89.54	3	Vertical	339	2.92	78	32.76	9.88	32.50
PK	5.7665G	58.62	68.20	-9.58	47.64	3	Vertical	339	2.92	78	33.50	10.01	32.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 72
78\75\74\73\72
-2.63\ -1.30\ -1.22\ -0.37\ 0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3355G	58.15	68.20	-10.05	48.20	3	Horizontal	72	2.95	72	32.80	9.69	32.54			
AV	5.35G	47.45	54.00	-6.55	37.51	3	Horizontal	72	2.95	72	32.80	9.68	32.54			
PK	5.453G	63.65	74.00	-10.35	53.69	3	Horizontal	72	2.95	72	32.71	9.76	32.51			
AV	5.4555G	53.77	54.00	-0.23	43.81	3	Horizontal	72	2.95	72	32.71	9.76	32.51			
PK	5.4635G	64.51	68.20	-3.69	54.51	3	Horizontal	72	2.95	72	32.73	9.78	32.51			
PK	5.526G	113.02	Inf	-Inf	102.88	3	Horizontal	72	2.95	72	32.75	9.89	32.50			
AV	5.5235G	102.39	Inf	-Inf	92.25	3	Horizontal	72	2.95	72	32.75	9.89	32.50			
PK	5.752G	59.82	68.20	-8.38	48.93	3	Horizontal	72	2.95	72	33.41	10.01	32.53			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 93
80\85\104\95\91\93\94\93
5.91\4.86\13.96\0.83\1.12\0.62\0.60\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	62.33	74.00	-11.67	52.37	3	Vertical	335	2.95	93	32.71	9.76	32.51			
AV	5.458G	52.17	54.00	-1.83	42.19	3	Vertical	335	2.95	93	32.72	9.77	32.51			
PK	5.47G	64.21	68.20	-3.99	54.19	3	Vertical	335	2.95	93	32.74	9.79	32.51			
PK	5.6155G	114.65	Inf	-Inf	104.37	3	Vertical	335	2.95	93	32.76	10.03	32.51			
AV	5.626G	103.89	Inf	-Inf	93.57	3	Vertical	335	2.95	93	32.80	10.03	32.51			
PK	5.7435G	67.49	68.20	-0.71	56.63	3	Vertical	335	2.95	93	33.37	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 88
93\89\87\88
-3.58\ -1.05\0.76\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.453G	62.43	74.00	-11.57	52.47	3	Horizontal	71	2.95	88	32.71	9.76	32.51			
AV	5.458G	52.27	54.00	-1.73	42.29	3	Horizontal	71	2.95	88	32.72	9.77	32.51			
PK	5.465G	65.16	68.20	-3.04	55.16	3	Horizontal	71	2.95	88	32.73	9.78	32.51			
PK	5.6335G	116.33	Inf	-Inf	105.99	3	Horizontal	71	2.95	88	32.83	10.02	32.51			
AV	5.621G	105.82	Inf	-Inf	95.52	3	Horizontal	71	2.95	88	32.78	10.03	32.51			
PK	5.732G	68.07	68.20	-0.13	57.25	3	Horizontal	71	2.95	88	33.33	10.01	32.52			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 99
80\86\108\97\102\100\99
6.77\6.59\9.37\3.83\1.17\0.92\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4566G	61.48	74.00	-12.52	51.52	3	Vertical	338	2.93	99	32.71	9.76	32.51			
AV	5.4584G	51.05	54.00	-2.95	41.07	3	Vertical	338	2.93	99	32.72	9.77	32.51			
PK	5.4668G	63.35	68.20	-4.85	53.35	3	Vertical	338	2.93	99	32.73	9.78	32.51			
PK	5.6786G	113.46	Inf	-Inf	102.89	3	Vertical	338	2.93	99	33.07	10.02	32.52			
AV	5.6612G	103.87	Inf	-Inf	93.40	3	Vertical	338	2.93	99	32.97	10.02	32.52			
PK	5.852G	67.71	68.20	-0.49	56.29	3	Vertical	338	2.93	99	33.91	10.05	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 95
99\95\97\96\95
-3.23\0.55\1.85\0.27\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.456G	61.93	74.00	-12.07	51.97	3	Horizontal	71	2.95	95	32.71	9.76	32.51			
AV	5.4578G	51.40	54.00	-2.60	41.42	3	Horizontal	71	2.95	95	32.72	9.77	32.51			
PK	5.4656G	64.01	68.20	-4.19	54.01	3	Horizontal	71	2.95	95	32.73	9.78	32.51			
PK	5.6984G	117.17	Inf	-Inf	106.48	3	Horizontal	71	2.95	95	33.19	10.02	32.52			
AV	5.6612G	106.50	Inf	-Inf	96.03	3	Horizontal	71	2.95	95	32.97	10.02	32.52			
PK	5.8568G	68.07	68.20	-0.13	56.63	3	Horizontal	71	2.95	95	33.93	10.05	32.54			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 92
80\86\105\96\92
6.05\4.92\10.85\0.95\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6418G	67.94	68.20	-0.26	57.56	3	Vertical	336	2.95	92	32.87	10.02	32.51			
PK	5.7858G	112.76	Inf	-Inf	101.68	3	Vertical	336	2.95	92	33.61	10.00	32.53			
AV	5.763G	102.32	Inf	-Inf	91.36	3	Vertical	336	2.95	92	33.48	10.01	32.53			
PK	5.931G	59.40	68.20	-8.80	47.72	3	Vertical	336	2.95	92	34.10	10.12	32.54			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_V_2TX
SET 89
92\90\89
-1.84\ -0.68\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6484G	67.83	68.20	-0.37	57.43	3	Horizontal	69	2.95	89	32.89	10.02	32.51			
PK	5.7456G	115.92	Inf	-Inf	105.05	3	Horizontal	69	2.95	89	33.38	10.01	32.52			
AV	5.7612G	105.37	Inf	-Inf	94.42	3	Horizontal	69	2.95	89	33.47	10.01	32.53			
PK	5.9454G	59.69	68.20	-8.51	47.99	3	Horizontal	69	2.95	89	34.10	10.14	32.54			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 64
80\70\65\63\64
-14.61\ -3.75\ -0.35\ 1.04\ 0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1474G	64.65	74.00	-9.35	54.44	3	Vertical	339	2.95	64	33.09	9.71	32.59				
AV	5.1486G	49.03	54.00	-4.97	38.82	3	Vertical	339	2.95	64	33.09	9.71	32.59				
PK	5.3118G	103.83	Inf	-Inf	93.88	3	Vertical	339	2.95	64	32.80	9.70	32.55				
AV	5.3262G	93.12	Inf	-Inf	83.18	3	Vertical	339	2.95	64	32.80	9.69	32.55				
PK	5.3526G	70.75	74.00	-3.25	60.82	3	Vertical	339	2.95	64	32.79	9.68	32.54				
AV	5.3526G	53.31	54.00	-0.69	43.38	3	Vertical	339	2.95	64	32.79	9.68	32.54				
PK	5.4612G	60.67	68.20	-7.53	50.69	3	Vertical	339	2.95	64	32.72	9.77	32.51				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 59
64\61\60\59
-2.96\ -0.91\ -0.47\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	65.39	74.00	-8.61	55.19	3	Horizontal	86	2.95	59	33.08	9.71	32.59
AV	5.1456G	49.95	54.00	-4.05	39.75	3	Horizontal	86	2.95	59	33.08	9.71	32.59
PK	5.2578G	107.06	Inf	-Inf	97.02	3	Horizontal	86	2.95	59	32.88	9.72	32.56
AV	5.2284G	96.38	Inf	-Inf	86.28	3	Horizontal	86	2.95	59	32.94	9.73	32.57
PK	5.3562G	70.56	74.00	-3.44	60.63	3	Horizontal	86	2.95	59	32.79	9.68	32.54
AV	5.3616G	53.69	54.00	-0.31	43.77	3	Horizontal	86	2.95	59	32.78	9.68	32.54
PK	5.4942G	58.81	68.20	-9.39	48.69	3	Horizontal	86	2.95	59	32.79	9.83	32.50

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 67
80\73\70\69\68\67
-6.73\ -3.48\ -1.98\ -1.37\ -0.42\ 0.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3174G	57.57	68.20	-10.63	47.63	3	Vertical	338	2.93	67	32.80	9.69	32.55			
PK	5.4572G	65.27	74.00	-8.73	55.30	3	Vertical	338	2.93	67	32.71	9.77	32.51			
AV	5.4572G	50.17	54.00	-3.83	40.20	3	Vertical	338	2.93	67	32.71	9.77	32.51			
PK	5.4668G	67.59	68.20	-0.61	57.59	3	Vertical	338	2.93	67	32.73	9.78	32.51			
PK	5.6342G	105.58	Inf	-Inf	95.23	3	Vertical	338	2.93	67	32.84	10.02	32.51			
AV	5.6288G	94.73	Inf	-Inf	84.39	3	Vertical	338	2.93	67	32.82	10.03	32.51			
PK	5.7464G	63.42	68.20	-4.78	52.54	3	Vertical	338	2.93	67	33.39	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 67
67
0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.333G	57.80	68.20	-10.40	47.85	3	Horizontal	69	1.79	67	32.80	9.69	32.54				
PK	5.4572G	66.25	74.00	-7.75	56.28	3	Horizontal	69	1.79	67	32.71	9.77	32.51				
AV	5.456G	50.92	54.00	-3.08	40.96	3	Horizontal	69	1.79	67	32.71	9.76	32.51				
PK	5.4668G	67.93	68.20	-0.27	57.93	3	Horizontal	69	1.79	67	32.73	9.78	32.51				
PK	5.5514G	106.10	Inf	-Inf	95.97	3	Horizontal	69	1.79	67	32.70	9.94	32.51				
AV	5.5988G	94.80	Inf	-Inf	84.58	3	Horizontal	69	1.79	67	32.70	10.03	32.51				
PK	5.7398G	63.29	68.20	-4.91	52.44	3	Horizontal	69	1.79	67	33.36	10.01	32.52				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 85
80\84\86\85
4.73\1.65\ -1.14\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1499G	69.00	74.00	-5.00	58.78	3	Vertical	345	2.95	85	33.10	9.71	32.59			
AV	5.1494G	53.86	54.00	-0.14	43.64	3	Vertical	345	2.95	85	33.10	9.71	32.59			
PK	5.1813G	116.04	Inf	-Inf	105.85	3	Vertical	345	2.95	85	33.04	9.73	32.58			
AV	5.1757G	104.81	Inf	-Inf	94.61	3	Vertical	345	2.95	85	33.05	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 81
85\82\83\82\81
-2.35\0.83\0.05\1.61\1.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	72.07	74.00	-1.93	61.85	3	Horizontal	83	2.95	81	33.10	9.71	32.59			
AV	5.1401G	52.79	54.00	-1.21	42.61	3	Horizontal	83	2.95	81	33.06	9.71	32.59			
PK	5.1857G	118.27	Inf	-Inf	108.09	3	Horizontal	83	2.95	81	33.03	9.73	32.58			
AV	5.188G	107.51	Inf	-Inf	97.34	3	Horizontal	83	2.95	81	33.02	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 93
80\86\106\96\91\93\94\93
6.85\5.17\9.87\0.85\2.39\1.57\0.24\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1414G	69.10	74.00	-4.90	58.91	3	Vertical	343	2.95	93	33.07	9.71	32.59			
AV	5.1496G	53.31	54.00	-0.69	43.09	3	Vertical	343	2.95	93	33.10	9.71	32.59			
PK	5.2028G	116.39	Inf	-Inf	106.24	3	Vertical	343	2.95	93	32.99	9.74	32.58			
AV	5.1938G	106.34	Inf	-Inf	96.17	3	Vertical	343	2.95	93	33.01	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 89
93\91\90\89
-1.95\ -2.66\ -0.05\ 0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	71.32	74.00	-2.68	61.14	3	Horizontal	86	2.95	89	33.06	9.71	32.59			
AV	5.1486G	53.02	54.00	-0.98	42.81	3	Horizontal	86	2.95	89	33.09	9.71	32.59			
PK	5.2068G	119.74	Inf	-Inf	109.59	3	Horizontal	86	2.95	89	32.99	9.74	32.58			
AV	5.2078G	109.60	Inf	-Inf	99.46	3	Horizontal	86	2.95	89	32.98	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 108
80\87\108
7.28\7.13\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1389G	71.56	74.00	-2.44	61.38	3	Vertical	342	2.87	108	33.06	9.71	32.59			
AV	5.1401G	53.08	54.00	-0.92	42.90	3	Vertical	342	2.87	108	33.06	9.71	32.59			
PK	5.2427G	119.00	Inf	-Inf	108.94	3	Vertical	342	2.87	108	32.91	9.72	32.57			
AV	5.2439G	108.90	Inf	-Inf	98.84	3	Vertical	342	2.87	108	32.91	9.72	32.57			
PK	5.3504G	71.76	74.00	-2.24	61.82	3	Vertical	342	2.87	108	32.80	9.68	32.54			
AV	5.351G	52.15	54.00	-1.85	42.21	3	Vertical	342	2.87	108	32.80	9.68	32.54			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
 SET 101
 108\106\105\104\103\102\101
 -1.23\ -1.69\ -1.18\ -0.85\ -0.42\ -0.66\ 2.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	71.00	74.00	-3.00	60.78	3	Horizontal	87	2.95	101	33.10	9.71	32.59			
AV	5.1482G	51.94	54.00	-2.06	41.73	3	Horizontal	87	2.95	101	33.09	9.71	32.59			
PK	5.2352G	123.12	Inf	-Inf	113.03	3	Horizontal	87	2.95	101	32.93	9.73	32.57			
AV	5.2361G	112.76	Inf	-Inf	102.67	3	Horizontal	87	2.95	101	32.93	9.73	32.57			
PK	5.3528G	70.52	74.00	-3.48	60.59	3	Horizontal	87	2.95	101	32.79	9.68	32.54			
AV	5.3573G	50.89	54.00	-3.11	40.96	3	Horizontal	87	2.95	101	32.79	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 104
80\87\108\98\103\105\104
7.57\7.24\ -0.91\5.93\3.11\ -0.02\2.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.149G	61.51	74.00	-12.49	51.29	3	Vertical	342	2.86	104	33.10	9.71	32.59				
AV	5.1421G	47.28	54.00	-6.72	37.09	3	Vertical	342	2.86	104	33.07	9.71	32.59				
PK	5.2576G	118.22	Inf	-Inf	108.18	3	Vertical	342	2.86	104	32.88	9.72	32.56				
AV	5.2537G	108.42	Inf	-Inf	98.37	3	Vertical	342	2.86	104	32.89	9.72	32.56				
PK	5.3503G	71.41	74.00	-2.59	61.47	3	Vertical	342	2.86	104	32.80	9.68	32.54				
AV	5.35G	51.99	54.00	-2.01	42.05	3	Vertical	342	2.86	104	32.80	9.68	32.54				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 104
104
0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	65.95	74.00	-8.05	55.75	3	Horizontal	86	2.95	104	33.08	9.71	32.59			
AV	5.1499G	48.83	54.00	-5.17	38.61	3	Horizontal	86	2.95	104	33.10	9.71	32.59			
PK	5.2645G	122.29	Inf	-Inf	112.27	3	Horizontal	86	2.95	104	32.87	9.71	32.56			
AV	5.2561G	113.23	Inf	-Inf	103.18	3	Horizontal	86	2.95	104	32.89	9.72	32.56			
PK	5.3527G	73.52	74.00	-0.48	63.59	3	Horizontal	86	2.95	104	32.79	9.68	32.54			
AV	5.35G	53.44	54.00	-0.56	43.50	3	Horizontal	86	2.95	104	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 94
80\86\105\96\92\94
6.86\4.99\12.55\0.69\2.66\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3052G	117.01	Inf	-Inf	107.06	3	Vertical	342	2.95	94	32.80	9.70	32.55			
AV	5.3024G	107.27	Inf	-Inf	97.32	3	Vertical	342	2.95	94	32.80	9.70	32.55			
PK	5.3524G	64.84	74.00	-9.16	54.90	3	Vertical	342	2.95	94	32.80	9.68	32.54			
AV	5.3506G	53.57	54.00	-0.43	43.63	3	Vertical	342	2.95	94	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 91
94\92\91
-1.57\ -0.02\2.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3044G	117.51	Inf	-Inf	107.56	3	Horizontal	86	1.79	91	32.80	9.70	32.55			
AV	5.3074G	107.35	Inf	-Inf	97.40	3	Horizontal	86	1.79	91	32.80	9.70	32.55			
PK	5.3518G	63.74	74.00	-10.26	53.80	3	Horizontal	86	1.79	91	32.80	9.68	32.54			
AV	5.35G	51.50	54.00	-2.50	41.56	3	Horizontal	86	1.79	91	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 86
80\84\86\87\86
4.90\3.37\1.40\1.35\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3191G	115.69	Inf	-Inf	105.75	3	Vertical	341	2.78	86	32.80	9.69	32.55			
AV	5.3238G	104.67	Inf	-Inf	94.73	3	Vertical	341	2.78	86	32.80	9.69	32.55			
PK	5.3506G	68.07	74.00	-5.93	58.13	3	Vertical	341	2.78	86	32.80	9.68	32.54			
AV	5.3504G	53.17	54.00	-0.83	43.23	3	Vertical	341	2.78	86	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 79
86\84\83\71\77\80\79
-1.87\ -0.13\ -3.55\ 3.21\ 1.79\ -1.81\ 0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3256G	117.93	Inf	-Inf	107.99	3	Horizontal	87	2.95	79	32.80	9.69	32.55			
AV	5.3161G	107.37	Inf	-Inf	97.43	3	Horizontal	87	2.95	79	32.80	9.69	32.55			
PK	5.3608G	63.61	74.00	-10.39	53.69	3	Horizontal	87	2.95	79	32.78	9.68	32.54			
AV	5.3617G	53.55	54.00	-0.45	43.63	3	Horizontal	87	2.95	79	32.78	9.68	32.54			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 90
80\84\100\92\88\90\91\90
4.76\4.05\11.68\0.91\2.61\2.28\1.60\1.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4578G	64.51	74.00	-9.49	54.53	3	Vertical	344	2.95	90	32.72	9.77	32.51			
AV	5.4596G	52.10	54.00	-1.90	42.12	3	Vertical	344	2.95	90	32.72	9.77	32.51			
PK	5.4698G	66.52	68.20	-1.68	56.50	3	Vertical	344	2.95	90	32.74	9.79	32.51			
PK	5.4968G	116.36	Inf	-Inf	106.23	3	Vertical	344	2.95	90	32.79	9.84	32.50			
AV	5.4938G	106.32	Inf	-Inf	96.20	3	Vertical	344	2.95	90	32.79	9.83	32.50			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 88
90\89\88
-0.25\ -0.49\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4537G	73.39	74.00	-0.61	63.43	3	Horizontal	72	2.95	88	32.71	9.76	32.51			
AV	5.4591G	53.83	54.00	-0.17	43.85	3	Horizontal	72	2.95	88	32.72	9.77	32.51			
PK	5.4698G	66.15	68.20	-2.05	56.13	3	Horizontal	72	2.95	88	32.74	9.79	32.51			
PK	5.5033G	120.05	Inf	-Inf	109.91	3	Horizontal	72	2.95	88	32.79	9.85	32.50			
AV	5.4962G	109.34	Inf	-Inf	99.21	3	Horizontal	72	2.95	88	32.79	9.84	32.50			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 108
80\87\108
7.95\7.62\6.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4438G	57.68	74.00	-16.32	47.75	3	Vertical	338	2.87	108	32.70	9.74	32.51
PK	5.4699G	58.09	68.20	-10.11	48.07	3	Vertical	338	2.87	108	32.74	9.79	32.51
AV	5.4579G	47.35	54.00	-6.65	37.37	3	Vertical	338	2.87	108	32.72	9.77	32.51
PK	5.5839G	121.05	Inf	-Inf	110.86	3	Vertical	338	2.87	108	32.70	10.00	32.51
AV	5.5872G	110.26	Inf	-Inf	100.06	3	Vertical	338	2.87	108	32.70	10.01	32.51
PK	5.7273G	57.41	68.20	-10.79	46.61	3	Vertical	338	2.87	108	33.31	10.01	32.52

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
108
1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	60.92	74.00	-13.08	50.94	3	Horizontal	69	1.80	108	32.72	9.77	32.51
AV	5.4588G	48.11	54.00	-5.89	38.13	3	Horizontal	69	1.80	108	32.72	9.77	32.51
PK	5.4666G	66.39	68.20	-1.81	56.39	3	Horizontal	69	1.80	108	32.73	9.78	32.51
PK	5.5866G	121.14	Inf	-Inf	110.94	3	Horizontal	69	1.80	108	32.70	10.01	32.51
AV	5.5839G	110.96	Inf	-Inf	100.77	3	Horizontal	69	1.80	108	32.70	10.00	32.51
PK	5.73G	58.40	68.20	-9.80	47.59	3	Horizontal	69	1.80	108	33.32	10.01	32.52

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 67
80\72\68\66\67
-7.46\ -1.53\ -2.96\ 2.39\ 3.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6938G	111.42	Inf	-Inf	100.76	3	Vertical	335	2.89	67	33.16	10.02	32.52				
AV	5.6958G	101.19	Inf	-Inf	90.52	3	Vertical	335	2.89	67	33.17	10.02	32.52				
PK	5.7252G	64.95	68.20	-3.25	54.16	3	Vertical	335	2.89	67	33.30	10.01	32.52				

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 67
67
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7006G	115.27	Inf	-Inf	104.58	3	Horizontal	74	2.95	67	33.20	10.01	32.52			
AV	5.6962G	104.16	Inf	-Inf	93.48	3	Horizontal	74	2.95	67	33.18	10.02	32.52			
PK	5.725G	67.80	68.20	-0.40	57.01	3	Horizontal	74	2.95	67	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
80\88\108
8.37\8.26\7.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4458G	56.04	74.00	-17.96	46.11	3	Vertical	332	2.87	108	32.70	9.74	32.51					
AV	5.4224G	46.33	54.00	-7.67	36.45	3	Vertical	332	2.87	108	32.70	9.70	32.52					
PK	5.4626G	56.72	68.20	-11.48	46.72	3	Vertical	332	2.87	108	32.73	9.78	32.51					
PK	5.7278G	118.81	Inf	-Inf	108.01	3	Vertical	332	2.87	108	33.31	10.01	32.52					
AV	5.7182G	109.35	Inf	-Inf	98.59	3	Vertical	332	2.87	108	33.27	10.01	32.52					
PK	5.9126G	58.29	68.20	-9.91	46.62	3	Vertical	332	2.87	108	34.10	10.11	32.54					

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
108
6.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	57.12	74.00	-16.88	47.14	3	Horizontal	72	2.95	108	32.72	9.77	32.51			
AV	5.4578G	47.22	54.00	-6.78	37.24	3	Horizontal	72	2.95	108	32.72	9.77	32.51			
PK	5.4674G	57.46	68.20	-10.74	47.46	3	Horizontal	72	2.95	108	32.73	9.78	32.51			
PK	5.7224G	122.42	Inf	-Inf	111.64	3	Horizontal	72	2.95	108	33.29	10.01	32.52			
AV	5.7272G	112.73	Inf	-Inf	101.93	3	Horizontal	72	2.95	108	33.31	10.01	32.52			
PK	5.852G	58.56	68.20	-9.64	47.14	3	Horizontal	72	2.95	108	33.91	10.05	32.54			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 108
80\90\108
13.05\13.01\8.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4456G	41.06	54.00	-12.94	33.90	3	Vertical	262	1.08	108	34.70	7.23	34.77			
PK	5.6472G	60.07	68.20	-8.13	52.98	3	Vertical	262	1.08	108	34.51	7.39	34.81			
PK	5.736G	109.98	Inf	-Inf	103.05	3	Vertical	262	1.08	108	34.30	7.46	34.83			
AV	5.7432G	98.17	Inf	-Inf	91.24	3	Vertical	262	1.08	108	34.30	7.46	34.83			
PK	6.0432G	53.40	68.20	-14.80	45.73	3	Vertical	262	1.08	108	34.97	7.58	34.88			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 101
108\101\107\104\103\91\97\100\101
-6.05\6.93\5.23\5.07\3.17\9.47\9.17\8.21\8.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4474G	43.77	54.00	-10.23	36.60	3	Horizontal	76	2.87	101	34.70	7.24	34.77			
PK	5.643G	59.66	68.20	-8.54	52.58	3	Horizontal	76	2.87	101	34.51	7.38	34.81			
PK	5.7402G	116.38	Inf	-Inf	109.45	3	Horizontal	76	2.87	101	34.30	7.46	34.83			
AV	5.7432G	110.78	Inf	-Inf	103.85	3	Horizontal	76	2.87	101	34.30	7.46	34.83			
PK	6.0048G	52.62	68.20	-15.58	45.14	3	Horizontal	76	2.87	101	34.82	7.54	34.88			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 108
80\90\108
14.54\14.20\13.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.61613G	54.48	68.20	-13.72	47.35	3	Vertical	319	2.67	108	34.57	7.36	34.80				
PK	5.78069G	111.20	Inf	-Inf	104.31	3	Vertical	319	2.67	108	34.24	7.49	34.84				
AV	5.77766G	99.44	Inf	-Inf	92.55	3	Vertical	319	2.67	108	34.24	7.49	34.84				
PK	6.0729G	54.05	68.20	-14.15	46.27	3	Vertical	319	2.67	108	35.05	7.61	34.88				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
5.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64517G	62.47	68.20	-5.73	55.38	3	Horizontal	82	2.57	108	34.51	7.39	34.81				
PK	5.7825G	116.33	Inf	-Inf	109.43	3	Horizontal	82	2.57	108	34.24	7.50	34.84				
AV	5.78129G	109.30	Inf	-Inf	102.40	3	Horizontal	82	2.57	108	34.24	7.50	34.84				
PK	6.06625G	53.74	68.20	-14.46	45.99	3	Horizontal	82	2.57	108	35.03	7.60	34.88				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
80\90\108
13.89\14.21\14.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5988G	53.98	68.20	-14.22	46.83	3	Vertical	319	2.65	108	34.60	7.35	34.80			
PK	5.822G	109.65	Inf	-Inf	102.65	3	Vertical	319	2.65	108	34.33	7.51	34.84			
AV	5.816G	97.26	Inf	-Inf	90.29	3	Vertical	319	2.65	108	34.30	7.51	34.84			
PK	6.1094G	54.07	68.20	-14.13	46.22	3	Vertical	319	2.65	108	35.08	7.65	34.88			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
10.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5826G	57.31	68.20	-10.89	50.20	3	Horizontal	73	2.56	108	34.57	7.34	34.80				
PK	5.8226G	116.44	Inf	-Inf	109.43	3	Horizontal	73	2.56	108	34.34	7.51	34.84				
AV	5.8268G	109.34	Inf	-Inf	102.32	3	Horizontal	73	2.56	108	34.36	7.51	34.85				
PK	6.1118G	53.40	68.20	-14.80	45.55	3	Horizontal	73	2.56	108	35.08	7.65	34.88				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 79
80\79
-0.60\1.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	64.59	74.00	-9.41	54.37	3	Vertical	333	2.95	79	33.10	9.71	32.59			
AV	5.1484G	52.87	54.00	-1.13	42.66	3	Vertical	333	2.95	79	33.09	9.71	32.59			
PK	5.1918G	107.97	Inf	-Inf	97.79	3	Vertical	333	2.95	79	33.02	9.74	32.58			
AV	5.2034G	97.44	Inf	-Inf	87.29	3	Vertical	333	2.95	79	32.99	9.74	32.58			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 73
79\75\73
-3.06\ -0.61\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	64.30	74.00	-9.70	54.08	3	Horizontal	90	1.80	73	33.10	9.71	32.59			
AV	5.1492G	53.66	54.00	-0.34	43.44	3	Horizontal	90	1.80	73	33.10	9.71	32.59			
PK	5.1984G	111.10	Inf	-Inf	100.94	3	Horizontal	90	1.80	73	33.00	9.74	32.58			
AV	5.196G	100.85	Inf	-Inf	90.68	3	Horizontal	90	1.80	73	33.01	9.74	32.58			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 92
80\86\105\96\92
6.30\4.94\ -11.42\ -2.60\0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	63.86	74.00	-10.14	53.65	3	Vertical	347	2.86	92	33.09	9.71	32.59			
AV	5.1468G	53.98	54.00	-0.02	43.77	3	Vertical	347	2.86	92	33.09	9.71	32.59			
PK	5.2354G	114.29	Inf	-Inf	104.20	3	Vertical	347	2.86	92	32.93	9.73	32.57			
AV	5.2274G	103.01	Inf	-Inf	92.90	3	Vertical	347	2.86	92	32.95	9.73	32.57			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 88
92\88
-3.55\0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	64.62	74.00	-9.38	54.40	3	Horizontal	87	2.95	88	33.10	9.71	32.59				
AV	5.15G	53.98	54.00	-0.02	43.76	3	Horizontal	87	2.95	88	33.10	9.71	32.59				
PK	5.2432G	116.97	Inf	-Inf	106.91	3	Horizontal	87	2.95	88	32.91	9.72	32.57				
AV	5.2318G	107.16	Inf	-Inf	97.06	3	Horizontal	87	2.95	88	32.94	9.73	32.57				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 92
80\86\108\97\92\94\93\92
6.71\5.57\ -14.45\ -3.01\1.25\ -1.14\ -0.15\1.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2848G	112.75	Inf	-Inf	102.77	3	Vertical	348	2.85	92	32.83	9.71	32.56			
AV	5.2636G	102.21	Inf	-Inf	92.19	3	Vertical	348	2.85	92	32.87	9.71	32.56			
PK	5.3594G	64.86	74.00	-9.14	54.94	3	Vertical	348	2.85	92	32.78	9.68	32.54			
AV	5.35G	52.75	54.00	-1.25	42.81	3	Vertical	348	2.85	92	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 87
92\88\86\87
-3.57\ -0.02\1.19\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.271G	116.92	Inf	-Inf	106.91	3	Horizontal	83	2.95	87	32.86	9.71	32.56			
AV	5.2592G	106.54	Inf	-Inf	96.50	3	Horizontal	83	2.95	87	32.88	9.72	32.56			
PK	5.3518G	65.26	74.00	-8.74	55.32	3	Horizontal	83	2.95	87	32.80	9.68	32.54			
AV	5.3564G	53.70	54.00	-0.30	43.77	3	Horizontal	83	2.95	87	32.79	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 74
80\75\77\76\75\74
-4.66\0.62\1.82\1.07\0.09\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2966G	110.51	Inf	-Inf	100.55	3	Vertical	341	2.95	74	32.81	9.70	32.55			
AV	5.3042G	99.38	Inf	-Inf	89.43	3	Vertical	341	2.95	74	32.80	9.70	32.55			
PK	5.3528G	65.08	74.00	-8.92	55.15	3	Vertical	341	2.95	74	32.79	9.68	32.54			
AV	5.3502G	53.44	54.00	-0.56	43.50	3	Vertical	341	2.95	74	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 68
74\71\70\69\68
-2.65\ -1.41\ -0.74\ -0.15\ 0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.312G	111.28	Inf	-Inf	101.33	3	Horizontal	88	2.95	68	32.80	9.70	32.55			
AV	5.3162G	101.12	Inf	-Inf	91.18	3	Horizontal	88	2.95	68	32.80	9.69	32.55			
PK	5.3506G	65.14	74.00	-8.86	55.20	3	Horizontal	88	2.95	68	32.80	9.68	32.54			
AV	5.35G	53.44	54.00	-0.56	43.50	3	Horizontal	88	2.95	68	32.80	9.68	32.54			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
SET 80
80
0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4582G	63.25	74.00	-10.75	53.27	3	Vertical	341	2.95	80	32.72	9.77	32.51			
AV	5.46G	51.55	54.00	-2.45	41.57	3	Vertical	341	2.95	80	32.72	9.77	32.51			
PK	5.4698G	67.78	68.20	-0.42	57.76	3	Vertical	341	2.95	80	32.74	9.79	32.51			
PK	5.4922G	111.78	Inf	-Inf	101.67	3	Vertical	341	2.95	80	32.78	9.83	32.50			
AV	5.504G	101.34	Inf	-Inf	91.20	3	Vertical	341	2.95	80	32.79	9.85	32.50			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 77
80\79\78\77
-0.93\ -0.86\ -0.15\ 0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	63.80	74.00	-10.20	53.82	3	Horizontal	72	2.95	77	32.72	9.77	32.51			
AV	5.4598G	52.18	54.00	-1.82	42.20	3	Horizontal	72	2.95	77	32.72	9.77	32.51			
PK	5.4688G	67.90	68.20	-0.30	57.88	3	Horizontal	72	2.95	77	32.74	9.79	32.51			
PK	5.4958G	114.94	Inf	-Inf	104.81	3	Horizontal	72	2.95	77	32.79	9.84	32.50			
AV	5.5184G	104.41	Inf	-Inf	94.27	3	Horizontal	72	2.95	77	32.76	9.88	32.50			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 96
80\87\108\98\93\95\96
7.05\5.89\15.92\1.00\1.91\1.11\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	65.55	74.00	-8.45	55.58	3	Vertical	338	2.89	96	32.71	9.77	32.51			
AV	5.4588G	53.76	54.00	-0.24	43.78	3	Vertical	338	2.89	96	32.72	9.77	32.51			
PK	5.4652G	66.37	68.20	-1.83	56.37	3	Vertical	338	2.89	96	32.73	9.78	32.51			
PK	5.5538G	116.92	Inf	-Inf	106.79	3	Vertical	338	2.89	96	32.70	9.94	32.51			
AV	5.5562G	105.90	Inf	-Inf	95.76	3	Vertical	338	2.89	96	32.70	9.95	32.51			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 92
96\93\92
-2.74\ -0.41\ 0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4572G	66.98	74.00	-7.02	57.01	3	Horizontal	73	2.95	92	32.71	9.77	32.51			
AV	5.457G	53.93	54.00	-0.07	43.96	3	Horizontal	73	2.95	92	32.71	9.77	32.51			
PK	5.462G	65.62	68.20	-2.58	55.64	3	Horizontal	73	2.95	92	32.72	9.77	32.51			
PK	5.5354G	118.15	Inf	-Inf	108.01	3	Horizontal	73	2.95	92	32.73	9.91	32.50			
AV	5.5362G	107.91	Inf	-Inf	97.77	3	Horizontal	73	2.95	92	32.73	9.91	32.50			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 86
80\83\100\92\88\90\89\88\87\86
3.01\4.27\14.97\3.97\0.71\2.88\2.57\0.97\0.11\1.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6619G	113.46	Inf	-Inf	102.99	3	Vertical	335	2.91	86	32.97	10.02	32.52				
AV	5.6631G	103.16	Inf	-Inf	92.68	3	Vertical	335	2.91	86	32.98	10.02	32.52				
PK	5.7258G	66.51	68.20	-1.69	55.72	3	Vertical	335	2.91	86	33.30	10.01	32.52				

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 84
86\85\84
-0.95\ -0.16\ 0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6628G	116.17	Inf	-Inf	105.69	3	Horizontal	70	2.95	84	32.98	10.02	32.52			
AV	5.6586G	105.49	Inf	-Inf	95.04	3	Horizontal	70	2.95	84	32.95	10.02	32.52			
PK	5.7252G	67.52	68.20	-0.68	56.73	3	Horizontal	70	2.95	84	33.30	10.01	32.52			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 106
80\88\108\98\103\105\106\107\106
8.21\7.80\2.89\7.39\7.00\2.10\0.67\2.21\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.443G	58.36	74.00	-15.64	48.43	3	Vertical	337	2.89	106	32.70	9.74	32.51			
PK	5.4622G	56.66	68.20	-11.54	46.67	3	Vertical	337	2.89	106	32.72	9.78	32.51			
AV	5.4592G	46.95	54.00	-7.05	36.97	3	Vertical	337	2.89	106	32.72	9.77	32.51			
PK	5.7142G	116.73	Inf	-Inf	105.98	3	Vertical	337	2.89	106	33.26	10.01	32.52			
AV	5.7034G	106.31	Inf	-Inf	95.61	3	Vertical	337	2.89	106	33.21	10.01	32.52			
PK	5.8564G	67.79	68.20	-0.41	56.35	3	Vertical	337	2.89	106	33.93	10.05	32.54			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 104
106\101\108\105\104
-4.31\4.85\ -8.34\ -0.74\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4358G	58.06	74.00	-15.94	48.15	3	Horizontal	72	2.95	104	32.70	9.73	32.52			
PK	5.4652G	58.72	68.20	-9.48	48.72	3	Horizontal	72	2.95	104	32.73	9.78	32.51			
AV	5.4598G	48.58	54.00	-5.42	38.60	3	Horizontal	72	2.95	104	32.72	9.77	32.51			
PK	5.719G	119.78	Inf	-Inf	109.01	3	Horizontal	72	2.95	104	33.28	10.01	32.52			
AV	5.6932G	109.63	Inf	-Inf	98.97	3	Horizontal	72	2.95	104	33.16	10.02	32.52			
PK	5.851G	67.35	68.20	-0.85	55.94	3	Horizontal	72	2.95	104	33.90	10.05	32.54			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX



EUT_Y_2TX

SET 99


80\90\108\99\103\101\100\99

13.18\12.71\5.97\3.49\5.57\4.19\3.08\0.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
AV	5.4556G	41.02	54.00	-12.98	33.85	3	Vertical	324	2.68	99	34.70	7.24	34.77
PK	5.6488G	67.45	68.20	-0.75	60.37	3	Vertical	324	2.68	99	34.50	7.39	34.81
PK	5.7568G	108.91	Inf	-Inf	101.97	3	Vertical	324	2.68	99	34.29	7.48	34.83
AV	5.7544G	97.48	Inf	-Inf	90.55	3	Vertical	324	2.68	99	34.29	7.47	34.83
PK	5.9374G	53.24	68.20	-14.96	45.92	3	Vertical	324	2.68	99	34.67	7.52	34.87

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 97
99\89\101\95\98\97
-12.31\6.15\ -15.09\2.34\ -5.89\0.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4592G	44.17	54.00	-9.83	37.00	3	Horizontal	78	2.86	97	34.70	7.24	34.77			
PK	5.6458G	67.30	68.20	-0.90	60.21	3	Horizontal	78	2.86	97	34.51	7.39	34.81			
PK	5.7406G	116.18	Inf	-Inf	109.25	3	Horizontal	78	2.86	97	34.30	7.46	34.83			
AV	5.7532G	107.34	Inf	-Inf	100.41	3	Horizontal	78	2.86	97	34.29	7.47	34.83			
PK	5.9662G	53.69	68.20	-14.51	46.30	3	Horizontal	78	2.86	97	34.73	7.53	34.87			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_V_2TX
SET 108
80\90\108
14.30\13.21\4.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6492G	63.68	68.20	-4.52	56.60	3	Vertical	322	2.67	108	34.50	7.39	34.81			
PK	5.7806G	108.33	Inf	-Inf	101.44	3	Vertical	322	2.67	108	34.24	7.49	34.84			
AV	5.7806G	96.43	Inf	-Inf	89.54	3	Vertical	322	2.67	108	34.24	7.49	34.84			
PK	6.071G	53.93	68.20	-14.27	46.16	3	Vertical	322	2.67	108	35.04	7.61	34.88			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_V_2TX
SET 100
108\102\84\93\97\99\100
-5.51\ -4.52\9.93\7.57\4.70\1.34\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6504G	68.33	68.50	-0.17	61.25	3	Horizontal	80	2.08	100	34.50	7.39	34.81			
PK	5.7914G	116.15	Inf	-Inf	109.27	3	Horizontal	80	2.08	100	34.22	7.50	34.84			
AV	5.7842G	106.62	Inf	-Inf	99.73	3	Horizontal	80	2.08	100	34.23	7.50	34.84			
PK	6.092G	53.98	68.20	-14.22	46.15	3	Horizontal	80	2.08	100	35.08	7.63	34.88			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 76
80\78\77,76
-1.63\ -0.29\ -0.18\0.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1455G	62.02	74.00	-11.98	51.82	3	Vertical	346	2.95	76	33.08	9.71	32.59			
AV	5.15G	53.03	54.00	-0.97	42.81	3	Vertical	346	2.95	76	33.10	9.71	32.59			
PK	5.1795G	107.76	Inf	-Inf	97.57	3	Vertical	346	2.95	76	33.04	9.73	32.58			
AV	5.179G	96.50	Inf	-Inf	86.31	3	Vertical	346	2.95	76	33.04	9.73	32.58			
PK	5.3615G	57.16	74.00	-16.84	47.24	3	Vertical	346	2.95	76	32.78	9.68	32.54			
AV	5.3835G	46.91	54.00	-7.09	37.04	3	Vertical	346	2.95	76	32.73	9.67	32.53			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 71
76\73\72\71
-2.64\ -1.53\ -0.79\ 0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.149G	63.77	74.00	-10.23	53.55	3	Horizontal	85	2.95	71	33.10	9.71	32.59
AV	5.1485G	53.98	54.00	-0.02	43.77	3	Horizontal	85	2.95	71	33.09	9.71	32.59
PK	5.229G	109.98	Inf	-Inf	99.88	3	Horizontal	85	2.95	71	32.94	9.73	32.57
AV	5.227G	100.42	Inf	-Inf	90.31	3	Horizontal	85	2.95	71	32.95	9.73	32.57
PK	5.357G	59.28	74.00	-14.72	49.35	3	Horizontal	85	2.95	71	32.79	9.68	32.54
AV	5.3555G	48.77	54.00	-5.23	38.84	3	Horizontal	85	2.95	71	32.79	9.68	32.54

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 75
80\75
-4.13\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1395G	56.64	74.00	-17.36	46.46	3	Vertical	341	2.95	75	33.06	9.71	32.59			
AV	5.1485G	46.55	54.00	-7.45	36.34	3	Vertical	341	2.95	75	33.09	9.71	32.59			
PK	5.296G	107.13	Inf	-Inf	97.17	3	Vertical	341	2.95	75	32.81	9.70	32.55			
AV	5.3015G	96.65	Inf	-Inf	86.70	3	Vertical	341	2.95	75	32.80	9.70	32.55			
PK	5.3505G	62.84	74.00	-11.16	52.90	3	Vertical	341	2.95	75	32.80	9.68	32.54			
AV	5.35G	53.83	54.00	-0.17	43.89	3	Vertical	341	2.95	75	32.80	9.68	32.54			
PK	5.514G	57.18	68.20	-11.02	47.04	3	Vertical	341	2.95	75	32.77	9.87	32.50			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
SET 68
75\71\69\68
-3.40\ -1.25\ -0.80\ 0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.112G	57.12	74.00	-16.88	47.07	3	Horizontal	85	2.95	68	32.95	9.70	32.60			
AV	5.145G	47.28	54.00	-6.72	37.08	3	Horizontal	85	2.95	68	33.08	9.71	32.59			
PK	5.272G	109.72	Inf	-Inf	99.71	3	Horizontal	85	2.95	68	32.86	9.71	32.56			
AV	5.276G	98.89	Inf	-Inf	88.89	3	Horizontal	85	2.95	68	32.85	9.71	32.56			
PK	5.357G	63.40	74.00	-10.60	53.47	3	Horizontal	85	2.95	68	32.79	9.68	32.54			
AV	5.35G	53.96	54.00	-0.04	44.02	3	Horizontal	85	2.95	68	32.80	9.68	32.54			
PK	5.4975G	57.42	68.20	-10.78	47.29	3	Horizontal	85	2.95	68	32.79	9.84	32.50			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 87
80\87\90\89\88\87
7.48\0.72\ -2.92\ -1.49\ -0.26\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3475G	54.10	68.20	-14.10	47.10	3	Vertical	330	2.87	87	34.60	7.16	34.76				
AV	5.35G	42.06	54.00	-11.94	35.05	3	Vertical	330	2.87	87	34.60	7.17	34.76				
PK	5.46G	64.76	74.00	-9.24	57.58	3	Vertical	330	2.87	87	34.70	7.25	34.77				
AV	5.459G	53.08	54.00	-0.92	45.91	3	Vertical	330	2.87	87	34.70	7.24	34.77				
PK	5.4695G	66.57	68.20	-1.63	59.40	3	Vertical	330	2.87	87	34.70	7.25	34.78				
PK	5.4975G	105.19	Inf	-Inf	98.00	3	Vertical	330	2.87	87	34.70	7.27	34.78				
AV	5.4995G	93.60	Inf	-Inf	86.41	3	Vertical	330	2.87	87	34.70	7.27	34.78				
PK	5.764G	53.49	68.20	-14.71	46.57	3	Vertical	330	2.87	87	34.27	7.48	34.83				

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 78
87\78\82\80\79\78
-8.87\0.57\1.85\0.64\1.06\0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3085G	55.70	68.20	-12.50	48.71	3	Horizontal	78	2.58	78	34.60	7.14	34.75			
AV	5.35G	44.09	54.00	-9.91	37.08	3	Horizontal	78	2.58	78	34.60	7.17	34.76			
PK	5.4575G	65.33	74.00	-8.67	58.16	3	Horizontal	78	2.58	78	34.70	7.24	34.77			
AV	5.46G	53.47	54.00	-0.53	46.29	3	Horizontal	78	2.58	78	34.70	7.25	34.77			
PK	5.467G	66.17	68.20	-2.03	58.99	3	Horizontal	78	2.58	78	34.70	7.25	34.77			
PK	5.5605G	111.68	Inf	-Inf	104.63	3	Horizontal	78	2.58	78	34.52	7.32	34.79			
AV	5.5185G	99.77	Inf	-Inf	92.63	3	Horizontal	78	2.58	78	34.63	7.29	34.78			
PK	5.733G	55.28	68.20	-12.92	48.35	3	Horizontal	78	2.58	78	34.30	7.46	34.83			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 87
42\52\87
13.07\12.59\9.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	55.66	74.00	-18.34	48.48	3	Vertical	334	2.90	87	34.70	7.25	34.77			
AV	5.457G	44.72	54.00	-9.28	37.55	3	Vertical	334	2.90	87	34.70	7.24	34.77			
PK	5.4625G	56.27	68.20	-11.93	49.09	3	Vertical	334	2.90	87	34.70	7.25	34.77			
PK	5.5775G	107.38	Inf	-Inf	100.30	3	Vertical	334	2.90	87	34.55	7.33	34.80			
AV	5.582G	95.03	Inf	-Inf	87.93	3	Vertical	334	2.90	87	34.56	7.34	34.80			
PK	5.727G	57.26	68.20	-10.94	50.34	3	Vertical	334	2.90	87	34.30	7.45	34.83			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 90
87\90\91\90
3.28\0.70\1.51\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	63.16	74.00	-10.84	55.99	3	Horizontal	79	2.58	90	34.70	7.24	34.77
AV	5.46G	51.08	54.00	-2.92	43.90	3	Horizontal	79	2.58	90	34.70	7.25	34.77
PK	5.4625G	64.12	68.20	-4.08	56.94	3	Horizontal	79	2.58	90	34.70	7.25	34.77
PK	5.6025G	115.67	Inf	-Inf	108.53	3	Horizontal	79	2.58	90	34.59	7.35	34.80
AV	5.6015G	103.40	Inf	-Inf	96.25	3	Horizontal	79	2.58	90	34.60	7.35	34.80
PK	5.728G	67.83	68.20	-0.37	60.91	3	Horizontal	79	2.58	90	34.30	7.45	34.83

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
80\90\108
12.62\12.43\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4314G	62.91	74.00	-11.09	55.76	3	Vertical	323	2.63	108	34.70	7.22	34.77
PK	5.4698G	67.28	68.20	-0.92	60.11	3	Vertical	323	2.63	108	34.70	7.25	34.78
AV	5.459G	46.01	54.00	-7.99	38.84	3	Vertical	323	2.63	108	34.70	7.24	34.77
PK	5.6768G	108.65	Inf	-Inf	101.67	3	Vertical	323	2.63	108	34.39	7.41	34.82
AV	5.6762G	95.72	Inf	-Inf	88.73	3	Vertical	323	2.63	108	34.40	7.41	34.82
PK	5.852G	63.40	68.20	-4.80	56.23	3	Vertical	323	2.63	108	34.50	7.52	34.85

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 99
108\98\103\101\100\99
-10.07\1.18\4.57\2.19\1.39\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4458G	62.72	74.00	-11.28	55.56	3	Horizontal	78	2.85	99	34.70	7.23	34.77
AV	5.4566G	50.84	54.00	-3.16	43.67	3	Horizontal	78	2.85	99	34.70	7.24	34.77
PK	5.4698G	63.68	68.20	-4.52	56.51	3	Horizontal	78	2.85	99	34.70	7.25	34.78
PK	5.6696G	115.91	Inf	-Inf	108.89	3	Horizontal	78	2.85	99	34.42	7.41	34.81
AV	5.6534G	104.48	Inf	-Inf	97.41	3	Horizontal	78	2.85	99	34.49	7.39	34.81
PK	5.8574G	67.94	68.20	-0.26	60.76	3	Horizontal	78	2.85	99	34.51	7.52	34.85

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 103
80\90\108\99\103\105\104\103
13.62\11.14\2.71\6.80\3.28\0.69\1.68\3.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6508G	65.48	68.79	-3.31	58.40	3	Vertical	317	2.68	103	34.50	7.39	34.81			
PK	5.766G	105.72	Inf	-Inf	98.80	3	Vertical	317	2.68	103	34.27	7.48	34.83			
AV	5.766G	94.20	Inf	-Inf	87.28	3	Vertical	317	2.68	103	34.27	7.48	34.83			
PK	6.0588G	53.38	68.20	-14.82	45.65	3	Vertical	317	2.68	103	35.02	7.59	34.88			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_V_2TX
SET 90
103\94\90\92\91\90
-8.49\ -1.20\0.95\ -4.67\ -0.33\1.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6316G	66.74	68.20	-1.46	59.63	3	Horizontal	79	2.88	90	34.54	7.38	34.81			
PK	5.7534G	114.01	Inf	-Inf	107.08	3	Horizontal	79	2.88	90	34.29	7.47	34.83			
AV	5.7474G	102.42	Inf	-Inf	95.48	3	Horizontal	79	2.88	90	34.30	7.47	34.83			
PK	6.063G	54.23	68.20	-13.97	46.48	3	Horizontal	79	2.88	90	35.03	7.60	34.88			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 68
80\70\65\67\68\69\68
-12.99\ -2.46\2.92\1.32\0.56\ -1.18\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	64.32	74.00	-9.68	54.10	3	Vertical	341	2.95	68	33.10	9.71	32.59			
AV	5.1438G	50.02	54.00	-3.98	39.82	3	Vertical	341	2.95	68	33.08	9.71	32.59			
PK	5.289G	103.01	Inf	-Inf	93.04	3	Vertical	341	2.95	68	32.82	9.70	32.55			
AV	5.3118G	92.51	Inf	-Inf	82.56	3	Vertical	341	2.95	68	32.80	9.70	32.55			
PK	5.3544G	69.46	74.00	-4.54	59.53	3	Vertical	341	2.95	68	32.79	9.68	32.54			
AV	5.3574G	53.70	54.00	-0.30	43.77	3	Vertical	341	2.95	68	32.79	9.68	32.54			
PK	5.4636G	60.85	68.20	-7.35	50.85	3	Vertical	341	2.95	68	32.73	9.78	32.51			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
SET 62
68\65\64\63\62
-2.96\ -0.93\ -0.15\ -1.08\1.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	62.69	74.00	-11.31	52.48	3	Horizontal	85	2.95	62	33.09	9.71	32.59
AV	5.148G	49.28	54.00	-4.72	39.07	3	Horizontal	85	2.95	62	33.09	9.71	32.59
PK	5.3118G	105.82	Inf	-Inf	95.87	3	Horizontal	85	2.95	62	32.80	9.70	32.55
AV	5.3262G	95.33	Inf	-Inf	85.39	3	Horizontal	85	2.95	62	32.80	9.69	32.55
PK	5.3526G	67.64	74.00	-6.36	57.71	3	Horizontal	85	2.95	62	32.79	9.68	32.54
AV	5.352G	52.53	54.00	-1.47	42.59	3	Horizontal	85	2.95	62	32.80	9.68	32.54
PK	5.4624G	58.48	68.20	-9.72	48.49	3	Horizontal	85	2.95	62	32.72	9.78	32.51

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 74
80\74
-5.85\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.348G	61.81	68.20	-6.39	51.87	3	Vertical	339	2.92	74	32.80	9.68	32.54			
PK	5.46G	67.71	74.00	-6.29	57.73	3	Vertical	339	2.92	74	32.72	9.77	32.51			
AV	5.4572G	53.62	54.00	-0.38	43.65	3	Vertical	339	2.92	74	32.71	9.77	32.51			
PK	5.4638G	68.01	68.20	-0.19	58.01	3	Vertical	339	2.92	74	32.73	9.78	32.51			
PK	5.5532G	104.81	Inf	-Inf	94.68	3	Vertical	339	2.92	74	32.70	9.94	32.51			
AV	5.6276G	94.23	Inf	-Inf	83.90	3	Vertical	339	2.92	74	32.81	10.03	32.51			
PK	5.7374G	67.34	68.20	-0.86	56.50	3	Vertical	339	2.92	74	33.35	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT_V_2TX
SET 70
74\71\70
-2.78\ -0.09\1.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3312G	58.11	68.20	-10.09	48.16	3	Horizontal	70	1.80	70	32.80	9.69	32.54
PK	5.4596G	64.77	74.00	-9.23	54.79	3	Horizontal	70	1.80	70	32.72	9.77	32.51
AV	5.4572G	50.32	54.00	-3.68	40.35	3	Horizontal	70	1.80	70	32.71	9.77	32.51
PK	5.4608G	65.82	68.20	-2.38	55.84	3	Horizontal	70	1.80	70	32.72	9.77	32.51
PK	5.6G	104.89	Inf	-Inf	94.67	3	Horizontal	70	1.80	70	32.70	10.03	32.51
AV	5.633G	94.08	Inf	-Inf	83.73	3	Horizontal	70	1.80	70	32.83	10.03	32.51
PK	5.729G	66.96	68.20	-1.24	56.15	3	Horizontal	70	1.80	70	33.32	10.01	32.52




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.47G	68.19	68.20	-0.01	3	Vertical	38	1.54	81

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX



EUT_Y_1TX
SET 81
60\86\73\79\82\81
6.55\ -2.99\5.80\3.87\ -0.05\1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1497G	64.86	74.00	-9.14	54.42	3	Vertical	31	1.34	81	33.70	7.70	30.96			
AV	5.1498G	52.34	54.00	-1.66	41.90	3	Vertical	31	1.34	81	33.70	7.70	30.96			
PK	5.1856G	113.95	Inf	-Inf	103.41	3	Vertical	31	1.34	81	33.77	7.72	30.95			
AV	5.1815G	104.82	Inf	-Inf	94.29	3	Vertical	31	1.34	81	33.76	7.72	30.95			