


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
SET 81
81
3.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	62.68	74.00	-11.32	52.25	3	Horizontal	19	1.45	81	33.69	7.70	30.96			
AV	5.1489G	50.84	54.00	-3.16	40.40	3	Horizontal	19	1.45	81	33.70	7.70	30.96			
PK	5.1858G	111.91	Inf	-Inf	101.37	3	Horizontal	19	1.45	81	33.77	7.72	30.95			
AV	5.1815G	102.75	Inf	-Inf	92.22	3	Horizontal	19	1.45	81	33.76	7.72	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX



EUT_Y_1TX

SET 94


60\85\107\96\91\93\94\95\94

6.45\5.63\6.23\0.19\3.37\1.68\0.51\0.01\0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	65.46	74.00	-8.54	55.02	3	Vertical	32	1.24	94	33.70	7.70	30.96			
AV	5.1486G	53.12	54.00	-0.88	42.69	3	Vertical	32	1.24	94	33.69	7.70	30.96			
PK	5.2048G	116.51	Inf	-Inf	105.91	3	Vertical	32	1.24	94	33.80	7.74	30.94			
AV	5.1992G	107.42	Inf	-Inf	96.84	3	Vertical	32	1.24	94	33.80	7.73	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
SET94
94
2.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	64.67	74.00	-9.33	54.23	3	Horizontal	18	1.64	94	33.70	7.70	30.96				
AV	5.1494G	51.49	54.00	-2.51	41.05	3	Horizontal	18	1.64	94	33.70	7.70	30.96				
PK	5.2056G	114.47	Inf	-Inf	103.87	3	Horizontal	18	1.64	94	33.80	7.74	30.94				
AV	5.199G	105.03	Inf	-Inf	94.45	3	Horizontal	18	1.64	94	33.80	7.73	30.95				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
SET 108
60\85\107\108
6.31\5.65\4.24\4.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1491G	62.06	74.00	-11.94	51.62	3	Vertical	31	1.11	108	33.70	7.70	30.96				
AV	5.1455G	49.86	54.00	-4.14	39.45	3	Vertical	31	1.11	108	33.68	7.69	30.96				
PK	5.237G	118.63	Inf	-Inf	107.98	3	Vertical	31	1.11	108	33.80	7.79	30.94				
AV	5.2346G	109.21	Inf	-Inf	98.57	3	Vertical	31	1.11	108	33.80	7.78	30.94				
PK	5.3552G	60.67	74.00	-13.33	49.69	3	Vertical	31	1.11	108	33.92	7.97	30.91				
AV	5.3504G	49.30	54.00	-4.70	38.35	3	Vertical	31	1.11	108	33.90	7.96	30.91				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT Y_1TX
SET 108
108
4.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.98	74.00	-14.02	49.54	3	Horizontal	20	1.69	108	33.70	7.70	30.96			
AV	5.1497G	49.13	54.00	-4.87	38.69	3	Horizontal	20	1.69	108	33.70	7.70	30.96			
PK	5.2373G	117.44	Inf	-Inf	106.79	3	Horizontal	20	1.69	108	33.80	7.79	30.94			
AV	5.243G	108.39	Inf	-Inf	97.73	3	Horizontal	20	1.69	108	33.80	7.80	30.94			
PK	5.3573G	59.67	74.00	-14.33	48.68	3	Horizontal	20	1.69	108	33.93	7.97	30.91			
AV	5.3543G	48.66	54.00	-5.34	37.68	3	Horizontal	20	1.69	108	33.92	7.97	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
60\85\107\108
6.31\5.71\3.11\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1421G	59.96	74.00	-14.04	49.56	3	Vertical	31	1.30	108	33.67	7.69	30.96				
AV	5.1448G	47.78	54.00	-6.22	37.37	3	Vertical	31	1.30	108	33.68	7.69	30.96				
PK	5.2591G	118.83	Inf	-Inf	108.14	3	Vertical	31	1.30	108	33.80	7.82	30.93				
AV	5.2567G	109.84	Inf	-Inf	99.15	3	Vertical	31	1.30	108	33.80	7.82	30.93				
PK	5.3578G	66.48	74.00	-7.52	55.49	3	Vertical	31	1.30	108	33.93	7.97	30.91				
AV	5.353G	52.84	54.00	-1.16	41.87	3	Vertical	31	1.30	108	33.91	7.97	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET 108
108
3.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	57.12	74.00	-16.88	46.79	3	Horizontal	20	1.60	108	33.61	7.68	30.96			
AV	5.1481G	47.63	54.00	-6.37	37.20	3	Horizontal	20	1.60	108	33.69	7.70	30.96			
PK	5.2573G	116.98	Inf	-Inf	106.29	3	Horizontal	20	1.60	108	33.80	7.82	30.93			
AV	5.2591G	108.27	Inf	-Inf	97.58	3	Horizontal	20	1.60	108	33.80	7.82	30.93			
PK	5.3515G	63.41	74.00	-10.59	52.45	3	Horizontal	20	1.60	108	33.91	7.96	30.91			
AV	5.3512G	50.64	54.00	-3.36	39.69	3	Horizontal	20	1.60	108	33.90	7.96	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 97
60\83\104\94\99\97\98\97
5.82\5.39\10.36\3.31\1.97\0.95\1.28\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3048G	115.56	Inf	-Inf	104.78	3	Vertical	34	1.31	97	33.81	7.89	30.92				
AV	5.3028G	106.14	Inf	-Inf	95.36	3	Vertical	34	1.31	97	33.81	7.89	30.92				
PK	5.3516G	66.93	74.00	-7.07	55.97	3	Vertical	34	1.31	97	33.91	7.96	30.91				
AV	5.3504G	53.54	54.00	-0.46	42.59	3	Vertical	34	1.31	97	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET97
97
2.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2962G	113.24	Inf	-Inf	102.48	3	Horizontal	21	1.49	97	33.80	7.88	30.92				
AV	5.298G	104.54	Inf	-Inf	93.78	3	Horizontal	21	1.49	97	33.80	7.88	30.92				
PK	5.352G	66.14	74.00	-7.86	55.17	3	Horizontal	21	1.49	97	33.91	7.97	30.91				
AV	5.3514G	51.95	54.00	-2.05	40.99	3	Horizontal	21	1.49	97	33.91	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 85
60\83\94\89\87\86\85
5.76\3.99\7.48\2.46\0.03\0.11\1.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3255G	114.11	Inf	-Inf	103.26	3	Vertical	31	1.22	85	33.85	7.92	30.92			
AV	5.3216G	104.39	Inf	-Inf	93.55	3	Vertical	31	1.22	85	33.84	7.92	30.92			
PK	5.3555G	65.14	74.00	-8.86	54.16	3	Vertical	31	1.22	85	33.92	7.97	30.91			
AV	5.3502G	52.10	54.00	-1.90	41.15	3	Vertical	31	1.22	85	33.90	7.96	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 85
85
3.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3257G	111.83	Inf	-Inf	100.98	3	Horizontal	18	1.56	85	33.85	7.92	30.92				
AV	5.3226G	102.13	Inf	-Inf	91.28	3	Horizontal	18	1.56	85	33.85	7.92	30.92				
PK	5.3504G	63.40	74.00	-10.60	52.45	3	Horizontal	18	1.56	85	33.90	7.96	30.91				
AV	5.3505G	50.99	54.00	-3.01	40.04	3	Horizontal	18	1.56	85	33.90	7.96	30.91				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 90
60\86\102\94\90
6.58\4.07\ -14.32\ -1.44\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4587G	62.22	74.00	-11.78	51.05	3	Vertical	35	1.31	90	34.00	8.06	30.89			
AV	5.4599G	50.00	54.00	-4.00	38.83	3	Vertical	35	1.31	90	34.00	8.06	30.89			
PK	5.4687G	67.72	68.20	-0.48	56.55	3	Vertical	35	1.31	90	34.00	8.06	30.89			
PK	5.5056G	115.29	Inf	-Inf	104.08	3	Vertical	35	1.31	90	34.02	8.07	30.88			
AV	5.5009G	105.52	Inf	-Inf	94.33	3	Vertical	35	1.31	90	34.00	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET90
90
1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	60.03	74.00	-13.97	48.86	3	Horizontal	19	1.40	90	34.00	8.06	30.89			
AV	5.4521G	49.29	54.00	-4.71	38.12	3	Horizontal	19	1.40	90	34.00	8.06	30.89			
PK	5.4689G	66.22	68.20	-1.98	55.05	3	Horizontal	19	1.40	90	34.00	8.06	30.89			
PK	5.5054G	113.12	Inf	-Inf	101.91	3	Horizontal	19	1.40	90	34.02	8.07	30.88			
AV	5.5056G	103.35	Inf	-Inf	92.14	3	Horizontal	19	1.40	90	34.02	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
60\86\108
6.70\6.25\5.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	59.59	74.00	-14.41	48.43	3	Vertical	36	1.53	108	34.00	8.05	30.89			
AV	5.4552G	48.35	54.00	-5.65	37.18	3	Vertical	36	1.53	108	34.00	8.06	30.89			
PK	5.4648G	60.51	68.20	-7.69	49.34	3	Vertical	36	1.53	108	34.00	8.06	30.89			
PK	5.5788G	119.79	Inf	-Inf	108.43	3	Vertical	36	1.53	108	34.14	8.09	30.87			
AV	5.5848G	110.66	Inf	-Inf	99.29	3	Vertical	36	1.53	108	34.13	8.10	30.86			
PK	5.7252G	59.98	68.20	-8.22	48.68	3	Vertical	36	1.53	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 108
108
6.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4414G	57.85	74.00	-16.15	46.67	3	Horizontal	19	2.59	108	34.02	8.05	30.89			
PK	5.4666G	58.01	68.20	-10.19	46.84	3	Horizontal	19	2.59	108	34.00	8.06	30.89			
AV	5.4543G	47.95	54.00	-6.05	36.78	3	Horizontal	19	2.59	108	34.00	8.06	30.89			
PK	5.5857G	117.32	Inf	-Inf	105.95	3	Horizontal	19	2.59	108	34.13	8.10	30.86			
AV	5.5848G	107.86	Inf	-Inf	96.49	3	Horizontal	19	2.59	108	34.13	8.10	30.86			
PK	5.7252G	58.36	68.20	-9.84	47.06	3	Horizontal	19	2.59	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 74
60\98\56\77\67\72\74
9.61\15.28\9.54\2.05\7.62\1.68\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6932G	110.47	Inf	-Inf	99.22	3	Vertical	41	1.48	74	33.90	8.20	30.85				
AV	5.703G	101.63	Inf	-Inf	90.36	3	Vertical	41	1.48	74	33.90	8.21	30.84				
PK	5.7272G	68.02	68.20	-0.18	56.72	3	Vertical	41	1.48	74	33.90	8.24	30.84				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 74
74
3.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7058G	109.66	Inf	-Inf	98.38	3	Horizontal	1	1.64	74	33.90	8.22	30.84			
AV	5.7054G	99.70	Inf	-Inf	88.42	3	Horizontal	1	1.64	74	33.90	8.22	30.84			
PK	5.7258G	65.09	68.20	-3.11	53.79	3	Horizontal	1	1.64	74	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 108
60\85\108
6.42\6.67\5.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4398G	57.86	74.00	-16.14	46.68	3	Vertical	39	1.45	108	34.02	8.05	30.89			
AV	5.429G	48.19	54.00	-5.81	37.00	3	Vertical	39	1.45	108	34.04	8.05	30.90			
PK	5.4614G	57.00	68.20	-11.20	45.83	3	Vertical	39	1.45	108	34.00	8.06	30.89			
PK	5.7236G	118.60	Inf	-Inf	107.30	3	Vertical	39	1.45	108	33.90	8.24	30.84			
AV	5.7236G	109.13	Inf	-Inf	97.83	3	Vertical	39	1.45	108	33.90	8.24	30.84			
PK	5.927G	58.33	68.20	-9.87	46.43	3	Vertical	39	1.45	108	34.21	8.49	30.80			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
SET 108
108
6.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4314G	57.73	74.00	-16.27	46.54	3	Horizontal	1	1.60	108	34.04	8.05	30.90			
AV	5.447G	47.68	54.00	-6.32	36.51	3	Horizontal	1	1.60	108	34.01	8.05	30.89			
PK	5.465G	57.61	68.20	-10.59	46.44	3	Horizontal	1	1.60	108	34.00	8.06	30.89			
PK	5.7164G	116.32	Inf	-Inf	105.03	3	Horizontal	1	1.60	108	33.90	8.23	30.84			
AV	5.7164G	106.86	Inf	-Inf	95.57	3	Horizontal	1	1.60	108	33.90	8.23	30.84			
PK	5.8652G	58.53	68.20	-9.67	46.98	3	Horizontal	1	1.60	108	33.96	8.40	30.81			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
SET 108
60\86\108
6.61\6.52\6.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6004G	60.09	68.20	-8.11	48.75	3	Vertical	38	1.54	108	34.10	8.10	30.86				
AV	5.4582G	47.77	54.00	-6.23	36.60	3	Vertical	38	1.54	108	34.00	8.06	30.89				
PK	5.748G	119.45	Inf	-Inf	108.13	3	Vertical	38	1.54	108	33.90	8.26	30.84				
AV	5.7444G	110.24	Inf	-Inf	98.92	3	Vertical	38	1.54	108	33.90	8.26	30.84				
PK	5.9454G	58.84	68.20	-9.36	46.85	3	Vertical	38	1.54	108	34.28	8.51	30.80				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT Y_1TX
SET 108
108
6.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4492G	47.48	54.00	-6.52	36.32	3	Horizontal	1	1.53	108	34.00	8.05	30.89			
PK	5.646G	58.84	68.20	-9.36	47.62	3	Horizontal	1	1.53	108	33.92	8.15	30.85			
PK	5.7414G	115.92	Inf	-Inf	104.60	3	Horizontal	1	1.53	108	33.90	8.26	30.84			
AV	5.7462G	106.80	Inf	-Inf	95.48	3	Horizontal	1	1.53	108	33.90	8.26	30.84			
PK	6.0372G	59.53	68.20	-8.67	47.43	3	Horizontal	1	1.53	108	34.37	8.54	30.81			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
SET 108
60\94\108
8.55\7.87\9.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62762G	59.14	68.20	-9.06	47.88	3	Vertical	38	1.52	108	33.99	8.13	30.86				
PK	5.79097G	118.78	Inf	-Inf	107.40	3	Vertical	38	1.52	108	33.90	8.31	30.83				
AV	5.78916G	109.43	Inf	-Inf	98.05	3	Vertical	38	1.52	108	33.90	8.31	30.83				
PK	5.9634G	59.12	68.20	-9.08	47.09	3	Vertical	38	1.52	108	34.30	8.53	30.80				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
SET 108
108
9.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.61129G	58.31	68.20	-9.89	47.01	3	Horizontal	0	1.69	108	34.05	8.11	30.86				
PK	5.7819G	116.84	Inf	-Inf	105.47	3	Horizontal	0	1.69	108	33.90	8.30	30.83				
AV	5.77948G	107.34	Inf	-Inf	95.97	3	Horizontal	0	1.69	108	33.90	8.30	30.83				
PK	6.04628G	58.36	68.20	-9.84	46.25	3	Horizontal	0	1.69	108	34.39	8.53	30.81				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
60\95\108
8.95\8.78\8.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.576G	59.70	68.20	-8.50	48.33	3	Vertical	39	1.51	108	34.15	8.09	30.87			
PK	5.822G	118.03	Inf	-Inf	106.60	3	Vertical	39	1.51	108	33.90	8.35	30.82			
AV	5.8244G	108.74	Inf	-Inf	97.31	3	Vertical	39	1.51	108	33.90	8.35	30.82			
PK	6.0062G	59.75	68.20	-8.45	47.66	3	Vertical	39	1.51	108	34.31	8.57	30.79			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
108
9.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.576G	58.35	68.20	-9.85	46.98	3	Horizontal	3	1.56	108	34.15	8.09	30.87				
PK	5.8232G	114.56	Inf	-Inf	103.13	3	Horizontal	3	1.56	108	33.90	8.35	30.82				
AV	5.8244G	105.28	Inf	-Inf	93.85	3	Horizontal	3	1.56	108	33.90	8.35	30.82				
PK	6.0536G	59.14	68.20	-9.06	47.03	3	Horizontal	3	1.56	108	34.40	8.52	30.81				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
SET 82
60\86\66\76\81\83\82
6.58\5.11\6.25\5.39\0.70\1.70\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	69.00	74.00	-5.00	58.56	3	Vertical	28	1.35	82	33.70	7.70	30.96			
AV	5.1491G	53.93	54.00	-0.07	43.49	3	Vertical	28	1.35	82	33.70	7.70	30.96			
PK	5.1754G	115.20	Inf	-Inf	104.69	3	Vertical	28	1.35	82	33.75	7.71	30.95			
AV	5.1825G	103.75	Inf	-Inf	93.21	3	Vertical	28	1.35	82	33.77	7.72	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
SET 82
82
2.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1487G	65.54	74.00	-8.46	55.11	3	Horizontal	17	1.52	82	33.69	7.70	30.96				
AV	5.1484G	51.92	54.00	-2.08	41.49	3	Horizontal	17	1.52	82	33.69	7.70	30.96				
PK	5.1758G	113.60	Inf	-Inf	103.09	3	Horizontal	17	1.52	82	33.75	7.71	30.95				
AV	5.1742G	101.73	Inf	-Inf	91.22	3	Horizontal	17	1.52	82	33.75	7.71	30.95				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET93
60\87\103\95\91\93
6.91\4.10\ -7.76\ -0.93\2.58\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1434G	64.88	74.00	-9.12	54.48	3	Vertical	34	1.23	93	33.67	7.69	30.96			
AV	5.15G	53.66	54.00	-0.34	43.22	3	Vertical	34	1.23	93	33.70	7.70	30.96			
PK	5.1982G	117.16	Inf	-Inf	106.58	3	Vertical	34	1.23	93	33.80	7.73	30.95			
AV	5.2028G	105.99	Inf	-Inf	95.41	3	Vertical	34	1.23	93	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
SET93
93
0.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	65.14	74.00	-8.86	54.70	3	Horizontal	17	1.64	93	33.70	7.70	30.96				
AV	5.1492G	53.03	54.00	-0.97	42.59	3	Horizontal	17	1.64	93	33.70	7.70	30.96				
PK	5.206G	115.87	Inf	-Inf	105.27	3	Horizontal	17	1.64	93	33.80	7.74	30.94				
AV	5.1914G	104.05	Inf	-Inf	93.50	3	Horizontal	17	1.64	93	33.78	7.72	30.95				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
SET 102
60\86\108\97\102
6.66\5.74\1.29\5.70\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1476G	73.85	74.00	-0.15	63.42	3	Vertical	33	1.23	102	33.69	7.70	30.96					
AV	5.1488G	50.82	54.00	-3.18	40.38	3	Vertical	33	1.23	102	33.70	7.70	30.96					
PK	5.2352G	118.88	Inf	-Inf	108.24	3	Vertical	33	1.23	102	33.80	7.78	30.94					
AV	5.2418G	108.91	Inf	-Inf	98.26	3	Vertical	33	1.23	102	33.80	7.79	30.94					
PK	5.3528G	71.65	74.00	-2.35	60.68	3	Vertical	33	1.23	102	33.91	7.97	30.91					
AV	5.3525G	50.88	54.00	-3.12	39.91	3	Vertical	33	1.23	102	33.91	7.97	30.91					

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT Y_1TX
SET 102
102
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1407G	73.80	74.00	-0.20	63.41	3	Horizontal	19	1.72	102	33.66	7.69	30.96			
AV	5.1476G	50.97	54.00	-3.03	40.54	3	Horizontal	19	1.72	102	33.69	7.70	30.96			
PK	5.2391G	118.33	Inf	-Inf	107.68	3	Horizontal	19	1.72	102	33.80	7.79	30.94			
AV	5.2376G	107.56	Inf	-Inf	96.91	3	Horizontal	19	1.72	102	33.80	7.79	30.94			
PK	5.3552G	72.39	74.00	-1.61	61.41	3	Horizontal	19	1.72	102	33.92	7.97	30.91			
AV	5.3546G	50.20	54.00	-3.80	39.22	3	Horizontal	19	1.72	102	33.92	7.97	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 106
60\85\107\108\107\106
6.37\5.61\1.17\0.79\0.14\2.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1499G	65.76	74.00	-8.24	55.32	3	Vertical	33	1.24	106	33.70	7.70	30.96
AV	5.1424G	48.71	54.00	-5.29	38.31	3	Vertical	33	1.24	106	33.67	7.69	30.96
PK	5.2516G	119.29	Inf	-Inf	108.61	3	Vertical	33	1.24	106	33.80	7.81	30.93
AV	5.2579G	108.36	Inf	-Inf	97.67	3	Vertical	33	1.24	106	33.80	7.82	30.93
PK	5.3569G	71.26	74.00	-2.74	60.27	3	Vertical	33	1.24	106	33.93	7.97	30.91
AV	5.3509G	51.20	54.00	-2.80	40.25	3	Vertical	33	1.24	106	33.90	7.96	30.91

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET 106
106
3.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1481G	63.80	74.00	-10.20	53.37	3	Horizontal	19	1.69	106	33.69	7.70	30.96
AV	5.149G	47.94	54.00	-6.06	37.50	3	Horizontal	19	1.69	106	33.70	7.70	30.96
PK	5.2549G	117.07	Inf	-Inf	106.38	3	Horizontal	19	1.69	106	33.80	7.82	30.93
AV	5.2579G	106.56	Inf	-Inf	95.87	3	Horizontal	19	1.69	106	33.80	7.82	30.93
PK	5.3632G	69.51	74.00	-4.49	58.49	3	Horizontal	19	1.69	106	33.95	7.98	30.91
AV	5.3527G	50.27	54.00	-3.73	39.30	3	Horizontal	19	1.69	106	33.91	7.97	30.91

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 94
60\85\103\94
6.43\4.54\ -10.91\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2958G	116.02	Inf	-Inf	105.26	3	Vertical	32	1.20	94	33.80	7.88	30.92			
AV	5.3078G	104.78	Inf	-Inf	93.98	3	Vertical	32	1.20	94	33.82	7.90	30.92			
PK	5.353G	66.50	74.00	-7.50	55.53	3	Vertical	32	1.20	94	33.91	7.97	30.91			
AV	5.35G	53.74	54.00	-0.26	42.79	3	Vertical	32	1.20	94	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET94
94
1.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3062G	114.38	Inf	-Inf	103.60	3	Horizontal	20	1.57	94	33.81	7.89	30.92				
AV	5.292G	103.47	Inf	-Inf	92.73	3	Horizontal	20	1.57	94	33.80	7.87	30.93				
PK	5.3512G	64.00	74.00	-10.00	53.05	3	Horizontal	20	1.57	94	33.90	7.96	30.91				
AV	5.35G	52.10	54.00	-1.90	41.15	3	Horizontal	20	1.57	94	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 85
60\84\96\90\87\86\85
6.18\1.87\13.25\6.25\1.88\0.23\1.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3259G	115.55	Inf	-Inf	104.69	3	Vertical	34	1.30	85	33.85	7.93	30.92			
AV	5.3262G	103.67	Inf	-Inf	92.81	3	Vertical	34	1.30	85	33.85	7.93	30.92			
PK	5.3505G	66.23	74.00	-7.77	55.28	3	Vertical	34	1.30	85	33.90	7.96	30.91			
AV	5.3507G	52.95	54.00	-1.05	42.00	3	Vertical	34	1.30	85	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET85
85
2.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3257G	112.81	Inf	-Inf	101.96	3	Horizontal	20	1.63	85	33.85	7.92	30.92				
AV	5.3269G	101.23	Inf	-Inf	90.37	3	Horizontal	20	1.63	85	33.85	7.93	30.92				
PK	5.3519G	65.67	74.00	-8.33	54.70	3	Horizontal	20	1.63	85	33.91	7.97	30.91				
AV	5.3501G	51.45	54.00	-2.55	40.50	3	Horizontal	20	1.63	85	33.90	7.96	30.91				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 91
60\84\96\90\93\92\91
6.13\3.56\6.72\0.86\4.02\1.70\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4587G	65.55	74.00	-8.45	54.38	3	Vertical	34	1.46	91	34.00	8.06	30.89			
AV	5.4586G	51.95	54.00	-2.05	40.78	3	Vertical	34	1.46	91	34.00	8.06	30.89			
PK	5.47G	67.94	68.20	-0.26	56.77	3	Vertical	34	1.46	91	34.00	8.06	30.89			
PK	5.4962G	116.76	Inf	-Inf	105.57	3	Vertical	34	1.46	91	34.00	8.07	30.88			
AV	5.4967G	105.17	Inf	-Inf	93.98	3	Vertical	34	1.46	91	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET91
91
1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	65.66	74.00	-8.34	54.49	3	Horizontal	19	1.47	91	34.00	8.06	30.89			
AV	5.459G	51.14	54.00	-2.86	39.97	3	Horizontal	19	1.47	91	34.00	8.06	30.89			
PK	5.4656G	67.09	68.20	-1.11	55.92	3	Horizontal	19	1.47	91	34.00	8.06	30.89			
PK	5.4953G	114.61	Inf	-Inf	103.42	3	Horizontal	19	1.47	91	34.00	8.07	30.88			
AV	5.4993G	103.19	Inf	-Inf	92.00	3	Horizontal	19	1.47	91	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 106
60\85\108\97\102\104\105\107\106
6.47\5.91\4.79\5.77\5.62\5.52\5.58\1.77\5.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4411G	59.67	74.00	-14.33	48.49	3	Vertical	36	1.53	106	34.02	8.05	30.89
PK	5.4657G	58.70	68.20	-9.50	47.53	3	Vertical	36	1.53	106	34.00	8.06	30.89
AV	5.4597G	48.73	54.00	-5.27	37.56	3	Vertical	36	1.53	106	34.00	8.06	30.89
PK	5.586G	121.55	Inf	-Inf	110.18	3	Vertical	36	1.53	106	34.13	8.10	30.86
AV	5.5839G	109.55	Inf	-Inf	98.18	3	Vertical	36	1.53	106	34.13	8.10	30.86
PK	5.7264G	58.70	68.20	-9.50	47.40	3	Vertical	36	1.53	106	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 106
106
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	60.45	74.00	-13.55	49.28	3	Horizontal	21	2.94	106	34.00	8.06	30.89			
AV	5.4561G	47.93	54.00	-6.07	36.76	3	Horizontal	21	2.94	106	34.00	8.06	30.89			
PK	5.4699G	64.58	68.20	-3.62	53.41	3	Horizontal	21	2.94	106	34.00	8.06	30.89			
PK	5.5752G	116.70	Inf	-Inf	105.33	3	Horizontal	21	2.94	106	34.15	8.09	30.87			
AV	5.5839G	105.82	Inf	-Inf	94.45	3	Horizontal	21	2.94	106	34.13	8.10	30.86			
PK	5.7273G	58.48	68.20	-9.72	47.18	3	Horizontal	21	2.94	106	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
SET 66
60\77\56\66
4.25\ -9.22\4.89\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6954G	111.44	Inf	-Inf	100.18	3	Vertical	38	1.64	66	33.90	8.20	30.84			
AV	5.6992G	99.48	Inf	-Inf	88.21	3	Vertical	38	1.64	66	33.90	8.21	30.84			
PK	5.7252G	68.08	68.20	-0.12	56.78	3	Vertical	38	1.64	66	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 66
66
3.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6984G	108.30	Inf	-Inf	97.03	3	Horizontal	1	1.64	66	33.90	8.21	30.84			
AV	5.6946G	97.15	Inf	-Inf	85.89	3	Horizontal	1	1.64	66	33.90	8.20	30.84			
PK	5.725G	64.87	68.20	-3.33	53.57	3	Horizontal	1	1.64	66	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 108
60\84\108
6.02\6.03\3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4254G	58.96	74.00	-15.04	47.76	3	Vertical	39	1.48	108	34.05	8.05	30.90			
AV	5.4374G	48.03	54.00	-5.97	36.84	3	Vertical	39	1.48	108	34.03	8.05	30.89			
PK	5.4644G	59.06	68.20	-9.14	47.89	3	Vertical	39	1.48	108	34.00	8.06	30.89			
PK	5.7194G	120.46	Inf	-Inf	109.17	3	Vertical	39	1.48	108	33.90	8.23	30.84			
AV	5.7242G	109.49	Inf	-Inf	98.19	3	Vertical	39	1.48	108	33.90	8.24	30.84			
PK	5.8562G	65.20	68.20	-3.00	53.71	3	Vertical	39	1.48	108	33.92	8.39	30.82			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
SET 108
108
4.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	57.58	74.00	-16.42	46.41	3	Horizontal	1	1.63	108	34.00	8.06	30.89			
AV	5.4206G	47.79	54.00	-6.21	36.58	3	Horizontal	1	1.63	108	34.06	8.05	30.90			
PK	5.4668G	56.71	68.20	-11.49	45.54	3	Horizontal	1	1.63	108	34.00	8.06	30.89			
PK	5.7212G	116.90	Inf	-Inf	105.61	3	Horizontal	1	1.63	108	33.90	8.23	30.84			
AV	5.7158G	106.52	Inf	-Inf	95.23	3	Horizontal	1	1.63	108	33.90	8.23	30.84			
PK	5.858G	63.53	68.20	-4.67	52.02	3	Horizontal	1	1.63	108	33.93	8.40	30.82			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 102
60\85\108\97\102\104\103\102
6.47\6.22\5.03\6.06\6.19\4.84\2.69\6.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4588G	47.60	54.00	-6.40	36.43	3	Vertical	41	1.47	102	34.00	8.06	30.89			
PK	5.6466G	59.93	68.20	-8.27	48.72	3	Vertical	41	1.47	102	33.91	8.15	30.85			
PK	5.7444G	119.25	Inf	-Inf	107.93	3	Vertical	41	1.47	102	33.90	8.26	30.84			
AV	5.7408G	108.37	Inf	-Inf	97.06	3	Vertical	41	1.47	102	33.90	8.25	30.84			
PK	6.0396G	59.08	68.20	-9.12	46.98	3	Vertical	41	1.47	102	34.38	8.53	30.81			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Y_1TX
SET 102
102
1.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.454G	47.94	54.00	-6.06	36.77	3	Horizontal	0	1.39	102	34.00	8.06	30.89			
PK	5.649G	66.66	68.20	-1.54	55.46	3	Horizontal	0	1.39	102	33.90	8.15	30.85			
PK	5.745G	115.74	Inf	-Inf	104.42	3	Horizontal	0	1.39	102	33.90	8.26	30.84			
AV	5.7438G	105.15	Inf	-Inf	93.83	3	Horizontal	0	1.39	102	33.90	8.26	30.84			
PK	5.9376G	58.96	68.20	-9.24	47.01	3	Horizontal	0	1.39	102	34.25	8.50	30.80			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 108
60\95\108
8.77\7.76\7.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.64396G	60.42	68.20	-7.78	49.20	3	Vertical	38	1.52	108	33.92	8.15	30.85				
PK	5.78613G	118.89	Inf	-Inf	107.52	3	Vertical	38	1.52	108	33.90	8.30	30.83				
AV	5.77645G	108.83	Inf	-Inf	97.47	3	Vertical	38	1.52	108	33.90	8.29	30.83				
PK	6.02753G	59.03	68.20	-9.17	46.92	3	Vertical	38	1.52	108	34.36	8.55	30.80				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
SET 108
108
9.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.62762G	58.24	68.20	-9.96	46.98	3	Horizontal	1	1.68	108	33.99	8.13	30.86					
PK	5.78432G	117.12	Inf	-Inf	105.75	3	Horizontal	1	1.68	108	33.90	8.30	30.83					
AV	5.77827G	106.30	Inf	-Inf	94.93	3	Horizontal	1	1.68	108	33.90	8.30	30.83					
PK	6.06806G	58.95	68.20	-9.25	46.87	3	Horizontal	1	1.68	108	34.40	8.50	30.82					

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Y_1TX
SET 108
60\94\108
8.65\9.20\9.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5892G	59.13	68.20	-9.07	47.77	3	Vertical	38	1.68	108	34.12	8.10	30.86			
PK	5.8172G	118.15	Inf	-Inf	106.73	3	Vertical	38	1.68	108	33.90	8.34	30.82			
AV	5.8238G	107.26	Inf	-Inf	95.83	3	Vertical	38	1.68	108	33.90	8.35	30.82			
PK	6.0296G	59.12	68.20	-9.08	47.01	3	Vertical	38	1.68	108	34.36	8.55	30.80			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Y_1TX
SET 108
108
8.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6048G	58.33	68.20	-9.87	47.00	3	Horizontal	1	1.66	108	34.08	8.11	30.86			
PK	5.8226G	114.31	Inf	-Inf	102.88	3	Horizontal	1	1.66	108	33.90	8.35	30.82			
AV	5.8196G	104.55	Inf	-Inf	93.12	3	Horizontal	1	1.66	108	33.90	8.35	30.82			
PK	6.041G	59.38	68.20	-8.82	47.28	3	Horizontal	1	1.66	108	34.38	8.53	30.81			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 71
60\79\56\67\72\70\71
4.93\ -7.85\6.09\2.51\ -0.53\1.32\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.66	74.00	-8.34	55.22	3	Vertical	30	1.34	71	33.70	7.70	30.96			
AV	5.15G	53.67	54.00	-0.33	43.23	3	Vertical	30	1.34	71	33.70	7.70	30.96			
PK	5.2044G	109.75	Inf	-Inf	99.16	3	Vertical	30	1.34	71	33.80	7.74	30.95			
AV	5.1996G	98.24	Inf	-Inf	87.66	3	Vertical	30	1.34	71	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
SET 71
71
2.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	64.09	74.00	-9.91	53.65	3	Horizontal	18	1.44	71	33.70	7.70	30.96				
AV	5.148G	51.89	54.00	-2.11	41.46	3	Horizontal	18	1.44	71	33.69	7.70	30.96				
PK	5.1928G	107.69	Inf	-Inf	97.12	3	Horizontal	18	1.44	71	33.79	7.73	30.95				
AV	5.1958G	96.32	Inf	-Inf	85.75	3	Horizontal	18	1.44	71	33.79	7.73	30.95				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 89
60\88\102\95\92\91\90\89
7.09\0.90\11.18\3.35\1.75\1.27\0.76\1.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	64.27	74.00	-9.73	53.83	3	Vertical	30	1.24	89	33.70	7.70	30.96			
AV	5.1486G	52.98	54.00	-1.02	42.55	3	Vertical	30	1.24	89	33.69	7.70	30.96			
PK	5.234G	114.22	Inf	-Inf	103.58	3	Vertical	30	1.24	89	33.80	7.78	30.94			
AV	5.2346G	102.99	Inf	-Inf	92.35	3	Vertical	30	1.24	89	33.80	7.78	30.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
SET 89
89
2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	62.61	74.00	-11.39	52.17	3	Horizontal	18	1.52	89	33.70	7.70	30.96			
AV	5.1494G	51.63	54.00	-2.37	41.19	3	Horizontal	18	1.52	89	33.70	7.70	30.96			
PK	5.2376G	113.06	Inf	-Inf	102.41	3	Horizontal	18	1.52	89	33.80	7.79	30.94			
AV	5.2326G	101.58	Inf	-Inf	90.94	3	Horizontal	18	1.52	89	33.80	7.78	30.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 89
60\82\101\92\88\90\89
5.71\4.91\8.71\0.13\3.11\0.73\1.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.258G	112.95	Inf	-Inf	102.26	3	Vertical	34	1.29	89	33.80	7.82	30.93			
AV	5.2578G	101.60	Inf	-Inf	90.91	3	Vertical	34	1.29	89	33.80	7.82	30.93			
PK	5.352G	62.67	74.00	-11.33	51.70	3	Vertical	34	1.29	89	33.91	7.97	30.91			
AV	5.3518G	52.03	54.00	-1.97	41.06	3	Vertical	34	1.29	89	33.91	7.97	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 89
89
3.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2744G	111.53	Inf	-Inf	100.81	3	Horizontal	20	1.58	89	33.80	7.85	30.93				
AV	5.2734G	99.82	Inf	-Inf	89.11	3	Horizontal	20	1.58	89	33.80	7.84	30.93				
PK	5.3522G	61.81	74.00	-12.19	50.84	3	Horizontal	20	1.58	89	33.91	7.97	30.91				
AV	5.35G	50.32	54.00	-3.68	39.37	3	Horizontal	20	1.58	89	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 74
60\81\57\69\75\72\73\74
5.31\~6.07\6.11\2.81\~0.11\0.86\1.11\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3244G	109.58	Inf	-Inf	98.73	3	Vertical	36	1.20	74	33.85	7.92	30.92			
AV	5.323G	97.62	Inf	-Inf	86.77	3	Vertical	36	1.20	74	33.85	7.92	30.92			
PK	5.3542G	66.02	74.00	-7.98	55.04	3	Vertical	36	1.20	74	33.92	7.97	30.91			
AV	5.3512G	53.09	54.00	-0.91	42.14	3	Vertical	36	1.20	74	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 74
74
3.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3116G	106.33	Inf	-Inf	95.53	3	Horizontal	21	1.80	74	33.82	7.90	30.92				
AV	5.3132G	95.47	Inf	-Inf	84.65	3	Horizontal	21	1.80	74	33.83	7.91	30.92				
PK	5.3518G	62.00	74.00	-12.00	51.03	3	Horizontal	21	1.80	74	33.91	7.97	30.91				
AV	5.3516G	50.95	54.00	-3.05	39.99	3	Horizontal	21	1.80	74	33.91	7.96	30.91				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 81
60\85\73\79\82\81
6.29\3.79\5.37\3.21\1.25\1.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	61.30	74.00	-12.70	50.13	3	Vertical	38	1.28	81	34.00	8.06	30.89			
AV	5.458G	50.55	54.00	-3.45	39.38	3	Vertical	38	1.28	81	34.00	8.06	30.89			
PK	5.4698G	66.89	68.20	-1.31	55.72	3	Vertical	38	1.28	81	34.00	8.06	30.89			
PK	5.5158G	111.28	Inf	-Inf	100.03	3	Vertical	38	1.28	81	34.06	8.07	30.88			
AV	5.5148G	100.49	Inf	-Inf	89.24	3	Vertical	38	1.28	81	34.06	8.07	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 81
81
2.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	61.71	74.00	-12.29	50.54	3	Horizontal	19	1.53	81	34.00	8.06	30.89			
AV	5.46G	50.84	54.00	-3.16	39.67	3	Horizontal	19	1.53	81	34.00	8.06	30.89			
PK	5.469G	65.85	68.20	-2.35	54.68	3	Horizontal	19	1.53	81	34.00	8.06	30.89			
PK	5.5198G	109.82	Inf	-Inf	98.54	3	Horizontal	19	1.53	81	34.08	8.08	30.88			
AV	5.5244G	98.42	Inf	-Inf	87.12	3	Horizontal	19	1.53	81	34.10	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 96
60\86\108\97\92\94\95\96
6.72\5.70\ -13.95\ -0.46\3.49\1.60\1.03\0.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4522G	65.08	74.00	-8.92	53.91	3	Vertical	38	1.28	96	34.00	8.06	30.89			
AV	5.4548G	53.27	54.00	-0.73	42.10	3	Vertical	38	1.28	96	34.00	8.06	30.89			
PK	5.4672G	66.25	68.20	-1.95	55.08	3	Vertical	38	1.28	96	34.00	8.06	30.89			
PK	5.5548G	116.01	Inf	-Inf	104.60	3	Vertical	38	1.28	96	34.19	8.09	30.87			
AV	5.5556G	104.64	Inf	-Inf	93.23	3	Vertical	38	1.28	96	34.19	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET96
96
1.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4574G	66.42	74.00	-7.58	55.25	3	Horizontal	22	1.45	96	34.00	8.06	30.89			
AV	5.458G	52.32	54.00	-1.68	41.15	3	Horizontal	22	1.45	96	34.00	8.06	30.89			
PK	5.4698G	64.98	68.20	-3.22	53.81	3	Horizontal	22	1.45	96	34.00	8.06	30.89			
PK	5.5564G	112.92	Inf	-Inf	101.51	3	Horizontal	22	1.45	96	34.19	8.09	30.87			
AV	5.5394G	101.76	Inf	-Inf	90.39	3	Horizontal	22	1.45	96	34.16	8.08	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 86
60\94\70\58\64\67\68\80\86
8.57\ -6.20\ -5.56\ 8.61\ 7.34\ 7.33\ 6.32\ 2.30\ 0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6727G	112.90	Inf	-Inf	101.67	3	Vertical	38	1.56	86	33.90	8.18	30.85			
AV	5.6829G	101.19	Inf	-Inf	89.95	3	Vertical	38	1.56	86	33.90	8.19	30.85			
PK	5.7252G	67.75	68.20	-0.45	56.45	3	Vertical	38	1.56	86	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 86
86
2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6685G	109.13	Inf	-Inf	97.90	3	Horizontal	1	1.49	86	33.90	8.18	30.85			
AV	5.6559G	98.28	Inf	-Inf	87.07	3	Horizontal	1	1.49	86	33.90	8.16	30.85			
PK	5.7255G	65.93	68.20	-2.27	54.63	3	Horizontal	1	1.49	86	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 103
60\84\108\96\102\105\104\103
6.24\6.09\1.29\5.63\6.14\0.80\0.96\1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	58.46	74.00	-15.54	47.25	3	Vertical	42	1.64	103	34.07	8.04	30.90			
PK	5.467G	57.73	68.20	-10.47	46.56	3	Vertical	42	1.64	103	34.00	8.06	30.89			
AV	5.452G	48.11	54.00	-5.89	36.94	3	Vertical	42	1.64	103	34.00	8.06	30.89			
PK	5.7124G	115.94	Inf	-Inf	104.66	3	Vertical	42	1.64	103	33.90	8.22	30.84			
AV	5.7136G	105.18	Inf	-Inf	93.90	3	Vertical	42	1.64	103	33.90	8.22	30.84			
PK	5.85G	67.19	68.20	-1.01	55.73	3	Vertical	42	1.64	103	33.90	8.38	30.82			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 103
103
1.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	57.76	74.00	-16.24	46.55	3	Horizontal	1	1.63	103	34.07	8.04	30.90			
AV	5.4196G	47.68	54.00	-6.32	36.47	3	Horizontal	1	1.63	103	34.06	8.05	30.90			
PK	5.4646G	57.37	68.20	-10.83	46.20	3	Horizontal	1	1.63	103	34.00	8.06	30.89			
PK	5.707G	114.41	Inf	-Inf	103.13	3	Horizontal	1	1.63	103	33.90	8.22	30.84			
AV	5.707G	103.47	Inf	-Inf	92.19	3	Horizontal	1	1.63	103	33.90	8.22	30.84			
PK	5.8528G	66.71	68.20	-1.49	55.23	3	Horizontal	1	1.63	103	33.91	8.39	30.82			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 97
60\86\108\97\102\100\99\87\93\96\97
6.70\6.37\10.01\3.08\10.02\9.00\7.80\6.49\6.43\3.49\2.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4562G	48.12	54.00	-5.88	36.95	3	Vertical	39	1.46	97	34.00	8.06	30.89			
PK	5.644G	65.34	68.20	-2.86	54.12	3	Vertical	39	1.46	97	33.92	8.15	30.85			
PK	5.7592G	116.06	Inf	-Inf	104.71	3	Vertical	39	1.46	97	33.90	8.28	30.83			
AV	5.77G	104.58	Inf	-Inf	93.22	3	Vertical	39	1.46	97	33.90	8.29	30.83			
PK	5.9362G	58.97	68.20	-9.23	47.03	3	Vertical	39	1.46	97	34.24	8.50	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
SET 97
97
4.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4568G	47.51	54.00	-6.49	36.34	3	Horizontal	1	1.42	97	34.00	8.06	30.89			
PK	5.6422G	63.64	68.20	-4.56	52.41	3	Horizontal	1	1.42	97	33.93	8.15	30.85			
PK	5.737G	112.62	Inf	-Inf	101.31	3	Horizontal	1	1.42	97	33.90	8.25	30.84			
AV	5.7406G	101.44	Inf	-Inf	90.13	3	Horizontal	1	1.42	97	33.90	8.25	30.84			
PK	5.9896G	59.20	68.20	-9.00	47.12	3	Horizontal	1	1.42	97	34.30	8.57	30.79			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 105
60\97\108\103\105
9.39\8.26\0.04\0.69\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6492G	68.02	68.20	-0.18	56.82	3	Vertical	39	1.54	105	33.90	8.15	30.85			
PK	5.8046G	115.94	Inf	-Inf	104.54	3	Vertical	39	1.54	105	33.90	8.33	30.83			
AV	5.7884G	105.23	Inf	-Inf	93.85	3	Vertical	39	1.54	105	33.90	8.31	30.83			
PK	6.0134G	58.98	68.20	-9.22	46.89	3	Vertical	39	1.54	105	34.33	8.56	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
SET 105
105
2.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6504G	66.22	68.50	-2.28	55.01	3	Horizontal	1	1.68	105	33.90	8.16	30.85				
PK	5.7788G	113.55	Inf	-Inf	102.18	3	Horizontal	1	1.68	105	33.90	8.30	30.83				
AV	5.78G	103.09	Inf	-Inf	91.72	3	Horizontal	1	1.68	105	33.90	8.30	30.83				
PK	6.0128G	58.98	68.20	-9.22	46.88	3	Horizontal	1	1.68	105	34.33	8.57	30.80				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 77
60\85\56\70\77\80\79\78\77
6.39\ -11.28\5.75\3.64\0.72\ -3.15\ -2.20\ -0.20\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1495G	64.52	74.00	-9.48	54.08	3	Vertical	32	1.14	77	33.70	7.70	30.96			
AV	5.149G	53.82	54.00	-0.18	43.38	3	Vertical	32	1.14	77	33.70	7.70	30.96			
PK	5.234G	107.29	Inf	-Inf	96.65	3	Vertical	32	1.14	77	33.80	7.78	30.94			
AV	5.2205G	95.93	Inf	-Inf	85.31	3	Vertical	32	1.14	77	33.80	7.76	30.94			
PK	5.355G	58.36	74.00	-15.64	47.38	3	Vertical	32	1.14	77	33.92	7.97	30.91			
AV	5.4215G	48.41	54.00	-5.59	37.20	3	Vertical	32	1.14	77	34.06	8.05	30.90			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
SET 77
77
1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	62.53	74.00	-11.47	52.09	3	Horizontal	19	1.62	77	33.70	7.70	30.96			
AV	5.1495G	52.74	54.00	-1.26	42.30	3	Horizontal	19	1.62	77	33.70	7.70	30.96			
PK	5.228G	107.08	Inf	-Inf	96.45	3	Horizontal	19	1.62	77	33.80	7.77	30.94			
AV	5.2275G	95.46	Inf	-Inf	84.83	3	Horizontal	19	1.62	77	33.80	7.77	30.94			
PK	5.41G	59.10	74.00	-14.90	47.88	3	Horizontal	19	1.62	77	34.08	8.04	30.90			
AV	5.3535G	48.44	54.00	-5.56	37.47	3	Horizontal	19	1.62	77	33.91	7.97	30.91			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 74
60\81\58\69\74
5.42\5.87\5.30\2.86\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.08G	57.28	74.00	-16.72	47.14	3	Vertical	32	1.22	74	33.46	7.65	30.97
AV	5.1495G	47.10	54.00	-6.90	36.66	3	Vertical	32	1.22	74	33.70	7.70	30.96
PK	5.2955G	106.86	Inf	-Inf	96.10	3	Vertical	32	1.22	74	33.80	7.88	30.92
AV	5.321G	95.17	Inf	-Inf	84.33	3	Vertical	32	1.22	74	33.84	7.92	30.92
PK	5.35G	63.57	74.00	-10.43	52.62	3	Vertical	32	1.22	74	33.90	7.96	30.91
AV	5.3505G	53.72	54.00	-0.28	42.77	3	Vertical	32	1.22	74	33.90	7.96	30.91
PK	5.4745G	58.05	68.20	-10.15	46.88	3	Vertical	32	1.22	74	34.00	8.06	30.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
SET 74
74
2.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1375G	57.12	74.00	-16.88	46.74	3	Horizontal	18	1.47	74	33.65	7.69	30.96			
AV	5.14G	47.06	54.00	-6.94	36.67	3	Horizontal	18	1.47	74	33.66	7.69	30.96			
PK	5.2915G	104.89	Inf	-Inf	94.15	3	Horizontal	18	1.47	74	33.80	7.87	30.93			
AV	5.2965G	93.24	Inf	-Inf	82.48	3	Horizontal	18	1.47	74	33.80	7.88	30.92			
PK	5.3505G	62.54	74.00	-11.46	51.59	3	Horizontal	18	1.47	74	33.90	7.96	30.91			
AV	5.352G	51.83	54.00	-2.17	40.86	3	Horizontal	18	1.47	74	33.91	7.97	30.91			
PK	5.4755G	58.33	68.20	-9.87	47.16	3	Horizontal	18	1.47	74	34.00	8.06	30.89			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 81
60\83\72\77\79\80\81
5.94\ -2.35\4.53\3.17\2.33\1.40\0.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3285G	58.38	68.20	-9.82	47.51	3	Vertical	33	1.39	81	33.86	7.93	30.92				
AV	5.35G	47.80	54.00	-6.20	36.85	3	Vertical	33	1.39	81	33.90	7.96	30.91				
PK	5.4565G	64.39	74.00	-9.61	53.22	3	Vertical	33	1.39	81	34.00	8.06	30.89				
AV	5.4575G	53.89	54.00	-0.11	42.72	3	Vertical	33	1.39	81	34.00	8.06	30.89				
PK	5.4695G	65.29	68.20	-2.91	54.12	3	Vertical	33	1.39	81	34.00	8.06	30.89				
PK	5.508G	109.20	Inf	-Inf	97.98	3	Vertical	33	1.39	81	34.03	8.07	30.88				
AV	5.515G	97.85	Inf	-Inf	86.60	3	Vertical	33	1.39	81	34.06	8.07	30.88				
PK	5.764G	58.33	68.20	-9.87	46.98	3	Vertical	33	1.39	81	33.90	8.28	30.83				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 81
81
1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.296G	58.25	68.20	-9.95	47.49	3	Horizontal	19	1.55	81	33.80	7.88	30.92			
AV	5.35G	47.39	54.00	-6.61	36.44	3	Horizontal	19	1.55	81	33.90	7.96	30.91			
PK	5.458G	62.10	74.00	-11.90	50.93	3	Horizontal	19	1.55	81	34.00	8.06	30.89			
AV	5.457G	52.62	54.00	-1.38	41.45	3	Horizontal	19	1.55	81	34.00	8.06	30.89			
PK	5.465G	64.20	68.20	-4.00	53.03	3	Horizontal	19	1.55	81	34.00	8.06	30.89			
PK	5.541G	107.00	Inf	-Inf	95.63	3	Horizontal	19	1.55	81	34.16	8.08	30.87			
AV	5.5175G	95.82	Inf	-Inf	84.55	3	Horizontal	19	1.55	81	34.07	8.08	30.88			
PK	5.7445G	58.23	68.20	-9.97	46.91	3	Horizontal	19	1.55	81	33.90	8.26	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 92
60\83\104\94\89\91\92\93\92
5.92\5.26\15.62\1.66\2.47\1.83\1.22\1.37\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.432G	61.95	74.00	-12.05	50.75	3	Vertical	37	1.52	92	34.04	8.05	30.89			
PK	5.47G	62.62	68.20	-5.58	51.45	3	Vertical	37	1.52	92	34.00	8.06	30.89			
AV	5.455G	51.61	54.00	-2.39	40.44	3	Vertical	37	1.52	92	34.00	8.06	30.89			
PK	5.628G	112.08	Inf	-Inf	100.82	3	Vertical	37	1.52	92	33.99	8.13	30.86			
AV	5.582G	100.82	Inf	-Inf	89.46	3	Vertical	37	1.52	92	34.14	8.09	30.87			
PK	5.7325G	67.51	68.20	-0.69	56.20	3	Vertical	37	1.52	92	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET92
92
3.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4535G	60.81	74.00	-13.19	49.64	3	Horizontal	20	2.57	92	34.00	8.06	30.89			
AV	5.4575G	49.80	54.00	-4.20	38.63	3	Horizontal	20	2.57	92	34.00	8.06	30.89			
PK	5.464G	60.77	68.20	-7.43	49.60	3	Horizontal	20	2.57	92	34.00	8.06	30.89			
PK	5.601G	109.41	Inf	-Inf	98.07	3	Horizontal	20	2.57	92	34.10	8.10	30.86			
AV	5.5945G	97.73	Inf	-Inf	86.38	3	Horizontal	20	2.57	92	34.11	8.10	30.86			
PK	5.7255G	64.77	68.20	-3.43	53.47	3	Horizontal	20	2.57	92	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 102
60\84\108\96\102
6.20\6.01\7.66\4.94\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	61.90	74.00	-12.10	50.73	3	Vertical	41	1.55	102	34.00	8.06	30.89
AV	5.4596G	51.61	54.00	-2.39	40.44	3	Vertical	41	1.55	102	34.00	8.06	30.89
PK	5.4686G	63.20	68.20	-5.00	52.03	3	Vertical	41	1.55	102	34.00	8.06	30.89
PK	5.6852G	113.48	Inf	-Inf	102.24	3	Vertical	41	1.55	102	33.90	8.19	30.85
AV	5.684G	101.85	Inf	-Inf	90.61	3	Vertical	41	1.55	102	33.90	8.19	30.85
PK	5.8514G	67.87	68.20	-0.33	56.39	3	Vertical	41	1.55	102	33.91	8.39	30.82

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 101
102\100\101
-0.38\2.71\2.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	60.34	74.00	-13.66	49.17	3	Horizontal	1	1.64	101	34.00	8.06	30.89			
AV	5.4584G	49.97	54.00	-4.03	38.80	3	Horizontal	1	1.64	101	34.00	8.06	30.89			
PK	5.4662G	60.99	68.20	-7.21	49.82	3	Horizontal	1	1.64	101	34.00	8.06	30.89			
PK	5.7092G	110.37	Inf	-Inf	99.09	3	Horizontal	1	1.64	101	33.90	8.22	30.84			
AV	5.7068G	99.34	Inf	-Inf	88.06	3	Horizontal	1	1.64	101	33.90	8.22	30.84			
PK	5.852G	65.50	68.20	-2.70	54.02	3	Horizontal	1	1.64	101	33.91	8.39	30.82			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 97
60\97
9.47\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.646G	67.95	68.20	-0.25	56.73	3	Vertical	38	1.53	97	33.92	8.15	30.85				
PK	5.7642G	112.10	Inf	-Inf	100.75	3	Vertical	38	1.53	97	33.90	8.28	30.83				
AV	5.7636G	101.22	Inf	-Inf	89.87	3	Vertical	38	1.53	97	33.90	8.28	30.83				
PK	6.069G	59.26	68.20	-8.94	47.18	3	Vertical	38	1.53	97	34.40	8.50	30.82				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
SET 97
97
3.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.646G	65.01	68.20	-3.19	53.79	3	Horizontal	1	1.68	97	33.92	8.15	30.85				
PK	5.778G	108.90	Inf	-Inf	97.53	3	Horizontal	1	1.68	97	33.90	8.30	30.83				
AV	5.7834G	98.15	Inf	-Inf	86.78	3	Horizontal	1	1.68	97	33.90	8.30	30.83				
PK	6.0558G	58.91	68.20	-9.29	46.81	3	Horizontal	1	1.68	97	34.40	8.52	30.82				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 65
60\70\56\63\66\65
2.56\ -4.15\4.70\1.37\ -0.59\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1474G	66.04	74.00	-7.96	55.61	3	Vertical	32	1.39	65	33.69	7.70	30.96					
AV	5.1498G	50.94	54.00	-3.06	40.50	3	Vertical	32	1.39	65	33.70	7.70	30.96					
PK	5.3238G	101.74	Inf	-Inf	90.89	3	Vertical	32	1.39	65	33.85	7.92	30.92					
AV	5.3268G	90.75	Inf	-Inf	79.89	3	Vertical	32	1.39	65	33.85	7.93	30.92					
PK	5.35G	70.63	74.00	-3.37	59.68	3	Vertical	32	1.39	65	33.90	7.96	30.91					
AV	5.3586G	53.68	54.00	-0.32	42.68	3	Vertical	32	1.39	65	33.93	7.98	30.91					
PK	5.4768G	58.82	68.20	-9.38	47.65	3	Vertical	32	1.39	65	34.00	8.06	30.89					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 65
65
2.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	64.67	74.00	-9.33	54.23	3	Horizontal	18	1.62	65	33.70	7.70	30.96				
AV	5.1498G	49.46	54.00	-4.54	39.02	3	Horizontal	18	1.62	65	33.70	7.70	30.96				
PK	5.2308G	100.94	Inf	-Inf	90.30	3	Horizontal	18	1.62	65	33.80	7.78	30.94				
AV	5.2284G	89.16	Inf	-Inf	78.53	3	Horizontal	18	1.62	65	33.80	7.77	30.94				
PK	5.3538G	68.60	74.00	-5.40	57.62	3	Horizontal	18	1.62	65	33.92	7.97	30.91				
AV	5.3514G	51.82	54.00	-2.18	40.86	3	Horizontal	18	1.62	65	33.91	7.96	30.91				
PK	5.538G	59.02	68.20	-9.18	47.66	3	Horizontal	18	1.62	65	34.15	8.08	30.87				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 71
60\80\57\68\73\71
5.23\5.80\5.74\1.62\1.70\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3336G	59.35	68.20	-8.85	48.46	3	Vertical	36	1.44	71	33.87	7.94	30.92				
PK	5.4572G	66.46	74.00	-7.54	55.29	3	Vertical	36	1.44	71	34.00	8.06	30.89				
AV	5.4548G	51.41	54.00	-2.59	40.24	3	Vertical	36	1.44	71	34.00	8.06	30.89				
PK	5.4686G	68.07	68.20	-0.13	56.90	3	Vertical	36	1.44	71	34.00	8.06	30.89				
PK	5.5844G	103.93	Inf	-Inf	92.56	3	Vertical	36	1.44	71	34.13	8.10	30.86				
AV	5.597G	92.71	Inf	-Inf	81.36	3	Vertical	36	1.44	71	34.11	8.10	30.86				
PK	5.732G	64.29	68.20	-3.91	52.98	3	Vertical	36	1.44	71	33.90	8.25	30.84				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 71
71
1.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3486G	58.78	68.20	-9.42	47.83	3	Horizontal	19	1.56	71	33.90	7.96	30.91					
PK	5.46G	64.96	74.00	-9.04	53.79	3	Horizontal	19	1.56	71	34.00	8.06	30.89					
AV	5.4578G	51.56	54.00	-2.44	40.39	3	Horizontal	19	1.56	71	34.00	8.06	30.89					
PK	5.4698G	66.76	68.20	-1.44	55.59	3	Horizontal	19	1.56	71	34.00	8.06	30.89					
PK	5.4932G	100.75	Inf	-Inf	89.56	3	Horizontal	19	1.56	71	34.00	8.07	30.88					
AV	5.54G	89.70	Inf	-Inf	78.33	3	Horizontal	19	1.56	71	34.16	8.08	30.87					
PK	5.7266G	61.47	68.20	-6.73	50.17	3	Horizontal	19	1.56	71	33.90	8.24	30.84					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 84
60\88\74\81\84
7.18\ -3.22\6.38\2.97\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.62	74.00	-8.38	55.18	3	Vertical	56	2.47	84	33.70	7.70	30.96			
AV	5.1492G	53.85	54.00	-0.15	43.41	3	Vertical	56	2.47	84	33.70	7.70	30.96			
PK	5.1784G	113.89	Inf	-Inf	103.36	3	Vertical	56	2.47	84	33.76	7.72	30.95			
AV	5.1731G	105.08	Inf	-Inf	94.57	3	Vertical	56	2.47	84	33.75	7.71	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 84
84
0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	66.35	74.00	-7.65	55.91	3	Horizontal	22	1.79	84	33.70	7.70	30.96			
AV	5.1488G	53.32	54.00	-0.68	42.88	3	Horizontal	22	1.79	84	33.70	7.70	30.96			
PK	5.1784G	114.23	Inf	-Inf	103.70	3	Horizontal	22	1.79	84	33.76	7.72	30.95			
AV	5.1788G	105.06	Inf	-Inf	94.53	3	Horizontal	22	1.79	84	33.76	7.72	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
Setting 84
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36998G	45.24	68.20	-22.96	61.99	3	Vertical	3	1.76	-	38.30	11.81	66.86			
PK	15.54854G	45.20	74.00	-28.80	57.12	3	Vertical	350	1.57	-	38.11	13.90	63.93			
AV	15.53464G	34.66	54.00	-19.34	46.51	3	Vertical	350	1.57	-	38.19	13.89	63.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 84
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.367G	45.95	68.20	-22.25	62.71	3	Horizontal	104	1.70	-	38.30	11.80	66.86			
PK	15.54586G	44.51	74.00	-29.49	56.42	3	Horizontal	193	1.66	-	38.12	13.90	63.93			
AV	15.53822G	34.31	54.00	-19.69	46.17	3	Horizontal	193	1.66	-	38.17	13.90	63.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_V_2TX
Setting 84
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71462G	50.15	83.54	-33.39	44.75	1	Vertical	239	1.84	-	37.59	16.71	48.90			
AV	20.7194G	39.70	63.54	-23.84	34.27	1	Vertical	239	1.84	-	37.62	16.71	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_V_2TX
Setting 84
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71358G	52.96	83.54	-30.58	47.57	1	Horizontal	238	1.64	-	37.58	16.71	48.90			
AV	20.723G	41.08	63.54	-22.46	35.63	1	Horizontal	238	1.64	-	37.64	16.71	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET95
60\87\107\97\92\94\95\96\95
6.83\5.21\5.16\0.60\2.96\1.52\0.79\0.20\0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	65.41	74.00	-8.59	54.97	3	Vertical	50	2.60	95	33.70	7.70	30.96			
AV	5.1496G	53.46	54.00	-0.54	43.02	3	Vertical	50	2.60	95	33.70	7.70	30.96			
PK	5.2032G	115.22	Inf	-Inf	104.64	3	Vertical	50	2.60	95	33.80	7.73	30.95			
AV	5.1986G	106.34	Inf	-Inf	95.76	3	Vertical	50	2.60	95	33.80	7.73	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET95
95
1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	64.80	74.00	-9.20	54.36	3	Horizontal	18	1.27	95	33.70	7.70	30.96			
AV	5.1488G	52.94	54.00	-1.06	42.50	3	Horizontal	18	1.27	95	33.70	7.70	30.96			
PK	5.1988G	117.78	Inf	-Inf	107.20	3	Horizontal	18	1.27	95	33.80	7.73	30.95			
AV	5.1992G	108.11	Inf	-Inf	97.53	3	Horizontal	18	1.27	95	33.80	7.73	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 95
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39064G	45.71	68.20	-22.49	62.41	3	Vertical	161	1.83	-	38.30	11.82	66.82			
PK	15.60284G	44.29	74.00	-29.71	56.52	3	Vertical	120	1.65	-	37.79	13.92	63.94			
AV	15.6086G	34.25	54.00	-19.75	46.50	3	Vertical	120	1.65	-	37.77	13.92	63.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 95
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39336G	45.05	68.20	-23.15	61.75	3	Horizontal	352	1.49	-	38.30	11.82	66.82			
PK	15.60534G	44.93	74.00	-29.07	57.17	3	Horizontal	107	1.39	-	37.78	13.92	63.94			
AV	15.5983G	33.85	54.00	-20.15	46.06	3	Horizontal	107	1.39	-	37.81	13.92	63.94			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_V_2TX
Setting 95
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79326G	58.78	83.54	-24.76	53.31	1	Vertical	244	1.79	-	37.63	16.74	48.90			
AV	20.7993G	46.46	63.54	-17.08	41.01	1	Vertical	244	1.79	-	37.60	16.75	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_V_2TX
Setting 95
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79344G	55.75	83.54	-27.79	50.28	1	Horizontal	19	1.70	-	37.63	16.74	48.90			
AV	20.79384G	44.20	63.54	-19.34	38.74	1	Horizontal	19	1.70	-	37.62	16.74	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
60\85\108
6.26\6.03\5.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	60.09	74.00	-13.91	49.66	3	Vertical	301	2.25	108	33.69	7.70	30.96			
AV	5.1464G	48.32	54.00	-5.68	37.89	3	Vertical	301	2.25	108	33.69	7.70	30.96			
PK	5.2424G	119.02	Inf	-Inf	108.36	3	Vertical	301	2.25	108	33.80	7.80	30.94			
AV	5.2418G	109.83	Inf	-Inf	99.18	3	Vertical	301	2.25	108	33.80	7.79	30.94			
PK	5.3534G	58.48	74.00	-15.52	47.51	3	Vertical	301	2.25	108	33.91	7.97	30.91			
AV	5.3534G	48.43	54.00	-5.57	37.46	3	Vertical	301	2.25	108	33.91	7.97	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
108
4.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1455G	61.17	74.00	-12.83	50.76	3	Horizontal	342	1.60	108	33.68	7.69	30.96			
AV	5.15G	49.49	54.00	-4.51	39.05	3	Horizontal	342	1.60	108	33.70	7.70	30.96			
PK	5.2412G	119.68	Inf	-Inf	109.03	3	Horizontal	342	1.60	108	33.80	7.79	30.94			
AV	5.246G	111.04	Inf	-Inf	100.38	3	Horizontal	342	1.60	108	33.80	7.80	30.94			
PK	5.3522G	60.72	74.00	-13.28	49.75	3	Horizontal	342	1.60	108	33.91	7.97	30.91			
AV	5.351G	48.71	54.00	-5.29	37.76	3	Horizontal	342	1.60	108	33.90	7.96	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47514G	45.08	68.20	-23.12	61.77	3	Vertical	182	1.38	-	38.15	11.86	66.70			
PK	15.71202G	48.34	74.00	-25.66	60.63	3	Vertical	169	2.07	-	37.70	13.96	63.95			
AV	15.72286G	37.18	54.00	-16.82	49.46	3	Vertical	169	2.07	-	37.70	13.97	63.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48382G	45.78	68.20	-22.42	62.42	3	Horizontal	84	1.41	-	38.17	11.87	66.68			
PK	15.7171G	47.40	74.00	-26.60	59.68	3	Horizontal	350	1.78	-	37.70	13.97	63.95			
AV	15.71838G	37.86	54.00	-16.14	50.14	3	Horizontal	350	1.78	-	37.70	13.97	63.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96086G	54.72	83.54	-28.82	49.02	1	Vertical	243	1.92	-	37.78	16.82	48.90			
AV	20.96024G	44.45	63.54	-19.09	38.75	1	Vertical	243	1.92	-	37.78	16.82	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95316G	55.44	83.54	-28.10	49.73	1	Horizontal	245	1.72	-	37.79	16.82	48.90			
AV	20.95388G	44.87	63.54	-18.67	39.16	1	Horizontal	245	1.72	-	37.79	16.82	48.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
60\84\108
6.21\6.22\5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1397G	57.52	74.00	-16.48	47.13	3	Vertical	308	2.66	108	33.66	7.69	30.96			
AV	5.1439G	47.14	54.00	-6.86	36.73	3	Vertical	308	2.66	108	33.68	7.69	30.96			
PK	5.2567G	118.70	Inf	-Inf	108.01	3	Vertical	308	2.66	108	33.80	7.82	30.93			
AV	5.257G	108.61	Inf	-Inf	97.92	3	Vertical	308	2.66	108	33.80	7.82	30.93			
PK	5.4022G	58.68	74.00	-15.32	47.44	3	Vertical	308	2.66	108	34.10	8.04	30.90			
AV	5.3596G	48.15	54.00	-5.85	37.14	3	Vertical	308	2.66	108	33.94	7.98	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
108
2.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1451G	57.75	74.00	-16.25	47.34	3	Horizontal	20	1.66	108	33.68	7.69	30.96				
AV	5.1457G	47.20	54.00	-6.80	36.79	3	Horizontal	20	1.66	108	33.68	7.69	30.96				
PK	5.2639G	119.59	Inf	-Inf	108.89	3	Horizontal	20	1.66	108	33.80	7.83	30.93				
AV	5.2642G	110.29	Inf	-Inf	99.59	3	Horizontal	20	1.66	108	33.80	7.83	30.93				
PK	5.35G	63.20	74.00	-10.80	52.25	3	Horizontal	20	1.66	108	33.90	7.96	30.91				
AV	5.3518G	51.16	54.00	-2.84	40.19	3	Horizontal	20	1.66	108	33.91	7.97	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52714G	45.20	68.20	-23.00	61.69	3	Vertical	270	2.10	-	38.25	11.89	66.63			
PK	15.77564G	48.79	74.00	-25.21	61.05	3	Vertical	348	2.45	-	37.70	13.99	63.95			
AV	15.78094G	38.66	54.00	-15.34	50.92	3	Vertical	348	2.45	-	37.70	13.99	63.95			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52216G	45.73	68.20	-22.47	62.24	3	Horizontal	23	1.65	-	38.24	11.89	66.64			
PK	15.78308G	51.25	74.00	-22.75	63.51	3	Horizontal	42	1.83	-	37.70	13.99	63.95			
AV	15.77786G	39.78	54.00	-14.22	52.04	3	Horizontal	42	1.83	-	37.70	13.99	63.95			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.03252G	55.17	83.54	-28.37	49.44	1	Vertical	245	1.80	-	37.77	16.85	48.89			
AV	21.04272G	43.81	63.54	-19.73	38.05	1	Vertical	245	1.80	-	37.79	16.85	48.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.03574G	55.94	83.54	-27.60	50.21	1	Horizontal	248	1.84	-	37.77	16.85	48.89			
AV	21.04026G	45.38	63.54	-18.16	39.63	1	Horizontal	248	1.84	-	37.78	16.85	48.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 103
60\85\108\97\102\104\103
6.41\5.85\2.65\5.39\2.18\2.46\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.2982G	117.83	Inf	-Inf	107.07	3	Vertical	47	2.60	103	33.80	7.88	30.92					
AV	5.2934G	108.18	Inf	-Inf	97.44	3	Vertical	47	2.60	103	33.80	7.87	30.93					
PK	5.35G	69.68	74.00	-4.32	58.73	3	Vertical	47	2.60	103	33.90	7.96	30.91					
AV	5.351G	53.73	54.00	-0.27	42.78	3	Vertical	47	2.60	103	33.90	7.96	30.91					

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET98
103\80\102\91\96\98
-5.62\6.17\3.26\4.64\2.84\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2984G	116.57	Inf	-Inf	105.81	3	Horizontal	20	1.48	98	33.80	7.88	30.92			
AV	5.2942G	107.72	Inf	-Inf	96.97	3	Horizontal	20	1.48	98	33.80	7.88	30.93			
PK	5.352G	65.43	74.00	-8.57	54.46	3	Horizontal	20	1.48	98	33.91	7.97	30.91			
AV	5.3526G	53.61	54.00	-0.39	42.64	3	Horizontal	20	1.48	98	33.91	7.97	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
Setting 98
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60438G	46.14	74.00	-27.86	62.47	3	Vertical	210	2.00	-	38.30	11.93	66.56				
AV	10.60714G	35.32	54.00	-18.68	51.65	3	Vertical	210	2.00	-	38.30	11.93	66.56				
PK	15.89874G	46.13	74.00	-27.87	58.35	3	Vertical	249	1.90	-	37.70	14.04	63.96				
AV	15.89372G	35.68	54.00	-18.32	47.89	3	Vertical	249	1.90	-	37.71	14.04	63.96				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
Setting 98
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60512G	45.96	74.00	-28.04	62.29	3	Horizontal	195	2.08	-	38.30	11.93	66.56			
AV	10.60788G	35.42	54.00	-18.58	51.75	3	Horizontal	195	2.08	-	38.30	11.93	66.56			
PK	15.897G	47.41	74.00	-26.59	59.62	3	Horizontal	347	1.92	-	37.71	14.04	63.96			
AV	15.89714G	36.82	54.00	-17.18	49.03	3	Horizontal	347	1.92	-	37.71	14.04	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
Setting 98
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1933G	51.28	83.54	-32.26	45.56	1	Vertical	224	1.80	-	37.63	16.91	48.82			
AV	21.20378G	40.36	63.54	-23.18	34.65	1	Vertical	224	1.80	-	37.62	16.91	48.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT V_2TX
Setting 98
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.19994G	51.61	83.54	-31.93	45.92	1	Horizontal	252	1.80	-	37.60	16.91	48.82			
AV	21.20164G	40.53	63.54	-23.01	34.83	1	Horizontal	252	1.80	-	37.61	16.91	48.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 87
60\85\97\91\88\89\88\87
6.39\3.20\9.56\2.65\0.87\0.67\0.01\1.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3247G	113.81	Inf	-Inf	102.96	3	Vertical	40	2.70	87	33.85	7.92	30.92				
AV	5.3246G	105.09	Inf	-Inf	94.24	3	Vertical	40	2.70	87	33.85	7.92	30.92				
PK	5.3506G	64.80	74.00	-9.20	53.85	3	Vertical	40	2.70	87	33.90	7.96	30.91				
AV	5.3501G	52.89	54.00	-1.11	41.94	3	Vertical	40	2.70	87	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 86
87.86
-0.05\1.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3246G	113.83	Inf	-Inf	102.98	3	Horizontal	20	1.54	86	33.85	7.92	30.92				
AV	5.3247G	105.20	Inf	-Inf	94.35	3	Horizontal	20	1.54	86	33.85	7.92	30.92				
PK	5.3504G	66.27	74.00	-7.73	55.32	3	Horizontal	20	1.54	86	33.90	7.96	30.91				
AV	5.35G	52.97	54.00	-1.03	42.02	3	Horizontal	20	1.54	86	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 86
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63528G	45.45	74.00	-28.55	61.73	3	Vertical	241	2.03	-	38.30	11.95	66.53			
AV	10.6378G	34.87	54.00	-19.13	51.15	3	Vertical	241	2.03	-	38.30	11.95	66.53			
PK	15.96354G	45.21	74.00	-28.79	57.68	3	Vertical	239	2.06	-	37.43	14.07	63.97			
AV	15.96812G	34.75	54.00	-19.25	47.21	3	Vertical	239	2.06	-	37.44	14.07	63.97			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 86
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63744G	45.87	74.00	-28.13	62.15	3	Horizontal	186	1.58	-	38.30	11.95	66.53			
AV	10.63452G	34.87	54.00	-19.13	51.15	3	Horizontal	186	1.58	-	38.30	11.95	66.53			
PK	15.8959G	45.84	74.00	-28.16	58.05	3	Horizontal	231	1.67	-	37.71	14.04	63.96			
AV	15.90022G	36.02	54.00	-17.98	48.24	3	Horizontal	231	1.67	-	37.70	14.04	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT V_2TX
Setting 86
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28164G	49.18	83.54	-34.36	43.32	1	Vertical	224	1.80	-	37.71	16.94	48.79			
AV	21.2768G	38.23	63.54	-25.31	32.35	1	Vertical	224	1.80	-	37.74	16.93	48.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 86
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27986G	51.38	83.54	-32.16	45.51	1	Horizontal	248	1.80	-	37.72	16.94	48.79			
AV	21.2847G	39.13	63.54	-24.41	33.29	1	Horizontal	248	1.80	-	37.69	16.94	48.79			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 90
60\85\103\94\90\92\91\90
6.49\4.74\ -17.09\ -2.57\0.56\ -1.06\ -1.11\0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4589G	61.52	74.00	-12.48	50.35	3	Vertical	37	1.55	90	34.00	8.06	30.89			
AV	5.4566G	50.20	54.00	-3.80	39.03	3	Vertical	37	1.55	90	34.00	8.06	30.89			
PK	5.4686G	68.07	68.20	-0.13	56.90	3	Vertical	37	1.55	90	34.00	8.06	30.89			
PK	5.5048G	116.11	Inf	-Inf	104.90	3	Vertical	37	1.55	90	34.02	8.07	30.88			
AV	5.5049G	107.04	Inf	-Inf	95.83	3	Vertical	37	1.55	90	34.02	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET90
90
0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	59.98	74.00	-14.02	48.81	3	Horizontal	3	1.63	90	34.00	8.06	30.89			
AV	5.46G	49.99	54.00	-4.01	38.82	3	Horizontal	3	1.63	90	34.00	8.06	30.89			
PK	5.47G	67.73	68.20	-0.47	56.56	3	Horizontal	3	1.63	90	34.00	8.06	30.89			
PK	5.5056G	114.95	Inf	-Inf	103.74	3	Horizontal	3	1.63	90	34.02	8.07	30.88			
AV	5.5055G	106.14	Inf	-Inf	94.93	3	Horizontal	3	1.63	90	34.02	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 90
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99716G	47.00	74.00	-27.00	62.73	3	Vertical	91	1.72	-	38.31	12.14	66.18			
AV	11.00648G	35.62	54.00	-18.38	51.35	3	Vertical	91	1.72	-	38.31	12.14	66.18			
PK	16.50076G	46.55	68.20	-21.65	56.52	3	Vertical	258	2.00	-	39.20	14.31	63.48			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 90
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.999666G	46.77	74.00	-27.23	62.51	3	Horizontal	326	1.61	-	38.30	12.14	66.18			
AV	11.00222G	35.38	54.00	-18.62	51.12	3	Horizontal	326	1.61	-	38.30	12.14	66.18			
PK	16.50798G	47.14	68.20	-21.06	57.08	3	Horizontal	248	1.84	-	39.22	14.32	63.48			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
Setting 90
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.99658G	52.37	77.74	-25.37	45.72	1	Vertical	237	1.80	-	38.07	17.18	48.60			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.00778G	51.89	77.74	-25.85	45.21	1	Horizontal	242	1.80	-	38.10	17.18	48.60			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
60\84\108
6.23\6.43\5.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	58.53	74.00	-15.47	47.36	3	Vertical	322	1.70	108	34.00	8.06	30.89			
AV	5.43G	48.02	54.00	-5.98	36.83	3	Vertical	322	1.70	108	34.04	8.05	30.90			
PK	5.4633G	58.02	68.20	-10.18	46.85	3	Vertical	322	1.70	108	34.00	8.06	30.89			
PK	5.5764G	121.13	Inf	-Inf	109.76	3	Vertical	322	1.70	108	34.15	8.09	30.87			
AV	5.5815G	111.50	Inf	-Inf	100.14	3	Vertical	322	1.70	108	34.14	8.09	30.87			
PK	5.7279G	57.76	68.20	-10.44	46.46	3	Vertical	322	1.70	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
108
5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4483G	57.86	74.00	-16.14	46.70	3	Horizontal	338	1.63	108	34.00	8.05	30.89			
PK	5.4654G	57.22	68.20	-10.98	46.05	3	Horizontal	338	1.63	108	34.00	8.06	30.89			
AV	5.4579G	48.46	54.00	-5.54	37.29	3	Horizontal	338	1.63	108	34.00	8.06	30.89			
PK	5.5767G	117.84	Inf	-Inf	106.47	3	Horizontal	338	1.63	108	34.15	8.09	30.87			
AV	5.577G	108.71	Inf	-Inf	97.34	3	Horizontal	338	1.63	108	34.15	8.09	30.87			
PK	5.7294G	58.10	68.20	-10.10	46.80	3	Horizontal	338	1.63	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16318G	46.32	74.00	-27.68	61.87	3	Vertical	352	1.77	-	38.45	12.23	66.23			
AV	11.16904G	35.17	54.00	-18.83	50.69	3	Vertical	352	1.77	-	38.48	12.23	66.23			
PK	16.74114G	54.63	68.20	-13.57	63.63	3	Vertical	70	1.32	-	40.13	14.42	63.55			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16514G	45.62	74.00	-28.38	61.16	3	Horizontal	317	1.50	-	38.46	12.23	66.23			
AV	11.16298G	35.70	54.00	-18.30	51.25	3	Horizontal	317	1.50	-	38.45	12.23	66.23			
PK	16.73968G	54.13	68.20	-14.07	63.14	3	Horizontal	34	1.62	-	40.12	14.42	63.55			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.31318G	58.66	83.54	-24.88	51.50	1	Vertical	234	1.80	-	38.25	17.32	48.41			
AV	22.3177G	47.49	63.54	-16.05	40.34	1	Vertical	234	1.80	-	38.23	17.33	48.41			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.3272G	59.23	83.54	-24.31	52.11	1	Horizontal	250	1.79	-	38.19	17.33	48.40			
AV	22.32232G	47.90	63.54	-15.64	40.77	1	Horizontal	250	1.79	-	38.21	17.33	48.41			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 76
60\96\56\76
9.16\12.16\9.59\0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.694G	111.30	Inf	-Inf	100.05	3	Vertical	358	1.80	76	33.90	8.20	30.85				
AV	5.694G	103.33	Inf	-Inf	92.08	3	Vertical	358	1.80	76	33.90	8.20	30.85				
PK	5.728G	68.12	68.20	-0.08	56.82	3	Vertical	358	1.80	76	33.90	8.24	30.84				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 75
76\69\75
-1.51\5.48\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7056G	111.80	Inf	-Inf	100.52	3	Horizontal	359	1.64	75	33.90	8.22	30.84				
AV	5.7064G	103.56	Inf	-Inf	92.28	3	Horizontal	359	1.64	75	33.90	8.22	30.84				
PK	5.7256G	67.99	68.20	-0.21	56.69	3	Horizontal	359	1.64	75	33.90	8.24	30.84				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 75
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40288G	45.14	74.00	-28.86	60.49	3	Vertical	280	1.86	-	38.61	12.35	66.31			
AV	11.40658G	34.80	54.00	-19.20	50.14	3	Vertical	280	1.86	-	38.61	12.36	66.31			
PK	17.1007G	48.93	68.20	-19.27	56.72	3	Vertical	330	1.34	-	41.40	14.59	63.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 75
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39174G	45.69	74.00	-28.31	61.05	3	Horizontal	112	2.02	-	38.60	12.35	66.31			
AV	11.39188G	34.99	54.00	-19.01	50.35	3	Horizontal	112	2.02	-	38.60	12.35	66.31			
PK	17.09332G	48.47	68.20	-19.73	56.28	3	Horizontal	131	1.72	-	41.37	14.59	63.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT V_2TX
Setting 75
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.80518G	48.39	83.54	-35.15	40.48	1	Vertical	172	1.84	-	38.60	17.55	48.24			
AV	22.79024G	38.08	63.54	-25.46	30.22	1	Vertical	172	1.84	-	38.56	17.54	48.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT V_2TX
Setting 75
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.80806G	48.36	83.54	-35.18	40.45	1	Horizontal	123	2.07	-	38.60	17.55	48.24			
AV	22.79712G	38.15	63.54	-25.39	30.25	1	Horizontal	123	2.07	-	38.59	17.55	48.24			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
60\87\108
6.89\6.04\6.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4236G	57.42	74.00	-16.58	46.22	3	Vertical	358	1.78	108	34.05	8.05	30.90					
PK	5.462G	57.85	68.20	-10.35	46.68	3	Vertical	358	1.78	108	34.00	8.06	30.89					
AV	5.4482G	47.96	54.00	-6.04	36.80	3	Vertical	358	1.78	108	34.00	8.05	30.89					
PK	5.7236G	119.76	Inf	-Inf	108.46	3	Vertical	358	1.78	108	33.90	8.24	30.84					
AV	5.714G	110.75	Inf	-Inf	99.46	3	Vertical	358	1.78	108	33.90	8.23	30.84					
PK	5.9066G	58.32	68.20	-9.88	46.54	3	Vertical	358	1.78	108	34.13	8.46	30.81					

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 108
108
6.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4344G	57.54	74.00	-16.46	46.35	3	Horizontal	359	1.54	108	34.03	8.05	30.89			
AV	5.4314G	47.39	54.00	-6.61	36.20	3	Horizontal	359	1.54	108	34.04	8.05	30.90			
PK	5.4626G	57.57	68.20	-10.63	46.40	3	Horizontal	359	1.54	108	34.00	8.06	30.89			
PK	5.7212G	119.79	Inf	-Inf	108.50	3	Horizontal	359	1.54	108	33.90	8.23	30.84			
AV	5.726G	110.63	Inf	-Inf	99.33	3	Horizontal	359	1.54	108	33.90	8.24	30.84			
PK	5.9216G	59.19	68.20	-9.01	47.32	3	Horizontal	359	1.54	108	34.19	8.48	30.80			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44512G	45.67	74.00	-28.33	60.92	3	Vertical	141	1.97	-	38.69	12.38	66.32			
AV	11.43828G	35.64	54.00	-18.36	50.91	3	Vertical	141	1.97	-	38.68	12.37	66.32			
PK	17.16102G	53.51	68.20	-14.69	61.02	3	Vertical	75	2.04	-	41.74	14.62	63.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44814G	46.10	74.00	-27.90	61.34	3	Horizontal	130	2.07	-	38.70	12.38	66.32			
AV	11.44792G	35.58	54.00	-18.42	50.82	3	Horizontal	130	2.07	-	38.70	12.38	66.32			
PK	17.16158G	53.68	68.20	-14.52	61.18	3	Horizontal	316	1.75	-	41.75	14.62	63.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.88406G	51.78	83.54	-31.76	43.88	1	Vertical	231	1.94	-	38.53	17.59	48.22			
AV	22.87856G	41.53	63.54	-22.01	33.63	1	Vertical	231	1.94	-	38.54	17.58	48.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.88054G	52.95	83.54	-30.59	45.04	1	Horizontal	222	1.71	-	38.54	17.59	48.22			
AV	22.88054G	41.24	63.54	-22.30	33.33	1	Horizontal	222	1.71	-	38.54	17.59	48.22			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 108
60\87\108
6.90\6.43\6.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4546G	47.86	54.00	-6.14	36.69	3	Vertical	38	1.55	108	34.00	8.06	30.89				
PK	5.655G	65.21	71.90	-6.69	54.00	3	Vertical	38	1.55	108	33.90	8.16	30.85				
PK	5.7402G	119.87	Inf	-Inf	108.56	3	Vertical	38	1.55	108	33.90	8.25	30.84				
AV	5.7414G	111.16	Inf	-Inf	99.84	3	Vertical	38	1.55	108	33.90	8.26	30.84				
PK	5.9556G	58.55	68.20	-9.65	46.53	3	Vertical	38	1.55	108	34.30	8.52	30.80				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
SET 108
108
6.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4582G	47.39	54.00	-6.61	36.22	3	Horizontal	1	1.52	108	34.00	8.06	30.89			
PK	5.6508G	60.89	68.79	-7.90	49.68	3	Horizontal	1	1.52	108	33.90	8.16	30.85			
PK	5.7414G	119.09	Inf	-Inf	107.77	3	Horizontal	1	1.52	108	33.90	8.26	30.84			
AV	5.7414G	110.96	Inf	-Inf	99.64	3	Horizontal	1	1.52	108	33.90	8.26	30.84			
PK	6.0054G	58.89	68.20	-9.31	46.80	3	Horizontal	1	1.52	108	34.31	8.57	30.79			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48438G	45.78	74.00	-28.22	61.02	3	Vertical	346	1.66	-	38.70	12.40	66.34			
AV	11.49266G	35.23	54.00	-18.77	50.47	3	Vertical	346	1.66	-	38.70	12.40	66.34			
PK	17.23924G	51.59	68.20	-16.61	58.85	3	Vertical	163	1.84	-	42.06	14.66	63.98			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49518G	45.91	74.00	-28.09	61.15	3	Horizontal	345	1.67	-	38.70	12.40	66.34			
AV	11.4969G	35.39	54.00	-18.61	50.63	3	Horizontal	345	1.67	-	38.70	12.40	66.34			
PK	17.239G	50.82	68.20	-17.38	58.08	3	Horizontal	53	1.78	-	42.06	14.66	63.98			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.97732G	49.40	83.54	-34.14	41.27	1	Vertical	217	1.51	-	38.70	17.63	48.20			
AV	22.9823G	39.97	63.54	-23.57	31.84	1	Vertical	217	1.51	-	38.70	17.63	48.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.97322G	55.42	83.54	-28.12	47.30	1	Horizontal	243	1.81	-	38.70	17.63	48.21			
AV	22.97786G	43.64	63.54	-19.90	35.51	1	Horizontal	243	1.81	-	38.70	17.63	48.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 108
60\98\108
9.62\9.24\8.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.59193G	57.95	68.20	-10.25	46.59	3	Vertical	0	1.76	108	34.12	8.10	30.86				
PK	5.78371G	119.91	Inf	-Inf	108.54	3	Vertical	0	1.76	108	33.90	8.30	30.83				
AV	5.78371G	110.80	Inf	-Inf	99.43	3	Vertical	0	1.76	108	33.90	8.30	30.83				
PK	6.06867G	59.27	68.20	-8.93	47.19	3	Vertical	0	1.76	108	34.40	8.50	30.82				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
8.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.62581G	59.59	68.20	-8.61	48.32	3	Horizontal	1	1.68	108	34.00	8.13	30.86			
PK	5.78553G	118.66	Inf	-Inf	107.29	3	Horizontal	1	1.68	108	33.90	8.30	30.83			
AV	5.78674G	109.74	Inf	-Inf	98.36	3	Horizontal	1	1.68	108	33.90	8.31	30.83			
PK	6.00333G	60.19	68.20	-8.01	48.09	3	Horizontal	1	1.68	108	34.31	8.58	30.79			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57G	47.94	74.00	-26.06	62.84	3	Vertical	178	2.08	-	39.04	12.44	66.38			
AV	11.57002G	37.01	54.00	-16.99	51.91	3	Vertical	178	2.08	-	39.04	12.44	66.38			
PK	17.35326G	55.88	68.20	-12.32	62.70	3	Vertical	47	1.81	-	42.62	14.71	64.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57336G	45.97	74.00	-28.03	60.86	3	Horizontal	167	1.38	-	39.05	12.44	66.38			
AV	11.5794G	35.44	54.00	-18.56	50.31	3	Horizontal	167	1.38	-	39.06	12.45	66.38			
PK	17.35812G	52.53	68.20	-15.67	59.33	3	Horizontal	89	1.68	-	42.65	14.71	64.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.14396G	53.88	77.74	-23.86	45.39	1	Vertical	176	1.88	-	38.88	17.72	48.11			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.1331G	53.90	77.74	-23.84	45.47	1	Horizontal	237	1.95	-	38.83	17.72	48.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108
60\96\108
9.16\8.80\8.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5748G	58.77	68.20	-9.43	47.40	3	Vertical	2	1.74	108	34.15	8.09	30.87				
PK	5.8238G	118.83	Inf	-Inf	107.40	3	Vertical	2	1.74	108	33.90	8.35	30.82				
AV	5.8244G	109.69	Inf	-Inf	98.26	3	Vertical	2	1.74	108	33.90	8.35	30.82				
PK	5.9396G	59.28	68.20	-8.92	47.32	3	Vertical	2	1.74	108	34.26	8.50	30.80				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108
108
9.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.736G	57.83	68.20	-10.37	46.46	3	Horizontal	1	1.58	108	34.15	8.09	30.87				
PK	5.8262G	117.56	Inf	-Inf	106.13	3	Horizontal	1	1.58	108	33.90	8.35	30.82				
AV	5.8214G	109.18	Inf	-Inf	97.75	3	Horizontal	1	1.58	108	33.90	8.35	30.82				
PK	6.0572G	58.87	68.20	-9.33	46.78	3	Horizontal	1	1.58	108	34.40	8.51	30.82				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.654G	46.34	74.00	-27.66	61.06	3	Vertical	354	1.80	-	39.21	12.49	66.42			
AV	11.65414G	36.21	54.00	-17.79	50.93	3	Vertical	354	1.80	-	39.21	12.49	66.42			
PK	17.47748G	57.64	68.20	-10.56	63.75	3	Vertical	343	1.76	-	43.46	14.77	64.34			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65292G	45.99	74.00	-28.01	60.71	3	Horizontal	193	1.83	-	39.21	12.49	66.42			
AV	11.64492G	35.14	54.00	-18.86	49.89	3	Horizontal	193	1.83	-	39.19	12.48	66.42			
PK	17.47624G	51.74	68.20	-16.46	57.84	3	Horizontal	169	1.80	-	43.46	14.77	64.33			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.305G	52.91	77.74	-24.83	44.21	1	Vertical	168	1.46	-	38.90	17.82	48.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT V_2TX
Setting 108
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.29168G	53.49	77.74	-24.25	44.80	1	Horizontal	186	2.01	-	38.90	17.81	48.02			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 81
60\87\64\75\80\82\81
6.88\5.79\6.61\5.38\2.54\0.08\1.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	66.18	74.00	-7.82	55.75	3	Vertical	57	2.47	81	33.69	7.70	30.96			
AV	5.1493G	52.77	54.00	-1.23	42.33	3	Vertical	57	2.47	81	33.70	7.70	30.96			
PK	5.1715G	114.97	Inf	-Inf	104.47	3	Vertical	57	2.47	81	33.74	7.71	30.95			
AV	5.1764G	103.91	Inf	-Inf	93.40	3	Vertical	57	2.47	81	33.75	7.71	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 81
81
3.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.148G	63.61	74.00	-10.39	53.18	3	Horizontal	343	1.44	81	33.69	7.70	30.96					
AV	5.1479G	50.88	54.00	-3.12	40.45	3	Horizontal	343	1.44	81	33.69	7.70	30.96					
PK	5.1754G	115.36	Inf	-Inf	104.85	3	Horizontal	343	1.44	81	33.75	7.71	30.95					
AV	5.1829G	104.35	Inf	-Inf	93.81	3	Horizontal	343	1.44	81	33.77	7.72	30.95					

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET93
60\87\105\96\92\94\93
6.97\4.62\ -7.47\ -1.33\1.57\ -0.16\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	66.09	74.00	-7.91	55.65	3	Vertical	50	2.46	93	33.70	7.70	30.96			
AV	5.1496G	53.28	54.00	-0.72	42.84	3	Vertical	50	2.46	93	33.70	7.70	30.96			
PK	5.1988G	116.52	Inf	-Inf	105.94	3	Vertical	50	2.46	93	33.80	7.73	30.95			
AV	5.2018G	106.17	Inf	-Inf	95.59	3	Vertical	50	2.46	93	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET93
93
0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	64.90	74.00	-9.10	54.47	3	Horizontal	22	1.79	93	33.69	7.70	30.96			
AV	5.1496G	53.15	54.00	-0.85	42.71	3	Horizontal	22	1.79	93	33.70	7.70	30.96			
PK	5.197G	117.47	Inf	-Inf	106.90	3	Horizontal	22	1.79	93	33.79	7.73	30.95			
AV	5.1916G	106.12	Inf	-Inf	95.57	3	Horizontal	22	1.79	93	33.78	7.72	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
60\86\108
6.59\6.40\1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1413G	72.45	74.00	-1.55	62.05	3	Vertical	302	2.25	108	33.67	7.69	30.96			
AV	5.1482G	50.39	54.00	-3.61	39.96	3	Vertical	302	2.25	108	33.69	7.70	30.96			
PK	5.2409G	118.56	Inf	-Inf	107.91	3	Vertical	302	2.25	108	33.80	7.79	30.94			
AV	5.2361G	108.32	Inf	-Inf	97.67	3	Vertical	302	2.25	108	33.80	7.79	30.94			
PK	5.3516G	67.84	74.00	-6.16	56.88	3	Vertical	302	2.25	108	33.91	7.96	30.91			
AV	5.3543G	49.07	54.00	-4.93	38.09	3	Vertical	302	2.25	108	33.92	7.97	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 105
108\105
-0.67\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1455G	73.93	74.00	-0.07	63.52	3	Horizontal	341	1.50	105	33.68	7.69	30.96			
AV	5.15G	51.55	54.00	-2.45	41.11	3	Horizontal	341	1.50	105	33.70	7.70	30.96			
PK	5.2328G	120.19	Inf	-Inf	109.55	3	Horizontal	341	1.50	105	33.80	7.78	30.94			
AV	5.2379G	110.08	Inf	-Inf	99.43	3	Horizontal	341	1.50	105	33.80	7.79	30.94			
PK	5.3513G	69.72	74.00	-4.28	58.76	3	Horizontal	341	1.50	105	33.91	7.96	30.91			
AV	5.3507G	50.47	54.00	-3.53	39.52	3	Horizontal	341	1.50	105	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
60\83\107\108
5.98\6.24\5.80\5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1499G	60.35	74.00	-13.65	49.91	3	Vertical	310	2.65	108	33.70	7.70	30.96				
AV	5.1472G	47.72	54.00	-6.28	37.29	3	Vertical	310	2.65	108	33.69	7.70	30.96				
PK	5.2663G	120.84	Inf	-Inf	110.14	3	Vertical	310	2.65	108	33.80	7.83	30.93				
AV	5.2636G	108.33	Inf	-Inf	97.63	3	Vertical	310	2.65	108	33.80	7.83	30.93				
PK	5.3755G	63.45	74.00	-10.55	52.36	3	Vertical	310	2.65	108	34.00	8.00	30.91				
AV	5.3584G	48.18	54.00	-5.82	37.18	3	Vertical	310	2.65	108	33.93	7.98	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
108
1.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	63.40	74.00	-10.60	52.97	3	Horizontal	340	1.50	108	33.69	7.70	30.96			
AV	5.1484G	47.84	54.00	-6.16	37.41	3	Horizontal	340	1.50	108	33.69	7.70	30.96			
PK	5.2555G	120.54	Inf	-Inf	109.85	3	Horizontal	340	1.50	108	33.80	7.82	30.93			
AV	5.2582G	110.08	Inf	-Inf	99.39	3	Horizontal	340	1.50	108	33.80	7.82	30.93			
PK	5.3587G	69.65	74.00	-4.35	58.65	3	Horizontal	340	1.50	108	33.93	7.98	30.91			
AV	5.3503G	52.18	54.00	-1.82	41.23	3	Horizontal	340	1.50	108	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 94
60\82\104\93\98\96\95\94
5.68\5.60\13.83\0.73\3.42\1.97\0.82\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2992G	115.63	Inf	-Inf	104.87	3	Vertical	37	1.30	94	33.80	7.88	30.92			
AV	5.3048G	104.73	Inf	-Inf	93.95	3	Vertical	37	1.30	94	33.81	7.89	30.92			
PK	5.351G	67.59	74.00	-6.41	56.64	3	Vertical	37	1.30	94	33.90	7.96	30.91			
AV	5.3518G	53.75	54.00	-0.25	42.78	3	Vertical	37	1.30	94	33.91	7.97	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET94
94
1.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.292G	117.39	Inf	-Inf	106.65	3	Horizontal	20	1.57	94	33.80	7.87	30.93			
AV	5.297G	106.39	Inf	-Inf	95.63	3	Horizontal	20	1.57	94	33.80	7.88	30.92			
PK	5.3518G	66.12	74.00	-7.88	55.15	3	Horizontal	20	1.57	94	33.91	7.97	30.91			
AV	5.3518G	52.73	54.00	-1.27	41.76	3	Horizontal	20	1.57	94	33.91	7.97	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 87
60\85\97\91\88\87
6.39\2.61\13.26\4.51\0.98\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3217G	115.26	Inf	-Inf	104.42	3	Vertical	46	2.70	87	33.84	7.92	30.92				
AV	5.3246G	104.18	Inf	-Inf	93.33	3	Vertical	46	2.70	87	33.85	7.92	30.92				
PK	5.3513G	68.92	74.00	-5.08	57.96	3	Vertical	46	2.70	87	33.91	7.96	30.91				
AV	5.3523G	53.83	54.00	-0.17	42.86	3	Vertical	46	2.70	87	33.91	7.97	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 85
87.79\86\83\84\85
-1.79\4.70\0.41\4.08\2.37\1.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.312G	114.47	Inf	-Inf	103.67	3	Horizontal	18	1.63	85	33.82	7.90	30.92			
AV	5.3269G	103.86	Inf	-Inf	93.00	3	Horizontal	18	1.63	85	33.85	7.93	30.92			
PK	5.3518G	68.93	74.00	-5.07	57.96	3	Horizontal	18	1.63	85	33.91	7.97	30.91			
AV	5.3523G	52.44	54.00	-1.56	41.47	3	Horizontal	18	1.63	85	33.91	7.97	30.91			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 89
60\83\94\89\91\90\89
5.98\3.95\ -7.07\1.70\ -1.11\ -0.32\1.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	65.41	74.00	-8.59	54.24	3	Vertical	38	1.47	89	34.00	8.06	30.89			
AV	5.4596G	51.93	54.00	-2.07	40.76	3	Vertical	38	1.47	89	34.00	8.06	30.89			
PK	5.467G	66.69	68.20	-1.51	55.52	3	Vertical	38	1.47	89	34.00	8.06	30.89			
PK	5.4928G	116.64	Inf	-Inf	105.45	3	Vertical	38	1.47	89	34.00	8.07	30.88			
AV	5.4952G	106.13	Inf	-Inf	94.94	3	Vertical	38	1.47	89	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 89
89
2.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	63.84	74.00	-10.16	52.67	3	Horizontal	1	1.62	89	34.00	8.06	30.89			
AV	5.46G	50.56	54.00	-3.44	39.39	3	Horizontal	1	1.62	89	34.00	8.06	30.89			
PK	5.4699G	66.18	68.20	-2.02	55.01	3	Horizontal	1	1.62	89	34.00	8.06	30.89			
PK	5.5052G	115.55	Inf	-Inf	104.34	3	Horizontal	1	1.62	89	34.02	8.07	30.88			
AV	5.5079G	104.68	Inf	-Inf	93.46	3	Horizontal	1	1.62	89	34.03	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
60\84\108
6.05\6.35\5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4483G	59.83	74.00	-14.17	48.67	3	Vertical	322	1.71	108	34.00	8.05	30.89
AV	5.4327G	48.15	54.00	-5.85	36.96	3	Vertical	322	1.71	108	34.03	8.05	30.89
PK	5.4687G	60.97	68.20	-7.23	49.80	3	Vertical	322	1.71	108	34.00	8.06	30.89
PK	5.5857G	121.77	Inf	-Inf	110.40	3	Vertical	322	1.71	108	34.13	8.10	30.86
AV	5.5809G	110.07	Inf	-Inf	98.71	3	Vertical	322	1.71	108	34.14	8.09	30.87
PK	5.7258G	60.84	68.20	-7.36	49.54	3	Vertical	322	1.71	108	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 107
108\101\107
-1.53\5.76\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	62.96	74.00	-11.04	51.79	3	Horizontal	360	1.68	107	34.00	8.06	30.89			
AV	5.4588G	48.34	54.00	-5.66	37.17	3	Horizontal	360	1.68	107	34.00	8.06	30.89			
PK	5.4672G	67.70	68.20	-0.50	56.53	3	Horizontal	360	1.68	107	34.00	8.06	30.89			
PK	5.5776G	119.49	Inf	-Inf	108.13	3	Horizontal	360	1.68	107	34.14	8.09	30.87			
AV	5.5857G	109.56	Inf	-Inf	98.19	3	Horizontal	360	1.68	107	34.13	8.10	30.86			
PK	5.7252G	65.54	68.20	-2.66	54.24	3	Horizontal	360	1.68	107	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 63
60\74\56\65\61\63
3.58\5.38\5.91\0.47\3.30\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6956G	110.77	Inf	-Inf	99.50	3	Vertical	38	1.47	63	33.90	8.21	30.84			
AV	5.6982G	99.46	Inf	-Inf	88.19	3	Vertical	38	1.47	63	33.90	8.21	30.84			
PK	5.725G	67.75	68.20	-0.45	56.45	3	Vertical	38	1.47	63	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
SET 63
63
1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.693G	110.97	Inf	-Inf	99.72	3	Horizontal	1	1.63	63	33.90	8.20	30.85			
AV	5.7056G	100.29	Inf	-Inf	89.01	3	Horizontal	1	1.63	63	33.90	8.22	30.84			
PK	5.7252G	66.23	68.20	-1.97	54.93	3	Horizontal	1	1.63	63	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
60\86\108
6.52\5.54\2.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4542G	58.49	74.00	-15.51	47.32	3	Vertical	40	1.48	108	34.00	8.06	30.89			
AV	5.438G	48.23	54.00	-5.77	37.05	3	Vertical	40	1.48	108	34.02	8.05	30.89			
PK	5.4608G	58.70	68.20	-9.50	47.53	3	Vertical	40	1.48	108	34.00	8.06	30.89			
PK	5.7158G	119.85	Inf	-Inf	108.56	3	Vertical	40	1.48	108	33.90	8.23	30.84			
AV	5.7152G	109.85	Inf	-Inf	98.56	3	Vertical	40	1.48	108	33.90	8.23	30.84			
PK	5.8562G	65.67	68.20	-2.53	54.18	3	Vertical	40	1.48	108	33.92	8.39	30.82			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 108
108
6.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4362G	57.78	74.00	-16.22	46.59	3	Horizontal	359	1.63	108	34.03	8.05	30.89			
AV	5.4464G	47.60	54.00	-6.40	36.43	3	Horizontal	359	1.63	108	34.01	8.05	30.89			
PK	5.4656G	57.16	68.20	-11.04	45.99	3	Horizontal	359	1.63	108	34.00	8.06	30.89			
PK	5.723G	120.01	Inf	-Inf	108.71	3	Horizontal	359	1.63	108	33.90	8.24	30.84			
AV	5.7158G	109.74	Inf	-Inf	98.45	3	Horizontal	359	1.63	108	33.90	8.23	30.84			
PK	5.8592G	62.13	68.20	-6.07	50.61	3	Horizontal	359	1.63	108	33.94	8.40	30.82			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 101
60\87\108\98\103\101\102\101
6.91\6.10\6.54\6.15\4.57\6.42\2.21\5.96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4588G	48.04	54.00	-5.96	36.87	3	Vertical	38	1.53	101	34.00	8.06	30.89				
PK	5.6496G	60.43	68.20	-7.77	49.23	3	Vertical	38	1.53	101	33.90	8.15	30.85				
PK	5.748G	118.71	Inf	-Inf	107.39	3	Vertical	38	1.53	101	33.90	8.26	30.84				
AV	5.7432G	108.90	Inf	-Inf	97.58	3	Vertical	38	1.53	101	33.90	8.26	30.84				
PK	5.9838G	58.94	68.20	-9.26	46.87	3	Vertical	38	1.53	101	34.30	8.56	30.79				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 101
101
6.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	5.4534G	47.56	54.00	-6.44	36.39	3	Horizontal	359	1.63	101	34.00	8.06	30.89			
PK	5.6184G	59.27	68.20	-8.93	47.98	3	Horizontal	359	1.63	101	34.03	8.12	30.86			
PK	5.7534G	118.26	Inf	-Inf	106.92	3	Horizontal	359	1.63	101	33.90	8.27	30.83			
AV	5.7378G	108.31	Inf	-Inf	97.00	3	Horizontal	359	1.63	101	33.90	8.25	30.84			
PK	6.0198G	58.78	68.20	-9.42	46.68	3	Horizontal	359	1.63	101	34.34	8.56	30.80			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 108
60\96\108
9.15\8.98\7.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64819G	60.83	68.20	-7.37	49.62	3	Vertical	360	1.66	108	33.91	8.15	30.85				
PK	5.79218G	119.70	Inf	-Inf	108.32	3	Vertical	360	1.66	108	33.90	8.31	30.83				
AV	5.7819G	109.29	Inf	-Inf	97.92	3	Vertical	360	1.66	108	33.90	8.30	30.83				
PK	6.0003G	59.07	68.20	-9.13	46.98	3	Vertical	360	1.66	108	34.30	8.58	30.79				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 108
108
8.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.59132G	60.07	68.20	-8.13	48.71	3	Horizontal	360	1.67	108	34.12	8.10	30.86				
PK	5.78553G	119.79	Inf	-Inf	108.42	3	Horizontal	360	1.67	108	33.90	8.30	30.83				
AV	5.77827G	109.03	Inf	-Inf	97.66	3	Horizontal	360	1.67	108	33.90	8.30	30.83				
PK	5.94162G	58.95	68.20	-9.25	46.98	3	Horizontal	360	1.67	108	34.27	8.50	30.80				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108
60\95\108
8.86\8.11\8.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.555G	58.42	68.20	-9.78	47.01	3	Vertical	360	1.66	108	34.19	8.09	30.87					
PK	5.8274G	118.61	Inf	-Inf	107.17	3	Vertical	360	1.66	108	33.90	8.36	30.82					
AV	5.8322G	108.32	Inf	-Inf	96.88	3	Vertical	360	1.66	108	33.90	8.36	30.82					
PK	6.1232G	59.51	68.20	-8.69	47.47	3	Vertical	360	1.66	108	34.45	8.44	30.85					

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108
108
8.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5286G	58.78	68.20	-9.42	47.46	3	Horizontal	360	1.56	108	34.11	8.08	30.87				
PK	5.8202G	117.58	Inf	-Inf	106.15	3	Horizontal	360	1.56	108	33.90	8.35	30.82				
AV	5.8286G	107.41	Inf	-Inf	95.97	3	Horizontal	360	1.56	108	33.90	8.36	30.82				
PK	6.0116G	59.25	68.20	-8.95	47.16	3	Horizontal	360	1.56	108	34.32	8.57	30.80				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 74
60\81\56\68\74
5.36\11.00\6.01\2.87\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.148G	66.67	74.00	-7.33	56.24	3	Vertical	49	2.58	74	33.69	7.70	30.96			
AV	5.1496G	53.80	54.00	-0.20	43.36	3	Vertical	49	2.58	74	33.70	7.70	30.96			
PK	5.1942G	110.99	Inf	-Inf	100.42	3	Vertical	49	2.58	74	33.79	7.73	30.95			
AV	5.1894G	99.86	Inf	-Inf	89.31	3	Vertical	49	2.58	74	33.78	7.72	30.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 72
74\72\73\72
-0.38\0.68\0.03\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	64.55	74.00	-9.45	54.11	3	Horizontal	22	1.78	72	33.70	7.70	30.96			
AV	5.1492G	53.57	54.00	-0.43	43.13	3	Horizontal	22	1.78	72	33.70	7.70	30.96			
PK	5.1918G	110.30	Inf	-Inf	99.75	3	Horizontal	22	1.78	72	33.78	7.72	30.95			
AV	5.1944G	98.92	Inf	-Inf	88.35	3	Horizontal	22	1.78	72	33.79	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 96
60\89\107\98\94\96\97\96
7.45\4.69\8.82\4.17\2.22\0.57\1.71\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	68.60	74.00	-5.40	58.17	3	Vertical	301	2.25	96	33.69	7.70	30.96			
AV	5.1498G	53.78	54.00	-0.22	43.34	3	Vertical	301	2.25	96	33.70	7.70	30.96			
PK	5.2386G	114.06	Inf	-Inf	103.41	3	Vertical	301	2.25	96	33.80	7.79	30.94			
AV	5.2362G	104.10	Inf	-Inf	93.45	3	Vertical	301	2.25	96	33.80	7.79	30.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 91
96\82\95\89\92\91
-3.45\4.99\ -3.23\1.12\ -0.22\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	64.76	74.00	-9.24	54.32	3	Horizontal	18	1.54	91	33.70	7.70	30.96			
AV	5.1498G	53.61	54.00	-0.39	43.17	3	Horizontal	18	1.54	91	33.70	7.70	30.96			
PK	5.2394G	116.21	Inf	-Inf	105.56	3	Horizontal	18	1.54	91	33.80	7.79	30.94			
AV	5.2368G	104.50	Inf	-Inf	93.85	3	Horizontal	18	1.54	91	33.80	7.79	30.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 99
60\84\108\96\102\99\100\99
6.08\6.13\12.08\2.46\3.03\0.57\0.81\0.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2762G	114.48	Inf	-Inf	103.76	3	Vertical	311	2.66	99	33.80	7.85	30.93				
AV	5.261G	103.25	Inf	-Inf	92.56	3	Vertical	311	2.66	99	33.80	7.82	30.93				
PK	5.3508G	64.90	74.00	-9.10	53.95	3	Vertical	311	2.66	99	33.90	7.96	30.91				
AV	5.351G	53.49	54.00	-0.51	42.54	3	Vertical	311	2.66	99	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET93
99\81\98\90\94\92\93
-4.50\5.19\4.53\2.44\0.32\0.74\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2844G	114.83	Inf	-Inf	104.10	3	Horizontal	20	1.48	93	33.80	7.86	30.93			
AV	5.262G	103.80	Inf	-Inf	93.10	3	Horizontal	20	1.48	93	33.80	7.83	30.93			
PK	5.352G	64.92	74.00	-9.08	53.95	3	Horizontal	20	1.48	93	33.91	7.97	30.91			
AV	5.3548G	53.77	54.00	-0.23	42.79	3	Horizontal	20	1.48	93	33.92	7.97	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 77
60\84\56\70\77
6.17\8.19\6.27\3.91\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3246G	109.86	Inf	-Inf	99.01	3	Vertical	44	2.70	77	33.85	7.92	30.92				
AV	5.3246G	98.76	Inf	-Inf	87.91	3	Vertical	44	2.70	77	33.85	7.92	30.92				
PK	5.355G	64.29	74.00	-9.71	53.31	3	Vertical	44	2.70	77	33.92	7.97	30.91				
AV	5.35G	53.58	54.00	-0.42	42.63	3	Vertical	44	2.70	77	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 74
77.69\73\75\74
-1.89\2.82\1.00\0.30\0.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2922G	109.39	Inf	-Inf	98.65	3	Horizontal	20	1.62	74	33.80	7.87	30.93			
AV	5.3244G	98.52	Inf	-Inf	87.67	3	Horizontal	20	1.62	74	33.85	7.92	30.92			
PK	5.352G	65.39	74.00	-8.61	54.42	3	Horizontal	20	1.62	74	33.91	7.97	30.91			
AV	5.3522G	53.45	54.00	-0.55	42.48	3	Horizontal	20	1.62	74	33.91	7.97	30.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 81
60\84\61\72\77\79\80\81
6.23\6.10\6.04\4.76\4.31\1.29\1.30\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	63.62	74.00	-10.38	52.45	3	Vertical	38	1.54	81	34.00	8.06	30.89			
AV	5.46G	50.93	54.00	-3.07	39.76	3	Vertical	38	1.54	81	34.00	8.06	30.89			
PK	5.47G	68.19	68.20	-0.01	57.02	3	Vertical	38	1.54	81	34.00	8.06	30.89			
PK	5.5272G	113.03	Inf	-Inf	101.72	3	Vertical	38	1.54	81	34.11	8.08	30.88			
AV	5.515G	101.74	Inf	-Inf	90.49	3	Vertical	38	1.54	81	34.06	8.07	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 81
81
0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	62.01	74.00	-11.99	50.84	3	Horizontal	19	1.64	81	34.00	8.06	30.89			
AV	5.4598G	51.11	54.00	-2.89	39.94	3	Horizontal	19	1.64	81	34.00	8.06	30.89			
PK	5.4696G	68.10	68.20	-0.10	56.93	3	Horizontal	19	1.64	81	34.00	8.06	30.89			
PK	5.5248G	112.33	Inf	-Inf	101.03	3	Horizontal	19	1.64	81	34.10	8.08	30.88			
AV	5.5202G	100.90	Inf	-Inf	89.62	3	Horizontal	19	1.64	81	34.08	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET95
60\86\108\97\92\94\95\96\95
6.71\5.50\ -14.53\ -0.69\3.42\1.83\0.89\ -0.42\0.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	64.51	74.00	-9.49	53.34	3	Vertical	39	1.36	95	34.00	8.06	30.89			
AV	5.46G	53.05	54.00	-0.95	41.88	3	Vertical	39	1.36	95	34.00	8.06	30.89			
PK	5.4688G	65.09	68.20	-3.11	53.92	3	Vertical	39	1.36	95	34.00	8.06	30.89			
PK	5.553G	116.12	Inf	-Inf	104.71	3	Vertical	39	1.36	95	34.19	8.09	30.87			
AV	5.5596G	104.73	Inf	-Inf	93.33	3	Vertical	39	1.36	95	34.18	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET95
95
0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4572G	65.37	74.00	-8.63	54.20	3	Horizontal	18	1.55	95	34.00	8.06	30.89			
AV	5.46G	53.72	54.00	-0.28	42.55	3	Horizontal	18	1.55	95	34.00	8.06	30.89			
PK	5.4672G	65.77	68.20	-2.43	54.60	3	Horizontal	18	1.55	95	34.00	8.06	30.89			
PK	5.5572G	114.80	Inf	-Inf	103.39	3	Horizontal	18	1.55	95	34.19	8.09	30.87			
AV	5.5472G	104.04	Inf	-Inf	92.64	3	Horizontal	18	1.55	95	34.19	8.08	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 87
60\94\71\61\66\68\69\81\87\90\87
8.67\5.82\0.29\8.30\8.69\6.90\7.67\4.18\1.10\3.50\2.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6793G	113.39	Inf	-Inf	102.15	3	Vertical	0	1.79	87	33.90	8.19	30.85
AV	5.6643G	102.12	Inf	-Inf	90.90	3	Vertical	0	1.79	87	33.90	8.17	30.85
PK	5.7252G	65.29	68.20	-2.91	53.99	3	Vertical	0	1.79	87	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 86
87.76\86
-2.63\6.21\0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6733G	112.19	Inf	-Inf	100.96	3	Horizontal	0	1.29	86	33.90	8.18	30.85			
AV	5.6655G	101.70	Inf	-Inf	90.48	3	Horizontal	0	1.29	86	33.90	8.17	30.85			
PK	5.7258G	68.19	68.20	-0.01	56.89	3	Horizontal	0	1.29	86	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 102
60\85\108\97\102\104\103\102
6.33\6.11\0.39\5.68\0.97\0.06\0.34\1.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4154G	58.90	74.00	-15.10	47.69	3	Vertical	38	1.53	102	34.07	8.04	30.90			
AV	5.419G	48.16	54.00	-5.84	36.95	3	Vertical	38	1.53	102	34.06	8.05	30.90			
PK	5.467G	57.93	68.20	-10.27	46.76	3	Vertical	38	1.53	102	34.00	8.06	30.89			
PK	5.7076G	115.30	Inf	-Inf	104.02	3	Vertical	38	1.53	102	33.90	8.22	30.84			
AV	5.716G	106.01	Inf	-Inf	94.72	3	Vertical	38	1.53	102	33.90	8.23	30.84			
PK	5.8516G	66.84	68.20	-1.36	55.36	3	Vertical	38	1.53	102	33.91	8.39	30.82			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 102
102
2.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	58.40	74.00	-15.60	47.23	3	Horizontal	1	1.62	102	34.00	8.06	30.89
AV	5.4568G	48.19	54.00	-5.81	37.02	3	Horizontal	1	1.62	102	34.00	8.06	30.89
PK	5.4604G	57.64	68.20	-10.56	46.47	3	Horizontal	1	1.62	102	34.00	8.06	30.89
PK	5.7208G	116.46	Inf	-Inf	105.17	3	Horizontal	1	1.62	102	33.90	8.23	30.84
AV	5.7178G	106.17	Inf	-Inf	94.88	3	Horizontal	1	1.62	102	33.90	8.23	30.84
PK	5.8528G	65.48	68.20	-2.72	54.00	3	Horizontal	1	1.62	102	33.91	8.39	30.82

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 97
60\85\108\97\102\100\99\87\93\96\97
6.47\6.54\10.37\4.49\6.99\5.85\4.72\6.90\6.20\5.55\5.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4598G	47.69	54.00	-6.31	36.52	3	Vertical	0	1.94	97	34.00	8.06	30.89			
PK	5.6494G	62.69	68.20	-5.51	51.49	3	Vertical	0	1.94	97	33.90	8.15	30.85			
PK	5.7646G	115.54	Inf	-Inf	104.19	3	Vertical	0	1.94	97	33.90	8.28	30.83			
AV	5.7442G	105.28	Inf	-Inf	93.96	3	Vertical	0	1.94	97	33.90	8.26	30.84			
PK	5.9332G	59.30	68.20	-8.90	47.38	3	Vertical	0	1.94	97	34.23	8.49	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_V_2TX
SET 97
97
2.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
AV	5.4568G	47.25	54.00	-6.75	36.08	3	Horizontal	357	1.53	97	34.00	8.06	30.89					
PK	5.6506G	65.86	68.64	-2.78	54.65	3	Horizontal	357	1.53	97	33.90	8.16	30.85					
PK	5.7556G	115.39	Inf	-Inf	104.05	3	Horizontal	357	1.53	97	33.90	8.27	30.83					
AV	5.743G	104.79	Inf	-Inf	93.47	3	Horizontal	357	1.53	97	33.90	8.26	30.84					
PK	5.9332G	59.44	68.20	-8.76	47.52	3	Horizontal	357	1.53	97	34.23	8.49	30.80					

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 105
60\96\108\102\105
9.06\9.08\0.91\2.93\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6492G	67.95	68.20	-0.25	56.75	3	Vertical	357	1.67	105	33.90	8.15	30.85				
PK	5.7818G	116.78	Inf	-Inf	105.41	3	Vertical	357	1.67	105	33.90	8.30	30.83				
AV	5.7794G	105.73	Inf	-Inf	94.36	3	Vertical	357	1.67	105	33.90	8.30	30.83				
PK	5.9672G	58.72	68.20	-9.48	46.68	3	Vertical	357	1.67	105	34.30	8.54	30.80				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 104
105\104
-0.07\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.651G	68.29	68.94	-0.65	57.08	3	Horizontal	357	1.51	104	33.90	8.16	30.85				
PK	5.7806G	116.17	Inf	-Inf	104.80	3	Horizontal	357	1.51	104	33.90	8.30	30.83				
AV	5.7806G	106.09	Inf	-Inf	94.72	3	Horizontal	357	1.51	104	33.90	8.30	30.83				
PK	6.0164G	59.25	68.20	-8.95	47.16	3	Horizontal	357	1.51	104	34.33	8.56	30.80				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 81
60\84\66\75\79\81
6.23\ -4.67\6.10\3.76\1.98\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	64.09	74.00	-9.91	53.66	3	Vertical	308	2.56	81	33.69	7.70	30.96			
AV	5.143G	53.70	54.00	-0.30	43.30	3	Vertical	308	2.56	81	33.67	7.69	30.96			
PK	5.2335G	107.49	Inf	-Inf	96.85	3	Vertical	308	2.56	81	33.80	7.78	30.94			
AV	5.241G	96.94	Inf	-Inf	86.29	3	Vertical	308	2.56	81	33.80	7.79	30.94			
PK	5.3785G	58.28	74.00	-15.72	47.17	3	Vertical	308	2.56	81	34.01	8.01	30.91			
AV	5.376G	47.86	54.00	-6.14	36.77	3	Vertical	308	2.56	81	34.00	8.00	30.91			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 76
81\67\80\74\77\78\77\76
-3.39\4.77\2.14\1.25\0.51\0.15\0.69\1.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.142G	62.90	74.00	-11.10	52.50	3	Horizontal	20	1.61	76	33.67	7.69	30.96			
AV	5.1495G	52.46	54.00	-1.54	42.02	3	Horizontal	20	1.61	76	33.70	7.70	30.96			
PK	5.229G	107.25	Inf	-Inf	96.62	3	Horizontal	20	1.61	76	33.80	7.77	30.94			
AV	5.2295G	97.28	Inf	-Inf	86.64	3	Horizontal	20	1.61	76	33.80	7.78	30.94			
PK	5.3515G	58.32	74.00	-15.68	47.36	3	Horizontal	20	1.61	76	33.91	7.96	30.91			
AV	5.412G	48.69	54.00	-5.31	37.47	3	Horizontal	20	1.61	76	34.08	8.04	30.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 76
60\82\57\69\75\78\77\76
5.64\ -6.30\6.16\4.02\0.68\ -1.72\ -0.01\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.128G	57.66	74.00	-16.34	47.33	3	Vertical	38	2.70	76	33.61	7.68	30.96			
AV	5.15G	46.88	54.00	-7.12	36.44	3	Vertical	38	2.70	76	33.70	7.70	30.96			
PK	5.3175G	106.10	Inf	-Inf	95.28	3	Vertical	38	2.70	76	33.83	7.91	30.92			
AV	5.325G	95.05	Inf	-Inf	84.20	3	Vertical	38	2.70	76	33.85	7.92	30.92			
PK	5.352G	63.69	74.00	-10.31	52.72	3	Vertical	38	2.70	76	33.91	7.97	30.91			
AV	5.35G	53.66	54.00	-0.34	42.71	3	Vertical	38	2.70	76	33.90	7.96	30.91			
PK	5.4715G	58.15	68.20	-10.05	46.98	3	Vertical	38	2.70	76	34.00	8.06	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 72
76\71\73\72
-1.22\1.31\0.49\1.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.081G	57.98	74.00	-16.02	47.84	3	Horizontal	17	1.57	72	33.46	7.65	30.97			
AV	5.088G	46.89	54.00	-7.11	36.72	3	Horizontal	17	1.57	72	33.48	7.66	30.97			
PK	5.2945G	106.16	Inf	-Inf	95.41	3	Horizontal	17	1.57	72	33.80	7.88	30.93			
AV	5.2795G	95.43	Inf	-Inf	84.71	3	Horizontal	17	1.57	72	33.80	7.85	30.93			
PK	5.35G	62.15	74.00	-11.85	51.20	3	Horizontal	17	1.57	72	33.90	7.96	30.91			
AV	5.35G	52.63	54.00	-1.37	41.68	3	Horizontal	17	1.57	72	33.90	7.96	30.91			
PK	5.488G	57.92	68.20	-10.28	46.73	3	Horizontal	17	1.57	72	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 80
60\81\71\76\78\79\80
5.45\0.27\4.76\2.90\1.74\1.73\0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3335G	58.28	68.20	-9.92	47.39	3	Vertical	34	1.39	80	33.87	7.94	30.92			
AV	5.35G	46.98	54.00	-7.02	36.03	3	Vertical	34	1.39	80	33.90	7.96	30.91			
PK	5.46G	63.32	74.00	-10.68	52.15	3	Vertical	34	1.39	80	34.00	8.06	30.89			
AV	5.4595G	53.18	54.00	-0.82	42.01	3	Vertical	34	1.39	80	34.00	8.06	30.89			
PK	5.47G	65.06	68.20	-3.14	53.89	3	Vertical	34	1.39	80	34.00	8.06	30.89			
PK	5.517G	109.25	Inf	-Inf	97.98	3	Vertical	34	1.39	80	34.07	8.08	30.88			
AV	5.517G	97.96	Inf	-Inf	86.69	3	Vertical	34	1.39	80	34.07	8.08	30.88			
PK	5.7325G	58.85	68.20	-9.35	47.54	3	Vertical	34	1.39	80	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 80
80
1.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.347G	58.29	68.20	-9.91	47.35	3	Horizontal	19	1.73	80	33.89	7.96	30.91					
AV	5.35G	47.84	54.00	-6.16	36.89	3	Horizontal	19	1.73	80	33.90	7.96	30.91					
PK	5.4545G	62.83	74.00	-11.17	51.66	3	Horizontal	19	1.73	80	34.00	8.06	30.89					
AV	5.46G	52.75	54.00	-1.25	41.58	3	Horizontal	19	1.73	80	34.00	8.06	30.89					
PK	5.4695G	64.61	68.20	-3.59	53.44	3	Horizontal	19	1.73	80	34.00	8.06	30.89					
PK	5.52G	107.92	Inf	-Inf	96.64	3	Horizontal	19	1.73	80	34.08	8.08	30.88					
AV	5.52G	97.49	Inf	-Inf	86.21	3	Horizontal	19	1.73	80	34.08	8.08	30.88					
PK	5.7595G	58.89	68.20	-9.31	47.54	3	Horizontal	19	1.73	80	33.90	8.28	30.83					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 94
60\83\104\94
5.92\5.29\12.90\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4525G	63.87	74.00	-10.13	52.70	3	Vertical	1	2.08	94	34.00	8.06	30.89			
AV	5.456G	53.78	54.00	-0.22	42.61	3	Vertical	1	2.08	94	34.00	8.06	30.89			
PK	5.4625G	64.40	68.20	-3.80	53.23	3	Vertical	1	2.08	94	34.00	8.06	30.89			
PK	5.5815G	111.30	Inf	-Inf	99.94	3	Vertical	1	2.08	94	34.14	8.09	30.87			
AV	5.624G	100.82	Inf	-Inf	89.55	3	Vertical	1	2.08	94	34.00	8.13	30.86			
PK	5.725G	67.24	68.20	-0.96	55.94	3	Vertical	1	2.08	94	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 92
94\92\93\92
-0.45\2.21\0.18\2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.92	74.00	-12.08	50.75	3	Horizontal	1	1.66	92	34.00	8.06	30.89
AV	5.4595G	51.66	54.00	-2.34	40.49	3	Horizontal	1	1.66	92	34.00	8.06	30.89
PK	5.4625G	63.01	68.20	-5.19	51.84	3	Horizontal	1	1.66	92	34.00	8.06	30.89
PK	5.598G	111.81	Inf	-Inf	100.47	3	Horizontal	1	1.66	92	34.10	8.10	30.86
AV	5.603G	100.93	Inf	-Inf	89.60	3	Horizontal	1	1.66	92	34.09	8.10	30.86
PK	5.7255G	66.02	68.20	-2.18	54.72	3	Horizontal	1	1.66	92	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 101
60\84\108\96\102\99\100\101
6.11\6.38\7.95\3.98\0.64\2.60\0.67\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4464G	61.09	74.00	-12.91	49.92	3	Vertical	356	1.80	101	34.01	8.05	30.89			
PK	5.4644G	61.97	68.20	-6.23	50.80	3	Vertical	356	1.80	101	34.00	8.06	30.89			
AV	5.459G	50.90	54.00	-3.10	39.73	3	Vertical	356	1.80	101	34.00	8.06	30.89			
PK	5.6798G	113.70	Inf	-Inf	102.46	3	Vertical	356	1.80	101	33.90	8.19	30.85			
AV	5.6798G	102.54	Inf	-Inf	91.30	3	Vertical	356	1.80	101	33.90	8.19	30.85			
PK	5.8532G	67.77	68.20	-0.43	56.29	3	Vertical	356	1.80	101	33.91	8.39	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 100
101\95\100
-1.32\4.94\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4158G	62.03	74.00	-11.97	50.82	3	Horizontal	360	1.64	100	34.07	8.04	30.90			
PK	5.468G	63.13	68.20	-5.07	51.96	3	Horizontal	360	1.64	100	34.00	8.06	30.89			
AV	5.4506G	51.61	54.00	-2.39	40.44	3	Horizontal	360	1.64	100	34.00	8.06	30.89			
PK	5.7032G	112.73	Inf	-Inf	101.46	3	Horizontal	360	1.64	100	33.90	8.21	30.84			
AV	5.6828G	102.29	Inf	-Inf	91.05	3	Horizontal	360	1.64	100	33.90	8.19	30.85			
PK	5.852G	68.19	68.20	-0.01	56.71	3	Horizontal	360	1.64	100	33.91	8.39	30.82			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 100
60\97\108\103\101\100
9.48\1.56\10.20\3.72\1.47\0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6442G	67.58	68.20	-0.62	56.36	3	Vertical	0	1.85	100	33.92	8.15	30.85				
PK	5.7498G	113.75	Inf	-Inf	102.43	3	Vertical	0	1.85	100	33.90	8.26	30.84				
AV	5.7642G	102.92	Inf	-Inf	91.57	3	Vertical	0	1.85	100	33.90	8.28	30.83				
PK	5.9538G	59.21	68.20	-8.99	47.19	3	Vertical	0	1.85	100	34.30	8.52	30.80				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_V_2TX
SET 98
100\98
-0.42\0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6478G	68.09	68.20	-0.11	56.88	3	Horizontal	1	1.68	98	33.91	8.15	30.85			
PK	5.7702G	112.01	Inf	-Inf	100.65	3	Horizontal	1	1.68	98	33.90	8.29	30.83			
AV	5.7702G	101.35	Inf	-Inf	89.99	3	Horizontal	1	1.68	98	33.90	8.29	30.83			
PK	6.0144G	59.23	68.20	-8.97	47.14	3	Horizontal	1	1.68	98	34.33	8.56	30.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 64
60\71\56\63\66\65\64
2.81\5.05\4.81\1.20\0.67\0.20\0.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1498G	64.51	74.00	-9.49	54.07	3	Vertical	31	1.20	64	33.70	7.70	30.96					
AV	5.1474G	49.30	54.00	-4.70	38.87	3	Vertical	31	1.20	64	33.69	7.70	30.96					
PK	5.3262G	101.69	Inf	-Inf	90.83	3	Vertical	31	1.20	64	33.85	7.93	30.92					
AV	5.3268G	90.90	Inf	-Inf	80.04	3	Vertical	31	1.20	64	33.85	7.93	30.92					
PK	5.3562G	70.29	74.00	-3.71	59.31	3	Vertical	31	1.20	64	33.92	7.97	30.91					
AV	5.3622G	53.11	54.00	-0.89	42.09	3	Vertical	31	1.20	64	33.95	7.98	30.91					
PK	5.4618G	58.68	68.20	-9.52	47.51	3	Vertical	31	1.20	64	34.00	8.06	30.89					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 64
64
2.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.148G	64.52	74.00	-9.48	54.09	3	Horizontal	22	1.80	64	33.69	7.70	30.96			
AV	5.1426G	49.06	54.00	-4.94	38.66	3	Horizontal	22	1.80	64	33.67	7.69	30.96			
PK	5.3268G	102.48	Inf	-Inf	91.62	3	Horizontal	22	1.80	64	33.85	7.93	30.92			
AV	5.3244G	90.80	Inf	-Inf	79.95	3	Horizontal	22	1.80	64	33.85	7.92	30.92			
PK	5.35G	69.96	74.00	-4.04	59.01	3	Horizontal	22	1.80	64	33.90	7.96	30.91			
AV	5.3592G	51.84	54.00	-2.16	40.83	3	Horizontal	22	1.80	64	33.94	7.98	30.91			
PK	5.47G	58.07	68.20	-10.13	46.90	3	Horizontal	22	1.80	64	34.00	8.06	30.89			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 72
60\83\56\69\75\72
5.77\~7.85\5.55\3.04\~0.49\0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.348G	57.82	68.20	-10.38	46.87	3	Vertical	322	1.79	72	33.90	7.96	30.91					
PK	5.46G	65.37	74.00	-8.63	54.20	3	Vertical	322	1.79	72	34.00	8.06	30.89					
AV	5.456G	52.50	54.00	-1.50	41.33	3	Vertical	322	1.79	72	34.00	8.06	30.89					
PK	5.4662G	68.17	68.20	-0.03	57.00	3	Vertical	322	1.79	72	34.00	8.06	30.89					
PK	5.5958G	104.23	Inf	-Inf	92.88	3	Vertical	322	1.79	72	34.11	8.10	30.86					
AV	5.5934G	93.21	Inf	-Inf	81.86	3	Vertical	322	1.79	72	34.11	8.10	30.86					
PK	5.7536G	64.08	68.20	-4.12	52.74	3	Vertical	322	1.79	72	33.90	8.27	30.83					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 70
72\68\70\71\70
-0.79\1.54\0.67\0.21\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	57.68	68.20	-10.52	46.77	3	Horizontal	22	1.62	70	33.88	7.95	30.92
PK	5.4536G	64.17	74.00	-9.83	53.00	3	Horizontal	22	1.62	70	34.00	8.06	30.89
AV	5.4584G	50.61	54.00	-3.39	39.44	3	Horizontal	22	1.62	70	34.00	8.06	30.89
PK	5.4692G	67.08	68.20	-1.12	55.91	3	Horizontal	22	1.62	70	34.00	8.06	30.89
PK	5.5496G	102.43	Inf	-Inf	91.02	3	Horizontal	22	1.62	70	34.20	8.08	30.87
AV	5.5448G	91.48	Inf	-Inf	80.09	3	Horizontal	22	1.62	70	34.18	8.08	30.87
PK	5.7278G	60.88	68.20	-7.32	49.58	3	Horizontal	22	1.62	70	33.90	8.24	30.84

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 87
60\87
6.95\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.148G	67.01	74.00	-6.99	56.58	3	Vertical	330	1.46	87	33.69	7.70	30.96			
AV	5.1498G	53.82	54.00	-0.18	43.38	3	Vertical	330	1.46	87	33.70	7.70	30.96			
PK	5.1747G	113.68	Inf	-Inf	103.17	3	Vertical	330	1.46	87	33.75	7.71	30.95			
AV	5.1746G	102.45	Inf	-Inf	91.94	3	Vertical	330	1.46	87	33.75	7.71	30.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 82
87.69\86\78\82
-4.42\6.01\ -4.04\3.42\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1499G	69.32	74.00	-4.68	58.88	3	Horizontal	17	1.45	82	33.70	7.70	30.96			
AV	5.15G	53.52	54.00	-0.48	43.08	3	Horizontal	17	1.45	82	33.70	7.70	30.96			
PK	5.1788G	113.82	Inf	-Inf	103.29	3	Horizontal	17	1.45	82	33.76	7.72	30.95			
AV	5.181G	103.11	Inf	-Inf	92.58	3	Horizontal	17	1.45	82	33.76	7.72	30.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 97
60\89\107\98\94\96\97
7.30\4.66\5.75\0.14\3.15\2.31\1.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.147G	72.72	74.00	-1.28	62.29	3	Vertical	331	1.61	97	33.69	7.70	30.96			
AV	5.1492G	52.70	54.00	-1.30	42.26	3	Vertical	331	1.61	97	33.70	7.70	30.96			
PK	5.2038G	115.96	Inf	-Inf	105.37	3	Vertical	331	1.61	97	33.80	7.74	30.95			
AV	5.2028G	105.66	Inf	-Inf	95.08	3	Vertical	331	1.61	97	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 94
97\90\93\94
-1.68\3.33\0.78\0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1458G	65.45	74.00	-8.55	55.04	3	Horizontal	19	1.78	94	33.68	7.69	30.96				
AV	5.1496G	53.89	54.00	-0.11	43.45	3	Horizontal	19	1.78	94	33.70	7.70	30.96				
PK	5.1988G	116.14	Inf	-Inf	105.56	3	Horizontal	19	1.78	94	33.80	7.73	30.95				
AV	5.1974G	105.36	Inf	-Inf	94.79	3	Horizontal	19	1.78	94	33.79	7.73	30.95				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
60\85\108
6.47\5.79\3.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	68.80	74.00	-5.20	58.36	3	Vertical	53	2.42	108	33.70	7.70	30.96			
AV	5.1497G	49.45	54.00	-4.55	39.01	3	Vertical	53	2.42	108	33.70	7.70	30.96			
PK	5.2439G	118.33	Inf	-Inf	107.67	3	Vertical	53	2.42	108	33.80	7.80	30.94			
AV	5.2352G	107.55	Inf	-Inf	96.91	3	Vertical	53	2.42	108	33.80	7.78	30.94			
PK	5.35G	68.99	74.00	-5.01	58.04	3	Vertical	53	2.42	108	33.90	7.96	30.91			
AV	5.3552G	50.24	54.00	-3.76	39.26	3	Vertical	53	2.42	108	33.92	7.97	30.91			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
SET 108
108
3.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	69.82	74.00	-4.18	59.39	3	Horizontal	341	1.61	108	33.69	7.70	30.96			
AV	5.1488G	50.69	54.00	-3.31	40.25	3	Horizontal	341	1.61	108	33.70	7.70	30.96			
PK	5.2352G	119.64	Inf	-Inf	109.00	3	Horizontal	341	1.61	108	33.80	7.78	30.94			
AV	5.2481G	107.91	Inf	-Inf	97.25	3	Horizontal	341	1.61	108	33.80	7.80	30.94			
PK	5.3507G	68.27	74.00	-5.73	57.32	3	Horizontal	341	1.61	108	33.90	7.96	30.91			
AV	5.3516G	49.56	54.00	-4.44	38.60	3	Horizontal	341	1.61	108	33.91	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
60\86\108
6.59\6.30\4.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1421G	59.24	74.00	-14.76	48.84	3	Vertical	309	2.42	108	33.67	7.69	30.96				
AV	5.1238G	47.34	54.00	-6.66	37.02	3	Vertical	309	2.42	108	33.60	7.68	30.96				
PK	5.2555G	118.00	Inf	-Inf	107.31	3	Vertical	309	2.42	108	33.80	7.82	30.93				
AV	5.2618G	107.15	Inf	-Inf	96.45	3	Vertical	309	2.42	108	33.80	7.83	30.93				
PK	5.3554G	66.20	74.00	-7.80	55.22	3	Vertical	309	2.42	108	33.92	7.97	30.91				
AV	5.3503G	49.36	54.00	-4.64	38.41	3	Vertical	309	2.42	108	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET 108
108
1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	65.88	74.00	-8.12	55.45	3	Horizontal	17	1.48	108	33.69	7.70	30.96			
AV	5.1484G	47.89	54.00	-6.11	37.46	3	Horizontal	17	1.48	108	33.69	7.70	30.96			
PK	5.2588G	118.74	Inf	-Inf	108.05	3	Horizontal	17	1.48	108	33.80	7.82	30.93			
AV	5.257G	107.86	Inf	-Inf	97.17	3	Horizontal	17	1.48	108	33.80	7.82	30.93			
PK	5.3566G	72.43	74.00	-1.57	61.44	3	Horizontal	17	1.48	108	33.93	7.97	30.91			
AV	5.3533G	51.98	54.00	-2.02	41.01	3	Horizontal	17	1.48	108	33.91	7.97	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 94
60\84\104\94\99\97\96\95\94
6.23\5.00\13.54\0.57\4.60\2.57\1.79\1.12\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3044G	116.42	Inf	-Inf	105.64	3	Vertical	31	1.21	94	33.81	7.89	30.92			
AV	5.307G	104.98	Inf	-Inf	94.19	3	Vertical	31	1.21	94	33.81	7.90	30.92			
PK	5.3516G	68.17	74.00	-5.83	57.21	3	Vertical	31	1.21	94	33.91	7.96	30.91			
AV	5.3502G	53.70	54.00	-0.30	42.75	3	Vertical	31	1.21	94	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET94
94
0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2994G	115.49	Inf	-Inf	104.73	3	Horizontal	19	1.45	94	33.80	7.88	30.92				
AV	5.2934G	104.51	Inf	-Inf	93.77	3	Horizontal	19	1.45	94	33.80	7.87	30.93				
PK	5.3608G	73.47	74.00	-0.53	62.46	3	Horizontal	19	1.45	94	33.94	7.98	30.91				
AV	5.3504G	52.69	54.00	-1.31	41.74	3	Horizontal	19	1.45	94	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 85
60\83\94\89\87\86\85
5.94\2.96\ -9.83\ -3.60\ -3.63\ -0.28\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3168G	114.38	Inf	-Inf	103.56	3	Vertical	33	1.20	85	33.83	7.91	30.92			
AV	5.3279G	103.76	Inf	-Inf	92.89	3	Vertical	33	1.20	85	33.86	7.93	30.92			
PK	5.3694G	67.72	74.00	-6.28	56.66	3	Vertical	33	1.20	85	33.98	7.99	30.91			
AV	5.3502G	53.50	54.00	-0.50	42.55	3	Vertical	33	1.20	85	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 85
85
1.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3225G	114.65	Inf	-Inf	103.81	3	Horizontal	19	1.64	85	33.84	7.92	30.92			
AV	5.3284G	102.95	Inf	-Inf	92.08	3	Horizontal	19	1.64	85	33.86	7.93	30.92			
PK	5.3511G	67.19	74.00	-6.81	56.24	3	Horizontal	19	1.64	85	33.90	7.96	30.91			
AV	5.3521G	52.91	54.00	-1.09	41.94	3	Horizontal	19	1.64	85	33.91	7.97	30.91			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 88
60\83\94\89\87\88
5.92\3.83\ -8.32\ -0.95\2.96\1.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	67.04	74.00	-6.96	55.87	3	Vertical	34	1.56	88	34.00	8.06	30.89			
AV	5.46G	51.09	54.00	-2.91	39.92	3	Vertical	34	1.56	88	34.00	8.06	30.89			
PK	5.4626G	66.29	68.20	-1.91	55.12	3	Vertical	34	1.56	88	34.00	8.06	30.89			
PK	5.5023G	116.71	Inf	-Inf	105.51	3	Vertical	34	1.56	88	34.01	8.07	30.88			
AV	5.5046G	104.99	Inf	-Inf	93.78	3	Vertical	34	1.56	88	34.02	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET88
88
3.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	63.98	74.00	-10.02	52.81	3	Horizontal	17	1.61	88	34.00	8.06	30.89			
AV	5.4594G	50.42	54.00	-3.58	39.25	3	Horizontal	17	1.61	88	34.00	8.06	30.89			
PK	5.4619G	64.23	68.20	-3.97	53.06	3	Horizontal	17	1.61	88	34.00	8.06	30.89			
PK	5.5012G	114.67	Inf	-Inf	103.48	3	Horizontal	17	1.61	88	34.00	8.07	30.88			
AV	5.5046G	103.70	Inf	-Inf	92.49	3	Horizontal	17	1.61	88	34.02	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
60\85\108
6.48\6.32\5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	58.88	74.00	-15.12	47.71	3	Vertical	322	1.62	108	34.01	8.05	30.89
AV	5.4498G	48.57	54.00	-5.43	37.41	3	Vertical	322	1.62	108	34.00	8.05	30.89
PK	5.4699G	60.71	68.20	-7.49	49.54	3	Vertical	322	1.62	108	34.00	8.06	30.89
PK	5.5857G	119.28	Inf	-Inf	107.91	3	Vertical	322	1.62	108	34.13	8.10	30.86
AV	5.5809G	108.40	Inf	-Inf	97.04	3	Vertical	322	1.62	108	34.14	8.09	30.87
PK	5.727G	60.99	68.20	-7.21	49.69	3	Vertical	322	1.62	108	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 108
108
1.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4402G	62.69	74.00	-11.31	51.51	3	Horizontal	360	1.69	108	34.02	8.05	30.89			
AV	5.4381G	47.94	54.00	-6.06	36.76	3	Horizontal	360	1.69	108	34.02	8.05	30.89			
PK	5.4699G	66.32	68.20	-1.88	55.15	3	Horizontal	360	1.69	108	34.00	8.06	30.89			
PK	5.5842G	118.69	Inf	-Inf	107.32	3	Horizontal	360	1.69	108	34.13	8.10	30.86			
AV	5.5854G	107.85	Inf	-Inf	96.48	3	Horizontal	360	1.69	108	34.13	8.10	30.86			
PK	5.7264G	64.90	68.20	-3.30	53.60	3	Horizontal	360	1.69	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 67
60\69\56\62\65\66\67
2.36\ -6.43\5.58\4.27\1.76\1.88\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7064G	112.20	Inf	-Inf	100.92	3	Vertical	36	1.57	67	33.90	8.22	30.84			
AV	5.6968G	100.39	Inf	-Inf	89.12	3	Vertical	36	1.57	67	33.90	8.21	30.84			
PK	5.7308G	67.79	68.20	-0.41	56.49	3	Vertical	36	1.57	67	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 66
67.60\66
-1.75\4.01\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	110.28	Inf	-Inf	99.00	3	Horizontal	0	1.62	66	33.90	8.22	30.84
AV	5.692G	99.16	Inf	-Inf	87.91	3	Horizontal	0	1.62	66	33.90	8.20	30.85
PK	5.726G	67.93	68.20	-0.27	56.63	3	Horizontal	0	1.62	66	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
60\86\108
6.66\5.96\5.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	58.96	74.00	-15.04	47.79	3	Vertical	39	1.46	108	34.00	8.06	30.89			
AV	5.4272G	47.79	54.00	-6.21	36.59	3	Vertical	39	1.46	108	34.05	8.05	30.90			
PK	5.4608G	57.91	68.20	-10.29	46.74	3	Vertical	39	1.46	108	34.00	8.06	30.89			
PK	5.7194G	119.15	Inf	-Inf	107.86	3	Vertical	39	1.46	108	33.90	8.23	30.84			
AV	5.7164G	109.35	Inf	-Inf	98.06	3	Vertical	39	1.46	108	33.90	8.23	30.84			
PK	5.861G	62.57	68.20	-5.63	51.05	3	Vertical	39	1.46	108	33.94	8.40	30.82			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 108
108
5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.423G	57.91	74.00	-16.09	46.71	3	Horizontal	1	1.60	108	34.05	8.05	30.90			
AV	5.4242G	48.18	54.00	-5.82	36.98	3	Horizontal	1	1.60	108	34.05	8.05	30.90			
PK	5.4644G	57.79	68.20	-10.41	46.62	3	Horizontal	1	1.60	108	34.00	8.06	30.89			
PK	5.711G	118.29	Inf	-Inf	107.01	3	Horizontal	1	1.60	108	33.90	8.22	30.84			
AV	5.7194G	107.47	Inf	-Inf	96.18	3	Horizontal	1	1.60	108	33.90	8.23	30.84			
PK	5.864G	58.98	68.20	-9.22	47.43	3	Horizontal	1	1.60	108	33.96	8.40	30.81			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 101
60\87\108\98\103\101\102\101
6.77\5.88\3.99\6.11\3.84\2.68\1.39\1.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.454G	47.88	54.00	-6.12	36.71	3	Vertical	36	1.54	101	34.00	8.06	30.89				
PK	5.6484G	66.29	68.20	-1.91	55.08	3	Vertical	36	1.54	101	33.91	8.15	30.85				
PK	5.7426G	119.28	Inf	-Inf	107.96	3	Vertical	36	1.54	101	33.90	8.26	30.84				
AV	5.7438G	108.67	Inf	-Inf	97.35	3	Vertical	36	1.54	101	33.90	8.26	30.84				
PK	5.9268G	58.37	68.20	-9.83	46.48	3	Vertical	36	1.54	101	34.21	8.48	30.80				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
SET 101
101
2.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4516G	47.57	54.00	-6.43	36.40	3	Horizontal	357	1.53	101	34.00	8.06	30.89				
PK	5.6478G	65.56	68.20	-2.64	54.35	3	Horizontal	357	1.53	101	33.91	8.15	30.85				
PK	5.7396G	117.50	Inf	-Inf	106.19	3	Horizontal	357	1.53	101	33.90	8.25	30.84				
AV	5.742G	107.33	Inf	-Inf	96.01	3	Horizontal	357	1.53	101	33.90	8.26	30.84				
PK	5.9694G	59.27	68.20	-8.93	47.23	3	Horizontal	357	1.53	101	34.30	8.54	30.80				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 108
60\97\108
9.33\9.14\9.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.63972G	58.99	68.20	-9.21	47.76	3	Vertical	357	1.83	108	33.94	8.14	30.85				
PK	5.78371G	118.38	Inf	-Inf	107.01	3	Vertical	357	1.83	108	33.90	8.30	30.83				
AV	5.77706G	107.48	Inf	-Inf	96.12	3	Vertical	357	1.83	108	33.90	8.29	30.83				
PK	6.05778G	58.82	68.20	-9.38	46.73	3	Vertical	357	1.83	108	34.40	8.51	30.82				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 108
108
7.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.62702G	60.81	68.20	-7.39	49.55	3	Horizontal	357	1.60	108	33.99	8.13	30.86				
PK	5.78976G	117.49	Inf	-Inf	106.11	3	Horizontal	357	1.60	108	33.90	8.31	30.83				
AV	5.78371G	107.23	Inf	-Inf	95.86	3	Horizontal	357	1.60	108	33.90	8.30	30.83				
PK	5.98034G	59.37	68.20	-8.83	47.31	3	Horizontal	357	1.60	108	34.30	8.55	30.79				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108
60\95\108
8.93\9.25\8.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5766G	58.93	68.20	-9.27	47.56	3	Vertical	357	1.67	108	34.15	8.09	30.87				
PK	5.8238G	117.31	Inf	-Inf	105.88	3	Vertical	357	1.67	108	33.90	8.35	30.82				
AV	5.8208G	105.78	Inf	-Inf	94.35	3	Vertical	357	1.67	108	33.90	8.35	30.82				
PK	5.9432G	59.42	68.20	-8.78	47.44	3	Vertical	357	1.67	108	34.27	8.51	30.80				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
SET 108
108
9.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6054G	58.46	68.20	-9.74	47.13	3	Horizontal	1	1.66	108	34.08	8.11	30.86			
PK	5.819G	115.59	Inf	-Inf	104.17	3	Horizontal	1	1.66	108	33.90	8.34	30.82			
AV	5.8232G	106.08	Inf	-Inf	94.65	3	Horizontal	1	1.66	108	33.90	8.35	30.82			
PK	5.9336G	59.15	68.20	-9.05	47.23	3	Horizontal	1	1.66	108	34.23	8.49	30.80			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 73
60\83\56\69\75\72\73\74\73
5.82\ -13.07\6.60\2.58\ -1.85\1.20\0.74\ -0.42\1.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.10	74.00	-8.90	54.66	3	Vertical	51	2.45	73	33.70	7.70	30.96			
AV	5.1486G	52.95	54.00	-1.05	42.52	3	Vertical	51	2.45	73	33.69	7.70	30.96			
PK	5.2008G	109.95	Inf	-Inf	99.37	3	Vertical	51	2.45	73	33.80	7.73	30.95			
AV	5.1964G	98.11	Inf	-Inf	87.54	3	Vertical	51	2.45	73	33.79	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 73
73
0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	65.07	74.00	-8.93	54.63	3	Horizontal	15	1.26	73	33.70	7.70	30.96			
AV	5.149G	53.53	54.00	-0.47	43.09	3	Horizontal	15	1.26	73	33.70	7.70	30.96			
PK	5.1954G	110.16	Inf	-Inf	99.59	3	Horizontal	15	1.26	73	33.79	7.73	30.95			
AV	5.1996G	97.55	Inf	-Inf	86.97	3	Horizontal	15	1.26	73	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



EUT_Y_2TX
SET 96
60\89\108\99\95\97\96
7.32\5.29\7.33\2.86\1.09\1.05\0.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	64.48	74.00	-9.52	54.04	3	Vertical	309	2.56	96	33.70	7.70	30.96			
AV	5.15G	53.13	54.00	-0.87	42.69	3	Vertical	309	2.56	96	33.70	7.70	30.96			
PK	5.236G	114.24	Inf	-Inf	103.59	3	Vertical	309	2.56	96	33.80	7.79	30.94			
AV	5.2324G	102.89	Inf	-Inf	92.25	3	Vertical	309	2.56	96	33.80	7.78	30.94			