


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 90
96\77\95\86\90\92\91\90
-4.73\6.12\3.77\2.37\0.53\0.65\0.13\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	63.01	74.00	-10.99	52.57	3	Horizontal	18	1.50	90	33.70	7.70	30.96			
AV	5.15G	53.41	54.00	-0.59	42.97	3	Horizontal	18	1.50	90	33.70	7.70	30.96			
PK	5.2356G	115.02	Inf	-Inf	104.37	3	Horizontal	18	1.50	90	33.80	7.79	30.94			
AV	5.248G	102.92	Inf	-Inf	92.26	3	Horizontal	18	1.50	90	33.80	7.80	30.94			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 90
60\84\102\93\89\91\90
6.23\4.54\ -12.45\ -1.72\2.07\ -0.07\1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2598G	113.46	Inf	-Inf	102.77	3	Vertical	34	1.30	90	33.80	7.82	30.93				
AV	5.2576G	102.05	Inf	-Inf	91.36	3	Vertical	34	1.30	90	33.80	7.82	30.93				
PK	5.3596G	63.28	74.00	-10.72	52.27	3	Vertical	34	1.30	90	33.94	7.98	30.91				
AV	5.3502G	52.34	54.00	-1.66	41.39	3	Vertical	34	1.30	90	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET90
90
2.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2582G	112.62	Inf	-Inf	101.93	3	Horizontal	19	1.60	90	33.80	7.82	30.93				
AV	5.2646G	101.74	Inf	-Inf	91.04	3	Horizontal	19	1.60	90	33.80	7.83	30.93				
PK	5.3522G	62.14	74.00	-11.86	51.17	3	Horizontal	19	1.60	90	33.91	7.97	30.91				
AV	5.364G	51.18	54.00	-2.82	40.15	3	Horizontal	19	1.60	90	33.96	7.98	30.91				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 73
60\78\69\73\75\74\73
4.61\ -2.91\2.00\0.73\ -0.57\ -0.58\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.316G	109.05	Inf	-Inf	98.23	3	Vertical	33	1.30	73	33.83	7.91	30.92			
AV	5.3244G	97.45	Inf	-Inf	86.60	3	Vertical	33	1.30	73	33.85	7.92	30.92			
PK	5.3526G	66.25	74.00	-7.75	55.28	3	Vertical	33	1.30	73	33.91	7.97	30.91			
AV	5.35G	53.02	54.00	-0.98	42.07	3	Vertical	33	1.30	73	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 73
73
1.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3154G	108.98	Inf	-Inf	98.16	3	Horizontal	22	1.77	73	33.83	7.91	30.92				
AV	5.3244G	96.62	Inf	-Inf	85.77	3	Horizontal	22	1.77	73	33.85	7.92	30.92				
PK	5.35G	62.26	74.00	-11.74	51.31	3	Horizontal	22	1.77	73	33.90	7.96	30.91				
AV	5.351G	52.30	54.00	-1.70	41.35	3	Horizontal	22	1.77	73	33.90	7.96	30.91				

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 80
60\84\62\73\78\80
6.24\5.54\5.92\5.30\2.05\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	62.56	74.00	-11.44	51.39	3	Vertical	36	1.39	80	34.00	8.06	30.89			
AV	5.4594G	50.11	54.00	-3.89	38.94	3	Vertical	36	1.39	80	34.00	8.06	30.89			
PK	5.4698G	67.84	68.20	-0.36	56.67	3	Vertical	36	1.39	80	34.00	8.06	30.89			
PK	5.4976G	112.60	Inf	-Inf	101.41	3	Vertical	36	1.39	80	34.00	8.07	30.88			
AV	5.5146G	100.59	Inf	-Inf	89.34	3	Vertical	36	1.39	80	34.06	8.07	30.88			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 80
80
1.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	60.05	74.00	-13.95	48.88	3	Horizontal	1	1.63	80	34.00	8.06	30.89			
AV	5.46G	49.66	54.00	-4.34	38.49	3	Horizontal	1	1.63	80	34.00	8.06	30.89			
PK	5.47G	66.62	68.20	-1.58	55.45	3	Horizontal	1	1.63	80	34.00	8.06	30.89			
PK	5.5228G	110.20	Inf	-Inf	98.91	3	Horizontal	1	1.63	80	34.09	8.08	30.88			
AV	5.5204G	99.01	Inf	-Inf	87.73	3	Horizontal	1	1.63	80	34.08	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 95
60\86\105\96\92\94\95
6.54\4.99\ -14.41\ -0.49\2.44\1.58\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	64.65	74.00	-9.35	53.48	3	Vertical	39	1.35	95	34.00	8.06	30.89			
AV	5.4518G	53.21	54.00	-0.79	42.04	3	Vertical	39	1.35	95	34.00	8.06	30.89			
PK	5.4656G	65.48	68.20	-2.72	54.31	3	Vertical	39	1.35	95	34.00	8.06	30.89			
PK	5.554G	115.96	Inf	-Inf	104.55	3	Vertical	39	1.35	95	34.19	8.09	30.87			
AV	5.5524G	103.69	Inf	-Inf	92.27	3	Vertical	39	1.35	95	34.20	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET95
95
0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4564G	63.60	74.00	-10.40	52.43	3	Horizontal	20	1.47	95	34.00	8.06	30.89			
AV	5.459G	53.79	54.00	-0.21	42.62	3	Horizontal	20	1.47	95	34.00	8.06	30.89			
PK	5.47G	65.20	68.20	-3.00	54.03	3	Horizontal	20	1.47	95	34.00	8.06	30.89			
PK	5.5554G	114.63	Inf	-Inf	103.22	3	Horizontal	20	1.47	95	34.19	8.09	30.87			
AV	5.5422G	103.05	Inf	-Inf	91.67	3	Horizontal	20	1.47	95	34.17	8.08	30.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 88
60\95\73\84\89\91\90\89\88
8.99\ -5.51\6.89\4.49\1.34\ -1.68\ -1.89\ -0.75\1.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6808G	112.46	Inf	-Inf	101.22	3	Vertical	359	1.80	88	33.90	8.19	30.85			
AV	5.6694G	101.60	Inf	-Inf	90.37	3	Vertical	359	1.80	88	33.90	8.18	30.85			
PK	5.7252G	66.45	68.20	-1.75	55.15	3	Vertical	359	1.80	88	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
SET88
88
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6706G	111.81	Inf	-Inf	100.58	3	Horizontal	360	1.67	88	33.90	8.18	30.85			
AV	5.6679G	100.42	Inf	-Inf	89.20	3	Horizontal	360	1.67	88	33.90	8.17	30.85			
PK	5.7252G	67.23	68.20	-0.97	55.93	3	Horizontal	360	1.67	88	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 103
60\85\108\97\102\104\103
6.43\6.15\ -1.96\5.80\1.09\ -0.60\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4136G	58.24	74.00	-15.76	47.03	3	Vertical	38	1.45	103	34.07	8.04	30.90			
AV	5.419G	48.73	54.00	-5.27	37.52	3	Vertical	38	1.45	103	34.06	8.05	30.90			
PK	5.47G	57.59	68.20	-10.61	46.42	3	Vertical	38	1.45	103	34.00	8.06	30.89			
PK	5.7208G	116.86	Inf	-Inf	105.57	3	Vertical	38	1.45	103	33.90	8.23	30.84			
AV	5.7082G	105.14	Inf	-Inf	93.86	3	Vertical	38	1.45	103	33.90	8.22	30.84			
PK	5.8516G	68.12	68.20	-0.08	56.64	3	Vertical	38	1.45	103	33.91	8.39	30.82			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 103
103
2.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	58.33	74.00	-15.67	47.16	3	Horizontal	1	1.62	103	34.00	8.06	30.89			
AV	5.434G	48.07	54.00	-5.93	36.88	3	Horizontal	1	1.62	103	34.03	8.05	30.89			
PK	5.4658G	57.47	68.20	-10.73	46.30	3	Horizontal	1	1.62	103	34.00	8.06	30.89			
PK	5.7208G	116.69	Inf	-Inf	105.40	3	Horizontal	1	1.62	103	33.90	8.23	30.84			
AV	5.716G	104.82	Inf	-Inf	93.53	3	Horizontal	1	1.62	103	33.90	8.23	30.84			
PK	5.8528G	66.16	68.20	-2.04	54.68	3	Horizontal	1	1.62	103	33.91	8.39	30.82			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET 96
60\88\108\98\93\95\96\107\102\100\96
7.04\6.46\10.92\3.36\6.02\4.75\4.86\10.92\9.99\9.02\4.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4586G	48.34	54.00	-5.66	37.17	3	Vertical	36	1.62	96	34.00	8.06	30.89			
PK	5.6488G	63.98	68.20	-4.22	52.78	3	Vertical	36	1.62	96	33.90	8.15	30.85			
PK	5.7532G	115.84	Inf	-Inf	104.50	3	Vertical	36	1.62	96	33.90	8.27	30.83			
AV	5.7652G	104.17	Inf	-Inf	92.82	3	Vertical	36	1.62	96	33.90	8.28	30.83			
PK	5.9704G	58.89	68.20	-9.31	46.85	3	Vertical	36	1.62	96	34.30	8.54	30.80			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
SET96
96
3.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4586G	47.51	54.00	-6.49	36.34	3	Horizontal	359	1.51	96	34.00	8.06	30.89			
PK	5.6488G	64.28	68.20	-3.92	53.08	3	Horizontal	359	1.51	96	33.90	8.15	30.85			
PK	5.761G	113.94	Inf	-Inf	102.59	3	Horizontal	359	1.51	96	33.90	8.28	30.83			
AV	5.7556G	102.99	Inf	-Inf	91.65	3	Horizontal	359	1.51	96	33.90	8.27	30.83			
PK	5.965G	58.78	68.20	-9.42	46.75	3	Horizontal	359	1.51	96	34.30	8.53	30.80			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 108
60\92\108
8.18\9.50\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6486G	67.72	68.20	-0.48	56.51	3	Vertical	359	1.69	108	33.91	8.15	30.85				
PK	5.7794G	115.51	Inf	-Inf	104.14	3	Vertical	359	1.69	108	33.90	8.30	30.83				
AV	5.7878G	104.51	Inf	-Inf	93.13	3	Vertical	359	1.69	108	33.90	8.31	30.83				
PK	6.086G	59.63	68.20	-8.57	47.58	3	Vertical	359	1.69	108	34.40	8.48	30.83				

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
SET 106
108\106
-0.47\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.651G	68.88	68.94	-0.06	57.67	3	Horizontal	358	1.68	106	33.90	8.16	30.85				
PK	5.7962G	115.60	Inf	-Inf	104.21	3	Horizontal	358	1.68	106	33.90	8.32	30.83				
AV	5.786G	104.62	Inf	-Inf	93.25	3	Horizontal	358	1.68	106	33.90	8.30	30.83				
PK	6.0296G	58.80	68.20	-9.40	46.69	3	Horizontal	358	1.68	106	34.36	8.55	30.80				

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 80
60\84\68\76\80
6.18\4.20\5.21\2.84\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	64.40	74.00	-9.60	53.96	3	Vertical	331	1.53	80	33.70	7.70	30.96				
AV	5.15G	53.76	54.00	-0.24	43.32	3	Vertical	331	1.53	80	33.70	7.70	30.96				
PK	5.2075G	106.35	Inf	-Inf	95.75	3	Vertical	331	1.53	80	33.80	7.74	30.94				
AV	5.1965G	95.64	Inf	-Inf	85.07	3	Vertical	331	1.53	80	33.79	7.73	30.95				
PK	5.414G	58.56	74.00	-15.44	47.35	3	Vertical	331	1.53	80	34.07	8.04	30.90				
AV	5.423G	48.25	54.00	-5.75	37.05	3	Vertical	331	1.53	80	34.05	8.05	30.90				

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 77
80\69\79\74\76\77\78\77
-2.54\4.33\ -1.56\2.59\1.15\0.79\ -0.15\1.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1405G	61.95	74.00	-12.05	51.56	3	Horizontal	17	1.50	77	33.66	7.69	30.96			
AV	5.1475G	52.83	54.00	-1.17	42.40	3	Horizontal	17	1.50	77	33.69	7.70	30.96			
PK	5.236G	106.75	Inf	-Inf	96.10	3	Horizontal	17	1.50	77	33.80	7.79	30.94			
AV	5.2345G	95.92	Inf	-Inf	85.28	3	Horizontal	17	1.50	77	33.80	7.78	30.94			
PK	5.432G	58.52	74.00	-15.48	47.32	3	Horizontal	17	1.50	77	34.04	8.05	30.89			
AV	5.393G	48.28	54.00	-5.72	37.08	3	Horizontal	17	1.50	77	34.07	8.03	30.90			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 73
60\81\56\68\74\71\72\73
5.27\~7.06\5.91\3.54\~0.01\1.33\1.71\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.071G	57.18	74.00	-16.82	47.06	3	Vertical	32	1.21	73	33.44	7.65	30.97
AV	5.1365G	47.39	54.00	-6.61	37.01	3	Vertical	32	1.21	73	33.65	7.69	30.96
PK	5.262G	105.47	Inf	-Inf	94.77	3	Vertical	32	1.21	73	33.80	7.83	30.93
PK	5.3505G	62.24	74.00	-11.76	51.29	3	Vertical	32	1.21	73	33.90	7.96	30.91
AV	5.319G	94.66	Inf	-Inf	83.83	3	Vertical	32	1.21	73	33.84	7.91	30.92
AV	5.35G	53.14	54.00	-0.86	42.19	3	Vertical	32	1.21	73	33.90	7.96	30.91
PK	5.4635G	58.30	68.20	-9.90	47.13	3	Vertical	32	1.21	73	34.00	8.06	30.89

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 73
73
2.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	56.99	74.00	-17.01	46.62	3	Horizontal	18	1.48	73	33.64	7.69	30.96			
AV	5.1225G	47.45	54.00	-6.55	37.14	3	Horizontal	18	1.48	73	33.59	7.68	30.96			
PK	5.297G	105.35	Inf	-Inf	94.59	3	Horizontal	18	1.48	73	33.80	7.88	30.92			
AV	5.299G	94.42	Inf	-Inf	83.66	3	Horizontal	18	1.48	73	33.80	7.88	30.92			
PK	5.35G	63.34	74.00	-10.66	52.39	3	Horizontal	18	1.48	73	33.90	7.96	30.91			
AV	5.35G	51.57	54.00	-2.43	40.62	3	Horizontal	18	1.48	73	33.90	7.96	30.91			
PK	5.4715G	58.87	68.20	-9.33	47.70	3	Horizontal	18	1.48	73	34.00	8.06	30.89			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 80
60\83\72\77\79\80
5.96\1.68\4.52\3.17\1.46\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	59.32	68.20	-8.88	48.39	3	Vertical	35	1.45	80	33.89	7.95	30.91
AV	5.35G	48.05	54.00	-5.95	37.10	3	Vertical	35	1.45	80	33.90	7.96	30.91
PK	5.457G	63.46	74.00	-10.54	52.29	3	Vertical	35	1.45	80	34.00	8.06	30.89
AV	5.458G	53.53	54.00	-0.47	42.36	3	Vertical	35	1.45	80	34.00	8.06	30.89
PK	5.464G	63.81	68.20	-4.39	52.64	3	Vertical	35	1.45	80	34.00	8.06	30.89
PK	5.558G	108.75	Inf	-Inf	97.35	3	Vertical	35	1.45	80	34.18	8.09	30.87
AV	5.5455G	97.28	Inf	-Inf	85.89	3	Vertical	35	1.45	80	34.18	8.08	30.87
PK	5.742G	57.78	68.20	-10.42	46.46	3	Vertical	35	1.45	80	33.90	8.26	30.84

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 80
80
2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.317G	58.01	68.20	-10.19	47.19	3	Horizontal	1	1.64	80	33.83	7.91	30.92			
AV	5.35G	46.47	54.00	-7.53	35.52	3	Horizontal	1	1.64	80	33.90	7.96	30.91			
PK	5.458G	62.39	74.00	-11.61	51.22	3	Horizontal	1	1.64	80	34.00	8.06	30.89			
AV	5.4525G	51.75	54.00	-2.25	40.58	3	Horizontal	1	1.64	80	34.00	8.06	30.89			
PK	5.47G	63.20	68.20	-5.00	52.03	3	Horizontal	1	1.64	80	34.00	8.06	30.89			
PK	5.5105G	106.17	Inf	-Inf	94.94	3	Horizontal	1	1.64	80	34.04	8.07	30.88			
AV	5.519G	96.79	Inf	-Inf	85.51	3	Horizontal	1	1.64	80	34.08	8.08	30.88			
PK	5.774G	58.17	68.20	-10.03	46.81	3	Horizontal	1	1.64	80	33.90	8.29	30.83			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 94
60\84\105\95\90\92\93\94
6.24\5.38\ -15.24\ -0.14\3.23\3.00\1.63\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4595G	63.06	74.00	-10.94	51.89	3	Vertical	2	2.09	94	34.00	8.06	30.89
AV	5.4575G	53.50	54.00	-0.50	42.33	3	Vertical	2	2.09	94	34.00	8.06	30.89
PK	5.462G	63.37	68.20	-4.83	52.20	3	Vertical	2	2.09	94	34.00	8.06	30.89
PK	5.581G	110.98	Inf	-Inf	99.62	3	Vertical	2	2.09	94	34.14	8.09	30.87
AV	5.624G	99.91	Inf	-Inf	88.64	3	Vertical	2	2.09	94	34.00	8.13	30.86
PK	5.7285G	66.50	68.20	-1.70	55.20	3	Vertical	2	2.09	94	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET93
94\93
-0.04\1.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	62.36	74.00	-11.64	51.19	3	Horizontal	1	1.49	93	34.00	8.06	30.89			
AV	5.4555G	51.35	54.00	-2.65	40.18	3	Horizontal	1	1.49	93	34.00	8.06	30.89			
PK	5.4695G	62.79	68.20	-5.41	51.62	3	Horizontal	1	1.49	93	34.00	8.06	30.89			
PK	5.5955G	110.70	Inf	-Inf	99.35	3	Horizontal	1	1.49	93	34.11	8.10	30.86			
AV	5.6055G	99.92	Inf	-Inf	88.59	3	Horizontal	1	1.49	93	34.08	8.11	30.86			
PK	5.726G	66.33	68.20	-1.87	55.03	3	Horizontal	1	1.49	93	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 101
60\83\106\95\100\102\101
5.89\5.92\7.21\5.22\1.75\1.94\1.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4512G	61.10	74.00	-12.90	49.93	3	Vertical	6	1.80	101	34.00	8.06	30.89			
AV	5.4524G	50.89	54.00	-3.11	39.72	3	Vertical	6	1.80	101	34.00	8.06	30.89			
PK	5.4626G	61.16	68.20	-7.04	49.99	3	Vertical	6	1.80	101	34.00	8.06	30.89			
PK	5.6774G	112.00	Inf	-Inf	100.76	3	Vertical	6	1.80	101	33.90	8.19	30.85			
AV	5.6792G	100.76	Inf	-Inf	89.52	3	Vertical	6	1.80	101	33.90	8.19	30.85			
PK	5.8532G	67.20	68.20	-1.00	55.72	3	Vertical	6	1.80	101	33.91	8.39	30.82			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 101
101
1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4506G	61.45	74.00	-12.55	50.28	3	Horizontal	1	1.63	101	34.00	8.06	30.89			
AV	5.456G	51.27	54.00	-2.73	40.10	3	Horizontal	1	1.63	101	34.00	8.06	30.89			
PK	5.4698G	63.51	68.20	-4.69	52.34	3	Horizontal	1	1.63	101	34.00	8.06	30.89			
PK	5.6864G	110.97	Inf	-Inf	99.72	3	Horizontal	1	1.63	101	33.90	8.20	30.85			
AV	5.7026G	101.13	Inf	-Inf	89.86	3	Horizontal	1	1.63	101	33.90	8.21	30.84			
PK	5.8562G	66.77	68.20	-1.43	55.28	3	Horizontal	1	1.63	101	33.92	8.39	30.82			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET99
60\94\108\101\98\99\100\99
8.66\3.97\9.10\0.66\2.57\1.24\0.61\0.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6436G	67.33	68.20	-0.87	56.10	3	Vertical	1	1.86	99	33.93	8.15	30.85				
PK	5.7582G	111.05	Inf	-Inf	99.71	3	Vertical	1	1.86	99	33.90	8.27	30.83				
AV	5.7642G	100.97	Inf	-Inf	89.62	3	Vertical	1	1.86	99	33.90	8.28	30.83				
PK	6.0624G	59.23	68.20	-8.97	47.14	3	Vertical	1	1.86	99	34.40	8.51	30.82				

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET99
99
1.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6454G	66.30	68.20	-1.90	55.08	3	Horizontal	357	1.70	99	33.92	8.15	30.85				
PK	5.7612G	110.50	Inf	-Inf	99.15	3	Horizontal	357	1.70	99	33.90	8.28	30.83				
AV	5.763G	100.13	Inf	-Inf	88.78	3	Horizontal	357	1.70	99	33.90	8.28	30.83				
PK	6.0564G	58.91	68.20	-9.29	46.81	3	Horizontal	357	1.70	99	34.40	8.52	30.82				

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 66
60\76\56\66
4.24\10.54\5.52\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	62.87	74.00	-11.13	52.43	3	Vertical	33	1.20	66	33.70	7.70	30.96
AV	5.1462G	49.67	54.00	-4.33	39.25	3	Vertical	33	1.20	66	33.68	7.70	30.96
PK	5.3094G	102.18	Inf	-Inf	91.38	3	Vertical	33	1.20	66	33.82	7.90	30.92
AV	5.3262G	91.25	Inf	-Inf	80.39	3	Vertical	33	1.20	66	33.85	7.93	30.92
PK	5.3514G	68.67	74.00	-5.33	57.71	3	Vertical	33	1.20	66	33.91	7.96	30.91
PK	5.4606G	59.54	68.20	-8.66	48.37	3	Vertical	33	1.20	66	34.00	8.06	30.89
AV	5.43G	53.65	54.00	-0.35	42.46	3	Vertical	33	1.20	66	34.04	8.05	30.90

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
SET 66
66
1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1438G	62.12	74.00	-11.88	51.71	3	Horizontal	22	1.79	66	33.68	7.69	30.96				
AV	5.1492G	49.44	54.00	-4.56	39.00	3	Horizontal	22	1.79	66	33.70	7.70	30.96				
PK	5.313G	100.48	Inf	-Inf	89.66	3	Horizontal	22	1.79	66	33.83	7.91	30.92				
AV	5.3262G	90.24	Inf	-Inf	79.38	3	Horizontal	22	1.79	66	33.85	7.93	30.92				
PK	5.409G	66.82	74.00	-7.18	55.60	3	Horizontal	22	1.79	66	34.08	8.04	30.90				
AV	5.4144G	52.89	54.00	-1.11	41.68	3	Horizontal	22	1.79	66	34.07	8.04	30.90				
PK	5.4606G	58.87	68.20	-9.33	47.70	3	Horizontal	22	1.79	66	34.00	8.06	30.89				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 71
60\80\56\68\74\71\72\71
5.20\ -8.98\5.58\4.46\ -1.87\1.17\ -0.35\2.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3486G	60.88	68.20	-7.32	49.93	3	Vertical	37	1.43	71	33.90	7.96	30.91			
PK	5.447G	64.10	74.00	-9.90	52.93	3	Vertical	37	1.43	71	34.01	8.05	30.89			
AV	5.4554G	51.37	54.00	-2.63	40.20	3	Vertical	37	1.43	71	34.00	8.06	30.89			
PK	5.4638G	65.85	68.20	-2.35	54.68	3	Vertical	37	1.43	71	34.00	8.06	30.89			
PK	5.6G	103.67	Inf	-Inf	92.33	3	Vertical	37	1.43	71	34.10	8.10	30.86			
AV	5.5934G	92.83	Inf	-Inf	81.48	3	Vertical	37	1.43	71	34.11	8.10	30.86			
PK	5.7362G	65.00	68.20	-3.20	53.69	3	Vertical	37	1.43	71	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT_Y_2TX
SET 71
71
1.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)					
PK	5.3486G	60.20	68.20	-8.00	49.25	3	Horizontal	19	1.46	71	33.90	7.96	30.91					
PK	5.4326G	63.71	74.00	-10.29	52.52	3	Horizontal	19	1.46	71	34.03	8.05	30.89					
PK	5.4638G	66.59	68.20	-1.61	55.42	3	Horizontal	19	1.46	71	34.00	8.06	30.89					
AV	5.459G	51.22	54.00	-2.78	40.05	3	Horizontal	19	1.46	71	34.00	8.06	30.89					
PK	5.5406G	102.04	Inf	-Inf	90.67	3	Horizontal	19	1.46	71	34.16	8.08	30.87					
AV	5.5496G	91.30	Inf	-Inf	79.89	3	Horizontal	19	1.46	71	34.20	8.08	30.87					
PK	5.7362G	64.82	68.20	-3.38	53.51	3	Horizontal	19	1.46	71	33.90	8.25	30.84					




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3502G	53.98	54.00	-0.02	3	Vertical	356	1.60	85

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 76
76\78\77\76
0.65\ -0.77\ -1.02\ 0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1399G	66.47	74.00	-7.53	56.08	3	Vertical	360	1.51	76	33.66	7.69	30.96			
AV	5.1493G	53.72	54.00	-0.28	43.28	3	Vertical	360	1.51	76	33.70	7.70	30.96			
PK	5.1856G	120.33	Inf	-Inf	109.79	3	Vertical	360	1.51	76	33.77	7.72	30.95			
AV	5.1771G	110.61	Inf	-Inf	100.09	3	Vertical	360	1.51	76	33.75	7.72	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 76
76
6.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1492G	57.88	74.00	-16.12	47.44	3	Horizontal	352	1.72	76	33.70	7.70	30.96				
AV	5.1302G	47.06	54.00	-6.94	36.72	3	Horizontal	352	1.72	76	33.62	7.68	30.96				
PK	5.1857G	100.75	Inf	-Inf	90.21	3	Horizontal	352	1.72	76	33.77	7.72	30.95				
AV	5.1747G	91.28	Inf	-Inf	80.77	3	Horizontal	352	1.72	76	33.75	7.71	30.95				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 85
60\80\90\85
5.16\2.03\2.59\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	64.59	74.00	-9.41	54.16	3	Vertical	360	1.63	85	33.69	7.70	30.96			
AV	5.1492G	53.64	54.00	-0.36	43.20	3	Vertical	360	1.63	85	33.70	7.70	30.96			
PK	5.2056G	122.58	Inf	-Inf	111.98	3	Vertical	360	1.63	85	33.80	7.74	30.94			
AV	5.1984G	112.77	Inf	-Inf	102.19	3	Vertical	360	1.63	85	33.80	7.73	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 85
85
7.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1298G	57.39	74.00	-16.61	47.05	3	Horizontal	353	1.79	85	33.62	7.68	30.96				
AV	5.1494G	46.77	54.00	-7.23	36.33	3	Horizontal	353	1.79	85	33.70	7.70	30.96				
PK	5.2056G	103.62	Inf	-Inf	93.02	3	Horizontal	353	1.79	85	33.80	7.74	30.94				
AV	5.2018G	94.07	Inf	-Inf	83.49	3	Horizontal	353	1.79	85	33.80	7.73	30.95				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 99
60\82\93\98\100\99
5.57\3.52\2.00\1.60\1.82\0.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1497G	67.00	74.00	-7.00	56.56	3	Vertical	360	1.78	99	33.70	7.70	30.96			
AV	5.15G	53.28	54.00	-0.72	42.84	3	Vertical	360	1.78	99	33.70	7.70	30.96			
PK	5.2388G	125.65	Inf	-Inf	115.00	3	Vertical	360	1.78	99	33.80	7.79	30.94			
AV	5.2436G	116.12	Inf	-Inf	105.46	3	Vertical	360	1.78	99	33.80	7.80	30.94			
PK	5.3516G	64.55	74.00	-9.45	53.59	3	Vertical	360	1.78	99	33.91	7.96	30.91			
AV	5.3522G	52.28	54.00	-1.72	41.31	3	Vertical	360	1.78	99	33.91	7.97	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET99
99
6.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1335G	56.95	74.00	-17.05	46.59	3	Horizontal	326	2.85	99	33.63	7.69	30.96			
AV	5.1359G	46.81	54.00	-7.19	36.44	3	Horizontal	326	2.85	99	33.64	7.69	30.96			
PK	5.2433G	108.25	Inf	-Inf	97.59	3	Horizontal	326	2.85	99	33.80	7.80	30.94			
AV	5.2367G	99.08	Inf	-Inf	88.43	3	Horizontal	326	2.85	99	33.80	7.79	30.94			
PK	5.3759G	58.04	74.00	-15.96	46.95	3	Horizontal	326	2.85	99	34.00	8.00	30.91			
AV	5.3819G	47.40	54.00	-6.60	36.27	3	Horizontal	326	2.85	99	34.03	8.01	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 101
60\82\93\98\100\101\102\101
5.53\3.56\2.29\1.66\1.09\0.59\0.47\1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1346G	61.80	74.00	-12.20	51.43	3	Vertical	360	1.70	101	33.64	7.69	30.96				
AV	5.1421G	50.64	54.00	-3.36	40.24	3	Vertical	360	1.70	101	33.67	7.69	30.96				
PK	5.2657G	123.61	Inf	-Inf	112.91	3	Vertical	360	1.70	101	33.80	7.83	30.93				
AV	5.2573G	114.66	Inf	-Inf	103.97	3	Vertical	360	1.70	101	33.80	7.82	30.93				
PK	5.3572G	63.77	74.00	-10.23	52.78	3	Vertical	360	1.70	101	33.93	7.97	30.91				
AV	5.3509G	52.74	54.00	-1.26	41.79	3	Vertical	360	1.70	101	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 101
101
6.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	57.38	74.00	-16.62	47.07	3	Horizontal	330	2.87	101	33.59	7.68	30.96
AV	5.1352G	46.92	54.00	-7.08	36.55	3	Horizontal	330	2.87	101	33.64	7.69	30.96
PK	5.263G	107.37	Inf	-Inf	96.67	3	Horizontal	330	2.87	101	33.80	7.83	30.93
AV	5.2648G	98.11	Inf	-Inf	87.41	3	Horizontal	330	2.87	101	33.80	7.83	30.93
PK	5.4097G	58.77	74.00	-15.23	47.55	3	Horizontal	330	2.87	101	34.08	8.04	30.90
AV	5.3866G	47.54	54.00	-6.46	36.37	3	Horizontal	330	2.87	101	34.05	8.02	30.90

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
SET 86
60\81\91\86
5.28\3.07\0.88\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3058G	120.75	Inf	-Inf	109.97	3	Vertical	356	1.62	86	33.81	7.89	30.92				
AV	5.3012G	110.93	Inf	-Inf	100.16	3	Vertical	356	1.62	86	33.80	7.89	30.92				
PK	5.3506G	63.47	74.00	-10.53	52.52	3	Vertical	356	1.62	86	33.90	7.96	30.91				
AV	5.3512G	53.70	54.00	-0.30	42.75	3	Vertical	356	1.62	86	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
SET 86
86
6.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	104.40	Inf	-Inf	93.64	3	Horizontal	332	2.84	86	33.80	7.88	30.92			
AV	5.2938G	95.99	Inf	-Inf	85.24	3	Horizontal	332	2.84	86	33.80	7.88	30.93			
PK	5.3934G	57.99	74.00	-16.01	46.79	3	Horizontal	332	2.84	86	34.07	8.03	30.90			
AV	5.3724G	47.58	54.00	-6.42	36.50	3	Horizontal	332	2.84	86	33.99	8.00	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
SET 81
60\74\81
3.72\1.67\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3258G	119.94	Inf	-Inf	109.09	3	Vertical	357	1.72	81	33.85	7.92	30.92			
AV	5.3263G	110.14	Inf	-Inf	99.28	3	Vertical	357	1.72	81	33.85	7.93	30.92			
PK	5.3557G	66.91	74.00	-7.09	55.93	3	Vertical	357	1.72	81	33.92	7.97	30.91			
AV	5.3539G	53.93	54.00	-0.07	42.95	3	Vertical	357	1.72	81	33.92	7.97	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
SET 81
81
6.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3254G	102.37	Inf	-Inf	91.52	3	Horizontal	349	2.84	81	33.85	7.92	30.92			
AV	5.3217G	92.67	Inf	-Inf	81.83	3	Horizontal	349	2.84	81	33.84	7.92	30.92			
PK	5.365G	57.95	74.00	-16.05	46.91	3	Horizontal	349	2.84	81	33.96	7.99	30.91			
AV	5.3651G	47.72	54.00	-6.28	36.68	3	Horizontal	349	2.84	81	33.96	7.99	30.91			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Z_1TX
SET 82
60\78\87\83\81\82
4.53\1.41\3.11\0.09\0.82\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4587G	64.77	74.00	-9.23	53.60	3	Vertical	360	1.56	82	34.00	8.06	30.89			
AV	5.4596G	53.61	54.00	-0.39	42.44	3	Vertical	360	1.56	82	34.00	8.06	30.89			
PK	5.4665G	64.74	68.20	-3.46	53.57	3	Vertical	360	1.56	82	34.00	8.06	30.89			
PK	5.5055G	119.27	Inf	-Inf	108.06	3	Vertical	360	1.56	82	34.02	8.07	30.88			
AV	5.4985G	109.44	Inf	-Inf	98.25	3	Vertical	360	1.56	82	34.00	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Z_1TX
SET 82
82
6.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4562G	57.40	74.00	-16.60	46.23	3	Horizontal	312	1.96	82	34.00	8.06	30.89			
AV	5.4532G	47.42	54.00	-6.58	36.25	3	Horizontal	312	1.96	82	34.00	8.06	30.89			
PK	5.464G	57.58	68.20	-10.62	46.41	3	Horizontal	312	1.96	82	34.00	8.06	30.89			
PK	5.5056G	104.13	Inf	-Inf	92.92	3	Horizontal	312	1.96	82	34.02	8.07	30.88			
AV	5.506G	94.19	Inf	-Inf	82.98	3	Horizontal	312	1.96	82	34.02	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Z_1TX
SET 108
60\84\103\108
6.03\4.77\3.30\3.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	61.53	74.00	-12.47	50.36	3	Vertical	360	1.71	108	34.00	8.06	30.89			
AV	5.4555G	50.70	54.00	-3.30	39.53	3	Vertical	360	1.71	108	34.00	8.06	30.89			
PK	5.4672G	61.77	68.20	-6.43	50.60	3	Vertical	360	1.71	108	34.00	8.06	30.89			
PK	5.5785G	125.48	Inf	-Inf	114.12	3	Vertical	360	1.71	108	34.14	8.09	30.87			
AV	5.5782G	115.93	Inf	-Inf	104.57	3	Vertical	360	1.71	108	34.14	8.09	30.87			
PK	5.7279G	61.09	68.20	-7.11	49.79	3	Vertical	360	1.71	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Z_1TX
SET 108
108
6.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	57.37	74.00	-16.63	46.20	3	Horizontal	309	1.81	108	34.00	8.06	30.89			
AV	5.4489G	47.35	54.00	-6.65	36.19	3	Horizontal	309	1.81	108	34.00	8.05	30.89			
PK	5.4639G	56.85	68.20	-11.35	45.68	3	Horizontal	309	1.81	108	34.00	8.06	30.89			
PK	5.5857G	111.71	Inf	-Inf	100.34	3	Horizontal	309	1.81	108	34.13	8.10	30.86			
AV	5.5848G	102.14	Inf	-Inf	90.77	3	Horizontal	309	1.81	108	34.13	8.10	30.86			
PK	5.7267G	57.25	68.20	-10.95	45.95	3	Horizontal	309	1.81	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Z_1TX
SET 68
60\90\56\73\65\69\67\68
7.70\15.77\8.37\5.21\3.49\2.95\0.61\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7056G	115.69	Inf	-Inf	104.41	3	Vertical	357	1.60	68	33.90	8.22	30.84			
AV	5.6928G	106.80	Inf	-Inf	95.55	3	Vertical	357	1.60	68	33.90	8.20	30.85			
PK	5.7262G	67.68	68.20	-0.52	56.38	3	Vertical	357	1.60	68	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Z_1TX
SET 68
68
9.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6946G	102.78	Inf	-Inf	91.52	3	Horizontal	313	2.01	68	33.90	8.20	30.84			
AV	5.6962G	94.39	Inf	-Inf	83.12	3	Horizontal	313	2.01	68	33.90	8.21	30.84			
PK	5.7964G	58.43	68.20	-9.77	47.04	3	Horizontal	313	2.01	68	33.90	8.32	30.83			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 108
60\85\105\108
6.31\5.03\3.33\4.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4242G	59.89	74.00	-14.11	48.69	3	Vertical	360	1.66	108	34.05	8.05	30.90
AV	5.4356G	49.87	54.00	-4.13	38.68	3	Vertical	360	1.66	108	34.03	8.05	30.89
PK	5.4668G	59.52	68.20	-8.68	48.35	3	Vertical	360	1.66	108	34.00	8.06	30.89
PK	5.723G	124.31	Inf	-Inf	113.01	3	Vertical	360	1.66	108	33.90	8.24	30.84
AV	5.7218G	115.37	Inf	-Inf	104.08	3	Vertical	360	1.66	108	33.90	8.23	30.84
PK	5.8532G	59.19	68.20	-9.01	47.71	3	Vertical	360	1.66	108	33.91	8.39	30.82

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 108
108
6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4278G	57.42	74.00	-16.58	46.23	3	Horizontal	316	1.95	108	34.04	8.05	30.90			
AV	5.429G	47.14	54.00	-6.86	35.95	3	Horizontal	316	1.95	108	34.04	8.05	30.90			
PK	5.4662G	56.71	68.20	-11.49	45.54	3	Horizontal	316	1.95	108	34.00	8.06	30.89			
PK	5.7242G	111.72	Inf	-Inf	100.42	3	Horizontal	316	1.95	108	33.90	8.24	30.84			
AV	5.7212G	102.49	Inf	-Inf	91.20	3	Horizontal	316	1.95	108	33.90	8.23	30.84			
PK	5.9708G	58.25	68.20	-9.95	46.21	3	Horizontal	316	1.95	108	34.30	8.54	30.80			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Z_1TX
SET 108
60\85\103\108
6.38\4.73\4.75\4.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.454G	49.34	54.00	-4.66	38.17	3	Vertical	360	1.74	108	34.00	8.06	30.89			
PK	5.6496G	63.73	68.20	-4.47	52.53	3	Vertical	360	1.74	108	33.90	8.15	30.85			
PK	5.7522G	123.97	Inf	-Inf	112.63	3	Vertical	360	1.74	108	33.90	8.27	30.83			
AV	5.7468G	115.18	Inf	-Inf	103.86	3	Vertical	360	1.74	108	33.90	8.26	30.84			
PK	5.9286G	58.62	68.20	-9.58	46.72	3	Vertical	360	1.74	108	34.21	8.49	30.80			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Z_1TX
SET 108
108
7.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5944G	58.27	68.20	-9.93	46.92	3	Horizontal	309	1.91	108	34.11	8.10	30.86			
AV	5.4522G	46.72	54.00	-7.28	35.55	3	Horizontal	309	1.91	108	34.00	8.06	30.89			
PK	5.751G	110.93	Inf	-Inf	99.59	3	Horizontal	309	1.91	108	33.90	8.27	30.83			
AV	5.7468G	102.25	Inf	-Inf	90.93	3	Horizontal	309	1.91	108	33.90	8.26	30.84			
PK	5.931G	58.77	68.20	-9.43	46.86	3	Horizontal	309	1.91	108	34.22	8.49	30.80			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
SET 108
60\98\108
9.67\5.41\6.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.61794G	61.72	68.20	-6.48	50.43	3	Vertical	360	1.63	108	34.03	8.12	30.86				
PK	5.78371G	124.38	Inf	-Inf	113.01	3	Vertical	360	1.63	108	33.90	8.30	30.83				
AV	5.77887G	115.23	Inf	-Inf	103.86	3	Vertical	360	1.63	108	33.90	8.30	30.83				
PK	6.03418G	58.72	68.20	-9.48	46.62	3	Vertical	360	1.63	108	34.37	8.54	30.81				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5785MHz_TX

EUT_Z_1TX
SET 108
108
8.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.56712G	57.69	68.20	-10.51	46.30	3	Horizontal	310	1.99	108	34.17	8.09	30.87			
PK	5.78008G	111.38	Inf	-Inf	100.01	3	Horizontal	310	1.99	108	33.90	8.30	30.83			
AV	5.78069G	102.29	Inf	-Inf	90.92	3	Horizontal	310	1.99	108	33.90	8.30	30.83			
PK	6.00514G	59.47	68.20	-8.73	47.38	3	Horizontal	310	1.99	108	34.31	8.57	30.79			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
SET 108
60\96\108
9.07\7.24\7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5874G	60.57	68.20	-7.63	49.20	3	Vertical	360	1.64	108	34.13	8.10	30.86			
PK	5.822G	123.63	Inf	-Inf	112.20	3	Vertical	360	1.64	108	33.90	8.35	30.82			
AV	5.8268G	113.96	Inf	-Inf	102.53	3	Vertical	360	1.64	108	33.90	8.35	30.82			
PK	6.08G	58.87	68.20	-9.33	46.81	3	Vertical	360	1.64	108	34.40	8.49	30.83			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
SET 108
108
8.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5508G	58.37	68.20	-9.83	46.95	3	Horizontal	311	2.06	108	34.20	8.09	30.87			
PK	5.8238G	110.60	Inf	-Inf	99.17	3	Horizontal	311	2.06	108	33.90	8.35	30.82			
AV	5.828G	101.28	Inf	-Inf	89.84	3	Horizontal	311	2.06	108	33.90	8.36	30.82			
PK	6.0512G	59.23	68.20	-8.97	47.12	3	Horizontal	311	2.06	108	34.40	8.52	30.81			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 73
60\72\78\75\74\73
3.07\0.90\1.51\0.24\0.17\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1398G	65.06	74.00	-8.94	54.67	3	Vertical	356	1.80	73	33.66	7.69	30.96			
AV	5.1399G	53.28	54.00	-0.72	42.89	3	Vertical	356	1.80	73	33.66	7.69	30.96			
PK	5.1859G	120.80	Inf	-Inf	110.26	3	Vertical	356	1.80	73	33.77	7.72	30.95			
AV	5.1781G	108.73	Inf	-Inf	98.20	3	Vertical	356	1.80	73	33.76	7.72	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 73
73
7.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1386G	57.11	74.00	-16.89	46.73	3	Horizontal	351	1.90	73	33.65	7.69	30.96			
AV	5.1377G	46.65	54.00	-7.35	36.27	3	Horizontal	351	1.90	73	33.65	7.69	30.96			
PK	5.1717G	101.77	Inf	-Inf	91.27	3	Horizontal	351	1.90	73	33.74	7.71	30.95			
AV	5.1858G	90.43	Inf	-Inf	79.89	3	Horizontal	351	1.90	73	33.77	7.72	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 81
60\75\82\79\80\81
3.86\2.07\0.10\1.77\1.10\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	66.13	74.00	-7.87	55.69	3	Vertical	360	1.64	81	33.70	7.70	30.96			
AV	5.1486G	53.31	54.00	-0.69	42.88	3	Vertical	360	1.64	81	33.69	7.70	30.96			
PK	5.1992G	122.65	Inf	-Inf	112.07	3	Vertical	360	1.64	81	33.80	7.73	30.95			
AV	5.206G	111.38	Inf	-Inf	100.78	3	Vertical	360	1.64	81	33.80	7.74	30.94			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 81
81
7.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.118G	57.03	74.00	-16.97	46.74	3	Horizontal	354	1.81	81	33.57	7.68	30.96				
AV	5.1462G	46.64	54.00	-7.36	36.22	3	Horizontal	354	1.81	81	33.68	7.70	30.96				
PK	5.2062G	102.73	Inf	-Inf	92.13	3	Horizontal	354	1.81	81	33.80	7.74	30.94				
AV	5.1968G	91.81	Inf	-Inf	81.24	3	Horizontal	354	1.81	81	33.79	7.73	30.95				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 97
60\82\93\98\96\97
5.50\3.62\1.75\0.76\0.91\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1461G	67.62	74.00	-6.38	57.21	3	Vertical	360	1.66	97	33.68	7.69	30.96			
AV	5.1491G	53.23	54.00	-0.77	42.79	3	Vertical	360	1.66	97	33.70	7.70	30.96			
PK	5.2367G	125.38	Inf	-Inf	114.73	3	Vertical	360	1.66	97	33.80	7.79	30.94			
AV	5.2391G	114.57	Inf	-Inf	103.92	3	Vertical	360	1.66	97	33.80	7.79	30.94			
PK	5.351G	65.78	74.00	-8.22	54.83	3	Vertical	360	1.66	97	33.90	7.96	30.91			
AV	5.3537G	52.84	54.00	-1.16	41.87	3	Vertical	360	1.66	97	33.91	7.97	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 97
97
6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1143G	56.78	74.00	-17.22	46.51	3	Horizontal	353	1.98	97	33.56	7.67	30.96			
AV	5.1155G	47.23	54.00	-6.77	36.95	3	Horizontal	353	1.98	97	33.56	7.68	30.96			
PK	5.2355G	107.30	Inf	-Inf	96.65	3	Horizontal	353	1.98	97	33.80	7.79	30.94			
AV	5.2358G	96.85	Inf	-Inf	86.20	3	Horizontal	353	1.98	97	33.80	7.79	30.94			
PK	5.375G	58.01	74.00	-15.99	46.92	3	Horizontal	353	1.98	97	34.00	8.00	30.91			
AV	5.3894G	47.76	54.00	-6.24	36.58	3	Horizontal	353	1.98	97	34.06	8.02	30.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 99
60\79\95\103\99
4.98\4.01\2.45\6.47\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1475G	60.90	74.00	-13.10	50.47	3	Vertical	360	1.72	99	33.69	7.70	30.96					
AV	5.1406G	51.00	54.00	-3.00	40.61	3	Vertical	360	1.72	99	33.66	7.69	30.96					
PK	5.2594G	124.96	Inf	-Inf	114.27	3	Vertical	360	1.72	99	33.80	7.82	30.93					
AV	5.2549G	113.75	Inf	-Inf	103.06	3	Vertical	360	1.72	99	33.80	7.82	30.93					
PK	5.353G	66.31	74.00	-7.69	55.34	3	Vertical	360	1.72	99	33.91	7.97	30.91					
AV	5.3518G	53.57	54.00	-0.43	42.60	3	Vertical	360	1.72	99	33.91	7.97	30.91					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET99
99
6.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	57.80	74.00	-16.20	47.47	3	Horizontal	330	2.87	99	33.61	7.68	30.96			
AV	5.1499G	46.59	54.00	-7.41	36.15	3	Horizontal	330	2.87	99	33.70	7.70	30.96			
PK	5.2528G	107.82	Inf	-Inf	97.14	3	Horizontal	330	2.87	99	33.80	7.81	30.93			
AV	5.2648G	97.35	Inf	-Inf	86.65	3	Horizontal	330	2.87	99	33.80	7.83	30.93			
PK	5.3611G	57.58	74.00	-16.42	46.57	3	Horizontal	330	2.87	99	33.94	7.98	30.91			
AV	5.4025G	47.51	54.00	-6.49	36.28	3	Horizontal	330	2.87	99	34.09	8.04	30.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 85
60\80\90\85\87\86\85
5.02\2.43\2.25\0.96\0.54\0.24\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2986G	121.33	Inf	-Inf	110.57	3	Vertical	355	1.64	85	33.80	7.88	30.92			
AV	5.2946G	110.08	Inf	-Inf	99.33	3	Vertical	355	1.64	85	33.80	7.88	30.93			
PK	5.3508G	64.22	74.00	-9.78	53.27	3	Vertical	355	1.64	85	33.90	7.96	30.91			
AV	5.35G	53.34	54.00	-0.66	42.39	3	Vertical	355	1.64	85	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 85
85
6.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2954G	106.37	Inf	-Inf	95.62	3	Horizontal	332	2.86	85	33.80	7.88	30.93				
AV	5.2978G	94.38	Inf	-Inf	83.62	3	Horizontal	332	2.86	85	33.80	7.88	30.92				
PK	5.3518G	57.76	74.00	-16.24	46.79	3	Horizontal	332	2.86	85	33.91	7.97	30.91				
AV	5.3594G	47.95	54.00	-6.05	36.94	3	Horizontal	332	2.86	85	33.94	7.98	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 76
60\73\79\76
3.27\1.49\0.38\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.327G	119.75	Inf	-Inf	108.89	3	Vertical	356	1.60	76	33.85	7.93	30.92			
AV	5.3285G	108.32	Inf	-Inf	97.45	3	Vertical	356	1.60	76	33.86	7.93	30.92			
PK	5.3501G	65.68	74.00	-8.32	54.73	3	Vertical	356	1.60	76	33.90	7.96	30.91			
AV	5.3504G	53.82	54.00	-0.18	42.87	3	Vertical	356	1.60	76	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 76
76
6.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3267G	103.50	Inf	-Inf	92.64	3	Horizontal	333	2.85	76	33.85	7.93	30.92			
AV	5.3241G	92.25	Inf	-Inf	81.40	3	Horizontal	333	2.85	76	33.85	7.92	30.92			
PK	5.3569G	58.22	74.00	-15.78	47.23	3	Horizontal	333	2.85	76	33.93	7.97	30.91			
AV	5.3673G	47.79	54.00	-6.21	36.74	3	Horizontal	333	2.85	76	33.97	7.99	30.91			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
SET 76
60\75\82\79\78\77\76
3.95\1.09\1.67\0.21\0.18\0.12\0.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	66.50	74.00	-7.50	55.33	3	Vertical	358	1.49	76	34.00	8.06	30.89			
PK	5.4603G	64.81	68.20	-3.39	53.64	3	Vertical	358	1.49	76	34.00	8.06	30.89			
AV	5.46G	53.45	54.00	-0.55	42.28	3	Vertical	358	1.49	76	34.00	8.06	30.89			
PK	5.4953G	118.95	Inf	-Inf	107.76	3	Vertical	358	1.49	76	34.00	8.07	30.88			
AV	5.4954G	107.08	Inf	-Inf	95.89	3	Vertical	358	1.49	76	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
SET 76
76
6.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4534G	57.82	74.00	-16.18	46.65	3	Horizontal	311	1.96	76	34.00	8.06	30.89			
AV	5.4541G	47.97	54.00	-6.03	36.80	3	Horizontal	311	1.96	76	34.00	8.06	30.89			
PK	5.4691G	57.49	68.20	-10.71	46.32	3	Horizontal	311	1.96	76	34.00	8.06	30.89			
PK	5.5059G	104.12	Inf	-Inf	92.91	3	Horizontal	311	1.96	76	34.02	8.07	30.88			
AV	5.5035G	92.09	Inf	-Inf	80.89	3	Horizontal	311	1.96	76	34.01	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
SET 106
60\83\103\108\106\107\106
5.76\5.23\2.73\6.61\3.31\4.01\2.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4486G	61.15	74.00	-12.85	49.99	3	Vertical	359	1.73	106	34.00	8.05	30.89			
AV	5.4582G	51.29	54.00	-2.71	40.12	3	Vertical	359	1.73	106	34.00	8.06	30.89			
PK	5.4681G	62.80	68.20	-5.40	51.63	3	Vertical	359	1.73	106	34.00	8.06	30.89			
PK	5.5791G	125.57	Inf	-Inf	114.21	3	Vertical	359	1.73	106	34.14	8.09	30.87			
AV	5.5854G	114.92	Inf	-Inf	103.55	3	Vertical	359	1.73	106	34.13	8.10	30.86			
PK	5.7282G	60.17	68.20	-8.03	48.87	3	Vertical	359	1.73	106	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
SET 106
106
6.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4375G	58.12	74.00	-15.88	46.94	3	Horizontal	309	1.82	106	34.02	8.05	30.89
AV	5.4354G	47.43	54.00	-6.57	36.24	3	Horizontal	309	1.82	106	34.03	8.05	30.89
PK	5.4669G	57.05	68.20	-11.15	45.88	3	Horizontal	309	1.82	106	34.00	8.06	30.89
PK	5.5869G	111.85	Inf	-Inf	100.48	3	Horizontal	309	1.82	106	34.13	8.10	30.86
AV	5.5848G	100.96	Inf	-Inf	89.59	3	Horizontal	309	1.82	106	34.13	8.10	30.86
PK	5.7258G	57.31	68.20	-10.89	46.01	3	Horizontal	309	1.82	106	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
SET 57
60\55\57\58\57
-1.15\3.54\1.29\0.09\1.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6912G	114.35	Inf	-Inf	103.10	3	Vertical	356	1.64	57	33.90	8.20	30.85			
AV	5.6922G	103.32	Inf	-Inf	92.07	3	Vertical	356	1.64	57	33.90	8.20	30.85			
PK	5.7252G	67.10	68.20	-1.10	55.80	3	Vertical	356	1.64	57	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
SET 57
57
9.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6938G	102.45	Inf	-Inf	91.20	3	Horizontal	314	2.01	57	33.90	8.20	30.85			
AV	5.693G	91.33	Inf	-Inf	80.08	3	Horizontal	314	2.01	57	33.90	8.20	30.85			
PK	5.7786G	58.37	68.20	-9.83	47.00	3	Horizontal	314	2.01	57	33.90	8.30	30.83			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 108
60\85\104\108
6.35\4.94\3.83\2.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4554G	60.19	74.00	-13.81	49.02	3	Vertical	360	1.64	108	34.00	8.06	30.89			
AV	5.4272G	50.30	54.00	-3.70	39.10	3	Vertical	360	1.64	108	34.05	8.05	30.90			
PK	5.4692G	59.60	68.20	-8.60	48.43	3	Vertical	360	1.64	108	34.00	8.06	30.89			
PK	5.7212G	125.51	Inf	-Inf	114.22	3	Vertical	360	1.64	108	33.90	8.23	30.84			
AV	5.726G	114.64	Inf	-Inf	103.34	3	Vertical	360	1.64	108	33.90	8.24	30.84			
PK	5.8592G	65.75	68.20	-2.45	54.23	3	Vertical	360	1.64	108	33.94	8.40	30.82			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 108
108
6.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4254G	57.81	74.00	-16.19	46.61	3	Horizontal	315	1.95	108	34.05	8.05	30.90			
AV	5.4362G	47.26	54.00	-6.74	36.07	3	Horizontal	315	1.95	108	34.03	8.05	30.89			
PK	5.4608G	56.91	68.20	-11.29	45.74	3	Horizontal	315	1.95	108	34.00	8.06	30.89			
PK	5.726G	113.21	Inf	-Inf	101.91	3	Horizontal	315	1.95	108	33.90	8.24	30.84			
AV	5.7248G	102.81	Inf	-Inf	91.51	3	Horizontal	315	1.95	108	33.90	8.24	30.84			
PK	5.9696G	59.02	68.20	-9.18	46.98	3	Horizontal	315	1.95	108	34.30	8.54	30.80			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
SET 100
60\84\102\93\97\99\100\108\104\100
6.22\4.51\6.03\4.17\4.62\4.16\4.79\9.13\9.03\3.99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4462G	49.21	54.00	-4.79	38.04	3	Vertical	1	1.69	100	34.01	8.05	30.89			
PK	5.6502G	64.36	68.35	-3.99	53.15	3	Vertical	1	1.69	100	33.90	8.16	30.85			
PK	5.7372G	124.05	Inf	-Inf	112.74	3	Vertical	1	1.69	100	33.90	8.25	30.84			
AV	5.7444G	113.55	Inf	-Inf	102.23	3	Vertical	1	1.69	100	33.90	8.26	30.84			
PK	5.9436G	58.39	68.20	-9.81	46.41	3	Vertical	1	1.69	100	34.27	8.51	30.80			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
SET 100
100
7.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5896G	57.96	68.20	-10.24	46.60	3	Horizontal	308	1.90	100	34.12	8.10	30.86			
AV	5.4456G	46.83	54.00	-7.17	35.66	3	Horizontal	308	1.90	100	34.01	8.05	30.89			
PK	5.7516G	111.17	Inf	-Inf	99.83	3	Horizontal	308	1.90	100	33.90	8.27	30.83			
AV	5.7486G	100.25	Inf	-Inf	88.93	3	Horizontal	308	1.90	100	33.90	8.26	30.84			
PK	5.9832G	58.33	68.20	-9.87	46.26	3	Horizontal	308	1.90	100	34.30	8.56	30.79			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Z_1TX
SET 108
60\96\108
9.03\6.74\3.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.60705G	64.62	68.20	-3.58	53.30	3	Vertical	358	1.71	108	34.07	8.11	30.86				
PK	5.78795G	124.70	Inf	-Inf	113.32	3	Vertical	358	1.71	108	33.90	8.31	30.83				
AV	5.79037G	114.31	Inf	-Inf	102.93	3	Vertical	358	1.71	108	33.90	8.31	30.83				
PK	6.0844G	58.58	68.20	-9.62	46.53	3	Vertical	358	1.71	108	34.40	8.48	30.83				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Z_1TX
SET 108
108
9.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.64396G	58.53	68.20	-9.67	47.31	3	Horizontal	312	2.00	108	33.92	8.15	30.85				
PK	5.77948G	112.89	Inf	-Inf	101.52	3	Horizontal	312	2.00	108	33.90	8.30	30.83				
AV	5.78069G	101.94	Inf	-Inf	90.57	3	Horizontal	312	2.00	108	33.90	8.30	30.83				
PK	6.07169G	58.73	68.20	-9.47	46.65	3	Horizontal	312	2.00	108	34.40	8.50	30.82				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Z_1TX
SET 108
60\97\108
9.42\6.86\5.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6306G	62.50	68.20	-5.70	51.25	3	Vertical	359	1.61	108	33.98	8.13	30.86				
PK	5.8196G	123.59	Inf	-Inf	112.16	3	Vertical	359	1.61	108	33.90	8.35	30.82				
AV	5.8292G	112.96	Inf	-Inf	101.52	3	Vertical	359	1.61	108	33.90	8.36	30.82				
PK	6.074G	59.73	68.20	-8.47	47.66	3	Vertical	359	1.61	108	34.40	8.49	30.82				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Z_1TX
SET 108
108
9.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5844G	57.82	68.20	-10.38	46.45	3	Horizontal	316	2.02	108	34.13	8.10	30.86			
PK	5.8226G	110.11	Inf	-Inf	98.68	3	Horizontal	316	2.02	108	33.90	8.35	30.82			
AV	5.831G	99.65	Inf	-Inf	88.21	3	Horizontal	316	2.02	108	33.90	8.36	30.82			
PK	6.0308G	58.65	68.20	-9.55	46.55	3	Horizontal	316	2.02	108	34.36	8.54	30.80			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 59
60\58\59
-0.35\1.29\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	65.44	74.00	-8.56	55.05	3	Vertical	360	1.78	59	33.66	7.69	30.96			
AV	5.1498G	53.39	54.00	-0.61	42.95	3	Vertical	360	1.78	59	33.70	7.70	30.96			
PK	5.2024G	114.27	Inf	-Inf	103.69	3	Vertical	360	1.78	59	33.80	7.73	30.95			
AV	5.1944G	102.74	Inf	-Inf	92.17	3	Vertical	360	1.78	59	33.79	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 59
59
7.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1458G	56.85	74.00	-17.15	46.44	3	Horizontal	353	1.79	59	33.68	7.69	30.96				
AV	5.1498G	46.56	54.00	-7.44	36.12	3	Horizontal	353	1.79	59	33.70	7.70	30.96				
PK	5.1992G	96.64	Inf	-Inf	86.06	3	Horizontal	353	1.79	59	33.80	7.73	30.95				
AV	5.197G	84.08	Inf	-Inf	73.51	3	Horizontal	353	1.79	59	33.79	7.73	30.95				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 80
60\78\87\83\81\80
4.62\1.39\5.22\1.96\0.24\0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	64.61	74.00	-9.39	54.20	3	Vertical	360	1.78	80	33.68	7.69	30.96			
AV	5.146G	53.38	54.00	-0.62	42.97	3	Vertical	360	1.78	80	33.68	7.69	30.96			
PK	5.223G	120.12	Inf	-Inf	109.49	3	Vertical	360	1.78	80	33.80	7.77	30.94			
AV	5.2396G	108.76	Inf	-Inf	98.11	3	Vertical	360	1.78	80	33.80	7.79	30.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 80
80
7.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1308G	57.55	74.00	-16.45	47.20	3	Horizontal	352	1.98	80	33.62	7.69	30.96				
AV	5.1484G	46.50	54.00	-7.50	36.07	3	Horizontal	352	1.98	80	33.69	7.70	30.96				
PK	5.235G	102.51	Inf	-Inf	91.87	3	Horizontal	352	1.98	80	33.80	7.78	30.94				
AV	5.2272G	90.66	Inf	-Inf	80.03	3	Horizontal	352	1.98	80	33.80	7.77	30.94				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 83
60\78\87\83
4.74\1.64\2.56\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2564G	118.10	Inf	-Inf	107.41	3	Vertical	2	1.74	83	33.80	7.82	30.93			
AV	5.2608G	107.24	Inf	-Inf	96.55	3	Vertical	2	1.74	83	33.80	7.82	30.93			
PK	5.3548G	63.97	74.00	-10.03	52.99	3	Vertical	2	1.74	83	33.92	7.97	30.91			
AV	5.3504G	53.58	54.00	-0.42	42.63	3	Vertical	2	1.74	83	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 83
83
6.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2576G	100.21	Inf	-Inf	89.52	3	Horizontal	347	1.55	83	33.80	7.82	30.93			
AV	5.258G	89.98	Inf	-Inf	79.29	3	Horizontal	347	1.55	83	33.80	7.82	30.93			
PK	5.3642G	57.46	74.00	-16.54	46.43	3	Horizontal	347	1.55	83	33.96	7.98	30.91			
AV	5.3678G	47.27	54.00	-6.73	36.22	3	Horizontal	347	1.55	83	33.97	7.99	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 60
60\62\61\60
0.62\0.11\0.37\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3268G	112.60	Inf	-Inf	101.74	3	Vertical	358	1.58	60	33.85	7.93	30.92			
AV	5.325G	101.19	Inf	-Inf	90.34	3	Vertical	358	1.58	60	33.85	7.92	30.92			
PK	5.355G	65.52	74.00	-8.48	54.54	3	Vertical	358	1.58	60	33.92	7.97	30.91			
AV	5.35G	53.40	54.00	-0.60	42.45	3	Vertical	358	1.58	60	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 60
60
5.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3252G	95.25	Inf	-Inf	84.40	3	Horizontal	349	2.84	60	33.85	7.92	30.92			
AV	5.3242G	83.99	Inf	-Inf	73.14	3	Horizontal	349	2.84	60	33.85	7.92	30.92			
PK	5.3558G	58.94	74.00	-15.06	47.96	3	Horizontal	349	2.84	60	33.92	7.97	30.91			
AV	5.391G	48.22	54.00	-5.78	37.03	3	Horizontal	349	2.84	60	34.06	8.03	30.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
SET 71
60\75\68\71\72\71
3.94\ -0.62\1.46\0.87\ -0.42\0.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4572G	65.47	74.00	-8.53	54.30	3	Vertical	360	1.57	71	34.00	8.06	30.89			
AV	5.46G	53.32	54.00	-0.68	42.15	3	Vertical	360	1.57	71	34.00	8.06	30.89			
PK	5.4684G	66.67	68.20	-1.53	55.50	3	Vertical	360	1.57	71	34.00	8.06	30.89			
PK	5.5224G	115.68	Inf	-Inf	104.39	3	Vertical	360	1.57	71	34.09	8.08	30.88			
AV	5.527G	104.10	Inf	-Inf	92.79	3	Vertical	360	1.57	71	34.11	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
SET 71
71
6.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4524G	57.96	74.00	-16.04	46.79	3	Horizontal	304	1.88	71	34.00	8.06	30.89			
AV	5.4338G	47.13	54.00	-6.87	35.94	3	Horizontal	304	1.88	71	34.03	8.05	30.89			
PK	5.4642G	56.89	68.20	-11.31	45.72	3	Horizontal	304	1.88	71	34.00	8.06	30.89			
PK	5.519G	100.96	Inf	-Inf	89.68	3	Horizontal	304	1.88	71	34.08	8.08	30.88			
AV	5.5244G	88.62	Inf	-Inf	77.32	3	Horizontal	304	1.88	71	34.10	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
SET 88
60\81\91\86\88
5.34\2.06\2.09\1.33\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4536G	64.27	74.00	-9.73	53.10	3	Vertical	360	1.72	88	34.00	8.06	30.89				
AV	5.4598G	53.95	54.00	-0.05	42.78	3	Vertical	360	1.72	88	34.00	8.06	30.89				
PK	5.4694G	66.06	68.20	-2.14	54.89	3	Vertical	360	1.72	88	34.00	8.06	30.89				
PK	5.5592G	120.57	Inf	-Inf	109.17	3	Vertical	360	1.72	88	34.18	8.09	30.87				
AV	5.5524G	108.80	Inf	-Inf	97.38	3	Vertical	360	1.72	88	34.20	8.09	30.87				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
SET 88
88
6.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4562G	57.29	74.00	-16.71	46.12	3	Horizontal	305	1.95	88	34.00	8.06	30.89			
AV	5.456G	47.06	54.00	-6.94	35.89	3	Horizontal	305	1.95	88	34.00	8.06	30.89			
PK	5.4684G	57.61	68.20	-10.59	46.44	3	Horizontal	305	1.95	88	34.00	8.06	30.89			
PK	5.5466G	105.07	Inf	-Inf	93.67	3	Horizontal	305	1.95	88	34.19	8.08	30.87			
AV	5.5526G	93.81	Inf	-Inf	82.40	3	Horizontal	305	1.95	88	34.19	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
SET 74
60\71\76\74
2.94\2.15\0.44\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6631G	116.10	Inf	-Inf	104.88	3	Vertical	359	1.62	74	33.90	8.17	30.85			
AV	5.6535G	104.20	Inf	-Inf	92.99	3	Vertical	359	1.62	74	33.90	8.16	30.85			
PK	5.7252G	68.11	68.20	-0.09	56.81	3	Vertical	359	1.62	74	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Z_1TX
SET 74
74
4.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6787G	103.88	Inf	-Inf	92.64	3	Horizontal	311	2.05	74	33.90	8.19	30.85			
AV	5.6757G	91.78	Inf	-Inf	80.55	3	Horizontal	311	2.05	74	33.90	8.18	30.85			
PK	5.7378G	64.19	68.20	-4.01	52.88	3	Horizontal	311	2.05	74	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 100
60\83\102\93\97\99\100\108\104\100
5.95\4.96\4.72\4.03\3.35\3.76\3.26\6.75\6.31\3.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	60.56	74.00	-13.44	49.39	3	Vertical	359	1.66	100	34.00	8.06	30.89
AV	5.4532G	50.37	54.00	-3.63	39.20	3	Vertical	359	1.66	100	34.00	8.06	30.89
PK	5.4658G	60.22	68.20	-7.98	49.05	3	Vertical	359	1.66	100	34.00	8.06	30.89
PK	5.7052G	121.03	Inf	-Inf	109.75	3	Vertical	359	1.66	100	33.90	8.22	30.84
AV	5.7226G	110.49	Inf	-Inf	99.20	3	Vertical	359	1.66	100	33.90	8.23	30.84
PK	5.851G	62.96	68.20	-5.24	51.49	3	Vertical	359	1.66	100	33.90	8.39	30.82

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 100
100
6.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4484G	57.37	74.00	-16.63	46.21	3	Horizontal	316	1.90	100	34.00	8.05	30.89			
AV	5.4562G	47.44	54.00	-6.56	36.27	3	Horizontal	316	1.90	100	34.00	8.06	30.89			
PK	5.464G	56.38	68.20	-11.82	45.21	3	Horizontal	316	1.90	100	34.00	8.06	30.89			
PK	5.722G	108.62	Inf	-Inf	97.33	3	Horizontal	316	1.90	100	33.90	8.23	30.84			
AV	5.716G	97.98	Inf	-Inf	86.69	3	Horizontal	316	1.90	100	33.90	8.23	30.84			
PK	5.95G	58.88	68.20	-9.32	46.86	3	Horizontal	316	1.90	100	34.30	8.52	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
SET 91
60\84\101\93\89\91\92\91
6.12\4.42\15.45\1.08\2.37\1.19\0.47\1.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4562G	50.29	54.00	-3.71	39.12	3	Vertical	360	1.62	91	34.00	8.06	30.89			
PK	5.6476G	66.63	68.20	-1.57	55.42	3	Vertical	360	1.62	91	33.91	8.15	30.85			
PK	5.7622G	120.50	Inf	-Inf	109.15	3	Vertical	360	1.62	91	33.90	8.28	30.83			
AV	5.7574G	109.30	Inf	-Inf	97.96	3	Vertical	360	1.62	91	33.90	8.27	30.83			
PK	6.013G	59.25	68.20	-8.95	47.15	3	Vertical	360	1.62	91	34.33	8.57	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
SET 91
91
6.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4556G	47.16	54.00	-6.84	35.99	3	Horizontal	315	2.21	91	34.00	8.06	30.89			
PK	5.632G	58.40	68.20	-9.80	47.15	3	Horizontal	315	2.21	91	33.97	8.14	30.86			
PK	5.7604G	110.20	Inf	-Inf	98.85	3	Horizontal	315	2.21	91	33.90	8.28	30.83			
AV	5.7592G	97.71	Inf	-Inf	86.36	3	Horizontal	315	2.21	91	33.90	8.28	30.83			
PK	6.0256G	59.01	68.20	-9.19	46.91	3	Horizontal	315	2.21	91	34.35	8.55	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Z_1TX
SET 95
60\95
8.76\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6228G	68.14	68.20	-0.06	56.86	3	Vertical	360	1.63	95	34.01	8.13	30.86			
PK	5.7878G	122.23	Inf	-Inf	110.85	3	Vertical	360	1.63	95	33.90	8.31	30.83			
AV	5.7872G	111.34	Inf	-Inf	99.96	3	Vertical	360	1.63	95	33.90	8.31	30.83			
PK	5.963G	59.44	68.20	-8.76	47.41	3	Vertical	360	1.63	95	34.30	8.53	30.80			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Z_1TX
SET95
95
8.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6378G	58.75	68.20	-9.45	47.52	3	Horizontal	310	2.06	95	33.95	8.14	30.86				
PK	5.7812G	109.12	Inf	-Inf	97.75	3	Horizontal	310	2.06	95	33.90	8.30	30.83				
AV	5.786G	98.88	Inf	-Inf	87.51	3	Horizontal	310	2.06	95	33.90	8.30	30.83				
PK	6.0458G	59.50	68.20	-8.70	47.39	3	Horizontal	310	2.06	95	34.39	8.53	30.81				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 64
60\68\64
2.06\1.95\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1465G	63.08	74.00	-10.92	52.65	3	Vertical	0	1.60	64	33.69	7.70	30.96
AV	5.15G	53.84	54.00	-0.16	43.40	3	Vertical	0	1.60	64	33.70	7.70	30.96
PK	5.198G	111.59	Inf	-Inf	101.01	3	Vertical	0	1.60	64	33.80	7.73	30.95
AV	5.199G	100.24	Inf	-Inf	89.66	3	Vertical	0	1.60	64	33.80	7.73	30.95
PK	5.357G	59.90	74.00	-14.10	48.91	3	Vertical	0	1.60	64	33.93	7.97	30.91
AV	5.364G	49.86	54.00	-4.14	38.83	3	Vertical	0	1.60	64	33.96	7.98	30.91

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 64
64
6.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	56.89	74.00	-17.11	46.52	3	Horizontal	351	2.11	64	33.64	7.69	30.96			
AV	5.111G	46.70	54.00	-7.30	36.46	3	Horizontal	351	2.11	64	33.54	7.67	30.97			
PK	5.225G	94.10	Inf	-Inf	83.47	3	Horizontal	351	2.11	64	33.80	7.77	30.94			
AV	5.2195G	82.73	Inf	-Inf	72.11	3	Horizontal	351	2.11	64	33.80	7.76	30.94			
PK	5.381G	58.37	74.00	-15.63	47.25	3	Horizontal	351	2.11	64	34.02	8.01	30.91			
AV	5.4335G	47.92	54.00	-6.08	36.73	3	Horizontal	351	2.11	64	34.03	8.05	30.89			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 60
60
0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1115G	58.13	74.00	-15.87	47.88	3	Vertical	0	1.70	60	33.55	7.67	30.97
AV	5.136G	49.11	54.00	-4.89	38.74	3	Vertical	0	1.70	60	33.64	7.69	30.96
PK	5.273G	110.00	Inf	-Inf	99.29	3	Vertical	0	1.70	60	33.80	7.84	30.93
AV	5.285G	98.11	Inf	-Inf	87.38	3	Vertical	0	1.70	60	33.80	7.86	30.93
PK	5.35G	63.55	74.00	-10.45	52.60	3	Vertical	0	1.70	60	33.90	7.96	30.91
AV	5.35G	53.92	54.00	-0.08	42.97	3	Vertical	0	1.70	60	33.90	7.96	30.91
PK	5.4665G	58.65	68.20	-9.55	47.48	3	Vertical	0	1.70	60	34.00	8.06	30.89

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 60
60
6.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.129G	57.41	74.00	-16.59	47.07	3	Horizontal	334	2.82	60	33.62	7.68	30.96				
AV	5.1485G	46.39	54.00	-7.61	35.96	3	Horizontal	334	2.82	60	33.69	7.70	30.96				
PK	5.319G	92.96	Inf	-Inf	82.13	3	Horizontal	334	2.82	60	33.84	7.91	30.92				
AV	5.3195G	81.86	Inf	-Inf	71.02	3	Horizontal	334	2.82	60	33.84	7.92	30.92				
AV	5.363G	47.75	54.00	-6.25	36.73	3	Horizontal	334	2.82	60	33.95	7.98	30.91				
PK	5.423G	58.53	74.00	-15.47	47.33	3	Horizontal	334	2.82	60	34.05	8.05	30.90				
PK	5.5G	57.23	68.20	-10.97	46.04	3	Horizontal	334	2.82	60	34.00	8.07	30.88				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
SET 72
60\76\68\72\74\73\72
4.24\ -1.13\1.62\0.78\ -0.49\ -0.20\0.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3445G	59.74	68.20	-8.46	48.81	3	Vertical	1	1.71	72	33.89	7.95	30.91			
AV	5.35G	48.38	54.00	-5.62	37.43	3	Vertical	1	1.71	72	33.90	7.96	30.91			
PK	5.459G	63.95	74.00	-10.05	52.78	3	Vertical	1	1.71	72	34.00	8.06	30.89			
AV	5.4585G	53.11	54.00	-0.89	41.94	3	Vertical	1	1.71	72	34.00	8.06	30.89			
PK	5.465G	63.77	68.20	-4.43	52.60	3	Vertical	1	1.71	72	34.00	8.06	30.89			
PK	5.545G	113.00	Inf	-Inf	101.61	3	Vertical	1	1.71	72	34.18	8.08	30.87			
AV	5.525G	101.27	Inf	-Inf	89.97	3	Vertical	1	1.71	72	34.10	8.08	30.88			
PK	5.7335G	59.25	68.20	-8.95	47.94	3	Vertical	1	1.71	72	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
SET 72
72
6.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3345G	56.85	68.20	-11.35	45.96	3	Horizontal	311	1.03	72	33.87	7.94	30.92			
AV	5.35G	46.26	54.00	-7.74	35.31	3	Horizontal	311	1.03	72	33.90	7.96	30.91			
PK	5.4225G	57.56	74.00	-16.44	46.36	3	Horizontal	311	1.03	72	34.05	8.05	30.90			
AV	5.442G	47.49	54.00	-6.51	36.31	3	Horizontal	311	1.03	72	34.02	8.05	30.89			
PK	5.467G	57.03	68.20	-11.17	45.86	3	Horizontal	311	1.03	72	34.00	8.06	30.89			
PK	5.545G	97.68	Inf	-Inf	86.29	3	Horizontal	311	1.03	72	34.18	8.08	30.87			
AV	5.5565G	87.08	Inf	-Inf	75.67	3	Horizontal	311	1.03	72	34.19	8.09	30.87			
PK	5.7615G	58.27	68.20	-9.93	46.92	3	Horizontal	311	1.03	72	33.90	8.28	30.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
SET 83
60\81\91\86\84\83
5.39\2.30\4.75\0.94\0.97\0.99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.458G	63.05	74.00	-10.95	51.88	3	Vertical	360	1.80	83	34.00	8.06	30.89			
AV	5.4535G	52.50	54.00	-1.50	41.33	3	Vertical	360	1.80	83	34.00	8.06	30.89			
PK	5.465G	63.96	68.20	-4.24	52.79	3	Vertical	360	1.80	83	34.00	8.06	30.89			
PK	5.616G	115.56	Inf	-Inf	104.26	3	Vertical	360	1.80	83	34.04	8.12	30.86			
AV	5.6195G	104.18	Inf	-Inf	92.90	3	Vertical	360	1.80	83	34.02	8.12	30.86			
PK	5.7305G	67.21	68.20	-0.99	55.91	3	Vertical	360	1.80	83	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
SET 83
83
6.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3875G	57.39	74.00	-16.61	46.22	3	Horizontal	309	1.89	83	34.05	8.02	30.90
AV	5.3915G	47.83	54.00	-6.17	36.63	3	Horizontal	309	1.89	83	34.07	8.03	30.90
PK	5.467G	57.81	68.20	-10.39	46.64	3	Horizontal	309	1.89	83	34.00	8.06	30.89
PK	5.625G	102.55	Inf	-Inf	91.28	3	Horizontal	309	1.89	83	34.00	8.13	30.86
AV	5.6155G	90.93	Inf	-Inf	79.63	3	Horizontal	309	1.89	83	34.04	8.12	30.86
PK	5.7275G	58.78	68.20	-9.42	47.48	3	Horizontal	309	1.89	83	33.90	8.24	30.84

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 94
60\80\97\89\93\95\94
5.23\4.36\2.90\2.16\0.90\1.49\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	64.24	74.00	-9.76	53.07	3	Vertical	357	1.66	94	34.00	8.06	30.89
AV	5.4578G	53.16	54.00	-0.84	41.99	3	Vertical	357	1.66	94	34.00	8.06	30.89
PK	5.4626G	66.76	68.20	-1.44	55.59	3	Vertical	357	1.66	94	34.00	8.06	30.89
PK	5.7014G	117.48	Inf	-Inf	106.21	3	Vertical	357	1.66	94	33.90	8.21	30.84
AV	5.6876G	106.20	Inf	-Inf	94.95	3	Vertical	357	1.66	94	33.90	8.20	30.85
PK	5.852G	68.11	68.20	-0.09	56.63	3	Vertical	357	1.66	94	33.91	8.39	30.82

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 94
94
6.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.399G	57.90	74.00	-16.10	46.66	3	Horizontal	314	2.21	94	34.10	8.04	30.90				
AV	5.4002G	47.56	54.00	-6.44	36.32	3	Horizontal	314	2.21	94	34.10	8.04	30.90				
PK	5.4686G	57.45	68.20	-10.75	46.28	3	Horizontal	314	2.21	94	34.00	8.06	30.89				
PK	5.717G	104.34	Inf	-Inf	93.05	3	Horizontal	314	2.21	94	33.90	8.23	30.84				
AV	5.7212G	93.51	Inf	-Inf	82.22	3	Horizontal	314	2.21	94	33.90	8.23	30.84				
PK	5.8604G	59.29	68.20	-8.91	47.77	3	Horizontal	314	2.21	94	33.94	8.40	30.82				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
SET 85
60\91\76\83\86\85
7.78\ -3.42\5.08\0.66\ -0.54\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6496G	67.99	68.20	-0.21	56.79	3	Vertical	1	1.80	85	33.90	8.15	30.85			
PK	5.7474G	116.52	Inf	-Inf	105.20	3	Vertical	1	1.80	85	33.90	8.26	30.84			
AV	5.7714G	105.27	Inf	-Inf	93.91	3	Vertical	1	1.80	85	33.90	8.29	30.83			
PK	6.0576G	59.28	68.20	-8.92	47.19	3	Vertical	1	1.80	85	34.40	8.51	30.82			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
SET 85
85
8.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6472G	59.94	68.20	-8.26	48.73	3	Horizontal	311	2.04	85	33.91	8.15	30.85			
PK	5.7798G	103.57	Inf	-Inf	92.20	3	Horizontal	311	2.04	85	33.90	8.30	30.83			
AV	5.7858G	92.52	Inf	-Inf	81.15	3	Horizontal	311	2.04	85	33.90	8.30	30.83			
PK	6.024G	59.07	68.20	-9.13	46.97	3	Horizontal	311	2.04	85	34.35	8.55	30.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
SET 56
60\50\55\57\56
-2.26\3.10\1.18\0.02\0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.60	74.00	-8.40	55.17	3	Vertical	359	1.64	56	33.69	7.70	30.96
AV	5.145G	50.52	54.00	-3.48	40.11	3	Vertical	359	1.64	56	33.68	7.69	30.96
PK	5.232G	106.29	Inf	-Inf	95.65	3	Vertical	359	1.64	56	33.80	7.78	30.94
AV	5.2296G	95.88	Inf	-Inf	85.24	3	Vertical	359	1.64	56	33.80	7.78	30.94
PK	5.3532G	69.81	74.00	-4.19	58.84	3	Vertical	359	1.64	56	33.91	7.97	30.91
AV	5.3562G	53.10	54.00	-0.90	42.12	3	Vertical	359	1.64	56	33.92	7.97	30.91
PK	5.475G	58.69	68.20	-9.51	47.52	3	Vertical	359	1.64	56	34.00	8.06	30.89

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
SET 56
56
6.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0922G	56.93	74.00	-17.07	46.76	3	Horizontal	349	1.80	56	33.48	7.66	30.97			
AV	5.1456G	46.79	54.00	-7.21	36.38	3	Horizontal	349	1.80	56	33.68	7.69	30.96			
PK	5.3172G	87.93	Inf	-Inf	77.11	3	Horizontal	349	1.80	56	33.83	7.91	30.92			
AV	5.3262G	77.46	Inf	-Inf	66.60	3	Horizontal	349	1.80	56	33.85	7.93	30.92			
PK	5.3676G	58.97	74.00	-15.03	47.92	3	Horizontal	349	1.80	56	33.97	7.99	30.91			
AV	5.385G	47.51	54.00	-6.49	36.36	3	Horizontal	349	1.80	56	34.04	8.02	30.91			
PK	5.4948G	58.30	68.20	-9.90	47.11	3	Horizontal	349	1.80	56	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Z_1TX
SET 63
60\73\56\64\61\62\63
3.25\ -7.34\3.53\ -0.05\1.85\2.12\1.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3252G	58.28	68.20	-9.92	47.43	3	Vertical	360	1.64	63	33.85	7.92	30.92			
PK	5.459G	65.45	74.00	-8.55	54.28	3	Vertical	360	1.64	63	34.00	8.06	30.89			
AV	5.396G	52.50	54.00	-1.50	41.29	3	Vertical	360	1.64	63	34.08	8.03	30.90			
PK	5.468G	67.20	68.20	-1.00	56.03	3	Vertical	360	1.64	63	34.00	8.06	30.89			
AV	5.5454G	96.00	Inf	-Inf	84.61	3	Vertical	360	1.64	63	34.18	8.08	30.87			
PK	5.6258G	108.49	Inf	-Inf	97.22	3	Vertical	360	1.64	63	34.00	8.13	30.86			
PK	5.7266G	65.00	68.20	-3.20	53.70	3	Vertical	360	1.64	63	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5570MHz_TX

EUT_Z_1TX
SET 63
63
6.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3126G	57.08	68.20	-11.12	46.27	3	Horizontal	309	1.97	63	33.83	7.90	30.92				
PK	5.3984G	57.35	74.00	-16.65	46.12	3	Horizontal	309	1.97	63	34.09	8.04	30.90				
PK	5.4662G	56.56	68.20	-11.64	45.39	3	Horizontal	309	1.97	63	34.00	8.06	30.89				
AV	5.4512G	47.46	54.00	-6.54	36.29	3	Horizontal	309	1.97	63	34.00	8.06	30.89				
PK	5.594G	94.05	Inf	-Inf	82.70	3	Horizontal	309	1.97	63	34.11	8.10	30.86				
AV	5.5922G	82.50	Inf	-Inf	71.14	3	Horizontal	309	1.97	63	34.12	8.10	30.86				
PK	5.7332G	58.53	68.20	-9.67	47.22	3	Horizontal	309	1.97	63	33.90	8.25	30.84				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 75
60\75\82\79\78\77\76\75
3.92\1.16\6.67\2.24\1.88\0.29\0.26\0.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1398G	65.41	74.00	-8.59	55.02	3	Vertical	358	1.71	75	33.66	7.69	30.96			
AV	5.1493G	53.06	54.00	-0.94	42.62	3	Vertical	358	1.71	75	33.70	7.70	30.96			
PK	5.1857G	119.52	Inf	-Inf	108.98	3	Vertical	358	1.71	75	33.77	7.72	30.95			
AV	5.1784G	110.67	Inf	-Inf	100.14	3	Vertical	358	1.71	75	33.76	7.72	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 75
75
0.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1395G	65.51	74.00	-8.49	55.12	3	Horizontal	359	1.69	75	33.66	7.69	30.96			
AV	5.15G	53.05	54.00	-0.95	42.61	3	Horizontal	359	1.69	75	33.70	7.70	30.96			
PK	5.1844G	121.56	Inf	-Inf	111.02	3	Horizontal	359	1.69	75	33.77	7.72	30.95			
AV	5.185G	111.53	Inf	-Inf	100.99	3	Horizontal	359	1.69	75	33.77	7.72	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35031G	49.18	68.20	-19.02	39.98	3	Vertical	206	1.39	-	38.50	14.11	43.41			
PK	15.54441G	51.22	74.00	-22.78	41.03	3	Vertical	186	1.44	-	37.91	15.36	43.08			
AV	15.52947G	43.42	54.00	-10.58	33.19	3	Vertical	186	1.44	-	37.94	15.36	43.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_V_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36933G	48.88	68.20	-19.32	39.69	3	Horizontal	29	1.70	-	38.50	14.12	43.43			
PK	15.5379G	51.09	74.00	-22.91	40.88	3	Horizontal	113	2.42	-	37.92	15.36	43.07			
AV	15.5481G	43.43	54.00	-10.57	33.25	3	Horizontal	113	2.42	-	37.90	15.36	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84
60\80\90\85\83\84
5.09\1.88\3.41\0.01\0.92\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	64.02	74.00	-9.98	53.58	3	Vertical	360	1.56	84	33.70	7.70	30.96			
AV	5.1492G	53.59	54.00	-0.41	43.15	3	Vertical	360	1.56	84	33.70	7.70	30.96			
PK	5.2058G	121.83	Inf	-Inf	111.23	3	Vertical	360	1.56	84	33.80	7.74	30.94			
AV	5.2026G	112.59	Inf	-Inf	102.01	3	Vertical	360	1.56	84	33.80	7.73	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84
84
1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	64.14	74.00	-9.86	53.71	3	Horizontal	360	1.63	84	33.69	7.70	30.96			
AV	5.1454G	52.58	54.00	-1.42	42.17	3	Horizontal	360	1.63	84	33.68	7.69	30.96			
PK	5.1988G	122.98	Inf	-Inf	112.40	3	Horizontal	360	1.63	84	33.80	7.73	30.95			
AV	5.195G	113.69	Inf	-Inf	103.12	3	Horizontal	360	1.63	84	33.79	7.73	30.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39226G	49.37	68.20	-18.83	40.19	3	Vertical	48	1.58	-	38.50	14.14	43.46			
PK	15.60759G	51.36	74.00	-22.64	41.23	3	Vertical	164	1.66	-	37.87	15.36	43.10			
AV	15.60138G	43.75	54.00	-10.25	33.60	3	Vertical	164	1.66	-	37.89	15.36	43.10			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_V_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38902G	49.24	68.20	-18.96	40.06	3	Horizontal	21	1.78	-	38.50	14.13	43.45			
PK	15.58818G	51.47	74.00	-22.53	41.30	3	Horizontal	319	1.73	-	37.90	15.36	43.09			
AV	15.61023G	43.41	54.00	-10.59	33.29	3	Horizontal	319	1.73	-	37.86	15.36	43.10			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 99
60\80\96\104\100\98\99
5.04\4.19\2.02\1.04\0.71\1.68\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1461G	65.88	74.00	-8.12	55.47	3	Vertical	360	1.79	99	33.68	7.69	30.96			
AV	5.1476G	53.96	54.00	-0.04	43.53	3	Vertical	360	1.79	99	33.69	7.70	30.96			
PK	5.2382G	125.42	Inf	-Inf	114.77	3	Vertical	360	1.79	99	33.80	7.79	30.94			
AV	5.2382G	116.46	Inf	-Inf	105.81	3	Vertical	360	1.79	99	33.80	7.79	30.94			
PK	5.3519G	64.99	74.00	-9.01	54.02	3	Vertical	360	1.79	99	33.91	7.97	30.91			
AV	5.35G	52.51	54.00	-1.49	41.56	3	Vertical	360	1.79	99	33.90	7.96	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
 SET 99
 99
 0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1419G	64.26	74.00	-9.74	53.86	3	Horizontal	360	1.80	99	33.67	7.69	30.96			
AV	5.1482G	52.87	54.00	-1.13	42.44	3	Horizontal	360	1.80	99	33.69	7.70	30.96			
PK	5.2364G	127.05	Inf	-Inf	116.40	3	Horizontal	360	1.80	99	33.80	7.79	30.94			
AV	5.2355G	116.99	Inf	-Inf	106.34	3	Horizontal	360	1.80	99	33.80	7.79	30.94			
PK	5.3552G	62.88	74.00	-11.12	51.90	3	Horizontal	360	1.80	99	33.92	7.97	30.91			
AV	5.3531G	53.17	54.00	-0.83	42.20	3	Horizontal	360	1.80	99	33.91	7.97	30.91			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41239G	48.56	68.20	-19.64	39.37	3	Vertical	6	2.47	-	38.52	14.15	43.48			
PK	15.735G	52.17	74.00	-21.83	42.07	3	Vertical	165	2.65	-	37.87	15.37	43.14			
AV	15.72519G	42.94	54.00	-11.06	32.86	3	Vertical	165	2.65	-	37.85	15.37	43.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46608G	48.13	68.20	-20.07	38.89	3	Horizontal	166	2.41	-	38.60	14.18	43.54			
PK	15.72969G	50.56	74.00	-23.44	40.47	3	Horizontal	199	2.28	-	37.86	15.37	43.14			
AV	15.72273G	43.00	54.00	-11.00	32.92	3	Horizontal	199	2.28	-	37.85	15.37	43.14			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 102
60\82\93\98\100\101\102
5.52\3.48\2.70\1.18\1.05\0.96\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1472G	61.73	74.00	-12.27	51.30	3	Vertical	360	1.64	102	33.69	7.70	30.96				
AV	5.1421G	50.61	54.00	-3.39	40.21	3	Vertical	360	1.64	102	33.67	7.69	30.96				
PK	5.2585G	125.08	Inf	-Inf	114.39	3	Vertical	360	1.64	102	33.80	7.82	30.93				
AV	5.263G	115.69	Inf	-Inf	104.99	3	Vertical	360	1.64	102	33.80	7.83	30.93				
PK	5.3509G	65.44	74.00	-8.56	54.49	3	Vertical	360	1.64	102	33.90	7.96	30.91				
AV	5.3503G	53.72	54.00	-0.28	42.77	3	Vertical	360	1.64	102	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 102
102
0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1427G	62.31	74.00	-11.69	51.91	3	Horizontal	360	1.80	102	33.67	7.69	30.96			
AV	5.1496G	51.72	54.00	-2.28	41.28	3	Horizontal	360	1.80	102	33.70	7.70	30.96			
PK	5.2657G	126.74	Inf	-Inf	116.04	3	Horizontal	360	1.80	102	33.80	7.83	30.93			
AV	5.266G	117.38	Inf	-Inf	106.68	3	Horizontal	360	1.80	102	33.80	7.83	30.93			
PK	5.3527G	63.95	74.00	-10.05	52.98	3	Horizontal	360	1.80	102	33.91	7.97	30.91			
AV	5.3569G	53.55	54.00	-0.45	42.56	3	Horizontal	360	1.80	102	33.93	7.97	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51925G	48.35	68.20	-19.85	39.12	3	Vertical	339	2.54	-	38.60	14.21	43.58			
PK	15.76836G	50.84	74.00	-23.16	40.88	3	Vertical	250	2.70	-	37.75	15.37	43.16			
AV	15.77196G	42.80	54.00	-11.20	32.87	3	Vertical	250	2.70	-	37.72	15.37	43.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51229G	49.57	68.20	-18.63	40.35	3	Horizontal	55	1.79	-	38.60	14.20	43.58			
PK	15.77508G	50.92	74.00	-23.08	41.01	3	Horizontal	129	1.50	-	37.70	15.37	43.16			
AV	15.77415G	42.66	54.00	-11.34	32.74	3	Horizontal	129	1.50	-	37.71	15.37	43.16			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 90
60\80\90
5.02\2.84\0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3032G	121.07	Inf	-Inf	110.29	3	Vertical	355	1.60	90	33.81	7.89	30.92				
AV	5.3034G	112.20	Inf	-Inf	101.42	3	Vertical	355	1.60	90	33.81	7.89	30.92				
PK	5.3508G	66.36	74.00	-7.64	55.41	3	Vertical	355	1.60	90	33.90	7.96	30.91				
AV	5.3504G	53.67	54.00	-0.33	42.72	3	Vertical	355	1.60	90	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 86
90\86
-0.91\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2964G	123.05	Inf	-Inf	112.29	3	Horizontal	360	1.75	86	33.80	7.88	30.92				
AV	5.295G	113.01	Inf	-Inf	102.26	3	Horizontal	360	1.75	86	33.80	7.88	30.93				
PK	5.3526G	64.53	74.00	-9.47	53.56	3	Horizontal	360	1.75	86	33.91	7.97	30.91				
AV	5.3512G	53.59	54.00	-0.41	42.64	3	Horizontal	360	1.75	86	33.90	7.96	30.91				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60804G	49.97	74.00	-24.03	40.28	3	Vertical	296	3.00	-	39.02	14.25	43.58			
PK	15.88872G	50.31	74.00	-23.69	40.51	3	Vertical	137	2.36	-	37.63	15.37	43.20			
AV	15.90147G	42.42	54.00	-11.58	32.54	3	Vertical	137	2.36	-	37.70	15.38	43.20			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61461G	49.87	74.00	-24.13	40.16	3	Horizontal	226	2.50	-	39.03	14.26	43.58				
AV	10.61191G	41.69	54.00	-12.31	31.99	3	Horizontal	226	2.50	-	39.02	14.26	43.58				
PK	15.88626G	51.12	74.00	-22.88	41.33	3	Horizontal	206	2.19	-	37.62	15.37	43.20				
AV	15.8904G	42.05	54.00	-11.95	32.24	3	Horizontal	206	2.19	-	37.64	15.37	43.20				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 80
60\77\85\81\79\80
4.44\1.29\ -4.34\ -1.13\0.80\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3257G	119.63	Inf	-Inf	108.78	3	Vertical	356	1.72	80	33.85	7.92	30.92			
AV	5.3249G	110.13	Inf	-Inf	99.28	3	Vertical	356	1.72	80	33.85	7.92	30.92			
PK	5.3599G	67.33	74.00	-6.67	56.32	3	Vertical	356	1.72	80	33.94	7.98	30.91			
AV	5.3519G	53.61	54.00	-0.39	42.64	3	Vertical	356	1.72	80	33.91	7.97	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 78
80\79\78
-0.25\ -0.18\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3261G	120.98	Inf	-Inf	110.12	3	Horizontal	358	1.74	78	33.85	7.93	30.92			
AV	5.3261G	110.90	Inf	-Inf	100.04	3	Horizontal	358	1.74	78	33.85	7.93	30.92			
PK	5.3608G	68.11	74.00	-5.89	57.10	3	Horizontal	358	1.74	78	33.94	7.98	30.91			
AV	5.36G	53.76	54.00	-0.24	42.75	3	Horizontal	358	1.74	78	33.94	7.98	30.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62827G	50.08	74.00	-23.92	40.34	3	Vertical	280	2.20	-	39.06	14.27	43.59			
AV	10.62722G	41.87	54.00	-12.13	32.15	3	Vertical	280	2.20	-	39.05	14.26	43.59			
PK	15.9609G	50.61	74.00	-23.39	40.88	3	Vertical	25	2.77	-	37.58	15.38	43.23			
AV	15.96807G	42.69	54.00	-11.31	32.98	3	Vertical	25	2.77	-	37.56	15.38	43.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.655G	50.26	74.00	-23.74	40.47	3	Horizontal	44	2.42	-	39.10	14.28	43.59			
AV	10.63421G	41.84	54.00	-12.16	32.09	3	Horizontal	44	2.42	-	39.07	14.27	43.59			
PK	15.94596G	49.98	74.00	-24.02	40.21	3	Horizontal	219	2.61	-	37.61	15.38	43.22			
AV	15.97341G	42.21	54.00	-11.79	32.51	3	Horizontal	219	2.61	-	37.55	15.38	43.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
 SET 80
 60\77\85\81\79\80
 4.35\1.80\1.12\0.13\1.51\1.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4587G	64.74	74.00	-9.26	53.57	3	Vertical	360	1.57	80	34.00	8.06	30.89			
AV	5.4593G	52.89	54.00	-1.11	41.72	3	Vertical	360	1.57	80	34.00	8.06	30.89			
PK	5.4604G	64.54	68.20	-3.66	53.37	3	Vertical	360	1.57	80	34.00	8.06	30.89			
PK	5.5055G	118.89	Inf	-Inf	107.68	3	Vertical	360	1.57	80	34.02	8.07	30.88			
AV	5.5029G	109.32	Inf	-Inf	98.12	3	Vertical	360	1.57	80	34.01	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
SET 80
80
0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	67.83	74.00	-6.17	56.66	3	Horizontal	360	1.74	80	34.00	8.06	30.89			
AV	5.4594G	53.90	54.00	-0.10	42.73	3	Horizontal	360	1.74	80	34.00	8.06	30.89			
PK	5.4601G	66.01	68.20	-2.19	54.84	3	Horizontal	360	1.74	80	34.00	8.06	30.89			
PK	5.4964G	120.76	Inf	-Inf	109.57	3	Horizontal	360	1.74	80	34.00	8.07	30.88			
AV	5.4966G	110.70	Inf	-Inf	99.51	3	Horizontal	360	1.74	80	34.00	8.07	30.88			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01095G	49.20	74.00	-24.80	39.53	3	Vertical	114	1.60	-	38.78	14.48	43.59			
AV	11.01272G	41.56	54.00	-12.44	31.89	3	Vertical	114	1.60	-	38.77	14.48	43.58			
PK	16.51398G	51.82	68.20	-16.38	40.57	3	Vertical	325	2.49	-	38.52	15.52	42.79			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98629G	49.66	74.00	-24.34	40.00	3	Horizontal	156	2.21	-	38.80	14.46	43.60			
AV	11.00555G	40.91	54.00	-13.09	31.24	3	Horizontal	156	2.21	-	38.79	14.47	43.59			
PK	16.50966G	52.79	68.20	-15.41	41.52	3	Horizontal	79	2.69	-	38.54	15.52	42.79			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 108
60\84\103\108
6.17\4.85\3.05\3.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4573G	61.79	74.00	-12.21	50.62	3	Vertical	360	1.65	108	34.00	8.06	30.89			
AV	5.4537G	50.97	54.00	-3.03	39.80	3	Vertical	360	1.65	108	34.00	8.06	30.89			
PK	5.4681G	62.23	68.20	-5.97	51.06	3	Vertical	360	1.65	108	34.00	8.06	30.89			
PK	5.5833G	125.90	Inf	-Inf	114.55	3	Vertical	360	1.65	108	34.13	8.09	30.87			
AV	5.5746G	116.25	Inf	-Inf	104.88	3	Vertical	360	1.65	108	34.15	8.09	30.87			
PK	5.727G	60.30	68.20	-7.90	49.00	3	Vertical	360	1.65	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
SET 108
108
2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	63.35	74.00	-10.65	52.18	3	Horizontal	360	1.75	108	34.00	8.06	30.89			
AV	5.4594G	51.39	54.00	-2.61	40.22	3	Horizontal	360	1.75	108	34.00	8.06	30.89			
PK	5.4612G	65.91	68.20	-2.29	54.74	3	Horizontal	360	1.75	108	34.00	8.06	30.89			
PK	5.5755G	127.19	Inf	-Inf	115.82	3	Horizontal	360	1.75	108	34.15	8.09	30.87			
AV	5.5818G	117.48	Inf	-Inf	106.12	3	Horizontal	360	1.75	108	34.14	8.09	30.87			
PK	5.7273G	61.55	68.20	-6.65	50.25	3	Horizontal	360	1.75	108	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 67
60\94\56\75\66\70\68\67
8.62\ -16.20\8.52\ -6.45\2.05\ -0.84\ -0.52\2.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7056G	115.53	Inf	-Inf	104.25	3	Vertical	358	1.59	67	33.90	8.22	30.84			
AV	5.6938G	107.29	Inf	-Inf	96.04	3	Vertical	358	1.59	67	33.90	8.20	30.85			
PK	5.7288G	65.42	68.20	-2.78	54.12	3	Vertical	358	1.59	67	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
SET 66
67\57\66
-2.40\8.15\0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7062G	117.05	Inf	-Inf	105.77	3	Horizontal	358	1.78	66	33.90	8.22	30.84			
AV	5.6964G	107.30	Inf	-Inf	96.03	3	Horizontal	358	1.78	66	33.90	8.21	30.84			
PK	5.7252G	67.25	68.20	-0.95	55.95	3	Horizontal	358	1.78	66	33.90	8.24	30.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40003G	51.52	74.00	-22.48	40.72	3	Vertical	55	2.34	-	39.20	14.69	43.09			
AV	11.39661G	42.65	54.00	-11.35	31.84	3	Vertical	55	2.34	-	39.21	14.69	43.09			
PK	17.08962G	50.37	68.20	-17.83	39.48	3	Vertical	238	2.19	-	38.52	15.67	43.30			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3967G	51.06	74.00	-22.94	40.25	3	Horizontal	120	1.01	-	39.21	14.69	43.09			
AV	11.4051G	43.26	54.00	-10.74	32.47	3	Horizontal	120	1.01	-	39.18	14.69	43.08			
PK	17.11083G	52.22	68.20	-15.98	41.33	3	Horizontal	332	1.84	-	38.52	15.67	43.30			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
60\85\105\108
6.27\5.04\3.52\3.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4296G	60.45	74.00	-13.55	49.26	3	Vertical	360	1.74	108	34.04	8.05	30.90			
AV	5.4296G	50.07	54.00	-3.93	38.88	3	Vertical	360	1.74	108	34.04	8.05	30.90			
PK	5.4626G	58.82	68.20	-9.38	47.65	3	Vertical	360	1.74	108	34.00	8.06	30.89			
PK	5.7248G	125.02	Inf	-Inf	113.72	3	Vertical	360	1.74	108	33.90	8.24	30.84			
AV	5.7242G	115.64	Inf	-Inf	104.34	3	Vertical	360	1.74	108	33.90	8.24	30.84			
PK	5.8646G	59.52	68.20	-8.68	47.97	3	Vertical	360	1.74	108	33.96	8.40	30.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
108
4.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	61.03	74.00	-12.97	49.86	3	Horizontal	360	1.75	108	34.00	8.06	30.89			
AV	5.4296G	50.00	54.00	-4.00	38.81	3	Horizontal	360	1.75	108	34.04	8.05	30.90			
PK	5.465G	59.64	68.20	-8.56	48.47	3	Horizontal	360	1.75	108	34.00	8.06	30.89			
PK	5.7212G	125.84	Inf	-Inf	114.55	3	Horizontal	360	1.75	108	33.90	8.23	30.84			
AV	5.7272G	116.37	Inf	-Inf	105.07	3	Horizontal	360	1.75	108	33.90	8.24	30.84			
PK	5.855G	59.09	68.20	-9.11	47.60	3	Horizontal	360	1.75	108	33.92	8.39	30.82			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42773G	50.61	74.00	-23.39	39.86	3	Vertical	10	2.72	-	39.09	14.71	43.05			
AV	11.43154G	41.98	54.00	-12.02	31.25	3	Vertical	10	2.72	-	39.07	14.71	43.05			
PK	17.17431G	52.64	68.20	-15.56	41.56	3	Vertical	23	2.18	-	38.70	15.69	43.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44852G	50.03	74.00	-23.97	39.33	3	Horizontal	1	2.32	-	39.01	14.72	43.03			
AV	11.43556G	42.21	54.00	-11.79	31.48	3	Horizontal	1	2.32	-	39.06	14.71	43.04			
PK	17.16762G	52.71	68.20	-15.49	41.66	3	Horizontal	118	2.58	-	38.67	15.69	43.31			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET 108
60\83\102\108
5.97\4.91\4.90\4.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4594G	49.31	54.00	-4.69	38.14	3	Vertical	360	1.64	108	34.00	8.06	30.89			
PK	5.6484G	64.04	68.20	-4.16	52.83	3	Vertical	360	1.64	108	33.91	8.15	30.85			
PK	5.7438G	124.62	Inf	-Inf	113.30	3	Vertical	360	1.64	108	33.90	8.26	30.84			
AV	5.7384G	115.16	Inf	-Inf	103.85	3	Vertical	360	1.64	108	33.90	8.25	30.84			
PK	6.0354G	58.45	68.20	-9.75	46.35	3	Vertical	360	1.64	108	34.37	8.54	30.81			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET 108
108
2.93

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.46G	49.70	54.00	-4.30	38.53	3	Horizontal	360	1.80	108	34.00	8.06	30.89				
PK	5.649G	65.27	68.20	-2.93	54.07	3	Horizontal	360	1.80	108	33.90	8.15	30.85				
PK	5.7468G	126.02	Inf	-Inf	114.70	3	Horizontal	360	1.80	108	33.90	8.26	30.84				
AV	5.7474G	116.33	Inf	-Inf	105.01	3	Horizontal	360	1.80	108	33.90	8.26	30.84				
PK	5.928G	59.15	68.20	-9.05	47.25	3	Horizontal	360	1.80	108	34.21	8.49	30.80				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.47626G	50.88	74.00	-23.12	40.14	3	Vertical	212	2.82	-	39.00	14.73	42.99			
AV	11.49552G	42.10	54.00	-11.90	31.33	3	Vertical	212	2.82	-	39.00	14.74	42.97			
PK	17.25G	52.44	68.20	-15.76	41.04	3	Vertical	45	1.47	-	39.00	15.71	43.31			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4828G	49.85	74.00	-24.15	39.09	3	Horizontal	120	2.31	-	39.00	14.74	42.98			
AV	11.49621G	42.02	54.00	-11.98	31.24	3	Horizontal	120	2.31	-	39.00	14.74	42.96			
PK	17.24946G	51.60	68.20	-16.60	40.20	3	Horizontal	337	1.13	-	39.00	15.71	43.31			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
60\97\108
9.39\6.53\6.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.62823G	61.93	68.20	-6.27	50.67	3	Vertical	359	1.62	108	33.99	8.13	30.86			
PK	5.78311G	124.98	Inf	-Inf	113.61	3	Vertical	359	1.62	108	33.90	8.30	30.83			
AV	5.77887G	115.70	Inf	-Inf	104.33	3	Vertical	359	1.62	108	33.90	8.30	30.83			
PK	6.02087G	58.59	68.20	-9.61	46.49	3	Vertical	359	1.62	108	34.34	8.56	30.80			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
108
5.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62823G	62.23	68.20	-5.97	50.97	3	Horizontal	1	1.80	108	33.99	8.13	30.86				
PK	5.78613G	125.36	Inf	-Inf	113.99	3	Horizontal	1	1.80	108	33.90	8.30	30.83				
AV	5.78674G	116.63	Inf	-Inf	105.25	3	Horizontal	1	1.80	108	33.90	8.31	30.83				
PK	5.92589G	59.38	68.20	-8.82	47.50	3	Horizontal	1	1.80	108	34.20	8.48	30.80				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.55935G	49.94	74.00	-24.06	39.32	3	Vertical	123	2.28	-	38.84	14.78	43.00			
AV	11.56049G	41.79	54.00	-12.21	31.17	3	Vertical	123	2.28	-	38.84	14.78	43.00			
PK	17.35104G	52.79	68.20	-15.41	41.06	3	Vertical	134	1.85	-	39.30	15.74	43.31			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56925G	50.60	74.00	-23.40	40.05	3	Horizontal	198	2.79	-	38.78	14.78	43.01			
AV	11.55962G	41.50	54.00	-12.50	30.88	3	Horizontal	198	2.79	-	38.84	14.78	43.00			
PK	17.34897G	53.13	68.20	-15.07	41.41	3	Horizontal	269	2.29	-	39.29	15.74	43.31			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
60\94\108
8.61\6.65\6.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.594G	61.26	68.20	-6.94	49.91	3	Vertical	359	1.60	108	34.11	8.10	30.86				
PK	5.8286G	122.60	Inf	-Inf	111.16	3	Vertical	359	1.60	108	33.90	8.36	30.82				
AV	5.8292G	114.38	Inf	-Inf	102.94	3	Vertical	359	1.60	108	33.90	8.36	30.82				
PK	6.0908G	58.96	68.20	-9.24	46.91	3	Vertical	359	1.60	108	34.40	8.48	30.83				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
7.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5778G	60.97	68.20	-7.23	49.61	3	Horizontal	1	1.85	108	34.14	8.09	30.87			
PK	5.8208G	123.92	Inf	-Inf	112.49	3	Horizontal	1	1.85	108	33.90	8.35	30.82			
AV	5.8226G	115.23	Inf	-Inf	103.80	3	Horizontal	1	1.85	108	33.90	8.35	30.82			
PK	6.092G	58.50	68.20	-9.70	46.46	3	Horizontal	1	1.85	108	34.40	8.47	30.83			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64049G	49.95	74.00	-24.05	39.67	3	Vertical	90	2.19	-	38.52	14.82	43.06			
AV	11.66383G	41.21	54.00	-12.79	30.88	3	Vertical	90	2.19	-	38.56	14.84	43.07			
PK	17.47899G	54.46	68.20	-13.74	42.45	3	Vertical	137	2.18	-	39.56	15.77	43.32			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.63515G	49.56	74.00	-24.44	39.26	3	Horizontal	206	1.66	-	38.53	14.82	43.05			
AV	11.65414G	41.00	54.00	-13.00	30.71	3	Horizontal	206	1.66	-	38.52	14.83	43.06			
PK	17.46453G	53.49	68.20	-14.71	41.51	3	Horizontal	347	1.77	-	39.53	15.77	43.32			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70
60\70
2.53\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1387G	64.94	74.00	-9.06	54.56	3	Vertical	360	1.72	70	33.65	7.69	30.96				
AV	5.1401G	53.58	54.00	-0.42	43.19	3	Vertical	360	1.72	70	33.66	7.69	30.96				
PK	5.1713G	120.29	Inf	-Inf	109.79	3	Vertical	360	1.72	70	33.74	7.71	30.95				
AV	5.1738G	108.57	Inf	-Inf	98.06	3	Vertical	360	1.72	70	33.75	7.71	30.95				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70
70
0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1387G	66.08	74.00	-7.92	55.70	3	Horizontal	360	1.80	70	33.65	7.69	30.96				
AV	5.15G	53.79	54.00	-0.21	43.35	3	Horizontal	360	1.80	70	33.70	7.70	30.96				
PK	5.1848G	120.54	Inf	-Inf	110.00	3	Horizontal	360	1.80	70	33.77	7.72	30.95				
AV	5.1827G	109.79	Inf	-Inf	99.25	3	Horizontal	360	1.80	70	33.77	7.72	30.95				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 81
60\80\90\85\83\82\81
5.01\1.31\4.80\1.46\0.68\0.16\0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.149G	64.36	74.00	-9.64	53.92	3	Vertical	360	1.79	81	33.70	7.70	30.96			
AV	5.1472G	53.15	54.00	-0.85	42.72	3	Vertical	360	1.79	81	33.69	7.70	30.96			
PK	5.207G	122.69	Inf	-Inf	112.09	3	Vertical	360	1.79	81	33.80	7.74	30.94			
AV	5.2014G	111.50	Inf	-Inf	100.92	3	Vertical	360	1.79	81	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 81
81
0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	63.99	74.00	-10.01	53.56	3	Horizontal	2	1.80	81	33.69	7.70	30.96			
AV	5.1496G	53.64	54.00	-0.36	43.20	3	Horizontal	2	1.80	81	33.70	7.70	30.96			
PK	5.1952G	123.49	Inf	-Inf	112.92	3	Horizontal	2	1.80	81	33.79	7.73	30.95			
AV	5.1974G	112.23	Inf	-Inf	101.66	3	Horizontal	2	1.80	81	33.79	7.73	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 97
60\80\90\95\97
5.19\3.77\2.71\1.35\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	65.04	74.00	-8.96	54.60	3	Vertical	1	1.69	97	33.70	7.70	30.96			
AV	5.1494G	53.71	54.00	-0.29	43.27	3	Vertical	1	1.69	97	33.70	7.70	30.96			
PK	5.2367G	125.31	Inf	-Inf	114.66	3	Vertical	1	1.69	97	33.80	7.79	30.94			
AV	5.2385G	115.12	Inf	-Inf	104.47	3	Vertical	1	1.69	97	33.80	7.79	30.94			
PK	5.35G	64.31	74.00	-9.69	53.36	3	Vertical	1	1.69	97	33.90	7.96	30.91			
AV	5.3537G	52.26	54.00	-1.74	41.29	3	Vertical	1	1.69	97	33.91	7.97	30.91			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 97
97
1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	63.28	74.00	-10.72	52.84	3	Horizontal	0	1.86	97	33.70	7.70	30.96				
AV	5.1494G	52.74	54.00	-1.26	42.30	3	Horizontal	0	1.86	97	33.70	7.70	30.96				
PK	5.2358G	126.62	Inf	-Inf	115.97	3	Horizontal	0	1.86	97	33.80	7.79	30.94				
AV	5.2424G	115.55	Inf	-Inf	104.89	3	Horizontal	0	1.86	97	33.80	7.80	30.94				
PK	5.3504G	62.93	74.00	-11.07	51.98	3	Horizontal	0	1.86	97	33.90	7.96	30.91				
AV	5.3561G	52.83	54.00	-1.17	41.85	3	Horizontal	0	1.86	97	33.92	7.97	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 99
60\81\91\96\98\99
5.42\3.54\2.30\1.61\0.96\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.146G	61.10	74.00	-12.90	50.69	3	Vertical	359	1.63	99	33.68	7.69	30.96				
AV	5.1499G	51.16	54.00	-2.84	40.72	3	Vertical	359	1.63	99	33.70	7.70	30.96				
PK	5.2594G	125.28	Inf	-Inf	114.59	3	Vertical	359	1.63	99	33.80	7.82	30.93				
AV	5.2639G	114.41	Inf	-Inf	103.71	3	Vertical	359	1.63	99	33.80	7.83	30.93				
PK	5.3503G	68.15	74.00	-5.85	57.20	3	Vertical	359	1.63	99	33.90	7.96	30.91				
AV	5.3512G	53.56	54.00	-0.44	42.61	3	Vertical	359	1.63	99	33.90	7.96	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 99
99
0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.143G	62.05	74.00	-11.95	51.65	3	Horizontal	359	1.80	99	33.67	7.69	30.96				
AV	5.1469G	51.21	54.00	-2.79	40.78	3	Horizontal	359	1.80	99	33.69	7.70	30.96				
PK	5.2573G	127.46	Inf	-Inf	116.77	3	Horizontal	359	1.80	99	33.80	7.82	30.93				
AV	5.2657G	116.06	Inf	-Inf	105.36	3	Horizontal	359	1.80	99	33.80	7.83	30.93				
PK	5.3551G	63.75	74.00	-10.25	52.77	3	Horizontal	359	1.80	99	33.92	7.97	30.91				
AV	5.3551G	53.65	54.00	-0.35	42.67	3	Horizontal	359	1.80	99	33.92	7.97	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 85
60\78\87\83\85
4.70\2.57\0.71\1.62\0.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3066G	121.43	Inf	-Inf	110.64	3	Vertical	360	1.64	85	33.81	7.90	30.92				
AV	5.2964G	110.69	Inf	-Inf	99.93	3	Vertical	360	1.64	85	33.80	7.88	30.92				
PK	5.351G	66.46	74.00	-7.54	55.51	3	Vertical	360	1.64	85	33.90	7.96	30.91				
AV	5.3514G	53.84	54.00	-0.16	42.88	3	Vertical	360	1.64	85	33.91	7.96	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 84
85\82\83\84
-0.57\1.34\0.88\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2952G	123.04	Inf	-Inf	112.29	3	Horizontal	360	1.77	84	33.80	7.88	30.93				
AV	5.3032G	111.98	Inf	-Inf	101.20	3	Horizontal	360	1.77	84	33.81	7.89	30.92				
PK	5.3544G	63.88	74.00	-10.12	52.90	3	Horizontal	360	1.77	84	33.92	7.97	30.91				
AV	5.3528G	53.71	54.00	-0.29	42.74	3	Horizontal	360	1.77	84	33.91	7.97	30.91				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 75
60\71\76\74\75
2.96\0.90\0.47\0.65\0.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
PK	5.3161G	119.59	Inf	-Inf	108.77	3	Vertical	360	1.65	75	33.83	7.91	30.92			
AV	5.3263G	108.52	Inf	-Inf	97.66	3	Vertical	360	1.65	75	33.85	7.93	30.92			
PK	5.3604G	65.79	74.00	-8.21	54.78	3	Vertical	360	1.65	75	33.94	7.98	30.91			
AV	5.3607G	53.84	54.00	-0.16	42.83	3	Vertical	360	1.65	75	33.94	7.98	30.91			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 70
75\70
-1.12\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3182G	119.60	Inf	-Inf	108.77	3	Horizontal	360	1.78	70	33.84	7.91	30.92			
AV	5.3281G	108.25	Inf	-Inf	97.38	3	Horizontal	360	1.78	70	33.86	7.93	30.92			
PK	5.3606G	66.15	74.00	-7.85	55.14	3	Horizontal	360	1.78	70	33.94	7.98	30.91			
AV	5.3606G	53.85	54.00	-0.15	42.84	3	Horizontal	360	1.78	70	33.94	7.98	30.91			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 76
60\73\79\76
3.44\1.18\0.53\0.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	66.20	74.00	-7.80	55.03	3	Vertical	359	1.59	76	34.00	8.06	30.89			
AV	5.4585G	53.84	54.00	-0.16	42.67	3	Vertical	359	1.59	76	34.00	8.06	30.89			
PK	5.4605G	66.65	68.20	-1.55	55.48	3	Vertical	359	1.59	76	34.00	8.06	30.89			
PK	5.4911G	119.22	Inf	-Inf	108.03	3	Vertical	359	1.59	76	34.00	8.07	30.88			
AV	5.4937G	107.81	Inf	-Inf	96.62	3	Vertical	359	1.59	76	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 73
76\74\73
-0.31\ -0.36\ 0.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4585G	66.30	74.00	-7.70	55.13	3	Horizontal	358	1.80	73	34.00	8.06	30.89			
PK	5.4605G	65.35	68.20	-2.85	54.18	3	Horizontal	358	1.80	73	34.00	8.06	30.89			
AV	5.46G	53.24	54.00	-0.76	42.07	3	Horizontal	358	1.80	73	34.00	8.06	30.89			
PK	5.506G	120.83	Inf	-Inf	109.62	3	Horizontal	358	1.80	73	34.02	8.07	30.88			
AV	5.4964G	108.13	Inf	-Inf	96.94	3	Horizontal	358	1.80	73	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 105
60\84\102\108\105\106\105
6.07\4.62\3.21\5.12\3.31\1.08\3.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4585G	61.07	74.00	-12.93	49.90	3	Vertical	359	1.56	105	34.00	8.06	30.89			
AV	5.4564G	50.57	54.00	-3.43	39.40	3	Vertical	359	1.56	105	34.00	8.06	30.89			
PK	5.466G	61.24	68.20	-6.96	50.07	3	Vertical	359	1.56	105	34.00	8.06	30.89			
PK	5.5767G	124.90	Inf	-Inf	113.53	3	Vertical	359	1.56	105	34.15	8.09	30.87			
AV	5.574G	114.67	Inf	-Inf	103.30	3	Vertical	359	1.56	105	34.15	8.09	30.87			
PK	5.7252G	60.03	68.20	-8.17	48.73	3	Vertical	359	1.56	105	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 104
105\85\103\104
-4.83\4.52\2.57\2.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	62.07	74.00	-11.93	50.90	3	Horizontal	359	1.74	104	34.00	8.06	30.89			
AV	5.4573G	51.16	54.00	-2.84	39.99	3	Horizontal	359	1.74	104	34.00	8.06	30.89			
PK	5.4657G	63.45	68.20	-4.75	52.28	3	Horizontal	359	1.74	104	34.00	8.06	30.89			
PK	5.5779G	126.15	Inf	-Inf	114.79	3	Horizontal	359	1.74	104	34.14	8.09	30.87			
AV	5.5782G	115.48	Inf	-Inf	104.12	3	Horizontal	359	1.74	104	34.14	8.09	30.87			
PK	5.7294G	60.58	68.20	-7.62	49.28	3	Horizontal	359	1.74	104	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 57
60\51\64\58\55\56\57
-2.09\8.63\3.45\0.41\3.06\1.64\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6968G	115.85	Inf	-Inf	104.58	3	Vertical	358	1.59	57	33.90	8.21	30.84			
AV	5.6966G	104.20	Inf	-Inf	92.93	3	Vertical	358	1.59	57	33.90	8.21	30.84			
PK	5.7256G	67.36	68.20	-0.84	56.06	3	Vertical	358	1.59	57	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 57
57
0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.706G	116.41	Inf	-Inf	105.13	3	Horizontal	358	1.74	57	33.90	8.22	30.84			
AV	5.6934G	104.48	Inf	-Inf	93.23	3	Horizontal	358	1.74	57	33.90	8.20	30.85			
PK	5.7262G	68.18	68.20	-0.02	56.88	3	Horizontal	358	1.74	57	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 107
60\83\104\108\106\107
5.99\5.27\4.09\0.28\3.54\2.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4512G	59.53	74.00	-14.47	48.36	3	Vertical	358	1.65	107	34.00	8.06	30.89			
AV	5.4572G	49.53	54.00	-4.47	38.36	3	Vertical	358	1.65	107	34.00	8.06	30.89			
PK	5.4686G	59.70	68.20	-8.50	48.53	3	Vertical	358	1.65	107	34.00	8.06	30.89			
PK	5.729G	125.76	Inf	-Inf	114.46	3	Vertical	358	1.65	107	33.90	8.24	30.84			
AV	5.7218G	115.45	Inf	-Inf	104.16	3	Vertical	358	1.65	107	33.90	8.23	30.84			
PK	5.8556G	65.45	68.20	-2.75	53.96	3	Vertical	358	1.65	107	33.92	8.39	30.82			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 106
107,104,105,106
-0.63\3.99\4.09\3.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.438G	59.81	74.00	-14.19	48.63	3	Horizontal	1	1.80	106	34.02	8.05	30.89			
AV	5.4344G	50.03	54.00	-3.97	38.84	3	Horizontal	1	1.80	106	34.03	8.05	30.89			
PK	5.4644G	59.60	68.20	-8.60	48.43	3	Horizontal	1	1.80	106	34.00	8.06	30.89			
PK	5.7134G	126.06	Inf	-Inf	114.78	3	Horizontal	1	1.80	106	33.90	8.22	30.84			
AV	5.7236G	115.14	Inf	-Inf	103.84	3	Horizontal	1	1.80	106	33.90	8.24	30.84			
PK	5.8556G	63.68	68.20	-4.52	52.19	3	Horizontal	1	1.80	106	33.92	8.39	30.82			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 99
60\86\105\96\100\102\101\100\99
6.52\4.85\9.39\4.13\4.46\7.95\5.84\2.42\4.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.454G	49.39	54.00	-4.61	38.22	3	Vertical	360	1.67	99	34.00	8.06	30.89			
PK	5.6472G	62.83	68.20	-5.37	51.62	3	Vertical	360	1.67	99	33.91	8.15	30.85			
PK	5.751G	124.12	Inf	-Inf	112.78	3	Vertical	360	1.67	99	33.90	8.27	30.83			
AV	5.7516G	113.68	Inf	-Inf	102.34	3	Vertical	360	1.67	99	33.90	8.27	30.83			
PK	5.9832G	58.42	68.20	-9.78	46.35	3	Vertical	360	1.67	99	34.30	8.56	30.79			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 99
99
3.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.586G	62.84	68.20	-5.36	51.47	3	Horizontal	360	1.80	99	34.13	8.10	30.86			
AV	5.4468G	50.56	54.00	-3.44	39.39	3	Horizontal	360	1.80	99	34.01	8.05	30.89			
PK	5.7402G	124.31	Inf	-Inf	113.00	3	Horizontal	360	1.80	99	33.90	8.25	30.84			
AV	5.7486G	114.55	Inf	-Inf	103.23	3	Horizontal	360	1.80	99	33.90	8.26	30.84			
PK	5.946G	58.60	68.20	-9.60	46.61	3	Horizontal	360	1.80	99	34.28	8.51	30.80			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
60\95\108
8.87\6.89\3.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.60282G	64.37	68.20	-3.83	53.04	3	Vertical	360	1.72	108	34.09	8.10	30.86					
PK	5.79158G	124.84	Inf	-Inf	113.46	3	Vertical	360	1.72	108	33.90	8.31	30.83					
AV	5.77706G	114.25	Inf	-Inf	102.89	3	Vertical	360	1.72	108	33.90	8.29	30.83					
PK	6.02632G	59.54	68.20	-8.66	47.44	3	Vertical	360	1.72	108	34.35	8.55	30.80					

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
108
3.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.60584G	65.05	68.20	-3.15	53.72	3	Horizontal	1	1.80	108	34.08	8.11	30.86				
PK	5.78311G	125.67	Inf	-Inf	114.30	3	Horizontal	1	1.80	108	33.90	8.30	30.83				
AV	5.78371G	115.31	Inf	-Inf	103.94	3	Horizontal	1	1.80	108	33.90	8.30	30.83				
PK	5.95372G	58.62	68.20	-9.58	46.60	3	Horizontal	1	1.80	108	34.30	8.52	30.80				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
60\96\108
9.14\5.81\7.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5916G	61.16	68.20	-7.04	49.80	3	Vertical	359	1.69	108	34.12	8.10	30.86				
PK	5.8322G	122.62	Inf	-Inf	111.18	3	Vertical	359	1.69	108	33.90	8.36	30.82				
AV	5.8274G	112.67	Inf	-Inf	101.23	3	Vertical	359	1.69	108	33.90	8.36	30.82				
PK	6.0098G	59.00	68.20	-9.20	46.90	3	Vertical	359	1.69	108	34.32	8.57	30.79				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
6.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.612G	61.83	68.20	-6.37	50.53	3	Horizontal	1	1.85	108	34.05	8.11	30.86			
PK	5.8232G	124.03	Inf	-Inf	112.60	3	Horizontal	1	1.85	108	33.90	8.35	30.82			
AV	5.8292G	113.76	Inf	-Inf	102.32	3	Horizontal	1	1.85	108	33.90	8.36	30.82			
PK	6.0638G	58.92	68.20	-9.28	46.83	3	Horizontal	1	1.85	108	34.40	8.51	30.82			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 60
60
0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1488G	65.63	74.00	-8.37	55.19	3	Vertical	360	1.80	60	33.70	7.70	30.96				
AV	5.1468G	53.89	54.00	-0.11	43.46	3	Vertical	360	1.80	60	33.69	7.70	30.96				
PK	5.2044G	114.60	Inf	-Inf	104.01	3	Vertical	360	1.80	60	33.80	7.74	30.95				
AV	5.184G	103.30	Inf	-Inf	92.76	3	Vertical	360	1.80	60	33.77	7.72	30.95				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 60
60
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1414G	67.09	74.00	-6.91	56.69	3	Horizontal	360	1.65	60	33.67	7.69	30.96			
AV	5.1498G	53.80	54.00	-0.20	43.36	3	Horizontal	360	1.65	60	33.70	7.70	30.96			
PK	5.1964G	116.36	Inf	-Inf	105.79	3	Horizontal	360	1.65	60	33.79	7.73	30.95			
AV	5.1948G	103.83	Inf	-Inf	93.26	3	Horizontal	360	1.65	60	33.79	7.73	30.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 80
60\78\107\93\86\83\82\81\80
4.54\7.28\15.72\10.64\4.13\1.72\1.91\0.38\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1308G	68.60	74.00	-5.40	58.25	3	Vertical	0	1.79	80	33.62	7.69	30.96				
AV	5.1482G	53.76	54.00	-0.24	43.33	3	Vertical	0	1.79	80	33.69	7.70	30.96				
PK	5.2374G	119.82	Inf	-Inf	109.17	3	Vertical	0	1.79	80	33.80	7.79	30.94				
AV	5.2322G	108.52	Inf	-Inf	97.88	3	Vertical	0	1.79	80	33.80	7.78	30.94				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 80
80
0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	64.80	74.00	-9.20	54.36	3	Horizontal	0	1.80	80	33.70	7.70	30.96				
AV	5.1488G	53.47	54.00	-0.53	43.03	3	Horizontal	0	1.80	80	33.70	7.70	30.96				
PK	5.2348G	120.90	Inf	-Inf	110.26	3	Horizontal	0	1.80	80	33.80	7.78	30.94				
AV	5.2352G	109.21	Inf	-Inf	98.57	3	Horizontal	0	1.80	80	33.80	7.78	30.94				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 83
60\78\87\83
4.70\2.21\~3.46\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2692G	118.61	Inf	-Inf	107.90	3	Vertical	360	1.60	83	33.80	7.84	30.93			
AV	5.2666G	107.36	Inf	-Inf	96.66	3	Vertical	360	1.60	83	33.80	7.83	30.93			
PK	5.3506G	64.19	74.00	-9.81	53.24	3	Vertical	360	1.60	83	33.90	7.96	30.91			
AV	5.3514G	53.61	54.00	-0.39	42.65	3	Vertical	360	1.60	83	33.91	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 79
83\79
-0.80\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2626G	120.83	Inf	-Inf	110.13	3	Horizontal	360	1.80	79	33.80	7.83	30.93			
AV	5.2686G	108.45	Inf	-Inf	97.74	3	Horizontal	360	1.80	79	33.80	7.84	30.93			
PK	5.3504G	64.24	74.00	-9.76	53.29	3	Horizontal	360	1.80	79	33.90	7.96	30.91			
AV	5.3528G	53.58	54.00	-0.42	42.61	3	Horizontal	360	1.80	79	33.91	7.97	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 60
60\63\62\61\60
0.85\0.62\0.67\1.33\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.327G	111.91	Inf	-Inf	101.05	3	Vertical	356	1.80	60	33.85	7.93	30.92			
AV	5.3248G	101.03	Inf	-Inf	90.18	3	Vertical	356	1.80	60	33.85	7.92	30.92			
PK	5.355G	64.36	74.00	-9.64	53.38	3	Vertical	356	1.80	60	33.92	7.97	30.91			
AV	5.35G	53.35	54.00	-0.65	42.40	3	Vertical	356	1.80	60	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 58
60\59\58
-0.21\ -0.01\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3126G	114.69	Inf	-Inf	103.88	3	Horizontal	360	1.78	58	33.83	7.90	30.92			
AV	5.3032G	102.45	Inf	-Inf	91.67	3	Horizontal	360	1.78	58	33.81	7.89	30.92			
PK	5.356G	66.66	74.00	-7.34	55.68	3	Horizontal	360	1.78	58	33.92	7.97	30.91			
AV	5.3506G	53.95	54.00	-0.05	43.00	3	Horizontal	360	1.78	58	33.90	7.96	30.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 71
60\75\68\71\72\71
3.76\ -0.97\2.31\0.69\ -0.99\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4582G	63.84	74.00	-10.16	52.67	3	Vertical	360	1.57	71	34.00	8.06	30.89			
AV	5.4596G	52.77	54.00	-1.23	41.60	3	Vertical	360	1.57	71	34.00	8.06	30.89			
PK	5.4684G	67.54	68.20	-0.66	56.37	3	Vertical	360	1.57	71	34.00	8.06	30.89			
PK	5.526G	114.88	Inf	-Inf	103.58	3	Vertical	360	1.57	71	34.10	8.08	30.88			
AV	5.524G	104.30	Inf	-Inf	93.00	3	Vertical	360	1.57	71	34.10	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 71
71
0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	65.54	74.00	-8.46	54.37	3	Horizontal	360	1.67	71	34.00	8.06	30.89			
AV	5.46G	53.44	54.00	-0.56	42.27	3	Horizontal	360	1.67	71	34.00	8.06	30.89			
PK	5.4678G	67.66	68.20	-0.54	56.49	3	Horizontal	360	1.67	71	34.00	8.06	30.89			
PK	5.5156G	116.76	Inf	-Inf	105.51	3	Horizontal	360	1.67	71	34.06	8.07	30.88			
AV	5.5256G	105.02	Inf	-Inf	93.72	3	Horizontal	360	1.67	71	34.10	8.08	30.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 86
60\81\91\86
5.26\2.20\~2.26\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	63.86	74.00	-10.14	52.69	3	Vertical	360	1.67	86	34.00	8.06	30.89			
AV	5.4586G	53.52	54.00	-0.48	42.35	3	Vertical	360	1.67	86	34.00	8.06	30.89			
PK	5.4658G	67.63	68.20	-0.57	56.46	3	Vertical	360	1.67	86	34.00	8.06	30.89			
PK	5.5592G	120.92	Inf	-Inf	109.52	3	Vertical	360	1.67	86	34.18	8.09	30.87			
AV	5.5542G	108.20	Inf	-Inf	96.79	3	Vertical	360	1.67	86	34.19	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 86
86
1.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	63.62	74.00	-10.38	52.45	3	Horizontal	359	1.74	86	34.00	8.06	30.89			
AV	5.4574G	52.94	54.00	-1.06	41.77	3	Horizontal	359	1.74	86	34.00	8.06	30.89			
PK	5.4674G	65.36	68.20	-2.84	54.19	3	Horizontal	359	1.74	86	34.00	8.06	30.89			
PK	5.5562G	121.52	Inf	-Inf	110.11	3	Horizontal	359	1.74	86	34.19	8.09	30.87			
AV	5.5532G	108.95	Inf	-Inf	97.54	3	Horizontal	359	1.74	86	34.19	8.09	30.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 71
60\71
2.96\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6694G	115.00	Inf	-Inf	103.77	3	Vertical	358	1.63	71	33.90	8.18	30.85			
AV	5.664G	103.89	Inf	-Inf	92.67	3	Vertical	358	1.63	71	33.90	8.17	30.85			
PK	5.7258G	67.73	68.20	-0.47	56.43	3	Vertical	358	1.63	71	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 68
71\69\68
-0.36\ -2.28\ 0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6736G	115.04	Inf	-Inf	103.81	3	Horizontal	359	1.87	68	33.90	8.18	30.85			
AV	5.6637G	103.69	Inf	-Inf	92.47	3	Horizontal	359	1.87	68	33.90	8.17	30.85			
PK	5.7252G	67.68	68.20	-0.52	56.38	3	Horizontal	359	1.87	68	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 100
60\84\101\93\97\99\100
6.16\4.27\~3.85\3.05\3.81\2.37\1.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4514G	61.11	74.00	-12.89	49.94	3	Vertical	360	1.62	100	34.00	8.06	30.89					
AV	5.41G	50.18	54.00	-3.82	38.96	3	Vertical	360	1.62	100	34.08	8.04	30.90					
PK	5.4658G	60.88	68.20	-7.32	49.71	3	Vertical	360	1.62	100	34.00	8.06	30.89					
PK	5.701G	121.90	Inf	-Inf	110.63	3	Vertical	360	1.62	100	33.90	8.21	30.84					
AV	5.707G	110.96	Inf	-Inf	99.68	3	Vertical	360	1.62	100	33.90	8.22	30.84					
PK	5.8714G	66.87	68.20	-1.33	55.28	3	Vertical	360	1.62	100	33.99	8.41	30.81					

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 100
100
3.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4232G	60.71	74.00	-13.29	49.51	3	Horizontal	360	1.74	100	34.05	8.05	30.90			
AV	5.4142G	50.86	54.00	-3.14	39.65	3	Horizontal	360	1.74	100	34.07	8.04	30.90			
PK	5.4694G	59.94	68.20	-8.26	48.77	3	Horizontal	360	1.74	100	34.00	8.06	30.89			
PK	5.716G	122.07	Inf	-Inf	110.78	3	Horizontal	360	1.74	100	33.90	8.23	30.84			
AV	5.716G	111.52	Inf	-Inf	100.23	3	Horizontal	360	1.74	100	33.90	8.23	30.84			
PK	5.851G	64.16	68.20	-4.04	52.69	3	Horizontal	360	1.74	100	33.90	8.39	30.82			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 91
60\85\97\91
6.44\3.98\ -12.37\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4592G	50.19	54.00	-3.81	39.02	3	Vertical	358	1.72	91	34.00	8.06	30.89			
PK	5.6464G	67.89	68.20	-0.31	56.68	3	Vertical	358	1.72	91	33.91	8.15	30.85			
PK	5.7718G	120.87	Inf	-Inf	109.51	3	Vertical	358	1.72	91	33.90	8.29	30.83			
AV	5.7574G	109.88	Inf	-Inf	98.54	3	Vertical	358	1.72	91	33.90	8.27	30.83			
PK	5.9992G	59.90	68.20	-8.30	47.81	3	Vertical	358	1.72	91	34.30	8.58	30.79			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 91
91
1.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4586G	50.50	54.00	-3.50	39.33	3	Horizontal	359	1.80	91	34.00	8.06	30.89			
PK	5.6488G	66.52	68.20	-1.68	55.32	3	Horizontal	359	1.80	91	33.90	8.15	30.85			
PK	5.7532G	121.06	Inf	-Inf	109.72	3	Horizontal	359	1.80	91	33.90	8.27	30.83			
AV	5.761G	110.26	Inf	-Inf	98.91	3	Horizontal	359	1.80	91	33.90	8.28	30.83			
PK	6.007G	59.50	68.20	-8.70	47.41	3	Horizontal	359	1.80	91	34.31	8.57	30.79			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 94
60\96\78\87\91\93\94
9.07\ -1.78\7.42\6.37\5.94\4.40\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6348G	67.81	68.20	-0.39	56.57	3	Vertical	358	1.64	94	33.96	8.14	30.86				
PK	5.7902G	121.41	Inf	-Inf	110.03	3	Vertical	358	1.64	94	33.90	8.31	30.83				
AV	5.792G	111.13	Inf	-Inf	99.75	3	Vertical	358	1.64	94	33.90	8.31	30.83				
PK	6.089G	59.64	68.20	-8.56	47.59	3	Vertical	358	1.64	94	34.40	8.48	30.83				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 94
94
5.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6234G	63.02	68.20	-5.18	51.74	3	Horizontal	1	1.80	94	34.01	8.13	30.86			
PK	5.7962G	122.15	Inf	-Inf	110.76	3	Horizontal	1	1.80	94	33.90	8.32	30.83			
AV	5.7806G	111.14	Inf	-Inf	99.77	3	Horizontal	1	1.80	94	33.90	8.30	30.83			
PK	6.0446G	58.90	68.20	-9.30	46.79	3	Horizontal	1	1.80	94	34.39	8.53	30.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 64
60\68\64
2.17\1.65\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1495G	64.62	74.00	-9.38	54.18	3	Vertical	360	1.68	64	33.70	7.70	30.96					
AV	5.147G	53.54	54.00	-0.46	43.11	3	Vertical	360	1.68	64	33.69	7.70	30.96					
PK	5.2145G	112.77	Inf	-Inf	102.16	3	Vertical	360	1.68	64	33.80	7.75	30.94					
AV	5.224G	101.42	Inf	-Inf	90.79	3	Vertical	360	1.68	64	33.80	7.77	30.94					
PK	5.3735G	60.29	74.00	-13.71	49.21	3	Vertical	360	1.68	64	33.99	8.00	30.91					
AV	5.352G	50.47	54.00	-3.53	39.50	3	Vertical	360	1.68	64	33.91	7.97	30.91					

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 61
64\58\61
-1.35\1.14\0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1475G	64.35	74.00	-9.65	53.92	3	Horizontal	360	1.77	61	33.69	7.70	30.96			
AV	5.1495G	53.90	54.00	-0.10	43.46	3	Horizontal	360	1.77	61	33.70	7.70	30.96			
PK	5.235G	113.07	Inf	-Inf	102.43	3	Horizontal	360	1.77	61	33.80	7.78	30.94			
AV	5.2005G	101.31	Inf	-Inf	90.73	3	Horizontal	360	1.77	61	33.80	7.73	30.95			
PK	5.3575G	60.63	74.00	-13.37	49.64	3	Horizontal	360	1.77	61	33.93	7.97	30.91			
AV	5.359G	49.99	54.00	-4.01	38.98	3	Horizontal	360	1.77	61	33.94	7.98	30.91			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 60
60
0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1435G	58.16	74.00	-15.84	47.76	3	Vertical	359	1.64	60	33.67	7.69	30.96				
AV	5.149G	48.38	54.00	-5.62	37.94	3	Vertical	359	1.64	60	33.70	7.70	30.96				
PK	5.2745G	110.54	Inf	-Inf	99.82	3	Vertical	359	1.64	60	33.80	7.85	30.93				
AV	5.3015G	98.35	Inf	-Inf	87.58	3	Vertical	359	1.64	60	33.80	7.89	30.92				
PK	5.35G	64.17	74.00	-9.83	53.22	3	Vertical	359	1.64	60	33.90	7.96	30.91				
AV	5.35G	53.66	54.00	-0.34	42.71	3	Vertical	359	1.64	60	33.90	7.96	30.91				
PK	5.4655G	58.77	68.20	-9.43	47.60	3	Vertical	359	1.64	60	34.00	8.06	30.89				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 58
60\56\58
-0.90\0.74\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.112G	58.17	74.00	-15.83	47.92	3	Horizontal	360	1.83	58	33.55	7.67	30.97			
AV	5.1485G	48.29	54.00	-5.71	37.86	3	Horizontal	360	1.83	58	33.69	7.70	30.96			
PK	5.2705G	111.68	Inf	-Inf	100.97	3	Horizontal	360	1.83	58	33.80	7.84	30.93			
AV	5.2605G	100.14	Inf	-Inf	89.45	3	Horizontal	360	1.83	58	33.80	7.82	30.93			
PK	5.35G	63.65	74.00	-10.35	52.70	3	Horizontal	360	1.83	58	33.90	7.96	30.91			
AV	5.35G	53.62	54.00	-0.38	42.67	3	Horizontal	360	1.83	58	33.90	7.96	30.91			
PK	5.516G	59.29	68.20	-8.91	48.04	3	Horizontal	360	1.83	58	34.06	8.07	30.88			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 73
60\77\69\73
4.27\0.77\1.54\0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.331G	59.74	68.20	-8.46	48.87	3	Vertical	360	1.56	73	33.86	7.93	30.92			
AV	5.35G	48.54	54.00	-5.46	37.59	3	Vertical	360	1.56	73	33.90	7.96	30.91			
PK	5.459G	63.55	74.00	-10.45	52.38	3	Vertical	360	1.56	73	34.00	8.06	30.89			
AV	5.4595G	53.79	54.00	-0.21	42.62	3	Vertical	360	1.56	73	34.00	8.06	30.89			
PK	5.4695G	64.85	68.20	-3.35	53.68	3	Vertical	360	1.56	73	34.00	8.06	30.89			
PK	5.5245G	112.60	Inf	-Inf	101.30	3	Vertical	360	1.56	73	34.10	8.08	30.88			
AV	5.544G	102.02	Inf	-Inf	90.63	3	Vertical	360	1.56	73	34.18	8.08	30.87			
PK	5.755G	59.46	68.20	-8.74	48.12	3	Vertical	360	1.56	73	33.90	8.27	30.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 68
73\66\69\68
-1.70\0.93\0.01\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	59.84	68.20	-8.36	48.90	3	Horizontal	360	1.64	68	33.89	7.96	30.91			
AV	5.35G	48.94	54.00	-5.06	37.99	3	Horizontal	360	1.64	68	33.90	7.96	30.91			
PK	5.457G	63.70	74.00	-10.30	52.53	3	Horizontal	360	1.64	68	34.00	8.06	30.89			
AV	5.4595G	53.68	54.00	-0.32	42.51	3	Horizontal	360	1.64	68	34.00	8.06	30.89			
PK	5.47G	64.86	68.20	-3.34	53.69	3	Horizontal	360	1.64	68	34.00	8.06	30.89			
PK	5.5355G	113.40	Inf	-Inf	102.05	3	Horizontal	360	1.64	68	34.14	8.08	30.87			
AV	5.5355G	102.14	Inf	-Inf	90.79	3	Horizontal	360	1.64	68	34.14	8.08	30.87			
PK	5.7605G	58.77	68.20	-9.43	47.42	3	Horizontal	360	1.64	68	33.90	8.28	30.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 84
60\80\90\85\83\84
5.11\2.68\ -4.02\ -0.74\0.97\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	63.64	74.00	-10.36	52.47	3	Vertical	359	1.64	84	34.00	8.06	30.89			
AV	5.456G	52.62	54.00	-1.38	41.45	3	Vertical	359	1.64	84	34.00	8.06	30.89			
PK	5.47G	65.83	68.20	-2.37	54.66	3	Vertical	359	1.64	84	34.00	8.06	30.89			
PK	5.622G	116.64	Inf	-Inf	105.37	3	Vertical	359	1.64	84	34.01	8.12	30.86			
AV	5.6195G	104.75	Inf	-Inf	93.47	3	Vertical	359	1.64	84	34.02	8.12	30.86			
PK	5.734G	67.82	68.20	-0.38	56.51	3	Vertical	359	1.64	84	33.90	8.25	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 82
84\81\82\83\82
-0.51\1.29\1.09\1.08\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	63.84	74.00	-10.16	52.67	3	Horizontal	360	1.80	82	34.00	8.06	30.89			
AV	5.4575G	52.88	54.00	-1.12	41.71	3	Horizontal	360	1.80	82	34.00	8.06	30.89			
PK	5.4655G	65.26	68.20	-2.94	54.09	3	Horizontal	360	1.80	82	34.00	8.06	30.89			
PK	5.5955G	117.04	Inf	-Inf	105.69	3	Horizontal	360	1.80	82	34.11	8.10	30.86			
AV	5.6185G	105.39	Inf	-Inf	94.10	3	Horizontal	360	1.80	82	34.03	8.12	30.86			
PK	5.7265G	66.44	68.20	-1.76	55.14	3	Horizontal	360	1.80	82	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 93
60\83\94\89\91\92\93
5.77\3.21\0.80\2.00\1.14\0.57\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4488G	63.82	74.00	-10.18	52.66	3	Vertical	357	1.59	93	34.00	8.05	30.89			
PK	5.468G	65.60	68.20	-2.60	54.43	3	Vertical	357	1.59	93	34.00	8.06	30.89			
AV	5.4596G	53.35	54.00	-0.65	42.18	3	Vertical	357	1.59	93	34.00	8.06	30.89			
PK	5.6822G	117.03	Inf	-Inf	105.79	3	Vertical	357	1.59	93	33.90	8.19	30.85			
AV	5.684G	106.32	Inf	-Inf	95.08	3	Vertical	357	1.59	93	33.90	8.19	30.85			
PK	5.8574G	67.15	68.20	-1.05	55.65	3	Vertical	357	1.59	93	33.93	8.39	30.82			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 93
93
0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.57	74.00	-10.43	52.40	3	Horizontal	1	1.80	93	34.00	8.06	30.89
AV	5.46G	53.54	54.00	-0.46	42.37	3	Horizontal	1	1.80	93	34.00	8.06	30.89
PK	5.4656G	66.76	68.20	-1.44	55.59	3	Horizontal	1	1.80	93	34.00	8.06	30.89
PK	5.678G	117.73	Inf	-Inf	106.49	3	Horizontal	1	1.80	93	33.90	8.19	30.85
AV	5.681G	106.82	Inf	-Inf	95.58	3	Horizontal	1	1.80	93	33.90	8.19	30.85
PK	5.8532G	67.33	68.20	-0.87	55.85	3	Horizontal	1	1.80	93	33.91	8.39	30.82

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 85
60\90\75\82\85\86\85
7.71\ -1.31\5.86\2.27\1.45\ -0.12\1.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6508G	67.52	68.79	-1.27	56.31	3	Vertical	358	1.80	85	33.90	8.16	30.85				
PK	5.7672G	116.57	Inf	-Inf	105.22	3	Vertical	358	1.80	85	33.90	8.28	30.83				
AV	5.7678G	105.49	Inf	-Inf	94.14	3	Vertical	358	1.80	85	33.90	8.28	30.83				
PK	6.0594G	59.24	68.20	-8.96	47.15	3	Vertical	358	1.80	85	34.40	8.51	30.82				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 85
85
0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6484G	67.56	68.20	-0.64	56.35	3	Horizontal	1	1.80	85	33.91	8.15	30.85				
PK	5.7714G	117.27	Inf	-Inf	105.91	3	Horizontal	1	1.80	85	33.90	8.29	30.83				
AV	5.766G	106.48	Inf	-Inf	95.13	3	Horizontal	1	1.80	85	33.90	8.28	30.83				
PK	6.042G	58.48	68.20	-9.72	46.38	3	Horizontal	1	1.80	85	34.38	8.53	30.81				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 55
60\50\55
-2.31\3.38\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1426G	63.87	74.00	-10.13	53.47	3	Vertical	358	1.65	55	33.67	7.69	30.96				
AV	5.1486G	49.79	54.00	-4.21	39.36	3	Vertical	358	1.65	55	33.69	7.70	30.96				
PK	5.1762G	106.45	Inf	-Inf	95.94	3	Vertical	358	1.65	55	33.75	7.71	30.95				
AV	5.2362G	95.62	Inf	-Inf	84.97	3	Vertical	358	1.65	55	33.80	7.79	30.94				
PK	5.3556G	68.95	74.00	-5.05	57.97	3	Vertical	358	1.65	55	33.92	7.97	30.91				
AV	5.3538G	53.54	54.00	-0.46	42.56	3	Vertical	358	1.65	55	33.92	7.97	30.91				
PK	5.475G	58.76	68.20	-9.44	47.59	3	Vertical	358	1.65	55	34.00	8.06	30.89				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 55
55
0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1498G	63.49	74.00	-10.51	53.05	3	Horizontal	359	1.80	55	33.70	7.70	30.96					
AV	5.1492G	50.77	54.00	-3.23	40.33	3	Horizontal	359	1.80	55	33.70	7.70	30.96					
PK	5.2662G	108.01	Inf	-Inf	97.31	3	Horizontal	359	1.80	55	33.80	7.83	30.93					
AV	5.2704G	97.26	Inf	-Inf	86.55	3	Horizontal	359	1.80	55	33.80	7.84	30.93					
PK	5.3562G	67.64	74.00	-6.36	56.66	3	Horizontal	359	1.80	55	33.92	7.97	30.91					
AV	5.3562G	53.57	54.00	-0.43	42.59	3	Horizontal	359	1.80	55	33.92	7.97	30.91					
PK	5.4948G	59.47	68.20	-8.73	48.28	3	Horizontal	359	1.80	55	34.00	8.07	30.88					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 63
60\72\56\64\61\62\63
3.13\ -6.56\3.49\ -0.29\2.62\1.69\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	58.62	68.20	-9.58	47.76	3	Vertical	360	1.54	63	33.85	7.93	30.92			
PK	5.4572G	65.60	74.00	-8.40	54.43	3	Vertical	360	1.54	63	34.00	8.06	30.89			
AV	5.3948G	51.74	54.00	-2.26	40.53	3	Vertical	360	1.54	63	34.08	8.03	30.90			
PK	5.4674G	67.74	68.20	-0.46	56.57	3	Vertical	360	1.54	63	34.00	8.06	30.89			
PK	5.5364G	107.99	Inf	-Inf	96.63	3	Vertical	360	1.54	63	34.15	8.08	30.87			
AV	5.6318G	96.49	Inf	-Inf	85.25	3	Vertical	360	1.54	63	33.97	8.13	30.86			
PK	5.7272G	64.59	68.20	-3.61	53.29	3	Vertical	360	1.54	63	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 61
63\54\58\60\61\62\61
-2.17\3.70\2.50\2.56\0.80\0.83\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.327G	59.74	68.20	-8.46	48.88	3	Horizontal	360	1.75	61	33.85	7.93	30.92				
PK	5.46G	65.92	74.00	-8.08	54.75	3	Horizontal	360	1.75	61	34.00	8.06	30.89				
AV	5.46G	51.51	54.00	-2.49	40.34	3	Horizontal	360	1.75	61	34.00	8.06	30.89				
PK	5.4698G	67.91	68.20	-0.29	56.74	3	Horizontal	360	1.75	61	34.00	8.06	30.89				
PK	5.5832G	108.60	Inf	-Inf	97.25	3	Horizontal	360	1.75	61	34.13	8.09	30.87				
AV	5.5382G	97.08	Inf	-Inf	85.72	3	Horizontal	360	1.75	61	34.15	8.08	30.87				
PK	5.7296G	63.51	68.20	-4.69	52.21	3	Horizontal	360	1.75	61	33.90	8.24	30.84				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70
60\70
2.74\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	66.19	74.00	-7.81	55.80	3	Vertical	359	1.62	70	33.66	7.69	30.96			
AV	5.1395G	53.73	54.00	-0.27	43.34	3	Vertical	359	1.62	70	33.66	7.69	30.96			
PK	5.1824G	120.44	Inf	-Inf	109.91	3	Vertical	359	1.62	70	33.76	7.72	30.95			
AV	5.1748G	108.60	Inf	-Inf	98.09	3	Vertical	359	1.62	70	33.75	7.71	30.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70
70
0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	66.37	74.00	-7.63	55.98	3	Horizontal	359	1.77	70	33.66	7.69	30.96			
AV	5.1399G	53.46	54.00	-0.54	43.07	3	Horizontal	359	1.77	70	33.66	7.69	30.96			
PK	5.1734G	121.86	Inf	-Inf	111.35	3	Horizontal	359	1.77	70	33.75	7.71	30.95			
AV	5.1825G	109.55	Inf	-Inf	99.01	3	Horizontal	359	1.77	70	33.77	7.72	30.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 81
60\79\88\84\82\81
4.79\1.66\ -3.80\ -1.48\ -0.16\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1464G	65.09	74.00	-8.91	54.66	3	Vertical	359	1.79	81	33.69	7.70	30.96			
AV	5.15G	53.31	54.00	-0.69	42.87	3	Vertical	359	1.79	81	33.70	7.70	30.96			
PK	5.1992G	123.18	Inf	-Inf	112.60	3	Vertical	359	1.79	81	33.80	7.73	30.95			
AV	5.203G	111.62	Inf	-Inf	101.04	3	Vertical	359	1.79	81	33.80	7.73	30.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 81
81
0.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	65.03	74.00	-8.97	54.59	3	Horizontal	360	1.78	81	33.70	7.70	30.96				
AV	5.1492G	53.03	54.00	-0.97	42.59	3	Horizontal	360	1.78	81	33.70	7.70	30.96				
PK	5.197G	123.15	Inf	-Inf	112.58	3	Horizontal	360	1.78	81	33.79	7.73	30.95				
AV	5.201G	112.16	Inf	-Inf	101.58	3	Horizontal	360	1.78	81	33.80	7.73	30.95				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 97
60\81\91\96\98\97
5.43\3.50\2.55\1.55\ -4.49\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1353G	70.56	74.00	-3.44	60.19	3	Vertical	360	1.79	97	33.64	7.69	30.96				
AV	5.15G	53.57	54.00	-0.43	43.13	3	Vertical	360	1.79	97	33.70	7.70	30.96				
PK	5.2427G	126.31	Inf	-Inf	115.65	3	Vertical	360	1.79	97	33.80	7.80	30.94				
AV	5.234G	114.64	Inf	-Inf	104.00	3	Vertical	360	1.79	97	33.80	7.78	30.94				
PK	5.3585G	70.95	74.00	-3.05	59.95	3	Vertical	360	1.79	97	33.93	7.98	30.91				
AV	5.3516G	52.86	54.00	-1.14	41.90	3	Vertical	360	1.79	97	33.91	7.96	30.91				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
 SET 97
 97
 1.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	64.09	74.00	-9.91	53.65	3	Horizontal	360	1.80	97	33.70	7.70	30.96			
AV	5.1431G	52.97	54.00	-1.03	42.57	3	Horizontal	360	1.80	97	33.67	7.69	30.96			
PK	5.2406G	126.45	Inf	-Inf	115.80	3	Horizontal	360	1.80	97	33.80	7.79	30.94			
AV	5.2487G	115.69	Inf	-Inf	105.02	3	Horizontal	360	1.80	97	33.80	7.81	30.94			
PK	5.3597G	63.45	74.00	-10.55	52.44	3	Horizontal	360	1.80	97	33.94	7.98	30.91			
AV	5.3561G	52.73	54.00	-1.27	41.75	3	Horizontal	360	1.80	97	33.92	7.97	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
 SET 99
 60\79\88\92\94\95\96\97\98\99
 4.96\3.82\2.71\2.85\2.16\2.35\1.53\1.26\0.73\0.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1466G	60.98	74.00	-13.02	50.55	3	Vertical	359	1.61	99	33.69	7.70	30.96					
AV	5.1487G	50.85	54.00	-3.15	40.42	3	Vertical	359	1.61	99	33.69	7.70	30.96					
PK	5.2639G	124.96	Inf	-Inf	114.26	3	Vertical	359	1.61	99	33.80	7.83	30.93					
AV	5.2567G	113.73	Inf	-Inf	103.04	3	Vertical	359	1.61	99	33.80	7.82	30.93					
PK	5.3509G	65.15	74.00	-8.85	54.20	3	Vertical	359	1.61	99	33.90	7.96	30.91					
AV	5.3512G	53.95	54.00	-0.05	43.00	3	Vertical	359	1.61	99	33.90	7.96	30.91					

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 99
99
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	61.45	74.00	-12.55	51.02	3	Horizontal	360	1.85	99	33.69	7.70	30.96
AV	5.1466G	51.01	54.00	-2.99	40.58	3	Horizontal	360	1.85	99	33.69	7.70	30.96
PK	5.2513G	126.03	Inf	-Inf	115.35	3	Horizontal	360	1.85	99	33.80	7.81	30.93
AV	5.2585G	115.63	Inf	-Inf	104.94	3	Horizontal	360	1.85	99	33.80	7.82	30.93
PK	5.3551G	64.00	74.00	-10.00	53.02	3	Horizontal	360	1.85	99	33.92	7.97	30.91
AV	5.3506G	53.51	54.00	-0.49	42.56	3	Horizontal	360	1.85	99	33.90	7.96	30.91

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 85
60\78\87\83\85\86\85
4.64\2.29\1.03\1.39\0.74\0.36\0.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.297G	121.44	Inf	-Inf	110.68	3	Vertical	356	1.60	85	33.80	7.88	30.92			
AV	5.2978G	110.58	Inf	-Inf	99.82	3	Vertical	356	1.60	85	33.80	7.88	30.92			
PK	5.3504G	65.75	74.00	-8.25	54.80	3	Vertical	356	1.60	85	33.90	7.96	30.91			
AV	5.3502G	53.98	54.00	-0.02	43.03	3	Vertical	356	1.60	85	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 83
85\81\83\84\83
-0.80\1.61\0.97\0.07\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2932G	123.68	Inf	-Inf	112.94	3	Horizontal	360	1.80	83	33.80	7.87	30.93			
AV	5.298G	111.63	Inf	-Inf	100.87	3	Horizontal	360	1.80	83	33.80	7.88	30.92			
PK	5.3516G	63.47	74.00	-10.53	52.51	3	Horizontal	360	1.80	83	33.91	7.96	30.91			
AV	5.3508G	53.17	54.00	-0.83	42.22	3	Horizontal	360	1.80	83	33.90	7.96	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 64
60\48\64
-2.88\4.85\2.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3224G	117.49	Inf	-Inf	106.65	3	Vertical	357	1.68	64	33.84	7.92	30.92			
AV	5.3276G	105.62	Inf	-Inf	94.75	3	Vertical	357	1.68	64	33.86	7.93	30.92			
PK	5.361G	63.62	74.00	-10.38	52.61	3	Vertical	357	1.68	64	33.94	7.98	30.91			
AV	5.3601G	51.56	54.00	-2.44	40.55	3	Vertical	357	1.68	64	33.94	7.98	30.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 64
64
1.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3271G	117.94	Inf	-Inf	107.08	3	Horizontal	357	1.75	64	33.85	7.93	30.92			
AV	5.3173G	106.46	Inf	-Inf	95.64	3	Horizontal	357	1.75	64	33.83	7.91	30.92			
PK	5.3597G	65.02	74.00	-8.98	54.01	3	Horizontal	357	1.75	64	33.94	7.98	30.91			
AV	5.3609G	52.34	54.00	-1.66	41.33	3	Horizontal	357	1.75	64	33.94	7.98	30.91			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 78
60\72\78
3.19\1.64\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4546G	72.32	74.00	-1.68	61.15	3	Vertical	1	1.57	78	34.00	8.06	30.89			
AV	5.4599G	53.57	54.00	-0.43	42.40	3	Vertical	1	1.57	78	34.00	8.06	30.89			
PK	5.4696G	65.67	68.20	-2.53	54.50	3	Vertical	1	1.57	78	34.00	8.06	30.89			
PK	5.5023G	119.49	Inf	-Inf	108.29	3	Vertical	1	1.57	78	34.01	8.07	30.88			
AV	5.4938G	107.97	Inf	-Inf	96.78	3	Vertical	1	1.57	78	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 73
78\68\73
-2.44\1.54\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4587G	65.30	74.00	-8.70	54.13	3	Horizontal	0	1.72	73	34.00	8.06	30.89			
PK	5.4601G	65.22	68.20	-2.98	54.05	3	Horizontal	0	1.72	73	34.00	8.06	30.89			
AV	5.4595G	53.53	54.00	-0.47	42.36	3	Horizontal	0	1.72	73	34.00	8.06	30.89			
PK	5.4933G	120.81	Inf	-Inf	109.62	3	Horizontal	0	1.72	73	34.00	8.07	30.88			
AV	5.4975G	108.20	Inf	-Inf	97.01	3	Horizontal	0	1.72	73	34.00	8.07	30.88			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 105
60\84\103\108\106\105
6.14\4.89\3.31\5.42\2.24\0.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4558G	61.85	74.00	-12.15	50.68	3	Vertical	1	1.73	105	34.00	8.06	30.89			
AV	5.4558G	50.34	54.00	-3.66	39.17	3	Vertical	1	1.73	105	34.00	8.06	30.89			
PK	5.469G	67.63	68.20	-0.57	56.46	3	Vertical	1	1.73	105	34.00	8.06	30.89			
PK	5.5782G	125.02	Inf	-Inf	113.66	3	Vertical	1	1.73	105	34.14	8.09	30.87			
AV	5.5812G	114.49	Inf	-Inf	103.13	3	Vertical	1	1.73	105	34.14	8.09	30.87			
PK	5.7285G	63.84	68.20	-4.36	52.54	3	Vertical	1	1.73	105	33.90	8.24	30.84			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX



EUT_Z_2TX
SET 104
105\78\97\104
-6.62\4.83\3.24\2.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4552G	63.42	74.00	-10.58	52.25	3	Horizontal	1	1.80	104	34.00	8.06	30.89			
AV	5.4525G	51.09	54.00	-2.91	39.92	3	Horizontal	1	1.80	104	34.00	8.06	30.89			
PK	5.469G	64.55	68.20	-3.65	53.38	3	Horizontal	1	1.80	104	34.00	8.06	30.89			
PK	5.5731G	126.16	Inf	-Inf	114.79	3	Horizontal	1	1.80	104	34.15	8.09	30.87			
AV	5.5761G	115.15	Inf	-Inf	103.78	3	Horizontal	1	1.80	104	34.15	8.09	30.87			
PK	5.7282G	60.18	68.20	-8.02	48.88	3	Horizontal	1	1.80	104	33.90	8.24	30.84			