


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5492G	60.18	88.20	-28.02	42.36	3	Horizontal	56	2.20	-	40.50	12.05	34.73			
RMS	14.2004G	49.33	68.20	-18.87	30.93	3	Horizontal	56	2.20	-	40.60	12.49	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.595G	45.28	74.00	-28.72	39.85	1	Vertical	238	2.22	-	37.68	16.65	48.90			
AV	21.0734G	34.38	54.00	-19.62	28.64	1	Vertical	238	2.22	-	37.75	16.86	48.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0878G	44.54	83.54	-39.00	38.81	1	Horizontal	170	2.07	-	37.72	16.87	48.86			
AV	21.1118G	34.57	63.54	-28.97	28.83	1	Horizontal	170	2.07	-	37.72	16.88	48.86			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 75
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9226G	108.29	Inf	-Inf	98.35	3	Vertical	231	1.80	-	35.04	8.30	33.40			
RMS	6.8626G	98.11	Inf	-Inf	88.64	3	Vertical	231	1.80	-	34.68	8.20	33.41			
PK	7.2586G	65.49	74.00	-8.51	53.96	3	Vertical	231	1.80	-	36.43	8.61	33.51			
AV	7.2514G	53.73	54.00	-0.27	42.24	3	Vertical	231	1.80	-	36.41	8.59	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 75
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.841G	101.09	Inf	-Inf	91.77	3	Horizontal	100	1.98	-	34.56	8.17	33.41			
RMS	6.8634G	90.94	Inf	-Inf	81.47	3	Horizontal	100	1.98	-	34.68	8.20	33.41			
PK	7.2602G	54.44	74.00	-19.56	42.90	3	Horizontal	100	1.98	-	36.44	8.61	33.51			
AV	7.2546G	44.46	54.00	-9.54	32.96	3	Horizontal	100	1.98	-	36.42	8.59	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8068G	60.57	88.20	-27.63	42.77	3	Vertical	231	1.80	-	40.30	12.21	34.71			
AV	14.1748G	49.55	68.20	-18.65	31.17	3	Vertical	231	1.80	-	40.60	12.47	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6788G	60.34	88.20	-27.86	42.77	3	Horizontal	257	2.44	-	40.16	12.13	34.72			
RMS	14.1892G	49.44	68.20	-18.76	31.05	3	Horizontal	257	2.44	-	40.60	12.48	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9822G	45.81	74.00	-28.19	40.14	1	Vertical	116	1.56	-	37.74	16.83	48.90			
AV	21.1118G	34.46	54.00	-19.54	28.72	1	Vertical	116	1.56	-	37.72	16.88	48.86			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX



EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9486G	45.81	83.54	-37.73	40.09	1	Horizontal	231	1.80	-	37.80	16.82	48.90			
AV	21.107G	34.45	63.54	-29.09	28.72	1	Horizontal	231	1.80	-	37.71	16.88	48.86			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	RMS	5.925G	68.17	68.20	-0.03	3	Vertical	337	1.79	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 101
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.94	88.20	-8.26	67.42	3	Vertical	6	1.95	-	34.20	8.48	30.16			
RMS	5.925G	67.85	68.20	-0.35	55.33	3	Vertical	6	1.95	-	34.20	8.48	30.16			
PK	5.9608G	117.62	Inf	-Inf	104.93	3	Vertical	6	1.95	-	34.30	8.53	30.14			
RMS	5.9588G	108.21	Inf	-Inf	95.52	3	Vertical	6	1.95	-	34.30	8.53	30.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 101
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	72.51	88.20	-15.69	59.99	3	Horizontal	344	1.95	-	34.20	8.48	30.16			
RMS	5.925G	60.30	68.20	-7.90	47.78	3	Horizontal	344	1.95	-	34.20	8.48	30.16			
PK	5.9596G	109.39	Inf	-Inf	96.70	3	Horizontal	344	1.95	-	34.30	8.53	30.14			
RMS	5.9574G	100.23	Inf	-Inf	87.56	3	Horizontal	344	1.95	-	34.30	8.52	30.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 88
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	76.46	88.20	-11.74	63.94	3	Vertical	116	1.64	-	34.20	8.48	30.16			
RMS	5.925G	67.54	68.20	-0.66	55.02	3	Vertical	116	1.64	-	34.20	8.48	30.16			
PK	5.9798G	113.22	Inf	-Inf	100.51	3	Vertical	116	1.64	-	34.30	8.55	30.14			
RMS	5.979G	103.59	Inf	-Inf	90.88	3	Vertical	116	1.64	-	34.30	8.55	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 88
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	69.08	88.20	-19.12	56.56	3	Horizontal	344	2.39	-	34.20	8.48	30.16			
RMS	5.925G	59.30	68.20	-8.90	46.78	3	Horizontal	344	2.39	-	34.20	8.48	30.16			
PK	5.978G	106.53	Inf	-Inf	93.82	3	Horizontal	344	2.39	-	34.30	8.55	30.14			
RMS	5.9738G	96.63	Inf	-Inf	83.92	3	Horizontal	344	2.39	-	34.30	8.55	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 92
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	78.72	88.20	-9.48	66.20	3	Vertical	110	1.50	-	34.20	8.48	30.16
RMS	5.9226G	67.67	68.20	-0.53	55.16	3	Vertical	110	1.50	-	34.19	8.48	30.16
PK	5.9966G	109.57	Inf	-Inf	96.82	3	Vertical	110	1.50	-	34.30	8.58	30.13
RMS	5.9786G	100.02	Inf	-Inf	87.31	3	Vertical	110	1.50	-	34.30	8.55	30.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 92
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	69.03	88.20	-19.17	56.51	3	Horizontal	340	2.40	-	34.20	8.48	30.16			
RMS	5.9234G	59.67	68.20	-8.53	47.16	3	Horizontal	340	2.40	-	34.19	8.48	30.16			
PK	5.9878G	102.90	Inf	-Inf	90.17	3	Horizontal	340	2.40	-	34.30	8.56	30.13			
RMS	5.9766G	93.31	Inf	-Inf	80.60	3	Horizontal	340	2.40	-	34.30	8.55	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
SET 83
91\71\90\81\85\83\84\83
-4.95\11.54\4.91\3.13\0.25\1.24\0.03\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.914G	78.92	88.20	-9.28	66.45	3	Vertical	155	1.55	83	34.16	8.47	30.16			
RMS	5.924G	67.37	68.20	-0.83	54.85	3	Vertical	155	1.55	83	34.20	8.48	30.16			
PK	6.0515G	106.11	Inf	-Inf	93.34	3	Vertical	155	1.55	83	34.40	8.52	30.15			
RMS	6.0865G	95.58	Inf	-Inf	82.86	3	Vertical	155	1.55	83	34.40	8.48	30.16			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	71.34	88.20	-16.86	58.82	3	Horizontal	344	2.39	-	34.20	8.48	30.16			
RMS	5.9245G	59.77	68.20	-8.43	47.25	3	Horizontal	344	2.39	-	34.20	8.48	30.16			
PK	5.965G	99.02	Inf	-Inf	86.33	3	Horizontal	344	2.39	-	34.30	8.53	30.14			
RMS	5.97G	88.10	Inf	-Inf	75.40	3	Horizontal	344	2.39	-	34.30	8.54	30.14			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
SET 85
108\68\107\88\79\83\85
-10.15\11.76\10.16\2.36\5.47\2.33\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	77.31	88.20	-10.89	64.79	3	Vertical	152	1.71	85	34.20	8.48	30.16
RMS	5.922G	67.81	68.20	-0.39	55.30	3	Vertical	152	1.71	85	34.19	8.48	30.16
PK	6.084G	103.26	Inf	-Inf	90.54	3	Vertical	152	1.71	85	34.40	8.48	30.16
RMS	6.082G	92.60	Inf	-Inf	79.87	3	Vertical	152	1.71	85	34.40	8.49	30.16

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	70.24	88.20	-17.96	57.72	3	Horizontal	347	2.41	-	34.20	8.48	30.16			
RMS	5.925G	60.19	68.20	-8.01	47.67	3	Horizontal	347	2.41	-	34.20	8.48	30.16			
PK	5.965G	94.73	Inf	-Inf	82.04	3	Horizontal	347	2.41	-	34.30	8.53	30.14			
RMS	6.061G	84.48	Inf	-Inf	71.72	3	Horizontal	347	2.41	-	34.40	8.51	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 91
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9241G	80.95	88.20	-7.25	68.43	3	Vertical	287	1.65	-	34.20	8.48	30.16			
RMS	5.925G	66.92	68.20	-1.28	54.40	3	Vertical	287	1.65	-	34.20	8.48	30.16			
PK	5.9628G	119.88	Inf	-Inf	107.19	3	Vertical	287	1.65	-	34.30	8.53	30.14			
RMS	5.9601G	109.92	Inf	-Inf	97.23	3	Vertical	287	1.65	-	34.30	8.53	30.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 91
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	69.43	88.20	-18.77	56.91	3	Horizontal	342	2.44	-	34.20	8.48	30.16			
RMS	5.925G	57.88	68.20	-10.32	45.36	3	Horizontal	342	2.44	-	34.20	8.48	30.16			
PK	5.9604G	110.34	Inf	-Inf	97.65	3	Horizontal	342	2.44	-	34.30	8.53	30.14			
RMS	5.9601G	101.54	Inf	-Inf	88.85	3	Horizontal	342	2.44	-	34.30	8.53	30.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89782G	47.02	74.00	-26.98	61.56	3	Vertical	195	2.90	-	39.39	12.62	66.55			
AV	11.90394G	36.92	54.00	-17.08	51.48	3	Vertical	195	2.90	-	39.38	12.62	66.56			
PK	17.86491G	54.91	74.00	-19.09	57.93	3	Vertical	225	1.80	-	45.92	14.95	63.89			
AV	17.86467G	44.31	54.00	-9.69	47.33	3	Vertical	225	1.80	-	45.92	14.95	63.89			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 108
02-D-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91633G	47.25	74.00	-26.75	61.85	3	Horizontal	230	1.88	-	39.33	12.63	66.56				
AV	11.91558G	36.08	54.00	-17.92	50.67	3	Horizontal	230	1.88	-	39.34	12.63	66.56				
PK	17.85645G	55.40	74.00	-18.60	58.51	3	Horizontal	226	2.95	-	45.85	14.94	63.90				
AV	17.87646G	44.71	54.00	-9.29	47.62	3	Horizontal	226	2.95	-	46.01	14.95	63.87				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81444G	63.27	83.54	-20.27	54.16	1	Vertical	213	1.81	-	38.90	18.11	47.90			
AV	23.81968G	52.45	63.54	-11.09	43.33	1	Vertical	213	1.81	-	38.90	18.12	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 108
02-D-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81474G	63.51	83.54	-20.03	54.40	1	Horizontal	201	1.57	-	38.90	18.11	47.90			
AV	23.82288G	52.52	63.54	-11.02	43.40	1	Horizontal	201	1.57	-	38.90	18.12	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4116G	58.79	74.00	-15.21	39.35	3	Vertical	212	2.36	-	38.68	12.80	32.04			
AV	12.38245G	47.82	54.00	-6.18	28.39	3	Vertical	212	2.36	-	38.70	12.79	32.06			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.365G	57.84	74.00	-16.16	38.43	3	Horizontal	327	1.80	-	38.70	12.78	32.07			
AV	12.37715G	48.11	54.00	-5.89	28.68	3	Horizontal	327	1.80	-	38.70	12.79	32.06			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5887G	57.47	83.54	-26.07	52.73	1	Vertical	173	1.80	-	37.65	15.74	48.65			
AV	18.57915G	46.73	63.54	-16.81	42.02	1	Vertical	173	1.80	-	37.62	15.74	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58265G	57.46	83.54	-26.08	52.74	1	Horizontal	276	1.70	-	37.63	15.74	48.65			
AV	18.58795G	46.93	63.54	-16.61	42.19	1	Horizontal	276	1.70	-	37.65	15.74	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84995G	59.20	88.20	-29.00	39.28	3	Vertical	318	1.83	-	39.10	12.93	32.11			
RMS	12.82735G	48.69	68.20	-19.51	28.82	3	Vertical	318	1.83	-	39.05	12.92	32.10			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8184G	58.45	88.20	-29.75	38.58	3	Horizontal	53	1.65	-	39.04	12.92	32.09			
RMS	12.8302G	48.21	68.20	-19.99	28.33	3	Horizontal	53	1.65	-	39.06	12.92	32.10			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24155G	57.66	83.54	-25.88	52.62	1	Vertical	216	1.65	-	37.85	16.04	48.85			
AV	19.2443G	47.54	63.54	-16.00	42.47	1	Vertical	216	1.65	-	37.87	16.05	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2267G	57.34	83.54	-26.20	52.39	1	Horizontal	326	1.53	-	37.76	16.04	48.85			
AV	19.24695G	46.39	63.54	-17.15	41.31	1	Horizontal	326	1.53	-	37.88	16.05	48.85			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09275G	60.74	88.20	-27.46	40.16	3	Vertical	33	1.49	-	39.66	13.00	32.08			
RMS	13.0938G	49.38	68.20	-18.82	28.80	3	Vertical	33	1.49	-	39.66	13.00	32.08			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05305G	59.35	88.20	-28.85	39.05	3	Horizontal	107	1.69	-	39.42	12.99	32.11			
RMS	13.0707G	48.88	68.20	-19.32	28.46	3	Horizontal	107	1.69	-	39.52	13.00	32.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6046G	57.72	83.54	-25.82	52.77	1	Vertical	200	1.80	-	37.59	16.20	48.84			
AV	19.60215G	47.49	63.54	-16.05	42.53	1	Vertical	200	1.80	-	37.60	16.20	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6044G	57.73	83.54	-25.81	52.78	1	Horizontal	132	1.50	-	37.59	16.20	48.84			
AV	19.6045G	47.00	63.54	-16.54	42.05	1	Horizontal	132	1.50	-	37.59	16.20	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3936G	56.08	74.00	-17.92	68.38	3	Vertical	176	1.43	-	40.19	13.10	65.59			
AV	13.3882G	46.03	54.00	-7.97	58.35	3	Vertical	176	1.43	-	40.18	13.09	65.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39828G	56.81	74.00	-17.19	69.10	3	Horizontal	185	1.96	-	40.20	13.10	65.59			
AV	13.39366G	46.23	54.00	-7.77	58.53	3	Horizontal	185	1.96	-	40.19	13.10	65.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0905G	57.56	83.54	-25.98	52.85	1	Vertical	272	1.82	-	37.28	16.41	48.98			
AV	20.078G	47.33	63.54	-16.21	42.64	1	Vertical	272	1.82	-	37.26	16.41	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0875G	55.87	83.54	-27.67	51.17	1	Horizontal	358	1.33	-	37.27	16.41	48.98			
AV	20.08795G	45.67	63.54	-17.87	40.96	1	Horizontal	358	1.33	-	37.28	16.41	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70931G	56.50	88.20	-31.70	67.89	3	Vertical	178	1.44	-	40.82	13.19	65.40			
RMS	13.7121G	46.55	68.20	-21.65	57.94	3	Vertical	178	1.44	-	40.82	13.19	65.40			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72161G	57.05	88.20	-31.15	68.41	3	Horizontal	187	1.49	-	40.84	13.20	65.40			
RMS	13.7061G	47.17	68.20	-21.03	58.58	3	Horizontal	187	1.49	-	40.81	13.19	65.41			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5702G	69.68	83.54	-13.86	64.36	1	Vertical	280	1.72	-	37.58	16.64	48.90			
AV	20.5703G	58.94	63.54	-4.60	53.62	1	Vertical	280	1.72	-	37.58	16.64	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57475G	67.86	83.54	-15.68	62.52	1	Horizontal	156	1.81	-	37.60	16.64	48.90			
AV	20.57245G	56.94	63.54	-6.60	51.61	1	Horizontal	156	1.81	-	37.59	16.64	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73557G	56.45	88.20	-31.75	67.77	3	Vertical	5	1.32	-	40.87	13.20	65.39			
RMS	13.74277G	45.91	68.20	-22.29	57.20	3	Vertical	5	1.32	-	40.89	13.20	65.38			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75453G	56.51	88.20	-31.69	67.78	3	Horizontal	118	1.36	-	40.90	13.21	65.38			
RMS	13.7371G	46.09	68.20	-22.11	57.41	3	Horizontal	118	1.36	-	40.87	13.20	65.39			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61925G	68.59	83.54	-14.95	63.17	1	Vertical	279	1.72	-	37.66	16.66	48.90			
AV	20.62665G	57.79	63.54	-5.75	52.38	1	Vertical	279	1.72	-	37.65	16.66	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Z_2TX
Setting 108
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62465G	67.86	83.54	-15.68	62.45	1	Horizontal	43	1.54	-	37.65	16.66	48.90			
AV	20.62475G	57.38	63.54	-6.16	51.97	1	Horizontal	43	1.54	-	37.65	16.66	48.90			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 82
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	80.53	88.20	-7.67	68.01	3	Vertical	295	1.69	-	34.20	8.48	30.16			
RMS	5.9245G	67.28	68.20	-0.92	54.76	3	Vertical	295	1.69	-	34.20	8.48	30.16			
PK	5.9695G	116.26	Inf	-Inf	103.56	3	Vertical	295	1.69	-	34.30	8.54	30.14			
RMS	5.9692G	105.13	Inf	-Inf	92.43	3	Vertical	295	1.69	-	34.30	8.54	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 82
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9227G	68.12	88.20	-20.08	55.61	3	Horizontal	341	2.42	-	34.19	8.48	30.16			
RMS	5.925G	56.85	68.20	-11.35	44.33	3	Horizontal	341	2.42	-	34.20	8.48	30.16			
PK	5.9749G	107.40	Inf	-Inf	94.69	3	Horizontal	341	2.42	-	34.30	8.55	30.14			
RMS	5.9701G	96.99	Inf	-Inf	84.29	3	Horizontal	341	2.42	-	34.30	8.54	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 87
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9246G	78.24	88.20	-9.96	65.72	3	Vertical	302	2.99	-	34.20	8.48	30.16			
RMS	5.925G	66.71	68.20	-1.49	54.19	3	Vertical	302	2.99	-	34.20	8.48	30.16			
PK	5.9894G	113.69	Inf	-Inf	100.95	3	Vertical	302	2.99	-	34.30	8.57	30.13			
RMS	5.9946G	103.06	Inf	-Inf	90.32	3	Vertical	302	2.99	-	34.30	8.57	30.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 87
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	69.67	88.20	-18.53	57.15	3	Horizontal	340	2.41	-	34.20	8.48	30.16			
RMS	5.925G	58.58	68.20	-9.62	46.06	3	Horizontal	340	2.41	-	34.20	8.48	30.16			
PK	5.9898G	104.70	Inf	-Inf	91.96	3	Horizontal	340	2.41	-	34.30	8.57	30.13			
RMS	5.9798G	94.37	Inf	-Inf	81.66	3	Horizontal	340	2.41	-	34.30	8.55	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 80
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.19	88.20	-8.01	67.67	3	Vertical	337	1.79	-	34.20	8.48	30.16			
RMS	5.925G	68.17	68.20	-0.03	55.65	3	Vertical	337	1.79	-	34.20	8.48	30.16			
PK	6.0402G	110.48	Inf	-Inf	97.72	3	Vertical	337	1.79	-	34.38	8.53	30.15			
RMS	6.0498G	100.72	Inf	-Inf	87.95	3	Vertical	337	1.79	-	34.40	8.52	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 80
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	72.14	88.20	-16.06	59.62	3	Horizontal	339	2.27	-	34.20	8.48	30.16			
RMS	5.925G	61.15	68.20	-7.05	48.63	3	Horizontal	339	2.27	-	34.20	8.48	30.16			
PK	6.0538G	100.18	Inf	-Inf	87.41	3	Horizontal	339	2.27	-	34.40	8.52	30.15			
RMS	6.0546G	90.03	Inf	-Inf	77.26	3	Horizontal	339	2.27	-	34.40	8.52	30.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 80
02-D-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	79.54	88.20	-8.66	67.02	3	Vertical	318	2.91	-	34.20	8.48	30.16			
RMS	5.925G	67.41	68.20	-0.79	54.89	3	Vertical	318	2.91	-	34.20	8.48	30.16			
PK	6.2142G	106.72	Inf	-Inf	94.07	3	Vertical	318	2.91	-	34.50	8.37	30.22			
RMS	6.0942G	96.95	Inf	-Inf	84.25	3	Vertical	318	2.91	-	34.40	8.47	30.17			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 80
02-D-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	70.46	88.20	-17.74	57.94	3	Horizontal	343	2.45	-	34.20	8.48	30.16			
RMS	5.925G	59.85	68.20	-8.35	47.33	3	Horizontal	343	2.45	-	34.20	8.48	30.16			
PK	6.0522G	97.39	Inf	-Inf	84.62	3	Horizontal	343	2.45	-	34.40	8.52	30.15			
RMS	6.0546G	86.50	Inf	-Inf	73.73	3	Horizontal	343	2.45	-	34.40	8.52	30.15			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 91
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	81.89	88.20	-6.31	69.45	3	Vertical	291	1.76	-	34.14	8.46	30.16			
RMS	5.9244G	67.49	68.20	-0.71	54.97	3	Vertical	291	1.76	-	34.20	8.48	30.16			
PK	5.96G	119.03	Inf	-Inf	106.34	3	Vertical	291	1.76	-	34.30	8.53	30.14			
RMS	5.96G	108.85	Inf	-Inf	96.16	3	Vertical	291	1.76	-	34.30	8.53	30.14			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 91
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9096G	70.31	88.20	-17.89	57.87	3	Horizontal	344	2.40	-	34.14	8.46	30.16			
RMS	5.9238G	56.54	68.20	-11.66	44.02	3	Horizontal	344	2.40	-	34.20	8.48	30.16			
PK	5.9592G	108.68	Inf	-Inf	95.99	3	Horizontal	344	2.40	-	34.30	8.53	30.14			
RMS	5.9602G	99.85	Inf	-Inf	87.16	3	Horizontal	344	2.40	-	34.30	8.53	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 83
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	78.43	88.20	-9.77	65.91	3	Vertical	294	2.04	-	34.20	8.48	30.16			
RMS	5.925G	67.30	68.20	-0.90	54.78	3	Vertical	294	2.04	-	34.20	8.48	30.16			
PK	5.972G	113.40	Inf	-Inf	100.70	3	Vertical	294	2.04	-	34.30	8.54	30.14			
RMS	5.9702G	104.26	Inf	-Inf	91.56	3	Vertical	294	2.04	-	34.30	8.54	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 83
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	68.08	88.20	-20.12	55.56	3	Horizontal	345	2.38	-	34.20	8.48	30.16			
RMS	5.9248G	56.85	68.20	-11.35	44.33	3	Horizontal	345	2.38	-	34.20	8.48	30.16			
PK	5.9692G	105.40	Inf	-Inf	92.70	3	Horizontal	345	2.38	-	34.30	8.54	30.14			
RMS	5.9802G	95.79	Inf	-Inf	83.08	3	Horizontal	345	2.38	-	34.30	8.55	30.14			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 88
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	77.85	88.20	-10.35	65.33	3	Vertical	296	1.80	-	34.20	8.48	30.16			
RMS	5.925G	67.53	68.20	-0.67	55.01	3	Vertical	296	1.80	-	34.20	8.48	30.16			
PK	5.9942G	111.19	Inf	-Inf	98.45	3	Vertical	296	1.80	-	34.30	8.57	30.13			
RMS	5.9942G	101.39	Inf	-Inf	88.65	3	Vertical	296	1.80	-	34.30	8.57	30.13			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 88
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	68.65	88.20	-19.55	56.14	3	Horizontal	347	2.22	-	34.19	8.48	30.16			
RMS	5.925G	58.28	68.20	-9.92	45.76	3	Horizontal	347	2.22	-	34.20	8.48	30.16			
PK	5.9774G	102.22	Inf	-Inf	89.51	3	Horizontal	347	2.22	-	34.30	8.55	30.14			
RMS	5.9798G	93.30	Inf	-Inf	80.59	3	Horizontal	347	2.22	-	34.30	8.55	30.14			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
02-D-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	79.73	88.20	-8.47	67.23	3	Vertical	289	1.80	-	34.18	8.48	30.16			
RMS	5.925G	67.94	68.20	-0.26	55.42	3	Vertical	289	1.80	-	34.20	8.48	30.16			
PK	6.0465G	107.61	Inf	-Inf	94.84	3	Vertical	289	1.80	-	34.39	8.53	30.15			
RMS	6.0505G	98.22	Inf	-Inf	85.45	3	Vertical	289	1.80	-	34.40	8.52	30.15			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
02-D-V-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	70.83	88.20	-17.37	58.31	3	Horizontal	348	2.27	-	34.20	8.48	30.16			
RMS	5.925G	60.21	68.20	-7.99	47.69	3	Horizontal	348	2.27	-	34.20	8.48	30.16			
PK	5.968G	97.60	Inf	-Inf	84.90	3	Horizontal	348	2.27	-	34.30	8.54	30.14			
RMS	6.05G	89.02	Inf	-Inf	76.25	3	Horizontal	348	2.27	-	34.40	8.52	30.15			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 85
03-C-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.51	88.20	-10.69	70.20	3	Vertical	284	1.80	-	34.65	7.52	34.86			
RMS	5.9208G	68.11	68.20	-0.09	60.81	3	Vertical	284	1.80	-	34.64	7.52	34.86			
PK	6.0564G	105.44	Inf	-Inf	97.72	3	Vertical	284	1.80	-	35.01	7.59	34.88			
RMS	6.066G	95.14	Inf	-Inf	87.39	3	Vertical	284	1.80	-	35.03	7.60	34.88			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 85
03-C-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	69.12	88.20	-19.08	61.82	3	Horizontal	338	2.22	-	34.64	7.52	34.86			
RMS	5.916G	58.79	68.20	-9.41	51.50	3	Horizontal	338	2.22	-	34.63	7.52	34.86			
PK	6.0042G	93.72	Inf	-Inf	86.25	3	Horizontal	338	2.22	-	34.82	7.53	34.88			
RMS	6.0822G	83.99	Inf	-Inf	76.19	3	Horizontal	338	2.22	-	35.06	7.62	34.88			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6425MHz_TX



EUT_Z_2TX
Setting 108
03-C-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.389G	3.03	5.00	-1.97	-16.44	3	Vertical	168	2.11	RBW 1MH	-11.50	7.92	35.10			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX	Pass	RMS	5.9234G	68.11	68.20	-0.09	3	Vertical	230	1.96	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX

EUT_Y_2TX
Setting 79
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	80.97	88.20	-7.23	74.91	3	Vertical	232	1.98	-	32.25	7.57	33.76			
RMS	5.9234G	67.27	68.20	-0.93	61.21	3	Vertical	232	1.98	-	32.25	7.57	33.76			
PK	6.0034G	112.48	Inf	-Inf	106.11	3	Vertical	232	1.98	-	32.41	7.71	33.75			
RMS	5.9958G	102.13	Inf	-Inf	95.79	3	Vertical	232	1.98	-	32.39	7.70	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Y_2TX
Setting 79
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	74.72	88.20	-13.48	68.66	3	Horizontal	55	2.14	-	32.25	7.57	33.76			
RMS	5.9246G	61.00	68.20	-7.20	54.94	3	Horizontal	55	2.14	-	32.25	7.57	33.76			
PK	5.9946G	105.53	Inf	-Inf	99.19	3	Horizontal	55	2.14	-	32.39	7.70	33.75			
RMS	5.9998G	95.63	Inf	-Inf	89.27	3	Horizontal	55	2.14	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9625G	56.91	74.00	-17.09	41.64	3	Vertical	32	1.88	-	38.85	11.08	34.66			
AV	11.95566G	45.18	54.00	-8.82	29.94	3	Vertical	32	1.88	-	38.82	11.08	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97288G	57.32	74.00	-16.68	42.01	3	Horizontal	298	2.20	-	38.89	11.08	34.66			
AV	11.95644G	45.25	54.00	-8.75	30.00	3	Horizontal	298	2.20	-	38.83	11.08	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.9658G	45.83	74.00	-28.17	41.38	1	Vertical	89	2.10	-	37.33	15.43	48.31			
AV	17.96574G	34.40	54.00	-19.60	29.95	1	Vertical	89	2.10	-	37.33	15.43	48.31			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95824G	46.01	74.00	-27.99	41.57	1	Horizontal	217	1.05	-	37.31	15.42	48.29			
AV	17.96688G	34.35	54.00	-19.65	29.90	1	Horizontal	217	1.05	-	37.33	15.43	48.31			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 77
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.053G	114.53	Inf	-Inf	103.90	3	Vertical	268	2.01	-	35.62	8.43	33.42				
RMS	7.0154G	104.39	Inf	-Inf	93.99	3	Vertical	268	2.01	-	35.39	8.42	33.41				
PK	7.1258G	80.95	88.20	-7.25	69.87	3	Vertical	268	2.01	-	36.10	8.44	33.46				
RMS	7.125G	67.45	68.20	-0.75	56.36	3	Vertical	268	2.01	-	36.10	8.44	33.45				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Y_2TX
Setting 77
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.009G	107.04	Inf	-Inf	96.67	3	Horizontal	98	1.80	-	35.35	8.42	33.40			
RMS	7.0142G	96.82	Inf	-Inf	86.42	3	Horizontal	98	1.80	-	35.39	8.42	33.41			
PK	7.1274G	71.31	88.20	-16.89	60.22	3	Horizontal	98	1.80	-	36.11	8.44	33.46			
RMS	7.127G	58.88	68.20	-9.32	47.79	3	Horizontal	98	1.80	-	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04964G	59.84	88.20	-28.36	41.47	3	Vertical	214	2.55	-	40.70	12.37	34.70			
RMS	14.06056G	48.12	68.20	-20.08	29.72	3	Vertical	214	2.55	-	40.72	12.38	34.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04034G	59.23	88.20	-28.97	40.91	3	Horizontal	42	2.88	-	40.66	12.36	34.70			
RMS	14.06164G	48.20	68.20	-20.00	29.80	3	Horizontal	42	2.88	-	40.72	12.38	34.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


7025MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07692G	44.80	74.00	-29.20	39.05	1	Vertical	135	2.04	-	37.75	16.87	48.87			
AV	21.08568G	33.55	54.00	-20.45	27.82	1	Vertical	135	2.04	-	37.73	16.87	48.87			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08364G	45.63	74.00	-28.37	39.90	1	Horizontal	96	1.83	-	37.73	16.87	48.87			
AV	21.07452G	33.55	54.00	-20.45	27.80	1	Horizontal	96	1.83	-	37.75	16.87	48.87			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_Z_2TX
Setting 82
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	79.08	88.20	-9.12	73.03	3	Vertical	297	2.04	-	32.24	7.57	33.76			
RMS	5.921G	67.90	68.20	-0.30	61.85	3	Vertical	297	2.04	-	32.24	7.57	33.76			
PK	6.0826G	109.45	Inf	-Inf	102.99	3	Vertical	297	2.04	-	32.50	7.66	33.70			
RMS	6.0874G	99.02	Inf	-Inf	92.56	3	Vertical	297	2.04	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_Z_2TX
Setting 82
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	72.89	88.20	-15.31	66.83	3	Horizontal	55	2.08	-	32.25	7.57	33.76			
RMS	5.9218G	61.82	68.20	-6.38	55.77	3	Horizontal	55	2.08	-	32.24	7.57	33.76			
PK	6.0746G	102.96	Inf	-Inf	96.50	3	Horizontal	55	2.08	-	32.50	7.66	33.70			
RMS	6.0874G	93.41	Inf	-Inf	86.95	3	Horizontal	55	2.08	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.03788G	59.06	74.00	-14.94	43.55	3	Vertical	98	2.74	-	39.08	11.11	34.68			
AV	12.05312G	46.34	54.00	-7.66	30.80	3	Vertical	98	2.74	-	39.11	11.12	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06392G	57.68	74.00	-16.32	42.09	3	Horizontal	3	1.17	-	39.16	11.13	34.70			
AV	12.05138G	46.32	54.00	-7.68	30.78	3	Horizontal	3	1.17	-	39.11	11.12	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07014G	45.53	74.00	-28.47	41.23	1	Vertical	223	1.82	-	37.24	15.49	48.43			
AV	18.072G	33.83	54.00	-20.17	29.53	1	Vertical	223	1.82	-	37.24	15.49	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07464G	46.24	74.00	-27.76	41.92	1	Horizontal	189	2.82	-	37.25	15.50	48.43			
AV	18.06942G	33.77	54.00	-20.23	29.47	1	Horizontal	189	2.82	-	37.24	15.49	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX


6025MHz_TX

EUT_Z_2TX
Setting 80
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	79.45	88.20	-8.75	73.41	3	Vertical	298	2.08	-	32.24	7.56	33.76			
RMS	5.9234G	67.76	68.20	-0.44	61.70	3	Vertical	298	2.08	-	32.25	7.57	33.76			
PK	6.0586G	109.94	Inf	-Inf	103.48	3	Vertical	298	2.08	-	32.50	7.67	33.71			
RMS	6.053G	99.43	Inf	-Inf	92.97	3	Vertical	298	2.08	-	32.50	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 80
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	72.66	88.20	-15.54	66.63	3	Horizontal	56	2.11	-	32.23	7.56	33.76			
RMS	5.925G	62.00	68.20	-6.20	55.93	3	Horizontal	56	2.11	-	32.25	7.58	33.76			
PK	6.0474G	103.71	Inf	-Inf	97.26	3	Horizontal	56	2.11	-	32.49	7.68	33.72			
RMS	6.0498G	93.77	Inf	-Inf	87.31	3	Horizontal	56	2.11	-	32.50	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.062G	57.29	74.00	-16.71	41.71	3	Vertical	40	1.91	-	39.15	11.13	34.70			
AV	12.0533G	46.61	54.00	-7.39	31.07	3	Vertical	40	1.91	-	39.11	11.12	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX


6025MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03788G	57.92	74.00	-16.08	42.41	3	Horizontal	179	2.20	-	39.08	11.11	34.68			
AV	12.05192G	46.29	54.00	-7.71	30.75	3	Horizontal	179	2.20	-	39.11	11.12	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07134G	45.99	74.00	-28.01	41.69	1	Vertical	300	1.04	-	37.24	15.49	48.43			
AV	18.07218G	33.93	54.00	-20.07	29.63	1	Vertical	300	1.04	-	37.24	15.49	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06528G	45.62	74.00	-28.38	41.33	1	Horizontal	197	2.06	-	37.23	15.49	48.43			
AV	18.07158G	33.77	54.00	-20.23	29.47	1	Horizontal	197	2.06	-	37.24	15.49	48.43			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 77
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.009G	110.36	Inf	-Inf	99.99	3	Vertical	259	2.17	-	35.35	8.42	33.40			
RMS	6.9082G	99.67	Inf	-Inf	89.86	3	Vertical	259	2.17	-	34.95	8.27	33.41			
PK	7.145G	79.27	88.20	-8.93	68.11	3	Vertical	259	2.17	-	36.18	8.44	33.46			
RMS	7.1258G	67.64	68.20	-0.56	56.56	3	Vertical	259	2.17	-	36.10	8.44	33.46			
PK	7.25G	62.10	74.00	-11.90	50.63	3	Vertical	259	2.17	-	36.40	8.58	33.51			
AV	7.253G	50.50	54.00	-3.50	39.01	3	Vertical	259	2.17	-	36.41	8.59	33.51			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 77
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.929G	108.71	Inf	-Inf	98.73	3	Horizontal	107	1.98	-	35.07	8.31	33.40
RMS	6.9082G	98.78	Inf	-Inf	88.97	3	Horizontal	107	1.98	-	34.95	8.27	33.41
PK	7.1338G	78.02	88.20	-10.18	66.90	3	Horizontal	107	1.98	-	36.14	8.44	33.46
RMS	7.1266G	66.31	68.20	-1.89	55.22	3	Horizontal	107	1.98	-	36.11	8.44	33.46
PK	7.2522G	59.98	74.00	-14.02	48.49	3	Horizontal	107	1.98	-	36.41	8.59	33.51
AV	7.2514G	48.80	54.00	-5.20	37.31	3	Horizontal	107	1.98	-	36.41	8.59	33.51

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.961G	60.47	88.20	-27.73	42.44	3	Vertical	47	1.89	-	40.42	12.31	34.70			
RMS	13.95644G	48.85	68.20	-19.35	30.84	3	Vertical	47	1.89	-	40.41	12.30	34.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96052G	60.88	88.20	-27.32	42.85	3	Horizontal	323	2.07	-	40.42	12.31	34.70			
RMS	13.95542G	48.79	68.20	-19.41	30.78	3	Horizontal	323	2.07	-	40.41	12.30	34.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96508G	45.24	74.00	-28.76	39.55	1	Vertical	310	1.96	-	37.77	16.82	48.90			
AV	20.96964G	33.46	54.00	-20.54	27.77	1	Vertical	310	1.96	-	37.76	16.83	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.96064G	44.98	74.00	-29.02	39.28	1	Horizontal	267	2.53	-	37.78	16.82	48.90			
AV	20.96496G	33.29	54.00	-20.71	27.60	1	Horizontal	267	2.53	-	37.77	16.82	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 75
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9258G	109.88	Inf	-Inf	99.93	3	Vertical	255	2.14	-	35.05	8.30	33.40
RMS	6.921G	100.26	Inf	-Inf	90.34	3	Vertical	255	2.14	-	35.03	8.29	33.40
PK	7.1322G	79.98	88.20	-8.22	68.87	3	Vertical	255	2.14	-	36.13	8.44	33.46
RMS	7.1258G	68.03	68.20	-0.17	56.95	3	Vertical	255	2.14	-	36.10	8.44	33.46
PK	7.25G	63.23	74.00	-10.77	51.76	3	Vertical	255	2.14	-	36.40	8.58	33.51
AV	7.2506G	51.68	54.00	-2.32	40.21	3	Vertical	255	2.14	-	36.40	8.58	33.51

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 75
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9434G	103.49	Inf	-Inf	93.40	3	Horizontal	102	2.08	-	35.16	8.33	33.40			
RMS	6.921G	93.13	Inf	-Inf	83.21	3	Horizontal	102	2.08	-	35.03	8.29	33.40			
PK	7.1338G	69.28	88.20	-18.92	58.16	3	Horizontal	102	2.08	-	36.14	8.44	33.46			
RMS	7.1266G	55.16	68.20	-13.04	44.07	3	Horizontal	102	2.08	-	36.11	8.44	33.46			
PK	7.25G	55.67	74.00	-18.33	44.20	3	Horizontal	102	2.08	-	36.40	8.58	33.51			
AV	7.25G	44.47	54.00	-9.53	33.00	3	Horizontal	102	2.08	-	36.40	8.58	33.51			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96622G	60.30	88.20	-27.90	42.26	3	Vertical	155	2.21	-	40.43	12.31	34.70			
RMS	13.95524G	48.62	68.20	-19.58	30.61	3	Vertical	155	2.21	-	40.41	12.30	34.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95512G	60.55	88.20	-27.65	42.54	3	Horizontal	153	1.92	-	40.41	12.30	34.70			
RMS	13.95662G	48.71	68.20	-19.49	30.70	3	Horizontal	153	1.92	-	40.41	12.30	34.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


6985MHz_TX


EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95422G	45.00	74.00	-29.00	39.29	1	Vertical	220	1.43	-	37.79	16.82	48.90			
AV	20.95386G	33.36	54.00	-20.64	27.65	1	Vertical	220	1.43	-	37.79	16.82	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95962G	45.17	74.00	-28.83	39.47	1	Horizontal	83	2.39	-	37.78	16.82	48.90			
AV	20.95326G	33.37	54.00	-20.63	27.66	1	Horizontal	83	2.39	-	37.79	16.82	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 82
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	78.49	88.20	-9.71	72.43	3	Vertical	230	1.96	-	32.25	7.57	33.76			
RMS	5.9234G	68.11	68.20	-0.09	62.05	3	Vertical	230	1.96	-	32.25	7.57	33.76			
PK	6.193G	106.91	Inf	-Inf	100.17	3	Vertical	230	1.96	-	32.79	7.58	33.63			
RMS	6.0802G	96.22	Inf	-Inf	89.76	3	Vertical	230	1.96	-	32.50	7.66	33.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX


6105MHz_TX

EUT_Z_2TX
Setting 82
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.91	88.20	-10.29	71.86	3	Horizontal	53	2.13	-	32.24	7.57	33.76			
RMS	5.9218G	67.96	68.20	-0.24	61.91	3	Horizontal	53	2.13	-	32.24	7.57	33.76			
PK	6.209G	102.21	Inf	-Inf	95.40	3	Horizontal	53	2.13	-	32.84	7.59	33.62			
RMS	6.1498G	91.81	Inf	-Inf	85.15	3	Horizontal	53	2.13	-	32.70	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22362G	57.77	74.00	-16.23	42.38	3	Vertical	250	1.97	-	38.95	11.23	34.79			
AV	12.21354G	45.49	54.00	-8.51	30.08	3	Vertical	250	1.97	-	38.97	11.22	34.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19998G	57.27	74.00	-16.73	41.84	3	Horizontal	174	1.15	-	39.00	11.21	34.78			
AV	12.21816G	45.60	54.00	-8.40	30.20	3	Horizontal	174	1.15	-	38.96	11.23	34.79			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX


6105MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3255G	44.20	74.00	-29.80	39.71	1	Vertical	3	2.30	-	37.40	15.62	48.53			
AV	18.32808G	32.86	54.00	-21.14	28.36	1	Vertical	3	2.30	-	37.41	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31956G	45.56	74.00	-28.44	41.10	1	Horizontal	201	1.48	-	37.38	15.61	48.53			
AV	18.32994G	33.09	54.00	-20.91	28.58	1	Horizontal	201	1.48	-	37.42	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6105MHz_TX




EUT_Z_2TX
Setting 82
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	77.86	88.20	-10.34	71.85	3	Vertical	297	2.00	-	32.22	7.55	33.76			
RMS	5.9234G	67.36	68.20	-0.84	61.30	3	Vertical	297	2.00	-	32.25	7.57	33.76			
PK	6.2042G	107.51	Inf	-Inf	100.72	3	Vertical	297	2.00	-	32.82	7.59	33.62			
RMS	6.1426G	96.88	Inf	-Inf	90.25	3	Vertical	297	2.00	-	32.67	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6105MHz_TX




EUT_Z_2TX
Setting 82
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9178G	76.32	88.20	-11.88	70.28	3	Horizontal	54	1.97	-	32.24	7.56	33.76				
RMS	5.925G	66.47	68.20	-1.73	60.40	3	Horizontal	54	1.97	-	32.25	7.58	33.76				
PK	6.2026G	102.86	Inf	-Inf	96.09	3	Horizontal	54	1.97	-	32.81	7.58	33.62				
RMS	6.1498G	92.09	Inf	-Inf	85.43	3	Horizontal	54	1.97	-	32.70	7.61	33.65				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21288G	56.79	74.00	-17.21	41.38	3	Vertical	95	2.13	-	38.97	11.22	34.78			
AV	12.21186G	45.60	54.00	-8.40	30.18	3	Vertical	95	2.13	-	38.98	11.22	34.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21072G	56.51	74.00	-17.49	41.09	3	Horizontal	345	1.34	-	38.98	11.22	34.78			
AV	12.2133G	45.70	54.00	-8.30	30.29	3	Horizontal	345	1.34	-	38.97	11.22	34.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32808G	44.55	74.00	-29.45	40.05	1	Vertical	235	2.07	-	37.41	15.62	48.53			
AV	18.32574G	32.97	54.00	-21.03	28.48	1	Vertical	235	2.07	-	37.40	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30312G	44.46	74.00	-29.54	40.06	1	Horizontal	300	1.30	-	37.31	15.61	48.52			
AV	18.324G	33.08	54.00	-20.92	28.59	1	Horizontal	300	1.30	-	37.40	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Z_2TX
Setting 80
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	78.68	88.20	-9.52	72.62	3	Vertical	287	1.83	-	32.25	7.57	33.76			
RMS	5.925G	67.24	68.20	-0.96	61.17	3	Vertical	287	1.83	-	32.25	7.58	33.76			
PK	6.1514G	108.13	Inf	-Inf	101.47	3	Vertical	287	1.83	-	32.70	7.61	33.65			
RMS	6.0594G	97.46	Inf	-Inf	91.00	3	Vertical	287	1.83	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Z_2TX
Setting 80
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	74.50	88.20	-13.70	68.46	3	Horizontal	57	2.00	-	32.24	7.56	33.76			
RMS	5.925G	64.47	68.20	-3.73	58.40	3	Horizontal	57	2.00	-	32.25	7.58	33.76			
PK	6.0682G	101.96	Inf	-Inf	95.50	3	Horizontal	57	2.00	-	32.50	7.67	33.71			
RMS	6.0602G	91.42	Inf	-Inf	84.96	3	Horizontal	57	2.00	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2157G	57.79	74.00	-16.21	42.39	3	Vertical	231	1.80	-	38.97	11.22	34.79			
AV	12.2124G	45.65	54.00	-8.35	30.23	3	Vertical	231	1.80	-	38.98	11.22	34.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19812G	57.51	74.00	-16.49	42.06	3	Horizontal	50	1.09	-	39.01	11.21	34.77			
AV	12.21336G	45.58	54.00	-8.42	30.17	3	Horizontal	50	1.09	-	38.97	11.22	34.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3249G	44.75	74.00	-29.25	40.26	1	Vertical	352	1.69	-	37.40	15.62	48.53			
AV	18.32892G	32.86	54.00	-21.14	28.35	1	Vertical	352	1.69	-	37.42	15.62	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX


6105MHz_TX

EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31734G	44.93	74.00	-29.07	40.48	1	Horizontal	93	1.43	-	37.37	15.61	48.53			
AV	18.32568G	33.14	54.00	-20.86	28.65	1	Horizontal	93	1.43	-	37.40	15.62	48.53			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX


6905MHz_TX

EUT_Z_2TX
Setting 72
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.801G	107.07	Inf	-Inf	97.98	3	Vertical	254	2.37	-	34.40	8.10	33.41			
RMS	6.769G	95.92	Inf	-Inf	86.93	3	Vertical	254	2.37	-	34.34	8.06	33.41			
PK	7.2554G	63.80	74.00	-10.20	52.29	3	Vertical	254	2.37	-	36.42	8.60	33.51			
AV	7.2506G	53.78	54.00	-0.22	42.31	3	Vertical	254	2.37	-	36.40	8.58	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 72
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7674G	100.75	Inf	-Inf	91.77	3	Horizontal	102	2.13	-	34.33	8.06	33.41			
RMS	6.7658G	90.07	Inf	-Inf	81.09	3	Horizontal	102	2.13	-	34.33	8.06	33.41			
PK	7.2554G	56.81	74.00	-17.19	45.30	3	Horizontal	102	2.13	-	36.42	8.60	33.51			
AV	7.25G	46.88	54.00	-7.12	35.41	3	Horizontal	102	2.13	-	36.40	8.58	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.162G	59.92	88.20	-28.28	41.55	3	Vertical	83	2.77	-	40.60	12.46	34.69			
RMS	14.21G	49.36	68.20	-18.84	30.95	3	Vertical	83	2.77	-	40.60	12.50	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1956G	60.21	88.20	-27.99	41.81	3	Horizontal	231	1.80	-	40.60	12.49	34.69			
AV	14.2052G	49.43	68.20	-18.77	31.03	3	Horizontal	231	1.80	-	40.60	12.49	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4238G	45.67	74.00	-28.33	40.57	1	Vertical	323	2.73	-	37.45	16.57	48.92			
AV	20.5118G	34.30	54.00	-19.70	29.01	1	Vertical	323	2.73	-	37.58	16.61	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.72796G	45.35	74.00	-28.65	39.87	1	Horizontal	187	2.06	-	37.67	16.71	48.90			
AV	20.72976G	33.65	54.00	-20.35	28.16	1	Horizontal	187	2.06	-	37.68	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 71
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9418G	106.91	Inf	-Inf	96.83	3	Vertical	234	1.94	-	35.15	8.33	33.40			
RMS	6.9394G	96.06	Inf	-Inf	86.00	3	Vertical	234	1.94	-	35.14	8.32	33.40			
PK	7.2522G	64.93	74.00	-9.07	53.44	3	Vertical	234	1.94	-	36.41	8.59	33.51			
AV	7.2514G	53.78	54.00	-0.22	42.29	3	Vertical	234	1.94	-	36.41	8.59	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 71
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8122G	101.97	Inf	-Inf	92.81	3	Horizontal	102	2.15	-	34.45	8.12	33.41			
RMS	6.7482G	90.60	Inf	-Inf	81.68	3	Horizontal	102	2.15	-	34.30	8.04	33.42			
PK	7.281G	60.02	74.00	-13.98	48.36	3	Horizontal	102	2.15	-	36.52	8.66	33.52			
AV	7.25G	46.70	54.00	-7.30	35.23	3	Horizontal	102	2.15	-	36.40	8.58	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.954G	61.39	88.20	-26.81	43.38	3	Vertical	231	1.80	-	40.41	12.30	34.70			
AV	14.2068G	49.35	68.20	-18.85	30.94	3	Vertical	231	1.80	-	40.60	12.50	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5492G	60.18	88.20	-28.02	42.36	3	Horizontal	56	2.20	-	40.50	12.05	34.73			
RMS	14.2004G	49.33	68.20	-18.87	30.93	3	Horizontal	56	2.20	-	40.60	12.49	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.595G	45.28	74.00	-28.72	39.85	1	Vertical	238	2.22	-	37.68	16.65	48.90			
AV	21.0734G	34.38	54.00	-19.62	28.64	1	Vertical	238	2.22	-	37.75	16.86	48.87			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0878G	44.54	83.54	-39.00	38.81	1	Horizontal	170	2.07	-	37.72	16.87	48.86			
AV	21.1118G	34.57	63.54	-28.97	28.83	1	Horizontal	170	2.07	-	37.72	16.88	48.86			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX


6905MHz_TX

EUT_Z_2TX
Setting 75
06-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9226G	108.29	Inf	-Inf	98.35	3	Vertical	231	1.80	-	35.04	8.30	33.40			
RMS	6.8626G	98.11	Inf	-Inf	88.64	3	Vertical	231	1.80	-	34.68	8.20	33.41			
PK	7.2586G	65.49	74.00	-8.51	53.96	3	Vertical	231	1.80	-	36.43	8.61	33.51			
AV	7.2514G	53.73	54.00	-0.27	42.24	3	Vertical	231	1.80	-	36.41	8.59	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 75
06-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.841G	101.09	Inf	-Inf	91.77	3	Horizontal	100	1.98	-	34.56	8.17	33.41			
RMS	6.8634G	90.94	Inf	-Inf	81.47	3	Horizontal	100	1.98	-	34.68	8.20	33.41			
PK	7.2602G	54.44	74.00	-19.56	42.90	3	Horizontal	100	1.98	-	36.44	8.61	33.51			
AV	7.2546G	44.46	54.00	-9.54	32.96	3	Horizontal	100	1.98	-	36.42	8.59	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8068G	60.57	88.20	-27.63	42.77	3	Vertical	231	1.80	-	40.30	12.21	34.71			
AV	14.1748G	49.55	68.20	-18.65	31.17	3	Vertical	231	1.80	-	40.60	12.47	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6788G	60.34	88.20	-27.86	42.77	3	Horizontal	257	2.44	-	40.16	12.13	34.72			
RMS	14.1892G	49.44	68.20	-18.76	31.05	3	Horizontal	257	2.44	-	40.60	12.48	34.69			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 108
06-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9822G	45.81	74.00	-28.19	40.14	1	Vertical	116	1.56	-	37.74	16.83	48.90			
AV	21.1118G	34.46	54.00	-19.54	28.72	1	Vertical	116	1.56	-	37.72	16.88	48.86			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX



EUT_Z_2TX
Setting 108
06-X-J-11


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9486G	45.81	83.54	-37.73	40.09	1	Horizontal	231	1.80	-	37.80	16.82	48.90			
AV	21.107G	34.45	63.54	-29.09	28.72	1	Horizontal	231	1.80	-	37.71	16.88	48.86			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3769G	2.75	6.3289G	-26.18	-17.57	-8.61	1

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4782G	3.32	6.4138G	-24.26	-16.76	-7.50	1

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

04/07/2026

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8531G	2.37	6.8129G	-26.97	-17.89	-9.08	1


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

04/07/2026

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9315G	2.71	6.8889G	-25.91	-18.42	-7.49	1

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

04/07/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15901G	5.38	6.3458G	-22.85	-14.88	-7.97	1


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

04/07/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31781G	5.81	6.1796G	-21.62	-14.49	-7.13	1

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79961G	6.86	6.664G	-21.62	-13.15	-8.47	1

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92142G	5.76	6.8424G	-21.90	-14.57	-7.33	1

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408827G	-3.78	6.4388G	-38.97	-23.85	-15.12	1
6.410101G	-3.63	6.392425G	-35.89	-23.71	-12.18	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.437324G	-2.34	6.4114G	-36.76	-22.47	-14.29	1
6.441298G	-2.35	6.405625G	-38.83	-24.28	-14.55	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468727G	-2.16	6.45065G	-37.52	-22.17	-15.35	1
6.482698G	-2.44	6.499275G	-36.95	-22.62	-14.33	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.508877G	-2.66	6.53885G	-36.30	-23.01	-13.29	1
6.5163G	-2.85	6.53785G	-35.72	-23.02	-12.70	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.968799G	-3.37	5.9911G	-30.76	-23.90	-6.86	1
5.971348G	-3.88	5.99105G	-30.78	-24.48	-6.30	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197802G	-3.98	6.16875G	-35.58	-29.45	-6.13	1
6.197602G	-4.44	6.16885G	-35.77	-30.40	-5.37	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/07/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410099G	-4.01	6.3702G	-35.56	-29.38	-6.18	1
6.413298G	-3.56	6.37115G	-34.92	-28.80	-6.12	2


6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

04/07/2026

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.447449G	-2.66	6.4081G	-35.29	-28.73	-6.56	1
6.453898G	-2.54	6.48365G	-36.12	-29.44	-6.68	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.473753G	-1.99	6.4475G	-34.91	-28.03	-6.88	1
6.490999G	-2.10	6.44745G	-34.64	-26.78	-7.86	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519951G	-2.82	6.49015G	-34.14	-26.57	-7.57	1
6.511453G	-3.51	6.49105G	-34.20	-26.82	-7.38	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.560051G	-2.85	6.52905G	-34.62	-28.77	-5.85	1
6.571498G	-3.31	6.59115G	-31.18	-23.41	-7.77	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.669904G	-4.26	6.649G	-36.01	-28.39	-7.62	1
6.690099G	-4.51	6.64815G	-36.48	-29.06	-7.42	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9967G	-0.49	6.0484G	-32.19	-23.77	-8.42	1
5.9983G	-0.72	6.0365G	-29.83	-22.10	-7.73	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20101G	-1.08	6.17G	-30.76	-21.98	-8.78	1
6.2363G	-1.22	6.1714G	-31.12	-22.89	-8.23	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/07/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.391G	-2.40	6.331G	-32.60	-23.10	-9.50	1
6.4013G	-1.52	6.3316G	-32.35	-22.04	-10.31	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

04/07/2026

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4525G	-1.32	6.4099G	-31.24	-23.41	-7.83	1
6.4543G	-1.02	6.4117G	-31.08	-21.58	-9.50	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/07/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6973G	-1.10	6.6497G	-31.50	-21.97	-9.53	1
6.6913G	-0.78	6.6487G	-31.79	-22.96	-8.83	2


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/07/2026

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7965G	-1.53	6.7298G	-31.89	-22.39	-9.50	1
6.7762G	-2.13	6.7294G	-31.48	-23.22	-8.26	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0141G	-1.33	6.9708G	-30.80	-22.12	-8.68	1
7.0153G	-1.28	6.9706G	-30.22	-22.17	-8.05	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99841G	1.21	6.2982G	-47.97	-38.70	-9.27	1
6.08778G	1.31	6.2888G	-46.24	-38.48	-7.76	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

04/07/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15921G	1.73	6.4672G	-45.28	-38.23	-7.05	1
6.10822G	1.17	6.4656G	-45.25	-38.67	-6.58	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

04/07/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40738G	1.36	6.6324G	-47.41	-38.64	-8.77	1
6.40678G	1.76	6.6332G	-45.16	-38.24	-6.92	2


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

04/07/2026

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47321G	1.54	6.7724G	-46.69	-38.38	-8.31	1
6.53019G	1.98	6.7872G	-45.02	-37.90	-7.12	2

Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/07/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60082G	1.45	6.9502G	-47.81	-38.55	-9.26	1
6.58942G	1.27	6.9296G	-46.47	-38.63	-7.84	2

Port 1
Port 2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

04/07/2026

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76122G	1.39	6.5644G	-47.25	-37.71	-9.54	1
6.80121G	0.74	6.5494G	-48.87	-39.26	-9.61	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

04/07/2026

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96021G	1.44	6.7028G	-48.08	-38.36	-9.72	1
6.92282G	1.73	6.7958G	-34.85	-26.55	-8.30	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

04/07/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13899G	3.86	6.359G	-24.81	-16.22	-8.59	1
6.13779G	4.51	6.3706G	-23.92	-15.79	-8.13	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

04/07/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15983G	3.97	5.9898G	-22.73	-16.08	-6.65	1
6.22901G	4.14	5.9738G	-22.24	-15.94	-6.30	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45899G	4.95	6.0958G	-23.56	-15.07	-8.49	1
6.40101G	5.12	6.1038G	-23.78	-15.10	-8.68	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55181G	5.96	6.2914G	-21.10	-14.38	-6.72	1
6.48942G	5.64	6.317G	-20.00	-14.38	-5.62	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

04/07/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69941G	5.49	6.4222G	-24.12	-14.51	-9.61	1
6.69741G	4.89	6.4214G	-24.71	-15.36	-9.35	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

04/07/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87901G	3.65	6.3446G	-40.32	-33.87	-6.45	1
6.87541G	3.29	6.6762G	-25.20	-17.08	-8.12	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.949976G	-4.09	5.97605G	-35.32	-24.21	-11.11	1
5.961248G	-3.96	5.976025G	-35.07	-24.03	-11.04	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190151G	-1.29	6.171475G	-35.70	-21.44	-14.26	1
6.192801G	-1.27	6.166025G	-37.02	-23.24	-13.78	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

04/07/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

04/07/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532501G	-1.23	6.55795G	-34.64	-21.78	-12.86	1
6.530626G	-1.30	6.51025G	-35.59	-21.69	-13.90	2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

04/07/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691151G	-1.16	6.6712G	-35.50	-21.30	-14.20	1
6.688602G	-1.36	6.671775G	-34.68	-21.70	-12.98	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

04/07/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982546G	-1.73	6.00015G	-32.30	-27.13	-5.17	1
5.970999G	-1.81	5.99235G	-30.12	-23.86	-6.26	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

04/07/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.214798G	-2.51	6.1686G	-34.37	-28.69	-5.68	1
6.198752G	-2.89	6.16875G	-35.05	-29.13	-5.92	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

04/07/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397552G	-2.85	6.3689G	-34.26	-28.45	-5.81	1
6.394753G	-2.48	6.36885G	-34.95	-28.64	-6.31	2


6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

04/07/2026

CF (Hz)
6.445G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.437502G	-0.96	6.40915G	-33.48	-26.72	-6.76	1
6.451298G	-1.12	6.40825G	-33.30	-27.65	-5.65	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.488699G	-1.08	6.44865G	-33.37	-27.04	-6.33	1
6.502546G	-1.06	6.44825G	-33.19	-26.91	-6.28	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519751G	-1.37	6.489G	-33.35	-26.25	-7.10	1
6.521451G	-1.48	6.48875G	-33.49	-27.64	-5.85	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

04/07/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.572748G	-3.88	6.527G	-36.12	-30.51	-5.61	1
6.573698G	-4.18	6.60125G	-36.54	-29.99	-6.55	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

04/07/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687599G	-3.22	6.6488G	-33.96	-29.05	-4.91	1
6.672603G	-3.30	6.65165G	-34.61	-27.97	-6.64	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3732G	0.53	6.3418G	-27.85	-19.48	-8.37	1
6.3965G	0.86	6.4268G	-26.29	-18.94	-7.35	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4769G	0.19	6.4225G	-27.24	-19.84	-7.40	1
6.4524G	0.55	6.4219G	-27.70	-19.66	-8.04	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5375G	0.28	6.5017G	-27.75	-19.86	-7.89	1
6.5305G	0.60	6.5024G	-27.33	-19.47	-7.86	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6171G	0.21	6.5829G	-27.67	-19.80	-7.87	1
6.6168G	0.55	6.5823G	-27.63	-19.56	-8.07	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0136G	0.31	6.9829G	-26.48	-19.73	-6.75	1
7.0114G	0.57	6.9526G	-31.57	-24.46	-7.11	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00341G	2.71	6.295G	-42.85	-37.12	-5.73	1
6.08638G	2.72	6.2962G	-41.83	-37.18	-4.65	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

04/07/2026

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15601G	4.62	6.3464G	-24.85	-17.16	-7.69	1
6.13041G	3.98	6.0466G	-23.25	-16.46	-6.79	2

Port 1 

Port 2 

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

04/07/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32181G	1.07	6.1004G	-44.93	-38.89	-6.04	1
6.37139G	1.68	6.5886G	-42.78	-37.94	-4.84	2

Port 1 

Port 2 

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

04/07/2026

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48041G	2.82	6.7876G	-44.02	-37.18	-6.84	1
6.47701G	3.37	6.7856G	-41.83	-36.31	-5.52	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

04/07/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64221G	2.67	6.4218G	-42.21	-36.99	-5.22	1
6.63941G	2.05	6.4158G	-43.02	-37.91	-5.11	2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

04/07/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80201G	2.35	7.0678G	-43.55	-37.16	-6.39	1
6.8424G	1.67	6.581G	-44.60	-38.11	-6.49	2


6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

04/07/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92282G	2.85	6.8472G	-28.34	-20.39	-7.95	1
6.92182G	3.05	6.8642G	-23.23	-17.36	-5.87	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

04/07/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06061G	4.84	6.3682G	-21.11	-15.23	-5.88	1
6.13699G	5.11	6.3666G	-20.04	-14.91	-5.13	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

04/07/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23421G	3.80	5.987G	-23.02	-16.27	-6.75	1
6.23421G	4.25	5.9738G	-22.12	-16.52	-5.60	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

04/07/2026

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46179G	4.77	6.1046G	-23.82	-15.27	-8.55	1
6.39381G	5.07	6.101G	-24.54	-15.23	-9.31	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

04/07/2026

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47783G	5.72	6.2926G	-21.51	-14.80	-6.71	1
6.54021G	5.35	6.275G	-23.29	-14.68	-8.61	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

04/07/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71181G	5.66	6.4298G	-22.97	-14.39	-8.58	1
6.71901G	4.95	6.4002G	-26.41	-15.21	-11.20	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

04/07/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.81022G	4.42	6.6578G	-24.89	-15.84	-9.05	1
6.80063G	4.22	6.6342G	-23.21	-16.00	-7.21	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

01/07/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

01/07/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421298G	-4.00	6.391225G	-39.26	-23.60	-15.66	1
6.408827G	-3.40	6.439025G	-37.95	-23.41	-14.54	2


6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

01/07/2026

CF (Hz)
6.435G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428627G	-3.33	6.41055G	-39.32	-23.54	-15.78	1
6.43635G	-3.33	6.410225G	-38.68	-23.78	-14.90	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

01/07/2026



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

01/07/2026

