


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/06/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5775MHz

23/06/2026

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
3.315
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.86	3.86	0.94	0.81

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/06/2026

CF (Hz)
5.25G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.221
Detector Type
RMS



5150-5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.08	-4.08	-7.05	-7.02

5250-5350MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.65	-3.65	-6.40	-6.73


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/06/2026



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.37	-4.37	-7.34	-7.37

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.05	-4.05	-6.86	-7.20

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

PSD

5570MHz

23/06/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.21	-2.21	-5.39	-4.92


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5570MHz

23/06/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.315
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.15	-3.15	-6.46	-5.88




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	PK	46.98M	35.41	40.00	-4.59	Vertical

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
QP	39.7M	35.22	40.00	-4.78	-34.48	3	Vertical	254	1.00	-	69.70	18.91	0.20	53.59		
PK	46.98M	35.41	40.00	-4.59	-34.20	3	Vertical	103	1.00	"Worst"	69.61	19.45	0.27	53.92		
QP	60.07M	32.35	40.00	-7.65	-34.55	3	Vertical	0	3.00	-	66.90	18.90	0.50	53.95		
PK	79.96M	23.30	40.00	-16.70	-38.78	3	Vertical	155	4.00	-	62.08	14.76	0.38	53.92		
PK	219.64M	27.31	46.00	-18.69	-36.58	3	Vertical	0	2.00	-	63.89	15.44	1.76	53.78		
PK	240.01M	28.83	46.00	-17.17	-34.48	3	Vertical	95	2.00	-	63.31	17.30	1.85	53.63		

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	40.19M	26.06	40.00	-13.94	-34.32	3	Horizontal	332	1.00	-	60.38	18.99	0.20	53.51		
PK	49.89M	21.03	40.00	-18.97	-34.15	3	Horizontal	135	1.00	-	55.18	19.66	0.35	54.16		
PK	59.59M	20.85	40.00	-19.15	-34.56	3	Horizontal	96	2.00	-	55.41	18.91	0.49	53.96		
PK	156.59M	18.69	43.50	-24.81	-33.05	3	Horizontal	71	3.00	-	51.74	19.19	1.48	53.72		
PK	227.88M	29.31	46.00	-16.69	-36.13	3	Horizontal	250	2.00	-	65.44	15.79	1.80	53.72		
PK	239.04M	34.93	46.00	-11.07	-34.58	3	Horizontal	98	1.00	"Worst"	69.51	17.22	1.84	53.64		

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	20.79964G	63.52	63.54	-0.02	1	Horizontal	214	1.66	108

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT Y_1TX
Setting 87
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1451G	68.23	74.00	-5.77	58.03	3	Vertical	331	1.80	-	33.08	9.71	32.59			
AV	5.15G	53.70	54.00	-0.30	43.48	3	Vertical	331	1.80	-	33.10	9.71	32.59			
PK	5.178G	119.94	Inf	-Inf	109.75	3	Vertical	331	1.80	-	33.04	9.73	32.58			
AV	5.1749G	109.01	Inf	-Inf	98.81	3	Vertical	331	1.80	-	33.05	9.73	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 87
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	64.79	74.00	-9.21	54.59	3	Horizontal	334	1.80	-	33.08	9.71	32.59			
AV	5.1498G	49.65	54.00	-4.35	39.43	3	Horizontal	334	1.80	-	33.10	9.71	32.59			
PK	5.1802G	115.28	Inf	-Inf	105.09	3	Horizontal	334	1.80	-	33.04	9.73	32.58			
AV	5.1817G	104.12	Inf	-Inf	93.93	3	Horizontal	334	1.80	-	33.04	9.73	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36228G	49.86	68.20	-18.34	44.60	3	Vertical	186	1.80	108	38.90	11.70	45.34			
PK	15.54228G	56.53	74.00	-17.47	46.55	3	Vertical	171	1.80	108	38.50	14.44	42.96			
AV	15.53764G	44.29	54.00	-9.71	34.31	3	Vertical	171	1.80	108	38.50	14.43	42.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.362G	50.48	68.20	-17.72	45.22	3	Horizontal	219.1	1.80	108	38.90	11.70	45.34				
PK	15.3628G	54.35	74.00	-19.65	44.37	3	Horizontal	189	1.80	108	38.50	14.43	42.95				
AV	15.366G	42.25	54.00	-11.75	32.27	3	Horizontal	189	1.80	108	38.50	14.43	42.95				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72044G	68.51	83.54	-15.03	63.08	1	Vertical	167	1.87	108	37.62	16.71	48.90			
AV	20.72532G	54.70	63.54	-8.84	49.24	1	Vertical	167	1.87	108	37.65	16.71	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72512G	66.30	83.54	-17.24	60.84	1	Horizontal	214	1.63	108	37.65	16.71	48.90			
AV	20.72216G	52.55	63.54	-10.99	47.11	1	Horizontal	214	1.63	108	37.63	16.71	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 96
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	67.15	74.00	-6.85	56.96	3	Vertical	330	1.80	-	33.07	9.71	32.59			
AV	5.15G	53.40	54.00	-0.60	43.18	3	Vertical	330	1.80	-	33.10	9.71	32.59			
PK	5.2064G	120.66	Inf	-Inf	110.51	3	Vertical	330	1.80	-	32.99	9.74	32.58			
AV	5.1936G	110.04	Inf	-Inf	99.87	3	Vertical	330	1.80	-	33.01	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT Y_1TX
Setting 96
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1474G	62.01	74.00	-11.99	51.80	3	Horizontal	334	1.80	-	33.09	9.71	32.59			
AV	5.1494G	49.50	54.00	-4.50	39.28	3	Horizontal	334	1.80	-	33.10	9.71	32.59			
PK	5.2044G	117.34	Inf	-Inf	107.19	3	Horizontal	334	1.80	-	32.99	9.74	32.58			
AV	5.1954G	105.71	Inf	-Inf	95.54	3	Horizontal	334	1.80	-	33.01	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3978G	49.44	68.20	-18.76	44.15	3	Vertical	185	1.80	108	38.90	11.72	45.33			
PK	15.59497G	51.45	74.00	-22.55	41.74	3	Vertical	172	1.80	108	38.32	14.46	43.07			
AV	15.59489G	38.94	54.00	-15.06	29.23	3	Vertical	172	1.80	108	38.32	14.46	43.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39852G	49.95	68.20	-18.25	44.66	3	Horizontal	188.1	1.80	108	38.90	11.72	45.33			
PK	15.59369G	52.42	74.00	-21.58	42.69	3	Horizontal	184	1.80	108	38.33	14.46	43.06			
AV	15.60016G	39.69	54.00	-14.31	30.01	3	Horizontal	184	1.80	108	38.30	14.46	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79872G	71.37	83.54	-12.17	65.91	1	Vertical	168	1.80	108	37.61	16.75	48.90			
AV	20.79948G	57.84	63.54	-5.70	52.39	1	Vertical	168	1.80	108	37.60	16.75	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.805G	65.25	83.54	-18.29	59.80	1	Horizontal	200	1.53	108	37.60	16.75	48.90			
AV	20.7998G	52.15	63.54	-11.39	46.70	1	Horizontal	200	1.53	108	37.60	16.75	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 108
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	63.42	74.00	-10.58	53.20	3	Vertical	328	1.80	-	33.10	9.71	32.59			
AV	5.15G	50.68	54.00	-3.32	40.46	3	Vertical	328	1.80	-	33.10	9.71	32.59			
PK	5.2376G	123.58	Inf	-Inf	113.51	3	Vertical	328	1.80	-	32.92	9.72	32.57			
AV	5.2418G	111.92	Inf	-Inf	101.85	3	Vertical	328	1.80	-	32.92	9.72	32.57			
PK	5.3522G	60.81	74.00	-13.19	50.87	3	Vertical	328	1.80	-	32.80	9.68	32.54			
AV	5.3504G	48.03	54.00	-5.97	38.09	3	Vertical	328	1.80	-	32.80	9.68	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 108
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1467G	60.62	74.00	-13.38	50.41	3	Horizontal	334	1.80	-	33.09	9.71	32.59			
AV	5.1494G	47.94	54.00	-6.06	37.72	3	Horizontal	334	1.80	-	33.10	9.71	32.59			
PK	5.2472G	119.19	Inf	-Inf	109.13	3	Horizontal	334	1.80	-	32.91	9.72	32.57			
AV	5.2382G	108.56	Inf	-Inf	98.49	3	Horizontal	334	1.80	-	32.92	9.72	32.57			
PK	5.3618G	60.57	74.00	-13.43	50.65	3	Horizontal	334	1.80	-	32.78	9.68	32.54			
AV	5.3549G	46.93	54.00	-7.07	37.00	3	Horizontal	334	1.80	-	32.79	9.68	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46362G	49.13	68.20	-19.07	43.81	3	Vertical	186	1.80	108	38.87	11.77	45.32			
PK	15.72508G	53.11	74.00	-20.89	43.88	3	Vertical	167	1.80	108	38.05	14.52	43.34			
AV	15.71956G	40.53	54.00	-13.47	31.30	3	Vertical	167	1.80	108	38.04	14.52	43.33			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46106G	49.10	68.20	-19.10	43.77	3	Horizontal	282	1.80	108	38.88	11.77	45.32			
PK	15.72312G	54.47	74.00	-19.53	45.23	3	Horizontal	209	1.80	108	38.05	14.52	43.33			
AV	15.725G	41.45	54.00	-12.55	32.22	3	Horizontal	209	1.80	108	38.05	14.52	43.34			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96068G	67.26	83.54	-16.28	61.56	1	Vertical	170	1.80	108	37.78	16.82	48.90			
AV	20.95932G	54.11	63.54	-9.43	48.41	1	Vertical	170	1.80	108	37.78	16.82	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96048G	64.45	83.54	-19.09	58.75	1	Horizontal	188	1.80	108	37.78	16.82	48.90			
AV	20.95932G	51.15	63.54	-12.39	45.45	1	Horizontal	188	1.80	108	37.78	16.82	48.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 103
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	72.67	74.00	-1.33	62.46	3	Vertical	328	1.80	-	33.09	9.71	32.59			
AV	5.1493G	49.96	54.00	-4.04	39.74	3	Vertical	328	1.80	-	33.10	9.71	32.59			
PK	5.2549G	123.76	Inf	-Inf	113.71	3	Vertical	328	1.80	-	32.89	9.72	32.56			
AV	5.2579G	112.60	Inf	-Inf	102.56	3	Vertical	328	1.80	-	32.88	9.72	32.56			
PK	5.377G	72.53	74.00	-1.47	62.64	3	Vertical	328	1.80	-	32.75	9.67	32.53			
AV	5.3512G	52.67	54.00	-1.33	42.73	3	Vertical	328	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 103
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	61.34	74.00	-12.66	51.13	3	Horizontal	335	1.80	-	33.09	9.71	32.59			
AV	5.1496G	47.40	54.00	-6.60	37.18	3	Horizontal	335	1.80	-	33.10	9.71	32.59			
PK	5.2585G	120.25	Inf	-Inf	110.21	3	Horizontal	335	1.80	-	32.88	9.72	32.56			
AV	5.2573G	109.19	Inf	-Inf	99.14	3	Horizontal	335	1.80	-	32.89	9.72	32.56			
PK	5.3593G	73.25	74.00	-0.75	63.33	3	Horizontal	335	1.80	-	32.78	9.68	32.54			
AV	5.3503G	48.31	54.00	-5.69	38.37	3	Horizontal	335	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52296G	47.92	68.20	-20.28	42.61	3	Vertical	39	1.80	108	38.85	11.81	45.35			
PK	15.77728G	56.55	74.00	-17.45	47.47	3	Vertical	189	1.80	108	37.99	14.54	43.45			
AV	15.77972G	44.22	54.00	-9.78	35.15	3	Vertical	189	1.80	108	37.98	14.54	43.45			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.523G	48.85	68.20	-19.35	43.54	3	Horizontal	86	1.80	108	38.85	11.81	45.35			
PK	15.77457G	55.74	74.00	-18.26	46.64	3	Horizontal	210	1.80	108	38.00	14.54	43.44			
AV	15.7774G	43.30	54.00	-10.70	34.22	3	Horizontal	210	1.80	108	37.99	14.54	43.45			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.04512G	72.93	83.54	-10.61	67.16	1	Vertical	149	2.00	108	37.79	16.86	48.88			
AV	21.04196G	59.85	63.54	-3.69	54.10	1	Vertical	149	2.00	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.03804G	71.49	83.54	-12.05	65.74	1	Horizontal	192	2.14	108	37.78	16.85	48.88			
AV	21.03904G	58.21	63.54	-5.33	52.46	1	Horizontal	192	2.14	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 95
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2954G	119.38	Inf	-Inf	109.42	3	Vertical	17	1.80	-	32.81	9.70	32.55				
AV	5.295G	108.51	Inf	-Inf	98.55	3	Vertical	17	1.80	-	32.81	9.70	32.55				
PK	5.35G	69.39	74.00	-4.61	59.45	3	Vertical	17	1.80	-	32.80	9.68	32.54				
AV	5.35G	53.41	54.00	-0.59	43.47	3	Vertical	17	1.80	-	32.80	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 95
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2934G	116.50	Inf	-Inf	106.54	3	Horizontal	338	1.80	-	32.81	9.70	32.55				
AV	5.2952G	105.38	Inf	-Inf	95.42	3	Horizontal	338	1.80	-	32.81	9.70	32.55				
PK	5.3506G	65.06	74.00	-8.94	55.12	3	Horizontal	338	1.80	-	32.80	9.68	32.54				
AV	5.35G	51.43	54.00	-2.57	41.49	3	Horizontal	338	1.80	-	32.80	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61998G	49.13	74.00	-24.87	43.52	3	Vertical	144	1.79	108	39.28	11.87	45.54			
AV	10.60076G	36.29	54.00	-17.71	30.73	3	Vertical	144	1.79	108	39.20	11.86	45.50			
PK	15.90304G	54.03	74.00	-19.97	45.16	3	Vertical	185	1.79	108	37.98	14.60	43.71			
AV	15.89692G	40.87	54.00	-13.13	31.99	3	Vertical	185	1.79	108	37.99	14.59	43.70			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59708G	49.51	68.20	-18.69	43.96	3	Horizontal	169	1.80	108	39.18	11.86	45.49			
AV	10.60516G	37.22	54.00	-16.78	31.65	3	Horizontal	169	1.80	108	39.22	11.86	45.51			
PK	15.89393G	56.06	74.00	-17.94	47.18	3	Horizontal	206	1.80	108	37.98	14.59	43.69			
AV	15.89748G	43.36	54.00	-10.64	34.48	3	Horizontal	206	1.80	108	37.99	14.59	43.70			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.19964G	68.40	83.54	-15.14	62.71	1	Vertical	208	1.81	108	37.60	16.91	48.82			
AV	21.1992G	55.35	63.54	-8.19	49.66	1	Vertical	208	1.81	108	37.60	16.91	48.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1996G	73.86	83.54	-9.68	68.17	1	Horizontal	178	1.53	108	37.60	16.91	48.82			
AV	21.2016G	60.62	63.54	-2.92	54.92	1	Horizontal	178	1.53	108	37.61	16.91	48.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 88
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3134G	117.32	Inf	-Inf	107.38	3	Vertical	324	1.80	-	32.80	9.69	32.55			
AV	5.3136G	106.30	Inf	-Inf	96.36	3	Vertical	324	1.80	-	32.80	9.69	32.55			
PK	5.3511G	67.81	74.00	-6.19	57.87	3	Vertical	324	1.80	-	32.80	9.68	32.54			
AV	5.35G	53.80	54.00	-0.20	43.86	3	Vertical	324	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 88
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.327G	112.95	Inf	-Inf	103.00	3	Horizontal	338	1.80	-	32.80	9.69	32.54			
AV	5.3246G	102.00	Inf	-Inf	92.06	3	Horizontal	338	1.80	-	32.80	9.69	32.55			
PK	5.3523G	64.87	74.00	-9.13	54.93	3	Horizontal	338	1.80	-	32.80	9.68	32.54			
AV	5.3504G	50.56	54.00	-3.44	40.62	3	Horizontal	338	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62246G	47.79	74.00	-26.21	42.16	3	Vertical	0	1.80	108	39.29	11.88	45.54				
AV	10.62166G	36.10	54.00	-17.90	30.47	3	Vertical	0	1.80	108	39.29	11.88	45.54				
PK	15.95772G	51.46	74.00	-22.54	42.99	3	Vertical	188	1.80	108	37.67	14.62	43.82				
AV	15.96504G	39.34	54.00	-14.66	30.92	3	Vertical	188	1.80	108	37.64	14.62	43.84				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62002G	48.48	74.00	-25.52	42.87	3	Horizontal	139	1.80	108	39.28	11.87	45.54			
AV	10.6205G	36.50	54.00	-17.50	30.88	3	Horizontal	139	1.80	108	39.28	11.88	45.54			
PK	15.96332G	54.16	74.00	-19.84	45.72	3	Horizontal	141	1.80	108	37.65	14.62	43.83			
AV	15.95912G	40.88	54.00	-13.12	32.42	3	Horizontal	141	1.80	108	37.66	14.62	43.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27876G	71.97	83.54	-11.57	66.10	1	Vertical	186	1.82	108	37.73	16.93	48.79			
AV	21.278G	58.67	63.54	-4.87	52.80	1	Vertical	186	1.82	108	37.73	16.93	48.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28328G	68.38	83.54	-15.16	62.53	1	Horizontal	202	1.74	108	37.70	16.94	48.79			
AV	21.27896G	55.37	63.54	-8.17	49.50	1	Horizontal	202	1.74	108	37.73	16.93	48.79			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT Y_1TX
Setting 86
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	69.81	74.00	-4.19	59.59	3	Vertical	332	1.80	-	33.10	9.71	32.59			
AV	5.15G	53.89	54.00	-0.11	43.67	3	Vertical	332	1.80	-	33.10	9.71	32.59			
PK	5.177G	121.24	Inf	-Inf	111.04	3	Vertical	332	1.80	-	33.05	9.73	32.58			
AV	5.1729G	108.87	Inf	-Inf	98.68	3	Vertical	332	1.80	-	33.05	9.73	32.59			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 86
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	65.00	74.00	-9.00	54.78	3	Horizontal	336	1.80	-	33.10	9.71	32.59			
AV	5.1499G	50.57	54.00	-3.43	40.35	3	Horizontal	336	1.80	-	33.10	9.71	32.59			
PK	5.1838G	117.29	Inf	-Inf	107.11	3	Horizontal	336	1.80	-	33.03	9.73	32.58			
AV	5.1745G	104.29	Inf	-Inf	94.09	3	Horizontal	336	1.80	-	33.05	9.73	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37335G	49.06	68.20	-19.14	43.79	3	Vertical	188	1.79	108	38.90	11.71	45.34			
PK	15.52342G	56.45	74.00	-17.55	46.44	3	Vertical	169	1.79	108	38.50	14.43	42.92			
AV	15.53628G	43.73	54.00	-10.27	33.75	3	Vertical	169	1.79	108	38.50	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5180MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36104G	49.62	68.20	-18.58	44.36	3	Horizontal	151	1.80	108	38.90	11.70	45.34			
PK	15.53317G	55.34	74.00	-18.66	45.35	3	Horizontal	186	1.80	108	38.50	14.43	42.94			
AV	15.5372G	43.03	54.00	-10.97	33.05	3	Horizontal	186	1.80	108	38.50	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.72627G	66.76	83.54	-16.78	61.29	1	Vertical	167	1.85	108	37.66	16.71	48.90			
AV	20.72831G	54.45	63.54	-9.09	48.97	1	Vertical	167	1.85	108	37.67	16.71	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71948G	64.79	83.54	-18.75	59.36	1	Horizontal	214	1.64	108	37.62	16.71	48.90			
AV	20.72468G	52.77	63.54	-10.77	47.31	1	Horizontal	214	1.64	108	37.65	16.71	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT Y_1TX
Setting 94
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	68.12	74.00	-5.88	57.91	3	Vertical	330	1.80	-	33.09	9.71	32.59			
AV	5.15G	53.94	54.00	-0.06	43.72	3	Vertical	330	1.80	-	33.10	9.71	32.59			
PK	5.202G	121.46	Inf	-Inf	111.30	3	Vertical	330	1.80	-	33.00	9.74	32.58			
AV	5.194G	109.54	Inf	-Inf	99.37	3	Vertical	330	1.80	-	33.01	9.74	32.58			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 94
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	63.85	74.00	-10.15	53.63	3	Horizontal	335	1.80	-	33.10	9.71	32.59				
AV	5.1498G	50.19	54.00	-3.81	39.97	3	Horizontal	335	1.80	-	33.10	9.71	32.59				
PK	5.2042G	118.16	Inf	-Inf	108.01	3	Horizontal	335	1.80	-	32.99	9.74	32.58				
AV	5.1932G	105.44	Inf	-Inf	95.27	3	Horizontal	335	1.80	-	33.01	9.74	32.58				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40571G	50.20	68.20	-18.00	44.90	3	Vertical	187	1.80	108	38.90	11.73	45.33			
PK	15.58266G	50.83	74.00	-23.17	41.05	3	Vertical	169	1.80	108	38.37	14.45	43.04			
AV	15.59277G	39.07	54.00	-14.93	29.34	3	Vertical	169	1.80	108	38.33	14.46	43.06			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5200MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38937G	49.44	68.20	-18.76	44.16	3	Horizontal	282.1	1.80	108	38.90	11.72	45.34			
PK	15.59261G	52.68	74.00	-21.32	42.95	3	Horizontal	184	1.80	108	38.33	14.46	43.06			
AV	15.602G	40.35	54.00	-13.65	30.69	3	Horizontal	184	1.80	108	38.28	14.46	43.08			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79944G	69.32	83.54	-14.22	63.87	1	Vertical	166	1.80	108	37.60	16.75	48.90			
AV	20.79952G	57.19	63.54	-6.35	51.74	1	Vertical	166	1.80	108	37.60	16.75	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.80879G	66.09	83.54	-17.45	60.64	1	Horizontal	212	1.64	108	37.60	16.75	48.90			
AV	20.80232G	53.39	63.54	-10.15	47.94	1	Horizontal	212	1.64	108	37.60	16.75	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 108
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	65.96	74.00	-8.04	55.76	3	Vertical	330	1.80	-	33.08	9.71	32.59			
AV	5.1491G	51.92	54.00	-2.08	41.70	3	Vertical	330	1.80	-	33.10	9.71	32.59			
PK	5.246G	123.90	Inf	-Inf	113.84	3	Vertical	330	1.80	-	32.91	9.72	32.57			
AV	5.2379G	112.01	Inf	-Inf	101.94	3	Vertical	330	1.80	-	32.92	9.72	32.57			
PK	5.3507G	60.55	74.00	-13.45	50.61	3	Vertical	330	1.80	-	32.80	9.68	32.54			
AV	5.3528G	48.50	54.00	-5.50	38.57	3	Vertical	330	1.80	-	32.79	9.68	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT_Y_1TX
Setting 108
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	61.39	74.00	-12.61	51.18	3	Horizontal	337	1.80	-	33.09	9.71	32.59			
AV	5.1479G	48.72	54.00	-5.28	38.51	3	Horizontal	337	1.80	-	33.09	9.71	32.59			
PK	5.2406G	121.16	Inf	-Inf	111.09	3	Horizontal	337	1.80	-	32.92	9.72	32.57			
AV	5.2424G	108.67	Inf	-Inf	98.60	3	Horizontal	337	1.80	-	32.92	9.72	32.57			
PK	5.3585G	59.33	74.00	-14.67	49.41	3	Horizontal	337	1.80	-	32.78	9.68	32.54			
AV	5.3534G	47.50	54.00	-6.50	37.57	3	Horizontal	337	1.80	-	32.79	9.68	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4621G	48.39	68.20	-19.81	43.06	3	Vertical	234	1.80	108	38.88	11.77	45.32			
PK	15.72132G	52.23	74.00	-21.77	43.00	3	Vertical	164	1.80	108	38.04	14.52	43.33			
AV	15.72292G	40.77	54.00	-13.23	31.53	3	Vertical	164	1.80	108	38.05	14.52	43.33			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.478G	49.33	68.20	-18.87	44.03	3	Horizontal	67	1.80	108	38.84	11.78	45.32			
PK	15.72943G	54.00	74.00	-20.00	44.77	3	Horizontal	209	1.80	108	38.06	14.52	43.35			
AV	15.72703G	41.69	54.00	-12.31	32.46	3	Horizontal	209	1.80	108	38.05	14.52	43.34			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.97235G	68.06	83.54	-15.48	62.37	1	Vertical	170	1.78	108	37.76	16.83	48.90			
AV	20.95956G	55.05	63.54	-8.49	49.35	1	Vertical	170	1.78	108	37.78	16.82	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.957G	63.70	83.54	-19.84	57.99	1	Horizontal	189	1.80	108	37.79	16.82	48.90			
AV	20.96436G	51.00	63.54	-12.54	45.31	1	Horizontal	189	1.80	108	37.77	16.82	48.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 103
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	63.20	74.00	-10.80	53.00	3	Vertical	331	1.80	-	33.08	9.71	32.59			
AV	5.149G	50.44	54.00	-3.56	40.22	3	Vertical	331	1.80	-	33.10	9.71	32.59			
PK	5.2687G	124.12	Inf	-Inf	114.11	3	Vertical	331	1.80	-	32.86	9.71	32.56			
AV	5.2573G	112.14	Inf	-Inf	102.09	3	Vertical	331	1.80	-	32.89	9.72	32.56			
PK	5.3758G	69.02	74.00	-4.98	59.13	3	Vertical	331	1.80	-	32.75	9.67	32.53			
AV	5.35G	52.10	54.00	-1.90	42.16	3	Vertical	331	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 103
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1205G	62.04	74.00	-11.96	51.96	3	Horizontal	336	1.80	-	32.98	9.70	32.60			
AV	5.1451G	47.73	54.00	-6.27	37.53	3	Horizontal	336	1.80	-	33.08	9.71	32.59			
PK	5.2585G	120.75	Inf	-Inf	110.71	3	Horizontal	336	1.80	-	32.88	9.72	32.56			
AV	5.2585G	108.75	Inf	-Inf	98.71	3	Horizontal	336	1.80	-	32.88	9.72	32.56			
PK	5.3506G	67.03	74.00	-6.97	57.09	3	Horizontal	336	1.80	-	32.80	9.68	32.54			
AV	5.35G	49.99	54.00	-4.01	40.05	3	Horizontal	336	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51377G	47.45	68.20	-20.75	42.16	3	Vertical	277	1.80	108	38.83	11.80	45.34			
PK	15.77804G	54.91	74.00	-19.09	45.83	3	Vertical	184	1.80	108	37.99	14.54	43.45			
AV	15.77908G	43.21	54.00	-10.79	34.14	3	Vertical	184	1.80	108	37.98	14.54	43.45			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52751G	47.95	68.20	-20.25	42.64	3	Horizontal	147	1.80	108	38.86	11.81	45.36			
PK	15.78148G	55.36	74.00	-18.64	46.31	3	Horizontal	206	1.80	108	37.97	14.54	43.46			
AV	15.77652G	43.64	54.00	-10.36	34.56	3	Horizontal	206	1.80	108	37.99	14.54	43.45			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.028333G	72.55	83.54	-10.99	66.83	1	Vertical	155	1.99	108	37.76	16.85	48.89			
AV	21.04032G	60.15	63.54	-3.39	54.40	1	Vertical	155	1.99	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.04272G	68.59	83.54	-14.95	62.83	1	Horizontal	194	1.82	108	37.79	16.85	48.88			
AV	21.0416G	57.23	63.54	-6.31	51.48	1	Horizontal	194	1.82	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
Setting 92
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2936G	119.59	Inf	-Inf	108.33	3	Vertical	331	1.59	-	33.80	7.66	30.20			
AV	5.2916G	107.41	Inf	-Inf	96.15	3	Vertical	331	1.59	-	33.80	7.66	30.20			
PK	5.3504G	67.67	74.00	-6.33	56.30	3	Vertical	331	1.59	-	33.90	7.70	30.23			
AV	5.35G	53.68	54.00	-0.32	42.31	3	Vertical	331	1.59	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
Setting 92
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2924G	115.59	Inf	-Inf	104.33	3	Horizontal	334	1.52	-	33.80	7.66	30.20				
AV	5.292G	102.76	Inf	-Inf	91.50	3	Horizontal	334	1.52	-	33.80	7.66	30.20				
PK	5.354G	65.12	74.00	-8.88	53.72	3	Horizontal	334	1.52	-	33.92	7.71	30.23				
AV	5.35G	50.73	54.00	-3.27	39.36	3	Horizontal	334	1.52	-	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60867G	48.61	74.00	-25.39	43.02	3	Vertical	136	1.80	108	39.23	11.87	45.51				
AV	10.60316G	36.54	54.00	-17.46	30.97	3	Vertical	136	1.80	108	39.21	11.86	45.50				
PK	15.88925G	52.74	74.00	-21.26	43.87	3	Vertical	183	1.79	108	37.96	14.59	43.68				
AV	15.89956G	40.72	54.00	-13.28	31.82	3	Vertical	183	1.79	108	38.00	14.60	43.70				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60232G	49.60	74.00	-24.40	44.03	3	Horizontal	152	1.80	108	39.21	11.86	45.50			
AV	10.60256G	37.92	54.00	-16.08	32.35	3	Horizontal	152	1.80	108	39.21	11.86	45.50			
PK	15.88422G	53.93	74.00	-20.07	45.07	3	Horizontal	205	1.80	108	37.94	14.59	43.67			
AV	15.89005G	41.90	54.00	-12.10	33.03	3	Horizontal	205	1.80	108	37.96	14.59	43.68			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.20304G	67.59	83.54	-15.95	61.88	1	Vertical	188	1.82	108	37.62	16.91	48.82			
AV	21.205G	55.08	63.54	-8.46	49.36	1	Vertical	188	1.82	108	37.63	16.91	48.82			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.19704G	72.55	83.54	-10.99	66.85	1	Horizontal	180	1.54	108	37.61	16.91	48.82			
AV	21.20016G	60.17	63.54	-3.37	54.48	1	Horizontal	180	1.54	108	37.60	16.91	48.82			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 89
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3114G	118.00	Inf	-Inf	106.72	3	Vertical	329	1.57	-	33.82	7.67	30.21			
AV	5.3142G	105.23	Inf	-Inf	93.93	3	Vertical	329	1.57	-	33.83	7.68	30.21			
PK	5.3596G	67.41	74.00	-6.59	56.00	3	Vertical	329	1.57	-	33.94	7.71	30.24			
AV	5.3508G	53.31	54.00	-0.69	41.94	3	Vertical	329	1.57	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 89
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3218G	113.08	Inf	-Inf	101.78	3	Horizontal	337	1.60	-	33.84	7.68	30.22				
AV	5.3226G	100.66	Inf	-Inf	89.35	3	Horizontal	337	1.60	-	33.85	7.68	30.22				
PK	5.35G	64.74	74.00	-9.26	53.37	3	Horizontal	337	1.60	-	33.90	7.70	30.23				
AV	5.3504G	52.04	54.00	-1.96	40.67	3	Horizontal	337	1.60	-	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64488G	48.58	74.00	-25.42	42.89	3	Vertical	39	1.80	108	39.38	11.89	45.58			
AV	10.62138G	36.20	54.00	-17.80	30.57	3	Vertical	39	1.80	108	39.29	11.88	45.54			
PK	15.95884G	51.79	74.00	-22.21	43.33	3	Vertical	185	1.80	108	37.66	14.62	43.82			
AV	15.96647G	39.38	54.00	-14.62	30.96	3	Vertical	185	1.80	108	37.63	14.63	43.84			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64156G	48.42	74.00	-25.58	42.74	3	Horizontal	28	1.80	108	39.37	11.89	45.58			
AV	10.63964G	36.68	54.00	-17.32	31.00	3	Horizontal	28	1.80	108	39.36	11.89	45.57			
PK	15.96603G	54.40	74.00	-19.60	45.98	3	Horizontal	139	1.80	108	37.64	14.62	43.84			
AV	15.96727G	40.85	54.00	-13.15	32.43	3	Horizontal	139	1.80	108	37.63	14.63	43.84			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.26885G	71.14	83.54	-12.40	65.21	1	Vertical	187	1.81	108	37.79	16.93	48.79			
AV	21.27469G	58.08	63.54	-5.46	52.19	1	Vertical	187	1.81	108	37.75	16.93	48.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.277G	67.64	83.54	-15.90	61.76	1	Horizontal	203	1.74	108	37.74	16.93	48.79			
AV	21.2824G	55.14	63.54	-8.40	49.28	1	Horizontal	203	1.74	108	37.71	16.94	48.79			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT Y_1TX
Setting 69
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	66.07	74.00	-7.93	54.92	3	Vertical	336	1.54	-	33.70	7.58	30.13			
AV	5.1496G	53.45	54.00	-0.55	42.30	3	Vertical	336	1.54	-	33.70	7.58	30.13			
PK	5.1884G	112.94	Inf	-Inf	101.72	3	Vertical	336	1.54	-	33.78	7.59	30.15			
AV	5.1788G	100.79	Inf	-Inf	89.58	3	Vertical	336	1.54	-	33.76	7.59	30.14			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT Y_1TX
Setting 69
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	60.28	74.00	-13.72	49.13	3	Horizontal	334	1.79	-	33.70	7.58	30.13				
AV	5.15G	49.24	54.00	-4.76	38.09	3	Horizontal	334	1.79	-	33.70	7.58	30.13				
PK	5.1884G	107.34	Inf	-Inf	96.12	3	Horizontal	334	1.79	-	33.78	7.59	30.15				
AV	5.1824G	94.99	Inf	-Inf	83.78	3	Horizontal	334	1.79	-	33.76	7.59	30.14				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41509G	48.40	68.20	-19.80	43.10	3	Vertical	189	1.80	108	38.90	11.73	45.33			
PK	15.56009G	52.04	74.00	-21.96	42.13	3	Vertical	168	1.80	108	38.46	14.44	42.99			
AV	15.55977G	40.97	54.00	-13.03	31.06	3	Vertical	168	1.80	108	38.46	14.44	42.99			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35475G	48.91	68.20	-19.29	43.66	3	Horizontal	296	1.80	108	38.90	11.69	45.34			
PK	15.55793G	51.28	74.00	-22.72	41.36	3	Horizontal	197	1.80	108	38.47	14.44	42.99			
AV	15.56193G	40.00	54.00	-14.00	30.10	3	Horizontal	197	1.80	108	38.45	14.45	43.00			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.7564G	65.77	83.54	-17.77	60.17	1	Vertical	162	1.80	108	37.77	16.73	48.90			
AV	20.76903G	54.03	63.54	-9.51	48.48	1	Vertical	162	1.80	108	37.72	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.75656G	62.55	83.54	-20.99	56.95	1	Horizontal	198	1.53	108	37.77	16.73	48.90			
AV	20.76751G	50.56	63.54	-12.98	45.00	1	Horizontal	198	1.53	108	37.73	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 90
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	65.01	74.00	-8.99	53.86	3	Vertical	329	1.52	-	33.70	7.58	30.13
AV	5.1484G	53.55	54.00	-0.45	42.41	3	Vertical	329	1.52	-	33.69	7.58	30.13
PK	5.2366G	117.24	Inf	-Inf	105.99	3	Vertical	329	1.52	-	33.80	7.62	30.17
AV	5.245G	105.13	Inf	-Inf	93.89	3	Vertical	329	1.52	-	33.80	7.62	30.18
PK	5.3566G	60.22	74.00	-13.78	48.82	3	Vertical	329	1.52	-	33.93	7.71	30.24
AV	5.3506G	48.32	54.00	-5.68	36.95	3	Vertical	329	1.52	-	33.90	7.70	30.23

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT_Y_1TX
Setting 90
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	61.06	74.00	-12.94	49.92	3	Horizontal	354	1.63	-	33.69	7.58	30.13			
AV	5.146G	49.07	54.00	-4.93	37.94	3	Horizontal	354	1.63	-	33.68	7.58	30.13			
PK	5.2354G	111.33	Inf	-Inf	100.08	3	Horizontal	354	1.63	-	33.80	7.62	30.17			
AV	5.239G	99.62	Inf	-Inf	88.37	3	Horizontal	354	1.63	-	33.80	7.62	30.17			
PK	5.368G	58.76	74.00	-15.24	47.31	3	Horizontal	354	1.63	-	33.97	7.72	30.24			
AV	5.353G	47.38	54.00	-6.62	36.00	3	Horizontal	354	1.63	-	33.91	7.70	30.23			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.45489G	48.59	68.20	-19.61	43.26	3	Vertical	188	1.80	108	38.89	11.76	45.32			
PK	15.71502G	51.16	74.00	-22.84	41.94	3	Vertical	163	1.80	108	38.03	14.51	43.32			
AV	15.71709G	39.46	54.00	-14.54	30.24	3	Vertical	163	1.80	108	38.03	14.51	43.32			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45409G	49.30	68.20	-18.90	43.97	3	Horizontal	160	1.80	108	38.89	11.76	45.32			
PK	15.71022G	52.02	74.00	-21.98	42.80	3	Horizontal	206	1.80	108	38.02	14.51	43.31			
AV	15.71422G	40.41	54.00	-13.59	31.19	3	Horizontal	206	1.80	108	38.03	14.51	43.32			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.92176G	64.52	83.54	-19.02	58.82	1	Vertical	166	1.80	108	37.80	16.80	48.90			
AV	20.92703G	52.16	63.54	-11.38	46.45	1	Vertical	166	1.80	108	37.80	16.81	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9164G	65.75	83.54	-17.79	60.05	1	Horizontal	202	1.55	108	37.80	16.80	48.90			
AV	20.92072G	53.47	63.54	-10.07	47.77	1	Horizontal	202	1.55	108	37.80	16.80	48.90			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT Y_1TX
Setting 88
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	60.25	74.00	-13.75	49.12	3	Vertical	332	1.52	-	33.67	7.58	30.12
AV	5.1488G	49.14	54.00	-4.86	37.99	3	Vertical	332	1.52	-	33.70	7.58	30.13
PK	5.2652G	118.02	Inf	-Inf	106.77	3	Vertical	332	1.52	-	33.80	7.64	30.19
AV	5.2658G	105.48	Inf	-Inf	94.23	3	Vertical	332	1.52	-	33.80	7.64	30.19
PK	5.3528G	68.89	74.00	-5.11	57.51	3	Vertical	332	1.52	-	33.91	7.70	30.23
AV	5.35G	53.75	54.00	-0.25	42.38	3	Vertical	332	1.52	-	33.90	7.70	30.23

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 88
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.123G	58.36	74.00	-15.64	47.31	3	Horizontal	357	1.55	-	33.59	7.57	30.11			
AV	5.1476G	47.02	54.00	-6.98	35.88	3	Horizontal	357	1.55	-	33.69	7.58	30.13			
PK	5.2598G	112.36	Inf	-Inf	101.12	3	Horizontal	357	1.55	-	33.80	7.63	30.19			
AV	5.2688G	101.03	Inf	-Inf	89.78	3	Horizontal	357	1.55	-	33.80	7.64	30.19			
PK	5.3522G	64.98	74.00	-9.02	53.60	3	Horizontal	357	1.55	-	33.91	7.70	30.23			
AV	5.3516G	50.89	54.00	-3.11	39.51	3	Horizontal	357	1.55	-	33.91	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Z_1TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52887G	46.27	68.20	-21.93	62.59	3	Vertical	339	1.80	-	38.26	12.05	66.63			
PK	15.80745G	51.02	74.00	-22.98	62.60	3	Vertical	200	1.68	-	37.71	14.66	63.95			
AV	15.81864G	38.66	54.00	-15.34	50.21	3	Vertical	200	1.68	-	37.74	14.67	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Z_1TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53859G	46.63	68.20	-21.57	62.92	3	Horizontal	155	1.90	-	38.28	12.05	66.62			
PK	15.8184G	49.25	74.00	-24.75	60.80	3	Horizontal	235	2.03	-	37.74	14.67	63.96			
AV	15.82101G	37.08	54.00	-16.92	48.62	3	Horizontal	235	2.03	-	37.74	14.68	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07632G	65.18	83.54	-18.36	59.43	1	Vertical	59	1.80	108	37.75	16.87	48.87			
AV	21.09319G	52.84	63.54	-10.70	47.12	1	Vertical	59	1.80	108	37.71	16.87	48.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07632G	65.86	83.54	-17.68	60.11	1	Horizontal	194	1.86	108	37.75	16.87	48.87			
AV	21.06833G	53.49	63.54	-10.05	47.74	1	Horizontal	194	1.86	108	37.76	16.86	48.87			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
Setting 72
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	112.44	Inf	-Inf	101.18	3	Vertical	331	1.54	-	33.80	7.66	30.20			
AV	5.296G	99.88	Inf	-Inf	88.62	3	Vertical	331	1.54	-	33.80	7.66	30.20			
PK	5.3548G	67.44	74.00	-6.56	56.04	3	Vertical	331	1.54	-	33.92	7.71	30.23			
AV	5.35G	53.88	54.00	-0.12	42.51	3	Vertical	331	1.54	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
Setting 72
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	107.73	Inf	-Inf	96.47	3	Horizontal	339	1.55	-	33.80	7.66	30.20			
AV	5.2936G	95.81	Inf	-Inf	84.55	3	Horizontal	339	1.55	-	33.80	7.66	30.20			
PK	5.3508G	63.36	74.00	-10.64	51.99	3	Horizontal	339	1.55	-	33.90	7.70	30.23			
AV	5.352G	50.70	54.00	-3.30	39.32	3	Horizontal	339	1.55	-	33.91	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61484G	46.02	74.00	-27.98	62.18	3	Vertical	77	2.08	-	38.30	12.09	66.55			
AV	10.62465G	33.47	54.00	-20.53	49.61	3	Vertical	77	2.08	-	38.30	12.10	66.54			
PK	15.93849G	48.12	74.00	-25.88	59.84	3	Vertical	196	1.90	-	37.47	14.78	63.97			
AV	15.91533G	36.03	54.00	-17.97	47.62	3	Vertical	196	1.90	-	37.61	14.76	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_Z_1TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61832G	45.56	74.00	-28.44	61.72	3	Horizontal	98	1.41	-	38.30	12.09	66.55			
AV	10.61394G	33.42	54.00	-20.58	49.58	3	Horizontal	98	1.41	-	38.30	12.09	66.55			
PK	15.92226G	49.80	74.00	-24.20	61.43	3	Horizontal	172	1.96	-	37.57	14.76	63.96			
AV	15.93447G	37.22	54.00	-16.78	48.92	3	Horizontal	172	1.96	-	37.49	14.77	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24296G	67.60	83.54	-15.94	61.62	1	Vertical	188	1.81	108	37.86	16.92	48.80			
AV	21.24663G	56.02	63.54	-7.52	50.02	1	Vertical	188	1.81	108	37.88	16.92	48.80			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.23624G	70.33	83.54	-13.21	64.40	1	Horizontal	180	1.53	108	37.82	16.92	48.81			
AV	21.23672G	58.28	63.54	-5.26	52.35	1	Horizontal	180	1.53	108	37.82	16.92	48.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 73
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	64.71	74.00	-9.29	53.56	3	Vertical	333	1.66	-	33.70	7.58	30.13			
AV	5.15G	53.67	54.00	-0.33	42.52	3	Vertical	333	1.66	-	33.70	7.58	30.13			
PK	5.178G	110.21	Inf	-Inf	99.00	3	Vertical	333	1.66	-	33.76	7.59	30.14			
AV	5.18G	98.59	Inf	-Inf	87.38	3	Vertical	333	1.66	-	33.76	7.59	30.14			
PK	5.364G	58.87	74.00	-15.13	47.44	3	Vertical	333	1.66	-	33.96	7.71	30.24			
AV	5.37G	47.65	54.00	-6.35	36.19	3	Vertical	333	1.66	-	33.98	7.72	30.24			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT Y_1TX
Setting 73
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	59.73	74.00	-14.27	48.60	3	Horizontal	333	1.80	-	33.67	7.58	30.12			
AV	5.15G	48.90	54.00	-5.10	37.75	3	Horizontal	333	1.80	-	33.70	7.58	30.13			
PK	5.198G	105.77	Inf	-Inf	94.53	3	Horizontal	333	1.80	-	33.80	7.59	30.15			
AV	5.199G	93.38	Inf	-Inf	82.14	3	Horizontal	333	1.80	-	33.80	7.59	30.15			
PK	5.367G	59.26	74.00	-14.74	47.81	3	Horizontal	333	1.80	-	33.97	7.72	30.24			
AV	5.393G	46.69	54.00	-7.31	35.14	3	Horizontal	333	1.80	-	34.07	7.73	30.25			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38196G	48.60	68.20	-19.60	43.33	3	Vertical	357	1.80	108	38.90	11.71	45.34			
PK	15.67683G	49.51	74.00	-24.49	40.30	3	Vertical	149	1.80	108	37.95	14.50	43.24			
AV	15.67124G	38.78	54.00	-15.22	29.58	3	Vertical	149	1.80	108	37.94	14.49	43.23			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39538G	49.25	68.20	-18.95	43.97	3	Horizontal	333	1.80	108	38.90	11.72	45.34			
PK	15.68866G	50.81	74.00	-23.19	41.59	3	Horizontal	180	1.80	108	37.98	14.50	43.26			
AV	15.65366G	39.20	54.00	-14.80	29.99	3	Horizontal	180	1.80	108	37.91	14.49	43.19			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77862G	63.33	83.54	-20.21	57.80	1	Vertical	167	1.80	108	37.69	16.74	48.90			
AV	20.7978G	51.57	63.54	-11.97	46.12	1	Vertical	167	1.80	108	37.61	16.74	48.90			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.84352G	59.63	83.54	-23.91	54.16	1	Horizontal	212	1.62	108	37.60	16.77	48.90			
AV	20.80963G	48.20	63.54	-15.34	42.75	1	Horizontal	212	1.62	108	37.60	16.75	48.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 73
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	59.58	74.00	-14.42	48.43	3	Vertical	331	1.52	-	33.70	7.58	30.13				
AV	5.148G	47.84	54.00	-6.16	36.70	3	Vertical	331	1.52	-	33.69	7.58	30.13				
PK	5.288G	108.83	Inf	-Inf	97.57	3	Vertical	331	1.52	-	33.80	7.66	30.20				
AV	5.263G	97.39	Inf	-Inf	86.14	3	Vertical	331	1.52	-	33.80	7.64	30.19				
PK	5.358G	64.20	74.00	-9.80	52.80	3	Vertical	331	1.52	-	33.93	7.71	30.24				
AV	5.35G	53.76	54.00	-0.24	42.39	3	Vertical	331	1.52	-	33.90	7.70	30.23				
PK	5.478G	58.21	68.20	-9.99	46.72	3	Vertical	331	1.52	-	34.00	7.79	30.30				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 73
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	58.16	74.00	-15.84	47.06	3	Horizontal	337	1.65	-	33.64	7.58	30.12
AV	5.148G	46.65	54.00	-7.35	35.51	3	Horizontal	337	1.65	-	33.69	7.58	30.13
PK	5.273G	106.35	Inf	-Inf	95.10	3	Horizontal	337	1.65	-	33.80	7.64	30.19
AV	5.28G	93.59	Inf	-Inf	82.34	3	Horizontal	337	1.65	-	33.80	7.65	30.20
PK	5.35G	61.89	74.00	-12.11	50.52	3	Horizontal	337	1.65	-	33.90	7.70	30.23
AV	5.35G	50.76	54.00	-3.24	39.39	3	Horizontal	337	1.65	-	33.90	7.70	30.23
PK	5.491G	58.22	68.20	-9.98	46.74	3	Horizontal	337	1.65	-	34.00	7.79	30.31

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57442G	45.99	68.20	-22.21	62.21	3	Vertical	33	1.52	-	38.30	12.07	66.59			
PK	15.86916G	48.47	74.00	-25.53	59.95	3	Vertical	202	1.64	-	37.76	14.72	63.96			
AV	15.85743G	36.09	54.00	-17.91	47.55	3	Vertical	202	1.64	-	37.79	14.71	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Z_1TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57346G	45.53	68.20	-22.67	61.75	3	Horizontal	244	1.84	-	38.30	12.07	66.59			
PK	15.8664G	50.11	74.00	-23.89	61.59	3	Horizontal	215	2.06	-	37.77	14.71	63.96			
AV	15.88077G	36.66	54.00	-17.34	48.15	3	Horizontal	215	2.06	-	37.74	14.73	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1234G	61.84	83.54	-21.70	56.06	1	Vertical	208	1.84	108	37.75	16.88	48.85			
AV	21.13778G	51.29	63.54	-12.25	45.46	1	Vertical	208	1.84	108	37.78	16.89	48.84			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.10278G	60.19	83.54	-23.35	54.47	1	Horizontal	192	2.14	108	37.71	16.87	48.86			
AV	21.12947G	49.46	63.54	-14.08	43.67	1	Horizontal	192	2.14	108	37.76	16.88	48.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 85
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1463G	67.63	74.00	-6.37	57.42	3	Vertical	332	1.80	-	33.09	9.71	32.59			
AV	5.15G	53.48	54.00	-0.52	43.26	3	Vertical	332	1.80	-	33.10	9.71	32.59			
PK	5.1759G	120.32	Inf	-Inf	110.12	3	Vertical	332	1.80	-	33.05	9.73	32.58			
AV	5.1753G	110.22	Inf	-Inf	100.02	3	Vertical	332	1.80	-	33.05	9.73	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 85
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1475G	62.43	74.00	-11.57	52.22	3	Horizontal	337	1.80	-	33.09	9.71	32.59			
AV	5.15G	49.24	54.00	-4.76	39.02	3	Horizontal	337	1.80	-	33.10	9.71	32.59			
PK	5.1759G	115.41	Inf	-Inf	105.21	3	Horizontal	337	1.80	-	33.05	9.73	32.58			
AV	5.1757G	105.48	Inf	-Inf	95.28	3	Horizontal	337	1.80	-	33.05	9.73	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36256G	48.72	68.20	-19.48	43.46	3	Vertical	53	1.34	99	38.90	11.70	45.34			
PK	15.53844G	53.80	74.00	-20.20	43.82	3	Vertical	170	1.80	99	38.50	14.43	42.95			
AV	15.53876G	41.71	54.00	-12.29	31.73	3	Vertical	170	1.80	99	38.50	14.43	42.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37091G	50.17	68.20	-18.03	44.91	3	Horizontal	220	1.80	99	38.90	11.70	45.34			
PK	15.54332G	53.98	74.00	-20.02	44.00	3	Horizontal	163	1.80	99	38.50	14.44	42.96			
AV	15.53852G	41.29	54.00	-12.71	31.31	3	Horizontal	163	1.80	99	38.50	14.43	42.95			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71996G	74.73	83.54	-8.81	69.30	1	Vertical	189	1.60	99	37.62	16.71	48.90			
AV	20.71972G	60.13	63.54	-3.41	54.70	1	Vertical	189	1.60	99	37.62	16.71	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71832G	76.10	83.54	-7.44	70.68	1	Horizontal	176	1.54	99	37.61	16.71	48.90			
AV	20.71964G	63.05	63.54	-0.49	57.62	1	Horizontal	176	1.54	99	37.62	16.71	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
Setting 96
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	68.86	74.00	-5.14	58.65	3	Vertical	32	1.80	-	33.09	9.71	32.59			
AV	5.147G	53.70	54.00	-0.30	43.49	3	Vertical	32	1.80	-	33.09	9.71	32.59			
PK	5.1964G	122.28	Inf	-Inf	112.11	3	Vertical	32	1.80	-	33.01	9.74	32.58			
AV	5.2016G	112.03	Inf	-Inf	101.87	3	Vertical	32	1.80	-	33.00	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 96
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	65.41	74.00	-8.59	55.23	3	Horizontal	344	1.80	-	33.06	9.71	32.59			
AV	5.15G	50.41	54.00	-3.59	40.19	3	Horizontal	344	1.80	-	33.10	9.71	32.59			
PK	5.196G	119.17	Inf	-Inf	109.00	3	Horizontal	344	1.80	-	33.01	9.74	32.58			
AV	5.1962G	109.19	Inf	-Inf	99.02	3	Horizontal	344	1.80	-	33.01	9.74	32.58			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39776G	49.76	68.20	-18.44	44.47	3	Vertical	188	1.80	104	38.90	11.72	45.33			
PK	15.59469G	50.93	74.00	-23.07	41.22	3	Vertical	180	1.80	104	38.32	14.46	43.07			
AV	15.59804G	38.98	54.00	-15.02	29.28	3	Vertical	180	1.80	104	38.31	14.46	43.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39453G	49.85	68.20	-18.35	44.57	3	Horizontal	5	1.80	104	38.90	11.72	45.34			
PK	15.59401G	53.76	74.00	-20.24	44.05	3	Horizontal	198	1.80	104	38.32	14.46	43.07			
AV	15.59904G	41.76	54.00	-12.24	32.08	3	Horizontal	198	1.80	104	38.30	14.46	43.08			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79976G	75.19	83.54	-8.35	69.74	1	Vertical	167	1.84	104	37.60	16.75	48.90			
AV	20.79944G	62.08	63.54	-1.46	56.63	1	Vertical	167	1.84	104	37.60	16.75	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79984G	76.47	83.54	-7.07	71.02	1	Horizontal	214	1.63	104	37.60	16.75	48.90			
AV	20.79912G	63.20	63.54	-0.34	57.75	1	Horizontal	214	1.63	104	37.60	16.75	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	65.12	74.00	-8.88	54.90	3	Vertical	29	1.80	-	33.10	9.71	32.59			
AV	5.1497G	51.20	54.00	-2.80	40.98	3	Vertical	29	1.80	-	33.10	9.71	32.59			
PK	5.2415G	125.36	Inf	-Inf	115.29	3	Vertical	29	1.80	-	32.92	9.72	32.57			
AV	5.2418G	114.86	Inf	-Inf	104.79	3	Vertical	29	1.80	-	32.92	9.72	32.57			
PK	5.3546G	60.75	74.00	-13.25	50.82	3	Vertical	29	1.80	-	32.79	9.68	32.54			
AV	5.3513G	48.08	54.00	-5.92	38.14	3	Vertical	29	1.80	-	32.80	9.68	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	64.73	74.00	-9.27	54.52	3	Horizontal	348	1.80	-	33.09	9.71	32.59			
AV	5.1497G	48.19	54.00	-5.81	37.97	3	Horizontal	348	1.80	-	33.10	9.71	32.59			
PK	5.2418G	122.32	Inf	-Inf	112.25	3	Horizontal	348	1.80	-	32.92	9.72	32.57			
AV	5.2415G	111.65	Inf	-Inf	101.58	3	Horizontal	348	1.80	-	32.92	9.72	32.57			
PK	5.3519G	64.05	74.00	-9.95	54.11	3	Horizontal	348	1.80	-	32.80	9.68	32.54			
AV	5.3513G	47.34	54.00	-6.66	37.40	3	Horizontal	348	1.80	-	32.80	9.68	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47728G	49.82	68.20	-18.38	44.51	3	Vertical	185	1.80	108	38.85	11.78	45.32			
PK	15.71732G	55.54	74.00	-18.46	46.32	3	Vertical	150	1.80	108	38.03	14.51	43.32			
AV	15.72172G	43.14	54.00	-10.86	33.91	3	Vertical	150	1.80	108	38.04	14.52	43.33			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47217G	49.43	68.20	-18.77	44.12	3	Horizontal	244.1	1.80	108	38.86	11.77	45.32			
PK	15.71856G	55.90	74.00	-18.10	46.67	3	Horizontal	176	1.80	108	38.04	14.51	43.32			
AV	15.72268G	44.09	54.00	-9.91	34.85	3	Horizontal	176	1.80	108	38.05	14.52	43.33			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95792G	71.83	83.54	-11.71	66.13	1	Vertical	154	1.72	108	37.78	16.82	48.90			
AV	20.95808G	58.20	63.54	-5.34	52.50	1	Vertical	154	1.72	108	37.78	16.82	48.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95345G	70.51	83.54	-13.03	64.80	1	Horizontal	211	1.68	108	37.79	16.82	48.90			
AV	20.95804G	57.48	63.54	-6.06	51.78	1	Horizontal	211	1.68	108	37.78	16.82	48.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 102
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	65.83	74.00	-8.17	55.62	3	Vertical	26	1.80	-	33.09	9.71	32.59			
AV	5.1496G	49.06	54.00	-4.94	38.84	3	Vertical	26	1.80	-	33.10	9.71	32.59			
PK	5.2669G	124.31	Inf	-Inf	114.29	3	Vertical	26	1.80	-	32.87	9.71	32.56			
AV	5.2621G	113.98	Inf	-Inf	103.94	3	Vertical	26	1.80	-	32.88	9.72	32.56			
PK	5.3536G	73.39	74.00	-0.61	63.46	3	Vertical	26	1.80	-	32.79	9.68	32.54			
AV	5.3503G	49.91	54.00	-4.09	39.97	3	Vertical	26	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 102
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	61.54	74.00	-12.46	51.33	3	Horizontal	340	1.80	-	33.09	9.71	32.59			
AV	5.1478G	47.52	54.00	-6.48	37.31	3	Horizontal	340	1.80	-	33.09	9.71	32.59			
PK	5.2606G	122.31	Inf	-Inf	112.27	3	Horizontal	340	1.80	-	32.88	9.72	32.56			
AV	5.2612G	111.58	Inf	-Inf	101.54	3	Horizontal	340	1.80	-	32.88	9.72	32.56			
PK	5.3542G	68.49	74.00	-5.51	58.56	3	Horizontal	340	1.80	-	32.79	9.68	32.54			
AV	5.3503G	49.21	54.00	-4.79	39.27	3	Horizontal	340	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 103
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51173G	48.39	68.20	-19.81	43.10	3	Vertical	305	1.79	103	38.82	11.80	45.33			
PK	15.77692G	56.37	74.00	-17.63	47.29	3	Vertical	146	1.80	103	37.99	14.54	43.45			
AV	15.77676G	44.57	54.00	-9.43	35.49	3	Vertical	146	1.80	103	37.99	14.54	43.45			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 103
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5192G	48.53	68.20	-19.67	43.23	3	Horizontal	217	1.80	103	38.84	11.81	45.35			
PK	15.77852G	56.78	74.00	-17.22	47.70	3	Horizontal	124	1.80	103	37.99	14.54	43.45			
AV	15.7792G	44.75	54.00	-9.25	35.68	3	Horizontal	124	1.80	103	37.98	14.54	43.45			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 103
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.03764G	76.58	83.54	-6.96	70.83	1	Vertical	152	2.00	103	37.78	16.85	48.88			
AV	21.04224G	63.19	63.54	-0.35	57.44	1	Vertical	152	2.00	103	37.78	16.85	48.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.04224G	72.65	83.54	-10.89	66.90	1	Horizontal	171	1.68	108	37.78	16.85	48.88			
AV	21.04224G	60.41	63.54	-3.13	54.66	1	Horizontal	171	1.68	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 95
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2962G	120.57	Inf	-Inf	110.61	3	Vertical	348	1.80	-	32.81	9.70	32.55				
AV	5.2966G	110.20	Inf	-Inf	100.24	3	Vertical	348	1.80	-	32.81	9.70	32.55				
PK	5.3506G	68.60	74.00	-5.40	58.66	3	Vertical	348	1.80	-	32.80	9.68	32.54				
AV	5.3526G	53.48	54.00	-0.52	43.55	3	Vertical	348	1.80	-	32.79	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 95
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2968G	119.44	Inf	-Inf	109.48	3	Horizontal	348	1.80	-	32.81	9.70	32.55				
AV	5.2966G	108.54	Inf	-Inf	98.58	3	Horizontal	348	1.80	-	32.81	9.70	32.55				
PK	5.3576G	65.59	74.00	-8.41	55.67	3	Horizontal	348	1.80	-	32.78	9.68	32.54				
AV	5.35G	51.04	54.00	-2.96	41.10	3	Horizontal	348	1.80	-	32.80	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59572G	49.13	68.20	-19.07	43.59	3	Vertical	302	1.80	108	39.17	11.86	45.49				
AV	10.60084G	37.57	54.00	-16.43	32.01	3	Vertical	302	1.80	108	39.20	11.86	45.50				
PK	15.89357G	54.00	74.00	-20.00	45.13	3	Vertical	186	1.80	108	37.97	14.59	43.69				
AV	15.8986G	41.07	54.00	-12.93	32.19	3	Vertical	186	1.80	108	37.99	14.59	43.70				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59688G	50.90	68.20	-17.30	45.35	3	Horizontal	232	1.80	108	39.18	11.86	45.49			
AV	10.601G	38.53	54.00	-15.47	32.97	3	Horizontal	232	1.80	108	39.20	11.86	45.50			
PK	15.88733G	55.79	74.00	-18.21	46.93	3	Horizontal	202	1.80	108	37.95	14.59	43.68			
AV	15.89724G	43.35	54.00	-10.65	34.47	3	Horizontal	202	1.80	108	37.99	14.59	43.70			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1998G	72.46	83.54	-11.08	66.77	1	Vertical	170	1.67	108	37.60	16.91	48.82			
AV	21.19976G	59.23	63.54	-4.31	53.54	1	Vertical	170	1.67	108	37.60	16.91	48.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2032G	75.32	83.54	-8.22	69.61	1	Horizontal	184	1.65	108	37.62	16.91	48.82			
AV	21.19804G	62.00	63.54	-1.54	56.30	1	Horizontal	184	1.65	108	37.61	16.91	48.82			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 85
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3255G	118.58	Inf	-Inf	108.64	3	Vertical	326	1.80	-	32.80	9.69	32.55				
AV	5.3255G	108.27	Inf	-Inf	98.33	3	Vertical	326	1.80	-	32.80	9.69	32.55				
PK	5.3609G	67.84	74.00	-6.16	57.92	3	Vertical	326	1.80	-	32.78	9.68	32.54				
AV	5.3507G	53.45	54.00	-0.55	43.51	3	Vertical	326	1.80	-	32.80	9.68	32.54				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 85
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3219G	116.37	Inf	-Inf	106.43	3	Horizontal	348	1.80	-	32.80	9.69	32.55			
AV	5.3269G	106.56	Inf	-Inf	96.62	3	Horizontal	348	1.80	-	32.80	9.69	32.55			
PK	5.3611G	64.33	74.00	-9.67	54.41	3	Horizontal	348	1.80	-	32.78	9.68	32.54			
AV	5.352G	51.90	54.00	-2.10	41.96	3	Horizontal	348	1.80	-	32.80	9.68	32.54			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.6414G	48.07	74.00	-25.93	42.39	3	Vertical	128	1.80	108	39.37	11.89	45.58				
AV	10.64048G	36.24	54.00	-17.76	30.56	3	Vertical	128	1.80	108	39.36	11.89	45.57				
PK	15.96328G	55.94	74.00	-18.06	47.50	3	Vertical	168	1.80	108	37.65	14.62	43.83				
AV	15.95816G	42.83	54.00	-11.17	34.36	3	Vertical	168	1.80	108	37.67	14.62	43.82				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63748G	50.24	74.00	-23.76	44.57	3	Horizontal	187	1.80	108	39.35	11.89	45.57			
AV	10.64144G	38.16	54.00	-15.84	32.48	3	Horizontal	187	1.80	108	39.37	11.89	45.58			
PK	15.95481G	54.30	74.00	-19.70	45.82	3	Horizontal	158	1.80	108	37.68	14.62	43.82			
AV	15.9596G	42.54	54.00	-11.46	34.09	3	Horizontal	158	1.80	108	37.66	14.62	43.83			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2782G	73.84	83.54	-9.70	67.97	1	Vertical	185	1.80	108	37.73	16.93	48.79			
AV	21.27776G	60.10	63.54	-3.44	54.23	1	Vertical	185	1.80	108	37.73	16.93	48.79			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27349G	75.74	83.54	-7.80	69.84	1	Horizontal	177	1.53	108	37.76	16.93	48.79			
AV	21.27912G	63.44	63.54	-0.10	57.57	1	Horizontal	177	1.53	108	37.73	16.93	48.79			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 87
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.52	74.00	-2.48	60.37	3	Vertical	33	1.56	-	33.70	7.58	30.13			
AV	5.15G	53.64	54.00	-0.36	42.49	3	Vertical	33	1.56	-	33.70	7.58	30.13			
PK	5.173G	120.62	Inf	-Inf	109.43	3	Vertical	33	1.56	-	33.75	7.58	30.14			
AV	5.1758G	108.71	Inf	-Inf	97.51	3	Vertical	33	1.56	-	33.75	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 87
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	63.56	74.00	-10.44	52.44	3	Horizontal	335	1.30	-	33.66	7.58	30.12			
AV	5.15G	49.15	54.00	-4.85	38.00	3	Horizontal	335	1.30	-	33.70	7.58	30.13			
PK	5.1872G	115.96	Inf	-Inf	104.75	3	Horizontal	335	1.30	-	33.77	7.59	30.15			
AV	5.1724G	103.06	Inf	-Inf	91.88	3	Horizontal	335	1.30	-	33.74	7.58	30.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 101
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3443G	49.98	68.20	-18.22	44.75	3	Vertical	82	1.80	101	38.89	11.69	45.35			
PK	15.53944G	54.38	74.00	-19.62	44.39	3	Vertical	169	1.80	101	38.50	14.44	42.95			
AV	15.53908G	42.44	54.00	-11.56	32.46	3	Vertical	169	1.80	101	38.50	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 101
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37327G	49.00	68.20	-19.20	43.73	3	Horizontal	310.1	1.80	101	38.90	11.71	45.34			
PK	15.5442G	53.51	74.00	-20.49	43.53	3	Horizontal	160	1.80	101	38.50	14.44	42.96			
AV	15.53664G	42.00	54.00	-12.00	32.02	3	Horizontal	160	1.80	101	38.50	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 101
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70709G	74.07	83.54	-9.47	68.73	1	Vertical	186	1.75	101	37.54	16.70	48.90			
AV	20.7196G	62.24	63.54	-1.30	56.81	1	Vertical	186	1.75	101	37.62	16.71	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 101
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.70761G	77.23	83.54	-6.31	71.88	1	Horizontal	178	1.54	101	37.55	16.70	48.90			
AV	20.71513G	62.97	63.54	-0.57	57.57	1	Horizontal	178	1.54	101	37.59	16.71	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 96
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	68.88	74.00	-5.12	57.74	3	Vertical	30	1.76	-	33.69	7.58	30.13			
AV	5.1484G	53.77	54.00	-0.23	42.63	3	Vertical	30	1.76	-	33.69	7.58	30.13			
PK	5.1912G	121.50	Inf	-Inf	110.28	3	Vertical	30	1.76	-	33.78	7.59	30.15			
AV	5.1932G	110.19	Inf	-Inf	98.96	3	Vertical	30	1.76	-	33.79	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 96
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1476G	66.80	74.00	-7.20	55.66	3	Horizontal	333	1.80	-	33.69	7.58	30.13				
AV	5.15G	50.56	54.00	-3.44	39.41	3	Horizontal	333	1.80	-	33.70	7.58	30.13				
PK	5.1976G	117.16	Inf	-Inf	105.92	3	Horizontal	333	1.80	-	33.80	7.59	30.15				
AV	5.1976G	105.31	Inf	-Inf	94.07	3	Horizontal	333	1.80	-	33.80	7.59	30.15				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 105
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39644G	49.59	68.20	-18.61	44.30	3	Vertical	184	1.79	105	38.90	11.72	45.33			
PK	15.59616G	51.43	74.00	-22.57	41.72	3	Vertical	173	1.80	105	38.32	14.46	43.07			
AV	15.59908G	39.76	54.00	-14.24	30.08	3	Vertical	173	1.80	105	38.30	14.46	43.08			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 105
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39732G	49.82	68.20	-18.38	44.53	3	Horizontal	183	1.80	105	38.90	11.72	45.33			
PK	15.60192G	53.97	74.00	-20.03	44.31	3	Horizontal	188	1.80	105	38.28	14.46	43.08			
AV	15.59712G	42.77	54.00	-11.23	33.07	3	Horizontal	188	1.80	105	38.31	14.46	43.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 105
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.80667G	75.78	83.54	-7.76	70.33	1	Vertical	179	1.54	105	37.60	16.75	48.90			
AV	20.8016G	63.28	63.54	-0.26	57.83	1	Vertical	179	1.54	105	37.60	16.75	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 105
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79716G	76.39	83.54	-7.15	70.94	1	Horizontal	214	1.66	108	37.61	16.74	48.90			
AV	20.79964G	63.52	63.54	-0.02	58.07	1	Horizontal	214	1.66	108	37.60	16.75	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	64.35	74.00	-9.65	53.21	3	Vertical	29	1.53	-	33.69	7.58	30.13			
AV	5.1488G	50.88	54.00	-3.12	39.73	3	Vertical	29	1.53	-	33.70	7.58	30.13			
PK	5.2382G	124.36	Inf	-Inf	113.11	3	Vertical	29	1.53	-	33.80	7.62	30.17			
AV	5.2436G	113.04	Inf	-Inf	101.80	3	Vertical	29	1.53	-	33.80	7.62	30.18			
PK	5.3522G	59.59	74.00	-14.41	48.21	3	Vertical	29	1.53	-	33.91	7.70	30.23			
AV	5.35G	47.94	54.00	-6.06	36.57	3	Vertical	29	1.53	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 108
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1398G	59.59	74.00	-14.41	48.47	3	Horizontal	354	1.62	-	33.66	7.58	30.12
AV	5.15G	47.41	54.00	-6.59	36.26	3	Horizontal	354	1.62	-	33.70	7.58	30.13
PK	5.2484G	119.93	Inf	-Inf	108.68	3	Horizontal	354	1.62	-	33.80	7.63	30.18
AV	5.2382G	108.57	Inf	-Inf	97.32	3	Horizontal	354	1.62	-	33.80	7.62	30.17
PK	5.363G	58.95	74.00	-15.05	47.53	3	Horizontal	354	1.62	-	33.95	7.71	30.24
AV	5.35G	46.90	54.00	-7.10	35.53	3	Horizontal	354	1.62	-	33.90	7.70	30.23

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47892G	49.62	68.20	-18.58	44.32	3	Vertical	182	1.80	108	38.84	11.78	45.32			
PK	15.71556G	54.04	74.00	-19.96	44.82	3	Vertical	149	1.80	108	38.03	14.51	43.32			
AV	15.7234G	43.13	54.00	-10.87	33.89	3	Vertical	149	1.80	108	38.05	14.52	43.33			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48112G	49.23	68.20	-18.97	43.92	3	Horizontal	194	1.80	108	38.84	11.78	45.31			
PK	15.73159G	54.99	74.00	-19.01	45.76	3	Horizontal	171	1.80	108	38.06	14.52	43.35			
AV	15.72388G	43.17	54.00	-10.83	33.94	3	Horizontal	171	1.80	108	38.05	14.52	43.34			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96627G	71.29	83.54	-12.25	65.60	1	Vertical	159	2.01	108	37.77	16.82	48.90			
AV	20.9584G	59.03	63.54	-4.51	53.33	1	Vertical	159	2.01	108	37.78	16.82	48.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95181G	69.08	83.54	-14.46	63.36	1	Horizontal	210	1.68	108	37.80	16.82	48.90			
AV	20.95676G	57.34	63.54	-6.20	51.63	1	Horizontal	210	1.68	108	37.79	16.82	48.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 103
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	66.44	74.00	-7.56	55.30	3	Vertical	29	1.80	-	33.69	7.58	30.13			
AV	5.1484G	50.07	54.00	-3.93	38.93	3	Vertical	29	1.80	-	33.69	7.58	30.13			
PK	5.2642G	124.98	Inf	-Inf	113.73	3	Vertical	29	1.80	-	33.80	7.64	30.19			
AV	5.2534G	112.61	Inf	-Inf	101.36	3	Vertical	29	1.80	-	33.80	7.63	30.18			
PK	5.3626G	71.13	74.00	-2.87	59.71	3	Vertical	29	1.80	-	33.95	7.71	30.24			
AV	5.3512G	52.53	54.00	-1.47	41.16	3	Vertical	29	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 103
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	65.88	74.00	-8.12	54.74	3	Horizontal	347	1.66	-	33.69	7.58	30.13			
AV	5.15G	47.39	54.00	-6.61	36.24	3	Horizontal	347	1.66	-	33.70	7.58	30.13			
PK	5.263G	121.09	Inf	-Inf	109.84	3	Horizontal	347	1.66	-	33.80	7.64	30.19			
AV	5.2582G	109.79	Inf	-Inf	98.54	3	Horizontal	347	1.66	-	33.80	7.63	30.18			
PK	5.3596G	70.15	74.00	-3.85	58.74	3	Horizontal	347	1.66	-	33.94	7.71	30.24			
AV	5.3512G	51.40	54.00	-2.60	40.03	3	Horizontal	347	1.66	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52828G	47.00	68.20	-21.20	63.32	3	Vertical	40	1.38	-	38.26	12.05	66.63			
PK	15.7809G	52.50	74.00	-21.50	64.11	3	Vertical	170	2.72	-	37.70	14.64	63.95			
AV	15.78339G	40.47	54.00	-13.53	52.08	3	Vertical	170	2.72	-	37.70	14.64	63.95			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52024G	46.77	68.20	-21.43	63.13	3	Horizontal	97	1.48	-	38.24	12.04	66.64			
PK	15.76902G	50.80	74.00	-23.20	62.42	3	Horizontal	179	1.91	-	37.70	14.63	63.95			
AV	15.77874G	38.28	54.00	-15.72	49.89	3	Horizontal	179	1.91	-	37.70	14.64	63.95			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.03868G	74.06	83.54	-9.48	68.31	1	Vertical	155	1.97	108	37.78	16.85	48.88			
AV	21.0384G	62.78	63.54	-0.76	57.03	1	Vertical	155	1.97	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.04895G	74.53	83.54	-9.01	68.75	1	Horizontal	171	1.55	108	37.80	16.86	48.88			
AV	21.03916G	61.62	63.54	-1.92	55.87	1	Horizontal	171	1.55	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 92
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2956G	119.58	Inf	-Inf	108.32	3	Vertical	24	1.48	-	33.80	7.66	30.20			
AV	5.2936G	108.05	Inf	-Inf	96.79	3	Vertical	24	1.48	-	33.80	7.66	30.20			
PK	5.3516G	67.60	74.00	-6.40	56.22	3	Vertical	24	1.48	-	33.91	7.70	30.23			
AV	5.35G	53.58	54.00	-0.42	42.21	3	Vertical	24	1.48	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 92
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2936G	116.62	Inf	-Inf	105.36	3	Horizontal	348	1.69	-	33.80	7.66	30.20			
AV	5.2932G	105.24	Inf	-Inf	93.98	3	Horizontal	348	1.69	-	33.80	7.66	30.20			
PK	5.3508G	65.42	74.00	-8.58	54.05	3	Horizontal	348	1.69	-	33.90	7.70	30.23			
AV	5.3508G	50.83	54.00	-3.17	39.46	3	Horizontal	348	1.69	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58566G	46.06	68.20	-22.14	62.26	3	Vertical	193	1.63	-	38.30	12.08	66.58			
PK	15.8916G	50.79	74.00	-23.21	62.29	3	Vertical	198	1.67	-	37.72	14.74	63.96			
AV	15.89964G	38.58	54.00	-15.42	50.10	3	Vertical	198	1.67	-	37.70	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59514G	45.83	68.20	-22.37	62.02	3	Horizontal	58	1.41	-	38.30	12.08	66.57			
PK	15.8982G	51.28	74.00	-22.72	62.80	3	Horizontal	175	1.80	-	37.70	14.74	63.96			
AV	15.90066G	38.48	54.00	-15.52	50.00	3	Horizontal	175	1.80	-	37.70	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.20663G	72.23	83.54	-11.31	66.50	1	Vertical	182	1.80	108	37.64	16.91	48.82			
AV	21.20164G	60.57	63.54	-2.97	54.87	1	Vertical	182	1.80	108	37.61	16.91	48.82			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.21167G	71.78	83.54	-11.76	66.02	1	Horizontal	176	1.59	108	37.67	16.91	48.82			
AV	21.20687G	60.28	63.54	-3.26	54.55	1	Horizontal	176	1.59	108	37.64	16.91	48.82			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 87
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3236G	117.82	Inf	-Inf	106.51	3	Vertical	42	1.80	-	33.85	7.68	30.22			
AV	5.3286G	105.80	Inf	-Inf	94.47	3	Vertical	42	1.80	-	33.86	7.69	30.22			
PK	5.361G	68.58	74.00	-5.42	57.17	3	Vertical	42	1.80	-	33.94	7.71	30.24			
AV	5.3512G	53.60	54.00	-0.40	42.23	3	Vertical	42	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 87
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3158G	117.10	Inf	-Inf	105.80	3	Horizontal	350	1.80	-	33.83	7.68	30.21			
AV	5.3184G	103.64	Inf	-Inf	92.34	3	Horizontal	350	1.80	-	33.84	7.68	30.22			
PK	5.361G	64.33	74.00	-9.67	52.92	3	Horizontal	350	1.80	-	33.94	7.71	30.24			
AV	5.361G	51.17	54.00	-2.83	39.76	3	Horizontal	350	1.80	-	33.94	7.71	30.24			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6346G	46.10	74.00	-27.90	62.23	3	Vertical	304	1.94	-	38.30	12.10	66.53			
AV	10.63838G	33.50	54.00	-20.50	49.63	3	Vertical	304	1.94	-	38.30	12.10	66.53			
PK	15.95862G	50.41	74.00	-23.59	62.17	3	Vertical	39	1.44	-	37.42	14.79	63.97			
AV	15.95928G	37.53	54.00	-16.47	49.29	3	Vertical	39	1.44	-	37.42	14.79	63.97			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64162G	45.81	74.00	-28.19	61.93	3	Horizontal	207	1.84	-	38.30	12.10	66.52			
AV	10.63394G	33.08	54.00	-20.92	49.21	3	Horizontal	207	1.84	-	38.30	12.10	66.53			
PK	15.95754G	51.89	74.00	-22.11	63.65	3	Horizontal	172	1.92	-	37.42	14.79	63.97			
AV	15.96258G	38.92	54.00	-15.08	50.66	3	Horizontal	172	1.92	-	37.43	14.80	63.97			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28408G	69.68	83.54	-13.86	63.83	1	Vertical	155	1.80	108	37.70	16.94	48.79			
AV	21.28144G	57.80	63.54	-5.74	51.94	1	Vertical	155	1.80	108	37.71	16.94	48.79			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27205G	75.09	83.54	-8.45	69.18	1	Horizontal	180	1.53	108	37.77	16.93	48.79			
AV	21.27712G	62.52	63.54	-1.02	56.64	1	Horizontal	180	1.53	108	37.74	16.93	48.79			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 69
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	66.24	74.00	-7.76	55.09	3	Vertical	31	1.78	-	33.70	7.58	30.13			
AV	5.15G	53.78	54.00	-0.22	42.63	3	Vertical	31	1.78	-	33.70	7.58	30.13			
PK	5.1784G	113.21	Inf	-Inf	102.00	3	Vertical	31	1.78	-	33.76	7.59	30.14			
AV	5.176G	102.34	Inf	-Inf	91.14	3	Vertical	31	1.78	-	33.75	7.59	30.14			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
Setting 69
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	61.51	74.00	-12.49	50.36	3	Horizontal	334	1.80	-	33.70	7.58	30.13				
AV	5.15G	49.65	54.00	-4.35	38.50	3	Horizontal	334	1.80	-	33.70	7.58	30.13				
PK	5.1848G	108.73	Inf	-Inf	97.52	3	Horizontal	334	1.80	-	33.77	7.59	30.15				
AV	5.1804G	96.98	Inf	-Inf	85.77	3	Horizontal	334	1.80	-	33.76	7.59	30.14				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 100
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39622G	48.67	68.20	-19.53	43.38	3	Vertical	182	1.80	100	38.90	11.72	45.33			
PK	15.55138G	52.04	74.00	-21.96	42.09	3	Vertical	166	1.80	100	38.49	14.44	42.98			
AV	15.55657G	41.05	54.00	-12.95	31.13	3	Vertical	166	1.80	100	38.47	14.44	42.99			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 100
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38G	48.99	68.20	-19.21	43.72	3	Horizontal	232	1.80	100	38.90	11.71	45.34			
PK	15.57208G	52.06	74.00	-21.94	42.22	3	Horizontal	192	1.80	100	38.41	14.45	43.02			
AV	15.57959G	41.79	54.00	-12.21	32.00	3	Horizontal	192	1.80	100	38.38	14.45	43.04			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 100
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76272G	69.43	83.54	-14.11	63.85	1	Vertical	317	1.80	100	37.75	16.73	48.90			
AV	20.76703G	56.94	63.54	-6.60	51.38	1	Vertical	317	1.80	100	37.73	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 100
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.76639G	74.24	83.54	-9.30	68.68	1	Horizontal	166	1.53	100	37.73	16.73	48.90			
AV	20.75904G	63.11	63.54	-0.43	57.52	1	Horizontal	166	1.53	100	37.76	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX



EUT_Y_2TX
Setting 92
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1256G	64.63	74.00	-9.37	53.57	3	Vertical	-0	1.80	-	33.60	7.58	30.12
AV	5.1484G	53.60	54.00	-0.40	42.46	3	Vertical	-0	1.80	-	33.69	7.58	30.13
PK	5.236G	117.89	Inf	-Inf	106.64	3	Vertical	-0	1.80	-	33.80	7.62	30.17
AV	5.239G	107.18	Inf	-Inf	95.93	3	Vertical	-0	1.80	-	33.80	7.62	30.17
PK	5.3512G	59.35	74.00	-14.65	47.98	3	Vertical	-0	1.80	-	33.90	7.70	30.23
AV	5.356G	47.95	54.00	-6.05	36.56	3	Vertical	-0	1.80	-	33.92	7.71	30.24