


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 92
02-D-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.146G	62.75	74.00	-11.25	51.62	3	Horizontal	350	2.53	-	33.68	7.58	30.13			
AV	5.149G	50.69	54.00	-3.31	39.54	3	Horizontal	350	2.53	-	33.70	7.58	30.13			
PK	5.2438G	115.01	Inf	-Inf	103.77	3	Horizontal	350	2.53	-	33.80	7.62	30.18			
AV	5.2318G	104.33	Inf	-Inf	93.09	3	Horizontal	350	2.53	-	33.80	7.61	30.17			
PK	5.3506G	59.09	74.00	-14.91	47.72	3	Horizontal	350	2.53	-	33.90	7.70	30.23			
AV	5.362G	47.47	54.00	-6.53	36.05	3	Horizontal	350	2.53	-	33.95	7.71	30.24			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45608G	49.77	68.20	-18.43	44.44	3	Vertical	164	1.80	108	38.89	11.76	45.32			
PK	15.67809G	52.21	74.00	-21.79	42.99	3	Vertical	135	1.80	108	37.96	14.50	43.24			
AV	15.6944G	40.66	54.00	-13.34	31.44	3	Vertical	135	1.80	108	37.99	14.50	43.27			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46352G	48.94	68.20	-19.26	43.62	3	Horizontal	246	1.80	108	38.87	11.77	45.32			
PK	15.6721G	55.53	74.00	-18.47	46.33	3	Horizontal	188	1.80	108	37.94	14.49	43.23			
AV	15.69216G	43.27	54.00	-10.73	34.06	3	Horizontal	188	1.80	108	37.98	14.50	43.27			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8989G	71.48	83.54	-12.06	65.79	1	Vertical	160	1.71	108	37.80	16.79	48.90			
AV	20.89387G	59.70	63.54	-3.84	54.03	1	Vertical	160	1.71	108	37.78	16.79	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.88939G	71.78	83.54	-11.76	66.13	1	Horizontal	197	1.55	108	37.76	16.79	48.90			
AV	20.90681G	59.56	63.54	-3.98	53.86	1	Horizontal	197	1.55	108	37.80	16.80	48.90			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 87
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	60.64	74.00	-13.36	49.50	3	Vertical	28	1.62	-	33.69	7.58	30.13			
AV	5.15G	49.00	54.00	-5.00	37.85	3	Vertical	28	1.62	-	33.70	7.58	30.13			
PK	5.2712G	118.92	Inf	-Inf	107.67	3	Vertical	28	1.62	-	33.80	7.64	30.19			
AV	5.2562G	107.07	Inf	-Inf	95.82	3	Vertical	28	1.62	-	33.80	7.63	30.18			
PK	5.351G	65.86	74.00	-8.14	54.49	3	Vertical	28	1.62	-	33.90	7.70	30.23			
AV	5.351G	53.31	54.00	-0.69	41.94	3	Vertical	28	1.62	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
Setting
02-D-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1296G	59.07	74.00	-14.93	47.99	3	Horizontal	352	2.49	-	33.62	7.58	30.12			
AV	5.144G	47.46	54.00	-6.54	36.32	3	Horizontal	352	2.49	-	33.68	7.58	30.12			
PK	5.2688G	116.08	Inf	-Inf	104.83	3	Horizontal	352	2.49	-	33.80	7.64	30.19			
AV	5.2616G	104.17	Inf	-Inf	92.92	3	Horizontal	352	2.49	-	33.80	7.64	30.19			
PK	5.35G	65.29	74.00	-8.71	53.92	3	Horizontal	352	2.49	-	33.90	7.70	30.23			
AV	5.35G	51.17	54.00	-2.83	39.80	3	Horizontal	352	2.49	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.531G	45.88	68.20	-22.32	62.20	3	Vertical	217	1.55	-	38.26	12.05	66.63			
PK	15.82458G	50.21	74.00	-23.79	61.74	3	Vertical	199	1.68	-	37.75	14.68	63.96			
AV	15.81204G	37.88	54.00	-16.12	49.44	3	Vertical	199	1.68	-	37.72	14.67	63.95			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52752G	47.23	68.20	-20.97	63.55	3	Horizontal	293	1.41	-	38.26	12.05	66.63			
PK	15.82422G	50.20	74.00	-23.80	61.73	3	Horizontal	273	1.54	-	37.75	14.68	63.96			
AV	15.81438G	37.90	54.00	-16.10	49.46	3	Horizontal	273	1.54	-	37.73	14.67	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0764G	70.86	83.54	-12.68	65.11	1	Vertical	152	1.98	108	37.75	16.87	48.87			
AV	21.07097G	58.37	63.54	-5.17	52.62	1	Vertical	152	1.98	108	37.76	16.86	48.87			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07632G	72.29	83.54	-11.25	66.54	1	Horizontal	180	1.54	108	37.75	16.87	48.87			
AV	21.076G	60.26	63.54	-3.28	54.51	1	Horizontal	180	1.54	108	37.75	16.87	48.87			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60602G	45.18	74.00	-28.82	61.35	3	Vertical	32	1.49	-	38.30	12.09	66.56				
AV	10.61826G	33.32	54.00	-20.68	49.48	3	Vertical	32	1.49	-	38.30	12.09	66.55				
PK	15.93486G	45.90	74.00	-28.10	57.60	3	Vertical	254	1.77	-	37.49	14.77	63.96				
AV	15.91842G	34.28	54.00	-19.72	45.89	3	Vertical	254	1.77	-	37.59	14.76	63.96				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60764G	46.24	74.00	-27.76	62.41	3	Horizontal	53	2.04	-	38.30	12.09	66.56				
AV	10.6146G	33.43	54.00	-20.57	49.59	3	Horizontal	53	2.04	-	38.30	12.09	66.55				
PK	15.91638G	45.97	74.00	-28.03	57.57	3	Horizontal	92	1.57	-	37.60	14.76	63.96				
AV	15.92982G	34.11	54.00	-19.89	45.78	3	Horizontal	92	1.57	-	37.52	14.77	63.96				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24647G	70.55	83.54	-12.99	64.55	1	Vertical	180	1.82	108	37.88	16.92	48.80			
AV	21.23888G	58.52	63.54	-5.02	52.57	1	Vertical	180	1.82	108	37.83	16.92	48.80			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.23409G	71.82	83.54	-11.72	65.91	1	Horizontal	169	1.53	108	37.80	16.92	48.81			
AV	21.2368G	60.47	63.54	-3.07	54.54	1	Horizontal	169	1.53	108	37.82	16.92	48.81			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 73
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.93	74.00	-8.07	54.78	3	Vertical	31	1.79	-	33.70	7.58	30.13			
AV	5.15G	53.52	54.00	-0.48	42.37	3	Vertical	31	1.79	-	33.70	7.58	30.13			
PK	5.234G	111.58	Inf	-Inf	100.33	3	Vertical	31	1.79	-	33.80	7.62	30.17			
AV	5.181G	100.30	Inf	-Inf	89.09	3	Vertical	31	1.79	-	33.76	7.59	30.14			
PK	5.352G	58.87	74.00	-15.13	47.49	3	Vertical	31	1.79	-	33.91	7.70	30.23			
AV	5.351G	47.58	54.00	-6.42	36.21	3	Vertical	31	1.79	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 73
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	60.76	74.00	-13.24	49.63	3	Horizontal	337	2.60	-	33.68	7.58	30.13			
AV	5.15G	49.74	54.00	-4.26	38.59	3	Horizontal	337	2.60	-	33.70	7.58	30.13			
PK	5.191G	107.80	Inf	-Inf	96.58	3	Horizontal	337	2.60	-	33.78	7.59	30.15			
AV	5.181G	96.26	Inf	-Inf	85.05	3	Horizontal	337	2.60	-	33.76	7.59	30.14			
PK	5.407G	58.27	74.00	-15.73	46.70	3	Horizontal	337	2.60	-	34.09	7.74	30.26			
AV	5.352G	46.71	54.00	-7.29	35.33	3	Horizontal	337	2.60	-	33.91	7.70	30.23			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3826G	48.31	68.20	-19.89	43.04	3	Vertical	181	1.80	108	38.90	11.71	45.34			
PK	15.64471G	50.86	74.00	-23.14	41.61	3	Vertical	166	1.80	108	37.94	14.48	43.17			
AV	15.65989G	40.40	54.00	-13.60	31.19	3	Vertical	166	1.80	108	37.92	14.49	43.20			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43822G	48.75	68.20	-19.45	43.42	3	Horizontal	75	1.80	108	38.90	11.75	45.32			
PK	15.66916G	53.11	74.00	-20.89	43.90	3	Horizontal	189	1.80	108	37.94	14.49	43.22			
AV	15.65238G	42.14	54.00	-11.86	32.94	3	Horizontal	189	1.80	108	37.90	14.49	43.19			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.86382G	71.33	83.54	-12.21	65.79	1	Vertical	178	1.54	108	37.66	16.78	48.90			
AV	20.81187G	60.80	63.54	-2.74	55.35	1	Vertical	178	1.54	108	37.60	16.75	48.90			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79189G	68.84	83.54	-14.70	63.37	1	Horizontal	213	1.62	108	37.63	16.74	48.90			
AV	20.80436G	58.38	63.54	-5.16	52.93	1	Horizontal	213	1.62	108	37.60	16.75	48.90			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 72
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	58.95	74.00	-15.05	47.81	3	Vertical	26	1.74	-	33.69	7.58	30.13			
AV	5.143G	47.67	54.00	-6.33	36.54	3	Vertical	26	1.74	-	33.67	7.58	30.12			
PK	5.263G	110.75	Inf	-Inf	99.50	3	Vertical	26	1.74	-	33.80	7.64	30.19			
AV	5.263G	99.30	Inf	-Inf	88.05	3	Vertical	26	1.74	-	33.80	7.64	30.19			
PK	5.35G	64.30	74.00	-9.70	52.93	3	Vertical	26	1.74	-	33.90	7.70	30.23			
AV	5.353G	53.73	54.00	-0.27	42.35	3	Vertical	26	1.74	-	33.91	7.70	30.23			
PK	5.523G	57.77	68.20	-10.43	46.17	3	Vertical	26	1.74	-	34.09	7.81	30.30			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 72
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	57.88	74.00	-16.12	46.76	3	Horizontal	348	2.42	-	33.66	7.58	30.12
AV	5.135G	46.88	54.00	-7.12	35.78	3	Horizontal	348	2.42	-	33.64	7.58	30.12
PK	5.259G	108.34	Inf	-Inf	97.09	3	Horizontal	348	2.42	-	33.80	7.63	30.18
AV	5.262G	97.21	Inf	-Inf	85.96	3	Horizontal	348	2.42	-	33.80	7.64	30.19
PK	5.352G	61.58	74.00	-12.42	50.20	3	Horizontal	348	2.42	-	33.91	7.70	30.23
AV	5.35G	51.38	54.00	-2.62	40.01	3	Horizontal	348	2.42	-	33.90	7.70	30.23
PK	5.464G	57.54	68.20	-10.66	46.05	3	Horizontal	348	2.42	-	34.00	7.78	30.29

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57712G	46.00	68.20	-22.20	62.22	3	Vertical	300	1.38	-	38.30	12.07	66.59			
PK	15.86184G	48.03	74.00	-25.97	59.50	3	Vertical	77	1.43	-	37.78	14.71	63.96			
AV	15.8679G	34.20	54.00	-19.80	45.68	3	Vertical	77	1.43	-	37.76	14.72	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX


EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58318G	46.11	68.20	-22.09	62.32	3	Horizontal	230	1.49	-	38.30	12.07	66.58			
PK	15.88134G	45.99	74.00	-28.01	57.48	3	Horizontal	111	1.89	-	37.74	14.73	63.96			
AV	15.85548G	34.19	54.00	-19.81	45.66	3	Horizontal	111	1.89	-	37.79	14.70	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.1632G	64.04	83.54	-19.50	58.22	1	Vertical	207	1.80	108	37.75	16.90	48.83			
AV	21.16368G	53.90	63.54	-9.64	48.08	1	Vertical	207	1.80	108	37.75	16.90	48.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.16368G	67.85	83.54	-15.69	62.03	1	Horizontal	180	1.53	108	37.75	16.90	48.83			
AV	21.16416G	56.49	63.54	-7.05	50.68	1	Horizontal	180	1.53	108	37.74	16.90	48.83			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 86
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	66.48	74.00	-7.52	55.33	3	Vertical	33	1.84	-	33.70	7.58	30.13			
AV	5.15G	53.70	54.00	-0.30	42.55	3	Vertical	33	1.84	-	33.70	7.58	30.13			
PK	5.1752G	118.84	Inf	-Inf	107.64	3	Vertical	33	1.84	-	33.75	7.59	30.14			
AV	5.1724G	107.43	Inf	-Inf	96.25	3	Vertical	33	1.84	-	33.74	7.58	30.14			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 86
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	62.62	74.00	-11.38	51.48	3	Horizontal	335	2.27	-	33.69	7.58	30.13			
AV	5.15G	49.70	54.00	-4.30	38.55	3	Horizontal	335	2.27	-	33.70	7.58	30.13			
PK	5.1744G	114.79	Inf	-Inf	103.60	3	Horizontal	335	2.27	-	33.75	7.58	30.14			
AV	5.1824G	103.52	Inf	-Inf	92.31	3	Horizontal	335	2.27	-	33.76	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36799G	48.54	68.20	-19.66	43.28	3	Vertical	232	1.80	99	38.90	11.70	45.34			
PK	15.53976G	52.57	74.00	-21.43	42.58	3	Vertical	167	1.80	99	38.50	14.44	42.95			
AV	15.53744G	41.09	54.00	-12.91	31.11	3	Vertical	167	1.80	99	38.50	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35952G	49.91	68.20	-18.29	44.65	3	Horizontal	164	1.80	99	38.90	11.70	45.34			
PK	15.53465G	52.77	74.00	-21.23	42.78	3	Horizontal	162	1.80	99	38.50	14.43	42.94			
AV	15.53872G	40.88	54.00	-13.12	30.90	3	Horizontal	162	1.80	99	38.50	14.43	42.95			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71912G	73.77	83.54	-9.77	68.35	1	Vertical	185	1.75	99	37.61	16.71	48.90			
AV	20.71768G	60.52	63.54	-3.02	55.10	1	Vertical	185	1.75	99	37.61	16.71	48.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71916G	74.05	83.54	-9.49	68.63	1	Horizontal	166	1.54	99	37.61	16.71	48.90			
AV	20.71804G	62.84	63.54	-0.70	57.42	1	Horizontal	166	1.54	99	37.61	16.71	48.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 94
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.50	74.00	-7.50	55.35	3	Vertical	28	1.77	-	33.70	7.58	30.13			
AV	5.1496G	53.11	54.00	-0.89	41.96	3	Vertical	28	1.77	-	33.70	7.58	30.13			
PK	5.192G	120.21	Inf	-Inf	108.99	3	Vertical	28	1.77	-	33.78	7.59	30.15			
AV	5.198G	109.12	Inf	-Inf	97.88	3	Vertical	28	1.77	-	33.80	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 94
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	62.73	74.00	-11.27	51.58	3	Horizontal	347	2.58	-	33.70	7.58	30.13				
AV	5.15G	50.38	54.00	-3.62	39.23	3	Horizontal	347	2.58	-	33.70	7.58	30.13				
PK	5.1968G	117.43	Inf	-Inf	106.20	3	Horizontal	347	2.58	-	33.79	7.59	30.15				
AV	5.1932G	105.37	Inf	-Inf	94.14	3	Horizontal	347	2.58	-	33.79	7.59	30.15				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39956G	49.23	68.20	-18.97	43.94	3	Vertical	187	1.80	104	38.90	11.72	45.33			
PK	15.58953G	51.91	74.00	-22.09	42.17	3	Vertical	180	1.96	104	38.34	14.46	43.06			
AV	15.59972G	40.26	54.00	-13.74	30.58	3	Vertical	180	1.96	104	38.30	14.46	43.08			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39461G	49.19	68.20	-19.01	43.91	3	Horizontal	34	1.80	104	38.90	11.72	45.34			
PK	15.59369G	54.53	74.00	-19.47	44.80	3	Horizontal	194	1.80	104	38.33	14.46	43.06			
AV	15.60148G	41.81	54.00	-12.19	32.14	3	Horizontal	194	1.80	104	38.29	14.46	43.08			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.80727G	74.79	83.54	-8.75	69.34	1	Vertical	177	1.54	104	37.60	16.75	48.90			
AV	20.80276G	62.99	63.54	-0.55	57.54	1	Vertical	177	1.54	104	37.60	16.75	48.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 104
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.79908G	74.42	83.54	-9.12	68.97	1	Horizontal	214	1.66	108	37.60	16.75	48.90			
AV	20.79572G	61.93	63.54	-1.61	56.47	1	Horizontal	214	1.66	108	37.62	16.74	48.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 108
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	62.14	74.00	-11.86	51.00	3	Vertical	29	1.66	-	33.69	7.58	30.13			
AV	5.1464G	51.33	54.00	-2.67	40.19	3	Vertical	29	1.66	-	33.69	7.58	30.13			
PK	5.2424G	122.79	Inf	-Inf	111.55	3	Vertical	29	1.66	-	33.80	7.62	30.18			
AV	5.2336G	111.70	Inf	-Inf	100.45	3	Vertical	29	1.66	-	33.80	7.62	30.17			
PK	5.364G	59.87	74.00	-14.13	48.44	3	Vertical	29	1.66	-	33.96	7.71	30.24			
AV	5.35G	48.37	54.00	-5.63	37.00	3	Vertical	29	1.66	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 108
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	59.78	74.00	-14.22	48.65	3	Horizontal	330	2.56	-	33.68	7.58	30.13			
AV	5.1464G	48.09	54.00	-5.91	36.95	3	Horizontal	330	2.56	-	33.69	7.58	30.13			
PK	5.2432G	119.76	Inf	-Inf	108.52	3	Horizontal	330	2.56	-	33.80	7.62	30.18			
AV	5.2424G	108.95	Inf	-Inf	97.71	3	Horizontal	330	2.56	-	33.80	7.62	30.18			
PK	5.4016G	58.67	74.00	-15.33	47.09	3	Horizontal	330	2.56	-	34.10	7.74	30.26			
AV	5.3536G	47.32	54.00	-6.68	35.93	3	Horizontal	330	2.56	-	33.91	7.71	30.23			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47217G	49.29	68.20	-18.91	43.98	3	Vertical	183	1.80	108	38.86	11.77	45.32			
PK	15.72699G	52.78	74.00	-21.22	43.55	3	Vertical	147	1.80	108	38.05	14.52	43.34			
AV	15.7226G	41.45	54.00	-12.55	32.21	3	Vertical	147	1.80	108	38.05	14.52	43.33			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48036G	48.78	68.20	-19.42	43.47	3	Horizontal	171	1.80	108	38.84	11.78	45.31			
PK	15.7194G	54.70	74.00	-19.30	45.47	3	Horizontal	175	1.80	108	38.04	14.52	43.33			
AV	15.72012G	42.95	54.00	-11.05	33.72	3	Horizontal	175	1.80	108	38.04	14.52	43.33			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96268G	66.54	83.54	-17.00	60.85	1	Vertical	166	1.80	108	37.77	16.82	48.90			
AV	20.95916G	54.48	63.54	-9.06	48.78	1	Vertical	166	1.80	108	37.78	16.82	48.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.963G	67.30	83.54	-16.24	61.61	1	Horizontal	210	1.68	108	37.77	16.82	48.90			
AV	20.95533G	55.79	63.54	-7.75	50.08	1	Horizontal	210	1.68	108	37.79	16.82	48.90			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 102
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	61.32	74.00	-12.68	50.19	3	Vertical	327	1.52	-	33.68	7.58	30.13			
AV	5.148G	49.42	54.00	-4.58	38.28	3	Vertical	327	1.52	-	33.69	7.58	30.13			
PK	5.2592G	123.34	Inf	-Inf	112.09	3	Vertical	327	1.52	-	33.80	7.63	30.18			
AV	5.2632G	111.15	Inf	-Inf	99.90	3	Vertical	327	1.52	-	33.80	7.64	30.19			
PK	5.352G	68.11	74.00	-5.89	56.73	3	Vertical	327	1.52	-	33.91	7.70	30.23			
AV	5.3504G	51.85	54.00	-2.15	40.48	3	Vertical	327	1.52	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 102
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	63.27	74.00	-10.73	52.13	3	Horizontal	353	2.50	-	33.69	7.58	30.13			
AV	5.136G	47.76	54.00	-6.24	36.66	3	Horizontal	353	2.50	-	33.64	7.58	30.12			
PK	5.256G	119.73	Inf	-Inf	108.48	3	Horizontal	353	2.50	-	33.80	7.63	30.18			
AV	5.2552G	109.01	Inf	-Inf	97.76	3	Horizontal	353	2.50	-	33.80	7.63	30.18			
PK	5.3592G	68.76	74.00	-5.24	57.35	3	Horizontal	353	2.50	-	33.94	7.71	30.24			
AV	5.35G	50.96	54.00	-3.04	39.59	3	Horizontal	353	2.50	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52714G	46.69	68.20	-21.51	63.02	3	Vertical	95	2.05	-	38.25	12.05	66.63			
PK	15.77406G	47.15	74.00	-26.85	58.77	3	Vertical	301	1.62	-	37.70	14.63	63.95			
AV	15.7671G	34.38	54.00	-19.62	46.00	3	Vertical	301	1.62	-	37.70	14.63	63.95			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53164G	46.57	68.20	-21.63	62.89	3	Horizontal	12	1.81	-	38.26	12.05	66.63			
PK	15.77568G	46.55	74.00	-27.45	58.16	3	Horizontal	341	1.44	-	37.70	14.64	63.95			
AV	15.77376G	34.24	54.00	-19.76	45.86	3	Horizontal	341	1.44	-	37.70	14.63	63.95			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02585G	73.09	83.54	-10.45	67.38	1	Vertical	156	2.00	108	37.75	16.85	48.89			
AV	21.03872G	61.21	63.54	-2.33	55.46	1	Vertical	156	2.00	108	37.78	16.85	48.88			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.03165G	73.64	83.54	-9.90	67.92	1	Horizontal	182	1.54	108	37.76	16.85	48.89			
AV	21.0356G	62.53	63.54	-1.01	56.80	1	Horizontal	182	1.54	108	37.77	16.85	48.89			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 92
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2928G	119.93	Inf	-Inf	108.67	3	Vertical	343	2.39	-	33.80	7.66	30.20			
AV	5.2964G	108.25	Inf	-Inf	96.99	3	Vertical	343	2.39	-	33.80	7.66	30.20			
PK	5.35G	69.99	74.00	-4.01	58.62	3	Vertical	343	2.39	-	33.90	7.70	30.23			
AV	5.35G	53.81	54.00	-0.19	42.44	3	Vertical	343	2.39	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 92
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2928G	117.07	Inf	-Inf	105.81	3	Horizontal	348	2.51	-	33.80	7.66	30.20				
AV	5.2916G	105.70	Inf	-Inf	94.44	3	Horizontal	348	2.51	-	33.80	7.66	30.20				
PK	5.3508G	64.15	74.00	-9.85	52.78	3	Horizontal	348	2.51	-	33.90	7.70	30.23				
AV	5.3508G	51.27	54.00	-2.73	39.90	3	Horizontal	348	2.51	-	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59304G	45.56	68.20	-22.64	61.75	3	Vertical	197	1.79	-	38.30	12.08	66.57			
PK	15.90858G	46.17	74.00	-27.83	57.73	3	Vertical	117	1.97	-	37.65	14.75	63.96			
AV	15.90108G	34.57	54.00	-19.43	46.10	3	Vertical	117	1.97	-	37.69	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5300MHz_TX

EUT_Z_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59388G	45.43	68.20	-22.77	61.62	3	Horizontal	96	1.93	-	38.30	12.08	66.57			
PK	15.90342G	46.52	74.00	-27.48	58.05	3	Horizontal	344	1.38	-	37.68	14.75	63.96			
AV	15.88974G	34.46	54.00	-19.54	45.97	3	Horizontal	344	1.38	-	37.72	14.73	63.96			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5300MHz_TX

EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.20563G	70.60	83.54	-12.94	64.88	1	Vertical	180	1.75	108	37.63	16.91	48.82			
AV	21.1988G	59.05	63.54	-4.49	53.36	1	Vertical	180	1.75	108	37.60	16.91	48.82			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.21035G	72.16	83.54	-11.38	66.41	1	Horizontal	198	1.64	108	37.66	16.91	48.82			
AV	21.20276G	60.93	63.54	-2.61	55.22	1	Horizontal	198	1.64	108	37.62	16.91	48.82			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 87
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3148G	116.95	Inf	-Inf	105.65	3	Vertical	43	1.72	-	33.83	7.68	30.21			
AV	5.3164G	105.41	Inf	-Inf	94.11	3	Vertical	43	1.72	-	33.83	7.68	30.21			
PK	5.3608G	66.37	74.00	-7.63	54.96	3	Vertical	43	1.72	-	33.94	7.71	30.24			
AV	5.36G	53.88	54.00	-0.12	42.47	3	Vertical	43	1.72	-	33.94	7.71	30.24			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 87
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3212G	114.35	Inf	-Inf	103.05	3	Horizontal	351	1.80	-	33.84	7.68	30.22				
AV	5.3184G	103.25	Inf	-Inf	91.95	3	Horizontal	351	1.80	-	33.84	7.68	30.22				
PK	5.3592G	64.23	74.00	-9.77	52.82	3	Horizontal	351	1.80	-	33.94	7.71	30.24				
AV	5.352G	51.60	54.00	-2.40	40.22	3	Horizontal	351	1.80	-	33.91	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65182G	45.48	74.00	-28.52	61.58	3	Vertical	311	2.07	-	38.30	12.11	66.51			
AV	10.63196G	33.32	54.00	-20.68	49.45	3	Vertical	311	2.07	-	38.30	12.10	66.53			
PK	15.96012G	46.48	74.00	-27.52	58.23	3	Vertical	262	1.99	-	37.42	14.80	63.97			
AV	15.96936G	34.34	54.00	-19.66	46.07	3	Vertical	262	1.99	-	37.44	14.80	63.97			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63514G	45.54	74.00	-28.46	61.67	3	Horizontal	20	2.03	-	38.30	12.10	66.53			
AV	10.63424G	33.46	54.00	-20.54	49.59	3	Horizontal	20	2.03	-	38.30	12.10	66.53			
PK	15.9468G	46.02	74.00	-27.98	57.79	3	Horizontal	304	1.66	-	37.42	14.78	63.97			
AV	15.96708G	34.14	54.00	-19.86	45.88	3	Horizontal	304	1.66	-	37.43	14.80	63.97			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX


EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.27385G	71.53	83.54	-12.01	65.63	1	Vertical	191	1.52	108	37.76	16.93	48.79			
AV	21.27776G	59.95	63.54	-3.59	54.08	1	Vertical	191	1.52	108	37.73	16.93	48.79			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX

EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27457G	72.59	83.54	-10.95	66.70	1	Horizontal	179	1.53	108	37.75	16.93	48.79			
AV	21.2796G	60.77	63.54	-2.77	54.90	1	Horizontal	179	1.53	108	37.72	16.94	48.79			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	66.36	74.00	-7.64	55.21	3	Vertical	29	1.78	-	33.70	7.58	30.13			
AV	5.1486G	53.56	54.00	-0.44	42.42	3	Vertical	29	1.78	-	33.69	7.58	30.13			
PK	5.1948G	112.79	Inf	-Inf	101.56	3	Vertical	29	1.78	-	33.79	7.59	30.15			
AV	5.1756G	100.93	Inf	-Inf	89.73	3	Vertical	29	1.78	-	33.75	7.59	30.14			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	63.53	74.00	-10.47	52.38	3	Horizontal	332	2.49	-	33.70	7.58	30.13			
AV	5.1498G	50.69	54.00	-3.31	39.54	3	Horizontal	332	2.49	-	33.70	7.58	30.13			
PK	5.181G	108.72	Inf	-Inf	97.51	3	Horizontal	332	2.49	-	33.76	7.59	30.14			
AV	5.1726G	97.38	Inf	-Inf	86.19	3	Horizontal	332	2.49	-	33.75	7.58	30.14			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37912G	48.58	68.20	-19.62	43.31	3	Vertical	5	1.80	99	38.90	11.71	45.34			
PK	15.55226G	51.65	74.00	-22.35	41.70	3	Vertical	167	1.80	99	38.49	14.44	42.98			
AV	15.56361G	40.83	54.00	-13.17	30.93	3	Vertical	167	1.80	99	38.45	14.45	43.00			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37385G	49.20	68.20	-19.00	43.93	3	Horizontal	160	1.80	99	38.90	11.71	45.34			
PK	15.58007G	52.57	74.00	-21.43	42.78	3	Horizontal	188	1.80	99	38.38	14.45	43.04			
AV	15.57975G	42.24	54.00	-11.76	32.45	3	Horizontal	188	1.80	99	38.38	14.45	43.04			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.75417G	71.69	83.54	-11.85	66.09	1	Vertical	183	1.75	99	37.78	16.72	48.90			
AV	20.75465G	58.90	63.54	-4.64	53.30	1	Vertical	183	1.75	99	37.78	16.72	48.90			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 99
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.75417G	73.57	83.54	-9.97	67.97	1	Horizontal	165	1.54	99	37.78	16.72	48.90			
AV	20.76152G	62.79	63.54	-0.75	57.21	1	Horizontal	165	1.54	99	37.75	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
Setting 90
02-D-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.36	74.00	-8.64	54.21	3	Vertical	27	1.78	-	33.70	7.58	30.13			
AV	5.1492G	53.62	54.00	-0.38	42.47	3	Vertical	27	1.78	-	33.70	7.58	30.13			
PK	5.2388G	116.83	Inf	-Inf	105.58	3	Vertical	27	1.78	-	33.80	7.62	30.17			
AV	5.2364G	105.04	Inf	-Inf	93.79	3	Vertical	27	1.78	-	33.80	7.62	30.17			
PK	5.3524G	67.61	74.00	-6.39	56.23	3	Vertical	27	1.78	-	33.91	7.70	30.23			
AV	5.35G	48.23	54.00	-5.77	36.86	3	Vertical	27	1.78	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 90
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	60.58	74.00	-13.42	49.44	3	Horizontal	330	2.56	-	33.69	7.58	30.13			
AV	5.1476G	48.71	54.00	-5.29	37.57	3	Horizontal	330	2.56	-	33.69	7.58	30.13			
PK	5.2324G	114.66	Inf	-Inf	103.42	3	Horizontal	330	2.56	-	33.80	7.61	30.17			
AV	5.2348G	102.34	Inf	-Inf	91.09	3	Horizontal	330	2.56	-	33.80	7.62	30.17			
PK	5.3772G	59.20	74.00	-14.80	47.72	3	Horizontal	330	2.56	-	34.01	7.72	30.25			
AV	5.3652G	47.41	54.00	-6.59	35.98	3	Horizontal	330	2.56	-	33.96	7.71	30.24			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45465G	48.39	68.20	-19.81	43.06	3	Vertical	183	1.80	108	38.89	11.76	45.32			
PK	15.68009G	51.20	74.00	-22.80	41.98	3	Vertical	168	1.80	108	37.96	14.50	43.24			
AV	15.67993G	40.85	54.00	-13.15	31.63	3	Vertical	168	1.80	108	37.96	14.50	43.24			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45792G	48.78	68.20	-19.42	43.46	3	Horizontal	354.1	1.80	108	38.88	11.76	45.32			
PK	15.67346G	53.78	74.00	-20.22	44.57	3	Horizontal	188	1.80	108	37.95	14.49	43.23			
AV	15.67961G	43.39	54.00	-10.61	34.17	3	Horizontal	188	1.80	108	37.96	14.50	43.24			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.91217G	65.01	83.54	-18.53	59.31	1	Vertical	165	1.80	108	37.80	16.80	48.90			
AV	20.92288G	54.56	63.54	-8.98	48.86	1	Vertical	165	1.80	108	37.80	16.80	48.90			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.88348G	67.09	83.54	-16.45	61.47	1	Horizontal	153	1.63	108	37.73	16.79	48.90			
AV	20.89059G	55.50	63.54	-8.04	49.85	1	Horizontal	153	1.63	108	37.76	16.79	48.90			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 87
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1446G	60.28	74.00	-13.72	49.15	3	Vertical	23	1.80	-	33.68	7.58	30.13			
AV	5.1482G	49.25	54.00	-4.75	38.11	3	Vertical	23	1.80	-	33.69	7.58	30.13			
PK	5.2544G	116.44	Inf	-Inf	105.19	3	Vertical	23	1.80	-	33.80	7.63	30.18			
AV	5.2664G	104.80	Inf	-Inf	93.55	3	Vertical	23	1.80	-	33.80	7.64	30.19			
PK	5.3528G	66.96	74.00	-7.04	55.58	3	Vertical	23	1.80	-	33.91	7.70	30.23			
AV	5.35G	53.21	54.00	-0.79	41.84	3	Vertical	23	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 87
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1308G	59.68	74.00	-14.32	48.60	3	Horizontal	348	2.41	-	33.62	7.58	30.12			
AV	5.1482G	47.29	54.00	-6.71	36.15	3	Horizontal	348	2.41	-	33.69	7.58	30.13			
PK	5.2634G	114.15	Inf	-Inf	102.90	3	Horizontal	348	2.41	-	33.80	7.64	30.19			
AV	5.2616G	103.46	Inf	-Inf	92.21	3	Horizontal	348	2.41	-	33.80	7.64	30.19			
PK	5.3528G	64.77	74.00	-9.23	53.39	3	Horizontal	348	2.41	-	33.91	7.70	30.23			
AV	5.3504G	50.99	54.00	-3.01	39.62	3	Horizontal	348	2.41	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55476G	47.23	68.20	-20.97	63.48	3	Vertical	67	1.92	-	38.30	12.06	66.61			
PK	15.80238G	46.86	74.00	-27.14	58.45	3	Vertical	309	1.34	-	37.70	14.66	63.95			
AV	15.82014G	34.69	54.00	-19.31	46.24	3	Vertical	309	1.34	-	37.74	14.67	63.96			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5253G	46.91	68.20	-21.29	63.25	3	Horizontal	81	1.87	-	38.25	12.05	66.64			
PK	15.8055G	46.58	74.00	-27.42	58.16	3	Horizontal	264	1.43	-	37.71	14.66	63.95			
AV	15.81636G	34.57	54.00	-19.43	46.13	3	Horizontal	264	1.43	-	37.73	14.67	63.96			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5270MHz_TX

EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07656G	67.50	83.54	-16.04	61.75	1	Vertical	155	1.97	108	37.75	16.87	48.87			
AV	21.07105G	57.14	63.54	-6.40	51.39	1	Vertical	155	1.97	108	37.76	16.86	48.87			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07169G	70.09	83.54	-13.45	64.34	1	Horizontal	181	1.54	108	37.76	16.86	48.87			
AV	21.07105G	59.35	63.54	-4.19	53.60	1	Horizontal	181	1.54	108	37.76	16.86	48.87			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 75
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2916G	113.78	Inf	-Inf	102.52	3	Vertical	339	2.66	-	33.80	7.66	30.20			
AV	5.2924G	102.01	Inf	-Inf	90.75	3	Vertical	339	2.66	-	33.80	7.66	30.20			
PK	5.354G	66.71	74.00	-7.29	55.31	3	Vertical	339	2.66	-	33.92	7.71	30.23			
AV	5.35G	53.91	54.00	-0.09	42.54	3	Vertical	339	2.66	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 75
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3048G	110.68	Inf	-Inf	99.41	3	Horizontal	349	2.09	-	33.81	7.67	30.21			
AV	5.2936G	97.80	Inf	-Inf	86.54	3	Horizontal	349	2.09	-	33.80	7.66	30.20			
PK	5.3512G	63.25	74.00	-10.75	51.88	3	Horizontal	349	2.09	-	33.90	7.70	30.23			
AV	5.3508G	50.99	54.00	-3.01	39.62	3	Horizontal	349	2.09	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.6167G	45.69	74.00	-28.31	61.85	3	Vertical	48	2.10	-	38.30	12.09	66.55				
AV	10.61712G	33.62	54.00	-20.38	49.78	3	Vertical	48	2.10	-	38.30	12.09	66.55				
PK	15.92472G	46.66	74.00	-27.34	58.31	3	Vertical	185	1.65	-	37.55	14.76	63.96				
AV	15.91932G	34.21	54.00	-19.79	45.83	3	Vertical	185	1.65	-	37.58	14.76	63.96				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62072G	45.18	74.00	-28.82	61.33	3	Horizontal	279	1.79	-	38.30	12.09	66.54			
AV	10.60656G	33.32	54.00	-20.68	49.49	3	Horizontal	279	1.79	-	38.30	12.09	66.56			
PK	15.9294G	46.92	74.00	-27.08	58.59	3	Horizontal	267	1.48	-	37.52	14.77	63.96			
AV	15.91788G	34.34	54.00	-19.66	45.95	3	Horizontal	267	1.48	-	37.59	14.76	63.96			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25303G	67.67	83.54	-15.87	61.66	1	Vertical	180	1.80	108	37.88	16.93	48.80			
AV	21.24288G	56.96	63.54	-6.58	50.98	1	Vertical	180	1.80	108	37.86	16.92	48.80			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5310MHz_TX

EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.23417G	71.08	83.54	-12.46	65.16	1	Horizontal	174	1.58	108	37.81	16.92	48.81			
AV	21.23337G	59.44	63.54	-4.10	53.53	1	Horizontal	174	1.58	108	37.80	16.92	48.81			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 73
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	63.59	74.00	-10.41	52.45	3	Vertical	29	1.80	-	33.69	7.58	30.13			
AV	5.15G	53.10	54.00	-0.90	41.95	3	Vertical	29	1.80	-	33.70	7.58	30.13			
PK	5.178G	109.41	Inf	-Inf	98.20	3	Vertical	29	1.80	-	33.76	7.59	30.14			
AV	5.181G	98.22	Inf	-Inf	87.01	3	Vertical	29	1.80	-	33.76	7.59	30.14			
PK	5.436G	58.51	74.00	-15.49	47.00	3	Vertical	29	1.80	-	34.03	7.76	30.28			
AV	5.355G	47.61	54.00	-6.39	36.21	3	Vertical	29	1.80	-	33.92	7.71	30.23			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 73
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	61.38	74.00	-12.62	50.23	3	Horizontal	338	2.59	-	33.70	7.58	30.13			
AV	5.15G	49.86	54.00	-4.14	38.71	3	Horizontal	338	2.59	-	33.70	7.58	30.13			
PK	5.182G	106.15	Inf	-Inf	94.94	3	Horizontal	338	2.59	-	33.76	7.59	30.14			
AV	5.18G	94.57	Inf	-Inf	83.36	3	Horizontal	338	2.59	-	33.76	7.59	30.14			
PK	5.421G	58.00	74.00	-16.00	46.46	3	Horizontal	338	2.59	-	34.06	7.75	30.27			
AV	5.362G	46.76	54.00	-7.24	35.34	3	Horizontal	338	2.59	-	33.95	7.71	30.24			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44861G	48.63	68.20	-19.57	43.29	3	Vertical	44	1.80	108	38.90	11.76	45.32			
PK	15.66037G	50.97	74.00	-23.03	41.76	3	Vertical	153	1.80	108	37.92	14.49	43.20			
AV	15.67396G	40.80	54.00	-13.20	31.59	3	Vertical	153	1.80	108	37.95	14.49	43.23			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36933G	49.31	68.20	-18.89	44.05	3	Horizontal	306	1.80	108	38.90	11.70	45.34			
PK	15.65989G	53.61	74.00	-20.39	44.40	3	Horizontal	186	1.80	108	37.92	14.49	43.20			
AV	15.66996G	43.00	54.00	-11.00	33.79	3	Horizontal	186	1.80	108	37.94	14.49	43.22			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79413G	71.27	83.54	-12.27	65.81	1	Vertical	178	1.54	108	37.62	16.74	48.90			
AV	20.84176G	60.77	63.54	-2.77	55.30	1	Vertical	178	1.54	108	37.60	16.77	48.90			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.79397G	68.99	83.54	-14.55	63.53	1	Horizontal	212	1.64	108	37.62	16.74	48.90			
AV	20.79892G	59.50	63.54	-4.04	54.05	1	Horizontal	212	1.64	108	37.60	16.75	48.90			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 72
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.124G	59.11	74.00	-14.89	48.05	3	Vertical	21	1.65	-	33.60	7.57	30.11
AV	5.14G	47.75	54.00	-6.25	36.63	3	Vertical	21	1.65	-	33.66	7.58	30.12
PK	5.267G	109.53	Inf	-Inf	98.28	3	Vertical	21	1.65	-	33.80	7.64	30.19
AV	5.264G	96.71	Inf	-Inf	85.46	3	Vertical	21	1.65	-	33.80	7.64	30.19
PK	5.351G	64.63	74.00	-9.37	53.26	3	Vertical	21	1.65	-	33.90	7.70	30.23
AV	5.35G	53.31	54.00	-0.69	41.94	3	Vertical	21	1.65	-	33.90	7.70	30.23
PK	5.528G	58.10	68.20	-10.10	46.47	3	Vertical	21	1.65	-	34.11	7.82	30.30

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
Setting 72
02-D-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	57.56	74.00	-16.44	46.52	3	Horizontal	351	1.85	-	33.58	7.57	30.11
AV	5.148G	46.75	54.00	-7.25	35.61	3	Horizontal	351	1.85	-	33.69	7.58	30.13
PK	5.273G	105.98	Inf	-Inf	94.73	3	Horizontal	351	1.85	-	33.80	7.64	30.19
AV	5.271G	94.20	Inf	-Inf	82.95	3	Horizontal	351	1.85	-	33.80	7.64	30.19
PK	5.351G	60.60	74.00	-13.40	49.23	3	Horizontal	351	1.85	-	33.90	7.70	30.23
AV	5.35G	49.96	54.00	-4.04	38.59	3	Horizontal	351	1.85	-	33.90	7.70	30.23
PK	5.47G	57.74	68.20	-10.46	46.25	3	Horizontal	351	1.85	-	34.00	7.78	30.29

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX

EUT_Z_2TX
Setting
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5731G	46.56	68.20	-21.64	62.78	3	Vertical	41	1.34	-	38.30	12.07	66.59			
PK	15.87276G	47.05	74.00	-26.95	58.54	3	Vertical	347	1.36	-	37.75	14.72	63.96			
AV	15.8832G	34.40	54.00	-19.60	45.90	3	Vertical	347	1.36	-	37.73	14.73	63.96			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX

EUT_Z_2TX
Setting
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57208G	45.86	68.20	-22.34	62.08	3	Horizontal	170	1.48	-	38.30	12.07	66.59			
PK	15.87594G	46.91	74.00	-27.09	58.40	3	Horizontal	220	1.56	-	37.75	14.72	63.96			
AV	15.87324G	34.54	54.00	-19.46	46.03	3	Horizontal	220	1.56	-	37.75	14.72	63.96			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.13491G	63.53	83.54	-20.01	57.72	1	Vertical	208	1.80	108	37.77	16.89	48.85			
AV	21.14561G	53.33	63.54	-10.21	47.49	1	Vertical	208	1.80	108	37.79	16.89	48.84			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



EUT_Z_2TX
SET 108
05-X-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.22873G	66.32	83.54	-17.22	60.44	1	Horizontal	170	1.60	108	37.77	16.92	48.81			
AV	21.22857G	55.42	63.54	-8.12	49.54	1	Horizontal	170	1.60	108	37.77	16.92	48.81			




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6482G	68.19	68.20	-0.01	3	Vertical	194	2.18	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX

EUT_Z_1TX
Setting 83
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	66.67	74.00	-7.33	55.54	3	Vertical	354	1.06	-	33.68	7.58	30.13			
AV	5.1494G	53.71	54.00	-0.29	42.56	3	Vertical	354	1.06	-	33.70	7.58	30.13			
PK	5.1784G	113.06	Inf	-Inf	101.85	3	Vertical	354	1.06	-	33.76	7.59	30.14			
AV	5.1732G	103.20	Inf	-Inf	92.01	3	Vertical	354	1.06	-	33.75	7.58	30.14			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Z_1TX
Setting 83
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1458G	66.99	74.00	-7.01	55.86	3	Horizontal	319	3.00	-	33.68	7.58	30.13				
AV	5.15G	53.55	54.00	-0.45	42.40	3	Horizontal	319	3.00	-	33.70	7.58	30.13				
PK	5.1814G	115.35	Inf	-Inf	104.14	3	Horizontal	319	3.00	-	33.76	7.59	30.14				
AV	5.184G	104.88	Inf	-Inf	93.67	3	Horizontal	319	3.00	-	33.77	7.59	30.15				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 83
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1476G	65.29	74.00	-8.71	54.15	3	Vertical	358	1.09	-	33.69	7.58	30.13				
AV	5.15G	51.47	54.00	-2.53	40.32	3	Vertical	358	1.09	-	33.70	7.58	30.13				
PK	5.1982G	115.37	Inf	-Inf	104.13	3	Vertical	358	1.09	-	33.80	7.59	30.15				
AV	5.1954G	105.35	Inf	-Inf	94.12	3	Vertical	358	1.09	-	33.79	7.59	30.15				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Z_1TX
Setting 96
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1472G	68.44	74.00	-5.56	57.30	3	Horizontal	319	2.97	-	33.69	7.58	30.13			
AV	5.1472G	45.24	54.00	-8.76	34.10	3	Horizontal	319	2.97	-	33.69	7.58	30.13			
AV	5.1496G	53.64	54.00	-0.36	42.49	3	Horizontal	319	2.97	-	33.70	7.58	30.13			
PK	5.2018G	118.54	Inf	-Inf	107.30	3	Horizontal	319	2.97	-	33.80	7.59	30.15			
AV	5.1978G	108.00	Inf	-Inf	96.76	3	Horizontal	319	2.97	-	33.80	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 102
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	67.78	74.00	-6.22	56.67	3	Vertical	349	1.53	-	33.65	7.58	30.12			
AV	5.1492G	47.28	54.00	-6.72	36.13	3	Vertical	349	1.53	-	33.70	7.58	30.13			
PK	5.2408G	117.79	Inf	-Inf	106.55	3	Vertical	349	1.53	-	33.80	7.62	30.18			
AV	5.2432G	106.89	Inf	-Inf	95.65	3	Vertical	349	1.53	-	33.80	7.62	30.18			
PK	5.3752G	66.49	74.00	-7.51	55.02	3	Vertical	349	1.53	-	34.00	7.72	30.25			
AV	5.3972G	46.88	54.00	-7.12	35.31	3	Vertical	349	1.53	-	34.09	7.74	30.26			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 102
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	62.79	74.00	-11.21	51.64	3	Horizontal	317	1.57	-	33.70	7.58	30.13			
AV	5.1492G	47.88	54.00	-6.12	36.73	3	Horizontal	317	1.57	-	33.70	7.58	30.13			
PK	5.242G	119.67	Inf	-Inf	108.43	3	Horizontal	317	1.57	-	33.80	7.62	30.18			
AV	5.2348G	109.50	Inf	-Inf	98.25	3	Horizontal	317	1.57	-	33.80	7.62	30.17			
PK	5.37G	68.22	74.00	-5.78	56.76	3	Horizontal	317	1.57	-	33.98	7.72	30.24			
AV	5.3944G	47.87	54.00	-6.13	36.31	3	Horizontal	317	1.57	-	34.08	7.74	30.26			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 102
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	69.61	74.00	-4.39	58.53	3	Vertical	344	1.35	-	33.62	7.58	30.12			
AV	5.1492G	46.06	54.00	-7.94	34.91	3	Vertical	344	1.35	-	33.70	7.58	30.13			
PK	5.266G	118.02	Inf	-Inf	106.77	3	Vertical	344	1.35	-	33.80	7.64	30.19			
AV	5.2576G	107.25	Inf	-Inf	96.00	3	Vertical	344	1.35	-	33.80	7.63	30.18			
PK	5.354G	73.49	74.00	-0.51	62.09	3	Vertical	344	1.35	-	33.92	7.71	30.23			
AV	5.3504G	49.61	54.00	-4.39	38.24	3	Vertical	344	1.35	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX

EUT_Z_1TX
Setting 107
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1232G	64.74	74.00	-9.26	53.69	3	Horizontal	317	1.68	-	33.59	7.57	30.11			
AV	5.1476G	46.89	54.00	-7.11	35.75	3	Horizontal	317	1.68	-	33.69	7.58	30.13			
PK	5.2584G	119.49	Inf	-Inf	108.24	3	Horizontal	317	1.68	-	33.80	7.63	30.18			
AV	5.2568G	109.26	Inf	-Inf	98.01	3	Horizontal	317	1.68	-	33.80	7.63	30.18			
PK	5.402G	69.95	74.00	-4.05	58.37	3	Horizontal	317	1.68	-	34.10	7.74	30.26			
AV	5.35G	49.53	54.00	-4.47	38.16	3	Horizontal	317	1.68	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 98
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.126G	57.48	74.00	-16.52	46.42	3	Vertical	343	1.70	-	33.60	7.58	30.12				
AV	5.146G	45.59	54.00	-8.41	34.46	3	Vertical	343	1.70	-	33.68	7.58	30.13				
PK	5.2928G	113.71	Inf	-Inf	102.45	3	Vertical	343	1.70	-	33.80	7.66	30.20				
AV	5.294G	103.32	Inf	-Inf	92.06	3	Vertical	343	1.70	-	33.80	7.66	30.20				
PK	5.358G	64.76	74.00	-9.24	53.36	3	Vertical	343	1.70	-	33.93	7.71	30.24				
AV	5.35G	50.63	54.00	-3.37	39.26	3	Vertical	343	1.70	-	33.90	7.70	30.23				
PK	5.4816G	57.64	68.20	-10.56	46.15	3	Vertical	343	1.70	-	34.00	7.79	30.30				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Z_1TX
Setting 98
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1256G	57.76	74.00	-16.24	46.70	3	Horizontal	316	1.77	-	33.60	7.58	30.12			
AV	5.144G	46.06	54.00	-7.94	34.92	3	Horizontal	316	1.77	-	33.68	7.58	30.12			
PK	5.2952G	116.23	Inf	-Inf	104.97	3	Horizontal	316	1.77	-	33.80	7.66	30.20			
AV	5.2952G	106.02	Inf	-Inf	94.76	3	Horizontal	316	1.77	-	33.80	7.66	30.20			
PK	5.3512G	70.66	74.00	-3.34	59.29	3	Horizontal	316	1.77	-	33.90	7.70	30.23			
AV	5.35G	53.85	54.00	-0.15	42.48	3	Horizontal	316	1.77	-	33.90	7.70	30.23			
PK	5.4964G	57.79	68.20	-10.41	46.30	3	Horizontal	316	1.77	-	34.00	7.80	30.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 88
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.124G	58.94	74.00	-15.06	47.88	3	Vertical	358	1.00	-	33.60	7.57	30.11			
AV	5.1488G	45.51	54.00	-8.49	34.36	3	Vertical	358	1.00	-	33.70	7.58	30.13			
PK	5.3236G	111.73	Inf	-Inf	100.42	3	Vertical	358	1.00	-	33.85	7.68	30.22			
AV	5.3244G	101.84	Inf	-Inf	90.53	3	Vertical	358	1.00	-	33.85	7.68	30.22			
PK	5.35G	65.85	74.00	-8.15	54.48	3	Vertical	358	1.00	-	33.90	7.70	30.23			
AV	5.35G	52.83	54.00	-1.17	41.46	3	Vertical	358	1.00	-	33.90	7.70	30.23			
PK	5.5088G	57.81	68.20	-10.39	46.27	3	Vertical	358	1.00	-	34.04	7.81	30.31			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 88
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	57.23	74.00	-16.77	46.10	3	Horizontal	289	1.79	-	33.67	7.58	30.12			
AV	5.1468G	45.43	54.00	-8.57	34.29	3	Horizontal	289	1.79	-	33.69	7.58	30.13			
PK	5.326G	113.86	Inf	-Inf	102.55	3	Horizontal	289	1.79	-	33.85	7.68	30.22			
AV	5.3228G	103.34	Inf	-Inf	92.03	3	Horizontal	289	1.79	-	33.85	7.68	30.22			
PK	5.3504G	68.89	74.00	-5.11	57.52	3	Horizontal	289	1.79	-	33.90	7.70	30.23			
AV	5.35G	53.36	54.00	-0.64	41.99	3	Horizontal	289	1.79	-	33.90	7.70	30.23			
PK	5.4964G	58.05	68.20	-10.15	46.56	3	Horizontal	289	1.79	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 88
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32G	58.81	68.20	-9.39	47.51	3	Vertical	348	1.02	-	33.84	7.68	30.22
AV	5.35G	45.56	54.00	-8.44	34.19	3	Vertical	348	1.02	-	33.90	7.70	30.23
PK	5.4572G	61.20	74.00	-12.80	49.72	3	Vertical	348	1.02	-	34.00	7.77	30.29
AV	5.4588G	48.25	54.00	-5.75	36.76	3	Vertical	348	1.02	-	34.00	7.78	30.29
PK	5.47G	67.15	68.20	-1.05	55.66	3	Vertical	348	1.02	-	34.00	7.78	30.29
PK	5.5016G	113.69	Inf	-Inf	102.19	3	Vertical	348	1.02	-	34.01	7.80	30.31
AV	5.5032G	103.92	Inf	-Inf	92.42	3	Vertical	348	1.02	-	34.01	7.80	30.31

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 88
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.348G	59.60	68.20	-8.60	48.23	3	Horizontal	322	2.85	-	33.90	7.70	30.23			
AV	5.35G	46.40	54.00	-7.60	35.03	3	Horizontal	322	2.85	-	33.90	7.70	30.23			
PK	5.4588G	61.96	74.00	-12.04	50.47	3	Horizontal	322	2.85	-	34.00	7.78	30.29			
AV	5.4584G	49.47	54.00	-4.53	37.98	3	Horizontal	322	2.85	-	34.00	7.78	30.29			
PK	5.466G	68.08	68.20	-0.12	56.59	3	Horizontal	322	2.85	-	34.00	7.78	30.29			
PK	5.504G	115.88	Inf	-Inf	104.37	3	Horizontal	322	2.85	-	34.02	7.80	30.31			
AV	5.4956G	106.10	Inf	-Inf	94.61	3	Horizontal	322	2.85	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 101
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4392G	60.10	74.00	-13.90	48.60	3	Vertical	357	1.04	-	34.02	7.76	30.28
AV	5.4188G	46.74	54.00	-7.26	35.20	3	Vertical	357	1.04	-	34.06	7.75	30.27
PK	5.466G	58.60	68.20	-9.60	47.11	3	Vertical	357	1.04	-	34.00	7.78	30.29
PK	5.586G	118.28	Inf	-Inf	106.58	3	Vertical	357	1.04	-	34.13	7.85	30.28
AV	5.5808G	107.28	Inf	-Inf	95.57	3	Vertical	357	1.04	-	34.14	7.85	30.28
PK	5.7436G	58.66	68.20	-9.54	46.87	3	Vertical	357	1.04	-	33.90	8.11	30.22

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 101
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.414G	59.42	74.00	-14.58	47.87	3	Horizontal	293	1.87	-	34.07	7.75	30.27			
AV	5.4204G	47.14	54.00	-6.86	35.60	3	Horizontal	293	1.87	-	34.06	7.75	30.27			
PK	5.462G	58.54	68.20	-9.66	47.05	3	Horizontal	293	1.87	-	34.00	7.78	30.29			
PK	5.5848G	119.85	Inf	-Inf	108.15	3	Horizontal	293	1.87	-	34.13	7.85	30.28			
AV	5.586G	109.20	Inf	-Inf	97.50	3	Horizontal	293	1.87	-	34.13	7.85	30.28			
PK	5.7456G	59.10	68.20	-9.10	47.31	3	Horizontal	293	1.87	-	33.90	8.11	30.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Z_1TX
Setting 72
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6932G	109.38	Inf	-Inf	97.70	3	Vertical	358	1.06	-	33.90	8.02	30.24				
AV	5.6952G	99.73	Inf	-Inf	88.04	3	Vertical	358	1.06	-	33.90	8.03	30.24				
PK	5.7252G	65.33	68.20	-2.87	53.58	3	Vertical	358	1.06	-	33.90	8.08	30.23				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_Z_1TX
Setting 72
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6976G	113.34	Inf	-Inf	101.65	3	Horizontal	323	2.78	-	33.90	8.03	30.24			
AV	5.6928G	103.15	Inf	-Inf	91.47	3	Horizontal	323	2.78	-	33.90	8.02	30.24			
PK	5.7264G	67.98	68.20	-0.22	56.23	3	Horizontal	323	2.78	-	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 108
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7156G	116.54	Inf	-Inf	104.81	3	Vertical	357	1.03	-	33.90	8.06	30.23			
AV	5.7164G	106.28	Inf	-Inf	94.55	3	Vertical	357	1.03	-	33.90	8.06	30.23			
PK	5.8568G	61.37	68.20	-6.83	49.44	3	Vertical	357	1.03	-	33.93	8.18	30.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 108
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7164G	119.80	Inf	-Inf	108.07	3	Horizontal	302	1.93	-	33.90	8.06	30.23			
AV	5.7228G	109.31	Inf	-Inf	97.57	3	Horizontal	302	1.93	-	33.90	8.07	30.23			
PK	5.8572G	65.22	68.20	-2.98	53.29	3	Horizontal	302	1.93	-	33.93	8.18	30.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX

EUT_Z_1TX
Setting 97
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6034G	58.60	68.20	-9.60	46.91	3	Vertical	358	2.94	-	34.09	7.87	30.27			
PK	5.7474G	116.02	Inf	-Inf	104.22	3	Vertical	358	2.94	-	33.90	8.12	30.22			
AV	5.7482G	106.16	Inf	-Inf	94.36	3	Vertical	358	2.94	-	33.90	8.12	30.22			
PK	5.9274G	58.30	68.20	-9.90	46.10	3	Vertical	358	2.94	-	34.21	8.15	30.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 97
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.639G	59.80	68.20	-8.40	48.19	3	Horizontal	321	1.56	-	33.94	7.93	30.26			
PK	5.7494G	119.25	Inf	-Inf	107.45	3	Horizontal	321	1.56	-	33.90	8.12	30.22			
AV	5.7462G	109.02	Inf	-Inf	97.22	3	Horizontal	321	1.56	-	33.90	8.12	30.22			
PK	5.9402G	58.42	68.20	-9.78	46.16	3	Horizontal	321	1.56	-	34.26	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 99
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6442G	61.22	68.20	-6.98	49.62	3	Vertical	358	2.90	-	33.92	7.94	30.26			
PK	5.7858G	116.16	Inf	-Inf	104.28	3	Vertical	358	2.90	-	33.90	8.19	30.21			
AV	5.7878G	105.09	Inf	-Inf	93.21	3	Vertical	358	2.90	-	33.90	8.19	30.21			
PK	5.9394G	58.32	68.20	-9.88	46.06	3	Vertical	358	2.90	-	34.26	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 99
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6498G	67.27	68.20	-0.93	55.68	3	Horizontal	322	2.71	-	33.90	7.95	30.26			
PK	5.7798G	118.36	Inf	-Inf	106.50	3	Horizontal	322	2.71	-	33.90	8.17	30.21			
AV	5.7802G	108.12	Inf	-Inf	96.25	3	Horizontal	322	2.71	-	33.90	8.18	30.21			
PK	5.9506G	58.78	68.20	-9.42	46.49	3	Horizontal	322	2.71	-	34.30	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 108
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6258G	58.98	68.20	-9.22	47.33	3	Vertical	337	1.35	-	34.00	7.91	30.26				
PK	5.8298G	114.27	Inf	-Inf	102.36	3	Vertical	337	1.35	-	33.90	8.20	30.19				
AV	5.8262G	104.01	Inf	-Inf	92.10	3	Vertical	337	1.35	-	33.90	8.20	30.19				
PK	5.9254G	58.91	68.20	-9.29	46.72	3	Vertical	337	1.35	-	34.20	8.15	30.16				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 108
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6282G	58.86	68.20	-9.34	47.22	3	Horizontal	326	1.61	-	33.99	7.91	30.26			
PK	5.8198G	117.47	Inf	-Inf	105.56	3	Horizontal	326	1.61	-	33.90	8.20	30.19			
AV	5.8178G	106.67	Inf	-Inf	94.77	3	Horizontal	326	1.61	-	33.90	8.20	30.20			
PK	6.0058G	58.85	68.20	-9.35	46.55	3	Horizontal	326	1.61	-	34.31	8.12	30.13			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 82
80\90\76\83\81\82
2.53\11.39\3.84\1.56\1.40\0.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.14G	67.14	74.00	-6.86	60.94	3	Vertical	262	2.99	82	33.08	8.23	35.11				
AV	5.1499G	53.40	54.00	-0.60	47.18	3	Vertical	262	2.99	82	33.10	8.23	35.11				
PK	5.1728G	117.72	Inf	-Inf	111.48	3	Vertical	262	2.99	82	33.10	8.24	35.10				
AV	5.1818G	105.74	Inf	-Inf	99.49	3	Vertical	262	2.99	82	33.10	8.24	35.09				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Z_1TX
SET 82
82
5.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1486G	60.72	74.00	-13.28	54.50	3	Horizontal	270	2.72	82	33.10	8.23	35.11				
AV	5.1499G	48.77	54.00	-5.23	42.55	3	Horizontal	270	2.72	82	33.10	8.23	35.11				
PK	5.1839G	109.82	Inf	-Inf	103.57	3	Horizontal	270	2.72	82	33.10	8.24	35.09				
AV	5.188G	97.83	Inf	-Inf	91.57	3	Horizontal	270	2.72	82	33.10	8.25	35.09				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 89
80\97\76\86\91\89
4.42\ -6.44\5.11\1.53\ -1.29\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	68.79	74.00	-5.21	62.57	3	Vertical	182	2.97	89	33.10	8.23	35.11			
AV	5.15G	53.60	54.00	-0.40	47.38	3	Vertical	182	2.97	89	33.10	8.23	35.11			
PK	5.2064G	119.06	Inf	-Inf	112.80	3	Vertical	182	2.97	89	33.09	8.26	35.09			
AV	5.2056G	107.96	Inf	-Inf	101.71	3	Vertical	182	2.97	89	33.09	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Z_1TX
SET 89
89
5.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1462G	60.16	74.00	-13.84	53.95	3	Horizontal	272	2.68	89	33.09	8.23	35.11				
AV	5.15G	48.51	54.00	-5.49	42.29	3	Horizontal	272	2.68	89	33.10	8.23	35.11				
PK	5.204G	111.64	Inf	-Inf	105.39	3	Horizontal	272	2.68	89	33.09	8.25	35.09				
AV	5.2026G	99.70	Inf	-Inf	93.45	3	Horizontal	272	2.68	89	33.09	8.25	35.09				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
SET 101
80\101\108\105\104\92\98\101
5.38\2.79\6.38\5.88\6.18\5.12\4.23\2.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1434G	65.36	74.00	-8.64	59.15	3	Vertical	264	3.00	101	33.09	8.23	35.11			
AV	5.15G	51.22	54.00	-2.78	45.00	3	Vertical	264	3.00	101	33.10	8.23	35.11			
PK	5.2484G	123.11	Inf	-Inf	116.89	3	Vertical	264	3.00	101	33.00	8.29	35.07			
AV	5.2352G	111.26	Inf	-Inf	105.03	3	Vertical	264	3.00	101	33.03	8.28	35.08			
PK	5.3513G	63.42	74.00	-10.58	57.17	3	Vertical	264	3.00	101	32.90	8.38	35.03			
AV	5.3525G	50.28	54.00	-3.72	44.03	3	Vertical	264	3.00	101	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT_Z_1TX
SET 101
101
5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	58.98	74.00	-15.02	52.80	3	Horizontal	271	2.80	101	33.07	8.22	35.11			
AV	5.1371G	47.78	54.00	-6.22	41.60	3	Horizontal	271	2.80	101	33.07	8.22	35.11			
PK	5.2349G	113.52	Inf	-Inf	107.29	3	Horizontal	271	2.80	101	33.03	8.28	35.08			
AV	5.2358G	102.18	Inf	-Inf	95.95	3	Horizontal	271	2.80	101	33.03	8.28	35.08			
PK	5.3861G	60.42	74.00	-13.58	54.13	3	Horizontal	271	2.80	101	32.90	8.41	35.02			
AV	5.3624G	48.15	54.00	-5.85	41.89	3	Horizontal	271	2.80	101	32.90	8.39	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 106
80\102\108\105\106
5.52\3.48\9.10\1.97\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1205G	61.35	74.00	-12.65	55.21	3	Vertical	180	3.00	106	33.04	8.22	35.12			
AV	5.1499G	49.63	54.00	-4.37	43.41	3	Vertical	180	3.00	106	33.10	8.23	35.11			
PK	5.2582G	123.22	Inf	-Inf	117.01	3	Vertical	180	3.00	106	32.98	8.30	35.07			
AV	5.2573G	111.72	Inf	-Inf	105.50	3	Vertical	180	3.00	106	32.99	8.30	35.07			
PK	5.3545G	73.97	74.00	-0.03	67.72	3	Vertical	180	3.00	106	32.90	8.38	35.03			
AV	5.35G	53.92	54.00	-0.08	47.67	3	Vertical	180	3.00	106	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
SET 106
106
5.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1427G	59.28	74.00	-14.72	53.07	3	Horizontal	268	1.80	106	33.09	8.23	35.11			
AV	5.1484G	47.47	54.00	-6.53	41.25	3	Horizontal	268	1.80	106	33.10	8.23	35.11			
PK	5.2612G	113.14	Inf	-Inf	106.93	3	Horizontal	268	1.80	106	32.98	8.30	35.07			
AV	5.2675G	101.67	Inf	-Inf	95.45	3	Horizontal	268	1.80	106	32.97	8.31	35.06			
PK	5.3545G	66.00	74.00	-8.00	59.75	3	Horizontal	268	1.80	106	32.90	8.38	35.03			
AV	5.35G	48.94	54.00	-5.06	42.69	3	Horizontal	268	1.80	106	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 100
80\104\76\90\97\100\101\100
6.16\ -9.78\6.24\5.69\2.98\1.03\ -0.45\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3036G	111.31	Inf	-Inf	105.12	3	Vertical	269	1.80	100	32.90	8.34	35.05			
AV	5.2926G	100.00	Inf	-Inf	93.81	3	Vertical	269	1.80	100	32.91	8.33	35.05			
PK	5.3508G	67.69	74.00	-6.31	61.44	3	Vertical	269	1.80	100	32.90	8.38	35.03			
AV	5.3504G	53.16	54.00	-0.84	46.91	3	Vertical	269	1.80	100	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
SET 100
100
1.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3042G	111.08	Inf	-Inf	104.89	3	Horizontal	268	1.80	100	32.90	8.34	35.05			
AV	5.2972G	99.66	Inf	-Inf	93.47	3	Horizontal	268	1.80	100	32.91	8.33	35.05			
PK	5.35G	67.28	74.00	-6.72	61.03	3	Horizontal	268	1.80	100	32.90	8.38	35.03			
AV	5.35G	52.79	54.00	-1.21	46.54	3	Horizontal	268	1.80	100	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 82
80\92\76\84\81\82\83\82
3.19\ -10.69\4.00\ -0.62\2.02\2.04\ -0.06\1.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3158G	118.45	Inf	-Inf	112.25	3	Vertical	181	3.00	82	32.90	8.35	35.05				
AV	5.3177G	106.12	Inf	-Inf	99.92	3	Vertical	181	3.00	82	32.90	8.35	35.05				
PK	5.3502G	67.76	74.00	-6.24	61.51	3	Vertical	181	3.00	82	32.90	8.38	35.03				
AV	5.35G	52.13	54.00	-1.87	45.88	3	Vertical	181	3.00	82	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
SET 82
82
5.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3112G	107.44	Inf	-Inf	101.25	3	Horizontal	266	1.80	82	32.90	8.34	35.05				
AV	5.3138G	95.53	Inf	-Inf	89.33	3	Horizontal	266	1.80	82	32.90	8.35	35.05				
PK	5.3529G	59.55	74.00	-14.45	53.30	3	Horizontal	266	1.80	82	32.90	8.38	35.03				
AV	5.3505G	48.19	54.00	-5.81	41.94	3	Horizontal	266	1.80	82	32.90	8.38	35.03				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
SET 84
80\89\76\82\85\84
2.40\ -4.65\3.26\1.96\ -0.46\1.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	67.07	74.00	-6.93	60.68	3	Vertical	263	3.00	84	32.92	8.46	34.99			
AV	5.46G	52.54	54.00	-1.46	46.15	3	Vertical	263	3.00	84	32.92	8.46	34.99			
PK	5.4601G	66.17	68.20	-2.03	59.77	3	Vertical	263	3.00	84	32.92	8.47	34.99			
PK	5.4962G	118.48	Inf	-Inf	111.98	3	Vertical	263	3.00	84	32.99	8.49	34.98			
AV	5.4951G	106.52	Inf	-Inf	100.02	3	Vertical	263	3.00	84	32.99	8.49	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
SET 84
84
5.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	60.29	74.00	-13.71	53.90	3	Horizontal	271	1.80	84	32.92	8.46	34.99			
AV	5.4545G	48.13	54.00	-5.87	41.76	3	Horizontal	271	1.80	84	32.91	8.46	35.00			
PK	5.4605G	61.04	68.20	-7.16	54.64	3	Horizontal	271	1.80	84	32.92	8.47	34.99			
PK	5.504G	108.55	Inf	-Inf	102.03	3	Horizontal	271	1.80	84	33.00	8.50	34.98			
AV	5.5064G	96.25	Inf	-Inf	89.73	3	Horizontal	271	1.80	84	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
SET 100
80\102\85\93\97\99\100\108\104\100
5.54\ -4.30\5.62\5.11\4.96\4.88\4.90\ -7.01\ -7.00\1.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4495G	61.70	74.00	-12.30	55.34	3	Vertical	191	3.00	100	32.90	8.46	35.00
AV	5.4549G	49.13	54.00	-4.87	42.76	3	Vertical	191	3.00	100	32.91	8.46	35.00
PK	5.4693G	66.51	68.20	-1.69	60.09	3	Vertical	191	3.00	100	32.94	8.47	34.99
PK	5.5788G	123.20	Inf	-Inf	116.65	3	Vertical	191	3.00	100	32.94	8.55	34.94
AV	5.5779G	110.49	Inf	-Inf	103.94	3	Vertical	191	3.00	100	32.94	8.55	34.94
PK	5.7267G	60.88	68.20	-7.32	53.52	3	Vertical	191	3.00	100	33.51	8.72	34.87

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
SET 100
100
5.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	60.20	74.00	-13.80	53.83	3	Horizontal	162	2.97	100	32.91	8.46	35.00			
AV	5.4534G	48.01	54.00	-5.99	41.64	3	Horizontal	162	2.97	100	32.91	8.46	35.00			
PK	5.4684G	59.33	68.20	-8.87	52.91	3	Horizontal	162	2.97	100	32.94	8.47	34.99			
PK	5.5839G	116.69	Inf	-Inf	110.14	3	Horizontal	162	2.97	100	32.93	8.56	34.94			
AV	5.5782G	104.48	Inf	-Inf	97.93	3	Horizontal	162	2.97	100	32.94	8.55	34.94			
PK	5.7291G	59.65	68.20	-8.55	52.28	3	Horizontal	162	2.97	100	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
SET 62
80\40\72\56\64\60\62
-17.30\8.18\7.90\4.44\0.28\1.03\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6964G	112.82	Inf	-Inf	105.66	3	Vertical	194	3.00	62	33.37	8.68	34.89			
AV	5.6968G	100.89	Inf	-Inf	93.73	3	Vertical	194	3.00	62	33.37	8.68	34.89			
PK	5.7268G	68.01	68.20	-0.19	60.65	3	Vertical	194	3.00	62	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
SET 62
62
5.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.694G	107.49	Inf	-Inf	100.35	3	Horizontal	163	2.81	62	33.35	8.68	34.89			
AV	5.695G	95.39	Inf	-Inf	88.24	3	Horizontal	163	2.81	62	33.36	8.68	34.89			
PK	5.7252G	62.26	68.20	-5.94	54.92	3	Horizontal	163	2.81	62	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 108
80\103\108
5.78\5.14\2.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4572G	60.58	74.00	-13.42	54.21	3	Vertical	189	3.00	108	32.91	8.46	35.00				
AV	5.4596G	48.74	54.00	-5.26	42.35	3	Vertical	189	3.00	108	32.92	8.46	34.99				
PK	5.4626G	59.89	68.20	-8.31	53.48	3	Vertical	189	3.00	108	32.93	8.47	34.99				
PK	5.7206G	121.48	Inf	-Inf	114.16	3	Vertical	189	3.00	108	33.48	8.71	34.87				
AV	5.7266G	110.16	Inf	-Inf	102.80	3	Vertical	189	3.00	108	33.51	8.72	34.87				
PK	5.8526G	65.22	68.20	-2.98	57.26	3	Vertical	189	3.00	108	33.91	8.86	34.81				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 108
108
5.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.435G	59.88	74.00	-14.12	53.53	3	Horizontal	166	3.00	108	32.90	8.45	35.00			
AV	5.4488G	48.02	54.00	-5.98	41.66	3	Horizontal	166	3.00	108	32.90	8.46	35.00			
PK	5.4674G	60.27	68.20	-7.93	53.86	3	Horizontal	166	3.00	108	32.93	8.47	34.99			
PK	5.717G	114.59	Inf	-Inf	107.30	3	Horizontal	166	3.00	108	33.47	8.70	34.88			
AV	5.7152G	103.34	Inf	-Inf	96.06	3	Horizontal	166	3.00	108	33.46	8.70	34.88			
PK	5.9456G	61.28	68.20	-6.92	52.89	3	Horizontal	166	3.00	108	34.19	8.97	34.77			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
SET 96
80\101\76\88\94\97\96
5.49\5.77\5.86\5.09\5.16\5.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.451G	48.89	54.00	-5.11	42.53	3	Vertical	189	3.00	96	32.90	8.46	35.00			
PK	5.6586G	68.86	74.56	-5.70	62.05	3	Vertical	189	3.00	96	33.07	8.64	34.90			
PK	5.7414G	121.08	Inf	-Inf	113.64	3	Vertical	189	3.00	96	33.57	8.73	34.86			
AV	5.7408G	109.53	Inf	-Inf	102.10	3	Vertical	189	3.00	96	33.56	8.73	34.86			
PK	5.994G	61.50	68.20	-6.70	53.02	3	Vertical	189	3.00	96	34.20	9.02	34.74			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5745MHz_TX


EUT_Z_1TX
SET 96
96
5.93

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5842G	60.41	68.20	-7.79	53.86	3	Horizontal	214	2.20	96	32.93	8.56	34.94			
AV	5.4498G	48.07	54.00	-5.93	41.71	3	Horizontal	214	2.20	96	32.90	8.46	35.00			
PK	5.7384G	114.17	Inf	-Inf	106.76	3	Horizontal	214	2.20	96	33.55	8.73	34.87			
AV	5.7384G	102.77	Inf	-Inf	95.36	3	Horizontal	214	2.20	96	33.55	8.73	34.87			
PK	6.039G	61.17	68.20	-7.03	52.63	3	Horizontal	214	2.20	96	34.20	9.05	34.71			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Z_1TX
SET 108
80\106\108
6.67\6.25\6.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6494G	61.77	68.20	-6.43	55.05	3	Vertical	277	1.80	108	33.00	8.63	34.91				
PK	5.79097G	116.63	Inf	-Inf	108.92	3	Vertical	277	1.80	108	33.76	8.79	34.84				
AV	5.77766G	105.60	Inf	-Inf	97.97	3	Vertical	277	1.80	108	33.71	8.77	34.85				
PK	6.00454G	60.64	68.20	-7.56	52.15	3	Vertical	277	1.80	108	34.20	9.03	34.74				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Z_1TX
SET 108
108
7.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.64396G	60.34	68.20	-7.86	53.64	3	Horizontal	212	2.20	108	32.99	8.62	34.91				
PK	5.78311G	112.91	Inf	-Inf	105.24	3	Horizontal	212	2.20	108	33.73	8.78	34.84				
AV	5.77948G	101.94	Inf	-Inf	94.29	3	Horizontal	212	2.20	108	33.72	8.78	34.85				
PK	6.0844G	61.09	68.20	-7.11	52.57	3	Horizontal	212	2.20	108	34.13	9.07	34.68				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Z_1TX
SET 108
80\106\108
6.74\7.11\6.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5742G	61.61	68.20	-6.59	55.05	3	Vertical	192	2.99	108	32.95	8.55	34.94			
PK	5.819G	118.05	Inf	-Inf	110.22	3	Vertical	192	2.99	108	33.84	8.82	34.83			
AV	5.8166G	107.25	Inf	-Inf	99.43	3	Vertical	192	2.99	108	33.83	8.82	34.83			
PK	6.0704G	61.21	68.20	-6.99	52.68	3	Vertical	192	2.99	108	34.16	9.06	34.69			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Z_1TX
SET 108
108
7.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5292G	59.51	68.20	-8.69	52.96	3	Horizontal	265	1.80	108	33.00	8.52	34.97				
PK	5.8244G	108.73	Inf	-Inf	100.87	3	Horizontal	265	1.80	108	33.85	8.83	34.82				
AV	5.828G	98.31	Inf	-Inf	90.44	3	Horizontal	265	1.80	108	33.86	8.83	34.82				
PK	6.0884G	60.75	68.20	-7.45	52.24	3	Horizontal	265	1.80	108	34.12	9.07	34.68				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 70
80\40\62\73\68\70
-11.19\5.70\2.97\1.47\0.81\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	66.95	74.00	-7.05	60.73	3	Vertical	263	3.00	70	33.10	8.23	35.11			
AV	5.1496G	53.99	54.00	-0.01	47.77	3	Vertical	263	3.00	70	33.10	8.23	35.11			
PK	5.1836G	112.54	Inf	-Inf	106.29	3	Vertical	263	3.00	70	33.10	8.24	35.09			
AV	5.1972G	100.85	Inf	-Inf	94.59	3	Vertical	263	3.00	70	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
SET 70
70
4.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	60.23	74.00	-13.77	54.01	3	Horizontal	270	2.70	70	33.10	8.23	35.11				
AV	5.1492G	49.02	54.00	-4.98	42.80	3	Horizontal	270	2.70	70	33.10	8.23	35.11				
PK	5.1758G	104.07	Inf	-Inf	97.83	3	Horizontal	270	2.70	70	33.10	8.24	35.10				
AV	5.186G	92.35	Inf	-Inf	86.10	3	Horizontal	270	2.70	70	33.10	8.24	35.09				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 87
80\92\86\89\88\87
3.15\ -3.90\0.65\ -0.78\ -0.19\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1484G	66.25	74.00	-7.75	60.03	3	Vertical	262	3.00	87	33.10	8.23	35.11				
AV	5.1498G	53.61	54.00	-0.39	47.39	3	Vertical	262	3.00	87	33.10	8.23	35.11				
PK	5.2356G	117.04	Inf	-Inf	110.81	3	Vertical	262	3.00	87	33.03	8.28	35.08				
AV	5.2326G	105.59	Inf	-Inf	99.36	3	Vertical	262	3.00	87	33.03	8.28	35.08				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
SET 87
87
5.61

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1476G	59.98	74.00	-14.02	53.76	3	Horizontal	271	1.80	87	33.10	8.23	35.11				
AV	5.1442G	48.39	54.00	-5.61	42.18	3	Horizontal	271	1.80	87	33.09	8.23	35.11				
PK	5.2282G	107.44	Inf	-Inf	101.21	3	Horizontal	271	1.80	87	33.04	8.27	35.08				
AV	5.2362G	95.62	Inf	-Inf	89.38	3	Horizontal	271	1.80	87	33.03	8.28	35.07				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 89
80\95\77\86\90\88\89
3.98\ -4.50\4.19\2.23\ -0.19\0.94\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2734G	116.84	Inf	-Inf	110.64	3	Vertical	258	3.00	89	32.95	8.31	35.06				
AV	5.2728G	104.78	Inf	-Inf	98.58	3	Vertical	258	3.00	89	32.95	8.31	35.06				
PK	5.3512G	65.25	74.00	-8.75	59.00	3	Vertical	258	3.00	89	32.90	8.38	35.03				
AV	5.3512G	53.44	54.00	-0.56	47.19	3	Vertical	258	3.00	89	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
SET 89
89
5.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2714G	107.28	Inf	-Inf	101.07	3	Horizontal	267	1.80	89	32.96	8.31	35.06				
AV	5.2724G	95.72	Inf	-Inf	89.51	3	Horizontal	267	1.80	89	32.96	8.31	35.06				
PK	5.3506G	61.05	74.00	-12.95	54.80	3	Horizontal	267	1.80	89	32.90	8.38	35.03				
AV	5.3502G	49.00	54.00	-5.00	42.75	3	Horizontal	267	1.80	89	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 72
80\49\70\79\75\73\72
-7.72\5.41\1.58\6.65\2.01\0.51\0.71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3116G	112.18	Inf	-Inf	105.99	3	Vertical	259	3.00	72	32.90	8.34	35.05			
AV	5.2958G	100.47	Inf	-Inf	94.28	3	Vertical	259	3.00	72	32.91	8.33	35.05			
PK	5.352G	65.83	74.00	-8.17	59.58	3	Vertical	259	3.00	72	32.90	8.38	35.03			
AV	5.3504G	53.29	54.00	-0.71	47.04	3	Vertical	259	3.00	72	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
SET 72
72
5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3124G	101.90	Inf	-Inf	95.70	3	Horizontal	264	1.80	72	32.90	8.35	35.05			
AV	5.3134G	90.27	Inf	-Inf	84.07	3	Horizontal	264	1.80	72	32.90	8.35	35.05			
PK	5.3524G	60.00	74.00	-14.00	53.75	3	Horizontal	264	1.80	72	32.90	8.38	35.03			
AV	5.3506G	48.71	54.00	-5.29	42.46	3	Horizontal	264	1.80	72	32.90	8.38	35.03			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
SET 80
80
0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	64.88	74.00	-9.12	58.50	3	Vertical	260	2.97	80	32.92	8.46	35.00			
AV	5.46G	52.71	54.00	-1.29	46.32	3	Vertical	260	2.97	80	32.92	8.46	34.99			
PK	5.4638G	68.17	68.20	-0.03	61.76	3	Vertical	260	2.97	80	32.93	8.47	34.99			
PK	5.5132G	115.28	Inf	-Inf	108.75	3	Vertical	260	2.97	80	33.00	8.50	34.97			
AV	5.5086G	103.46	Inf	-Inf	96.94	3	Vertical	260	2.97	80	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
SET 80
80
5.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	60.12	74.00	-13.88	53.73	3	Horizontal	268	1.80	80	32.92	8.46	34.99			
AV	5.4596G	48.73	54.00	-5.27	42.34	3	Horizontal	268	1.80	80	32.92	8.46	34.99			
PK	5.4678G	61.63	68.20	-6.57	55.21	3	Horizontal	268	1.80	80	32.94	8.47	34.99			
PK	5.5122G	104.76	Inf	-Inf	98.23	3	Horizontal	268	1.80	80	33.00	8.50	34.97			
AV	5.5142G	93.48	Inf	-Inf	86.94	3	Horizontal	268	1.80	80	33.00	8.51	34.97			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
SET 87
80\96\76\86\91\89\88\87
4.18\ -10.83\4.42\2.03\ -2.45\ -1.74\ -2.12\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	65.68	74.00	-8.32	59.31	3	Vertical	185	2.96	87	32.91	8.46	35.00			
AV	5.4598G	52.57	54.00	-1.43	46.18	3	Vertical	185	2.96	87	32.92	8.46	34.99			
PK	5.47G	67.97	68.20	-0.23	61.55	3	Vertical	185	2.96	87	32.94	8.47	34.99			
PK	5.5658G	117.08	Inf	-Inf	110.52	3	Vertical	185	2.96	87	32.97	8.54	34.95			
AV	5.555G	105.36	Inf	-Inf	98.78	3	Vertical	185	2.96	87	32.99	8.54	34.95			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
SET 87
87
4.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	60.20	74.00	-13.80	53.83	3	Horizontal	162	2.97	87	32.91	8.46	35.00			
AV	5.4572G	49.10	54.00	-4.90	42.73	3	Horizontal	162	2.97	87	32.91	8.46	35.00			
PK	5.467G	61.54	68.20	-6.66	55.13	3	Horizontal	162	2.97	87	32.93	8.47	34.99			
PK	5.5654G	110.70	Inf	-Inf	104.14	3	Horizontal	162	2.97	87	32.97	8.54	34.95			
AV	5.546G	98.86	Inf	-Inf	92.29	3	Horizontal	162	2.97	87	33.00	8.53	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
SET 74
80\67\84\76\72\74\75\74
-3.07\5.53\5.19\3.17\3.89\4.24\0.56\2.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6649G	112.89	Inf	-Inf	106.03	3	Vertical	188	2.97	74	33.12	8.64	34.90			
AV	5.6616G	101.57	Inf	-Inf	94.74	3	Vertical	188	2.97	74	33.09	8.64	34.90			
PK	5.7258G	65.79	68.20	-2.41	58.45	3	Vertical	188	2.97	74	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
SET 74
74
7.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6643G	104.55	Inf	-Inf	97.70	3	Horizontal	161	1.80	74	33.11	8.64	34.90			
AV	5.6622G	93.03	Inf	-Inf	86.19	3	Horizontal	161	1.80	74	33.10	8.64	34.90			
PK	5.7483G	60.49	68.20	-7.71	53.02	3	Horizontal	161	1.80	74	33.59	8.74	34.86			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 99
80\100\90\95\97\98\99
5.07\ -0.20\4.77\4.54\4.49\0.60\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4448G	60.87	74.00	-13.13	54.52	3	Vertical	188	3.00	99	32.90	8.45	35.00			
PK	5.4616G	61.09	68.20	-7.11	54.69	3	Vertical	188	3.00	99	32.92	8.47	34.99			
AV	5.4586G	49.62	54.00	-4.38	43.23	3	Vertical	188	3.00	99	32.92	8.46	34.99			
PK	5.6938G	119.47	Inf	-Inf	112.33	3	Vertical	188	3.00	99	33.35	8.68	34.89			
AV	5.7022G	107.05	Inf	-Inf	99.83	3	Vertical	188	3.00	99	33.41	8.69	34.88			
PK	5.8516G	67.88	68.20	-0.32	59.92	3	Vertical	188	3.00	99	33.91	8.86	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 99
99
5.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4412G	59.64	74.00	-14.36	53.29	3	Horizontal	171	1.80	99	32.90	8.45	35.00			
PK	5.4658G	58.95	68.20	-9.25	52.54	3	Horizontal	171	1.80	99	32.93	8.47	34.99			
AV	5.4586G	48.29	54.00	-5.71	41.90	3	Horizontal	171	1.80	99	32.92	8.46	34.99			
PK	5.7082G	103.25	Inf	-Inf	96.01	3	Horizontal	171	1.80	99	33.43	8.69	34.88			
AV	5.6986G	91.94	Inf	-Inf	84.75	3	Horizontal	171	1.80	99	33.39	8.68	34.88			
PK	5.9848G	61.10	68.20	-7.10	52.64	3	Horizontal	171	1.80	99	34.20	9.01	34.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX



EUT_Z_1TX

SET 95


80\102\76\89\95\98\97\85\91\94\95

5.62\7.75\5.68\5.61\4.42\7.17\6.15\5.63\5.34\4.95\5.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4592G	48.59	54.00	-5.41	42.20	3	Vertical	193	1.80	95	32.92	8.46	34.99				
PK	5.644G	62.74	68.20	-5.46	56.04	3	Vertical	193	1.80	95	32.99	8.62	34.91				
PK	5.7526G	114.38	Inf	-Inf	106.88	3	Vertical	193	1.80	95	33.61	8.75	34.86				
AV	5.7508G	102.80	Inf	-Inf	95.32	3	Vertical	193	1.80	95	33.60	8.74	34.86				
PK	6.016G	61.07	68.20	-7.13	52.56	3	Vertical	193	1.80	95	34.20	9.04	34.73				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX


EUT_Z_1TX
SET 95
95
4.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4598G	48.57	54.00	-5.43	42.18	3	Horizontal	190	1.80	95	32.92	8.46	34.99				
PK	5.6512G	64.86	69.09	-4.23	58.13	3	Horizontal	190	1.80	95	33.01	8.63	34.91				
PK	5.749G	114.23	Inf	-Inf	106.75	3	Horizontal	190	1.80	95	33.60	8.74	34.86				
AV	5.7484G	103.04	Inf	-Inf	95.57	3	Horizontal	190	1.80	95	33.59	8.74	34.86				
PK	5.959G	61.12	68.20	-7.08	52.70	3	Horizontal	190	1.80	95	34.20	8.98	34.76				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Z_1TX
SET 94
80\108\94\101\98\97\96\95\94
7.21\ -2.22\5.08\ -1.93\ -2.62\ -2.36\ -1.72\ -0.18\0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.97	68.94	-0.97	61.24	3	Vertical	277	2.98	94	33.01	8.63	34.91
PK	5.7806G	115.81	Inf	-Inf	108.16	3	Vertical	277	2.98	94	33.72	8.78	34.85
AV	5.7818G	104.73	Inf	-Inf	97.06	3	Vertical	277	2.98	94	33.73	8.78	34.84
PK	6.0368G	61.20	68.20	-7.00	52.66	3	Vertical	277	2.98	94	34.20	9.05	34.71

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT_Z_1TX
SET 94
94
6.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5292G	60.40	68.20	-7.80	53.85	3	Horizontal	215	1.80	94	33.00	8.52	34.97			
PK	5.7866G	106.48	Inf	-Inf	98.79	3	Horizontal	215	1.80	94	33.75	8.78	34.84			
AV	5.7794G	95.01	Inf	-Inf	87.36	3	Horizontal	215	1.80	94	33.72	8.78	34.85			
PK	5.9714G	61.21	68.20	-6.99	52.76	3	Horizontal	215	1.80	94	34.20	9.00	34.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
SET 76
80\68\74\77\76
-2.94\2.39\0.69\0.73\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	64.12	74.00	-9.88	57.92	3	Vertical	262	2.97	76	33.08	8.23	35.11
AV	5.15G	53.80	54.00	-0.20	47.58	3	Vertical	262	2.97	76	33.10	8.23	35.11
PK	5.229G	111.24	Inf	-Inf	105.01	3	Vertical	262	2.97	76	33.04	8.27	35.08
AV	5.225G	99.73	Inf	-Inf	93.49	3	Vertical	262	2.97	76	33.05	8.27	35.08
PK	5.3775G	60.93	74.00	-13.07	54.65	3	Vertical	262	2.97	76	32.90	8.40	35.02
AV	5.357G	50.09	54.00	-3.91	43.84	3	Vertical	262	2.97	76	32.90	8.38	35.03

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX

EUT_Z_1TX
SET 76
76
5.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	59.46	74.00	-14.54	53.24	3	Horizontal	270	1.80	76	33.10	8.23	35.11			
AV	5.1485G	48.58	54.00	-5.42	42.36	3	Horizontal	270	1.80	76	33.10	8.23	35.11			
PK	5.224G	100.51	Inf	-Inf	94.27	3	Horizontal	270	1.80	76	33.05	8.27	35.08			
AV	5.2405G	89.30	Inf	-Inf	83.07	3	Horizontal	270	1.80	76	33.02	8.28	35.07			
PK	5.4225G	59.91	74.00	-14.09	53.58	3	Horizontal	270	1.80	76	32.90	8.44	35.01			
AV	5.4145G	48.96	54.00	-5.04	42.64	3	Horizontal	270	1.80	76	32.90	8.43	35.01			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 73
80\51\69\78\74\72\73
-7.11\4.71\1.89\5.63\0.21\0.79\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	59.76	74.00	-14.24	53.67	3	Vertical	255	3.00	73	33.00	8.21	35.12
AV	5.146G	49.01	54.00	-4.99	42.80	3	Vertical	255	3.00	73	33.09	8.23	35.11
PK	5.276G	110.21	Inf	-Inf	104.01	3	Vertical	255	3.00	73	32.95	8.31	35.06
AV	5.299G	98.61	Inf	-Inf	92.43	3	Vertical	255	3.00	73	32.90	8.33	35.05
PK	5.3555G	64.67	74.00	-9.33	58.42	3	Vertical	255	3.00	73	32.90	8.38	35.03
AV	5.35G	53.66	54.00	-0.34	47.41	3	Vertical	255	3.00	73	32.90	8.38	35.03
PK	5.526G	60.26	68.20	-7.94	53.72	3	Vertical	255	3.00	73	33.00	8.51	34.97

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
SET 73
73
4.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.106G	59.06	74.00	-14.94	52.96	3	Horizontal	265	1.80	73	33.01	8.21	35.12				
AV	5.137G	48.08	54.00	-5.92	41.90	3	Horizontal	265	1.80	73	33.07	8.22	35.11				
PK	5.264G	100.71	Inf	-Inf	94.50	3	Horizontal	265	1.80	73	32.97	8.30	35.06				
AV	5.2755G	89.36	Inf	-Inf	83.16	3	Horizontal	265	1.80	73	32.95	8.31	35.06				
PK	5.35G	61.77	74.00	-12.23	55.52	3	Horizontal	265	1.80	73	32.90	8.38	35.03				
AV	5.3625G	49.61	54.00	-4.39	43.35	3	Horizontal	265	1.80	73	32.90	8.39	35.03				
PK	5.518G	60.19	68.20	-8.01	53.65	3	Horizontal	265	1.80	73	33.00	8.51	34.97				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
SET 76
80\66\73\76
-3.49\4.00\1.58\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.331G	60.87	68.20	-7.33	54.65	3	Vertical	187	3.00	76	32.90	8.36	35.04			
AV	5.35G	49.44	54.00	-4.56	43.19	3	Vertical	187	3.00	76	32.90	8.38	35.03			
PK	5.46G	64.17	74.00	-9.83	57.78	3	Vertical	187	3.00	76	32.92	8.46	34.99			
AV	5.4595G	53.80	54.00	-0.20	47.41	3	Vertical	187	3.00	76	32.92	8.46	34.99			
PK	5.467G	64.12	68.20	-4.08	57.71	3	Vertical	187	3.00	76	32.93	8.47	34.99			
PK	5.523G	110.47	Inf	-Inf	103.93	3	Vertical	187	3.00	76	33.00	8.51	34.97			
AV	5.5415G	99.48	Inf	-Inf	92.91	3	Vertical	187	3.00	76	33.00	8.53	34.96			
PK	5.765G	60.83	68.20	-7.37	53.26	3	Vertical	187	3.00	76	33.66	8.76	34.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
SET 76
76
3.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3085G	58.96	68.20	-9.24	52.77	3	Horizontal	160	2.97	76	32.90	8.34	35.05					
AV	5.35G	48.50	54.00	-5.50	42.25	3	Horizontal	160	2.97	76	32.90	8.38	35.03					
PK	5.444G	60.96	74.00	-13.04	54.61	3	Horizontal	160	2.97	76	32.90	8.45	35.00					
PK	5.47G	60.83	68.20	-7.37	54.41	3	Horizontal	160	2.97	76	32.94	8.47	34.99					
AV	5.4595G	50.27	54.00	-3.73	43.88	3	Horizontal	160	2.97	76	32.92	8.46	34.99					
PK	5.5585G	104.53	Inf	-Inf	97.96	3	Horizontal	160	2.97	76	32.98	8.54	34.95					
AV	5.544G	92.87	Inf	-Inf	86.30	3	Horizontal	160	2.97	76	33.00	8.53	34.96					
PK	5.7285G	60.73	68.20	-7.47	53.37	3	Horizontal	160	2.97	76	33.51	8.72	34.87					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
SET 84
80\73\76\77\84
-1.52\0.61\3.57\3.48\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4445G	65.08	74.00	-8.92	58.73	3	Vertical	182	2.96	84	32.90	8.45	35.00			
PK	5.4625G	65.12	68.20	-3.08	58.72	3	Vertical	182	2.96	84	32.92	8.47	34.99			
AV	5.4585G	53.34	54.00	-0.66	46.95	3	Vertical	182	2.96	84	32.92	8.46	34.99			
PK	5.6245G	113.91	Inf	-Inf	107.28	3	Vertical	182	2.96	84	32.95	8.60	34.92			
AV	5.6165G	102.51	Inf	-Inf	95.91	3	Vertical	182	2.96	84	32.93	8.59	34.92			
PK	5.725G	67.15	68.20	-1.05	59.81	3	Vertical	182	2.96	84	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
SET 84
84
4.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.449G	60.30	74.00	-13.70	53.94	3	Horizontal	160	2.98	84	32.90	8.46	35.00			
PK	5.465G	61.19	68.20	-7.01	54.78	3	Horizontal	160	2.98	84	32.93	8.47	34.99			
AV	5.459G	49.43	54.00	-4.57	43.04	3	Horizontal	160	2.98	84	32.92	8.46	34.99			
PK	5.5815G	107.32	Inf	-Inf	100.76	3	Horizontal	160	2.98	84	32.94	8.56	34.94			
AV	5.5805G	95.75	Inf	-Inf	89.19	3	Horizontal	160	2.98	84	32.94	8.56	34.94			
PK	5.726G	63.58	68.20	-4.62	56.24	3	Horizontal	160	2.98	84	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 95
80\99\76\87\92\94\95\96\95
4.79\ -6.52\4.89\3.80\2.48\1.07\0.54\ -0.21\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4398G	65.46	74.00	-8.54	59.11	3	Vertical	191	2.19	95	32.90	8.45	35.00
PK	5.4674G	64.99	68.20	-3.21	58.58	3	Vertical	191	2.19	95	32.93	8.47	34.99
AV	5.459G	53.64	54.00	-0.36	47.25	3	Vertical	191	2.19	95	32.92	8.46	34.99
PK	5.6678G	114.21	Inf	-Inf	107.32	3	Vertical	191	2.19	95	33.14	8.65	34.90
AV	5.6816G	102.84	Inf	-Inf	95.82	3	Vertical	191	2.19	95	33.25	8.66	34.89
PK	5.8592G	66.99	68.20	-1.21	58.99	3	Vertical	191	2.19	95	33.94	8.87	34.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
SET 95
95
4.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.417G	60.02	74.00	-13.98	53.70	3	Horizontal	160	1.80	95	32.90	8.43	35.01					
PK	5.4698G	60.16	68.20	-8.04	53.74	3	Horizontal	160	1.80	95	32.94	8.47	34.99					
AV	5.4566G	49.21	54.00	-4.79	42.84	3	Horizontal	160	1.80	95	32.91	8.46	35.00					
PK	5.6768G	107.08	Inf	-Inf	100.11	3	Horizontal	160	1.80	95	33.21	8.66	34.90					
AV	5.6612G	95.32	Inf	-Inf	88.49	3	Horizontal	160	1.80	95	33.09	8.64	34.90					
PK	5.8868G	61.29	68.20	-6.91	53.13	3	Horizontal	160	1.80	95	34.05	8.90	34.79					

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
SET 92
80\106\76\91\98\95\94\93\92
6.66\11.87\7.30\1.19\7.94\3.32\1.39\0.40\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.637G	68.14	68.20	-0.06	61.47	3	Vertical	186	1.80	92	32.97	8.61	34.91				
PK	5.7792G	111.19	Inf	-Inf	103.54	3	Vertical	186	1.80	92	33.72	8.78	34.85				
AV	5.7486G	99.37	Inf	-Inf	91.90	3	Vertical	186	1.80	92	33.59	8.74	34.86				
PK	5.9562G	61.03	68.20	-7.17	52.61	3	Vertical	186	1.80	92	34.20	8.98	34.76				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
SET 92
92
0.99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6448G	67.21	68.20	-0.99	60.51	3	Horizontal	209	2.39	92	32.99	8.62	34.91				
PK	5.748G	106.14	Inf	-Inf	98.67	3	Horizontal	209	2.39	92	33.59	8.74	34.86				
AV	5.7564G	95.19	Inf	-Inf	87.67	3	Horizontal	209	2.39	92	33.63	8.75	34.86				
PK	5.988G	60.86	68.20	-7.34	52.39	3	Horizontal	209	2.39	92	34.20	9.02	34.75				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
SET 63
80\40\58\67\63
-16.97\4.66\3.24\ -2.46\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1474G	67.73	74.00	-6.27	61.52	3	Vertical	264	3.00	63	33.09	8.23	35.11					
AV	5.1468G	51.55	54.00	-2.45	45.34	3	Vertical	264	3.00	63	33.09	8.23	35.11					
PK	5.2212G	104.89	Inf	-Inf	98.64	3	Vertical	264	3.00	63	33.06	8.27	35.08					
AV	5.2728G	93.08	Inf	-Inf	86.88	3	Vertical	264	3.00	63	32.95	8.31	35.06					
PK	5.35G	70.43	74.00	-3.57	64.18	3	Vertical	264	3.00	63	32.90	8.38	35.03					
AV	5.35G	53.71	54.00	-0.29	47.46	3	Vertical	264	3.00	63	32.90	8.38	35.03					
PK	5.5314G	60.31	68.20	-7.89	53.75	3	Vertical	264	3.00	63	33.00	8.52	34.96					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_1TX
SET 63
63
4.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0574G	59.50	74.00	-14.50	53.36	3	Horizontal	271	1.80	63	33.09	8.19	35.14				
AV	5.115G	48.82	54.00	-5.18	42.69	3	Horizontal	271	1.80	63	33.03	8.22	35.12				
PK	5.2818G	94.74	Inf	-Inf	88.54	3	Horizontal	271	1.80	63	32.94	8.32	35.06				
AV	5.2752G	83.92	Inf	-Inf	77.72	3	Horizontal	271	1.80	63	32.95	8.31	35.06				
PK	5.3514G	63.08	74.00	-10.92	56.83	3	Horizontal	271	1.80	63	32.90	8.38	35.03				
PK	5.5026G	59.94	68.20	-8.26	53.42	3	Horizontal	271	1.80	63	33.00	8.50	34.98				
AV	5.433G	49.60	54.00	-4.40	43.26	3	Horizontal	271	1.80	63	32.90	8.44	35.00				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Z_1TX
SET 65
80\40\58\67\63\65
-12.98\4.58\3.70\1.48\1.79\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3252G	60.43	68.20	-7.77	54.21	3	Vertical	264	2.97	65	32.90	8.36	35.04			
PK	5.4572G	66.06	74.00	-7.94	59.69	3	Vertical	264	2.97	65	32.91	8.46	35.00			
AV	5.4596G	51.51	54.00	-2.49	45.12	3	Vertical	264	2.97	65	32.92	8.46	34.99			
PK	5.468G	68.01	68.20	-0.19	61.59	3	Vertical	264	2.97	65	32.94	8.47	34.99			
PK	5.5094G	104.41	Inf	-Inf	97.89	3	Vertical	264	2.97	65	33.00	8.50	34.98			
AV	5.5076G	93.43	Inf	-Inf	86.91	3	Vertical	264	2.97	65	33.00	8.50	34.98			
PK	5.747G	62.42	68.20	-5.78	54.95	3	Vertical	264	2.97	65	33.59	8.74	34.86			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Z_1TX
SET 65
65
4.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3384G	59.06	68.20	-9.14	52.83	3	Horizontal	159	3.00	65	32.90	8.37	35.04				
PK	5.4554G	60.43	74.00	-13.57	54.06	3	Horizontal	159	3.00	65	32.91	8.46	35.00				
AV	5.4326G	49.48	54.00	-4.52	43.14	3	Horizontal	159	3.00	65	32.90	8.44	35.00				
PK	5.465G	62.16	68.20	-6.04	55.75	3	Horizontal	159	3.00	65	32.93	8.47	34.99				
PK	5.576G	98.62	Inf	-Inf	92.06	3	Horizontal	159	3.00	65	32.95	8.55	34.94				
AV	5.597G	87.29	Inf	-Inf	80.74	3	Horizontal	159	3.00	65	32.91	8.57	34.93				
PK	5.7452G	60.72	68.20	-7.48	53.26	3	Horizontal	159	3.00	65	33.58	8.74	34.86				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 81
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	63.76	74.00	-10.24	52.62	3	Vertical	360	1.17	-	33.69	7.58	30.13			
AV	5.1484G	49.65	54.00	-4.35	38.51	3	Vertical	360	1.17	-	33.69	7.58	30.13			
PK	5.1832G	113.68	Inf	-Inf	102.47	3	Vertical	360	1.17	-	33.77	7.59	30.15			
AV	5.1828G	104.27	Inf	-Inf	93.06	3	Vertical	360	1.17	-	33.77	7.59	30.15			
PK	5.3696G	58.10	74.00	-15.90	46.64	3	Vertical	360	1.17	-	33.98	7.72	30.24			
AV	5.3692G	45.96	54.00	-8.04	34.50	3	Vertical	360	1.17	-	33.98	7.72	30.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 81
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	65.92	74.00	-8.08	54.78	3	Horizontal	360	2.64	-	33.68	7.58	30.12			
AV	5.1492G	52.28	54.00	-1.72	41.13	3	Horizontal	360	2.64	-	33.70	7.58	30.13			
PK	5.1748G	117.63	Inf	-Inf	106.44	3	Horizontal	360	2.64	-	33.75	7.58	30.14			
AV	5.1744G	108.10	Inf	-Inf	96.91	3	Horizontal	360	2.64	-	33.75	7.58	30.14			
PK	5.352G	59.47	74.00	-14.53	48.09	3	Horizontal	360	2.64	-	33.91	7.70	30.23			
AV	5.3616G	46.20	54.00	-7.80	34.78	3	Horizontal	360	2.64	-	33.95	7.71	30.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 93
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	64.19	74.00	-9.81	53.04	3	Vertical	357	1.09	-	33.70	7.58	30.13			
AV	5.148G	50.13	54.00	-3.87	38.99	3	Vertical	357	1.09	-	33.69	7.58	30.13			
PK	5.1976G	116.05	Inf	-Inf	104.81	3	Vertical	357	1.09	-	33.80	7.59	30.15			
AV	5.1928G	106.24	Inf	-Inf	95.01	3	Vertical	357	1.09	-	33.79	7.59	30.15			
PK	5.3612G	58.21	74.00	-15.79	46.80	3	Vertical	357	1.09	-	33.94	7.71	30.24			
AV	5.3572G	46.32	54.00	-7.68	34.92	3	Vertical	357	1.09	-	33.93	7.71	30.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 93
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	69.04	74.00	-4.96	57.89	3	Horizontal	360	2.64	-	33.70	7.58	30.13			
AV	5.15G	53.95	54.00	-0.05	42.80	3	Horizontal	360	2.64	-	33.70	7.58	30.13			
PK	5.1948G	120.76	Inf	-Inf	109.53	3	Horizontal	360	2.64	-	33.79	7.59	30.15			
AV	5.1952G	110.83	Inf	-Inf	99.60	3	Horizontal	360	2.64	-	33.79	7.59	30.15			
PK	5.3556G	59.02	74.00	-14.98	47.62	3	Horizontal	360	2.64	-	33.92	7.71	30.23			
AV	5.3544G	47.53	54.00	-6.47	36.13	3	Horizontal	360	2.64	-	33.92	7.71	30.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_1TX
Setting 102
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	71.79	74.00	-2.21	60.67	3	Vertical	360	1.15	-	33.66	7.58	30.12			
AV	5.148G	47.52	54.00	-6.48	36.38	3	Vertical	360	1.15	-	33.69	7.58	30.13			
PK	5.2384G	120.02	Inf	-Inf	108.77	3	Vertical	360	1.15	-	33.80	7.62	30.17			
AV	5.2384G	109.22	Inf	-Inf	97.97	3	Vertical	360	1.15	-	33.80	7.62	30.17			
PK	5.354G	70.52	74.00	-3.48	59.12	3	Vertical	360	1.15	-	33.92	7.71	30.23			
AV	5.3564G	46.98	54.00	-7.02	35.58	3	Vertical	360	1.15	-	33.93	7.71	30.24			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_1TX
Setting 102
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	70.32	74.00	-3.68	59.18	3	Horizontal	359	2.60	-	33.69	7.58	30.13			
AV	5.15G	48.68	54.00	-5.32	37.53	3	Horizontal	359	2.60	-	33.70	7.58	30.13			
PK	5.2396G	123.40	Inf	-Inf	112.15	3	Horizontal	359	2.60	-	33.80	7.62	30.17			
AV	5.2448G	113.17	Inf	-Inf	101.93	3	Horizontal	359	2.60	-	33.80	7.62	30.18			
PK	5.3572G	71.52	74.00	-2.48	60.12	3	Horizontal	359	2.60	-	33.93	7.71	30.24			
AV	5.3528G	48.55	54.00	-5.45	37.17	3	Horizontal	359	2.60	-	33.91	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 105
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.116G	57.74	74.00	-16.26	46.72	3	Vertical	351	1.63	-	33.56	7.57	30.11			
AV	5.1484G	45.97	54.00	-8.03	34.83	3	Vertical	351	1.63	-	33.69	7.58	30.13			
PK	5.2544G	117.93	Inf	-Inf	106.68	3	Vertical	351	1.63	-	33.80	7.63	30.18			
AV	5.2592G	107.83	Inf	-Inf	96.58	3	Vertical	351	1.63	-	33.80	7.63	30.18			
PK	5.4008G	64.66	74.00	-9.34	53.08	3	Vertical	351	1.63	-	34.10	7.74	30.26			
AV	5.3504G	47.85	54.00	-6.15	36.48	3	Vertical	351	1.63	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT_Z_2TX
Setting 105
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1252G	59.83	74.00	-14.17	48.77	3	Horizontal	358	2.57	-	33.60	7.58	30.12			
AV	5.1496G	47.21	54.00	-6.79	36.06	3	Horizontal	358	2.57	-	33.70	7.58	30.13			
PK	5.2548G	123.93	Inf	-Inf	112.68	3	Horizontal	358	2.57	-	33.80	7.63	30.18			
AV	5.2644G	112.90	Inf	-Inf	101.65	3	Horizontal	358	2.57	-	33.80	7.64	30.19			
PK	5.3532G	73.26	74.00	-0.74	61.88	3	Horizontal	358	2.57	-	33.91	7.70	30.23			
AV	5.35G	50.03	54.00	-3.97	38.66	3	Horizontal	358	2.57	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 95
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1044G	57.88	74.00	-16.12	46.89	3	Vertical	343	1.55	-	33.52	7.57	30.10				
AV	5.1412G	45.66	54.00	-8.34	34.54	3	Vertical	343	1.55	-	33.66	7.58	30.12				
PK	5.294G	114.04	Inf	-Inf	102.78	3	Vertical	343	1.55	-	33.80	7.66	30.20				
AV	5.294G	104.30	Inf	-Inf	93.04	3	Vertical	343	1.55	-	33.80	7.66	30.20				
PK	5.3536G	64.27	74.00	-9.73	52.88	3	Vertical	343	1.55	-	33.91	7.71	30.23				
AV	5.35G	50.13	54.00	-3.87	38.76	3	Vertical	343	1.55	-	33.90	7.70	30.23				
PK	5.4608G	58.44	68.20	-9.76	46.95	3	Vertical	343	1.55	-	34.00	7.78	30.29				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 95
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	57.97	74.00	-16.03	46.84	3	Horizontal	4	2.23	-	33.67	7.58	30.12			
AV	5.1448G	46.83	54.00	-7.17	35.70	3	Horizontal	4	2.23	-	33.68	7.58	30.13			
PK	5.2932G	119.27	Inf	-Inf	108.01	3	Horizontal	4	2.23	-	33.80	7.66	30.20			
AV	5.2932G	108.98	Inf	-Inf	97.72	3	Horizontal	4	2.23	-	33.80	7.66	30.20			
PK	5.354G	69.58	74.00	-4.42	58.18	3	Horizontal	4	2.23	-	33.92	7.71	30.23			
AV	5.35G	52.63	54.00	-1.37	41.26	3	Horizontal	4	2.23	-	33.90	7.70	30.23			
PK	5.4632G	58.80	68.20	-9.40	47.31	3	Horizontal	4	2.23	-	34.00	7.78	30.29			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 84
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1284G	57.71	74.00	-16.29	46.64	3	Vertical	343	1.55	-	33.61	7.58	30.12			
AV	5.1452G	45.60	54.00	-8.40	34.47	3	Vertical	343	1.55	-	33.68	7.58	30.13			
PK	5.314G	110.92	Inf	-Inf	99.62	3	Vertical	343	1.55	-	33.83	7.68	30.21			
AV	5.314G	101.67	Inf	-Inf	90.37	3	Vertical	343	1.55	-	33.83	7.68	30.21			
PK	5.3536G	61.60	74.00	-12.40	50.21	3	Vertical	343	1.55	-	33.91	7.71	30.23			
AV	5.35G	49.36	54.00	-4.64	37.99	3	Vertical	343	1.55	-	33.90	7.70	30.23			
PK	5.4744G	57.68	68.20	-10.52	46.20	3	Vertical	343	1.55	-	34.00	7.78	30.30			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 84
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	57.07	74.00	-16.93	45.95	3	Horizontal	340	2.89	-	33.66	7.58	30.12			
AV	5.1492G	45.79	54.00	-8.21	34.64	3	Horizontal	340	2.89	-	33.70	7.58	30.13			
PK	5.3212G	117.31	Inf	-Inf	106.01	3	Horizontal	340	2.89	-	33.84	7.68	30.22			
AV	5.3208G	107.85	Inf	-Inf	96.55	3	Horizontal	340	2.89	-	33.84	7.68	30.22			
PK	5.3504G	66.78	74.00	-7.22	55.41	3	Horizontal	340	2.89	-	33.90	7.70	30.23			
AV	5.3508G	52.87	54.00	-1.13	41.50	3	Horizontal	340	2.89	-	33.90	7.70	30.23			
PK	5.476G	58.71	68.20	-9.49	47.22	3	Horizontal	340	2.89	-	34.00	7.79	30.30			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 89
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3448G	58.61	68.20	-9.59	47.25	3	Vertical	350	1.01	-	33.89	7.70	30.23			
AV	5.35G	45.82	54.00	-8.18	34.45	3	Vertical	350	1.01	-	33.90	7.70	30.23			
PK	5.4588G	61.26	74.00	-12.74	49.77	3	Vertical	350	1.01	-	34.00	7.78	30.29			
AV	5.4596G	48.46	54.00	-5.54	36.97	3	Vertical	350	1.01	-	34.00	7.78	30.29			
PK	5.4692G	67.69	68.20	-0.51	56.20	3	Vertical	350	1.01	-	34.00	7.78	30.29			
PK	5.5016G	114.09	Inf	-Inf	102.59	3	Vertical	350	1.01	-	34.01	7.80	30.31			
AV	5.5024G	104.75	Inf	-Inf	93.25	3	Vertical	350	1.01	-	34.01	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 89
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3456G	58.92	68.20	-9.28	47.56	3	Horizontal	351	2.86	-	33.89	7.70	30.23			
AV	5.35G	46.49	54.00	-7.51	35.12	3	Horizontal	351	2.86	-	33.90	7.70	30.23			
PK	5.4592G	61.57	74.00	-12.43	50.08	3	Horizontal	351	2.86	-	34.00	7.78	30.29			
AV	5.46G	50.31	54.00	-3.69	38.82	3	Horizontal	351	2.86	-	34.00	7.78	30.29			
PK	5.47G	68.18	68.20	-0.02	56.69	3	Horizontal	351	2.86	-	34.00	7.78	30.29			
PK	5.5056G	119.52	Inf	-Inf	108.01	3	Horizontal	351	2.86	-	34.02	7.80	30.31			
AV	5.5056G	110.06	Inf	-Inf	98.55	3	Horizontal	351	2.86	-	34.02	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 100
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.454G	58.38	74.00	-15.62	46.90	3	Vertical	349	1.49	-	34.00	7.77	30.29			
AV	5.4244G	46.68	54.00	-7.32	35.15	3	Vertical	349	1.49	-	34.05	7.75	30.27			
PK	5.4656G	58.49	68.20	-9.71	47.00	3	Vertical	349	1.49	-	34.00	7.78	30.29			
PK	5.5792G	118.87	Inf	-Inf	107.16	3	Vertical	349	1.49	-	34.14	7.85	30.28			
AV	5.5744G	108.95	Inf	-Inf	97.24	3	Vertical	349	1.49	-	34.15	7.84	30.28			
PK	5.7252G	59.05	68.20	-9.15	47.30	3	Vertical	349	1.49	-	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 100
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4164G	59.96	74.00	-14.04	48.41	3	Horizontal	332	2.92	-	34.07	7.75	30.27			
AV	5.4172G	48.08	54.00	-5.92	36.53	3	Horizontal	332	2.92	-	34.07	7.75	30.27			
PK	5.4608G	59.28	68.20	-8.92	47.79	3	Horizontal	332	2.92	-	34.00	7.78	30.29			
PK	5.582G	122.80	Inf	-Inf	111.09	3	Horizontal	332	2.92	-	34.14	7.85	30.28			
AV	5.5816G	112.58	Inf	-Inf	100.87	3	Horizontal	332	2.92	-	34.14	7.85	30.28			
PK	5.7364G	59.74	68.20	-8.46	47.96	3	Horizontal	332	2.92	-	33.90	8.10	30.22			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 70
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6984G	110.25	Inf	-Inf	98.56	3	Vertical	351	1.36	-	33.90	8.03	30.24			
AV	5.7044G	100.91	Inf	-Inf	89.21	3	Vertical	351	1.36	-	33.90	8.04	30.24			
PK	5.7252G	64.58	68.20	-3.62	52.83	3	Vertical	351	1.36	-	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 70
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7064G	115.61	Inf	-Inf	103.90	3	Horizontal	331	2.81	-	33.90	8.05	30.24			
AV	5.6964G	106.18	Inf	-Inf	94.49	3	Horizontal	331	2.81	-	33.90	8.03	30.24			
PK	5.726G	67.69	68.20	-0.51	55.94	3	Horizontal	331	2.81	-	33.90	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7248G	119.72	Inf	-Inf	107.97	3	Vertical	193	2.16	-	33.90	8.08	30.23			
AV	5.7248G	109.39	Inf	-Inf	97.64	3	Vertical	193	2.16	-	33.90	8.08	30.23			
PK	5.8596G	60.01	68.20	-8.19	48.07	3	Vertical	193	2.16	-	33.94	8.18	30.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7164G	118.77	Inf	-Inf	107.04	3	Horizontal	336	2.94	-	33.90	8.06	30.23			
AV	5.7212G	108.92	Inf	-Inf	97.18	3	Horizontal	336	2.94	-	33.90	8.07	30.23			
PK	5.8568G	64.66	68.20	-3.54	52.73	3	Horizontal	336	2.94	-	33.93	8.18	30.18			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 96
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6482G	68.19	68.20	-0.01	56.60	3	Vertical	194	2.18	-	33.91	7.94	30.26				
PK	5.7394G	118.27	Inf	-Inf	106.49	3	Vertical	194	2.18	-	33.90	8.10	30.22				
AV	5.7398G	108.45	Inf	-Inf	96.67	3	Vertical	194	2.18	-	33.90	8.10	30.22				
PK	5.9442G	59.07	68.20	-9.13	46.79	3	Vertical	194	2.18	-	34.28	8.15	30.15				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 96
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6422G	62.62	68.20	-5.58	51.02	3	Horizontal	164	2.95	-	33.93	7.93	30.26				
PK	5.7498G	118.65	Inf	-Inf	106.85	3	Horizontal	164	2.95	-	33.90	8.12	30.22				
AV	5.7398G	108.52	Inf	-Inf	96.74	3	Horizontal	164	2.95	-	33.90	8.10	30.22				
PK	5.9342G	58.60	68.20	-9.60	46.36	3	Horizontal	164	2.95	-	34.24	8.15	30.15				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6434G	63.83	68.20	-4.37	52.22	3	Vertical	194	2.97	-	33.93	7.94	30.26			
PK	5.7794G	117.79	Inf	-Inf	105.93	3	Vertical	194	2.97	-	33.90	8.17	30.21			
AV	5.779G	107.22	Inf	-Inf	95.36	3	Vertical	194	2.97	-	33.90	8.17	30.21			
PK	5.9426G	59.62	68.20	-8.58	47.35	3	Vertical	194	2.97	-	34.27	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6166G	58.38	68.20	-9.82	46.73	3	Horizontal	171	2.80	-	34.03	7.89	30.27			
PK	5.7798G	118.78	Inf	-Inf	106.92	3	Horizontal	171	2.80	-	33.90	8.17	30.21			
AV	5.7802G	108.93	Inf	-Inf	97.06	3	Horizontal	171	2.80	-	33.90	8.18	30.21			
PK	5.9486G	58.61	68.20	-9.59	46.33	3	Horizontal	171	2.80	-	34.29	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-11-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6458G	58.66	68.20	-9.54	47.06	3	Vertical	70	2.92	-	33.92	7.94	30.26				
PK	5.8182G	116.69	Inf	-Inf	104.79	3	Vertical	70	2.92	-	33.90	8.20	30.20				
AV	5.8186G	106.32	Inf	-Inf	94.42	3	Vertical	70	2.92	-	33.90	8.20	30.20				
PK	5.9946G	58.85	68.20	-9.35	46.56	3	Vertical	70	2.92	-	34.30	8.12	30.13				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-11-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6282G	58.21	68.20	-9.99	46.57	3	Horizontal	175	3.00	-	33.99	7.91	30.26			
PK	5.8202G	117.60	Inf	-Inf	105.69	3	Horizontal	175	3.00	-	33.90	8.20	30.19			
AV	5.8202G	108.25	Inf	-Inf	96.34	3	Horizontal	175	3.00	-	33.90	8.20	30.19			
PK	5.9646G	59.54	68.20	-8.66	47.24	3	Horizontal	175	3.00	-	34.30	8.14	30.14			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 80
80\86\76\81\80
1.68\ -7.09\3.16\ -0.49\1.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1432G	66.34	74.00	-7.66	60.13	3	Vertical	264	3.00	80	33.09	8.23	35.11			
AV	5.15G	52.58	54.00	-1.42	46.36	3	Vertical	264	3.00	80	33.10	8.23	35.11			
PK	5.1727G	118.08	Inf	-Inf	111.84	3	Vertical	264	3.00	80	33.10	8.24	35.10			
AV	5.1754G	106.76	Inf	-Inf	100.52	3	Vertical	264	3.00	80	33.10	8.24	35.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



EUT_Z_2TX
SET 80
80
2.97

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1397G	66.02	74.00	-7.98	59.82	3	Horizontal	172	3.00	80	33.08	8.23	35.11			
AV	5.1403G	51.03	54.00	-2.97	44.83	3	Horizontal	172	3.00	80	33.08	8.23	35.11			
PK	5.1787G	116.59	Inf	-Inf	110.35	3	Horizontal	172	3.00	80	33.10	8.24	35.10			
AV	5.1808G	105.02	Inf	-Inf	98.77	3	Horizontal	172	3.00	80	33.10	8.24	35.09			