


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 88
80\97\76\86\91\89\88
4.42\ -7.16\5.00\1.56\ -1.78\ -0.01\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	67.46	74.00	-6.54	61.24	3	Vertical	265	3.00	88	33.10	8.23	35.11			
AV	5.15G	53.56	54.00	-0.44	47.34	3	Vertical	265	3.00	88	33.10	8.23	35.11			
PK	5.1954G	120.66	Inf	-Inf	114.40	3	Vertical	265	3.00	88	33.10	8.25	35.09			
AV	5.198G	109.03	Inf	-Inf	102.77	3	Vertical	265	3.00	88	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 88
88
2.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	66.24	74.00	-7.76	60.02	3	Horizontal	173	3.00	88	33.10	8.23	35.11			
AV	5.1482G	51.89	54.00	-2.11	45.67	3	Horizontal	173	3.00	88	33.10	8.23	35.11			
PK	5.1928G	118.58	Inf	-Inf	112.32	3	Horizontal	173	3.00	88	33.10	8.25	35.09			
AV	5.1956G	106.58	Inf	-Inf	100.32	3	Horizontal	173	3.00	88	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 100
80\101\108\105\104\92\98\101\100
5.36\2.28\5.14\4.97\4.33\5.02\3.45\1.35\2.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1476G	66.82	74.00	-7.18	60.60	3	Vertical	262	3.00	100	33.10	8.23	35.11					
AV	5.15G	51.28	54.00	-2.72	45.06	3	Vertical	262	3.00	100	33.10	8.23	35.11					
PK	5.2328G	123.15	Inf	-Inf	116.92	3	Vertical	262	3.00	100	33.03	8.28	35.08					
AV	5.2379G	111.76	Inf	-Inf	105.53	3	Vertical	262	3.00	100	33.02	8.28	35.07					
PK	5.3582G	61.55	74.00	-12.45	55.30	3	Vertical	262	3.00	100	32.90	8.38	35.03					
AV	5.3537G	49.99	54.00	-4.01	43.74	3	Vertical	262	3.00	100	32.90	8.38	35.03					

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 100
100
4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1461G	61.73	74.00	-12.27	55.52	3	Horizontal	154	3.00	100	33.09	8.23	35.11			
AV	5.1482G	49.66	54.00	-4.34	43.44	3	Horizontal	154	3.00	100	33.10	8.23	35.11			
PK	5.2358G	120.95	Inf	-Inf	114.72	3	Horizontal	154	3.00	100	33.03	8.28	35.08			
AV	5.2358G	110.34	Inf	-Inf	104.11	3	Horizontal	154	3.00	100	33.03	8.28	35.08			
PK	5.3513G	61.19	74.00	-12.81	54.94	3	Horizontal	154	3.00	100	32.90	8.38	35.03			
AV	5.351G	49.56	54.00	-4.44	43.31	3	Horizontal	154	3.00	100	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 106
80\103\108\106\107\106
5.94\5.03\1.69\1.22\1.32\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	62.26	74.00	-11.74	56.05	3	Vertical	0	1.80	106	33.09	8.23	35.11			
AV	5.1499G	48.01	54.00	-5.99	41.79	3	Vertical	0	1.80	106	33.10	8.23	35.11			
PK	5.2633G	115.60	Inf	-Inf	109.40	3	Vertical	0	1.80	106	32.97	8.30	35.07			
AV	5.2579G	105.38	Inf	-Inf	99.17	3	Vertical	0	1.80	106	32.98	8.30	35.07			
PK	5.3554G	73.08	74.00	-0.92	66.83	3	Vertical	0	1.80	106	32.90	8.38	35.03			
AV	5.3503G	51.37	54.00	-2.63	45.12	3	Vertical	0	1.80	106	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 104
106\95\105\100\102\103\104
-2.61\5.08\0.16\4.69\4.10\3.40\2.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1232G	60.10	74.00	-13.90	53.95	3	Horizontal	180	3.00	104	33.05	8.22	35.12
AV	5.1493G	48.54	54.00	-5.46	42.32	3	Horizontal	180	3.00	104	33.10	8.23	35.11
PK	5.2564G	120.04	Inf	-Inf	113.82	3	Horizontal	180	3.00	104	32.99	8.30	35.07
AV	5.2534G	109.12	Inf	-Inf	102.90	3	Horizontal	180	3.00	104	32.99	8.30	35.07
PK	5.3938G	66.43	74.00	-7.57	60.14	3	Horizontal	180	3.00	104	32.90	8.41	35.02
AV	5.3512G	51.32	54.00	-2.68	45.07	3	Horizontal	180	3.00	104	32.90	8.38	35.03

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 91
80\99\76\87\92\90\91
4.92\ -6.55\5.34\3.53\ -0.05\1.19\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2956G	119.52	Inf	-Inf	113.33	3	Vertical	256	2.99	91	32.91	8.33	35.05			
AV	5.2978G	108.11	Inf	-Inf	101.93	3	Vertical	256	2.99	91	32.90	8.33	35.05			
PK	5.3502G	68.74	74.00	-5.26	62.49	3	Vertical	256	2.99	91	32.90	8.38	35.03			
AV	5.3506G	53.50	54.00	-0.50	47.25	3	Vertical	256	2.99	91	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 91
91
1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3058G	118.13	Inf	-Inf	111.94	3	Horizontal	157	3.00	91	32.90	8.34	35.05			
AV	5.2958G	107.33	Inf	-Inf	101.14	3	Horizontal	157	3.00	91	32.91	8.33	35.05			
PK	5.3586G	69.76	74.00	-4.24	63.51	3	Horizontal	157	3.00	91	32.90	8.38	35.03			
AV	5.3508G	52.89	54.00	-1.11	46.64	3	Horizontal	157	3.00	91	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 83
80\93\76\84\81\82\83
3.25\12.39\3.80\0.66\2.94\2.17\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3233G	118.02	Inf	-Inf	111.81	3	Vertical	262	3.00	83	32.90	8.35	35.04			
AV	5.3178G	106.40	Inf	-Inf	100.20	3	Vertical	262	3.00	83	32.90	8.35	35.05			
PK	5.3514G	66.27	74.00	-7.73	60.02	3	Vertical	262	3.00	83	32.90	8.38	35.03			
AV	5.35G	53.33	54.00	-0.67	47.08	3	Vertical	262	3.00	83	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 83
83
2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3134G	116.92	Inf	-Inf	110.72	3	Horizontal	152	3.00	83	32.90	8.35	35.05				
AV	5.3183G	105.65	Inf	-Inf	99.45	3	Horizontal	152	3.00	83	32.90	8.35	35.05				
PK	5.3506G	65.70	74.00	-8.30	59.45	3	Horizontal	152	3.00	83	32.90	8.38	35.03				
AV	5.3506G	51.75	54.00	-2.25	45.50	3	Horizontal	152	3.00	83	32.90	8.38	35.03				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 84
80\88\84\86\85\84
2.15\ -3.71\0.79\ -1.21\ -0.38\1.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4599G	68.64	74.00	-5.36	62.25	3	Vertical	264	3.00	84	32.92	8.46	34.99			
AV	5.4599G	52.86	54.00	-1.14	46.47	3	Vertical	264	3.00	84	32.92	8.46	34.99			
PK	5.462G	66.41	68.20	-1.79	60.01	3	Vertical	264	3.00	84	32.92	8.47	34.99			
PK	5.5006G	118.84	Inf	-Inf	112.32	3	Vertical	264	3.00	84	33.00	8.50	34.98			
AV	5.4979G	106.99	Inf	-Inf	100.48	3	Vertical	264	3.00	84	33.00	8.49	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
SET 84
84
0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	66.66	74.00	-7.34	60.28	3	Horizontal	165	2.97	84	32.92	8.46	35.00			
AV	5.4582G	52.87	54.00	-1.13	46.49	3	Horizontal	165	2.97	84	32.92	8.46	35.00			
PK	5.4606G	67.43	68.20	-0.77	61.03	3	Horizontal	165	2.97	84	32.92	8.47	34.99			
PK	5.4979G	118.71	Inf	-Inf	112.20	3	Horizontal	165	2.97	84	33.00	8.49	34.98			
AV	5.503G	107.18	Inf	-Inf	100.66	3	Horizontal	165	2.97	84	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 99
80\102\76\89\95\98\99\108\104\99
5.68\ -7.91\5.64\5.36\4.84\4.77\4.63\ -6.76\ -6.23\2.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4537G	60.35	74.00	-13.65	53.98	3	Vertical	264	2.97	99	32.91	8.46	35.00
PK	5.4621G	65.23	68.20	-2.97	58.83	3	Vertical	264	2.97	99	32.92	8.47	34.99
AV	5.4594G	49.35	54.00	-4.65	42.96	3	Vertical	264	2.97	99	32.92	8.46	34.99
PK	5.5746G	121.11	Inf	-Inf	114.55	3	Vertical	264	2.97	99	32.95	8.55	34.94
AV	5.5731G	110.07	Inf	-Inf	103.51	3	Vertical	264	2.97	99	32.95	8.55	34.94
PK	5.7261G	59.76	68.20	-8.44	52.41	3	Vertical	264	2.97	99	33.50	8.72	34.87

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 99
99
4.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	60.85	74.00	-13.15	54.47	3	Horizontal	161	2.97	99	32.92	8.46	35.00			
AV	5.4582G	49.03	54.00	-4.97	42.65	3	Horizontal	161	2.97	99	32.92	8.46	35.00			
PK	5.4636G	60.21	68.20	-7.99	53.80	3	Horizontal	161	2.97	99	32.93	8.47	34.99			
PK	5.5857G	120.74	Inf	-Inf	114.19	3	Horizontal	161	2.97	99	32.93	8.56	34.94			
AV	5.5779G	110.49	Inf	-Inf	103.94	3	Horizontal	161	2.97	99	32.94	8.55	34.94			
PK	5.7264G	59.55	68.20	-8.65	52.19	3	Horizontal	161	2.97	99	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 64
80\40\70\55\62\65\64
-12.00\7.52\ -3.39\6.77\3.57\ -0.77\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6946G	111.28	Inf	-Inf	104.13	3	Vertical	194	1.80	64	33.36	8.68	34.89			
AV	5.692G	99.70	Inf	-Inf	92.57	3	Vertical	194	1.80	64	33.34	8.68	34.89			
PK	5.726G	68.18	68.20	-0.02	60.84	3	Vertical	194	1.80	64	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 62
64\49\63\56\59\60\62
-3.65\7.88\ -1.15\4.07\2.65\3.88\1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.705G	113.53	Inf	-Inf	106.30	3	Horizontal	166	2.28	62	33.42	8.69	34.88			
AV	5.6924G	101.69	Inf	-Inf	94.56	3	Horizontal	166	2.28	62	33.34	8.68	34.89			
PK	5.7254G	66.70	68.20	-1.50	59.36	3	Horizontal	166	2.28	62	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
80\102\108
5.74\5.10\4.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4488G	60.90	74.00	-13.10	54.54	3	Vertical	188	3.00	108	32.90	8.46	35.00			
PK	5.462G	62.09	68.20	-6.11	55.69	3	Vertical	188	3.00	108	32.92	8.47	34.99			
AV	5.4584G	48.87	54.00	-5.13	42.48	3	Vertical	188	3.00	108	32.92	8.46	34.99			
PK	5.7242G	122.62	Inf	-Inf	115.28	3	Vertical	188	3.00	108	33.50	8.71	34.87			
AV	5.7158G	111.42	Inf	-Inf	104.14	3	Vertical	188	3.00	108	33.46	8.70	34.88			
PK	5.8586G	63.31	68.20	-4.89	55.32	3	Vertical	188	3.00	108	33.93	8.87	34.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
108
3.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4524G	59.65	74.00	-14.35	53.29	3	Horizontal	162	2.27	108	32.90	8.46	35.00			
PK	5.462G	59.80	68.20	-8.40	53.40	3	Horizontal	162	2.27	108	32.92	8.47	34.99			
AV	5.4578G	48.24	54.00	-5.76	41.86	3	Horizontal	162	2.27	108	32.92	8.46	35.00			
PK	5.717G	120.72	Inf	-Inf	113.43	3	Horizontal	162	2.27	108	33.47	8.70	34.88			
AV	5.717G	109.92	Inf	-Inf	102.63	3	Horizontal	162	2.27	108	33.47	8.70	34.88			
PK	5.855G	64.81	68.20	-3.39	56.84	3	Horizontal	162	2.27	108	33.92	8.86	34.81			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 95
80\102\79\90\95\97\96\95
5.62\5.98\5.49\5.07\4.95\3.34\1.46\2.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4564G	48.73	54.00	-5.27	42.36	3	Vertical	189	3.00	95	32.91	8.46	35.00			
PK	5.6556G	69.92	72.34	-2.42	63.16	3	Vertical	189	3.00	95	33.04	8.63	34.91			
PK	5.7486G	120.87	Inf	-Inf	113.40	3	Vertical	189	3.00	95	33.59	8.74	34.86			
AV	5.7408G	109.76	Inf	-Inf	102.33	3	Vertical	189	3.00	95	33.56	8.73	34.86			
PK	5.9292G	61.55	68.20	-6.65	53.21	3	Vertical	189	3.00	95	34.16	8.95	34.77			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 95
95
5.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5038G	60.33	68.20	-7.87	53.81	3	Horizontal	159	1.80	95	33.00	8.50	34.98			
AV	5.4558G	48.09	54.00	-5.91	41.72	3	Horizontal	159	1.80	95	32.91	8.46	35.00			
PK	5.742G	117.10	Inf	-Inf	109.66	3	Horizontal	159	1.80	95	33.57	8.73	34.86			
AV	5.7372G	106.77	Inf	-Inf	99.36	3	Horizontal	159	1.80	95	33.55	8.73	34.87			
PK	5.979G	61.07	68.20	-7.13	52.61	3	Horizontal	159	1.80	95	34.20	9.01	34.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
80\108
7.33\4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64154G	63.62	68.20	-4.58	56.93	3	Vertical	276	2.99	108	32.98	8.62	34.91				
PK	5.78976G	119.49	Inf	-Inf	111.78	3	Vertical	276	2.99	108	33.76	8.79	34.84				
AV	5.77706G	108.72	Inf	-Inf	101.09	3	Vertical	276	2.99	108	33.71	8.77	34.85				
PK	6.08198G	61.05	68.20	-7.15	52.52	3	Vertical	276	2.99	108	34.14	9.07	34.68				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
108
7.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.62278G	60.75	68.20	-7.45	54.12	3	Horizontal	160	1.80	108	32.95	8.60	34.92				
PK	5.77766G	116.89	Inf	-Inf	109.26	3	Horizontal	160	1.80	108	33.71	8.77	34.85				
AV	5.78008G	106.80	Inf	-Inf	99.15	3	Horizontal	160	1.80	108	33.72	8.78	34.85				
PK	5.9876G	60.82	68.20	-7.38	52.35	3	Horizontal	160	1.80	108	34.20	9.02	34.75				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
80\108
7.05\7.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5868G	60.50	68.20	-7.70	53.95	3	Vertical	276	2.99	108	32.93	8.56	34.94				
PK	5.8268G	119.08	Inf	-Inf	111.22	3	Vertical	276	2.99	108	33.85	8.83	34.82				
AV	5.8172G	107.68	Inf	-Inf	99.86	3	Vertical	276	2.99	108	33.83	8.82	34.83				
PK	6.1202G	60.85	68.20	-7.35	52.28	3	Vertical	276	2.99	108	34.14	9.08	34.65				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
6.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5742G	59.77	68.20	-8.43	53.21	3	Horizontal	161	1.80	108	32.95	8.55	34.94			
PK	5.822G	116.77	Inf	-Inf	108.93	3	Horizontal	161	1.80	108	33.84	8.83	34.83			
AV	5.8172G	105.98	Inf	-Inf	98.16	3	Horizontal	161	1.80	108	33.83	8.82	34.83			
PK	6.1016G	61.57	68.20	-6.63	53.06	3	Horizontal	161	1.80	108	34.10	9.08	34.67			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 67
80\40\61\71\66\68\67
-11.53\5.41\2.80\1.25\0.83\0.09\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	64.79	74.00	-9.21	58.57	3	Vertical	264	3.00	67	33.10	8.23	35.11			
AV	5.15G	53.54	54.00	-0.46	47.32	3	Vertical	264	3.00	67	33.10	8.23	35.11			
PK	5.188G	113.26	Inf	-Inf	107.00	3	Vertical	264	3.00	67	33.10	8.25	35.09			
AV	5.1956G	101.08	Inf	-Inf	94.82	3	Vertical	264	3.00	67	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 67
67
1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	64.47	74.00	-9.53	58.26	3	Horizontal	167	2.97	67	33.09	8.23	35.11			
AV	5.148G	52.20	54.00	-1.80	45.98	3	Horizontal	167	2.97	67	33.10	8.23	35.11			
PK	5.1934G	110.90	Inf	-Inf	104.64	3	Horizontal	167	2.97	67	33.10	8.25	35.09			
AV	5.1858G	99.54	Inf	-Inf	93.29	3	Horizontal	167	2.97	67	33.10	8.24	35.09			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39158G	45.99	68.20	-22.21	62.53	3	Vertical	73	1.32	-	38.30	11.98	66.82			
PK	15.5634G	46.35	74.00	-27.65	57.82	3	Vertical	333	1.82	-	38.02	14.45	63.94			
AV	15.55596G	34.46	54.00	-19.54	45.88	3	Vertical	333	1.82	-	38.06	14.45	63.93			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3689G	45.92	68.20	-22.28	62.51	3	Horizontal	331	1.82	-	38.30	11.97	66.86			
PK	15.5676G	46.53	74.00	-27.47	58.02	3	Horizontal	293	1.85	-	37.99	14.46	63.94			
AV	15.56736G	34.54	54.00	-19.46	46.02	3	Horizontal	293	1.85	-	38.00	14.46	63.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7564G	68.30	83.54	-15.24	62.70	1	Vertical	182	1.58	-	37.77	16.73	48.90			
AV	20.77254G	55.05	63.54	-8.49	49.51	1	Vertical	182	1.58	-	37.71	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.75634G	67.12	83.54	-16.42	61.52	1	Horizontal	143	1.61	-	37.77	16.73	48.90			
AV	20.75796G	53.90	63.54	-9.64	48.30	1	Horizontal	143	1.61	-	37.77	16.73	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 86
80\93\76\84\88\86
3.32\5.17\3.80\1.59\0.57\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	65.37	74.00	-8.63	59.15	3	Vertical	260	2.96	86	33.10	8.23	35.11			
AV	5.15G	53.63	54.00	-0.37	47.41	3	Vertical	260	2.96	86	33.10	8.23	35.11			
PK	5.231G	118.44	Inf	-Inf	112.20	3	Vertical	260	2.96	86	33.04	8.28	35.08			
AV	5.2278G	106.46	Inf	-Inf	100.23	3	Vertical	260	2.96	86	33.04	8.27	35.08			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 86
86
2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	63.82	74.00	-10.18	57.60	3	Horizontal	167	2.92	86	33.10	8.23	35.11			
AV	5.1482G	51.73	54.00	-2.27	45.51	3	Horizontal	167	2.92	86	33.10	8.23	35.11			
PK	5.2156G	115.06	Inf	-Inf	108.81	3	Horizontal	167	2.92	86	33.07	8.26	35.08			
AV	5.228G	104.30	Inf	-Inf	98.07	3	Horizontal	167	2.92	86	33.04	8.27	35.08			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4624G	45.78	68.20	-22.42	62.37	3	Vertical	28	1.52	-	38.12	12.01	66.72			
PK	15.6834G	47.43	74.00	-26.57	59.14	3	Vertical	170	1.01	-	37.67	14.56	63.94			
AV	15.67914G	35.15	54.00	-18.85	46.88	3	Vertical	170	1.01	-	37.66	14.55	63.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45172G	46.34	68.20	-21.86	62.96	3	Horizontal	100	1.93	-	38.10	12.01	66.73			
PK	15.67764G	46.70	74.00	-27.30	58.43	3	Horizontal	230	1.56	-	37.66	14.55	63.94			
AV	15.69906G	35.02	54.00	-18.98	46.70	3	Horizontal	230	1.56	-	37.70	14.57	63.95			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9335G	68.04	83.54	-15.50	62.33	1	Vertical	189	1.58	-	37.80	16.81	48.90			
AV	20.92648G	56.26	63.54	-7.28	50.55	1	Vertical	189	1.58	-	37.80	16.81	48.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.91646G	73.56	83.54	-9.98	67.86	1	Horizontal	178	1.59	-	37.80	16.80	48.90			
AV	20.92084G	59.73	63.54	-3.81	54.03	1	Horizontal	178	1.59	-	37.80	16.80	48.90			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 89
80\96\76\86\91\89
4.01\6.23\4.49\2.44\1.34\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2858G	116.66	Inf	-Inf	110.47	3	Vertical	261	3.00	89	32.93	8.32	35.06			
AV	5.2804G	105.34	Inf	-Inf	99.14	3	Vertical	261	3.00	89	32.94	8.32	35.06			
PK	5.3514G	65.88	74.00	-8.12	59.63	3	Vertical	261	3.00	89	32.90	8.38	35.03			
AV	5.3504G	53.86	54.00	-0.14	47.61	3	Vertical	261	3.00	89	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 89
89
1.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2684G	116.50	Inf	-Inf	110.29	3	Horizontal	149	3.00	89	32.96	8.31	35.06				
AV	5.2734G	104.46	Inf	-Inf	98.26	3	Horizontal	149	3.00	89	32.95	8.31	35.06				
PK	5.3518G	64.05	74.00	-9.95	57.80	3	Horizontal	149	3.00	89	32.90	8.38	35.03				
AV	5.3534G	52.56	54.00	-1.44	46.31	3	Horizontal	149	3.00	89	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53592G	45.45	68.20	-22.75	61.76	3	Vertical	88	1.82	-	38.27	12.05	66.63			
PK	15.81864G	46.37	74.00	-27.63	57.92	3	Vertical	237	1.79	-	37.74	14.67	63.96			
AV	15.82404G	34.19	54.00	-19.81	45.72	3	Vertical	237	1.79	-	37.75	14.68	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5307G	46.34	68.20	-21.86	62.66	3	Horizontal	125	1.86	-	38.26	12.05	66.63			
PK	15.81642G	46.32	74.00	-27.68	57.88	3	Horizontal	93	1.77	-	37.73	14.67	63.96			
AV	15.82242G	34.59	54.00	-19.41	46.13	3	Horizontal	93	1.77	-	37.74	14.68	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0764G	74.33	83.54	-9.21	67.95	1	Vertical	160	1.74	-	37.75	17.50	48.87			
AV	21.06848G	61.51	63.54	-2.03	55.12	1	Vertical	160	1.74	-	37.76	17.50	48.87			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07628G	72.17	83.54	-11.37	65.79	1	Horizontal	187	1.60	-	37.75	17.50	48.87			
AV	21.06536G	59.39	63.54	-4.15	52.98	1	Horizontal	187	1.60	-	37.77	17.51	48.87			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 72
80\46\67\77\72
-8.30\5.46\2.81\3.59\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3074G	112.28	Inf	-Inf	106.09	3	Vertical	256	2.99	72	32.90	8.34	35.05			
AV	5.3126G	100.82	Inf	-Inf	94.62	3	Vertical	256	2.99	72	32.90	8.35	35.05			
PK	5.3512G	66.80	74.00	-7.20	60.55	3	Vertical	256	2.99	72	32.90	8.38	35.03			
AV	5.3504G	53.81	54.00	-0.19	47.56	3	Vertical	256	2.99	72	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 70
72\71\70
-0.23\ -0.15\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3134G	111.44	Inf	-Inf	105.24	3	Horizontal	153	2.96	70	32.90	8.35	35.05			
AV	5.3156G	100.10	Inf	-Inf	93.90	3	Horizontal	153	2.96	70	32.90	8.35	35.05			
PK	5.358G	66.71	74.00	-7.29	60.46	3	Horizontal	153	2.96	70	32.90	8.38	35.03			
AV	5.351G	53.39	54.00	-0.61	47.14	3	Horizontal	153	2.96	70	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63224G	46.00	74.00	-28.00	62.13	3	Vertical	345	2.02	-	38.30	12.10	66.53			
AV	10.62144G	33.35	54.00	-20.65	49.50	3	Vertical	345	2.02	-	38.30	12.09	66.54			
PK	15.91602G	46.59	74.00	-27.41	58.19	3	Vertical	351	1.57	-	37.60	14.76	63.96			
AV	15.9285G	34.27	54.00	-19.73	45.93	3	Vertical	351	1.57	-	37.53	14.77	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60596G	45.68	74.00	-28.32	61.85	3	Horizontal	288	1.46	-	38.30	12.09	66.56			
AV	10.6245G	33.43	54.00	-20.57	49.57	3	Horizontal	288	1.46	-	38.30	12.10	66.54			
PK	15.91902G	46.99	74.00	-27.01	58.60	3	Horizontal	144	2.07	-	37.59	14.76	63.96			
AV	15.91548G	34.30	54.00	-19.70	45.89	3	Horizontal	144	2.07	-	37.61	14.76	63.96			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.23646G	62.32	83.54	-21.22	56.39	1	Vertical	160	1.75	-	37.82	16.92	48.81			
AV	21.22578G	48.55	63.54	-14.99	42.69	1	Vertical	160	1.75	-	37.75	16.92	48.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.24144G	63.55	83.54	-19.99	57.58	1	Horizontal	168	1.60	-	37.85	16.92	48.80			
AV	21.23136G	52.46	63.54	-11.08	46.56	1	Horizontal	168	1.60	-	37.79	16.92	48.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 77
80\76\78\77
-0.92\3.00\ -0.02\2.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4578G	62.06	74.00	-11.94	55.68	3	Vertical	262	3.00	77	32.92	8.46	35.00			
AV	5.46G	51.39	54.00	-2.61	45.00	3	Vertical	262	3.00	77	32.92	8.46	34.99			
PK	5.464G	66.17	68.20	-2.03	59.76	3	Vertical	262	3.00	77	32.93	8.47	34.99			
PK	5.513G	114.90	Inf	-Inf	108.37	3	Vertical	262	3.00	77	33.00	8.50	34.97			
AV	5.5078G	102.83	Inf	-Inf	96.31	3	Vertical	262	3.00	77	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 77
77
2.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4586G	62.18	74.00	-11.82	55.79	3	Horizontal	19	2.91	77	32.92	8.46	34.99			
AV	5.46G	51.45	54.00	-2.55	45.06	3	Horizontal	19	2.91	77	32.92	8.46	34.99			
PK	5.465G	63.77	68.20	-4.43	57.36	3	Horizontal	19	2.91	77	32.93	8.47	34.99			
PK	5.5254G	114.85	Inf	-Inf	108.31	3	Horizontal	19	2.91	77	33.00	8.51	34.97			
AV	5.508G	102.53	Inf	-Inf	96.01	3	Horizontal	19	2.91	77	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02162G	45.92	74.00	-28.08	61.47	3	Vertical	340	1.97	-	38.34	12.30	66.19			
AV	11.03458G	34.17	54.00	-19.83	49.69	3	Vertical	340	1.97	-	38.37	12.30	66.19			
PK	16.5381G	47.82	68.20	-20.38	57.09	3	Vertical	277	1.85	-	39.28	14.94	63.49			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00962G	46.17	74.00	-27.83	61.74	3	Horizontal	239	1.75	-	38.32	12.29	66.18			
AV	11.02168G	34.35	54.00	-19.65	49.90	3	Horizontal	239	1.75	-	38.34	12.30	66.19			
PK	16.53522G	47.91	68.20	-20.29	57.19	3	Horizontal	98	1.84	-	39.27	14.94	63.49			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.03742G	62.48	83.54	-21.06	55.76	1	Vertical	167	1.57	-	38.10	17.20	48.58			
AV	22.0427G	50.89	63.54	-12.65	44.16	1	Vertical	167	1.57	-	38.10	17.20	48.57			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.03628G	69.82	83.54	-13.72	63.10	1	Horizontal	167	1.59	-	38.10	17.20	48.58			
AV	22.04756G	57.04	63.54	-6.50	50.31	1	Horizontal	167	1.59	-	38.10	17.20	48.57			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 86
80\96\76\86\91\89\88\87\86
4.01\11.91\4.47\1.13\1.73\1.17\1.05\0.04\1.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	63.90	74.00	-10.10	57.51	3	Vertical	261	3.00	86	32.92	8.46	34.99			
AV	5.4592G	52.16	54.00	-1.84	45.77	3	Vertical	261	3.00	86	32.92	8.46	34.99			
PK	5.4678G	66.35	68.20	-1.85	59.93	3	Vertical	261	3.00	86	32.94	8.47	34.99			
PK	5.5652G	116.73	Inf	-Inf	110.17	3	Vertical	261	3.00	86	32.97	8.54	34.95			
AV	5.555G	104.59	Inf	-Inf	98.01	3	Vertical	261	3.00	86	32.99	8.54	34.95			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 86
86
3.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	61.57	74.00	-12.43	55.19	3	Horizontal	15	2.92	86	32.92	8.46	35.00			
AV	5.4574G	50.33	54.00	-3.67	43.96	3	Horizontal	15	2.92	86	32.91	8.46	35.00			
PK	5.4648G	63.29	68.20	-4.91	56.88	3	Horizontal	15	2.92	86	32.93	8.47	34.99			
PK	5.5478G	116.15	Inf	-Inf	109.58	3	Horizontal	15	2.92	86	33.00	8.53	34.96			
AV	5.553G	104.73	Inf	-Inf	98.16	3	Horizontal	15	2.92	86	32.99	8.53	34.95			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10192G	45.69	74.00	-28.31	61.06	3	Vertical	338	2.01	-	38.50	12.34	66.21			
AV	11.09076G	34.02	54.00	-19.98	49.42	3	Vertical	338	2.01	-	38.48	12.33	66.21			
PK	16.65126G	48.12	68.20	-20.08	57.08	3	Vertical	64	1.82	-	39.61	14.96	63.53			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09538G	45.30	74.00	-28.70	60.69	3	Horizontal	96	2.07	-	38.49	12.33	66.21			
AV	11.09784G	34.13	54.00	-19.87	49.51	3	Horizontal	96	2.07	-	38.50	12.33	66.21			
PK	16.66446G	48.03	68.20	-20.17	56.93	3	Horizontal	57	1.54	-	39.66	14.97	63.53			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.1892G	66.75	83.54	-16.79	59.85	1	Vertical	176	1.58	-	38.12	17.27	48.49			
AV	22.19664G	55.26	63.54	-8.28	48.36	1	Vertical	176	1.58	-	38.11	17.27	48.48			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.177G	67.37	83.54	-16.17	60.45	1	Horizontal	165	1.81	-	38.15	17.26	48.49			
AV	22.1768G	55.48	63.54	-8.06	48.56	1	Horizontal	165	1.81	-	38.15	17.26	48.49			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 77
80\85\76\80\79\78\77
1.31\11.29\0.06\0.54\2.46\0.92\1.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.661G	115.09	Inf	-Inf	108.26	3	Vertical	186	3.00	77	33.09	8.64	34.90			
AV	5.6631G	103.35	Inf	-Inf	96.51	3	Vertical	186	3.00	77	33.10	8.64	34.90			
PK	5.7252G	67.07	68.20	-1.13	59.73	3	Vertical	186	3.00	77	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 77
77
3.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6622G	111.57	Inf	-Inf	104.73	3	Horizontal	160	1.80	77	33.10	8.64	34.90			
AV	5.6646G	100.18	Inf	-Inf	93.32	3	Horizontal	160	1.80	77	33.12	8.64	34.90			
PK	5.7252G	64.65	68.20	-3.55	57.31	3	Horizontal	160	1.80	77	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34396G	46.73	74.00	-27.27	61.97	3	Vertical	209	2.08	-	38.59	12.46	66.29			
AV	11.35422G	34.55	54.00	-19.45	49.78	3	Vertical	209	2.08	-	38.60	12.46	66.29			
PK	16.99548G	49.41	68.20	-18.79	57.12	3	Vertical	320	1.81	-	40.89	15.03	63.63			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34864G	46.74	74.00	-27.26	61.97	3	Horizontal	137	1.34	-	38.60	12.46	66.29			
AV	11.34996G	34.84	54.00	-19.16	50.07	3	Horizontal	137	1.34	-	38.60	12.46	66.29			
PK	17.00958G	50.03	68.20	-18.17	57.67	3	Horizontal	288	1.98	-	40.96	15.04	63.64			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	22.6948G	59.39	83.54	-24.15	51.75	1	Vertical	158	1.41	-	38.40	17.50	48.26			
AV	22.6922G	47.53	63.54	-16.01	39.89	1	Vertical	158	1.41	-	38.40	17.50	48.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.6764G	58.19	83.54	-25.35	50.56	1	Horizontal	152	1.58	-	38.40	17.49	48.26			
AV	22.6702G	45.75	63.54	-17.79	38.13	1	Horizontal	152	1.58	-	38.40	17.49	48.27			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
 SET 102
 80\102
 5.61\0.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4412G	59.70	74.00	-14.30	53.35	3	Vertical	160	1.80	102	32.90	8.45	35.00			
AV	5.4526G	48.63	54.00	-5.37	42.26	3	Vertical	160	1.80	102	32.91	8.46	35.00			
PK	5.4646G	59.07	68.20	-9.13	52.66	3	Vertical	160	1.80	102	32.93	8.47	34.99			
PK	5.7076G	118.12	Inf	-Inf	110.88	3	Vertical	160	1.80	102	33.43	8.69	34.88			
AV	5.7148G	105.80	Inf	-Inf	98.52	3	Vertical	160	1.80	102	33.46	8.70	34.88			
PK	5.85G	68.13	68.20	-0.07	60.18	3	Vertical	160	1.80	102	33.90	8.86	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 102
102
0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4496G	59.85	74.00	-14.15	53.49	3	Horizontal	163	1.80	102	32.90	8.46	35.00			
AV	5.4418G	48.61	54.00	-5.39	42.26	3	Horizontal	163	1.80	102	32.90	8.45	35.00			
PK	5.47G	59.68	68.20	-8.52	53.26	3	Horizontal	163	1.80	102	32.94	8.47	34.99			
PK	5.7076G	117.65	Inf	-Inf	110.41	3	Horizontal	163	1.80	102	33.43	8.69	34.88			
AV	5.7148G	105.31	Inf	-Inf	98.03	3	Horizontal	163	1.80	102	33.46	8.70	34.88			
PK	5.8552G	68.12	68.20	-0.08	60.15	3	Horizontal	163	1.80	102	33.92	8.86	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41448G	46.53	74.00	-27.47	61.72	3	Vertical	164	1.39	-	38.63	12.49	66.31			
AV	11.41388G	34.68	54.00	-19.32	49.87	3	Vertical	164	1.39	-	38.63	12.49	66.31			
PK	17.1402G	49.02	68.20	-19.18	56.16	3	Vertical	94	1.46	-	41.64	15.06	63.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4302G	47.07	74.00	-26.93	62.23	3	Horizontal	138	1.82	-	38.66	12.50	66.32			
AV	11.41946G	34.65	54.00	-19.35	49.82	3	Horizontal	138	1.82	-	38.64	12.50	66.31			
PK	17.14254G	48.74	68.20	-19.46	55.86	3	Horizontal	342	1.66	-	41.66	15.06	63.84			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.8366G	59.02	83.54	-24.52	50.37	1	Vertical	160	1.41	-	38.60	18.28	48.23			
AV	22.8388G	46.36	63.54	-17.18	37.71	1	Vertical	160	1.41	-	38.60	18.28	48.23			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	22.8364G	59.67	83.54	-23.87	51.02	1	Horizontal	165	1.73	-	38.60	18.28	48.23			
AV	22.8348G	47.14	63.54	-16.40	38.49	1	Horizontal	165	1.73	-	38.60	18.28	48.23			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 94
80\101\76\88\94\97\96\84\90\93\94
5.49\11.63\5.34\4.88\2.80\9.79\5.90\5.12\4.83\1.87\2.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4574G	48.88	54.00	-5.12	42.51	3	Vertical	189	2.99	94	32.91	8.46	35.00				
PK	5.6506G	65.90	68.64	-2.74	59.18	3	Vertical	189	2.99	94	33.00	8.63	34.91				
PK	5.7562G	118.13	Inf	-Inf	110.62	3	Vertical	189	2.99	94	33.62	8.75	34.86				
AV	5.743G	105.56	Inf	-Inf	98.12	3	Vertical	189	2.99	94	33.57	8.73	34.86				
PK	6.0256G	61.42	68.20	-6.78	52.90	3	Vertical	189	2.99	94	34.20	9.04	34.72				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 94
94
5.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
AV	5.458G	48.33	54.00	-5.67	41.95	3	Horizontal	158	1.80	94	32.92	8.46	35.00				
PK	5.65G	62.14	68.20	-6.06	55.42	3	Horizontal	158	1.80	94	33.00	8.63	34.91				
PK	5.7574G	114.16	Inf	-Inf	106.64	3	Horizontal	158	1.80	94	33.63	8.75	34.86				
AV	5.7394G	103.13	Inf	-Inf	95.71	3	Horizontal	158	1.80	94	33.56	8.73	34.87				
PK	5.9284G	60.73	68.20	-7.47	52.39	3	Horizontal	158	1.80	94	34.16	8.95	34.77				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50052G	46.44	74.00	-27.56	61.54	3	Vertical	153	1.88	-	38.70	12.54	66.34			
AV	11.5094G	34.50	54.00	-19.50	49.55	3	Vertical	153	1.88	-	38.76	12.54	66.35			
PK	17.27088G	50.27	68.20	-17.93	57.07	3	Vertical	197	1.86	-	42.14	15.09	64.03			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5058G	46.44	74.00	-27.56	61.51	3	Horizontal	122	1.83	-	38.73	12.54	66.34			
AV	11.49962G	34.75	54.00	-19.25	49.85	3	Horizontal	122	1.83	-	38.70	12.54	66.34			
PK	17.26824G	50.56	68.20	-17.64	57.36	3	Horizontal	195	1.94	-	42.14	15.09	64.03			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.0164G	60.98	83.54	-22.56	51.98	1	Vertical	180	1.56	-	38.70	18.49	48.19			
AV	23.0312G	47.99	63.54	-15.55	38.99	1	Vertical	180	1.56	-	38.70	18.48	48.18			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.0164G	64.35	83.54	-19.19	55.35	1	Horizontal	163	1.72	-	38.70	18.49	48.19			
AV	23.0428G	52.00	63.54	-11.54	43.00	1	Horizontal	163	1.72	-	38.70	18.47	48.17			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 94
80\108\94\101\98\97\96\95\94
7.23\ -2.26\0.87\ -2.41\ -1.98\ -1.87\ -1.42\ -1.02\0.71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6522G	69.12	69.83	-0.71	62.38	3	Vertical	275	2.99	94	33.02	8.63	34.91				
PK	5.7872G	116.53	Inf	-Inf	108.83	3	Vertical	275	2.99	94	33.75	8.79	34.84				
AV	5.792G	105.53	Inf	-Inf	97.81	3	Vertical	275	2.99	94	33.77	8.79	34.84				
PK	5.9522G	60.84	68.20	-7.36	52.42	3	Vertical	275	2.99	94	34.20	8.98	34.76				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 94
94
5.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.651G	62.99	68.94	-5.95	56.26	3	Horizontal	157	1.80	94	33.01	8.63	34.91				
PK	5.7824G	113.80	Inf	-Inf	106.13	3	Horizontal	157	1.80	94	33.73	8.78	34.84				
AV	5.7896G	102.89	Inf	-Inf	95.18	3	Horizontal	157	1.80	94	33.76	8.79	34.84				
PK	6.0212G	60.91	68.20	-7.29	52.39	3	Horizontal	157	1.80	94	34.20	9.04	34.72				

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60068G	46.51	74.00	-27.49	61.21	3	Vertical	45	1.30	-	39.10	12.59	66.39			
AV	11.60212G	34.45	54.00	-19.55	49.16	3	Vertical	45	1.30	-	39.10	12.59	66.40			
PK	17.3904G	50.65	68.20	-17.55	56.90	3	Vertical	194	1.58	-	42.84	15.12	64.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5828G	46.65	74.00	-27.35	61.38	3	Horizontal	264	1.94	-	39.07	12.58	66.38			
AV	11.57734G	34.51	54.00	-19.49	49.26	3	Horizontal	264	1.94	-	39.05	12.58	66.38			
PK	17.37192G	50.88	68.20	-17.32	57.22	3	Horizontal	104	1.43	-	42.73	15.11	64.18			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.1764G	62.20	77.74	-15.54	53.06	1	Vertical	171	1.58	-	38.85	18.38	48.09			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.1762G	59.33	77.74	-18.41	50.19	1	Horizontal	155	1.50	-	38.85	18.38	48.09			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73
80\62\71\75\73
-4.42\3.40\0.61\0.21\0.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1455G	63.40	74.00	-10.60	57.19	3	Vertical	265	3.00	73	33.09	8.23	35.11			
AV	5.15G	53.84	54.00	-0.16	47.62	3	Vertical	265	3.00	73	33.10	8.23	35.11			
PK	5.1855G	111.01	Inf	-Inf	104.76	3	Vertical	265	3.00	73	33.10	8.24	35.09			
AV	5.198G	99.38	Inf	-Inf	93.12	3	Vertical	265	3.00	73	33.10	8.25	35.09			
PK	5.439G	60.72	74.00	-13.28	54.37	3	Vertical	265	3.00	73	32.90	8.45	35.00			
AV	5.3565G	49.96	54.00	-4.04	43.71	3	Vertical	265	3.00	73	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73
73
2.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	61.70	74.00	-12.30	55.48	3	Horizontal	174	2.94	73	33.10	8.23	35.11			
AV	5.15G	51.97	54.00	-2.03	45.75	3	Horizontal	174	2.94	73	33.10	8.23	35.11			
PK	5.188G	108.43	Inf	-Inf	102.17	3	Horizontal	174	2.94	73	33.10	8.25	35.09			
AV	5.198G	97.89	Inf	-Inf	91.63	3	Horizontal	174	2.94	73	33.10	8.25	35.09			
PK	5.3705G	60.64	74.00	-13.36	54.38	3	Horizontal	174	2.94	73	32.90	8.39	35.03			
AV	5.3625G	49.39	54.00	-4.61	43.13	3	Horizontal	174	2.94	73	32.90	8.39	35.03			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 73
80\49\68\77\73
-7.64\4.83\2.80\ -5.28\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.117G	59.80	74.00	-14.20	53.67	3	Vertical	254	3.00	73	33.03	8.22	35.12
AV	5.1475G	49.22	54.00	-4.78	43.01	3	Vertical	254	3.00	73	33.09	8.23	35.11
PK	5.298G	110.15	Inf	-Inf	103.97	3	Vertical	254	3.00	73	32.90	8.33	35.05
AV	5.2975G	99.17	Inf	-Inf	92.98	3	Vertical	254	3.00	73	32.91	8.33	35.05
PK	5.351G	64.35	74.00	-9.65	58.10	3	Vertical	254	3.00	73	32.90	8.38	35.03
AV	5.3505G	53.85	54.00	-0.15	47.60	3	Vertical	254	3.00	73	32.90	8.38	35.03
PK	5.54G	60.65	68.20	-7.55	54.08	3	Vertical	254	3.00	73	33.00	8.53	34.96

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 73
73
0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0665G	59.63	74.00	-14.37	53.50	3	Horizontal	172	3.00	73	33.07	8.20	35.14				
AV	5.1435G	48.90	54.00	-5.10	42.69	3	Horizontal	172	3.00	73	33.09	8.23	35.11				
PK	5.3105G	107.70	Inf	-Inf	101.51	3	Horizontal	172	3.00	73	32.90	8.34	35.05				
AV	5.3005G	97.19	Inf	-Inf	91.00	3	Horizontal	172	3.00	73	32.90	8.34	35.05				
PK	5.353G	63.31	74.00	-10.69	57.06	3	Horizontal	172	3.00	73	32.90	8.38	35.03				
AV	5.3505G	53.73	54.00	-0.27	47.48	3	Horizontal	172	3.00	73	32.90	8.38	35.03				
PK	5.481G	60.09	68.20	-8.11	53.64	3	Horizontal	172	3.00	73	32.96	8.48	34.99				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 76
80\66\82\74\78\76
-3.45\4.20\5.89\1.24\1.29\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	61.08	68.20	-7.12	54.86	3	Vertical	262	2.98	76	32.90	8.36	35.04
AV	5.35G	49.61	54.00	-4.39	43.36	3	Vertical	262	2.98	76	32.90	8.38	35.03
PK	5.4565G	63.64	74.00	-10.36	57.27	3	Vertical	262	2.98	76	32.91	8.46	35.00
AV	5.459G	53.53	54.00	-0.47	47.14	3	Vertical	262	2.98	76	32.92	8.46	34.99
PK	5.468G	64.98	68.20	-3.22	58.56	3	Vertical	262	2.98	76	32.94	8.47	34.99
PK	5.543G	110.67	Inf	-Inf	104.10	3	Vertical	262	2.98	76	33.00	8.53	34.96
AV	5.513G	99.32	Inf	-Inf	92.79	3	Vertical	262	2.98	76	33.00	8.50	34.97
PK	5.732G	60.54	68.20	-7.66	53.16	3	Vertical	262	2.98	76	33.53	8.72	34.87

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 76
76
1.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.319G	59.99	68.20	-8.21	53.79	3	Horizontal	160	2.97	76	32.90	8.35	35.05			
AV	5.35G	49.05	54.00	-4.95	42.80	3	Horizontal	160	2.97	76	32.90	8.38	35.03			
PK	5.4535G	62.51	74.00	-11.49	56.14	3	Horizontal	160	2.97	76	32.91	8.46	35.00			
PK	5.4655G	63.33	68.20	-4.87	56.92	3	Horizontal	160	2.97	76	32.93	8.47	34.99			
AV	5.46G	52.25	54.00	-1.75	45.86	3	Horizontal	160	2.97	76	32.92	8.46	34.99			
PK	5.508G	111.15	Inf	-Inf	104.63	3	Horizontal	160	2.97	76	33.00	8.50	34.98			
AV	5.5405G	99.44	Inf	-Inf	92.87	3	Horizontal	160	2.97	76	33.00	8.53	34.96			
PK	5.7675G	60.66	68.20	-7.54	53.08	3	Horizontal	160	2.97	76	33.67	8.76	34.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 79
80\78\79
-0.50\3.44\3.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	61.70	74.00	-12.30	55.32	3	Vertical	259	3.00	79	32.92	8.46	35.00			
AV	5.456G	50.47	54.00	-3.53	44.10	3	Vertical	259	3.00	79	32.91	8.46	35.00			
PK	5.47G	61.84	68.20	-6.36	55.42	3	Vertical	259	3.00	79	32.94	8.47	34.99			
PK	5.64G	111.05	Inf	-Inf	104.36	3	Vertical	259	3.00	79	32.98	8.62	34.91			
AV	5.625G	100.19	Inf	-Inf	93.56	3	Vertical	259	3.00	79	32.95	8.60	34.92			
PK	5.725G	62.52	68.20	-5.68	55.18	3	Vertical	259	3.00	79	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX


EUT_Z_2TX
SET 79
79
3.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.446G	61.48	74.00	-12.52	55.13	3	Horizontal	158	3.00	79	32.90	8.45	35.00			
PK	5.466G	61.45	68.20	-6.75	55.04	3	Horizontal	158	3.00	79	32.93	8.47	34.99			
AV	5.46G	50.22	54.00	-3.78	43.83	3	Horizontal	158	3.00	79	32.92	8.46	34.99			
PK	5.6025G	110.98	Inf	-Inf	104.43	3	Horizontal	158	3.00	79	32.91	8.57	34.93			
AV	5.598G	100.40	Inf	-Inf	93.86	3	Horizontal	158	3.00	79	32.90	8.57	34.93			
PK	5.73G	62.65	68.20	-5.55	55.28	3	Horizontal	158	3.00	79	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 93
80\97\89\93\95\94\93
4.38\1.99\2.62\0.96\0.45\0.19\0.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.459G	64.59	74.00	-9.41	58.20	3	Vertical	187	3.00	93	32.92	8.46	34.99			
AV	5.46G	53.12	54.00	-0.88	46.73	3	Vertical	187	3.00	93	32.92	8.46	34.99			
PK	5.468G	65.09	68.20	-3.11	58.67	3	Vertical	187	3.00	93	32.94	8.47	34.99			
PK	5.678G	115.86	Inf	-Inf	108.87	3	Vertical	187	3.00	93	33.22	8.66	34.89			
AV	5.681G	104.15	Inf	-Inf	97.13	3	Vertical	187	3.00	93	33.25	8.66	34.89			
PK	5.8514G	65.25	68.20	-2.95	57.29	3	Vertical	187	3.00	93	33.91	8.86	34.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 93
93
3.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4368G	61.43	74.00	-12.57	55.08	3	Horizontal	160	1.80	93	32.90	8.45	35.00			
PK	5.4674G	61.60	68.20	-6.60	55.19	3	Horizontal	160	1.80	93	32.93	8.47	34.99			
AV	5.4548G	50.24	54.00	-3.76	43.87	3	Horizontal	160	1.80	93	32.91	8.46	35.00			
PK	5.6744G	111.39	Inf	-Inf	104.43	3	Horizontal	160	1.80	93	33.20	8.66	34.90			
AV	5.702G	100.61	Inf	-Inf	93.39	3	Horizontal	160	1.80	93	33.41	8.69	34.88			
PK	5.8556G	62.38	68.20	-5.82	54.41	3	Horizontal	160	1.80	93	33.92	8.86	34.81			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 91
80\108\76\92\100\96\94\93\92\91
7.39\ -9.97\7.02\1.48\ -10.67\ -4.17\ -0.21\ -0.39\ -0.74\2.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.643G	66.09	68.20	-2.11	59.39	3	Vertical	273	1.80	91	32.99	8.62	34.91				
PK	5.7372G	111.53	Inf	-Inf	104.12	3	Vertical	273	1.80	91	33.55	8.73	34.87				
AV	5.7852G	100.37	Inf	-Inf	92.69	3	Vertical	273	1.80	91	33.74	8.78	34.84				
PK	6.0132G	60.67	68.20	-7.53	52.16	3	Vertical	273	1.80	91	34.20	9.04	34.73				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 91
91
3.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.6448G	65.17	68.20	-3.03	58.47	3	Horizontal	156	1.80	91	32.99	8.62	34.91					
PK	5.7522G	110.08	Inf	-Inf	102.58	3	Horizontal	156	1.80	91	33.61	8.75	34.86					
AV	5.7576G	99.43	Inf	-Inf	91.91	3	Horizontal	156	1.80	91	33.63	8.75	34.86					
PK	6.0474G	61.08	68.20	-7.12	52.54	3	Horizontal	156	1.80	91	34.20	9.05	34.71					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 61
80\40\57\65\61\63\62\61
-17.70\4.48\2.49\1.47\0.69\0.26\0.02\0.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1498G	66.16	74.00	-7.84	59.94	3	Vertical	262	3.00	61	33.10	8.23	35.11					
AV	5.1498G	51.31	54.00	-2.69	45.09	3	Vertical	262	3.00	61	33.10	8.23	35.11					
PK	5.286G	104.77	Inf	-Inf	98.58	3	Vertical	262	3.00	61	32.93	8.32	35.06					
AV	5.2302G	93.84	Inf	-Inf	87.60	3	Vertical	262	3.00	61	33.04	8.28	35.08					
PK	5.35G	70.62	74.00	-3.38	64.37	3	Vertical	262	3.00	61	32.90	8.38	35.03					
AV	5.35G	53.30	54.00	-0.70	47.05	3	Vertical	262	3.00	61	32.90	8.38	35.03					
PK	5.4612G	60.75	68.20	-7.45	54.35	3	Vertical	262	3.00	61	32.92	8.47	34.99					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 61
61
1.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1498G	65.33	74.00	-8.67	59.11	3	Horizontal	167	3.00	61	33.10	8.23	35.11					
AV	5.1474G	50.52	54.00	-3.48	44.31	3	Horizontal	167	3.00	61	33.09	8.23	35.11					
PK	5.2608G	102.86	Inf	-Inf	96.65	3	Horizontal	167	3.00	61	32.98	8.30	35.07					
AV	5.2758G	91.92	Inf	-Inf	85.72	3	Horizontal	167	3.00	61	32.95	8.31	35.06					
PK	5.3508G	68.08	74.00	-5.92	61.83	3	Horizontal	167	3.00	61	32.90	8.38	35.03					
AV	5.3514G	52.18	54.00	-1.82	45.93	3	Horizontal	167	3.00	61	32.90	8.38	35.03					
PK	5.5416G	60.43	68.20	-7.77	53.86	3	Horizontal	167	3.00	61	33.00	8.53	34.96					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 65
80\40\58\67\63\65
-12.26\4.68\3.84\1.03\1.36\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3102G	60.87	68.20	-7.33	54.68	3	Vertical	263	2.97	65	32.90	8.34	35.05			
PK	5.4542G	65.95	74.00	-8.05	59.58	3	Vertical	263	2.97	65	32.91	8.46	35.00			
AV	5.46G	51.97	54.00	-2.03	45.58	3	Vertical	263	2.97	65	32.92	8.46	34.99			
PK	5.468G	67.86	68.20	-0.34	61.44	3	Vertical	263	2.97	65	32.94	8.47	34.99			
PK	5.5088G	104.94	Inf	-Inf	98.42	3	Vertical	263	2.97	65	33.00	8.50	34.98			
AV	5.51G	93.80	Inf	-Inf	87.28	3	Vertical	263	2.97	65	33.00	8.50	34.98			
PK	5.7404G	63.62	68.20	-4.58	56.19	3	Vertical	263	2.97	65	33.56	8.73	34.86			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 65
65
2.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.321G	59.83	68.20	-8.37	53.62	3	Horizontal	167	3.00	65	32.90	8.35	35.04				
PK	5.4506G	63.56	74.00	-10.44	57.20	3	Horizontal	167	3.00	65	32.90	8.46	35.00				
AV	5.4554G	51.08	54.00	-2.92	44.71	3	Horizontal	167	3.00	65	32.91	8.46	35.00				
PK	5.4674G	63.68	68.20	-4.52	57.27	3	Horizontal	167	3.00	65	32.93	8.47	34.99				
PK	5.5208G	104.22	Inf	-Inf	97.68	3	Horizontal	167	3.00	65	33.00	8.51	34.97				
AV	5.5454G	93.60	Inf	-Inf	87.03	3	Horizontal	167	3.00	65	33.00	8.53	34.96				
PK	5.7368G	63.97	68.20	-4.23	56.56	3	Horizontal	167	3.00	65	33.55	8.73	34.87				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 80
80
0.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1493G	66.81	74.00	-7.19	60.59	3	Vertical	263	2.89	80	33.10	8.23	35.11				
AV	5.15G	53.87	54.00	-0.13	47.65	3	Vertical	263	2.89	80	33.10	8.23	35.11				
PK	5.184G	118.31	Inf	-Inf	112.06	3	Vertical	263	2.89	80	33.10	8.24	35.09				
AV	5.1773G	106.47	Inf	-Inf	100.23	3	Vertical	263	2.89	80	33.10	8.24	35.10				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 80
80
1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1411G	64.89	74.00	-9.11	58.69	3	Horizontal	174	2.97	80	33.08	8.23	35.11			
AV	5.1498G	52.29	54.00	-1.71	46.07	3	Horizontal	174	2.97	80	33.10	8.23	35.11			
PK	5.1858G	115.84	Inf	-Inf	109.59	3	Horizontal	174	2.97	80	33.10	8.24	35.09			
AV	5.1879G	104.47	Inf	-Inf	98.21	3	Horizontal	174	2.97	80	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 88
80\94\77\85\89\87\88
3.63\ -4.40\4.61\1.89\ -0.68\0.95\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	67.36	74.00	-6.64	61.14	3	Vertical	261	2.86	88	33.10	8.23	35.11			
AV	5.1498G	53.94	54.00	-0.06	47.72	3	Vertical	261	2.86	88	33.10	8.23	35.11			
PK	5.1984G	120.03	Inf	-Inf	113.77	3	Vertical	261	2.86	88	33.10	8.25	35.09			
AV	5.1918G	108.46	Inf	-Inf	102.20	3	Vertical	261	2.86	88	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 88
88
1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1344G	68.91	74.00	-5.09	62.73	3	Horizontal	166	2.94	88	33.07	8.22	35.11			
AV	5.15G	52.22	54.00	-1.78	46.00	3	Horizontal	166	2.94	88	33.10	8.23	35.11			
PK	5.2064G	116.95	Inf	-Inf	110.69	3	Horizontal	166	2.94	88	33.09	8.26	35.09			
AV	5.1972G	106.17	Inf	-Inf	99.91	3	Horizontal	166	2.94	88	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 101
80\99\108\104\102\101
4.92\3.23\6.81\7.38\6.45\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	73.77	74.00	-0.23	67.56	3	Vertical	262	3.00	101	33.09	8.23	35.11			
AV	5.15G	52.59	54.00	-1.41	46.37	3	Vertical	262	3.00	101	33.10	8.23	35.11			
PK	5.2358G	123.02	Inf	-Inf	116.79	3	Vertical	262	3.00	101	33.03	8.28	35.08			
AV	5.2355G	111.73	Inf	-Inf	105.50	3	Vertical	262	3.00	101	33.03	8.28	35.08			
PK	5.3765G	69.85	74.00	-4.15	63.57	3	Vertical	262	3.00	101	32.90	8.40	35.02			
AV	5.3513G	51.21	54.00	-2.79	44.96	3	Vertical	262	3.00	101	32.90	8.38	35.03			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 101
101
3.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1371G	66.70	74.00	-7.30	60.52	3	Horizontal	157	3.00	101	33.07	8.22	35.11			
AV	5.1497G	50.35	54.00	-3.65	44.13	3	Horizontal	157	3.00	101	33.10	8.23	35.11			
PK	5.2424G	119.55	Inf	-Inf	113.31	3	Horizontal	157	3.00	101	33.02	8.29	35.07			
AV	5.2358G	109.07	Inf	-Inf	102.84	3	Horizontal	157	3.00	101	33.03	8.28	35.08			
PK	5.35G	64.63	74.00	-9.37	58.38	3	Horizontal	157	3.00	101	32.90	8.38	35.03			
AV	5.35G	50.07	54.00	-3.93	43.82	3	Horizontal	157	3.00	101	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 105
80\100\108\104\106\105
5.08\3.62\7.59\2.19\2.56\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	63.51	74.00	-10.49	57.31	3	Vertical	261	2.95	105	33.08	8.23	35.11
AV	5.1469G	49.69	54.00	-4.31	43.48	3	Vertical	261	2.95	105	33.09	8.23	35.11
PK	5.2552G	122.69	Inf	-Inf	116.47	3	Vertical	261	2.95	105	32.99	8.30	35.07
AV	5.2567G	111.71	Inf	-Inf	105.49	3	Vertical	261	2.95	105	32.99	8.30	35.07
PK	5.3575G	73.79	74.00	-0.21	67.54	3	Vertical	261	2.95	105	32.90	8.38	35.03
AV	5.3512G	53.21	54.00	-0.79	46.96	3	Vertical	261	2.95	105	32.90	8.38	35.03

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
SET 105
105
1.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1244G	59.76	74.00	-14.24	53.61	3	Horizontal	154	3.00	105	33.05	8.22	35.12			
AV	5.1466G	48.87	54.00	-5.13	42.66	3	Horizontal	154	3.00	105	33.09	8.23	35.11			
PK	5.266G	120.58	Inf	-Inf	114.36	3	Horizontal	154	3.00	105	32.97	8.31	35.06			
AV	5.2609G	109.26	Inf	-Inf	103.05	3	Horizontal	154	3.00	105	32.98	8.30	35.07			
PK	5.3551G	71.79	74.00	-2.21	65.54	3	Horizontal	154	3.00	105	32.90	8.38	35.03			
AV	5.3512G	52.02	54.00	-1.98	45.77	3	Horizontal	154	3.00	105	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 91
80\98\76\87\92\90\91
4.53\ -6.27\4.83\2.61\ -0.55\0.79\0.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2946G	119.99	Inf	-Inf	113.80	3	Vertical	258	3.00	91	32.91	8.33	35.05			
AV	5.2956G	108.28	Inf	-Inf	102.09	3	Vertical	258	3.00	91	32.91	8.33	35.05			
PK	5.35G	68.15	74.00	-5.85	61.90	3	Vertical	258	3.00	91	32.90	8.38	35.03			
AV	5.351G	53.94	54.00	-0.06	47.69	3	Vertical	258	3.00	91	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
SET 91
91
1.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2954G	117.08	Inf	-Inf	110.89	3	Horizontal	164	3.00	91	32.91	8.33	35.05			
AV	5.3028G	105.94	Inf	-Inf	99.75	3	Horizontal	164	3.00	91	32.90	8.34	35.05			
PK	5.3526G	65.34	74.00	-8.66	59.09	3	Horizontal	164	3.00	91	32.90	8.38	35.03			
AV	5.3504G	52.03	54.00	-1.97	45.78	3	Horizontal	164	3.00	91	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 83
80\91\76\83\86\85\84\83
2.83\ -10.20\3.69\0.61\ -4.22\ -2.88\ -0.64\0.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3144G	117.84	Inf	-Inf	111.64	3	Vertical	260	3.00	83	32.90	8.35	35.05				
AV	5.316G	106.09	Inf	-Inf	99.89	3	Vertical	260	3.00	83	32.90	8.35	35.05				
PK	5.3504G	68.61	74.00	-5.39	62.36	3	Vertical	260	3.00	83	32.90	8.38	35.03				
AV	5.3507G	53.48	54.00	-0.52	47.23	3	Vertical	260	3.00	83	32.90	8.38	35.03				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
SET 83
83
2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3157G	115.62	Inf	-Inf	109.42	3	Horizontal	153	3.00	83	32.90	8.35	35.05				
AV	5.3222G	104.49	Inf	-Inf	98.28	3	Horizontal	153	3.00	83	32.90	8.35	35.04				
PK	5.3502G	62.25	74.00	-11.75	56.00	3	Horizontal	153	3.00	83	32.90	8.38	35.03				
AV	5.3501G	51.66	54.00	-2.34	45.41	3	Horizontal	153	3.00	83	32.90	8.38	35.03				

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 83
80\86\76\81\83\84\83
1.59\ -4.21\2.17\0.99\0.82\ -1.09\0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4593G	65.85	74.00	-8.15	59.46	3	Vertical	263	2.95	83	32.92	8.46	34.99			
AV	5.4592G	53.35	54.00	-0.65	46.96	3	Vertical	263	2.95	83	32.92	8.46	34.99			
PK	5.4606G	67.50	68.20	-0.70	61.10	3	Vertical	263	2.95	83	32.92	8.47	34.99			
PK	5.498G	118.60	Inf	-Inf	112.09	3	Vertical	263	2.95	83	33.00	8.49	34.98			
AV	5.5059G	107.05	Inf	-Inf	100.53	3	Vertical	263	2.95	83	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
SET 83
83
0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	66.73	74.00	-7.27	60.34	3	Horizontal	20	2.92	83	32.92	8.46	34.99			
AV	5.4588G	53.12	54.00	-0.88	46.73	3	Horizontal	20	2.92	83	32.92	8.46	34.99			
PK	5.4605G	65.65	68.20	-2.55	59.25	3	Horizontal	20	2.92	83	32.92	8.47	34.99			
PK	5.5082G	117.52	Inf	-Inf	111.00	3	Horizontal	20	2.92	83	33.00	8.50	34.98			
AV	5.4929G	106.01	Inf	-Inf	99.51	3	Horizontal	20	2.92	83	32.99	8.49	34.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 100
80\100\108\104\102\101\100
5.06\4.27\7.15\7.91\8.89\4.04\1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4453G	63.60	74.00	-10.40	57.25	3	Vertical	189	3.00	100	32.90	8.45	35.00
AV	5.4543G	49.67	54.00	-4.33	43.30	3	Vertical	189	3.00	100	32.91	8.46	35.00
PK	5.4684G	66.80	68.20	-1.40	60.38	3	Vertical	189	3.00	100	32.94	8.47	34.99
PK	5.5806G	122.36	Inf	-Inf	115.80	3	Vertical	189	3.00	100	32.94	8.56	34.94
AV	5.5779G	111.14	Inf	-Inf	104.59	3	Vertical	189	3.00	100	32.94	8.55	34.94
PK	5.7261G	60.70	68.20	-7.50	53.35	3	Vertical	189	3.00	100	33.50	8.72	34.87

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
SET 100
100
4.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	60.19	74.00	-13.81	53.81	3	Horizontal	164	2.97	100	32.92	8.46	35.00			
AV	5.4588G	49.33	54.00	-4.67	42.94	3	Horizontal	164	2.97	100	32.92	8.46	34.99			
PK	5.4684G	60.16	68.20	-8.04	53.74	3	Horizontal	164	2.97	100	32.94	8.47	34.99			
PK	5.5761G	120.09	Inf	-Inf	113.53	3	Horizontal	164	2.97	100	32.95	8.55	34.94			
AV	5.5728G	108.74	Inf	-Inf	102.19	3	Horizontal	164	2.97	100	32.95	8.55	34.95			
PK	5.7279G	59.91	68.20	-8.29	52.55	3	Horizontal	164	2.97	100	33.51	8.72	34.87			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 63
80\40\71\56\63
-14.93\7.94\7.34\3.47\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.692G	113.38	Inf	-Inf	106.25	3	Vertical	189	2.96	63	33.34	8.68	34.89				
AV	5.6932G	102.01	Inf	-Inf	94.87	3	Vertical	189	2.96	63	33.35	8.68	34.89				
PK	5.7258G	68.02	68.20	-0.18	60.68	3	Vertical	189	2.96	63	33.50	8.71	34.87				

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
SET 63
63
3.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6984G	111.79	Inf	-Inf	104.60	3	Horizontal	164	2.30	63	33.39	8.68	34.88			
AV	5.695G	99.68	Inf	-Inf	92.53	3	Horizontal	164	2.30	63	33.36	8.68	34.89			
PK	5.725G	64.44	68.20	-3.76	57.10	3	Horizontal	164	2.30	63	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
80\101\108
5.29\4.78\4.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	60.86	74.00	-13.14	54.49	3	Vertical	187	3.00	108	32.91	8.46	35.00			
AV	5.4266G	49.47	54.00	-4.53	43.14	3	Vertical	187	3.00	108	32.90	8.44	35.01			
PK	5.4656G	60.09	68.20	-8.11	53.68	3	Vertical	187	3.00	108	32.93	8.47	34.99			
PK	5.7152G	122.07	Inf	-Inf	114.79	3	Vertical	187	3.00	108	33.46	8.70	34.88			
AV	5.7212G	110.59	Inf	-Inf	103.27	3	Vertical	187	3.00	108	33.48	8.71	34.87			
PK	5.8598G	63.68	68.20	-4.52	55.68	3	Vertical	187	3.00	108	33.94	8.87	34.81			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
108
5.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.432G	59.44	74.00	-14.56	53.10	3	Horizontal	162	1.80	108	32.90	8.44	35.00			
AV	5.4464G	48.52	54.00	-5.48	42.17	3	Horizontal	162	1.80	108	32.90	8.45	35.00			
PK	5.4644G	59.12	68.20	-9.08	52.71	3	Horizontal	162	1.80	108	32.93	8.47	34.99			
PK	5.7146G	117.37	Inf	-Inf	110.09	3	Horizontal	162	1.80	108	33.46	8.70	34.88			
AV	5.7134G	106.86	Inf	-Inf	99.59	3	Horizontal	162	1.80	108	33.45	8.70	34.88			
PK	5.8556G	62.28	68.20	-5.92	54.31	3	Horizontal	162	1.80	108	33.92	8.86	34.81			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 100
80\102\91\96\98\99\100
5.71\ -0.14\5.57\5.51\2.40\2.24\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4534G	48.40	54.00	-5.60	42.03	3	Vertical	160	1.80	100	32.91	8.46	35.00			
PK	5.6448G	67.90	68.20	-0.30	61.20	3	Vertical	160	1.80	100	32.99	8.62	34.91			
PK	5.742G	117.88	Inf	-Inf	110.44	3	Vertical	160	1.80	100	33.57	8.73	34.86			
AV	5.7384G	106.58	Inf	-Inf	99.17	3	Vertical	160	1.80	100	33.55	8.73	34.87			
PK	6.015G	61.03	68.20	-7.17	52.52	3	Vertical	160	1.80	100	34.20	9.04	34.73			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 99
100\96\99
-0.96\5.38\2.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.445G	48.56	54.00	-5.44	42.21	3	Horizontal	160	1.80	99	32.90	8.45	35.00			
PK	5.646G	65.98	68.20	-2.22	59.28	3	Horizontal	160	1.80	99	32.99	8.62	34.91			
PK	5.739G	116.94	Inf	-Inf	109.52	3	Horizontal	160	1.80	99	33.56	8.73	34.87			
AV	5.7468G	106.34	Inf	-Inf	98.87	3	Horizontal	160	1.80	99	33.59	8.74	34.86			
PK	5.961G	60.78	68.20	-7.42	52.35	3	Horizontal	160	1.80	99	34.20	8.99	34.76			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
80\105\108
6.45\7.67\7.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.54111G	60.94	68.20	-7.26	54.37	3	Vertical	147	1.80	108	33.00	8.53	34.96				
PK	5.78916G	115.07	Inf	-Inf	107.36	3	Vertical	147	1.80	108	33.76	8.79	34.84				
AV	5.78916G	104.10	Inf	-Inf	96.39	3	Vertical	147	1.80	108	33.76	8.79	34.84				
PK	5.96521G	60.74	68.20	-7.46	52.31	3	Vertical	147	1.80	108	34.20	8.99	34.76				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 108
108
7.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.61129G	60.36	68.20	-7.84	53.79	3	Horizontal	163	1.80	108	32.92	8.58	34.93				
PK	5.77948G	115.51	Inf	-Inf	107.86	3	Horizontal	163	1.80	108	33.72	8.78	34.85				
AV	5.77887G	104.61	Inf	-Inf	96.96	3	Horizontal	163	1.80	108	33.72	8.78	34.85				
PK	6.03479G	61.15	68.20	-7.05	52.61	3	Horizontal	163	1.80	108	34.20	9.05	34.71				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
80\107\108
6.88\7.02\7.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6084G	60.09	68.20	-8.11	53.52	3	Vertical	276	3.00	108	32.92	8.58	34.93				
PK	5.822G	117.65	Inf	-Inf	109.81	3	Vertical	276	3.00	108	33.84	8.83	34.83				
AV	5.8196G	106.90	Inf	-Inf	99.07	3	Vertical	276	3.00	108	33.84	8.82	34.83				
PK	5.9558G	61.07	68.20	-7.13	52.65	3	Vertical	276	3.00	108	34.20	8.98	34.76				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
6.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.724G	59.79	68.20	-8.41	53.23	3	Horizontal	161	1.80	108	32.96	8.55	34.95			
PK	5.8316G	114.23	Inf	-Inf	106.35	3	Horizontal	161	1.80	108	33.86	8.84	34.82			
AV	5.8172G	103.56	Inf	-Inf	95.74	3	Horizontal	161	1.80	108	33.83	8.82	34.83			
PK	6.116G	61.21	68.20	-6.99	52.66	3	Horizontal	161	1.80	108	34.13	9.08	34.66			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 68
80\40\61\71\66\68
-11.19\5.40\3.10\0.42\1.35\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1462G	66.92	74.00	-7.08	60.71	3	Vertical	264	3.00	68	33.09	8.23	35.11			
AV	5.15G	53.57	54.00	-0.43	47.35	3	Vertical	264	3.00	68	33.10	8.23	35.11			
PK	5.2042G	112.47	Inf	-Inf	106.22	3	Vertical	264	3.00	68	33.09	8.25	35.09			
AV	5.1958G	100.78	Inf	-Inf	94.52	3	Vertical	264	3.00	68	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 68
68
1.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	64.76	74.00	-9.24	58.54	3	Horizontal	170.1	2.94	68	33.10	8.23	35.11			
AV	5.15G	52.43	54.00	-1.57	46.21	3	Horizontal	170.1	2.94	68	33.10	8.23	35.11			
PK	5.1982G	109.66	Inf	-Inf	103.40	3	Horizontal	170.1	2.94	68	33.10	8.25	35.09			
AV	5.1944G	98.53	Inf	-Inf	92.27	3	Horizontal	170.1	2.94	68	33.10	8.25	35.09			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 86
80\92\76\84\88\86
3.15\ -4.73\3.59\1.56\ -1.36\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	66.37	74.00	-7.63	60.15	3	Vertical	264	2.96	86	33.10	8.23	35.11			
AV	5.15G	53.65	54.00	-0.35	47.43	3	Vertical	264	2.96	86	33.10	8.23	35.11			
PK	5.2402G	117.91	Inf	-Inf	111.68	3	Vertical	264	2.96	86	33.02	8.28	35.07			
AV	5.2344G	105.88	Inf	-Inf	99.65	3	Vertical	264	2.96	86	33.03	8.28	35.08			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 86
86
2.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	63.55	74.00	-10.45	57.33	3	Horizontal	158	3.00	86	33.10	8.23	35.11			
AV	5.1476G	51.88	54.00	-2.12	45.66	3	Horizontal	158	3.00	86	33.10	8.23	35.11			
PK	5.2374G	113.74	Inf	-Inf	107.50	3	Horizontal	158	3.00	86	33.03	8.28	35.07			
AV	5.238G	102.84	Inf	-Inf	96.61	3	Horizontal	158	3.00	86	33.02	8.28	35.07			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 88
80\94\76\85\89\87\88
3.65\ -4.50\4.09\2.05\ -0.14\1.24\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2836G	116.62	Inf	-Inf	110.43	3	Vertical	259	3.00	88	32.93	8.32	35.06			
AV	5.2758G	104.92	Inf	-Inf	98.72	3	Vertical	259	3.00	88	32.95	8.31	35.06			
PK	5.3658G	68.69	74.00	-5.31	62.43	3	Vertical	259	3.00	88	32.90	8.39	35.03			
AV	5.3504G	53.08	54.00	-0.92	46.83	3	Vertical	259	3.00	88	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
SET 88
88
1.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2586G	114.24	Inf	-Inf	108.03	3	Horizontal	152	2.97	88	32.98	8.30	35.07			
AV	5.276G	102.83	Inf	-Inf	96.63	3	Horizontal	152	2.97	88	32.95	8.31	35.06			
PK	5.3518G	66.52	74.00	-7.48	60.27	3	Horizontal	152	2.97	88	32.90	8.38	35.03			
AV	5.3512G	52.17	54.00	-1.83	45.92	3	Horizontal	152	2.97	88	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 73
80\46\66\76\71\73
-8.46\5.17\3.20\2.56\0.91\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3276G	112.15	Inf	-Inf	105.93	3	Vertical	258	2.97	73	32.90	8.36	35.04			
AV	5.296G	100.67	Inf	-Inf	94.48	3	Vertical	258	2.97	73	32.91	8.33	35.05			
PK	5.3552G	65.71	74.00	-8.29	59.46	3	Vertical	258	2.97	73	32.90	8.38	35.03			
AV	5.35G	53.81	54.00	-0.19	47.56	3	Vertical	258	2.97	73	32.90	8.38	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
SET 72
73.72
-0.25\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3028G	110.26	Inf	-Inf	104.07	3	Horizontal	160	3.00	72	32.90	8.34	35.05			
AV	5.3054G	98.58	Inf	-Inf	92.39	3	Horizontal	160	3.00	72	32.90	8.34	35.05			
PK	5.3556G	64.59	74.00	-9.41	58.34	3	Horizontal	160	3.00	72	32.90	8.38	35.03			
AV	5.35G	53.21	54.00	-0.79	46.96	3	Horizontal	160	3.00	72	32.90	8.38	35.03			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 81
80\87\76\81\83\82\81
1.87\5.96\2.59\0.88\0.53\0.23\0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	63.85	74.00	-10.15	57.46	3	Vertical	162	2.97	81	32.92	8.46	34.99			
AV	5.46G	53.30	54.00	-0.70	46.91	3	Vertical	162	2.97	81	32.92	8.46	34.99			
PK	5.4686G	66.33	68.20	-1.87	59.91	3	Vertical	162	2.97	81	32.94	8.47	34.99			
PK	5.5124G	114.22	Inf	-Inf	107.69	3	Vertical	162	2.97	81	33.00	8.50	34.97			
AV	5.5054G	102.51	Inf	-Inf	95.99	3	Vertical	162	2.97	81	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 81
81
0.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	64.27	74.00	-9.73	57.88	3	Horizontal	159	2.97	81	32.92	8.46	34.99			
AV	5.4594G	53.14	54.00	-0.86	46.75	3	Horizontal	159	2.97	81	32.92	8.46	34.99			
PK	5.47G	66.87	68.20	-1.33	60.45	3	Horizontal	159	2.97	81	32.94	8.47	34.99			
PK	5.5248G	113.87	Inf	-Inf	107.33	3	Horizontal	159	2.97	81	33.00	8.51	34.97			
AV	5.5054G	102.25	Inf	-Inf	95.73	3	Horizontal	159	2.97	81	33.00	8.50	34.98			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 84
80\64\84
-3.99\5.02\2.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	71.58	74.00	-2.42	65.19	3	Vertical	190	2.16	84	32.92	8.46	34.99			
AV	5.46G	50.76	54.00	-3.24	44.37	3	Vertical	190	2.16	84	32.92	8.46	34.99			
PK	5.4612G	63.82	68.20	-4.38	57.42	3	Vertical	190	2.16	84	32.92	8.47	34.99			
PK	5.542G	115.68	Inf	-Inf	109.11	3	Vertical	190	2.16	84	33.00	8.53	34.96			
AV	5.5538G	103.70	Inf	-Inf	97.12	3	Vertical	190	2.16	84	32.99	8.54	34.95			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 82
84\78\83\81\82
-1.26\4.54\ -0.36\4.10\4.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4544G	60.49	74.00	-13.51	54.12	3	Horizontal	20	2.34	82	32.91	8.46	35.00			
AV	5.4582G	49.71	54.00	-4.29	43.33	3	Horizontal	20	2.34	82	32.92	8.46	35.00			
PK	5.4638G	60.68	68.20	-7.52	54.27	3	Horizontal	20	2.34	82	32.93	8.47	34.99			
PK	5.5524G	113.52	Inf	-Inf	106.94	3	Horizontal	20	2.34	82	33.00	8.53	34.95			
AV	5.5562G	101.84	Inf	-Inf	95.26	3	Horizontal	20	2.34	82	32.99	8.54	34.95			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 80
80
0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6655G	112.09	Inf	-Inf	105.22	3	Vertical	15	2.34	80	33.12	8.65	34.90			
AV	5.6682G	101.30	Inf	-Inf	94.40	3	Vertical	15	2.34	80	33.15	8.65	34.90			
PK	5.7252G	67.81	68.20	-0.39	60.47	3	Vertical	15	2.34	80	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 79
80\60\79
-4.85\6.49\1.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6625G	112.57	Inf	-Inf	105.73	3	Horizontal	163	2.94	79	33.10	8.64	34.90			
AV	5.6655G	101.51	Inf	-Inf	94.64	3	Horizontal	163	2.94	79	33.12	8.65	34.90			
PK	5.7255G	66.53	68.20	-1.67	59.19	3	Horizontal	163	2.94	79	33.50	8.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
80\101\108
5.25\1.23\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.416G	59.96	74.00	-14.04	53.64	3	Vertical	192	1.80	108	32.90	8.43	35.01			
PK	5.4664G	60.34	68.20	-7.86	53.93	3	Vertical	192	1.80	108	32.93	8.47	34.99			
AV	5.4514G	49.23	54.00	-4.77	42.87	3	Vertical	192	1.80	108	32.90	8.46	35.00			
PK	5.7268G	116.11	Inf	-Inf	108.75	3	Vertical	192	1.80	108	33.51	8.72	34.87			
AV	5.6956G	104.78	Inf	-Inf	97.63	3	Vertical	192	1.80	108	33.36	8.68	34.89			
PK	5.8522G	67.85	68.20	-0.35	59.89	3	Vertical	192	1.80	108	33.91	8.86	34.81			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 101
108\107\106\105\104\103\102\101
-0.14\ -0.85\ -0.20\ -0.17\ -0.31\ -0.18\ -0.12\ 0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4424G	59.88	74.00	-14.12	53.53	3	Horizontal	160	1.80	101	32.90	8.45	35.00			
AV	5.4508G	48.88	54.00	-5.12	42.52	3	Horizontal	160	1.80	101	32.90	8.46	35.00			
PK	5.4634G	59.12	68.20	-9.08	52.71	3	Horizontal	160	1.80	101	32.93	8.47	34.99			
PK	5.7136G	115.56	Inf	-Inf	108.29	3	Horizontal	160	1.80	101	33.45	8.70	34.88			
AV	5.7016G	104.12	Inf	-Inf	96.90	3	Horizontal	160	1.80	101	33.41	8.69	34.88			
PK	5.85G	67.92	68.20	-0.28	59.97	3	Horizontal	160	1.80	101	33.90	8.86	34.81			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 94
80\101\76\88\94\97\96\84\90\93\94
5.33\10.98\5.40\4.84\4.25\8.26\5.20\5.01\5.20\2.45\3.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4556G	49.34	54.00	-4.66	42.97	3	Vertical	275	2.99	94	32.91	8.46	35.00				
PK	5.6416G	64.38	68.20	-3.82	57.69	3	Vertical	275	2.99	94	32.98	8.62	34.91				
PK	5.7412G	116.74	Inf	-Inf	109.31	3	Vertical	275	2.99	94	33.56	8.73	34.86				
AV	5.749G	105.39	Inf	-Inf	97.91	3	Vertical	275	2.99	94	33.60	8.74	34.86				
PK	5.9632G	60.60	68.20	-7.60	52.17	3	Vertical	275	2.99	94	34.20	8.99	34.76				

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 94
94
5.02

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.455G	48.90	54.00	-5.10	42.53	3	Horizontal	159	1.80	94	32.91	8.46	35.00				
PK	5.641G	63.18	68.20	-5.02	56.49	3	Horizontal	159	1.80	94	32.98	8.62	34.91				
PK	5.752G	112.76	Inf	-Inf	105.27	3	Horizontal	159	1.80	94	33.61	8.74	34.86				
AV	5.752G	101.73	Inf	-Inf	94.24	3	Horizontal	159	1.80	94	33.61	8.74	34.86				
PK	5.929G	60.88	68.20	-7.32	52.54	3	Horizontal	159	1.80	94	34.16	8.95	34.77				

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 94
80\108\94\101\98\97\96\95\94
7.22\ -2.33\0.87\ -2.29\ -1.83\ -1.89\ -1.55\ -0.59\1.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	67.68	68.94	-1.26	60.95	3	Vertical	275	2.41	94	33.01	8.63	34.91			
PK	5.783G	115.82	Inf	-Inf	108.15	3	Vertical	275	2.41	94	33.73	8.78	34.84			
AV	5.7824G	104.82	Inf	-Inf	97.15	3	Vertical	275	2.41	94	33.73	8.78	34.84			
PK	6.0692G	61.77	68.20	-6.43	53.24	3	Vertical	275	2.41	94	34.16	9.06	34.69			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 94
94
3.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	65.26	68.94	-3.68	58.53	3	Horizontal	272	1.80	94	33.01	8.63	34.91			
PK	5.789G	112.68	Inf	-Inf	104.97	3	Horizontal	272	1.80	94	33.76	8.79	34.84			
AV	5.7812G	102.35	Inf	-Inf	94.70	3	Horizontal	272	1.80	94	33.72	8.78	34.85			
PK	5.9786G	61.22	68.20	-6.98	52.76	3	Horizontal	272	1.80	94	34.20	9.01	34.75			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73
80\63\71\75\73\74\73
-4.20\3.10\1.49\ -0.23\0.92\ -0.14\0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	63.42	74.00	-10.58	57.20	3	Vertical	264	3.00	73	33.10	8.23	35.11			
AV	5.1495G	53.63	54.00	-0.37	47.41	3	Vertical	264	3.00	73	33.10	8.23	35.11			
PK	5.223G	109.88	Inf	-Inf	103.64	3	Vertical	264	3.00	73	33.05	8.27	35.08			
AV	5.2235G	99.11	Inf	-Inf	92.87	3	Vertical	264	3.00	73	33.05	8.27	35.08			
PK	5.4585G	60.65	74.00	-13.35	54.26	3	Vertical	264	3.00	73	32.92	8.46	34.99			
AV	5.3865G	50.07	54.00	-3.93	43.78	3	Vertical	264	3.00	73	32.90	8.41	35.02			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73
73
1.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.144G	61.98	74.00	-12.02	55.77	3	Horizontal	173	2.97	73	33.09	8.23	35.11			
AV	5.15G	52.44	54.00	-1.56	46.22	3	Horizontal	173	2.97	73	33.10	8.23	35.11			
PK	5.1935G	107.92	Inf	-Inf	101.66	3	Horizontal	173	2.97	73	33.10	8.25	35.09			
AV	5.196G	97.39	Inf	-Inf	91.13	3	Horizontal	173	2.97	73	33.10	8.25	35.09			
PK	5.412G	60.81	74.00	-13.19	54.49	3	Horizontal	173	2.97	73	32.90	8.43	35.01			
AV	5.3935G	49.93	54.00	-4.07	43.64	3	Horizontal	173	2.97	73	32.90	8.41	35.02			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 73
71\76\74\73
1.30\1.74\0.29\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.123G	60.29	74.00	-13.71	54.14	3	Vertical	263	2.95	73	33.05	8.22	35.12
AV	5.146G	49.68	54.00	-4.32	43.47	3	Vertical	263	2.95	73	33.09	8.23	35.11
PK	5.261G	110.18	Inf	-Inf	103.97	3	Vertical	263	2.95	73	32.98	8.30	35.07
AV	5.28G	98.96	Inf	-Inf	92.76	3	Vertical	263	2.95	73	32.94	8.32	35.06
PK	5.35G	63.30	74.00	-10.70	57.05	3	Vertical	263	2.95	73	32.90	8.38	35.03
AV	5.35G	53.53	54.00	-0.47	47.28	3	Vertical	263	2.95	73	32.90	8.38	35.03
PK	5.4635G	59.72	68.20	-8.48	53.31	3	Vertical	263	2.95	73	32.93	8.47	34.99

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
SET 73
73
0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	59.53	74.00	-14.47	53.32	3	Horizontal	165	3.00	73	33.09	8.23	35.11			
AV	5.149G	49.18	54.00	-4.82	42.96	3	Horizontal	165	3.00	73	33.10	8.23	35.11			
PK	5.3005G	108.60	Inf	-Inf	102.41	3	Horizontal	165	3.00	73	32.90	8.34	35.05			
AV	5.3005G	96.49	Inf	-Inf	90.30	3	Horizontal	165	3.00	73	32.90	8.34	35.05			
PK	5.3505G	63.05	74.00	-10.95	56.80	3	Horizontal	165	3.00	73	32.90	8.38	35.03			
AV	5.35G	53.33	54.00	-0.67	47.08	3	Horizontal	165	3.00	73	32.90	8.38	35.03			
PK	5.5385G	60.02	68.20	-8.18	53.46	3	Horizontal	165	3.00	73	33.00	8.52	34.96			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 73
80\61\77\69\73\75\74\73
-4.64\4.03\ -1.40\2.42\0.65\ -0.20\ -0.09\0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3305G	61.13	68.20	-7.07	54.91	3	Vertical	185	3.00	73	32.90	8.36	35.04			
AV	5.35G	50.11	54.00	-3.89	43.86	3	Vertical	185	3.00	73	32.90	8.38	35.03			
PK	5.46G	63.48	74.00	-10.52	57.09	3	Vertical	185	3.00	73	32.92	8.46	34.99			
AV	5.459G	53.19	54.00	-0.81	46.80	3	Vertical	185	3.00	73	32.92	8.46	34.99			
PK	5.47G	63.76	68.20	-4.44	57.34	3	Vertical	185	3.00	73	32.94	8.47	34.99			
PK	5.534G	110.13	Inf	-Inf	103.57	3	Vertical	185	3.00	73	33.00	8.52	34.96			
AV	5.5425G	99.26	Inf	-Inf	92.69	3	Vertical	185	3.00	73	33.00	8.53	34.96			
PK	5.7375G	61.01	68.20	-7.19	53.60	3	Vertical	185	3.00	73	33.55	8.73	34.87			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 73
73
2.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3385G	59.99	68.20	-8.21	53.76	3	Horizontal	161	2.92	73	32.90	8.37	35.04			
AV	5.35G	49.12	54.00	-4.88	42.87	3	Horizontal	161	2.92	73	32.90	8.38	35.03			
PK	5.449G	62.21	74.00	-11.79	55.85	3	Horizontal	161	2.92	73	32.90	8.46	35.00			
AV	5.4255G	51.49	54.00	-2.51	45.16	3	Horizontal	161	2.92	73	32.90	8.44	35.01			
PK	5.4675G	61.84	68.20	-6.36	55.43	3	Horizontal	161	2.92	73	32.93	8.47	34.99			
PK	5.514G	108.42	Inf	-Inf	101.88	3	Horizontal	161	2.92	73	33.00	8.51	34.97			
AV	5.539G	97.67	Inf	-Inf	91.11	3	Horizontal	161	2.92	73	33.00	8.52	34.96			
PK	5.756G	60.37	68.20	-7.83	52.86	3	Horizontal	161	2.92	73	33.62	8.75	34.86			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 83
80\89\85\83
2.46\ -3.89\ -0.90\ 0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	63.80	74.00	-10.20	57.43	3	Vertical	261	3.00	83	32.91	8.46	35.00
AV	5.4585G	53.60	54.00	-0.40	47.21	3	Vertical	261	3.00	83	32.92	8.46	34.99
PK	5.4655G	64.80	68.20	-3.40	58.39	3	Vertical	261	3.00	83	32.93	8.47	34.99
PK	5.6235G	111.34	Inf	-Inf	104.71	3	Vertical	261	3.00	83	32.95	8.60	34.92
AV	5.6255G	101.01	Inf	-Inf	94.38	3	Vertical	261	3.00	83	32.95	8.60	34.92
PK	5.7275G	65.33	68.20	-2.87	57.97	3	Vertical	261	3.00	83	33.51	8.72	34.87

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 83
83
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4565G	62.46	74.00	-11.54	56.09	3	Horizontal	163	2.97	83	32.91	8.46	35.00			
AV	5.457G	52.21	54.00	-1.79	45.84	3	Horizontal	163	2.97	83	32.91	8.46	35.00			
PK	5.4655G	63.90	68.20	-4.30	57.49	3	Horizontal	163	2.97	83	32.93	8.47	34.99			
PK	5.6225G	110.52	Inf	-Inf	103.89	3	Horizontal	163	2.97	83	32.95	8.60	34.92			
AV	5.581G	100.67	Inf	-Inf	94.11	3	Horizontal	163	2.97	83	32.94	8.56	34.94			
PK	5.7295G	64.57	68.20	-3.63	57.20	3	Horizontal	163	2.97	83	33.52	8.72	34.87			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 93
80\94\87\90\91\92\93
3.65\ -0.29\2.87\2.03\1.61\0.91\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	64.68	74.00	-9.32	58.32	3	Vertical	184	3.00	93	32.90	8.46	35.00
PK	5.4668G	65.42	68.20	-2.78	59.01	3	Vertical	184	3.00	93	32.93	8.47	34.99
AV	5.4572G	53.98	54.00	-0.02	47.61	3	Vertical	184	3.00	93	32.91	8.46	35.00
PK	5.6606G	114.35	Inf	-Inf	107.53	3	Vertical	184	3.00	93	33.08	8.64	34.90
AV	5.6798G	103.77	Inf	-Inf	96.76	3	Vertical	184	3.00	93	33.24	8.66	34.89
PK	5.855G	64.79	68.20	-3.41	56.82	3	Vertical	184	3.00	93	33.92	8.86	34.81

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 93
93
1.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4164G	61.77	74.00	-12.23	55.45	3	Horizontal	163	2.91	93	32.90	8.43	35.01
PK	5.468G	63.32	68.20	-4.88	56.90	3	Horizontal	163	2.91	93	32.94	8.47	34.99
AV	5.4596G	52.16	54.00	-1.84	45.77	3	Horizontal	163	2.91	93	32.92	8.46	34.99
PK	5.6852G	112.57	Inf	-Inf	105.51	3	Horizontal	163	2.91	93	33.28	8.67	34.89
AV	5.6654G	102.56	Inf	-Inf	95.69	3	Horizontal	163	2.91	93	33.12	8.65	34.90
PK	5.864G	63.73	68.20	-4.47	55.71	3	Horizontal	163	2.91	93	33.96	8.87	34.81

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 89
80\106\76\91\84\87\88\89\90\89
6.65\ -12.69\6.44\ -0.11\4.90\2.55\2.78\1.60\ -0.76\1.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6496G	66.46	68.20	-1.74	59.74	3	Vertical	272	2.42	89	33.00	8.63	34.91			
PK	5.7456G	111.49	Inf	-Inf	104.03	3	Vertical	272	2.42	89	33.58	8.74	34.86			
AV	5.7822G	101.14	Inf	-Inf	93.47	3	Vertical	272	2.42	89	33.73	8.78	34.84			
PK	6.0744G	60.94	68.20	-7.26	52.42	3	Vertical	272	2.42	89	34.15	9.06	34.69			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
SET 89
89
3.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6454G	64.49	68.20	-3.71	57.79	3	Horizontal	158	2.27	89	32.99	8.62	34.91				
PK	5.7444G	110.21	Inf	-Inf	102.75	3	Horizontal	158	2.27	89	33.58	8.74	34.86				
AV	5.7498G	100.48	Inf	-Inf	93.00	3	Horizontal	158	2.27	89	33.60	8.74	34.86				
PK	5.958G	60.68	68.20	-7.52	52.26	3	Horizontal	158	2.27	89	34.20	8.98	34.76				

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 62
80\40\60\70\65\63\62
-17.69\3.40\1.49\7.08\1.03\0.18\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.121G	62.69	74.00	-11.31	56.55	3	Vertical	263	2.97	62	33.04	8.22	35.12			
AV	5.1462G	52.77	54.00	-1.23	46.56	3	Vertical	263	2.97	62	33.09	8.23	35.11			
PK	5.2302G	104.75	Inf	-Inf	98.51	3	Vertical	263	2.97	62	33.04	8.28	35.08			
AV	5.2212G	94.72	Inf	-Inf	88.47	3	Vertical	263	2.97	62	33.06	8.27	35.08			
PK	5.3562G	66.12	74.00	-7.88	59.87	3	Vertical	263	2.97	62	32.90	8.38	35.03			
AV	5.3718G	53.41	54.00	-0.59	47.14	3	Vertical	263	2.97	62	32.90	8.40	35.03			
PK	5.4834G	60.19	68.20	-8.01	53.73	3	Vertical	263	2.97	62	32.97	8.48	34.99			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
SET 62
62
0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1462G	63.21	74.00	-10.79	57.00	3	Horizontal	166	2.97	62	33.09	8.23	35.11				
AV	5.1462G	52.93	54.00	-1.07	46.72	3	Horizontal	166	2.97	62	33.09	8.23	35.11				
PK	5.325G	102.41	Inf	-Inf	96.19	3	Horizontal	166	2.97	62	32.90	8.36	35.04				
AV	5.3262G	92.49	Inf	-Inf	86.27	3	Horizontal	166	2.97	62	32.90	8.36	35.04				
PK	5.3514G	64.42	74.00	-9.58	58.17	3	Horizontal	166	2.97	62	32.90	8.38	35.03				
AV	5.3514G	53.15	54.00	-0.85	46.90	3	Horizontal	166	2.97	62	32.90	8.38	35.03				
PK	5.5368G	59.82	68.20	-8.38	53.26	3	Horizontal	166	2.97	62	33.00	8.52	34.96				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
SET 66
80\40\60\70\65\67\66
-13.02\3.89\2.69\2.67\1.04\2.75\0.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3462G	60.62	68.20	-7.58	54.39	3	Vertical	263	2.96	66	32.90	8.37	35.04			
PK	5.4554G	66.85	74.00	-7.15	60.48	3	Vertical	263	2.96	66	32.91	8.46	35.00			
AV	5.4512G	53.43	54.00	-0.57	47.07	3	Vertical	263	2.96	66	32.90	8.46	35.00			
PK	5.468G	66.88	68.20	-1.32	60.46	3	Vertical	263	2.96	66	32.94	8.47	34.99			
PK	5.5094G	105.27	Inf	-Inf	98.75	3	Vertical	263	2.96	66	33.00	8.50	34.98			
AV	5.51G	95.03	Inf	-Inf	88.51	3	Vertical	263	2.96	66	33.00	8.50	34.98			
PK	5.747G	63.10	68.20	-5.10	55.63	3	Vertical	263	2.96	66	33.59	8.74	34.86			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



EUT_Z_2TX
SET 66
66
1.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.2712G	59.73	68.20	-8.47	53.52	3	Horizontal	163	3.00	66	32.96	8.31	35.06					
PK	5.46G	62.93	74.00	-11.07	56.54	3	Horizontal	163	3.00	66	32.92	8.46	34.99					
AV	5.4512G	52.34	54.00	-1.66	45.98	3	Horizontal	163	3.00	66	32.90	8.46	35.00					
PK	5.4662G	66.62	68.20	-1.58	60.21	3	Horizontal	163	3.00	66	32.93	8.47	34.99					
PK	5.5526G	102.60	Inf	-Inf	96.03	3	Horizontal	163	3.00	66	32.99	8.53	34.95					
AV	5.5412G	94.35	Inf	-Inf	87.78	3	Horizontal	163	3.00	66	33.00	8.53	34.96					
PK	5.726G	64.18	68.20	-4.02	56.84	3	Horizontal	163	3.00	66	33.50	8.71	34.87					




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.3568G	73.96	74.00	-0.04	3	Vertical	22	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	73.57	74.00	-0.43	77.05	3	Vertical	18	1.61	-	32.09	8.28	43.85			
AV	5.1412G	51.39	54.00	-2.61	54.91	3	Vertical	18	1.61	-	32.05	8.28	43.85			
PK	5.24G	107.24	Inf	-Inf	111.18	3	Vertical	18	1.61	-	31.56	8.32	43.82			
AV	5.242G	94.44	Inf	-Inf	98.39	3	Vertical	18	1.61	-	31.55	8.32	43.82			
PK	5.3568G	55.51	74.00	-18.49	59.51	3	Vertical	18	1.61	-	31.40	8.39	43.79			
AV	5.3704G	43.85	54.00	-10.15	47.84	3	Vertical	18	1.61	-	31.40	8.39	43.78			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	68.58	74.00	-5.42	72.10	3	Horizontal	353	1.80	-	32.05	8.28	43.85
AV	5.1412G	47.92	54.00	-6.08	51.44	3	Horizontal	353	1.80	-	32.05	8.28	43.85
PK	5.176G	102.23	Inf	-Inf	105.84	3	Horizontal	353	1.80	-	31.94	8.29	43.84
AV	5.2404G	90.09	Inf	-Inf	94.03	3	Horizontal	353	1.80	-	31.56	8.32	43.82
PK	5.3724G	55.14	74.00	-18.86	59.13	3	Horizontal	353	1.80	-	31.40	8.39	43.78
AV	5.3712G	43.42	54.00	-10.58	47.41	3	Horizontal	353	1.80	-	31.40	8.39	43.78

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Z_1TX
Setting 108
04-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5162G	56.68	68.20	-11.52	48.42	3	Vertical	167	1.75	-	39.37	12.47	43.58				
PK	15.7166G	59.91	74.00	-14.09	49.56	3	Vertical	84	2.40	-	37.63	15.86	43.14				
AV	15.723G	48.45	54.00	-5.55	38.08	3	Vertical	84	2.40	-	37.65	15.86	43.14				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT_Z_1TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.375G	56.64	68.20	-11.56	48.56	3	Horizontal	347	2.70	-	39.15	12.37	43.44			
PK	15.6846G	59.64	74.00	-14.36	49.37	3	Horizontal	257	1.88	-	37.54	15.86	43.13			
AV	15.7232G	48.20	54.00	-5.80	37.83	3	Horizontal	257	1.88	-	37.65	15.86	43.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT_Z_1TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.8187G	45.86	83.54	-37.68	39.79	1	Vertical	353	1.92	-	37.60	17.37	48.90			
AV	20.8565G	34.41	63.54	-29.13	28.28	1	Vertical	353	1.92	-	37.63	17.40	48.90			
PK	26.05G	47.86	77.74	-29.88	37.27	1	Vertical	102	1.93	-	38.70	19.38	47.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT_Z_1TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.82836G	45.28	83.54	-38.26	39.21	1	Vertical	279	1.45	-	37.60	17.37	48.90			
AV	20.86454G	34.42	63.54	-29.12	28.25	1	Vertical	279	1.45	-	37.66	17.41	48.90			
PK	26.0776G	48.95	77.74	-28.79	38.17	1	Horizontal	301	2.59	-	38.87	19.39	47.48			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




EUT_Y_1TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	60.10	74.00	-13.90	63.61	3	Vertical	338	1.80	-	32.06	8.28	43.85			
AV	5.144G	45.62	54.00	-8.38	49.13	3	Vertical	338	1.80	-	32.06	8.28	43.85			
PK	5.2612G	107.84	Inf	-Inf	111.87	3	Vertical	338	1.80	-	31.46	8.33	43.82			
AV	5.262G	94.94	Inf	-Inf	98.98	3	Vertical	338	1.80	-	31.45	8.33	43.82			
PK	5.3532G	73.72	74.00	-0.28	77.73	3	Vertical	338	1.80	-	31.40	8.38	43.79			
AV	5.3552G	52.24	54.00	-1.76	56.24	3	Vertical	338	1.80	-	31.40	8.39	43.79			
PK	5.478G	57.08	68.20	-11.12	60.60	3	Vertical	338	1.80	-	31.76	8.47	43.75			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




EUT_Y_1TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1188G	56.87	74.00	-17.13	60.54	3	Horizontal	332	2.82	-	31.91	8.28	43.86			
AV	5.1364G	44.72	54.00	-9.28	48.28	3	Horizontal	332	2.82	-	32.02	8.28	43.86			
PK	5.2616G	102.53	Inf	-Inf	106.57	3	Horizontal	332	2.82	-	31.45	8.33	43.82			
AV	5.262G	90.37	Inf	-Inf	94.41	3	Horizontal	332	2.82	-	31.45	8.33	43.82			
PK	5.354G	68.13	74.00	-5.87	72.14	3	Horizontal	332	2.82	-	31.40	8.38	43.79			
AV	5.3552G	48.28	54.00	-5.72	52.28	3	Horizontal	332	2.82	-	31.40	8.39	43.79			
PK	5.4788G	55.62	68.20	-12.58	59.14	3	Horizontal	332	2.82	-	31.76	8.47	43.75			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5290MHz_TX

EUT_Z_1TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6234G	52.37	74.00	-21.63	44.05	3	Vertical	98	1.80	-	39.35	12.55	43.58			
AV	10.6021G	44.79	54.00	-9.21	36.53	3	Vertical	98	1.80	-	39.30	12.54	43.58			
PK	15.8708G	58.38	74.00	-15.62	48.14	3	Vertical	181	1.83	-	37.54	15.89	43.19			
AV	15.8603G	46.71	54.00	-7.29	36.49	3	Vertical	181	1.83	-	37.52	15.89	43.19			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5290MHz_TX

EUT_Z_1TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6057G	55.04	74.00	-18.96	46.77	3	Horizontal	98	1.80	-	39.31	12.54	43.58			
AV	10.6251G	45.58	54.00	-8.42	37.27	3	Horizontal	98	1.80	-	39.35	12.55	43.59			
PK	15.8306G	58.20	74.00	-15.80	48.03	3	Horizontal	352	1.86	-	37.46	15.89	43.18			
AV	15.825G	46.31	54.00	-7.69	36.16	3	Horizontal	352	1.86	-	37.45	15.88	43.18			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5290MHz_TX

EUT_Z_1TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.15826G	46.19	83.54	-37.35	39.79	1	Vertical	227	1.98	-	37.77	17.47	48.84			
AV	21.14248G	35.11	63.54	-28.43	28.69	1	Vertical	227	1.98	-	37.78	17.48	48.84			
PK	26.46602G	47.96	77.74	-29.78	36.65	1	Vertical	346	2.11	-	39.30	19.42	47.41			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5290MHz_TX

EUT_Z_1TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.14236G	45.41	83.54	-38.13	38.99	1	Horizontal	25	1.05	-	37.78	17.48	48.84			
AV	21.14518G	34.77	63.54	-28.77	28.34	1	Horizontal	25	1.05	-	37.79	17.48	48.84			
PK	26.44256G	46.88	77.74	-30.86	35.66	1	Horizontal	312	1.50	-	39.21	19.42	47.41			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT Y_2TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	73.83	74.00	-0.17	77.32	3	Vertical	345	1.80	-	32.08	8.28	43.85
AV	5.1412G	51.50	54.00	-2.50	55.02	3	Vertical	345	1.80	-	32.05	8.28	43.85
PK	5.2404G	108.61	Inf	-Inf	112.55	3	Vertical	345	1.80	-	31.56	8.32	43.82
AV	5.246G	97.14	Inf	-Inf	101.11	3	Vertical	345	1.80	-	31.52	8.33	43.82
PK	5.3964G	55.23	74.00	-18.77	59.19	3	Vertical	345	1.80	-	31.40	8.41	43.77
AV	5.3572G	43.72	54.00	-10.28	47.72	3	Vertical	345	1.80	-	31.40	8.39	43.79

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT Y_2TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	73.03	74.00	-0.97	76.51	3	Horizontal	41	1.80	-	32.09	8.28	43.85
AV	5.1364G	50.23	54.00	-3.77	53.79	3	Horizontal	41	1.80	-	32.02	8.28	43.86
PK	5.2396G	107.18	Inf	-Inf	111.12	3	Horizontal	41	1.80	-	31.56	8.32	43.82
AV	5.2392G	95.27	Inf	-Inf	99.21	3	Horizontal	41	1.80	-	31.56	8.32	43.82
PK	5.3716G	55.28	74.00	-18.72	59.27	3	Horizontal	41	1.80	-	31.40	8.39	43.78
AV	5.368G	43.58	54.00	-10.42	47.57	3	Horizontal	41	1.80	-	31.40	8.39	43.78

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3867G	58.48	68.20	-9.72	50.38	3	Vertical	336	1.80	-	39.17	12.38	43.45			
PK	15.6814G	60.42	74.00	-13.58	50.17	3	Vertical	250	1.80	-	37.53	15.85	43.13			
AV	15.7272G	48.68	54.00	-5.32	38.31	3	Vertical	250	1.80	-	37.65	15.86	43.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3964G	57.31	68.20	-10.89	49.20	3	Horizontal	235	1.80	-	39.19	12.38	43.46			
PK	15.7154G	60.96	74.00	-13.04	50.61	3	Horizontal	151	2.87	-	37.63	15.86	43.14			
AV	15.7202G	48.74	54.00	-5.26	38.38	3	Horizontal	151	2.87	-	37.64	15.86	43.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.75485G	55.88	83.54	-27.66	49.69	1	Vertical	165	1.80	-	37.78	17.31	48.90			
AV	20.78205G	44.72	63.54	-18.82	38.62	1	Vertical	165	1.80	-	37.67	17.33	48.90			
PK	25.98925G	53.64	77.74	-24.10	43.22	1	Vertical	137	1.59	-	38.54	19.38	47.50			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77902G	53.15	83.54	-30.39	47.04	1	Horizontal	194	1.80	-	37.68	17.33	48.90			
AV	20.80862G	42.43	63.54	-21.11	36.37	1	Horizontal	194	1.80	-	37.60	17.36	48.90			
PK	26.03845G	53.68	77.74	-24.06	43.14	1	Horizontal	160	1.56	-	38.65	19.38	47.49			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Y_2TX
Setting 61
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.102G	56.92	74.00	-17.08	60.71	3	Vertical	22	1.80	-	31.81	8.27	43.87			
AV	5.1492G	45.38	54.00	-8.62	48.85	3	Vertical	22	1.80	-	32.10	8.28	43.85			
PK	5.2636G	108.53	Inf	-Inf	112.57	3	Vertical	22	1.80	-	31.45	8.33	43.82			
AV	5.2636G	96.66	Inf	-Inf	100.70	3	Vertical	22	1.80	-	31.45	8.33	43.82			
PK	5.3568G	73.96	74.00	-0.04	77.96	3	Vertical	22	1.80	-	31.40	8.39	43.79			
AV	5.3612G	52.50	54.00	-1.50	56.49	3	Vertical	22	1.80	-	31.40	8.39	43.78			
PK	5.468G	55.48	68.20	-12.72	59.03	3	Vertical	22	1.80	-	31.74	8.46	43.75			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_Y_2TX
Setting 61
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	57.45	74.00	-16.55	60.95	3	Horizontal	27	1.80	-	32.07	8.28	43.85
AV	5.146G	45.31	54.00	-8.69	48.80	3	Horizontal	27	1.80	-	32.08	8.28	43.85
PK	5.268G	107.59	Inf	-Inf	111.63	3	Horizontal	27	1.80	-	31.43	8.34	43.81
AV	5.2636G	96.30	Inf	-Inf	100.34	3	Horizontal	27	1.80	-	31.45	8.33	43.82
PK	5.3564G	73.45	74.00	-0.55	77.45	3	Horizontal	27	1.80	-	31.40	8.39	43.79
AV	5.3612G	51.66	54.00	-2.34	55.65	3	Horizontal	27	1.80	-	31.40	8.39	43.78
PK	5.4768G	55.70	68.20	-12.50	59.23	3	Horizontal	27	1.80	-	31.75	8.47	43.75

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.603G	58.03	74.00	-15.97	49.76	3	Vertical	36	1.80	-	39.31	12.54	43.58			
AV	10.6056G	45.41	54.00	-8.59	37.14	3	Vertical	36	1.80	-	39.31	12.54	43.58			
PK	15.9128G	58.84	74.00	-15.16	48.65	3	Vertical	360	2.98	-	37.50	15.90	43.21			
AV	15.85G	46.63	54.00	-7.37	36.43	3	Vertical	360	2.98	-	37.50	15.89	43.19			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
Setting 108
04-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5374G	52.33	68.20	-15.87	44.09	3	Horizontal	98	1.80	-	39.33	12.49	43.58			
AV	10.6198G	45.46	54.00	-8.54	37.15	3	Horizontal	98	1.80	-	39.34	12.55	43.58			
PK	15.8619G	58.99	74.00	-15.01	48.77	3	Horizontal	360	1.34	-	37.52	15.89	43.19			
AV	15.866G	46.66	54.00	-7.34	36.43	3	Horizontal	360	1.34	-	37.53	15.89	43.19			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.16306G	52.73	83.54	-30.81	46.34	1	Vertical	332	1.78	-	37.75	17.47	48.83			
AV	21.1681G	41.72	63.54	-21.82	35.35	1	Vertical	332	1.78	-	37.73	17.47	48.83			
PK	26.47262G	55.68	77.74	-22.06	44.33	1	Vertical	174	1.80	-	39.34	19.42	47.41			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.17998G	52.54	83.54	-31.00	46.23	1	Horizontal	179	1.84	-	37.68	17.46	48.83			
AV	21.17512G	40.76	63.54	-22.78	34.42	1	Horizontal	179	1.84	-	37.70	17.47	48.83			
PK	26.47982G	59.66	77.74	-18.08	48.26	1	Horizontal	163	1.63	-	39.38	19.42	47.40			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.141G	73.96	74.00	-0.04	3	Vertical	265	2.88	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT_Z_1TX
Setting 65
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1425G	73.59	74.00	-0.41	77.11	3	Vertical	265	2.88	-	32.05	8.28	43.85
AV	5.147G	49.94	54.00	-4.06	53.43	3	Vertical	265	2.88	-	32.08	8.28	43.85
PK	5.197G	105.68	Inf	-Inf	109.40	3	Vertical	265	2.88	-	31.82	8.30	43.84
AV	5.2005G	94.13	Inf	-Inf	97.87	3	Vertical	265	2.88	-	31.80	8.30	43.84
PK	5.3525G	56.75	74.00	-17.25	60.76	3	Vertical	265	2.88	-	31.40	8.38	43.79
AV	5.454G	44.11	54.00	-9.89	47.70	3	Vertical	265	2.88	-	31.71	8.45	43.75

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT_Z_1TX
Setting 65
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1385G	61.32	74.00	-12.68	64.87	3	Horizontal	273	1.80	-	32.03	8.28	43.86			
AV	5.1395G	45.16	54.00	-8.84	48.70	3	Horizontal	273	1.80	-	32.04	8.28	43.86			
PK	5.2415G	94.06	Inf	-Inf	98.01	3	Horizontal	273	1.80	-	31.55	8.32	43.82			
AV	5.2385G	81.47	Inf	-Inf	85.40	3	Horizontal	273	1.80	-	31.57	8.32	43.82			
PK	5.4305G	54.95	74.00	-19.05	58.70	3	Horizontal	273	1.80	-	31.58	8.43	43.76			
AV	5.4265G	43.85	54.00	-10.15	47.62	3	Horizontal	273	1.80	-	31.56	8.43	43.76			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5290MHz_TX

EUT_Z_1TX
Setting 61
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.104G	56.33	74.00	-17.67	60.11	3	Vertical	265	2.96	-	31.82	8.27	43.87			
AV	5.1375G	44.71	54.00	-9.29	48.27	3	Vertical	265	2.96	-	32.02	8.28	43.86			
PK	5.2595G	104.34	Inf	-Inf	108.37	3	Vertical	265	2.96	-	31.46	8.33	43.82			
AV	5.262G	92.35	Inf	-Inf	96.39	3	Vertical	265	2.96	-	31.45	8.33	43.82			
PK	5.354G	73.36	74.00	-0.64	77.37	3	Vertical	265	2.96	-	31.40	8.38	43.79			
AV	5.354G	49.42	54.00	-4.58	53.43	3	Vertical	265	2.96	-	31.40	8.38	43.79			
PK	5.4765G	56.10	68.20	-12.10	59.63	3	Vertical	265	2.96	-	31.75	8.47	43.75			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




EUT_Z_1TX
Setting 61
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0945G	56.56	74.00	-17.44	60.39	3	Horizontal	270	2.92	-	31.77	8.27	43.87
AV	5.123G	44.21	54.00	-9.79	47.85	3	Horizontal	270	2.92	-	31.94	8.28	43.86
PK	5.262G	94.50	Inf	-Inf	98.54	3	Horizontal	270	2.92	-	31.45	8.33	43.82
AV	5.3025G	82.06	Inf	-Inf	86.19	3	Horizontal	270	2.92	-	31.31	8.36	43.80
PK	5.3565G	63.29	74.00	-10.71	67.29	3	Horizontal	270	2.92	-	31.40	8.39	43.79
AV	5.354G	44.80	54.00	-9.20	48.81	3	Horizontal	270	2.92	-	31.40	8.38	43.79
PK	5.5375G	55.25	68.20	-12.95	58.72	3	Horizontal	270	2.92	-	31.73	8.51	43.71

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5530MHz_TX

EUT_Z_1TX
Setting 60
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3035G	55.34	68.20	-12.86	59.47	3	Vertical	187	2.97	-	31.31	8.36	43.80
PK	5.4595G	67.74	74.00	-6.26	71.32	3	Vertical	187	2.97	-	31.72	8.45	43.75
AV	5.457G	46.82	54.00	-7.18	50.41	3	Vertical	187	2.97	-	31.71	8.45	43.75
PK	5.461G	67.90	68.20	-0.30	71.47	3	Vertical	187	2.97	-	31.72	8.46	43.75
PK	5.501G	105.78	Inf	-Inf	109.23	3	Vertical	187	2.97	-	31.80	8.49	43.74
AV	5.514G	93.82	Inf	-Inf	97.28	3	Vertical	187	2.97	-	31.77	8.50	43.73
PK	5.728G	58.00	68.20	-10.20	60.96	3	Vertical	187	2.97	-	32.00	8.60	43.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Z_1TX
Setting 60
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3475G	54.09	68.20	-14.11	58.11	3	Horizontal	106	2.60	-	31.39	8.38	43.79
PK	5.4595G	59.67	74.00	-14.33	63.25	3	Horizontal	106	2.60	-	31.72	8.45	43.75
AV	5.4565G	44.39	54.00	-9.61	47.98	3	Horizontal	106	2.60	-	31.71	8.45	43.75
PK	5.4635G	59.83	68.20	-8.37	63.39	3	Horizontal	106	2.60	-	31.73	8.46	43.75
PK	5.5515G	95.93	Inf	-Inf	99.41	3	Horizontal	106	2.60	-	31.70	8.52	43.70
AV	5.561G	84.20	Inf	-Inf	87.68	3	Horizontal	106	2.60	-	31.68	8.53	43.69
PK	5.768G	56.58	68.20	-11.62	59.46	3	Horizontal	106	2.60	-	32.04	8.61	43.53

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5610MHz_TX

EUT_Z_1TX
Setting 70
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	58.27	74.00	-15.73	61.84	3	Vertical	187	2.97	-	31.72	8.46	43.75			
AV	5.4585G	45.68	54.00	-8.32	49.26	3	Vertical	187	2.97	-	31.72	8.45	43.75			
PK	5.4695G	59.33	68.20	-8.87	62.88	3	Vertical	187	2.97	-	31.74	8.46	43.75			
PK	5.616G	110.00	Inf	-Inf	113.43	3	Vertical	187	2.97	-	31.66	8.56	43.65			
AV	5.615G	96.90	Inf	-Inf	100.33	3	Vertical	187	2.97	-	31.66	8.56	43.65			
PK	5.73G	67.79	68.20	-0.41	70.75	3	Vertical	187	2.97	-	32.00	8.60	43.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




EUT_Z_1TX
Setting 70
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3815G	55.31	74.00	-18.69	59.29	3	Horizontal	106	2.60	-	31.40	8.40	43.78
PK	5.464G	54.96	68.20	-13.24	58.52	3	Horizontal	106	2.60	-	31.73	8.46	43.75
AV	5.459G	43.89	54.00	-10.11	47.47	3	Horizontal	106	2.60	-	31.72	8.45	43.75
PK	5.6205G	101.02	Inf	-Inf	104.41	3	Horizontal	106	2.60	-	31.68	8.57	43.64
AV	5.6255G	89.11	Inf	-Inf	92.48	3	Horizontal	106	2.60	-	31.70	8.57	43.64
PK	5.7275G	60.40	68.20	-7.80	63.36	3	Horizontal	106	2.60	-	32.00	8.60	43.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 87
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4425G	64.60	74.00	-9.40	54.67	3	Vertical	190	3.00	-	32.70	9.74	32.51			
PK	5.4695G	65.59	68.20	-2.61	55.57	3	Vertical	190	3.00	-	32.74	9.79	32.51			
AV	5.459G	52.78	54.00	-1.22	42.80	3	Vertical	190	3.00	-	32.72	9.77	32.51			
PK	5.6615G	113.84	Inf	-Inf	103.37	3	Vertical	190	3.00	-	32.97	10.02	32.52			
AV	5.6605G	103.62	Inf	-Inf	93.16	3	Vertical	190	3.00	-	32.96	10.02	32.52			
PK	5.851G	65.99	68.20	-2.21	54.58	3	Vertical	190	3.00	-	33.90	10.05	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 87
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4525G	59.91	74.00	-14.09	49.95	3	Horizontal	111	3.00	-	32.71	9.76	32.51			
PK	5.466G	59.92	68.20	-8.28	49.92	3	Horizontal	111	3.00	-	32.73	9.78	32.51			
AV	5.4595G	49.68	54.00	-4.32	39.70	3	Horizontal	111	3.00	-	32.72	9.77	32.51			
PK	5.6985G	103.43	Inf	-Inf	92.74	3	Horizontal	111	3.00	-	33.19	10.02	32.52			
AV	5.6935G	92.88	Inf	-Inf	82.22	3	Horizontal	111	3.00	-	33.16	10.02	32.52			
PK	5.85G	63.35	68.20	-4.85	51.93	3	Horizontal	111	3.00	-	33.90	10.05	32.53			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Z_1TX
Setting 78
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	67.62	68.20	-0.58	57.23	3	Vertical	280	3.00	-	32.88	10.02	32.51			
PK	5.7605G	111.50	Inf	-Inf	100.56	3	Vertical	280	3.00	-	33.46	10.01	32.53			
AV	5.763G	99.64	Inf	-Inf	88.68	3	Vertical	280	3.00	-	33.48	10.01	32.53			
PK	6.01G	62.76	68.20	-5.44	51.01	3	Vertical	280	3.00	-	34.10	10.20	32.55			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5775MHz_TX

EUT_Z_1TX
Setting 78
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	62.51	68.20	-5.69	52.12	3	Horizontal	63	2.98	-	32.88	10.02	32.51			
PK	5.761G	104.17	Inf	-Inf	93.22	3	Horizontal	63	2.98	-	33.47	10.01	32.53			
AV	5.761G	93.75	Inf	-Inf	82.80	3	Horizontal	63	2.98	-	33.47	10.01	32.53			
PK	5.9535G	62.58	68.20	-5.62	50.88	3	Horizontal	63	2.98	-	34.10	10.15	32.55			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_1TX
Setting 61
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1332G	62.17	74.00	-11.83	52.03	3	Vertical	266	2.97	-	33.03	9.71	32.60			
AV	5.1476G	51.26	54.00	-2.74	41.05	3	Vertical	266	2.97	-	33.09	9.71	32.59			
PK	5.258G	104.73	Inf	-Inf	94.69	3	Vertical	266	2.97	-	32.88	9.72	32.56			
AV	5.2716G	92.95	Inf	-Inf	82.94	3	Vertical	266	2.97	-	32.86	9.71	32.56			
PK	5.3508G	70.17	74.00	-3.83	60.23	3	Vertical	266	2.97	-	32.80	9.68	32.54			
AV	5.3964G	53.65	54.00	-0.35	43.81	3	Vertical	266	2.97	-	32.71	9.66	32.53			
PK	5.494G	61.04	68.20	-7.16	50.92	3	Vertical	266	2.97	-	32.79	9.83	32.50			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_1TX
Setting 61
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0932G	58.91	74.00	-15.09	48.93	3	Horizontal	49	3.00	-	32.90	9.69	32.61			
AV	5.1452G	49.27	54.00	-4.73	39.07	3	Horizontal	49	3.00	-	33.08	9.71	32.59			
PK	5.306G	94.18	Inf	-Inf	84.23	3	Horizontal	49	3.00	-	32.80	9.70	32.55			
AV	5.2764G	84.52	Inf	-Inf	74.52	3	Horizontal	49	3.00	-	32.85	9.71	32.56			
PK	5.35G	63.09	74.00	-10.91	53.15	3	Horizontal	49	3.00	-	32.80	9.68	32.54			
PK	5.4692G	59.80	68.20	-8.40	49.78	3	Horizontal	49	3.00	-	32.74	9.79	32.51			
AV	5.4148G	50.52	54.00	-3.48	40.65	3	Horizontal	49	3.00	-	32.70	9.69	32.52			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_1TX
Setting 57
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0676G	59.63	74.00	-14.37	49.67	3	Vertical	263	3.00	-	32.90	9.67	32.61			
AV	5.1316G	49.80	54.00	-4.20	39.66	3	Vertical	263	3.00	-	33.03	9.71	32.60			
PK	5.2156G	104.62	Inf	-Inf	94.49	3	Vertical	263	3.00	-	32.97	9.73	32.57			
AV	5.2252G	93.09	Inf	-Inf	82.98	3	Vertical	263	3.00	-	32.95	9.73	32.57			
PK	5.3516G	71.20	74.00	-2.80	61.26	3	Vertical	263	3.00	-	32.80	9.68	32.54			
AV	5.3548G	53.85	54.00	-0.15	43.92	3	Vertical	263	3.00	-	32.79	9.68	32.54			
PK	5.5932G	59.83	68.20	-8.37	49.62	3	Vertical	263	3.00	-	32.70	10.02	32.51			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_1TX
Setting 57
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.0676G	59.97	74.00	-14.03	50.01	3	Horizontal	57	2.98	-	32.90	9.67	32.61					
AV	5.1044G	49.28	54.00	-4.72	39.27	3	Horizontal	57	2.98	-	32.92	9.69	32.60					
PK	5.326G	94.89	Inf	-Inf	84.95	3	Horizontal	57	2.98	-	32.80	9.69	32.55					
AV	5.3268G	84.08	Inf	-Inf	74.14	3	Horizontal	57	2.98	-	32.80	9.69	32.55					
PK	5.3548G	65.27	74.00	-8.73	55.34	3	Horizontal	57	2.98	-	32.79	9.68	32.54					
AV	5.3532G	50.38	54.00	-3.62	40.45	3	Horizontal	57	2.98	-	32.79	9.68	32.54					
PK	5.4604G	60.04	68.20	-8.16	50.06	3	Horizontal	57	2.98	-	32.72	9.77	32.51					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX

5570MHz_TX




EUT_Z_1TX
Setting 63
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3252G	60.18	68.20	-8.02	50.24	3	Vertical	262	3.00	-	32.80	9.69	32.55				
AV	5.35G	49.23	54.00	-4.77	39.29	3	Vertical	262	3.00	-	32.80	9.68	32.54				
PK	5.4588G	65.28	74.00	-8.72	55.30	3	Vertical	262	3.00	-	32.72	9.77	32.51				
AV	5.4588G	51.86	54.00	-2.14	41.88	3	Vertical	262	3.00	-	32.72	9.77	32.51				
PK	5.4652G	68.04	68.20	-0.16	58.04	3	Vertical	262	3.00	-	32.73	9.78	32.51				
PK	5.5388G	103.66	Inf	-Inf	93.52	3	Vertical	262	3.00	-	32.72	9.92	32.50				
AV	5.5116G	92.86	Inf	-Inf	82.71	3	Vertical	262	3.00	-	32.78	9.87	32.50				
PK	5.7556G	62.25	68.20	-5.95	51.34	3	Vertical	262	3.00	-	33.43	10.01	32.53				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX

5570MHz_TX




EUT_Z_1TX
Setting 63
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	59.97	68.20	-8.23	50.03	3	Horizontal	111	3.00	-	32.80	9.69	32.55
AV	5.35G	48.82	54.00	-5.18	38.88	3	Horizontal	111	3.00	-	32.80	9.68	32.54
PK	5.4244G	59.68	74.00	-14.32	49.79	3	Horizontal	111	3.00	-	32.70	9.71	32.52
PK	5.4652G	59.98	68.20	-8.22	49.98	3	Horizontal	111	3.00	-	32.73	9.78	32.51
AV	5.454G	49.67	54.00	-4.33	39.71	3	Horizontal	111	3.00	-	32.71	9.76	32.51
PK	5.5044G	94.49	Inf	-Inf	84.35	3	Horizontal	111	3.00	-	32.79	9.85	32.50
AV	5.5996G	83.67	Inf	-Inf	73.45	3	Horizontal	111	3.00	-	32.70	10.03	32.51
PK	5.8764G	62.50	68.20	-5.70	50.96	3	Horizontal	111	3.00	-	34.01	10.07	32.54

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Z_1TX
Setting 60
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2796G	62.33	68.20	-5.87	52.34	3	Vertical	263	2.97	-	32.84	9.71	32.56			
AV	5.35G	48.39	54.00	-5.61	38.45	3	Vertical	263	2.97	-	32.80	9.68	32.54			
PK	5.4572G	62.79	74.00	-11.21	52.82	3	Vertical	263	2.97	-	32.71	9.77	32.51			
AV	5.402G	50.58	54.00	-3.42	40.75	3	Vertical	263	2.97	-	32.70	9.66	32.53			
PK	5.47G	65.95	68.20	-2.25	55.93	3	Vertical	263	2.97	-	32.74	9.79	32.51			
PK	5.5084G	102.94	Inf	-Inf	92.80	3	Vertical	263	2.97	-	32.78	9.86	32.50			
AV	5.494G	92.30	Inf	-Inf	82.18	3	Vertical	263	2.97	-	32.79	9.83	32.50			
PK	5.734G	67.98	68.20	-0.22	57.15	3	Vertical	263	2.97	-	33.34	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Z_1TX
Setting 60
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2996G	59.80	68.20	-8.40	49.85	3	Horizontal	108	3.00	-	32.80	9.70	32.55			
AV	5.35G	48.61	54.00	-5.39	38.67	3	Horizontal	108	3.00	-	32.80	9.68	32.54			
PK	5.4148G	59.72	74.00	-14.28	49.85	3	Horizontal	108	3.00	-	32.70	9.69	32.52			
PK	5.4636G	61.95	68.20	-6.25	51.95	3	Horizontal	108	3.00	-	32.73	9.78	32.51			
AV	5.4444G	49.82	54.00	-4.18	39.89	3	Horizontal	108	3.00	-	32.70	9.74	32.51			
PK	5.6092G	95.39	Inf	-Inf	85.13	3	Horizontal	108	3.00	-	32.74	10.03	32.51			
AV	5.594G	84.28	Inf	-Inf	74.07	3	Horizontal	108	3.00	-	32.70	10.02	32.51			
PK	5.7444G	63.17	68.20	-5.03	52.30	3	Horizontal	108	3.00	-	33.38	10.01	32.52			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	73.96	74.00	-0.04	77.48	3	Vertical	265	2.88	-	32.05	8.28	43.85			
AV	5.141G	50.38	54.00	-3.62	53.90	3	Vertical	265	2.88	-	32.05	8.28	43.85			
PK	5.191G	105.97	Inf	-Inf	109.66	3	Vertical	265	2.88	-	31.85	8.30	43.84			
AV	5.2005G	95.00	Inf	-Inf	98.74	3	Vertical	265	2.88	-	31.80	8.30	43.84			
PK	5.3515G	56.56	74.00	-17.44	60.57	3	Vertical	265	2.88	-	31.40	8.38	43.79			
AV	5.4595G	44.06	54.00	-9.94	47.64	3	Vertical	265	2.88	-	31.72	8.45	43.75			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 64
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1425G	72.38	74.00	-1.62	75.90	3	Horizontal	158	2.97	-	32.05	8.28	43.85
AV	5.1465G	48.88	54.00	-5.12	52.37	3	Horizontal	158	2.97	-	32.08	8.28	43.85
PK	5.203G	104.76	Inf	-Inf	108.52	3	Horizontal	158	2.97	-	31.78	8.30	43.84
AV	5.198G	93.36	Inf	-Inf	97.09	3	Horizontal	158	2.97	-	31.81	8.30	43.84
PK	5.355G	56.35	74.00	-17.65	60.35	3	Horizontal	158	2.97	-	31.40	8.39	43.79
AV	5.422G	44.02	54.00	-9.98	47.82	3	Horizontal	158	2.97	-	31.53	8.43	43.76

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4201G	53.33	68.20	-14.87	67.42	3	Vertical	322	1.80	-	38.54	14.15	66.78			
PK	15.62916G	57.02	74.00	-16.98	67.82	3	Vertical	271	1.80	-	37.78	15.36	63.94			
AV	15.63225G	45.98	54.00	-8.02	56.79	3	Vertical	271	1.80	-	37.77	15.36	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41781G	53.17	68.20	-15.03	67.26	3	Horizontal	344	1.74	-	38.54	14.15	66.78			
PK	15.63014G	56.27	74.00	-17.73	67.07	3	Horizontal	337	2.34	-	37.78	15.36	63.94			
AV	15.62926G	45.92	54.00	-8.08	56.72	3	Horizontal	337	2.34	-	37.78	15.36	63.94			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_Z_2TX
Setting 60
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	56.63	74.00	-17.37	60.14	3	Vertical	264	2.94	-	32.06	8.28	43.85
AV	5.132G	44.77	54.00	-9.23	48.36	3	Vertical	264	2.94	-	31.99	8.28	43.86
PK	5.298G	104.85	Inf	-Inf	108.99	3	Vertical	264	2.94	-	31.31	8.35	43.80
AV	5.3005G	93.33	Inf	-Inf	97.47	3	Vertical	264	2.94	-	31.30	8.36	43.80
PK	5.3515G	73.86	74.00	-0.14	77.87	3	Vertical	264	2.94	-	31.40	8.38	43.79
AV	5.3615G	49.59	54.00	-4.41	53.58	3	Vertical	264	2.94	-	31.40	8.39	43.78
PK	5.476G	55.82	68.20	-12.38	59.35	3	Vertical	264	2.94	-	31.75	8.47	43.75

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
Setting 60
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1405G	56.05	74.00	-17.95	59.59	3	Horizontal	163	3.00	-	32.04	8.28	43.86
AV	5.144G	44.28	54.00	-9.72	47.79	3	Horizontal	163	3.00	-	32.06	8.28	43.85
PK	5.263G	102.37	Inf	-Inf	106.41	3	Horizontal	163	3.00	-	31.45	8.33	43.82
AV	5.268G	91.58	Inf	-Inf	95.62	3	Horizontal	163	3.00	-	31.43	8.34	43.81
PK	5.356G	73.47	74.00	-0.53	77.47	3	Horizontal	163	3.00	-	31.40	8.39	43.79
AV	5.3615G	49.12	54.00	-4.88	53.11	3	Horizontal	163	3.00	-	31.40	8.39	43.78
PK	5.5265G	56.63	68.20	-11.57	60.10	3	Horizontal	163	3.00	-	31.75	8.50	43.72

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57919G	54.57	68.20	-13.63	68.08	3	Vertical	308	2.21	-	38.83	14.24	66.58			
PK	15.86842G	56.27	74.00	-17.73	67.35	3	Vertical	33	2.81	-	37.51	15.37	63.96			
AV	15.86832G	45.91	54.00	-8.09	56.99	3	Vertical	33	2.81	-	37.51	15.37	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58236G	53.77	68.20	-14.43	67.25	3	Horizontal	46	1.29	-	38.86	14.24	66.58			
PK	15.872G	56.44	74.00	-17.56	67.50	3	Horizontal	220	2.19	-	37.53	15.37	63.96			
AV	15.87112G	45.79	54.00	-8.21	56.85	3	Horizontal	220	2.19	-	37.53	15.37	63.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 59
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2815G	55.25	68.20	-12.95	59.35	3	Vertical	183	3.00	-	31.37	8.34	43.81
PK	5.4565G	67.33	74.00	-6.67	70.92	3	Vertical	183	3.00	-	31.71	8.45	43.75
AV	5.4555G	47.01	54.00	-6.99	50.60	3	Vertical	183	3.00	-	31.71	8.45	43.75
PK	5.4625G	67.55	68.20	-0.65	71.11	3	Vertical	183	3.00	-	31.73	8.46	43.75
PK	5.5055G	105.32	Inf	-Inf	108.78	3	Vertical	183	3.00	-	31.79	8.49	43.74
AV	5.501G	93.91	Inf	-Inf	97.36	3	Vertical	183	3.00	-	31.80	8.49	43.74
PK	5.772G	56.39	68.20	-11.81	59.26	3	Vertical	183	3.00	-	32.04	8.61	43.52

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 59
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.309G	54.47	68.20	-13.73	58.59	3	Horizontal	162	2.99	-	31.32	8.36	43.80			
PK	5.4555G	64.39	74.00	-9.61	67.98	3	Horizontal	162	2.99	-	31.71	8.45	43.75			
AV	5.4555G	46.15	54.00	-7.85	49.74	3	Horizontal	162	2.99	-	31.71	8.45	43.75			
PK	5.461G	65.79	68.20	-2.41	69.36	3	Horizontal	162	2.99	-	31.72	8.46	43.75			
PK	5.5675G	105.02	Inf	-Inf	108.51	3	Horizontal	162	2.99	-	31.66	8.54	43.69			
AV	5.5605G	93.96	Inf	-Inf	97.44	3	Horizontal	162	2.99	-	31.68	8.53	43.69			
PK	5.7335G	56.14	68.20	-12.06	59.09	3	Horizontal	162	2.99	-	32.00	8.60	43.55			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05823G	54.17	74.00	-19.83	67.15	3	Vertical	307	1.96	-	38.72	14.50	66.20			
AV	11.06235G	43.82	54.00	-10.18	56.80	3	Vertical	307	1.96	-	38.72	14.50	66.20			
PK	16.58901G	57.72	68.20	-10.48	67.47	3	Vertical	38	2.11	-	38.22	15.54	63.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05941G	54.55	74.00	-19.45	67.53	3	Horizontal	120	2.97	-	38.72	14.50	66.20			
AV	11.05862G	44.13	54.00	-9.87	57.11	3	Horizontal	120	2.97	-	38.72	14.50	66.20			
PK	16.59205G	57.15	68.20	-11.05	66.90	3	Horizontal	330	2.74	-	38.22	15.54	63.51			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX

EUT_Z_2TX
Setting 67
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.08	74.00	-16.92	60.65	3	Vertical	183	2.95	-	31.72	8.46	43.75
AV	5.46G	45.60	54.00	-8.40	49.17	3	Vertical	183	2.95	-	31.72	8.46	43.75
PK	5.468G	60.96	68.20	-7.24	64.51	3	Vertical	183	2.95	-	31.74	8.46	43.75
PK	5.589G	108.94	Inf	-Inf	112.44	3	Vertical	183	2.95	-	31.62	8.55	43.67
AV	5.589G	96.68	Inf	-Inf	100.18	3	Vertical	183	2.95	-	31.62	8.55	43.67
PK	5.732G	63.78	68.20	-4.42	66.73	3	Vertical	183	2.95	-	32.00	8.60	43.55