


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX

EUT_Z_2TX
Setting 67
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	57.49	74.00	-16.51	61.06	3	Horizontal	19	3.00	-	31.72	8.46	43.75			
AV	5.46G	45.09	54.00	-8.91	48.66	3	Horizontal	19	3.00	-	31.72	8.46	43.75			
PK	5.4605G	58.78	68.20	-9.42	62.35	3	Horizontal	19	3.00	-	31.72	8.46	43.75			
PK	5.6185G	109.58	Inf	-Inf	112.99	3	Horizontal	19	3.00	-	31.67	8.57	43.65			
AV	5.6285G	97.58	Inf	-Inf	100.94	3	Horizontal	19	3.00	-	31.71	8.57	43.64			
PK	5.7275G	67.66	68.20	-0.54	70.62	3	Horizontal	19	3.00	-	32.00	8.60	43.56			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22079G	55.06	74.00	-18.94	67.64	3	Vertical	115	1.29	-	39.08	14.59	66.25			
AV	11.21897G	44.85	54.00	-9.15	57.43	3	Vertical	115	1.29	-	39.08	14.59	66.25			
PK	16.83239G	56.37	68.20	-11.83	65.95	3	Vertical	175	1.12	-	38.40	15.60	63.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22227G	55.08	74.00	-18.92	67.65	3	Horizontal	89	1.38	-	39.09	14.59	66.25			
AV	11.22091G	44.87	54.00	-9.13	57.45	3	Horizontal	89	1.38	-	39.08	14.59	66.25			
PK	16.82893G	56.69	68.20	-11.51	66.27	3	Horizontal	293	1.89	-	38.40	15.60	63.58			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 84
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	64.52	74.00	-9.48	54.55	3	Vertical	188	3.00	-	32.71	9.77	32.51			
AV	5.4585G	52.33	54.00	-1.67	42.35	3	Vertical	188	3.00	-	32.72	9.77	32.51			
PK	5.468G	65.76	68.20	-2.44	55.74	3	Vertical	188	3.00	-	32.74	9.79	32.51			
PK	5.6605G	113.29	Inf	-Inf	102.83	3	Vertical	188	3.00	-	32.96	10.02	32.52			
AV	5.661G	102.88	Inf	-Inf	92.41	3	Vertical	188	3.00	-	32.97	10.02	32.52			
PK	5.861G	65.71	68.20	-2.49	54.25	3	Vertical	188	3.00	-	33.94	10.06	32.54			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 84
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	61.29	74.00	-12.71	51.35	3	Horizontal	173	3.00	-	32.70	9.75	32.51
PK	5.4675G	61.84	68.20	-6.36	51.84	3	Horizontal	173	3.00	-	32.73	9.78	32.51
AV	5.46G	50.84	54.00	-3.16	40.86	3	Horizontal	173	3.00	-	32.72	9.77	32.51
PK	5.703G	112.56	Inf	-Inf	101.86	3	Horizontal	173	3.00	-	33.21	10.01	32.52
AV	5.7005G	102.44	Inf	-Inf	91.75	3	Horizontal	173	3.00	-	33.20	10.01	32.52
PK	5.855G	65.73	68.20	-2.47	54.30	3	Horizontal	173	3.00	-	33.92	10.05	32.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.378G	56.36	74.00	-17.64	68.74	3	Vertical	163	2.00	-	39.24	14.68	66.30			
AV	11.37859G	45.61	54.00	-8.39	57.99	3	Vertical	163	2.00	-	39.24	14.68	66.30			
PK	17.06922G	55.42	68.20	-12.78	64.93	3	Vertical	116	1.19	-	38.56	15.66	63.73			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38223G	55.80	74.00	-18.20	68.18	3	Horizontal	137	2.07	-	39.24	14.68	66.30			
AV	11.3786G	45.55	54.00	-8.45	57.93	3	Horizontal	137	2.07	-	39.24	14.68	66.30			
PK	17.06883G	55.80	68.20	-12.40	65.31	3	Horizontal	36	1.43	-	38.56	15.66	63.73			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 76
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.648G	65.25	68.20	-2.95	54.85	3	Vertical	280	3.00	-	32.89	10.02	32.51				
PK	5.752G	109.25	Inf	-Inf	98.36	3	Vertical	280	3.00	-	33.41	10.01	32.53				
AV	5.762G	99.74	Inf	-Inf	88.79	3	Vertical	280	3.00	-	33.47	10.01	32.53				
PK	5.9395G	61.95	68.20	-6.25	50.26	3	Vertical	280	3.00	-	34.10	10.13	32.54				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 76
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	67.86	68.20	-0.34	57.47	3	Horizontal	163	3.00	-	32.88	10.02	32.51			
PK	5.7605G	111.78	Inf	-Inf	100.84	3	Horizontal	163	3.00	-	33.46	10.01	32.53			
AV	5.768G	100.54	Inf	-Inf	89.56	3	Horizontal	163	3.00	-	33.51	10.00	32.53			
PK	6.013G	62.39	68.20	-5.81	50.64	3	Horizontal	163	3.00	-	34.10	10.20	32.55			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55213G	56.30	74.00	-17.70	69.01	3	Vertical	14	2.48	-	38.89	14.77	66.37			
AV	11.54886G	45.91	54.00	-8.09	58.61	3	Vertical	14	2.48	-	38.90	14.77	66.37			
PK	17.32661G	56.15	68.20	-12.05	65.37	3	Vertical	224	2.15	-	39.16	15.73	64.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 108
01-P-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55193G	56.29	74.00	-17.71	69.00	3	Horizontal	89	1.82	-	38.89	14.77	66.37			
AV	11.55008G	45.67	54.00	-8.33	58.37	3	Horizontal	89	1.82	-	38.90	14.77	66.37			
PK	17.3264G	56.35	68.20	-11.85	65.57	3	Horizontal	182	2.45	-	39.16	15.73	64.11			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 58
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1308G	60.90	74.00	-13.10	50.77	3	Vertical	264	3.00	-	33.02	9.71	32.60					
AV	5.142G	51.40	54.00	-2.60	41.21	3	Vertical	264	3.00	-	33.07	9.71	32.59					
PK	5.2708G	105.04	Inf	-Inf	95.03	3	Vertical	264	3.00	-	32.86	9.71	32.56					
AV	5.2332G	94.11	Inf	-Inf	84.02	3	Vertical	264	3.00	-	32.93	9.73	32.57					
PK	5.3508G	69.86	74.00	-4.14	59.92	3	Vertical	264	3.00	-	32.80	9.68	32.54					
AV	5.3508G	53.95	54.00	-0.05	44.01	3	Vertical	264	3.00	-	32.80	9.68	32.54					
PK	5.5012G	60.94	68.20	-7.26	50.79	3	Vertical	264	3.00	-	32.80	9.85	32.50					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 58
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1268G	61.19	74.00	-12.81	51.08	3	Horizontal	163	3.00	-	33.01	9.70	32.60			
AV	5.1364G	50.20	54.00	-3.80	40.03	3	Horizontal	163	3.00	-	33.05	9.71	32.59			
PK	5.2756G	103.35	Inf	-Inf	93.35	3	Horizontal	163	3.00	-	32.85	9.71	32.56			
AV	5.2708G	92.40	Inf	-Inf	82.39	3	Horizontal	163	3.00	-	32.86	9.71	32.56			
PK	5.3516G	68.77	74.00	-5.23	58.83	3	Horizontal	163	3.00	-	32.80	9.68	32.54			
AV	5.4164G	52.76	54.00	-1.24	42.89	3	Horizontal	163	3.00	-	32.70	9.69	32.52			
PK	5.65G	60.31	68.20	-7.89	49.91	3	Horizontal	163	3.00	-	32.90	10.02	32.52			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 54
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0372G	60.17	74.00	-13.83	50.18	3	Vertical	266	3.00	-	32.95	9.66	32.62			
PK	5.2212G	106.08	Inf	-Inf	95.96	3	Vertical	266	3.00	-	32.96	9.73	32.57			
AV	5.1484G	50.24	54.00	-3.76	40.03	3	Vertical	266	3.00	-	33.09	9.71	32.59			
AV	5.2252G	94.62	Inf	-Inf	84.51	3	Vertical	266	3.00	-	32.95	9.73	32.57			
PK	5.3508G	71.59	74.00	-2.41	61.65	3	Vertical	266	3.00	-	32.80	9.68	32.54			
AV	5.3516G	53.96	54.00	-0.04	44.02	3	Vertical	266	3.00	-	32.80	9.68	32.54			
PK	5.6292G	61.06	68.20	-7.14	50.72	3	Vertical	266	3.00	-	32.82	10.03	32.51			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 54
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.11G	59.75	74.00	-14.25	49.71	3	Horizontal	172	3.00	-	32.94	9.70	32.60			
AV	5.1396G	49.65	54.00	-4.35	39.47	3	Horizontal	172	3.00	-	33.06	9.71	32.59			
PK	5.278G	100.70	Inf	-Inf	90.71	3	Horizontal	172	3.00	-	32.84	9.71	32.56			
AV	5.2252G	90.51	Inf	-Inf	80.40	3	Horizontal	172	3.00	-	32.95	9.73	32.57			
PK	5.3516G	67.78	74.00	-6.22	57.84	3	Horizontal	172	3.00	-	32.80	9.68	32.54			
AV	5.3516G	51.38	54.00	-2.62	41.44	3	Horizontal	172	3.00	-	32.80	9.68	32.54			
PK	5.5364G	60.06	68.20	-8.14	49.92	3	Horizontal	172	3.00	-	32.73	9.91	32.50			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Z_2TX
Setting 62
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3124G	60.47	68.20	-7.73	50.52	3	Vertical	262	3.00	-	32.80	9.70	32.55			
AV	5.35G	49.23	54.00	-4.77	39.29	3	Vertical	262	3.00	-	32.80	9.68	32.54			
PK	5.4556G	66.29	74.00	-7.71	56.33	3	Vertical	262	3.00	-	32.71	9.76	32.51			
AV	5.4556G	51.52	54.00	-2.48	41.56	3	Vertical	262	3.00	-	32.71	9.76	32.51			
PK	5.466G	67.96	68.20	-0.24	57.96	3	Vertical	262	3.00	-	32.73	9.78	32.51			
PK	5.51G	103.70	Inf	-Inf	93.56	3	Vertical	262	3.00	-	32.78	9.86	32.50			
AV	5.5076G	93.66	Inf	-Inf	83.52	3	Vertical	262	3.00	-	32.78	9.86	32.50			
PK	5.746G	62.80	68.20	-5.40	51.93	3	Vertical	262	3.00	-	33.38	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




EUT_Z_2TX
Setting 62
01-P-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3388G	59.77	68.20	-8.43	49.83	3	Horizontal	16	2.97	-	32.80	9.68	32.54			
AV	5.35G	49.63	54.00	-4.37	39.69	3	Horizontal	16	2.97	-	32.80	9.68	32.54			
PK	5.446G	63.87	74.00	-10.13	53.93	3	Horizontal	16	2.97	-	32.70	9.75	32.51			
AV	5.4516G	52.32	54.00	-1.68	42.37	3	Horizontal	16	2.97	-	32.70	9.76	32.51			
PK	5.4652G	65.71	68.20	-2.49	55.71	3	Horizontal	16	2.97	-	32.73	9.78	32.51			
PK	5.6332G	105.68	Inf	-Inf	95.33	3	Horizontal	16	2.97	-	32.83	10.03	32.51			
AV	5.6284G	95.24	Inf	-Inf	84.91	3	Horizontal	16	2.97	-	32.81	10.03	32.51			
PK	5.7268G	64.88	68.20	-3.32	54.08	3	Horizontal	16	2.97	-	33.31	10.01	32.52			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX




EUT_Z_2TX
Setting 56
01-P-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2692G	60.63	68.20	-7.57	50.62	3	Vertical	262	2.97	-	32.86	9.71	32.56			
AV	5.35G	49.03	54.00	-4.97	39.09	3	Vertical	262	2.97	-	32.80	9.68	32.54			
PK	5.4572G	60.75	74.00	-13.25	50.78	3	Vertical	262	2.97	-	32.71	9.77	32.51			
AV	5.4004G	50.57	54.00	-3.43	40.74	3	Vertical	262	2.97	-	32.70	9.66	32.53			
PK	5.4636G	62.99	68.20	-5.21	52.99	3	Vertical	262	2.97	-	32.73	9.78	32.51			
PK	5.4932G	102.16	Inf	-Inf	92.04	3	Vertical	262	2.97	-	32.79	9.83	32.50			
AV	5.5052G	91.75	Inf	-Inf	81.61	3	Vertical	262	2.97	-	32.79	9.85	32.50			
PK	5.7516G	65.03	68.20	-3.17	54.14	3	Vertical	262	2.97	-	33.41	10.01	32.53			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5570MHz_TX



EUT_Z_2TX
Setting 56
01-P-S-2-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3356G	60.06	68.20	-8.14	50.11	3	Horizontal	20	2.97	-	32.80	9.69	32.54			
AV	5.35G	49.23	54.00	-4.77	39.29	3	Horizontal	20	2.97	-	32.80	9.68	32.54			
PK	5.3748G	62.74	74.00	-11.26	52.85	3	Horizontal	20	2.97	-	32.75	9.67	32.53			
AV	5.4076G	50.64	54.00	-3.36	40.79	3	Horizontal	20	2.97	-	32.70	9.67	32.52			
PK	5.4612G	64.37	68.20	-3.83	54.39	3	Horizontal	20	2.97	-	32.72	9.77	32.51			
PK	5.6308G	104.84	Inf	-Inf	94.50	3	Horizontal	20	2.97	-	32.82	10.03	32.51			
AV	5.6284G	94.02	Inf	-Inf	83.69	3	Horizontal	20	2.97	-	32.81	10.03	32.51			
PK	5.7268G	68.03	68.20	-0.17	57.23	3	Horizontal	20	2.97	-	33.31	10.01	32.52			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 3	Pass	AV	3.7861G	37.72	54.00	-16.28	Horizontal

Mode 3



Mode 3

