





6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6685MHz

30/05/2026



6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6845MHz

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5985MHz

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6225MHz

30/05/2026





5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6385MHz

30/05/2026



6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6625MHz

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6705MHz

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6785MHz

24/06/2026





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6025MHz

30/05/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6185MHz

30/05/2026





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6345MHz

30/05/2026


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6665MHz

30/05/2026





5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

EBW

6105MHz

30/05/2026





5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

EBW

6265MHz

30/05/2026





Average Power_Test Mode: Mode 1

Appendix C.1

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.39	0.27479	29.62	0.91622
802.11be EHT20_Nss1,(MCS0)_2TX	27.39	0.54828	32.62	1.82810
802.11be EHT20_Nss2,(MCS0)_2TX	27.28	0.53456	32.51	1.78238
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.39	0.54828	32.79	1.90108
802.11be EHT40_Nss1,(MCS0)_1TX	24.18	0.26182	29.41	0.87297
802.11be EHT40_Nss1,(MCS0)_2TX	27.11	0.51404	32.34	1.71396
802.11be EHT40_Nss2,(MCS0)_2TX	26.92	0.49204	32.15	1.64059
802.11be EHT40-BF_Nss1,(MCS0)_2TX	27.11	0.51404	32.51	1.78238
802.11be EHT80_Nss1,(MCS0)_1TX	24.03	0.25293	29.26	0.84333
802.11be EHT80_Nss1,(MCS0)_2TX	27.00	0.50119	32.23	1.67109
802.11be EHT80_Nss2,(MCS0)_2TX	26.82	0.48084	32.05	1.60325
802.11be EHT80-BF_Nss1,(MCS0)_2TX	27.00	0.50119	32.40	1.73780
802.11be EHT160_Nss1,(MCS0)_1TX	20.20	0.10471	25.43	0.34914
802.11be EHT160_Nss1,(MCS0)_2TX	22.87	0.19364	28.10	0.64565
802.11be EHT160_Nss2,(MCS0)_2TX	22.75	0.18836	27.98	0.62806
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.87	0.19364	28.27	0.67143
802.11be EHT320_Nss1,(MCS0)_1TX	19.48	0.08872	24.71	0.29580
802.11be EHT320_Nss1,(MCS0)_2TX	22.88	0.19409	28.11	0.64714
802.11be EHT320_Nss2,(MCS0)_2TX	22.60	0.18197	27.83	0.60674
802.11be EHT320-BF_Nss1,(MCS0)_2TX	22.88	0.19409	28.28	0.67298
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.45	0.27861	29.78	0.95060
802.11be EHT20_Nss1,(MCS0)_2TX	27.26	0.53211	32.59	1.81552
802.11be EHT20_Nss2,(MCS0)_2TX	27.09	0.51168	32.42	1.74582
802.11be EHT20-BF_Nss1,(MCS0)_2TX	27.26	0.53211	33.15	2.06538
802.11be EHT40_Nss1,(MCS0)_1TX	24.44	0.27797	29.77	0.94842
802.11be EHT40_Nss1,(MCS0)_2TX	27.07	0.50933	32.40	1.73780
802.11be EHT40_Nss2,(MCS0)_2TX	27.00	0.50119	32.33	1.71002
802.11be EHT40-BF_Nss1,(MCS0)_2TX	27.07	0.50933	32.96	1.97697
802.11be EHT80_Nss1,(MCS0)_1TX	24.39	0.27479	29.72	0.93756
802.11be EHT80_Nss1,(MCS0)_2TX	27.03	0.50466	32.36	1.72187
802.11be EHT80_Nss2,(MCS0)_2TX	26.92	0.49204	32.25	1.67880
802.11be EHT80-BF_Nss1,(MCS0)_2TX	27.03	0.50466	32.92	1.95884
802.11be EHT160_Nss1,(MCS0)_1TX	20.81	0.12050	26.14	0.41115
802.11be EHT160_Nss1,(MCS0)_2TX	24.08	0.25586	29.41	0.87297
802.11be EHT160_Nss2,(MCS0)_2TX	23.64	0.23121	28.97	0.78886
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.08	0.25586	29.97	0.99312



Average Power_Test Mode: Mode 1

Appendix C.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	21.87		21.87	27.10	36.00
6195MHz	Pass	5.23	24.39		24.39	29.62	36.00
6415MHz	Pass	5.23	21.57		21.57	26.80	36.00
6535MHz	Pass	5.33	22.84		22.84	28.17	36.00
6695MHz	Pass	5.33	24.25		24.25	29.58	36.00
6855MHz	Pass	5.33	24.45		24.45	29.78	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	20.22		20.22	25.45	36.00
6205MHz	Pass	5.23	24.18		24.18	29.41	36.00
6405MHz	Pass	5.23	22.13		22.13	27.36	36.00
6565MHz	Pass	5.33	24.44		24.44	29.77	36.00
6685MHz	Pass	5.33	24.07		24.07	29.40	36.00
6845MHz	Pass	5.33	24.03		24.03	29.36	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	20.38		20.38	25.61	36.00
6225MHz	Pass	5.23	24.03		24.03	29.26	36.00
6385MHz	Pass	5.23	22.14		22.14	27.37	36.00
6625MHz	Pass	5.33	24.00		24.00	29.33	36.00
6705MHz	Pass	5.33	24.39		24.39	29.72	36.00
6785MHz	Pass	5.33	24.12		24.12	29.45	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	20.20		20.20	25.43	36.00
6185MHz	Pass	5.23	19.80		19.80	25.03	36.00
6345MHz	Pass	5.23	19.81		19.81	25.04	36.00
6665MHz	Pass	5.33	20.81		20.81	26.14	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	19.30		19.30	24.53	36.00
6265MHz	Pass	5.23	19.48		19.48	24.71	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	21.71	22.88	25.34	30.57	36.00
6195MHz	Pass	5.23	24.27	24.48	27.39	32.62	36.00
6415MHz	Pass	5.23	21.40	21.57	24.50	29.73	36.00
6535MHz	Pass	5.33	22.01	22.32	25.18	30.51	36.00
6695MHz	Pass	5.33	24.05	24.13	27.10	32.43	36.00
6855MHz	Pass	5.33	24.29	24.21	27.26	32.59	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	19.92	20.53	23.25	28.48	36.00
6205MHz	Pass	5.23	23.98	24.22	27.11	32.34	36.00
6405MHz	Pass	5.23	21.88	22.35	25.13	30.36	36.00
6565MHz	Pass	5.33	24.18	23.94	27.07	32.40	36.00
6685MHz	Pass	5.33	23.78	23.65	26.73	32.06	36.00
6845MHz	Pass	5.33	23.99	23.72	26.87	32.20	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	20.24	20.69	23.48	28.71	36.00
6225MHz	Pass	5.23	23.86	24.12	27.00	32.23	36.00
6385MHz	Pass	5.23	22.11	22.16	25.15	30.38	36.00
6625MHz	Pass	5.33	23.82	23.74	26.79	32.12	36.00
6705MHz	Pass	5.33	24.15	23.88	27.03	32.36	36.00
6785MHz	Pass	5.33	24.04	23.36	26.72	32.05	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	19.80	19.74	22.78	28.01	36.00
6185MHz	Pass	5.23	19.40	19.31	22.37	27.60	36.00
6345MHz	Pass	5.23	19.77	19.94	22.87	28.10	36.00
6665MHz	Pass	5.33	20.97	21.17	24.08	29.41	36.00



Average Power_Test Mode: Mode 1

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	18.96	19.47	22.23	27.46	36.00
6265MHz	Pass	5.23	19.68	20.05	22.88	28.11	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	21.62	22.82	25.27	30.50	36.00
6195MHz	Pass	5.23	24.15	24.39	27.28	32.51	36.00
6415MHz	Pass	5.23	21.42	21.52	24.48	29.71	36.00
6535MHz	Pass	5.33	21.40	21.66	24.54	29.87	36.00
6695MHz	Pass	5.33	23.98	24.05	27.03	32.36	36.00
6855MHz	Pass	5.33	24.07	24.09	27.09	32.42	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	19.73	20.37	23.07	28.30	36.00
6205MHz	Pass	5.23	23.77	24.04	26.92	32.15	36.00
6405MHz	Pass	5.23	22.16	22.47	25.33	30.56	36.00
6565MHz	Pass	5.33	24.10	23.88	27.00	32.33	36.00
6685MHz	Pass	5.33	23.69	23.60	26.66	31.99	36.00
6845MHz	Pass	5.33	23.92	23.64	26.79	32.12	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	20.33	20.75	23.56	28.79	36.00
6225MHz	Pass	5.23	23.68	23.94	26.82	32.05	36.00
6385MHz	Pass	5.23	21.87	21.93	24.91	30.14	36.00
6625MHz	Pass	5.33	23.65	23.59	26.63	31.96	36.00
6705MHz	Pass	5.33	24.04	23.77	26.92	32.25	36.00
6785MHz	Pass	5.33	24.01	23.42	26.74	32.07	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	18.99	19.05	22.03	27.26	36.00
6185MHz	Pass	5.23	19.72	19.75	22.75	27.98	36.00
6345MHz	Pass	5.23	19.63	19.82	22.74	27.97	36.00
6665MHz	Pass	5.33	20.57	20.68	23.64	28.97	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	18.63	19.17	21.92	27.15	36.00
6265MHz	Pass	5.23	19.32	19.84	22.60	27.83	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.40	21.71	22.88	25.34	30.74	36.00
6195MHz	Pass	5.40	24.27	24.48	27.39	32.79	36.00
6415MHz	Pass	5.40	21.40	21.57	24.50	29.90	36.00
6535MHz	Pass	5.89	22.01	22.32	25.18	31.07	36.00
6695MHz	Pass	5.89	24.05	24.13	27.10	32.99	36.00
6855MHz	Pass	5.89	24.29	24.21	27.26	33.15	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.40	19.92	20.53	23.25	28.65	36.00
6205MHz	Pass	5.40	23.98	24.22	27.11	32.51	36.00
6405MHz	Pass	5.40	21.88	22.35	25.13	30.53	36.00
6565MHz	Pass	5.89	24.18	23.94	27.07	32.96	36.00
6685MHz	Pass	5.89	23.78	23.65	26.73	32.62	36.00
6845MHz	Pass	5.89	23.99	23.72	26.87	32.76	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.40	20.24	20.69	23.48	28.88	36.00
6225MHz	Pass	5.40	23.86	24.12	27.00	32.40	36.00
6385MHz	Pass	5.40	22.11	22.16	25.15	30.55	36.00
6625MHz	Pass	5.89	23.82	23.74	26.79	32.68	36.00
6705MHz	Pass	5.89	24.15	23.88	27.03	32.92	36.00
6785MHz	Pass	5.89	24.04	23.36	26.72	32.61	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.40	19.80	19.74	22.78	28.18	36.00
6185MHz	Pass	5.40	19.40	19.31	22.37	27.77	36.00



Average Power_Test Mode: Mode 1

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6345MHz	Pass	5.40	19.77	19.94	22.87	28.27	36.00
6665MHz	Pass	5.89	20.97	21.17	24.08	29.97	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40	18.96	19.47	22.23	27.63	36.00
6265MHz	Pass	5.40	19.68	20.05	22.88	28.28	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	15.62	0.03648	20.85/20.85	0.12162/0.121619
802.11be EHT20_Nss1,(MCS0)_2TX	15.72	0.03733	20.95/20.95	0.12445/0.124451
802.11be EHT20_Nss2,(MCS0)_2TX	15.58	0.03614	20.81/20.81	0.12050/0.120504
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.50	0.03548	20.90/20.90	0.12303/0.123027
802.11be EHT40_Nss1,(MCS0)_1TX	15.59	0.03622	20.82/20.82	0.12078/0.120781
802.11be EHT40_Nss1,(MCS0)_2TX	15.59	0.03622	20.82/20.82	0.12078/0.120781
802.11be EHT40_Nss2,(MCS0)_2TX	15.59	0.03622	20.82/20.82	0.12078/0.120781
802.11be EHT40-BF_Nss1,(MCS0)_2TX	15.54	0.03581	20.94/20.94	0.12417/0.124165
802.11be EHT80_Nss1,(MCS0)_1TX	15.73	0.03741	20.96/20.96	0.12474/0.124738
802.11be EHT80_Nss1,(MCS0)_2TX	15.73	0.03741	20.96/20.96	0.12474/0.124738
802.11be EHT80_Nss2,(MCS0)_2TX	15.69	0.03707	20.92/20.92	0.12359/0.123595
802.11be EHT80-BF_Nss1,(MCS0)_2TX	15.56	0.03597	20.96/20.96	0.12474/0.124738
802.11be EHT160_Nss1,(MCS0)_1TX	15.69	0.03707	20.92/20.92	0.12359/0.123595
802.11be EHT160_Nss1,(MCS0)_2TX	15.68	0.03698	20.91/20.91	0.12331/0.123310
802.11be EHT160_Nss2,(MCS0)_2TX	15.73	0.03741	20.96/20.96	0.12474/0.124738
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.49	0.03540	20.89/20.89	0.12274/0.122744
802.11be EHT320_Nss1,(MCS0)_1TX	15.74	0.03750	20.97/20.97	0.12503/0.125026
802.11be EHT320_Nss1,(MCS0)_2TX	15.74	0.03750	20.97/20.97	0.12503/0.125026
802.11be EHT320_Nss2,(MCS0)_2TX	15.73	0.03741	20.96/20.96	0.12474/0.124738
802.11be EHT320-BF_Nss1,(MCS0)_2TX	15.57	0.03606	20.97/20.97	0.12503/0.125026
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	15.46	0.03516	20.79/20.79	0.11995/0.119950
802.11be EHT20_Nss1,(MCS0)_2TX	15.56	0.03597	20.89/20.89	0.12274/0.122744
802.11be EHT20_Nss2,(MCS0)_2TX	15.53	0.03573	20.86/20.86	0.12190/0.121899
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.04	0.03192	20.93/20.93	0.12388/0.123880
802.11be EHT40_Nss1,(MCS0)_1TX	15.54	0.03581	20.87/20.87	0.12218/0.122180
802.11be EHT40_Nss1,(MCS0)_2TX	15.63	0.03656	20.96/20.96	0.12474/0.124738
802.11be EHT40_Nss2,(MCS0)_2TX	15.61	0.03639	20.94/20.94	0.12417/0.124165
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.99	0.03155	20.88/20.88	0.12246/0.122462
802.11be EHT80_Nss1,(MCS0)_1TX	15.54	0.03581	20.87/20.87	0.12218/0.122180
802.11be EHT80_Nss1,(MCS0)_2TX	15.59	0.03622	20.92/20.92	0.12359/0.123595
802.11be EHT80_Nss2,(MCS0)_2TX	15.49	0.03540	20.82/20.82	0.12078/0.120781
802.11be EHT80-BF_Nss1,(MCS0)_2TX	15.01	0.03170	20.90/20.90	0.12303/0.123027
802.11be EHT160_Nss1,(MCS0)_1TX	15.44	0.03499	20.77/20.77	0.11940/0.119399
802.11be EHT160_Nss1,(MCS0)_2TX	15.63	0.03656	20.96/20.96	0.12474/0.124738
802.11be EHT160_Nss2,(MCS0)_2TX	15.45	0.03508	20.78/20.78	0.11967/0.119674
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.02	0.03177	20.91/20.91	0.12331/0.123310



Result

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23/5.23	15.62		15.62	20.85/20.85	36.00/21.00
6195MHz	Pass	5.23/5.23	15.53		15.53	20.76/20.76	36.00/21.00
6415MHz	Pass	5.23/5.23	15.54		15.54	20.77/20.77	36.00/21.00
6535MHz	Pass	5.33/5.33	15.46		15.46	20.79/20.79	36.00/21.00
6695MHz	Pass	5.33/5.33	15.43		15.43	20.76/20.76	36.00/21.00
6855MHz	Pass	5.33/5.33	15.45		15.45	20.78/20.78	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23/5.23	15.53		15.53	20.76/20.76	36.00/21.00
6205MHz	Pass	5.23/5.23	15.59		15.59	20.82/20.82	36.00/21.00
6405MHz	Pass	5.23/5.23	15.55		15.55	20.78/20.78	36.00/21.00
6565MHz	Pass	5.33/5.33	15.47		15.47	20.80/20.80	36.00/21.00
6685MHz	Pass	5.33/5.33	15.54		15.54	20.87/20.87	36.00/21.00
6845MHz	Pass	5.33/5.33	15.46		15.46	20.79/20.79	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23/5.23	15.55		15.55	20.78/20.78	36.00/21.00
6225MHz	Pass	5.23/5.23	15.57		15.57	20.80/20.80	36.00/21.00
6385MHz	Pass	5.23/5.23	15.73		15.73	20.96/20.96	36.00/21.00
6625MHz	Pass	5.33/5.33	15.54		15.54	20.87/20.87	36.00/21.00
6705MHz	Pass	5.33/5.33	15.51		15.51	20.84/20.84	36.00/21.00
6785MHz	Pass	5.33/5.33	15.44		15.44	20.77/20.77	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23/5.23	15.58		15.58	20.81/20.81	36.00/21.00
6185MHz	Pass	5.23/5.23	15.67		15.67	20.90/20.90	36.00/21.00
6345MHz	Pass	5.23/5.23	15.69		15.69	20.92/20.92	36.00/21.00
6665MHz	Pass	5.33/5.33	15.44		15.44	20.77/20.77	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23/5.23	15.54		15.54	20.77/20.77	36.00/21.00
6265MHz	Pass	5.23/5.23	15.74		15.74	20.97/20.97	36.00/21.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23/5.23	12.70	12.72	15.72	20.95/20.95	36.00/21.00
6195MHz	Pass	5.23/5.23	12.96	12.25	15.63	20.86/20.86	36.00/21.00
6415MHz	Pass	5.23/5.23	12.69	12.36	15.54	20.77/20.77	36.00/21.00
6535MHz	Pass	5.33/5.33	12.37	12.53	15.46	20.79/20.79	36.00/21.00
6695MHz	Pass	5.33/5.33	12.67	12.42	15.56	20.89/20.89	36.00/21.00
6855MHz	Pass	5.33/5.33	12.55	12.41	15.49	20.82/20.82	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23/5.23	12.65	12.51	15.59	20.82/20.82	36.00/21.00
6205MHz	Pass	5.23/5.23	12.32	12.76	15.56	20.79/20.79	36.00/21.00
6405MHz	Pass	5.23/5.23	12.74	12.36	15.56	20.79/20.79	36.00/21.00
6565MHz	Pass	5.33/5.33	12.59	12.65	15.63	20.96/20.96	36.00/21.00
6685MHz	Pass	5.33/5.33	12.49	12.44	15.48	20.81/20.81	36.00/21.00
6845MHz	Pass	5.33/5.33	12.43	12.47	15.46	20.79/20.79	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23/5.23	12.75	12.67	15.72	20.95/20.95	36.00/21.00
6225MHz	Pass	5.23/5.23	12.89	12.54	15.73	20.96/20.96	36.00/21.00
6385MHz	Pass	5.23/5.23	13.00	12.39	15.72	20.95/20.95	36.00/21.00
6625MHz	Pass	5.33/5.33	12.29	12.70	15.51	20.84/20.84	36.00/21.00
6705MHz	Pass	5.33/5.33	12.39	12.47	15.44	20.77/20.77	36.00/21.00
6785MHz	Pass	5.33/5.33	12.72	12.43	15.59	20.92/20.92	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23/5.23	12.86	12.48	15.68	20.91/20.91	36.00/21.00
6185MHz	Pass	5.23/5.23	12.75	12.52	15.65	20.88/20.88	36.00/21.00
6345MHz	Pass	5.23/5.23	12.63	12.41	15.53	20.76/20.76	36.00/21.00



Average Power_Test Mode: Mode 2

Appendix C.2

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
6665MHz	Pass	5.33/5.33	12.61	12.63	15.63	20.96/20.96	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23/5.23	12.31	12.85	15.60	20.83/20.83	36.00/21.00
6265MHz	Pass	5.23/5.23	12.64	12.82	15.74	20.97/20.97	36.00/21.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23/5.23	12.56	12.56	15.57	20.80/20.80	36.00/21.00
6195MHz	Pass	5.23/5.23	12.85	12.26	15.58	20.81/20.81	36.00/21.00
6415MHz	Pass	5.23/5.23	12.66	12.37	15.53	20.76/20.76	36.00/21.00
6535MHz	Pass	5.33/5.33	12.40	12.51	15.47	20.80/20.80	36.00/21.00
6695MHz	Pass	5.33/5.33	12.60	12.44	15.53	20.86/20.86	36.00/21.00
6855MHz	Pass	5.33/5.33	12.63	12.29	15.47	20.80/20.80	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23/5.23	12.57	12.47	15.53	20.76/20.76	36.00/21.00
6205MHz	Pass	5.23/5.23	12.43	12.72	15.59	20.82/20.82	36.00/21.00
6405MHz	Pass	5.23/5.23	12.56	12.11	15.35	20.58/20.58	36.00/21.00
6565MHz	Pass	5.33/5.33	12.59	12.60	15.61	20.94/20.94	36.00/21.00
6685MHz	Pass	5.33/5.33	12.49	12.41	15.46	20.79/20.79	36.00/21.00
6845MHz	Pass	5.33/5.33	12.41	12.45	15.44	20.77/20.77	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23/5.23	12.64	12.48	15.57	20.80/20.80	36.00/21.00
6225MHz	Pass	5.23/5.23	12.79	12.57	15.69	20.92/20.92	36.00/21.00
6385MHz	Pass	5.23/5.23	12.92	12.35	15.65	20.88/20.88	36.00/21.00
6625MHz	Pass	5.33/5.33	12.23	12.67	15.47	20.80/20.80	36.00/21.00
6705MHz	Pass	5.33/5.33	12.39	12.52	15.47	20.80/20.80	36.00/21.00
6785MHz	Pass	5.33/5.33	12.67	12.28	15.49	20.82/20.82	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23/5.23	12.84	12.60	15.73	20.96/20.96	36.00/21.00
6185MHz	Pass	5.23/5.23	12.63	12.60	15.63	20.86/20.86	36.00/21.00
6345MHz	Pass	5.23/5.23	12.39	12.66	15.54	20.77/20.77	36.00/21.00
6665MHz	Pass	5.33/5.33	12.48	12.39	15.45	20.78/20.78	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23/5.23	12.40	13.01	15.73	20.96/20.96	36.00/21.00
6265MHz	Pass	5.23/5.23	12.41	12.66	15.55	20.78/20.78	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.40/5.40	12.54	12.44	15.50	20.90/20.90	36.00/21.00
6195MHz	Pass	5.40/5.40	12.71	12.06	15.41	20.81/20.81	36.00/21.00
6415MHz	Pass	5.40/5.40	12.63	12.16	15.41	20.81/20.81	36.00/21.00
6535MHz	Pass	5.89/5.89	12.02	12.04	15.04	20.93/20.93	36.00/21.00
6695MHz	Pass	5.89/5.89	11.99	11.87	14.94	20.83/20.83	36.00/21.00
6855MHz	Pass	5.89/5.89	11.89	11.84	14.88	20.77/20.77	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.40/5.40	12.51	12.54	15.54	20.94/20.94	36.00/21.00
6205MHz	Pass	5.40/5.40	12.31	12.70	15.52	20.92/20.92	36.00/21.00
6405MHz	Pass	5.40/5.40	12.77	12.12	15.47	20.87/20.87	36.00/21.00
6565MHz	Pass	5.89/5.89	12.06	11.80	14.94	20.83/20.83	36.00/21.00
6685MHz	Pass	5.89/5.89	11.96	11.97	14.98	20.87/20.87	36.00/21.00
6845MHz	Pass	5.89/5.89	11.75	12.20	14.99	20.88/20.88	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.40/5.40	12.49	12.44	15.48	20.88/20.88	36.00/21.00
6225MHz	Pass	5.40/5.40	12.61	12.48	15.56	20.96/20.96	36.00/21.00
6385MHz	Pass	5.40/5.40	12.74	12.17	15.47	20.87/20.87	36.00/21.00
6625MHz	Pass	5.89/5.89	11.83	12.03	14.94	20.83/20.83	36.00/21.00
6705MHz	Pass	5.89/5.89	11.82	12.06	14.95	20.84/20.84	36.00/21.00
6785MHz	Pass	5.89/5.89	12.16	11.84	15.01	20.90/20.90	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
6025MHz	Pass	5.40/5.40	12.63	12.32	15.49	20.89/20.89	36.00/21.00
6185MHz	Pass	5.40/5.40	12.53	12.24	15.40	20.80/20.80	36.00/21.00
6345MHz	Pass	5.40/5.40	12.62	12.07	15.36	20.76/20.76	36.00/21.00
6665MHz	Pass	5.89/5.89	12.05	11.97	15.02	20.91/20.91	36.00/21.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40/5.40	12.29	12.81	15.57	20.97/20.97	36.00/21.00
6265MHz	Pass	5.40/5.40	12.33	12.62	15.49	20.89/20.89	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.91	15.14
802.11be EHT20_Nss1,(MCS0)_2TX	12.83	18.23
802.11be EHT20_Nss2,(MCS0)_2TX	12.88	18.11
802.11be EHT40_Nss1,(MCS0)_1TX	6.93	12.16
802.11be EHT40_Nss1,(MCS0)_2TX	9.88	15.28
802.11be EHT40_Nss2,(MCS0)_2TX	10.04	15.27
802.11be EHT80_Nss1,(MCS0)_1TX	4.40	9.63
802.11be EHT80_Nss1,(MCS0)_2TX	7.25	12.65
802.11be EHT80_Nss2,(MCS0)_2TX	7.61	12.84
802.11be EHT160_Nss1,(MCS0)_1TX	-1.34	3.89
802.11be EHT160_Nss1,(MCS0)_2TX	1.26	6.66
802.11be EHT160_Nss2,(MCS0)_2TX	1.08	6.31
802.11be EHT320_Nss1,(MCS0)_1TX	-4.69	0.54
802.11be EHT320_Nss1,(MCS0)_2TX	-1.62	3.78
802.11be EHT320_Nss2,(MCS0)_2TX	-1.88	3.35
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	10.03	15.36
802.11be EHT20_Nss1,(MCS0)_2TX	12.79	18.68
802.11be EHT20_Nss2,(MCS0)_2TX	12.81	18.14
802.11be EHT40_Nss1,(MCS0)_1TX	7.29	12.62
802.11be EHT40_Nss1,(MCS0)_2TX	9.88	15.77
802.11be EHT40_Nss2,(MCS0)_2TX	10.14	15.47
802.11be EHT80_Nss1,(MCS0)_1TX	5.11	10.44
802.11be EHT80_Nss1,(MCS0)_2TX	7.72	13.61
802.11be EHT80_Nss2,(MCS0)_2TX	7.76	13.09
802.11be EHT160_Nss1,(MCS0)_1TX	-0.82	4.51
802.11be EHT160_Nss1,(MCS0)_2TX	2.33	8.22
802.11be EHT160_Nss2,(MCS0)_2TX	2.10	7.43

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	7.54		7.54	12.77	23.00
6195MHz	Pass	5.23	9.91		9.91	15.14	23.00
6415MHz	Pass	5.23	7.03		7.03	12.26	23.00
6535MHz	Pass	5.33	8.09		8.09	13.42	23.00
6695MHz	Pass	5.33	9.94		9.94	15.27	23.00
6855MHz	Pass	5.33	10.03		10.03	15.36	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	3.2		3.20	8.43	23.00
6205MHz	Pass	5.23	6.93		6.93	12.16	23.00
6405MHz	Pass	5.23	4.81		4.81	10.04	23.00
6565MHz	Pass	5.33	7.29		7.29	12.62	23.00
6685MHz	Pass	5.33	7		7.00	12.33	23.00
6845MHz	Pass	5.33	7.02		7.02	12.35	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	1.28		1.28	6.51	23.00
6225MHz	Pass	5.23	4.4		4.40	9.63	23.00
6385MHz	Pass	5.23	2.3		2.30	7.53	23.00
6625MHz	Pass	5.33	4.29		4.29	9.62	23.00
6705MHz	Pass	5.33	4.85		4.85	10.18	23.00
6785MHz	Pass	5.33	5.11		5.11	10.44	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	-1.34		-1.34	3.89	23.00
6185MHz	Pass	5.23	-2.08		-2.08	3.15	23.00
6345MHz	Pass	5.23	-2.27		-2.27	2.96	23.00
6665MHz	Pass	5.33	-0.82		-0.82	4.51	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	-4.8		-4.80	0.43	23.00
6265MHz	Pass	5.23	-4.69		-4.69	0.54	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.40	7.34	8.61	10.97	16.37	23.00
6195MHz	Pass	5.40	9.82	10.05	12.83	18.23	23.00
6415MHz	Pass	5.40	6.98	6.9	9.90	15.30	23.00
6535MHz	Pass	5.89	7.31	7.58	10.45	16.34	23.00
6695MHz	Pass	5.89	9.77	9.71	12.66	18.55	23.00
6855MHz	Pass	5.89	9.85	9.78	12.79	18.68	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.40	3.01	3.77	6.41	11.81	23.00
6205MHz	Pass	5.40	6.77	7.07	9.88	15.28	23.00
6405MHz	Pass	5.40	4.58	4.96	7.71	13.11	23.00
6565MHz	Pass	5.89	7.07	6.81	9.88	15.77	23.00
6685MHz	Pass	5.89	6.75	6.61	9.61	15.50	23.00
6845MHz	Pass	5.89	6.91	6.65	9.72	15.61	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.40	1.12	1.97	4.58	9.98	23.00
6225MHz	Pass	5.40	4.08	4.52	7.25	12.65	23.00
6385MHz	Pass	5.40	2.15	2.17	5.15	10.55	23.00
6625MHz	Pass	5.89	4.03	4.09	6.98	12.87	23.00
6705MHz	Pass	5.89	4.69	4.46	7.42	13.31	23.00
6785MHz	Pass	5.89	5.02	4.5	7.72	13.61	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.40	-1.74	-1.64	1.26	6.66	23.00
6185MHz	Pass	5.40	-2.36	-2.63	0.33	5.73	23.00
6345MHz	Pass	5.40	-2.29	-1.9	0.78	6.18	23.00
6665MHz	Pass	5.89	-0.86	-0.44	2.33	8.22	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40	-5.32	-4.6	-2.11	3.29	23.00
6265MHz	Pass	5.40	-4.64	-4.1	-1.62	3.78	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	7.49	8.62	11.09	16.32	23.00
6195MHz	Pass	5.23	9.79	10.15	12.88	18.11	23.00
6415MHz	Pass	5.23	7.07	6.93	9.99	15.22	23.00
6535MHz	Pass	5.33	6.88	7.11	9.92	15.25	23.00
6695MHz	Pass	5.33	9.78	9.85	12.74	18.07	23.00
6855MHz	Pass	5.33	9.9	9.92	12.81	18.14	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	3.08	3.73	6.38	11.61	23.00
6205MHz	Pass	5.23	6.74	7.3	10.04	15.27	23.00
6405MHz	Pass	5.23	4.98	5.41	8.00	13.23	23.00
6565MHz	Pass	5.33	7.26	7.13	10.14	15.47	23.00
6685MHz	Pass	5.33	6.83	6.84	9.77	15.10	23.00
6845MHz	Pass	5.33	7.11	6.95	9.94	15.27	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	1.42	2.23	4.80	10.03	23.00
6225MHz	Pass	5.23	4.48	4.71	7.61	12.84	23.00
6385MHz	Pass	5.23	2.04	2	5.00	10.23	23.00
6625MHz	Pass	5.33	4.18	4.42	7.26	12.59	23.00
6705MHz	Pass	5.33	4.67	4.55	7.57	12.90	23.00
6785MHz	Pass	5.33	5.07	4.66	7.76	13.09	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	-1.99	-2.01	0.89	6.12	23.00
6185MHz	Pass	5.23	-1.87	-1.84	1.00	6.23	23.00
6345MHz	Pass	5.23	-2.07	-1.71	1.08	6.31	23.00
6665MHz	Pass	5.33	-0.95	-0.81	2.10	7.43	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	-5.78	-5.32	-2.67	2.56	23.00
6265MHz	Pass	5.23	-5.41	-4.23	-1.88	3.35	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

29/05/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.54	7.54	7.54

Port 1

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

29/05/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.91	9.91	9.91

Port 1


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

29/05/2026

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.03	7.03	7.03


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

29/05/2026

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.09	8.09	8.09


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

29/05/2026

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.94	9.94	9.94


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

29/05/2026

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.03	10.03	10.03

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

29/05/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.20	3.20	3.20

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

29/05/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.93	6.93	6.93

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

29/05/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.81	4.81	4.81

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

29/05/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.29	7.29	7.29

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

29/05/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.00	7.00	7.00

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

29/05/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.02	7.02	7.02

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

29/05/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.28	1.28	1.28

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

29/05/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.40	4.40	4.40

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

29/05/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.30	2.30	2.30

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

29/05/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.29	4.29	4.29

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

29/05/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.85	4.85	4.85

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

24/06/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.11	5.11	5.11

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6025MHz

29/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6185MHz

29/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6345MHz

29/05/2026

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.27	-2.27	-2.27


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

29/05/2026

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.82	-0.82	-0.82

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6105MHz

29/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6265MHz

29/05/2026



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5955MHz

29/05/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.97	10.97	7.34	8.61

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6195MHz

29/05/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.83	12.83	9.82	10.05

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6415MHz

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6535MHz

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6695MHz

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6855MHz

29/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5965MHz

29/05/2026

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.41	6.41	3.01	3.77

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6205MHz

29/05/2026

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.88	9.88	6.77	7.07

Sum
Port 1
Port 2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6405MHz

29/05/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.71	7.71	4.58	4.96

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6565MHz

29/05/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.88	9.88	7.07	6.81

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6685MHz

29/05/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.61	9.61	6.75	6.61

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6845MHz

29/05/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.72	9.72	6.91	6.65

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5985MHz

29/05/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.58	4.58	1.12	1.97

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6225MHz

29/05/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.25	7.25	4.08	4.52

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6385MHz

29/05/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.15	5.15	2.15	2.17

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6625MHz

29/05/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.98	6.98	4.03	4.09

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6705MHz

29/05/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.42	7.42	4.69	4.46

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6785MHz

24/06/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.72	7.72	5.02	4.50

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6025MHz

29/05/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.26	1.26	-1.74	-1.64

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6185MHz

29/05/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.33	0.33	-2.36	-2.63

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6345MHz

29/05/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.78	0.78	-2.29	-1.90

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6665MHz

29/05/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.33	2.33	-0.86	-0.44

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6105MHz

29/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6265MHz

29/05/2026



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

29/05/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.09	11.09	7.49	8.62

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

29/05/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.88	12.88	9.79	10.15

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

29/05/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.99	9.99	7.07	6.93

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

29/05/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.92	9.92	6.88	7.11

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

29/05/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.74	12.74	9.78	9.85

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

29/05/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.81	12.81	9.90	9.92

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

29/05/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.38	6.38	3.08	3.73

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

29/05/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.04	10.04	6.74	7.30

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

29/05/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.00	8.00	4.98	5.41

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

29/05/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.14	10.14	7.26	7.13

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

29/05/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.77	9.77	6.83	6.84

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

29/05/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.94	9.94	7.11	6.95

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

29/05/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.80	4.80	1.42	2.23

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

29/05/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.61	7.61	4.48	4.71

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

29/05/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.00	5.00	2.04	2.00

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

29/05/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.26	7.26	4.18	4.42

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

29/05/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.57	7.57	4.67	4.55

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

24/06/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.76	7.76	5.07	4.66

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

29/05/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.89	0.89	-1.99	-2.01

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

29/05/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.00	1.00	-1.87	-1.84

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

29/05/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.08	1.08	-2.07	-1.71

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

29/05/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.10	2.10	-0.95	-0.81

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

29/05/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

29/05/2026



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	1.28	6.51
802.11be EHT20_Nss1,(MCS0)_2TX	1.37	6.77
802.11be EHT20_Nss2,(MCS0)_2TX	1.21	6.44
802.11be EHT40_Nss1,(MCS0)_1TX	-1.34	3.89
802.11be EHT40_Nss1,(MCS0)_2TX	-1.47	3.93
802.11be EHT40_Nss2,(MCS0)_2TX	-1.38	3.85
802.11be EHT80_Nss1,(MCS0)_1TX	-3.87	1.36
802.11be EHT80_Nss1,(MCS0)_2TX	-3.64	1.76
802.11be EHT80_Nss2,(MCS0)_2TX	-3.73	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-6.17	-0.94
802.11be EHT160_Nss1,(MCS0)_2TX	-6.34	-0.94
802.11be EHT160_Nss2,(MCS0)_2TX	-6.26	-1.03
802.11be EHT320_Nss1,(MCS0)_1TX	-9.08	-3.85
802.11be EHT320_Nss1,(MCS0)_2TX	-9.42	-4.02
802.11be EHT320_Nss2,(MCS0)_2TX	-9.38	-4.15
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	1.21	6.54
802.11be EHT20_Nss1,(MCS0)_2TX	1.08	6.97
802.11be EHT20_Nss2,(MCS0)_2TX	1.14	6.47
802.11be EHT40_Nss1,(MCS0)_1TX	-1.45	3.88
802.11be EHT40_Nss1,(MCS0)_2TX	-1.64	4.25
802.11be EHT40_Nss2,(MCS0)_2TX	-1.47	3.86
802.11be EHT80_Nss1,(MCS0)_1TX	-3.74	1.59
802.11be EHT80_Nss1,(MCS0)_2TX	-4.16	1.73
802.11be EHT80_Nss2,(MCS0)_2TX	-4.00	1.33
802.11be EHT160_Nss1,(MCS0)_1TX	-6.93	-1.60
802.11be EHT160_Nss1,(MCS0)_2TX	-6.95	-1.06
802.11be EHT160_Nss2,(MCS0)_2TX	-6.55	-1.22

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	1.28		1.28	6.51	23.00
6195MHz	Pass	5.23	1.17		1.17	6.40	23.00
6415MHz	Pass	5.23	0.08		0.08	5.31	23.00
6535MHz	Pass	5.33	1.21		1.21	6.54	23.00
6695MHz	Pass	5.33	1.18		1.18	6.51	23.00
6855MHz	Pass	5.33	1.19		1.19	6.52	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	-1.34		-1.34	3.89	23.00
6205MHz	Pass	5.23	-1.49		-1.49	3.74	23.00
6405MHz	Pass	5.23	-1.44		-1.44	3.79	23.00
6565MHz	Pass	5.33	-1.64		-1.64	3.69	23.00
6685MHz	Pass	5.33	-1.45		-1.45	3.88	23.00
6845MHz	Pass	5.33	-1.52		-1.52	3.81	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	-3.93		-3.93	1.30	23.00
6225MHz	Pass	5.23	-4.34		-4.34	0.89	23.00
6385MHz	Pass	5.23	-3.87		-3.87	1.36	23.00
6625MHz	Pass	5.33	-4.15		-4.15	1.18	23.00
6705MHz	Pass	5.33	-4		-4.00	1.33	23.00
6785MHz	Pass	5.33	-3.74		-3.74	1.59	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	-6.17		-6.17	-0.94	23.00
6185MHz	Pass	5.23	-6.26		-6.26	-1.03	23.00
6345MHz	Pass	5.23	-7.44		-7.44	-2.21	23.00
6665MHz	Pass	5.33	-6.93		-6.93	-1.60	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	-9.11		-9.11	-3.88	23.00
6265MHz	Pass	5.23	-9.08		-9.08	-3.85	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.40	-1.59	-1.56	1.37	6.77	23.00
6195MHz	Pass	5.40	-1.28	-2.09	1.28	6.68	23.00
6415MHz	Pass	5.40	-2.54	-3.05	0.19	5.59	23.00
6535MHz	Pass	5.89	-1.94	-1.93	1.04	6.93	23.00
6695MHz	Pass	5.89	-1.88	-1.91	1.07	6.96	23.00
6855MHz	Pass	5.89	-1.88	-1.92	1.08	6.97	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.40	-4.34	-4.56	-1.47	3.93	23.00
6205MHz	Pass	5.40	-4.9	-4.2	-1.64	3.76	23.00
6405MHz	Pass	5.40	-4.66	-5.29	-2.09	3.31	23.00
6565MHz	Pass	5.89	-4.53	-4.7	-1.64	4.25	23.00
6685MHz	Pass	5.89	-4.58	-4.93	-1.83	4.06	23.00
6845MHz	Pass	5.89	-4.82	-4.63	-1.81	4.08	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.40	-6.81	-6.37	-3.64	1.76	23.00
6225MHz	Pass	5.40	-7.2	-7.09	-4.24	1.16	23.00
6385MHz	Pass	5.40	-6.87	-7.49	-4.20	1.20	23.00
6625MHz	Pass	5.89	-7.5	-7.36	-4.48	1.41	23.00
6705MHz	Pass	5.89	-7.35	-7.3	-4.34	1.55	23.00
6785MHz	Pass	5.89	-6.92	-7.19	-4.16	1.73	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.40	-9.07	-9.27	-6.34	-0.94	23.00
6185MHz	Pass	5.40	-9.42	-10.05	-6.85	-1.45	23.00
6345MHz	Pass	5.40	-10.69	-10.47	-7.72	-2.32	23.00
6665MHz	Pass	5.89	-9.64	-9.86	-6.95	-1.06	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40	-12.58	-12.26	-9.58	-4.18	23.00
6265MHz	Pass	5.40	-12.6	-12.17	-9.42	-4.02	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.23	-1.78	-1.76	1.21	6.44	23.00
6195MHz	Pass	5.23	-1.55	-2.37	1.03	6.26	23.00
6415MHz	Pass	5.23	-2.76	-3.27	0.00	5.23	23.00
6535MHz	Pass	5.33	-1.87	-1.87	1.07	6.40	23.00
6695MHz	Pass	5.33	-1.85	-1.86	1.11	6.44	23.00
6855MHz	Pass	5.33	-1.74	-1.91	1.14	6.47	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.23	-4.28	-4.46	-1.38	3.85	23.00
6205MHz	Pass	5.23	-4.82	-3.98	-1.45	3.78	23.00
6405MHz	Pass	5.23	-4.51	-5.13	-2.04	3.19	23.00
6565MHz	Pass	5.33	-4.32	-4.52	-1.47	3.86	23.00
6685MHz	Pass	5.33	-4.56	-4.64	-1.72	3.61	23.00
6845MHz	Pass	5.33	-4.74	-4.4	-1.67	3.66	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.23	-6.85	-6.44	-3.73	1.50	23.00
6225MHz	Pass	5.23	-7.13	-6.98	-4.11	1.12	23.00
6385MHz	Pass	5.23	-6.87	-7.44	-4.20	1.03	23.00
6625MHz	Pass	5.33	-7.4	-7.19	-4.41	0.92	23.00
6705MHz	Pass	5.33	-7.1	-7.1	-4.18	1.15	23.00
6785MHz	Pass	5.33	-6.8	-7.05	-4.00	1.33	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.23	-8.76	-9.26	-6.26	-1.03	23.00
6185MHz	Pass	5.23	-9.27	-9.56	-6.52	-1.29	23.00
6345MHz	Pass	5.23	-10.34	-10.21	-7.40	-2.17	23.00
6665MHz	Pass	5.33	-9.54	-9.42	-6.55	-1.22	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.23	-12.51	-12.16	-9.38	-4.15	23.00
6265MHz	Pass	5.23	-13.04	-12.69	-9.98	-4.75	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

29/05/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.28	1.28	1.28

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

29/05/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.17	1.17	1.17


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

29/05/2026

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	0.08

Port 1


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

29/05/2026

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.21	1.21	1.21

Port 1

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

29/05/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.18	1.18	1.18

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

29/05/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.19	1.19	1.19


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

29/05/2026

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.34	-1.34	-1.34


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

29/05/2026

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.49	-1.49	-1.49

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

29/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

30/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

30/05/2026

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.45	-1.45	-1.45


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

30/05/2026

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.52	-1.52	-1.52

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

30/05/2026



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

30/05/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.87	-3.87	-3.87

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

30/05/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.15	-4.15	-4.15

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

24/06/2026



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6025MHz

30/05/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.17	-6.17	-6.17

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6185MHz

30/05/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.26	-6.26	-6.26

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6345MHz

30/05/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.44	-7.44	-7.44

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

30/05/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.93	-6.93	-6.93

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6105MHz

30/05/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.11	-9.11	-9.11

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6265MHz

30/05/2026

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.08	-9.08	-9.08

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5955MHz

30/05/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.37	1.37	-1.59	-1.56

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6195MHz

30/05/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.28	1.28	-1.28	-2.09

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6415MHz

30/05/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.19	0.19	-2.54	-3.05

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6535MHz

30/05/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.04	1.04	-1.94	-1.93

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6695MHz

30/05/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.07	1.07	-1.88	-1.91

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6855MHz

30/05/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.08	1.08	-1.88	-1.92

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5965MHz

30/05/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.47	-1.47	-4.34	-4.56

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6205MHz

30/05/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.64	-1.64	-4.90	-4.20

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6405MHz

30/05/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.09	-2.09	-4.66	-5.29

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6565MHz

30/05/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.64	-1.64	-4.53	-4.70


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6685MHz

30/05/2026

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.83	-1.83	-4.58	-4.93

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6845MHz

30/05/2026

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.81	-1.81	-4.82	-4.63

Sum
Port 1
Port 2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5985MHz

30/05/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.64	-3.64	-6.81	-6.37

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6225MHz

30/05/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.24	-4.24	-7.20	-7.09

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6385MHz

30/05/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.20	-4.20	-6.87	-7.49

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6625MHz

30/05/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.48	-4.48	-7.50	-7.36

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6705MHz

30/05/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.34	-4.34	-7.35	-7.30

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6785MHz

24/06/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.16	-4.16	-6.92	-7.19

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6025MHz

30/05/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.34	-6.34	-9.07	-9.27

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6185MHz

30/05/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.85	-6.85	-9.42	-10.05

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6345MHz

30/05/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.72	-7.72	-10.69	-10.47

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6665MHz

30/05/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.95	-6.95	-9.64	-9.86

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6105MHz

30/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6265MHz

30/05/2026



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

30/05/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.21	1.21	-1.78	-1.76

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

30/05/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.03	1.03	-1.55	-2.37

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

30/05/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

30/05/2026



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

30/05/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.11	1.11	-1.85	-1.86

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

30/05/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.14	1.14	-1.74	-1.91

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

30/05/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.38	-1.38	-4.28	-4.46

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

30/05/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.45	-1.45	-4.82	-3.98

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

30/05/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.04	-2.04	-4.51	-5.13

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

30/05/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.47	-1.47	-4.32	-4.52


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

30/05/2026

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.72	-1.72	-4.56	-4.64

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

30/05/2026

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.67	-1.67	-4.74	-4.40

Sum
Port 1
Port 2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

30/05/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.73	-3.73	-6.85	-6.44

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

30/05/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.11	-4.11	-7.13	-6.98

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

30/05/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.20	-4.20	-6.87	-7.44

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

30/05/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.41	-4.41	-7.40	-7.19

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

30/05/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.18	-4.18	-7.10	-7.10

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

24/06/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.00	-4.00	-6.80	-7.05

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

30/05/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.26	-6.26	-8.76	-9.26

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

30/05/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.52	-6.52	-9.27	-9.56

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

30/05/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.40	-7.40	-10.34	-10.21

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

30/05/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.55	-6.55	-9.54	-9.42

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

30/05/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.38	-9.38	-12.51	-12.16

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

30/05/2026

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.98	-9.98	-13.04	-12.69



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	4.49	9.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	1.21	6.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	0.91	6.31
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_2TX	-2.15	3.25
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX	-2.24	3.16
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_2TX	-2.49	2.91

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.40	1.14	1.90	4.49	9.89	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.40	-1.95	-1.52	1.21	6.61	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.40	-2.12	-1.96	0.91	6.31	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40	-5.10	-5.14	-2.15	3.25	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40	-5.18	-5.14	-2.24	3.16	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.40	-5.50	-5.33	-2.49	2.91	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5985MHz

23/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

PSD

6025MHz

23/06/2026



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

6025MHz

23/06/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.91	0.91	-2.12	-1.96

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_2TX

PSD

6105MHz

23/06/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.15	-2.15	-5.10	-5.14

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX

PSD

6105MHz

23/06/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.24	-2.24	-5.18	-5.14

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_2TX

PSD

6105MHz

23/06/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.49	-2.49	-5.50	-5.33




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 5	Pass	PK	46.98M	35.41	40.00	-4.59	Vertical

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
QP	39.7M	35.22	40.00	-4.78	-34.48	3	Vertical	254	1.00	-	69.70	18.91	0.20	53.59		
PK	46.98M	35.41	40.00	-4.59	-34.20	3	Vertical	103	1.00	"Worst"	69.61	19.45	0.27	53.92		
QP	60.07M	32.35	40.00	-7.65	-34.55	3	Vertical	0	3.00	-	66.90	18.90	0.50	53.95		
PK	79.96M	23.30	40.00	-16.70	-38.78	3	Vertical	155	4.00	-	62.08	14.76	0.38	53.92		
PK	219.64M	27.31	46.00	-18.69	-36.58	3	Vertical	0	2.00	-	63.89	15.44	1.76	53.78		
PK	240.01M	28.83	46.00	-17.17	-34.48	3	Vertical	95	2.00	-	63.31	17.30	1.85	53.63		

Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	40.19M	26.06	40.00	-13.94	-34.32	3	Horizontal	332	1.00	-	60.38	18.99	0.20	53.51		
PK	49.89M	21.03	40.00	-18.97	-34.15	3	Horizontal	135	1.00	-	55.18	19.66	0.35	54.16		
PK	59.59M	20.85	40.00	-19.15	-34.56	3	Horizontal	96	2.00	-	55.41	18.91	0.49	53.96		
PK	156.59M	18.69	43.50	-24.81	-33.05	3	Horizontal	71	3.00	-	51.74	19.19	1.48	53.72		
PK	227.88M	29.31	46.00	-16.69	-36.13	3	Horizontal	250	2.00	-	65.44	15.79	1.80	53.72		
PK	239.04M	34.93	46.00	-11.07	-34.58	3	Horizontal	98	1.00	"Worst"	69.51	17.22	1.84	53.64		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin	Dist	Condition	Azimuth	Height	Comments
						(dB)	(m)		(°)	(m)	
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	RMS	5.925G	68.19	68.20	-0.01	3	Vertical	328	1.66	87

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 91
80\98\78\88\93\91
9.44\ -9.05\14.72\5.48\ -3.04\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	83.66	88.20	-4.54	71.47	3	Vertical	336	1.72	91	34.20	8.15	30.16			
RMS	5.925G	67.75	68.20	-0.45	55.56	3	Vertical	336	1.72	91	34.20	8.15	30.16			
PK	5.9505G	119.90	Inf	-Inf	107.61	3	Vertical	336	1.72	91	34.30	8.14	30.15			
RMS	5.9598G	106.10	Inf	-Inf	93.80	3	Vertical	336	1.72	91	34.30	8.14	30.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 91
91
5.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	80.17	88.20	-8.03	67.98	3	Horizontal	3	1.64	91	34.20	8.15	30.16			
RMS	5.925G	63.04	68.20	-5.16	50.85	3	Horizontal	3	1.64	91	34.20	8.15	30.16			
PK	5.9586G	114.91	Inf	-Inf	102.61	3	Horizontal	3	1.64	91	34.30	8.14	30.14			
RMS	5.9589G	101.26	Inf	-Inf	88.96	3	Horizontal	3	1.64	91	34.30	8.14	30.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 90
80\99\78\88\93\91\90
9.60\ -8.73\13.64\3.57\ -4.94\ -1.09\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9115G	85.00	88.20	-3.20	72.85	3	Vertical	327	1.43	90	34.15	8.16	30.16			
RMS	5.9232G	67.88	68.20	-0.32	55.70	3	Vertical	327	1.43	90	34.19	8.15	30.16			
PK	5.958G	120.65	Inf	-Inf	108.36	3	Vertical	327	1.43	90	34.30	8.14	30.15			
RMS	5.9607G	107.79	Inf	-Inf	95.49	3	Vertical	327	1.43	90	34.30	8.14	30.14			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 90
90
0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.925G	82.31	88.20	-5.89	70.12	3	Horizontal	47	2.65	90	34.20	8.15	30.16				
RMS	5.925G	67.42	68.20	-0.78	55.23	3	Horizontal	47	2.65	90	34.20	8.15	30.16				
PK	5.9583G	119.34	Inf	-Inf	107.05	3	Horizontal	47	2.65	90	34.30	8.14	30.15				
RMS	5.9601G	106.52	Inf	-Inf	94.22	3	Horizontal	47	2.65	90	34.30	8.14	30.14				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 90
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.89524G	43.11	74.00	-30.89	57.54	3	Vertical	128	2.08	-	39.38	12.74	66.55				
AV	11.89863G	31.98	54.00	-22.02	46.41	3	Vertical	128	2.08	-	39.39	12.74	66.56				
PK	17.8557G	51.31	74.00	-22.69	54.15	3	Vertical	111	1.84	-	45.85	15.21	63.90				
AV	17.86824G	40.29	54.00	-13.71	43.01	3	Vertical	111	1.84	-	45.95	15.21	63.88				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 90
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90166G	42.70	74.00	-31.30	57.13	3	Horizontal	118	1.83	-	39.39	12.74	66.56			
AV	11.90028G	32.07	54.00	-21.93	46.49	3	Horizontal	118	1.83	-	39.40	12.74	66.56			
PK	17.86899G	52.99	74.00	-21.01	55.71	3	Horizontal	111	1.68	-	45.95	15.21	63.88			
AV	17.86815G	40.28	54.00	-13.72	43.00	3	Horizontal	111	1.68	-	45.95	15.21	63.88			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 90
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81301G	62.88	83.54	-20.66	53.77	1	Vertical	230	1.80	-	38.90	18.11	47.90			
AV	23.81577G	49.10	63.54	-14.44	39.99	1	Vertical	230	1.80	-	38.90	18.11	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 90
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8212G	66.55	83.54	-16.99	57.43	1	Horizontal	175	1.69	-	38.90	18.12	47.90			
AV	23.82087G	52.07	63.54	-11.47	42.95	1	Horizontal	175	1.69	-	38.90	18.12	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37917G	47.45	74.00	-26.55	61.90	3	Vertical	330	1.90	-	38.70	12.85	66.00			
AV	12.39345G	33.21	54.00	-20.79	47.64	3	Vertical	330	1.90	-	38.70	12.85	65.98			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39075G	47.27	74.00	-26.73	61.70	3	Horizontal	45	1.93	-	38.70	12.85	65.98			
AV	12.39321G	33.27	54.00	-20.73	47.70	3	Horizontal	45	1.93	-	38.70	12.85	65.98			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57876G	51.21	83.54	-32.33	46.50	1	Vertical	161	1.41	-	37.62	15.74	48.65			
AV	18.58398G	37.86	63.54	-25.68	33.13	1	Vertical	161	1.41	-	37.64	15.74	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.58359G	53.95	83.54	-29.59	49.23	1	Horizontal	195	1.47	-	37.63	15.74	48.65				
AV	18.58125G	39.30	63.54	-24.24	34.59	1	Horizontal	195	1.47	-	37.62	15.74	48.65				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Z_2TX
Setting 91
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82532G	46.14	88.20	-42.06	59.99	3	Vertical	88	1.53	-	39.05	12.92	65.82			
RMS	12.84473G	32.34	68.20	-35.86	46.15	3	Vertical	88	1.53	-	39.09	12.92	65.82			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Z_2TX
Setting 91
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83741G	45.92	88.20	-42.28	59.75	3	Horizontal	176	1.72	-	39.07	12.92	65.82			
RMS	12.84485G	32.34	68.20	-35.86	46.15	3	Horizontal	176	1.72	-	39.09	12.92	65.82			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 91
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24413G	54.31	83.54	-29.23	49.26	1	Vertical	183	2.05	-	37.86	16.04	48.85			
AV	19.24419G	40.76	63.54	-22.78	35.69	1	Vertical	183	2.05	-	37.87	16.05	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 91
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24071G	57.90	83.54	-25.64	52.87	1	Horizontal	173	1.63	-	37.84	16.04	48.85			
AV	19.24587G	44.28	63.54	-19.26	39.20	1	Horizontal	173	1.63	-	37.88	16.05	48.85			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 90
80\100\78\89\94\92\91\90
11.77\ -8.93\14.15\2.86\ -7.21\ -2.46\ -1.02\0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9115G	84.90	88.20	-3.30	72.75	3	Vertical	334	1.42	90	34.15	8.16	30.16			
RMS	5.925G	67.56	68.20	-0.64	55.37	3	Vertical	334	1.42	90	34.20	8.15	30.16			
PK	5.9484G	119.62	Inf	-Inf	107.34	3	Vertical	334	1.42	90	34.29	8.14	30.15			
RMS	5.9478G	106.24	Inf	-Inf	93.96	3	Vertical	334	1.42	90	34.29	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 90
90
1.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.31	88.20	-4.89	71.12	3	Horizontal	43	2.65	90	34.20	8.15	30.16			
RMS	5.925G	66.31	68.20	-1.89	54.12	3	Horizontal	43	2.65	90	34.20	8.15	30.16			
PK	5.9604G	118.91	Inf	-Inf	106.61	3	Horizontal	43	2.65	90	34.30	8.14	30.14			
RMS	5.9601G	105.59	Inf	-Inf	93.29	3	Horizontal	43	2.65	90	34.30	8.14	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 83
80\92\78\85\82\83\84\83
6.44\10.97\10.92\1.28\3.01\1.47\0.18\1.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9245G	80.67	88.20	-7.53	68.48	3	Vertical	332	1.82	83	34.20	8.15	30.16				
RMS	5.9248G	66.65	68.20	-1.55	54.46	3	Vertical	332	1.82	83	34.20	8.15	30.16				
PK	5.9623G	115.54	Inf	-Inf	103.24	3	Vertical	332	1.82	83	34.30	8.14	30.14				
RMS	5.9737G	101.94	Inf	-Inf	89.65	3	Vertical	332	1.82	83	34.30	8.13	30.14				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET83
83
6.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	75.40	88.20	-12.80	63.21	3	Horizontal	359	1.64	83	34.20	8.15	30.16				
RMS	5.925G	61.54	68.20	-6.66	49.35	3	Horizontal	359	1.64	83	34.20	8.15	30.16				
PK	5.9623G	109.89	Inf	-Inf	97.59	3	Horizontal	359	1.64	83	34.30	8.14	30.14				
RMS	5.9602G	96.05	Inf	-Inf	83.75	3	Horizontal	359	1.64	83	34.30	8.14	30.14				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 82
80\89\78\83\81\82
4.82\ -9.33\8.96\ -0.17\2.47\1.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9233G	79.82	88.20	-8.38	67.64	3	Vertical	325	1.43	82	34.19	8.15	30.16			
RMS	5.923G	66.37	68.20	-1.83	54.19	3	Vertical	325	1.43	82	34.19	8.15	30.16			
PK	5.9728G	117.11	Inf	-Inf	104.82	3	Vertical	325	1.43	82	34.30	8.13	30.14			
RMS	5.9806G	104.50	Inf	-Inf	92.21	3	Vertical	325	1.43	82	34.30	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 82
82
2.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.80	88.20	-9.40	66.61	3	Horizontal	45	2.06	82	34.20	8.15	30.16			
RMS	5.9245G	65.86	68.20	-2.34	53.67	3	Horizontal	45	2.06	82	34.20	8.15	30.16			
PK	5.9749G	115.86	Inf	-Inf	103.57	3	Horizontal	45	2.06	82	34.30	8.13	30.14			
RMS	5.9797G	102.82	Inf	-Inf	90.53	3	Horizontal	45	2.06	82	34.30	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 82
80\89\78\83\81\82
4.81\ -8.93\8.50\ -0.67\3.12\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.40	88.20	-8.80	67.21	3	Vertical	328	1.52	82	34.20	8.15	30.16			
RMS	5.9248G	67.80	68.20	-0.40	55.61	3	Vertical	328	1.52	82	34.20	8.15	30.16			
PK	5.9749G	115.33	Inf	-Inf	103.04	3	Vertical	328	1.52	82	34.30	8.13	30.14			
RMS	5.9731G	103.51	Inf	-Inf	91.22	3	Vertical	328	1.52	82	34.30	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 82
82
3.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.56	88.20	-9.64	66.37	3	Horizontal	46	2.05	82	34.20	8.15	30.16			
RMS	5.925G	65.02	68.20	-3.18	52.83	3	Horizontal	46	2.05	82	34.20	8.15	30.16			
PK	5.9719G	114.00	Inf	-Inf	101.71	3	Horizontal	46	2.05	82	34.30	8.13	30.14			
RMS	5.9806G	101.83	Inf	-Inf	89.54	3	Horizontal	46	2.05	82	34.30	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 87
80\100\78\89\84\86\87
12.31\15.48\14.69\3.04\6.21\3.19\0.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	79.21	88.20	-8.99	67.03	3	Vertical	326	1.61	87	34.19	8.15	30.16			
RMS	5.923G	67.86	68.20	-0.34	55.68	3	Vertical	326	1.61	87	34.19	8.15	30.16			
PK	6.0145G	111.47	Inf	-Inf	99.17	3	Vertical	326	1.61	87	34.33	8.11	30.14			
RMS	6.017G	100.27	Inf	-Inf	87.97	3	Vertical	326	1.61	87	34.33	8.11	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 87
87
6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	72.64	88.20	-15.56	60.45	3	Horizontal	-0	1.80	87	34.20	8.15	30.16			
RMS	5.925G	62.16	68.20	-6.04	49.97	3	Horizontal	-0	1.80	87	34.20	8.15	30.16			
PK	5.989G	105.65	Inf	-Inf	93.36	3	Horizontal	-0	1.80	87	34.30	8.12	30.13			
RMS	5.9895G	93.61	Inf	-Inf	81.32	3	Horizontal	-0	1.80	87	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 86
80\100\78\89\84\86\87\86
10.67\ -16.71\13.84\ -4.66\3.64\0.52\ -1.48\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	79.58	88.20	-8.62	67.40	3	Vertical	326	1.58	86	34.18	8.16	30.16
RMS	5.9235G	68.10	68.20	-0.10	55.92	3	Vertical	326	1.58	86	34.19	8.15	30.16
PK	6.0005G	114.52	Inf	-Inf	102.23	3	Vertical	326	1.58	86	34.30	8.12	30.13
RMS	6.016G	102.51	Inf	-Inf	90.21	3	Vertical	326	1.58	86	34.33	8.11	30.14

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 86
86
1.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	77.77	88.20	-10.43	65.59	3	Horizontal	44	2.03	86	34.18	8.16	30.16			
RMS	5.9245G	66.30	68.20	-1.90	54.11	3	Horizontal	44	2.03	86	34.20	8.15	30.16			
PK	5.9945G	112.87	Inf	-Inf	100.58	3	Horizontal	44	2.03	86	34.30	8.12	30.13			
RMS	5.9945G	100.56	Inf	-Inf	88.27	3	Horizontal	44	2.03	86	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_1TX
SET 87
80\100\78\89\84\86\87
11.60\15.70\13.97\3.88\5.00\1.18\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	79.79	88.20	-8.41	67.61	3	Vertical	328	1.66	87	34.19	8.15	30.16			
RMS	5.925G	68.19	68.20	-0.01	56.00	3	Vertical	328	1.66	87	34.20	8.15	30.16			
PK	5.9945G	113.18	Inf	-Inf	100.89	3	Vertical	328	1.66	87	34.30	8.12	30.13			
RMS	6.0125G	100.72	Inf	-Inf	88.42	3	Vertical	328	1.66	87	34.32	8.11	30.13			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Y_1TX
SET 87
87
2.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.28	88.20	-10.92	65.09	3	Horizontal	45	2.04	87	34.20	8.15	30.16			
RMS	5.923G	66.00	68.20	-2.20	53.82	3	Horizontal	45	2.04	87	34.19	8.15	30.16			
PK	5.9835G	111.01	Inf	-Inf	98.72	3	Horizontal	45	2.04	87	34.30	8.13	30.14			
RMS	5.9975G	99.29	Inf	-Inf	87.00	3	Horizontal	45	2.04	87	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 83
80\86\83
3.25\ -2.07\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	83.34	88.20	-4.86	71.16	3	Vertical	6	1.66	83	34.18	8.16	30.16			
RMS	5.924G	67.83	68.20	-0.37	55.64	3	Vertical	6	1.66	83	34.20	8.15	30.16			
PK	6.051G	109.18	Inf	-Inf	96.84	3	Vertical	6	1.66	83	34.40	8.09	30.15			
RMS	6.048G	92.10	Inf	-Inf	79.76	3	Vertical	6	1.66	83	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX

EUT_Y_1TX
SET83
83
5.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	77.59	88.20	-10.61	65.40	3	Horizontal	360	1.80	83	34.19	8.16	30.16			
RMS	5.9235G	62.81	68.20	-5.39	50.63	3	Horizontal	360	1.80	83	34.19	8.15	30.16			
PK	6.052G	102.93	Inf	-Inf	90.59	3	Horizontal	360	1.80	83	34.40	8.09	30.15			
RMS	6.0515G	86.02	Inf	-Inf	73.68	3	Horizontal	360	1.80	83	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



EUT_Y_2TX
SET 81
80\83\82\81
1.55\1.24\0.54\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	82.93	88.20	-5.27	70.76	3	Vertical	334	1.79	81	34.17	8.16	30.16			
RMS	5.9235G	67.71	68.20	-0.49	55.53	3	Vertical	334	1.79	81	34.19	8.15	30.16			
PK	6.044G	110.76	Inf	-Inf	98.42	3	Vertical	334	1.79	81	34.39	8.10	30.15			
RMS	6.051G	93.73	Inf	-Inf	81.39	3	Vertical	334	1.79	81	34.40	8.09	30.15			