


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
SET 81
81
3.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	80.18	88.20	-8.02	68.00	3	Horizontal	43	2.67	81	34.19	8.15	30.16			
RMS	5.925G	65.06	68.20	-3.14	52.87	3	Horizontal	43	2.67	81	34.20	8.15	30.16			
PK	6.0465G	109.03	Inf	-Inf	96.70	3	Horizontal	43	2.67	81	34.39	8.09	30.15			
RMS	6.051G	91.64	Inf	-Inf	79.30	3	Horizontal	43	2.67	81	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 79
80\79
-0.06\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	81.05	88.20	-7.15	68.86	3	Vertical	332	1.71	79	34.19	8.16	30.16			
RMS	5.9185G	67.77	68.20	-0.43	55.60	3	Vertical	332	1.71	79	34.17	8.16	30.16			
PK	6.051G	109.59	Inf	-Inf	97.25	3	Vertical	332	1.71	79	34.40	8.09	30.15			
RMS	6.0515G	96.56	Inf	-Inf	84.22	3	Vertical	332	1.71	79	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 79
79
3.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	78.21	88.20	-9.99	66.02	3	Horizontal	43	2.68	79	34.20	8.15	30.16			
RMS	5.922G	64.37	68.20	-3.83	52.18	3	Horizontal	43	2.68	79	34.19	8.16	30.16			
PK	6.0545G	108.24	Inf	-Inf	95.90	3	Horizontal	43	2.68	79	34.40	8.09	30.15			
RMS	6.048G	95.00	Inf	-Inf	82.66	3	Horizontal	43	2.68	79	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 82
80\83\82
1.92\ -0.46\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	79.39	88.20	-8.81	67.21	3	Vertical	7	1.80	82	34.19	8.15	30.16			
RMS	5.92G	67.79	68.20	-0.41	55.61	3	Vertical	7	1.80	82	34.18	8.16	30.16			
PK	6.085G	104.85	Inf	-Inf	92.54	3	Vertical	7	1.80	82	34.40	8.07	30.16			
RMS	6.074G	92.95	Inf	-Inf	80.63	3	Vertical	7	1.80	82	34.40	8.08	30.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 82
82
5.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	74.62	88.20	-13.58	62.44	3	Horizontal	0	1.58	82	34.18	8.16	30.16			
RMS	5.923G	63.08	68.20	-5.12	50.90	3	Horizontal	0	1.58	82	34.19	8.15	30.16			
PK	6.069G	99.46	Inf	-Inf	87.14	3	Horizontal	0	1.58	82	34.40	8.08	30.16			
RMS	6.08G	87.69	Inf	-Inf	75.37	3	Horizontal	0	1.58	82	34.40	8.08	30.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 80
80\81\80
0.67\0.27\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	80.56	88.20	-7.64	68.39	3	Vertical	327	1.55	80	34.17	8.16	30.16			
RMS	5.923G	68.00	68.20	-0.20	55.82	3	Vertical	327	1.55	80	34.19	8.15	30.16			
PK	6.046G	107.89	Inf	-Inf	95.56	3	Vertical	327	1.55	80	34.39	8.09	30.15			
RMS	6.059G	94.86	Inf	-Inf	82.52	3	Vertical	327	1.55	80	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
SET 80
80
2.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	77.48	88.20	-10.72	65.31	3	Horizontal	42	2.67	80	34.17	8.16	30.16			
RMS	5.925G	66.15	68.20	-2.05	53.96	3	Horizontal	42	2.67	80	34.20	8.15	30.16			
PK	6.078G	104.79	Inf	-Inf	92.47	3	Horizontal	42	2.67	80	34.40	8.08	30.16			
RMS	6.053G	92.28	Inf	-Inf	79.94	3	Horizontal	42	2.67	80	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
SET 80
80
0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	78.78	88.20	-9.42	66.62	3	Vertical	330	1.64	80	34.16	8.16	30.16			
RMS	5.913G	68.07	68.20	-0.13	55.92	3	Vertical	330	1.64	80	34.15	8.16	30.16			
PK	6.06G	105.53	Inf	-Inf	93.19	3	Vertical	330	1.64	80	34.40	8.09	30.15			
RMS	6.062G	95.33	Inf	-Inf	82.99	3	Vertical	330	1.64	80	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 80
80
1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	77.44	88.20	-10.76	65.26	3	Horizontal	42	2.66	80	34.18	8.16	30.16			
RMS	5.912G	66.49	68.20	-1.71	54.34	3	Horizontal	42	2.66	80	34.15	8.16	30.16			
PK	6.087G	103.90	Inf	-Inf	91.59	3	Horizontal	42	2.66	80	34.40	8.07	30.16			
RMS	6.069G	93.67	Inf	-Inf	81.35	3	Horizontal	42	2.66	80	34.40	8.08	30.16			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 93
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08047G	46.86	88.20	-41.34	60.09	3	Vertical	5	1.87	-	39.58	12.96	65.77			
RMS	13.08497G	32.50	68.20	-35.70	45.70	3	Vertical	5	1.87	-	39.61	12.96	65.77			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 93
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08209G	47.51	88.20	-40.69	60.73	3	Horizontal	247	1.97	-	39.59	12.96	65.77			
RMS	13.08494G	32.58	68.20	-35.62	45.78	3	Horizontal	247	1.97	-	39.61	12.96	65.77			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 93
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60122G	62.47	83.54	-21.07	57.51	1	Vertical	188	1.61	-	37.60	16.20	48.84			
AV	19.60152G	47.92	63.54	-15.62	42.96	1	Vertical	188	1.61	-	37.60	16.20	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 93
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61025G	62.81	83.54	-20.73	57.87	1	Horizontal	192	1.56	-	37.58	16.20	48.84			
AV	19.60512G	48.73	63.54	-14.81	43.78	1	Horizontal	192	1.56	-	37.59	16.20	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3954G	46.84	74.00	-27.16	59.23	3	Vertical	28	1.35	-	40.19	13.01	65.59			
AV	13.39324G	33.12	54.00	-20.88	45.51	3	Vertical	28	1.35	-	40.19	13.01	65.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39123G	46.75	74.00	-27.25	59.15	3	Horizontal	266	1.97	-	40.18	13.01	65.59			
AV	13.3933G	33.15	54.00	-20.85	45.54	3	Horizontal	266	1.97	-	40.19	13.01	65.59			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08857G	55.16	83.54	-28.38	50.45	1	Vertical	186	1.63	-	37.28	16.41	48.98			
AV	20.08842G	41.90	63.54	-21.64	37.19	1	Vertical	186	1.63	-	37.28	16.41	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08959G	58.23	83.54	-25.31	53.52	1	Horizontal	156	1.64	-	37.28	16.41	48.98			
AV	20.08458G	43.76	63.54	-19.78	39.06	1	Horizontal	156	1.64	-	37.27	16.41	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70682G	46.51	88.20	-41.69	58.06	3	Vertical	157	1.31	-	40.81	13.05	65.41			
RMS	13.71936G	32.78	68.20	-35.42	44.28	3	Vertical	157	1.31	-	40.84	13.06	65.40			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71825G	46.58	88.20	-41.62	58.08	3	Horizontal	94	1.83	-	40.84	13.06	65.40			
RMS	13.70727G	32.78	68.20	-35.42	44.33	3	Horizontal	94	1.83	-	40.81	13.05	65.41			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56647G	51.75	83.54	-31.79	46.44	1	Vertical	211	2.05	-	37.57	16.64	48.90			
AV	20.56437G	38.20	63.54	-25.34	32.90	1	Vertical	211	2.05	-	37.56	16.64	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX



EUT_Z_2TX
Setting 108
02-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56113G	57.46	83.54	-26.08	52.19	1	Horizontal	212	1.60	-	37.54	16.63	48.90			
AV	20.56602G	43.51	63.54	-20.03	38.21	1	Horizontal	212	1.60	-	37.56	16.64	48.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_1TX	Pass	RMS	5.9215G	68.19	68.20	-0.01	3	Vertical	327	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT Y_1TX
Setting 85
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	82.35	88.20	-5.85	84.50	3	Vertical	325	1.80	-	32.40	8.86	43.41			
RMS	5.9195G	67.77	68.20	-0.43	69.89	3	Vertical	325	1.80	-	32.40	8.88	43.40			
PK	6.01G	109.79	Inf	-Inf	111.63	3	Vertical	325	1.80	-	32.42	9.07	43.33			
RMS	6.016G	99.63	Inf	-Inf	101.45	3	Vertical	325	1.80	-	32.43	9.08	43.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT Y_1TX
Setting 85
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	77.43	88.20	-10.77	79.57	3	Horizontal	344	1.80	-	32.40	8.87	43.41			
RMS	5.91G	63.07	68.20	-5.13	65.22	3	Horizontal	344	1.80	-	32.40	8.86	43.41			
PK	6.0145G	105.13	Inf	-Inf	106.96	3	Horizontal	344	1.80	-	32.43	9.07	43.33			
RMS	6.0225G	94.89	Inf	-Inf	96.69	3	Horizontal	344	1.80	-	32.45	9.08	43.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6025MHz_TX




EUT Y_1TX
Setting 84
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	79.26	88.20	-8.94	81.40	3	Vertical	327	1.80	-	32.40	8.87	43.41			
RMS	5.9215G	68.19	68.20	-0.01	70.30	3	Vertical	327	1.80	-	32.40	8.89	43.40			
PK	6.039G	106.62	Inf	-Inf	108.36	3	Vertical	327	1.80	-	32.48	9.10	43.32			
RMS	6.0515G	97.24	Inf	-Inf	98.94	3	Vertical	327	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6025MHz_TX




EUT_Y_1TX
Setting 84
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	73.57	88.20	-14.63	75.68	3	Horizontal	338	1.80	-	32.40	8.89	43.40			
RMS	5.924G	61.88	68.20	-6.32	63.99	3	Horizontal	338	1.80	-	32.40	8.89	43.40			
PK	6.05G	102.87	Inf	-Inf	104.57	3	Horizontal	338	1.80	-	32.50	9.11	43.31			
RMS	6.05G	92.67	Inf	-Inf	94.37	3	Horizontal	338	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 82
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	79.02	88.20	-9.18	81.13	3	Vertical	327	1.80	-	32.40	8.89	43.40			
RMS	5.9225G	67.50	68.20	-0.70	69.61	3	Vertical	327	1.80	-	32.40	8.89	43.40			
PK	6.041G	108.28	Inf	-Inf	110.02	3	Vertical	327	1.80	-	32.48	9.10	43.32			
RMS	6.049G	97.57	Inf	-Inf	99.27	3	Vertical	327	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT Y_1TX
Setting 82
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	72.97	88.20	-15.23	75.08	3	Horizontal	340	1.80	-	32.40	8.89	43.40			
RMS	5.925G	61.44	68.20	-6.76	63.55	3	Horizontal	340	1.80	-	32.40	8.89	43.40			
PK	6.087G	102.79	Inf	-Inf	104.44	3	Horizontal	340	1.80	-	32.50	9.14	43.29			
RMS	6.0515G	93.19	Inf	-Inf	94.89	3	Horizontal	340	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_1TX

6105MHz_TX




EUT_Y_1TX
Setting 89
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	77.87	88.20	-10.33	79.99	3	Vertical	327	1.80	-	32.40	8.88	43.40			
RMS	5.925G	68.09	68.20	-0.11	70.20	3	Vertical	327	1.80	-	32.40	8.89	43.40			
PK	6.073G	104.09	Inf	-Inf	105.76	3	Vertical	327	1.80	-	32.50	9.13	43.30			
RMS	6.056G	94.62	Inf	-Inf	96.32	3	Vertical	327	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_1TX

6105MHz_TX




EUT Y_1TX
Setting 89
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	71.00	88.20	-17.20	73.14	3	Horizontal	339	1.80	-	32.40	8.87	43.41			
RMS	5.925G	61.82	68.20	-6.38	63.93	3	Horizontal	339	1.80	-	32.40	8.89	43.40			
PK	6.055G	98.95	Inf	-Inf	100.65	3	Horizontal	339	1.80	-	32.50	9.11	43.31			
RMS	6.054G	90.02	Inf	-Inf	91.72	3	Horizontal	339	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 90
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	78.63	88.20	-9.57	80.74	3	Vertical	321	1.80	-	32.40	8.89	43.40			
RMS	5.922G	67.84	68.20	-0.36	69.95	3	Vertical	321	1.80	-	32.40	8.89	43.40			
PK	6.076G	104.88	Inf	-Inf	106.55	3	Vertical	321	1.80	-	32.50	9.13	43.30			
RMS	6.058G	94.95	Inf	-Inf	96.64	3	Vertical	321	1.80	-	32.50	9.12	43.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_1TX

6105MHz_TX




EUT Y_1TX
Setting 90
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	74.82	88.20	-13.38	76.95	3	Horizontal	324	1.80	-	32.40	8.88	43.41
RMS	5.923G	64.27	68.20	-3.93	66.38	3	Horizontal	324	1.80	-	32.40	8.89	43.40
PK	6.06G	101.22	Inf	-Inf	102.91	3	Horizontal	324	1.80	-	32.50	9.12	43.31
RMS	6.078G	91.28	Inf	-Inf	92.95	3	Horizontal	324	1.80	-	32.50	9.13	43.30

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_1TX

6105MHz_TX




EUT_Y_1TX
Setting 87
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	76.90	88.20	-11.30	79.01	3	Vertical	324	1.80	-	32.40	8.89	43.40			
RMS	5.923G	67.87	68.20	-0.33	69.98	3	Vertical	324	1.80	-	32.40	8.89	43.40			
PK	6.046G	106.19	Inf	-Inf	107.92	3	Vertical	324	1.80	-	32.49	9.10	43.32			
RMS	6.054G	96.37	Inf	-Inf	98.07	3	Vertical	324	1.80	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_1TX

6105MHz_TX




EUT Y_1TX
Setting 87
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	73.81	88.20	-14.39	75.92	3	Horizontal	323	1.79	-	32.40	8.89	43.40			
RMS	5.925G	64.26	68.20	-3.94	66.37	3	Horizontal	323	1.79	-	32.40	8.89	43.40			
PK	6.108G	101.62	Inf	-Inf	103.22	3	Horizontal	323	1.79	-	32.52	9.16	43.28			
RMS	6.061G	92.07	Inf	-Inf	93.76	3	Horizontal	323	1.79	-	32.50	9.12	43.31			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT Y_2TX
Setting 79
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9105G	80.31	88.20	-7.89	82.46	3	Vertical	311	2.96	-	32.40	8.86	43.41			
RMS	5.9105G	64.57	68.20	-3.63	66.72	3	Vertical	311	2.96	-	32.40	8.86	43.41			
PK	6.0075G	110.98	Inf	-Inf	112.84	3	Vertical	311	2.96	-	32.41	9.07	43.34			
RMS	6.0155G	101.17	Inf	-Inf	103.00	3	Vertical	311	2.96	-	32.43	9.07	43.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT Y_2TX
Setting 79
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9095G	83.16	88.20	-5.04	85.31	3	Horizontal	36	1.80	-	32.40	8.86	43.41			
RMS	5.9195G	67.65	68.20	-0.55	69.77	3	Horizontal	36	1.80	-	32.40	8.88	43.40			
PK	6.008G	110.94	Inf	-Inf	112.79	3	Horizontal	36	1.80	-	32.42	9.07	43.34			
RMS	6.015G	100.42	Inf	-Inf	102.25	3	Horizontal	36	1.80	-	32.43	9.07	43.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT_Z_2TX
Setting 79
01-P-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9612G	46.62	74.00	-27.38	59.51	3	Vertical	19	1.80	-	38.70	15.00	66.59			
AV	11.96896G	35.25	54.00	-18.75	48.14	3	Vertical	19	1.80	-	38.70	15.00	66.59			
PK	17.97972G	50.74	74.00	-23.26	54.66	3	Vertical	355	1.80	-	43.92	15.90	63.74			
AV	17.991G	39.67	54.00	-14.33	43.52	3	Vertical	355	1.80	-	43.96	15.91	63.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT_Z_2TX
Setting 79
01-P-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98304G	47.69	74.00	-26.31	60.58	3	Horizontal	153	1.80	-	38.70	15.01	66.60			
AV	11.97224G	36.31	54.00	-17.69	49.21	3	Horizontal	153	1.80	-	38.70	15.00	66.60			
PK	17.97788G	50.79	74.00	-23.21	54.72	3	Horizontal	226	1.01	-	43.91	15.90	63.74			
AV	17.99084G	39.61	54.00	-14.39	43.46	3	Horizontal	226	1.01	-	43.96	15.91	63.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5985MHz_TX

EUT_Z_2TX
Setting 79
01-P-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9372G	57.90	83.54	-25.64	48.65	1	Vertical	162	1.55	-	38.97	18.18	47.90			
AV	23.93696G	46.94	63.54	-16.60	37.69	1	Vertical	162	1.55	-	38.97	18.18	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
01-P-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92112G	59.09	83.54	-24.45	49.88	1	Horizontal	156	1.50	-	38.94	18.17	47.90			
AV	23.916G	48.02	63.54	-15.52	38.82	1	Horizontal	156	1.50	-	38.93	18.17	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6025MHz_TX




EUT_V_2TX
Setting 82
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9075G	78.79	88.20	-9.41	80.94	3	Vertical	323	1.35	-	32.40	8.86	43.41			
RMS	5.921G	67.87	68.20	-0.33	69.98	3	Vertical	323	1.35	-	32.40	8.89	43.40			
PK	6.033G	109.24	Inf	-Inf	111.00	3	Vertical	323	1.35	-	32.47	9.09	43.32			
RMS	6.0535G	99.38	Inf	-Inf	101.08	3	Vertical	323	1.35	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6025MHz_TX




EUT_Y_2TX
Setting 82
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	79.32	88.20	-8.88	81.43	3	Horizontal	36	2.38	-	32.40	8.89	43.40			
RMS	5.921G	68.13	68.20	-0.07	70.24	3	Horizontal	36	2.38	-	32.40	8.89	43.40			
PK	6.091G	108.30	Inf	-Inf	109.94	3	Horizontal	36	2.38	-	32.50	9.15	43.29			
RMS	6.101G	98.70	Inf	-Inf	100.33	3	Horizontal	36	2.38	-	32.50	9.16	43.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_V_2TX
Setting 81
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	75.75	88.20	-12.45	77.86	3	Vertical	322	3.00	-	32.40	8.89	43.40			
RMS	5.925G	66.40	68.20	-1.80	68.51	3	Vertical	322	3.00	-	32.40	8.89	43.40			
PK	6.093G	109.35	Inf	-Inf	110.99	3	Vertical	322	3.00	-	32.50	9.15	43.29			
RMS	6.1005G	100.12	Inf	-Inf	101.75	3	Vertical	322	3.00	-	32.50	9.16	43.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_V_2TX
Setting 81
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	78.01	88.20	-10.19	80.12	3	Horizontal	36	2.38	-	32.40	8.89	43.40			
RMS	5.9205G	67.96	68.20	-0.24	70.07	3	Horizontal	36	2.38	-	32.40	8.89	43.40			
PK	6.066G	109.32	Inf	-Inf	111.00	3	Horizontal	36	2.38	-	32.50	9.12	43.30			
RMS	6.101G	99.33	Inf	-Inf	100.96	3	Horizontal	36	2.38	-	32.50	9.16	43.29			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_2TX

6105MHz_TX




EUT Y_2TX
Setting 84
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	74.15	88.20	-14.05	76.26	3	Vertical	31	1.80	-	32.40	8.89	43.40			
RMS	5.924G	64.62	68.20	-3.58	66.73	3	Vertical	31	1.80	-	32.40	8.89	43.40			
PK	6.062G	104.62	Inf	-Inf	106.31	3	Vertical	31	1.80	-	32.50	9.12	43.31			
RMS	6.06G	93.83	Inf	-Inf	95.52	3	Vertical	31	1.80	-	32.50	9.12	43.31			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 1_2TX

6105MHz_TX




EUT_V_2TX
Setting 84
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	77.46	88.20	-10.74	79.59	3	Horizontal	38	2.38	-	32.40	8.88	43.41			
RMS	5.925G	67.93	68.20	-0.27	70.04	3	Horizontal	38	2.38	-	32.40	8.89	43.40			
PK	6.075G	106.10	Inf	-Inf	107.77	3	Horizontal	38	2.38	-	32.50	9.13	43.30			
RMS	6.076G	96.17	Inf	-Inf	97.84	3	Horizontal	38	2.38	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX

6105MHz_TX




EUT Y_2TX
Setting 85
04-C-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	79.39	88.20	-8.81	81.50	3	Vertical	326	1.80	-	32.40	8.89	43.40			
RMS	5.921G	65.93	68.20	-2.27	68.04	3	Vertical	326	1.80	-	32.40	8.89	43.40			
PK	6.086G	106.83	Inf	-Inf	108.48	3	Vertical	326	1.80	-	32.50	9.14	43.29			
RMS	6.071G	96.22	Inf	-Inf	97.89	3	Vertical	326	1.80	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 85
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	79.54	88.20	-8.66	81.68	3	Horizontal	41	2.83	-	32.40	8.87	43.41			
RMS	5.925G	67.96	68.20	-0.24	70.07	3	Horizontal	41	2.83	-	32.40	8.89	43.40			
PK	6.085G	106.75	Inf	-Inf	108.40	3	Horizontal	41	2.83	-	32.50	9.14	43.29			
RMS	6.081G	96.87	Inf	-Inf	98.53	3	Horizontal	41	2.83	-	32.50	9.14	43.30			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_2TX

6105MHz_TX




EUT V_2TX
Setting 83
04-C-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	75.13	88.20	-13.07	77.24	3	Vertical	319	1.80	-	32.40	8.89	43.40			
RMS	5.923G	65.48	68.20	-2.72	67.59	3	Vertical	319	1.80	-	32.40	8.89	43.40			
PK	6.066G	107.75	Inf	-Inf	109.43	3	Vertical	319	1.80	-	32.50	9.12	43.30			
RMS	6.071G	97.11	Inf	-Inf	98.78	3	Vertical	319	1.80	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 11_2TX

6105MHz_TX



EUT Y_2TX
Setting 83
04-C-C-6-10


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	78.82	88.20	-9.38	80.93	3	Horizontal	37	2.85	-	32.40	8.89	43.40			
RMS	5.925G	68.18	68.20	-0.02	70.29	3	Horizontal	37	2.85	-	32.40	8.89	43.40			
PK	6.091G	107.96	Inf	-Inf	109.60	3	Horizontal	37	2.85	-	32.50	9.15	43.29			
RMS	6.076G	97.82	Inf	-Inf	99.49	3	Horizontal	37	2.85	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

29/05/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

24/06/2026

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

29/05/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	5.18	6.189G	-22.50	-16.13	-6.37	1


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

29/05/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24798G	4.07	6.029G	-23.25	-16.05	-7.20	1

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

29/05/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957449G	6.63	5.97805G	-20.24	-13.44	-6.80	1
5.958149G	8.13	5.98G	-19.64	-11.89	-7.75	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

29/05/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1961G	9.02	6.221525G	-16.51	-11.01	-5.50	1
6.197449G	9.53	6.222775G	-19.95	-10.48	-9.47	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409601G	6.61	6.391225G	-24.48	-13.45	-11.03	1
6.419974G	6.15	6.392775G	-24.72	-13.75	-10.97	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.540524G	6.49	6.511775G	-25.33	-13.51	-11.82	1
6.533225G	6.78	6.557025G	-21.70	-13.41	-8.29	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

29/05/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.974198G	2.15	5.9988G	-25.75	-21.08	-4.67	1
5.982996G	2.75	6.0028G	-25.20	-20.33	-4.87	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

29/05/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2031G	8.96	6.2583G	-19.63	-11.05	-8.58	1
6.211298G	9.07	6.257G	-19.23	-10.95	-8.28	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.398652G	4.12	6.3634G	-23.45	-15.94	-7.51	1
6.411098G	4.07	6.37075G	-19.82	-16.01	-3.81	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

29/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561951G	9.18	6.61345G	-18.52	-10.85	-7.67	1
6.567099G	9.01	6.515G	-20.79	-11.02	-9.77	2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

29/05/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.676352G	8.99	6.63875G	-17.31	-11.02	-6.29	1
6.677952G	8.51	6.73125G	-18.39	-11.51	-6.88	2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

29/05/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847849G	9.18	6.7952G	-18.14	-10.90	-7.24	1
6.849449G	8.71	6.7955G	-19.60	-11.30	-8.30	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

29/05/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01289G	3.05	6.0571G	-26.31	-21.18	-5.13	1
5.999G	3.84	6.051G	-23.68	-18.21	-5.47	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

29/05/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2376G	8.89	6.1189G	-18.41	-11.18	-7.23	1
6.2155G	9.18	6.1194G	-19.10	-10.89	-8.21	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

29/05/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3967G	6.99	6.2926G	-20.73	-13.04	-7.69	1
6.398G	6.82	6.2927G	-20.75	-13.25	-7.50	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

29/05/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59731G	8.92	6.5228G	-20.38	-11.09	-9.29	1
6.6106G	8.68	6.5262G	-19.15	-11.38	-7.77	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

24/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

29/05/2026



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

29/05/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31781G	4.25	6.191G	-24.17	-15.90	-8.27	1
6.32061G	4.57	6.187G	-24.88	-15.44	-9.44	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

29/05/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58982G	5.42	6.5266G	-21.41	-14.67	-6.74	1
6.63881G	5.59	6.4948G	-22.45	-15.27	-7.18	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

29/05/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05461G	3.25	6.3598G	-25.30	-17.59	-7.71	1
6.00982G	3.72	6.3938G	-25.95	-17.02	-8.93	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

29/05/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29859G	3.60	5.971G	-23.15	-16.44	-6.71	1
6.21861G	4.33	5.977G	-23.10	-15.69	-7.41	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957499G	7.14	5.9774G	-19.22	-12.98	-6.24	1
5.960074G	7.97	5.9784G	-17.37	-12.11	-5.26	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190976G	9.01	6.22295G	-19.70	-11.05	-8.65	1
6.201273G	9.28	6.2241G	-20.48	-10.99	-9.49	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41415G	6.06	6.392175G	-23.37	-13.74	-9.63	1
6.409076G	6.06	6.393575G	-23.37	-14.05	-9.32	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

29/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538699G	3.82	6.55375G	-23.83	-16.79	-7.04	1
6.5338G	4.09	6.557675G	-27.10	-15.99	-11.11	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

29/05/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693325G	8.89	6.72165G	-21.24	-11.14	-10.10	1
6.688727G	9.31	6.72235G	-23.89	-10.71	-13.18	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

29/05/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848702G	8.96	6.826025G	-22.60	-11.38	-11.22	1
6.852701G	9.21	6.882G	-21.50	-10.79	-10.71	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

29/05/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971798G	2.37	6.00105G	-26.26	-21.23	-5.03	1
5.969949G	2.89	5.99765G	-23.73	-18.23	-5.50	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

29/05/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.210999G	8.83	6.1517G	-19.60	-11.20	-8.40	1
6.209349G	9.35	6.25795G	-19.22	-10.72	-8.50	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401301G	6.99	6.4508G	-22.49	-13.04	-9.45	1
6.410899G	7.25	6.36345G	-19.68	-12.76	-6.92	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561301G	9.21	6.6164G	-20.62	-10.81	-9.81	1
6.571148G	9.13	6.5149G	-20.49	-10.95	-9.54	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.679801G	8.90	6.63615G	-19.00	-11.14	-7.86	1
6.680201G	8.70	6.637G	-19.48	-11.46	-8.02	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

29/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.832353G	9.14	6.79285G	-19.92	-10.91	-9.01	1
6.849999G	8.94	6.89585G	-20.65	-11.09	-9.56	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

24/06/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

29/05/2026



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

29/05/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31961G	4.23	6.1946G	-23.67	-15.79	-7.88	1
6.32061G	4.69	6.1846G	-24.23	-15.45	-8.78	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

29/05/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64181G	5.37	6.4988G	-23.71	-15.52	-8.19	1
6.58902G	5.23	6.495G	-23.40	-16.06	-7.34	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

29/05/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07101G	2.68	6.8802G	-46.65	-37.32	-9.33	1
6.01022G	3.30	6.4114G	-27.40	-17.75	-9.65	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

29/05/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23101G	2.96	5.9682G	-24.47	-17.04	-7.43	1
6.22061G	3.71	6.5766G	-24.50	-16.33	-8.17	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

29/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

29/05/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.978247G	-1.75	5.99895G	-32.69	-26.25	-6.44	1


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

29/05/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197502G	-2.08	6.1689G	-34.83	-26.71	-8.12	1

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

29/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

24/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

30/05/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05099G	-1.67	6.2706G	-50.23	-41.39	-8.84	1


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

30/05/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10822G	-1.84	6.4306G	-50.50	-41.84	-8.66	1

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.955775G	-4.26	5.973525G	-34.82	-24.70	-10.12	1
5.958524G	-4.41	5.97465G	-34.69	-24.74	-9.95	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197374G	-4.32	6.2125G	-34.66	-24.32	-10.34	1
6.188327G	-4.80	6.216125G	-37.85	-25.15	-12.70	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410301G	-5.37	6.3958G	-36.83	-25.49	-11.34	1
6.416525G	-5.96	6.43605G	-38.05	-26.68	-11.37	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

30/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69375G	-2.75	6.671025G	-38.76	-22.85	-15.91	1
6.697449G	-2.45	6.71785G	-37.29	-22.60	-14.69	2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

30/05/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.858674G	-4.89	6.877G	-39.11	-24.90	-14.21	1
6.858899G	-4.72	6.8745G	-36.76	-24.87	-11.89	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

30/05/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.960151G	-5.16	5.9997G	-35.58	-29.42	-6.16	1
5.972698G	-5.23	6.0033G	-36.42	-32.15	-4.27	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202451G	-5.59	6.17335G	-36.96	-29.32	-7.64	1
6.199951G	-5.04	6.17115G	-37.23	-30.13	-7.10	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.399501G	-5.42	6.37185G	-37.53	-30.05	-7.48	1
6.407599G	-6.01	6.36775G	-39.39	-32.71	-6.68	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.576097G	-5.10	6.58635G	-31.79	-25.12	-6.67	1
6.568499G	-5.36	6.5317G	-37.21	-30.08	-7.13	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.677602G	-5.25	6.64785G	-37.65	-31.46	-6.19	1
6.680701G	-5.36	6.6487G	-37.81	-31.62	-6.19	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2103G	-5.03	6.2678G	-31.70	-25.21	-6.49	1
6.2126G	-5.38	6.2672G	-32.91	-25.39	-7.52	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3968G	-4.80	6.342G	-31.91	-24.40	-7.51	1
6.3774G	-5.74	6.3218G	-37.19	-29.74	-7.45	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

30/05/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

24/06/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7725G	-4.49	6.7431G	-31.06	-24.55	-6.51	1
6.7735G	-4.93	6.7429G	-31.75	-24.99	-6.76	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

30/05/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04859G	-4.22	6.2678G	-51.67	-44.01	-7.66	1
6.0414G	-4.87	6.2676G	-51.92	-44.63	-7.29	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24878G	-5.06	6.5474G	-52.59	-45.06	-7.53	1
6.12202G	-5.20	6.4282G	-51.96	-44.96	-7.00	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31681G	-6.18	6.5904G	-52.09	-46.18	-5.91	1
6.32261G	-5.76	6.102G	-51.46	-45.49	-5.97	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68779G	-4.80	7.009G	-49.28	-44.80	-4.48	1
6.60302G	-5.11	7.0032G	-49.39	-45.11	-4.28	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05941G	-6.42	6.8942G	-48.81	-46.42	-2.39	1
6.07061G	-6.02	6.8826G	-48.65	-46.02	-2.63	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.30099G	-5.86	7.0098G	-47.91	-45.86	-2.05	1
6.22941G	-5.56	6.995G	-47.77	-45.56	-2.21	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961223G	-4.69	5.97335G	-33.13	-24.77	-8.36	1
5.95565G	-4.85	5.976075G	-35.94	-25.21	-10.73	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538799G	-2.70	6.5593G	-39.10	-22.89	-16.21	1
6.534425G	-2.42	6.513325G	-34.63	-22.43	-12.20	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

30/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693425G	-2.53	6.717425G	-36.60	-22.79	-13.81	1
6.691376G	-2.47	6.6707G	-37.42	-22.59	-14.83	2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

30/05/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.850776G	-2.52	6.8297G	-39.46	-22.87	-16.59	1
6.861498G	-2.69	6.832425G	-36.04	-22.49	-13.55	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

30/05/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971598G	-5.08	6.00075G	-35.64	-27.87	-7.77	1
5.980096G	-5.05	6.00305G	-36.38	-31.79	-4.59	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

30/05/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

30/05/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.842501G	-5.50	6.8073G	-38.69	-31.66	-7.03	1
6.851148G	-5.27	6.80885G	-37.32	-31.11	-6.21	2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

30/05/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9977G	-4.91	6.056G	-37.29	-30.19	-7.10	1
5.9995G	-4.65	6.0329G	-32.80	-24.73	-8.07	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2367G	-5.14	6.1831G	-32.03	-24.74	-7.29	1
6.2177G	-5.11	6.1801G	-33.88	-25.19	-8.69	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

30/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4011G	-4.68	6.2902G	-43.26	-35.90	-7.36	1
6.3973G	-5.48	6.3426G	-32.50	-25.51	-6.99	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

30/05/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

24/06/2026



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

30/05/2026

